

E 6413607

File Add Report Estimate Report Expense Report Inventory Report Tools CSR Tool Reports Tools/Maintenance System/Maintenance Help Print Print Screen Close																		
Repair Number: RE00014094 Serial: 66225410 Model: 7500 Certar Fire Cab: 752 NATO M 24 (SW): Repairman: Status: New 9/19/09 10:29:05 AM																		
Address Information Customer Received From Return To Received From Name: DEFENCE DIST DEPOT ANNISTON Address 1: 7 FRANKFORD AVE Address 2: PO Box City: ANNISTON State: AL Zip Code: 36201 Country: US State: AL Zip Code: 36201 Country: US State: AL Zip Code: 36201 Country: US																		
Contact / Condition Problems Estimate History / Status Shipping / Billing Contact Information: Received Condition Accessories Received																		
Phone: Fax: Email: Comments: Foot: Condition: Notes: CSR: Notes: <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>A007</td> <td>With Stud</td> <td>3</td> </tr> <tr> <td>A017</td> <td>Scope Base</td> <td>1</td> </tr> </tbody> </table>										Code	Description	Qty	A007	With Stud	3	A017	Scope Base	1
Code	Description	Qty																
A007	With Stud	3																
A017	Scope Base	1																
Repair Search Refresh Close																		
Start End Na Ar Ex ML SA Par Sta Se 9/22/09 7:40 AM NUM 7:40 AM																		

BBL ASSY 96001
BOIT ASSY 96005

E 6413607

BARBER - M24 0120703

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6413607
11 Oct 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: $-.0372$
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: $-.2024$
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: $.20579$

THE AMR FOR THIS RIFLE IS: 1.199

CENTROIDAL DISTANCES

0 TO	1	.453177
1 TO	2	.495601
1 TO	3	.572456
1 TO	4	.65437
1 TO	5	.662197

5
3 + <----POA
2
4 1

BARBER - M24 0120704


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 7 1 7
POA TO CENTROID: .453
MIN RADIUS : .243
MEAN RADIUS : 1.303
MAX RADIUS : 2.744
CENTROID X : .120
CENTROID Y : -.437

11 Oct 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/-----e6413607

CENTERFIRE PATTERN # 1

OF SHOTS= 10

IN CIRCLE

HS= 4.20

2

VS= 3.05

3

GS= 5.19

7

BARBER - M24 0120705

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 2
 POA TO CENTROID: .667
 MIN RADIUS : .088
 MEAN RADIUS : 1.377
 MAX RADIUS : 3.711
 CENTROID X : .596
 CENTROID Y : -.299

11 Oct 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/-----e6413607

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.99

1

VS= 4.76

3

GS= 5.76

7

BARBER - M24 0120706

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 3
 POA TO CENTROID: .245
 MIN RADIUS : .395
 MEAN RADIUS : 1.432
 MAX RADIUS : 3.206
 CENTROID X : -.245
 CENTROID Y : .004

11 Oct 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/-----e6413607

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 4.83

1

VS= 2.21

3

GS= 5.24


6

PATTERN #: 4
 POA TO CENTROID: .704
 MIN RADIUS : .190
 MEAN RADIUS : 1.090
 MAX RADIUS : 1.822
 CENTROID X : -.534
 CENTROID Y : -.459

11 Oct 2000

FILE:/Hqbasic/Accuracy/Patterning/Centerfire_Patt/-----e6413607

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 1.91

2

VS= 3.31

4

GS= 3.41

7

BARBER - M24 0120708

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 5
 POA TO CENTROID: .217
 MIN RADIUS : .331
 MEAN RADIUS : .791
 MAX RADIUS : 1.405
 CENTROID X : -.123
 CENTROID Y : .179

11 Oct 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/-----e6413607

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.56

4

VS= 1.85

6

GS= 2.59

10

Final Inspection

Sn: E6413607

DATE REC'D: 9-18-00

DATE RET'D:

Auditor: RW

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☐ Scope☐ Scope Rings☐ Mounting Screws☒ Mounting Base☒ SCREWS☐ FINISH☐ Looseness☐ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☐ Scope Case☐ Iron SIGHTS☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET

Comments:

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON