

E 6571245

Serial Number Inquiry

Serial Number: Production Status:

Model ID: Produced Loc:

Material Nbr: Date Produced:

Description:

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cost	Carrier	Delv Note
6/29/00 8:02:14 AM	SHIP	ILN	FULL METAL S.A.	99999		X352850	UPSC	0080604230

Production History Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Start | Inbox | Part S | Nagle | Explor | Micro | Arms | Ser... | Prints | 3:24 PM

BARBER - M24 0120846

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6571245
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0902
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .1496
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .174689

THE AMR FOR THIS RIFLE IS: 1.257

CENTROIDAL DISTANCES

0 TO 1	.740132
1 TO 2	1.14939
1 TO 3	.887374
1 TO 4	.515695
1 TO 5	.498639

1
5
+ 3 <----POA
2

BARBER - M24 0120847

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 1 ☐
 POA TO CENTROID: .740
 MIN RADIUS : .450
 MEAN RADIUS : 1.933
 MAX RADIUS : 3.206
 CENTROID X : .014
 CENTROID Y : .740

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571245

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 4.96

1

VS= 5.28

2

GS= 5.66


4

PATTERN #: ☐ 2 ☐
 POA TO CENTROID: .417
 MIN RADIUS : .107
 MEAN RADIUS : .911
 MAX RADIUS : 2.107
 CENTROID X : -.107
 CENTROID Y : -.403

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571245

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.29
 VS= 2.22
 GS= 3.83

4
 6
 8

BARBER - M24 0120849

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 3 ☐
 POA TO CENTROID: .176
 MIN RADIUS : .399
 MEAN RADIUS : 1.213
 MAX RADIUS : 2.592
 CENTROID X : .102
 CENTROID Y : -.143

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571245

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.86
 VS= 3.49
 GS= 3.95

1
 5
 7

BARBER - M24 0120850


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 4 ☐
POA TO CENTROID: .350
MIN RADIUS : .219
MEAN RADIUS : 1.203
MAX RADIUS : 2.212
CENTROID X : .224
CENTROID Y : .269

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571245

CENTERFIRE PATTERN # 4

OF SHOTS= 10

IN CIRCLE

HS= 3.64

1

VS= 1.97

4

GS= 3.81

7

BARBER - M24 0120851

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 5 ☐
 POA TO CENTROID: .359
 MIN RADIUS : .327
 MEAN RADIUS : 1.023
 MAX RADIUS : 2.038
 CENTROID X : .218
 CENTROID Y : .285

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571245

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.25

1

VS= 3.09

5

GS= 3.35

9