

E 657 1252

Serial Number Inquiry

Serial Number: Find Serial

Production Status:

Model ID: Produced Loc:

Material Nbr: Date Produced:

Description:

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cust	Carrier	DelvNote
7/30/99	SHIP	PNR	ACADEMY CORP	77449				484271

Production History Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Close

Start | Inbox | Part S | Nagle | Explor... | Micro... | Arms | Seri... | Prints... | 3:25 PM

BARBER - M24 0120866

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6571252
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0198
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.087
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .0892247

THE AMR FOR THIS RIFLE IS: 1.165

CENTROIDAL DISTANCES

Ø TO	1	.442919
1 TO	2	.566873
1 TO	3	.605826
1 TO	4	.513455
1 TO	5	.596849

5
4
2 4 <----POA
1
3

BARBER - M24 0120867

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 1 ☐
 POA TO CENTROID: .443
 MIN RADIUS : .740
 MEAN RADIUS : 1.376
 MAX RADIUS : 2.021
 CENTROID X : .344
 CENTROID Y : -.279

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571252

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 3.27

0

VS= 3.65

4

GS= 3.84

5

BARBER - M24 0120868


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 2
POA TO CENTROID: .182
MIN RADIUS : .291
MEAN RADIUS : 1.350
MAX RADIUS : 2.576
CENTROID X : -.175
CENTROID Y : -.051

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571252

CENTERFIRE PATTERN # 2

OF SHOTS= 10

IN CIRCLE

HS= 3.48

1

VS= 3.48

3

GS= 3.99

6

BARBER - M24 0120869

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 3 ☐

POA TO CENTROID: .536
MIN RADIUS : .715
MEAN RADIUS : 1.491
MAX RADIUS : 2.347
CENTROID X : -.225
CENTROID Y : -.487

20 Jun 2000

FILE:/Hqbasic/Accuracy/Patterning/Centerfire_Patt/e6571252

CENTERFIRE PATTERN # 3

OF SHOTS= 10

IN CIRCLE

HS= 3.81
VS= 3.08
GS= 4.47

0
1
5

BARBER - M24 0120870


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 4 ☐
POA TO CENTROID: .092
MIN RADIUS : .098
MEAN RADIUS : .508
MAX RADIUS : .859
CENTROID X : -.012
CENTROID Y : .091

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571252

CENTERFIRE PATTERN # 4

OF SHOTS= 10

IN CIRCLE

HS= 1.40

6

VS= 1.15

10

GS= 1.57


10

PATTERN #: ☐ 5 ☐
 POA TO CENTROID: .336
 MIN RADIUS : .526
 MEAN RADIUS : 1.098
 MAX RADIUS : 1.962
 CENTROID X : .167
 CENTROID Y : .291

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6571252

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 3.21

0

VS= 1.79

5

GS= 3.38

7