

E6638959

Serial Number:	E6630959	Find Serial	Production Status:	
Model ID:	SWS		Produced Loc:	ILN
Material Nbr:	25732		Date Produced:	6/22/00 9:37:42 AM
Description:	M/24 7.62 NATO (RIFLE ONLY) BOLT ACTION CENTERFIRE RIFLE 24" BARREL 7.62 NATO			

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cust	Carrier	DelvNote
6/29/00 8:02:13 AM	SHIP	ILN	FULL METAL S.A.	99999		X352850	UPSC	0080604230

Production History

Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Close

Start In Alt SN XN E WM P S AI S P 1:40 PM

BARBER - M24 0120914

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6630959
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1288
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0386
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .13446

THE AMR FOR THIS RIFLE IS: 1.191

CENTROIDAL DISTANCES

0	TO	1	.138654
1	TO	2	.156013
1	TO	3	.177226
1	TO	4	.442405
1	TO	5	.240377

5 ± 1^2 <----POA
4

BARBER - M24 0120915


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 010
POA TO CENTROID: .139
MIN RADIUS : .343
MEAN RADIUS : 1.033
MAX RADIUS : 1.927
CENTROID X : .136
CENTROID Y : -.027

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 1

OF SHOTS= 10

IN CIRCLE

HS= 2.00

2

VS= 3.05

5

GS= 3.42

8

BARBER - M24 0120916


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 2 ☐
POA TO CENTROID: .188
MIN RADIUS : .481
MEAN RADIUS : 1.055
MAX RADIUS : 1.974
CENTROID X : .138
CENTROID Y : .129

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 2

OF SHOTS= 10

IN CIRCLE

HS= 2.36

1

VS= 2.96

5

GS= 3.22

9

BARBER - M24 0120917


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 3
POA TO CENTROID: .067
MIN RADIUS : .366
MEAN RADIUS : 1.036
MAX RADIUS : 2.257
CENTROID X : -.039
CENTROID Y : -.055

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 3

OF SHOTS= 10

IN CIRCLE

HS= 3.64

3

VS= 2.59

6

GS= 3.67

7

BARBER - M24 0120918


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 4 ☐
POA TO CENTROID: .574
MIN RADIUS : .502
MEAN RADIUS : 1.300
MAX RADIUS : 2.225
CENTROID X : .507
CENTROID Y : -.268

20 Jun 2000

FILE://Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 4

OF SHOTS= 10

IN CIRCLE

HS= 2.82

0

VS= 3.90

3

GS= 3.91

7

BARBER - M24 0120919

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 5 ☐

POA TO CENTROID: .102

MIN RADIUS : .464

MEAN RADIUS : 1.532


MAX RADIUS : 2.549

CENTROID X : -.098

CENTROID Y : .028

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 5

OF SHOTS= 10

IN CIRCLE

HS= 3.01

1

US= 4.25

3

GS= 4.84

6