

E 6630961

Serial Number: E6630961

Model ID: SWS

Material Nbr: 25732

Description: M/24 7.62 NATO (RIFLE ONLY)
BOLT ACTION CENTERFIRE RIFLE
24" BARREL 7.62 NATO

Find Serial

Production Status:

Produced Loc: ILN

Date Produced: 6/22/00 9:43:46 AM

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cua	Carrier	Delv Note
7/25/00 10:29:14 AM	SHIP	ILN	MARIO R. LUDWIG, LTDA	99999		X543510	UPSC	0080604233
7/25/00 10:29:14 AM	SHIP	ILN	MARIO R. LUDWIG, LTDA	99999		X543510	UPSC	0080604233

Production History

Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Close

Start

Inb

Na

Al

Ex

ML

SA

Par

Sta

Ser

2:16 PM

BARBER - M24 0120922

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6630961
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0776
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0598
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .0979684

THE AMR FOR THIS RIFLE IS: 1.099

CENTROIDAL DISTANCES

0 TO	1	.100901
1 TO	2	.19997
1 TO	3	.399881
1 TO	4	.197436
1 TO	5	.339676

3 4+1 2 5 <----POA

BARBER - M24 0120923


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: D 1 C
POA TO CENTROID: .100
MIN RADIUS : .366
MEAN RADIUS : 1.090
MAX RADIUS : 1.851
CENTROID X : .095
CENTROID Y : .034

20 Jun 2000

FILE:/Hptbasic/Accuracy/Patterning/Centerfire_Patt/e6630961

CENTERFIRE PATTERN # 1

OF SHOTS= 10

IN CIRCLE

HS= 2.86

1

US= 2.72

4

GS= 2.88

8

BARBER - M24 0120924

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 2
 POA TO CENTROID: .299
 MIN RADIUS : .111
 MEAN RADIUS : 1.012
 MAX RADIUS : 1.938
 CENTROID X : .267
 CENTROID Y : .136

28 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630961

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 2.48

2

VS= 2.65

5

GS= 2.97

8

BARBER - M24 0120925

REMINGTON CENTERFIRE ACCURACY TEST


REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: ☐ 3 ☐
 POA TO CENTROID: .318
 MIN RADIUS : .481
 MEAN RADIUS : 1.086
 MAX RADIUS : 1.874
 CENTROID X : -.297
 CENTROID Y : .113

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630961

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.80

1

VS= 3.10

5

GS= 3.39

7

BARBER - M24 0120926


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: E 4 E
POA TO CENTROID: .127
MIN RADIUS : .217
MEAN RADIUS : .994
MAX RADIUS : 2.692
CENTROID X : -.096
CENTROID Y : .084

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630961

CENTERFIRE PATTERN # 4

OF SHOTS= 10

IN CIRCLE

HS= 4.07

4

VS= 2.40

6

GS= 4.07

8

BARBER - M24 0120927


REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.

PATTERN #: 5
POA TO CENTROID: .425
MIN RADIUS : .615
MEAN RADIUS : 1.311
MAX RADIUS : 2.024
CENTROID X : .419
CENTROID Y : -.068

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630961

CENTERFIRE PATTERN # 5

OF SHOTS= 10

IN CIRCLE

HS= 3.81

0

VS= 2.85

4

GS= 3.81

5