

E 6374550 new
C 6225540 oco

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374550
19 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1418
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .1248
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .188898

THE AMR FOR THIS RIFLE IS: 1.218

CENTROIDAL DISTANCES

Ø TO	1	.254008
1 TO	2	.264915
1 TO	3	.138928
1 TO	4	.367185
1 TO	5	.520612

3
1 2
+ 4 5 <-----POA

PATTERN #: ☐ 1 ☐

POA TO CENTROID: .254

MIN RADIUS : .461

MEAN RADIUS : 1.176

MAX RADIUS : 2.346


CENTROID X : .002

CENTROID Y : .254

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.92

1

VS= 3.46

4

GS= 3.49

8

PATTERN #: ☐ 2 ☐

POA TO CENTROID: .353

MIN RADIUS : .070

MEAN RADIUS : 1.264

MAX RADIUS : 1.899


CENTROID X : .266

CENTROID Y : .232

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558.1

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 2.74

1

VS= 3.25

4

GS= 3.53

5

PATTERN #: ☐ 3 ☐

POA TO CENTROID: .387

MIN RADIUS : .284

MEAN RADIUS : 1.281

MAX RADIUS : 2.828


CENTROID X : .051

CENTROID Y : .384

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.56

1

VS= 4.04

4

GS= 4.50

7

PATTERN #: ☐ 4 ☐

POA TO CENTROID: .119

MIN RADIUS : .431

MEAN RADIUS : .946

MAX RADIUS : 2.133


CENTROID X : .042

CENTROID Y : -.111

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E637455B.1

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 1.73

1

VS= 2.71

7

GS= 3.01

9

PATTERN #: ☐ 5 ☐

POA TO CENTROID: .373

MIN RADIUS : .069

MEAN RADIUS : 1.422

MAX RADIUS : 2.372


CENTROID X : .348

CENTROID Y : -.135

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 4.17

2

VS= 4.30

4

GS= 4.40

4

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374550
14 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .284
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .6
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .663819
THE AMR FOR THIS RIFLE IS: 1.289

Reno

CENTROIDAL DISTANCES

0	TO	1	.602316
1	TO	2	.454209
1	TO	3	.27103
1	TO	4	.43113
1	TO	5	.698616

4
3
1
5
2
+ <----POA

PATTERN #: ☐ 1 ☐

POA TO CENTROID: .602

MIN RADIUS : .524

MEAN RADIUS : 1.183

MAX RADIUS : 2.247


CENTROID X : .087

CENTROID Y : .596

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 1.96

0

VS= 3.96

5

GS= 3.99

7

PATTERN #: ☐ 2 ☐

POA TO CENTROID: .390

MIN RADIUS : .104

MEAN RADIUS : 1.134

MAX RADIUS : 2.163


CENTROID X : .328

CENTROID Y : .211

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.45

2

VS= 2.49

5

GS= 4.05

7

PATTERN #: ☐ 3 ☐

POA TO CENTROID: .830

MIN RADIUS : .812

MEAN RADIUS : 1.475

MAX RADIUS : 2.018


CENTROID X : .286

CENTROID Y : .780

14 May 1998

FILE: /Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 3.41

0

VS= 3.44

3

GS= 3.74

5

PATTERN #: ☐ 4 ☐

POA TO CENTROID: 1.009

MIN RADIUS : .636

MEAN RADIUS : 1.278

MAX RADIUS : 2.556


CENTROID X : -.040

CENTROID Y : 1.008

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 3.84

0

VS= 3.10

7

GS= 4.55

7

PATTERN #: ☐ 5 ☐

POA TO CENTROID: .861

MIN RADIUS : .567

MEAN RADIUS : 1.374

MAX RADIUS : ~~2.262~~


CENTROID X : .759

CENTROID Y : .405

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 3.15

0

VS= 3.48

4

GS= 3.79

5