


G6761681

**MODEL 700,™ EXPORT**  
**BOLT ACTION CENTERFIRE RIFLE**  
**24" BARREL 308 WIN**

ASK FOR THE PACKING CARTON  
 INSTRUCTION BOOK 1918

120130 TURNER BLACK SLING  
 96117 BI POD ASSY  
 400054 COMPONENT CARRYING CASE  
 1333 ETHAFOAM BLOCK (2)  
 401937 SCOPE


**BM FORM 1799**



ORDER NO. **86453**

|               |     |
|---------------|-----|
| BARREL LENGTH | 24" |
| CAPACITY      | 5   |

**G6761681**



INSPECTION CHECKLIST  
COLUMBIAN EXPORT 5/2008

| OPERATION #                     | OPERATION NAME               | DATE                                      | INITIAL     |
|---------------------------------|------------------------------|-------------------------------------------|-------------|
| SERIAL NUMBER <u>B 676 1681</u> |                              |                                           |             |
| 440                             | PROOF                        |                                           |             |
| 460                             | CHECK HEADSPACE              |                                           |             |
| 470                             | DIS-ASSEMBLE GUN             |                                           |             |
| 480                             | <del>MAGNAFLUX</del>         |                                           |             |
| 510                             | DRILL AND TAP                | 7-29-08                                   | SP          |
| 500                             | ROLLMARK CALIBER <u>WASH</u> | 7/31/08                                   | RT          |
| 520                             | GOFF BLAST BBL / REC         | 7/31                                      | DG          |
| 530 & 540                       | APPLY COATINGS               | FL                                        | C           |
| 560                             | FINAL ASSEMBLY               | 8-13-08                                   | RTZ         |
| 640                             | FUNCTION TEST AND            | PASS FAIL                                 | 8-14-08 TL  |
| 650                             | TARGET                       | PASS FAIL                                 | 8-14-08 TL  |
|                                 | MALFUNCTION <u>BSSM</u>      | CORRECTION                                |             |
|                                 | MALFUNCTION                  | CORRECTION                                | NA          |
|                                 | MALFUNCTION                  | CORRECTION                                |             |
|                                 | MALFUNCTION                  | CORRECTION                                | 8-14-08 TRW |
| 670                             | FINAL INSPECTION             | PASS FAIL                                 | 8-19-08 RTZ |
|                                 | A) HEADSPACE                 | PASS FAIL                                 | 8-19-08 RTZ |
|                                 | B) TRIGGER PULL              | +/- .5 LBS<br>MIN 2.50 LBS<br>MAX 4.0 LBS |             |
| 680                             | F) SAFETY ON FORCE           | 2 LBS MIN<br>10 LBS MAX                   |             |
|                                 | G) SAFETY OFF FORCE          | 2 LBS<br>MIN                              |             |
|                                 | I) FIRING PIN INDENT         | .020                                      |             |
| 690                             | PACK                         |                                           | 8/19/08 Fm  |

F006 REV 5/2006