

G 629 6788
Raphae
E 637 4499

Repair Inquiry

Repair Number: RE00070751

Serial: E6374499 Model 700 Center Fire Caliber .7
62 NATO M/24 SWS

Repairman:

Verify Repair

Status:

Closed 9/30/2003 7:46:45 AM

Address Information

Customer:

☒ Received From

Return To:

☐ Received From

Name: C CO SPT BN

C CO SPT BN

Address 1: SWC

SWC

Address 2: PO Box

PO Box

City: FORT BRAGG

FORT BRAGG

State: NC Zip Code: 28310

Country: US

State: NC Zip Code: 28310

Country: US

FFL:

Contact / Condition

Problems

Estimate

History / Status

Shipping / Billing

Contact Information

Phone:

Fax:

Email:

Comments:

Received Condition

Good

Condition
Notes:CSR
Notes:

Accessories Received

Code	Desc	Qty
A007	With Stud	3
A017	Scope Base	1
C000	FRT AND REAR BASI	1

Repair Search

Refresh

Close

nagletj

9/30/2003

8:42 AM

CAPS

NUM

INS

SCFL

start

8:42 AM

8:42 AM

8:42 AM

Search is

Arms Ser

Print Ser

8:42 AM

Serial
Number:~~E6374499~~ G6296788

Model: 700



RE00070751

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: G6296788.___0
FILE DATE AND TIME: 10/29/2003 09:25

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.051
The Average Y Centroid of the Five Target Set:	0.014
The Average Point of Impact of the Five Target Set:	0.053
The Average Mean Radius of the Five Target Set:	0.749
The Distance from POA to Centroid Target #1:	0.130
The Distance from Centroid Target #2 to Centroid Target #1:	0.303
The Distance from Centroid Target #3 to Centroid Target #1:	0.101
The Distance from Centroid Target #4 to Centroid Target #1:	0.034
The Distance from Centroid Target #5 to Centroid Target #1:	0.118

SERIAL NUMBER: G6296788. 0

TARGET NUMBER: 1

FILE DATE: 10/29/2003

FILE TIME: 09:25

X CENTROID: -0.090

Y CENTROID: 0.094

POA TO CENTROID: 0.130

HORZ SPREAD: 1.447

VERT SPREAD: 1.952

GROUP SPREAD: 2.363

MIN RADIUS: 0.274

MAX RADIUS: 1.259


MEAN RADIUS: 0.753

IN 1 IN DIAMETER: 1

IN 2 IN DIAMETER: 7

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.507	1.180
2:	-0.194	1.145
3:	0.102	0.659
4:	-0.597	0.274
5:	-0.363	0.118
6:	-0.623	-0.240
7:	-0.184	-0.551
8:	0.325	-0.228
9:	0.317	-0.641
10:	0.824	-0.772




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6296788. 0
 TARGET NUMBER: 2
 FILE DATE: 10/29/2003
 FILE TIME: 09:25

X CENTROID: -0.081
 Y CENTROID: -0.209
 POA TO CENTROID: 0.224
 HORZ SPREAD: 1.793
 VERT SPREAD: 3.430
 GROUP SPREAD: 3.453
 MIN RADIUS: 0.175
 MAX RADIUS: 2.091
 MEAN RADIUS: 0.969
 # IN 1 IN DIAMETER: 2
 # IN 2 IN DIAMETER: 6
 # in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.133	1.139
2:	-0.714	0.936
3:	-0.458	0.391
4:	-0.344	-0.144
5:	0.078	-0.282
6:	-0.681	-0.572
7:	-0.158	-0.959
8:	-0.268	-2.291
9:	0.527	-0.893
10:	1.079	0.586



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6296788. 0

TARGET NUMBER: 3

FILE DATE: 10/29/2003

FILE TIME: 09:25

X CENTROID: -0.028

Y CENTROID: 0.015

POA TO CENTROID: 0.031

HORZ SPREAD: 1.379

VERT SPREAD: 2.670

GROUP SPREAD: 2.679

MIN RADIUS: 0.100

MAX RADIUS: 1.436


MEAN RADIUS: 0.662

IN 1 IN DIAMETER: 4

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.245	1.333
2:	0.477	0.378
3:	-0.263	0.479
4:	0.019	0.441
5:	-0.902	-0.089
6:	-0.021	-0.701
7:	-0.066	-0.413
8:	-0.094	-0.061
9:	0.459	-1.337
10:	-0.132	0.115



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6296788. __0

TARGET NUMBER: 4

FILE DATE: 10/29/2003

FILE TIME: 09:25

X CENTROID: -0.072

Y CENTROID: 0.124

POA TO CENTROID: 0.144

HORZ SPREAD: 1.257

VERT SPREAD: 1.779

GROUP SPREAD: 1.934

MIN RADIUS: 0.243

MAX RADIUS: 1.151


MEAN RADIUS: 0.634

IN 1 IN DIAMETER: 4

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.011	0.763
2:	-0.343	0.728
3:	-0.263	0.404
4:	0.402	0.788
5:	0.179	0.485
6:	-0.706	-0.063
7:	-0.273	-0.013
8:	0.096	-0.341
9:	0.551	-0.520
10:	-0.356	-0.991



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: G6296788. __ 0

TARGET NUMBER: 5

FILE DATE: 10/29/2003

FILE TIME: 09:25

X CENTROID: 0.017

Y CENTROID: 0.044

POA TO CENTROID: 0.047

HORZ SPREAD: 1.498

VERT SPREAD: 1.672

GROUP SPREAD: 2.245

MIN RADIUS: 0.260

MAX RADIUS: 1.129


MEAN RADIUS: 0.725

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.816	0.806
2:	0.298	0.650
3:	-0.156	0.490
4:	0.454	0.382
5:	0.277	0.042
6:	0.196	-0.339
7:	-0.447	-0.615
8:	0.682	-0.866
9:	0.351	-0.769
10:	-0.671	0.661



TARGET APPROX 1/2 SCALE

E6374499

CONTRACT #: DAAE-20-02-D-0127

SERIAL # G 6296788 (New) INSPECTED BY: RTLDATE REC'D: 9-30-03DATE RET'D: 10-29-03

ITEM

BARREL ASSEMBLY

☒ BARREL
☒ RECEIVER
☒ FRONT SIGHT BASE
☒ REAR SIGHT BASE
☒ SCREWS
☒ FINISH

SCOPE ASSEMBLY

☐ SCOPE
☐ SCOPE RINGS
☐ MOUNTING SCREWS
☐ MOUNTING BASE
☐ SCREWS
☐ FINISH
☐ CLARITY

ITEM

STOCK ASSEMBLY

☒ STOCK
☒ SLING AWIVEL STUDS
☒ ADJUSTABLE
☒ BUTT PLATE
☒ LOCK NUTS
☒ BARREL CLEARANCE
☒ COLOR / FINISH

SYSTEMS CASE

☐ SCOPE CASE
☐ IRON SIGHTS
☐ DEPLOYMENT KIT

TRIGGER ASSEMBLY

☒ SAFETY OPERATION
☒ RE-SET TO FACTORY SPECS

COMMENTS:

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON