

2000

FIREARMS

NEW PRODUCTS

BARBER - M24 0182130

R 2199208

300 Ideal Over/Under



- New finely fitted and fully featured family of over & under shotguns
- Based on a proven action design with several mechanical and styling improvements
 - \Rightarrow Based on a reliable fore-end latching system
 - \Rightarrow New safety / barrel selector design for improved ease of use
 - * The barrel selector is integrated within the safety and moves precisely so it can't hang up between positions
 - \Rightarrow Box-lock style machined from solid steel
- Polished blue metal finish
- Ornate roll engraving
- Semi Gloss American walnut field grade stock & fore-end
- Handsome wood checkering with 20 lines per inch

300 Ideal Over/Under (Continued)

- English style solid recoil pad
- Low profile vent rib, 8mm wide, undercut for improved styling
- Ivory front bead with steel mid-bead
- 12 gauge barrels chambered for 2 ³/₄" and 3" magnum that feature side ribs
- Includes a set of 3 Rem chokes (IC, Mod. & Full)
- Automatic Ejectors
- Available with:
 - 26" barrel: Weight = 7 3/8 lbs.; OL = 42 ³/₄"
 - 28" barrel: Weight = 7 5/8 lbs.; OL = 45"
 - 30" barrel: Weight = 7 7/8 lbs.; OL = 47 ¼"
- LOP = 14 3/16"; Drop @ Comb = 1 ½"; Drop @ Heel = 2"

SP-10 Black Synthetic



- Gas operated 10 gauge autoloader
- 26" vent rib barrel
- Ivory front bead with steel mid-bead
- Furnished with Full & Modified Rem chokes
- Non-reflective black matte finish on barrel and receiver
- Black synthetic stock and fore-end for reduced weight and durability
- 2 round magazine capacity
- Weight = 10 ³/₄ lbs. ; OL = 47"
- LOP = 14"; Drop @ Comb = 1½"; Drop @ Heel = 2½"

11-87 Upland Special

- Gas compensated 12 gauge or 20 gauge autoloader
- Polished blue metal finish
- Fine-line engraved receiver
- Ivory front bead with steel mid-bead
- 23" vent rib light contour barrel on 12 gauge models
- Set of three Rem chokes (IC, Mod. & Full)
- Semi-gloss American walnut stock (straight grip English style) and fore-end
- Cut checkered with recoil pad
- 12 gauge = 4 round magazine capacity; 20 gauge = 4 round magazine capacity
- 12 gauge: Weight = 7 $\frac{1}{4}$ lbs.; OL = 43 $\frac{1}{2}$ "; 20 gauge: Weight = 6 $\frac{1}{2}$ lbs. ; OL = 43 $\frac{1}{2}$ "
- LOP = 14"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"

11-87 SP Super Mag

- Versatile gas compensated 12 gauge autoloader
- Functions 2 ³/₄", 3" or 3 ¹/₂" shells interchangeably
- Non-reflective black matte finish on barrel and receiver
- Ivory front bead with steel mid-bead
- Available in 26" or 28" vent rib barrels
- Walnut sock & fore-end with flat Special Purpose finish
- Cut checkered with recoil pad
- Set of three Rem chokes (IC, Mod. & Full)
- 4 round magazine capacity (2 ³/₄" or 3"); 3 round magazine capacity (3 ¹/₂")
- Complete with swivel studs, padded shotgun sling and swivels
- 26" Weight = 8 1/8 lbs.; OL = 45-3/4"
- 28" Weight = 8 ¼ lbs.; OL = 48"
- LOP = 14"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"

11-87 SPS Super Mag

- Gas compensated 12 gauge versatile autoloader
- Functions 2 ³/₄", 3" or 3 ¹/₂" shells interchangeably
- Non-reflective black matte finish on barrel and receiver
- Durable black synthetic stock and fore-end
- Ivory front bead with steel mid-bead
- Available in 26" or 28" vent rib barrels
- Set of three Rem chokes (IC, Mod. & Full)
- 4 round magazine capacity (2 ³/₄" or 3"); 3 round magazine capacity (3 ¹/₂")
- Complete with swivel studs, padded shotgun sling and swivels
- 26" Weight = 8 1/8 lbs.; OL = 45-3/4"
- 28" Weight = 8 ¼ lbs. ; OL = 48"
- LOP = 14"; Drop @ Comb = 1½"; Drop @ Heel = 2½"

- 30" low profile light target contoured vent rib barrel
- New fine line engraving pattern with gold inlay
- 12 Gauge with standard bore, .727"
- Rem choke barrel with three flush tubes: (Singles @ .027", Mid Handicap @ .034", Long Handicap @ .041")
- Semi-fancy American walnut stock and fore-end
- Monte Carlo stock with vented recoil pad and white line spacers
- Gloss wood finish with cut checkering
- Gold plated trigger
- Polished blue receiver and barrel
- LOP = 14 ¼"; Drop @ Comb = 1 7/16"; Drop @ Monte Carlo = 1 3/8"; Drop @ Heel = 2"

BARBER - M24 0182137

• Weight = 8 ¼ lbs. ; OL = 50 ½"

- 12 gauge autoloader with 28" light target contoured vent rib barrel
- Rem choke barrel with four extended tubes: (Skeet, Improved Cylinder, Light Modified, Modified)

BARBER - M24 0182138

- Twin bead target sights
- Polished blue receiver and barrel
- Semi-fancy American walnut stock and fore-end
- Gloss wood finish with cut checkering
- Gold plated trigger
- Sporting Clays style recoil pad
- LOP = 14 "; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ¼"
- Weight = 8 lbs. ; OL = 49"

870 Classic Trap



- 50th Anniversary Special Offering
- Special fine line engraving pattern with gold inlay
- 30" low profile light target contoured vent rib barrel
- 12 Gauge with standard bore, .727"
- Rem choke barrel with three flush tubes: (Singles @ .027", Mid Handicap @ .034", Long Handicap @ .041")
- Semi-fancy American walnut stock and fore-end
- Monte Carlo stock with vented recoil pad and white line spacers
- Gloss wood finish with cut checkering
- Gold plated trigger
- Polished blue receiver and barrel
- LOP = 14 ¼"; Drop @ Comb = 1 7/16"; Drop @ Monte Carlo = 1 3/8"; Drop @ Heel = 2"
- Weight = 8 lbs. ; OL = 50-1/2"

11-87 SPS-T RS/TG



- Gas compensated 12 gauge autoloader
- TRU-GLO light-gathering, fiber optic rifle sights
- Non-reflective black matte finish on barrel and receiver
- 21" Rem Choke barrel with Turkey Super Full choke included
- Durable black synthetic stock and fore-end
- Monte Carlo style stock with vented recoil pad
- Complete with swivel studs, padded shotgun sling and swivels
- Weight = 8 lbs. ; OL = 42 ¹/₂"
- LOP = 14"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"


870 SPS-T RS/TG



BARBER - M24 0182141

- Pump action operated 12 gauge
- TRU-GLO light-gathering, fiber optic rifle sights
- Non-reflective black matte finish on barrel and receiver
- 20" Rem Choke barrel with Turkey Super Full choke included
- Durable black synthetic stock and fore-end
- Monte Carlo style stock with vented recoil pad
- Complete with swivel studs, padded shotgun sling and swivels
- Weight = 7 ¼ lbs. ; OL = 41 ½"
- LOP = 14"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"

11-87 SPS-T CL/RD



- Gas compensated autoloading 12 gauge
- Leupold/Gilmore 35mm illuminated Red Dot sighting system
- Sight mounted on 21" cantilever Rem Choke barrel
- Turkey Super Full Rem Choke tube
- Fully camouflaged in Mossy Oak Break-Up pattern
- Monte Carlo style stock with vented recoil pad
- Durable synthetic stock and fore-end
- Includes matching camouflage padded sling made of Cordura nylon
- Complete with swivel studs and swivels
- Weight = 8 ½ lbs. ; OL = 42-1/2"
- LOP = 14"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"

870 SPS-T Super Magnum Camo CL/RD



- Pump action operated 12 gauge which chambers 2 ³/₄", 3" or 3 ¹/₂" shells
- Leupold/Gilmore 35mm illuminated Red Dot sighting system
- Sight mounted on 23" cantilever Rem Choke barrel
- Turkey Super Full Rem Choke tube
- Fully camouflaged in Mossy Oak Break-Up pattern
- Monte Carlo style stock with vented recoil pad
- Durable synthetic stock and fore-end
- Includes matching camouflage padded sling made of Cordura nylon
- 4 round magazine capacity (2 ³/₄" or 3"); 3 round magazine capacity (3 ¹/₂")
- Complete with swivel studs and swivels
- Weight = 9 lbs. ; OL = 44 ½"
- LOP = 14"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"

870 Wingmaster Super Magnum



BARBER - M24 0182144

- Pump action operated 12 gauge with chambering capability of 2 ³/₄", 3" or 3 ¹/₂" shells
- 28" vent ribbed Rem choke barrel
- Set of three Rem chokes (IC, Mod. & Full)
- Polished blue metal finish
- Fine-line engraved receiver
- Ivory front bead with steel mid-bead
- High gloss American walnut stock and fore-end with cut checkering
- 4 round magazine capacity (2 ³/₄" or 3"); 3 round magazine capacity (3 ¹/₂")
- Weight = 7 ½ lbs. ; OL = 48
- LOP = 14 ¼"; Drop @ Comb = 1 ½"; Drop @ Heel = 2 ½"

M/700 EtronX



Built on the M/700 VS SF action

- \Rightarrow Traditional M/700 look
- \Rightarrow Same bolt stroke
- \Rightarrow Same balance
- \Rightarrow Same feel
- Utilizes patented technology to electronically discharge the round
 - \Rightarrow Near zero lock time
 - * No moving parts
 - * No associated vibrations
 - \Rightarrow Target grade trigger
 - * Breaks crisp & clean
 - * 36% less travel than standard M/700.
 - * Reduced over-travel
 - * No creep
 - * Factory set at 3 pounds

M/700 EtronX (Continued)

Electronic trigger operation

- \Rightarrow Powered by standard 9 volt battery stored in stock
- ⇒ Pulling trigger while in FIRE mode sends current through special contact in the bolt face to the electronic primer causing the round to fire.

Additional features

- \Rightarrow LED located on top of grip communicates:
 - * System status FIRE or SAFE mode
 - * Loaded round
 - * Low battery indicator
 - * Malfunction indicator
- \Rightarrow Key switch is located in bottom of grip and acts as an enabler, powering the system

<u>M/700 EtronX</u> (Continued)

- Durable 416 grade stainless steel barrel, receiver and bolt
- 26" Heavy barrel with spherical concave crown
- Barrel features six machined flute that increase cooling while maintaining rigidity
- Satin metal finish with black flutes
- Composite stock of fiberglass and graphite reinforced with DuPont Kevlar
- Aircraft grade aluminum bedding block runs full length of receiver
- Hinged Floorplate
- Conventional safety location
- Available in 220 Swift, 22-250 Rem & 243 Win
- Weight = 8 3/4 lbs. ; OL = 45 7/8"
- LOP = 13 3/8; Drop @ comb = 1 5/16"; Drop @ heel = 1 ¼"





- Available in .223 Rem caliber
- Classic style (straight comb) American walnut stock with satin finish
- Polished blue clean carbon steel barrel
- 5 round magazine capacity, hinged floor plate
- Action Type: Short Action
- Barrel Length: 24"
- Twist: 1 turn in 12"
- Overall Length: 44 ¹/₂"
- Average Weight: 7 ¼ lbs.
- LOP: 13 3/8"

700 BDL LH .300 Ultra Mag

High gloss American walnut stock in left-handed offering

BARBER - M24 0182149

- Polished blue carbon steel barrel
- 3 round magazine capacity, hinged floor plate
- Furnished with sights and sling swivel studs
- Drilled & tapped for scope mounts
- Action Type: Magnum Action
- Barrel Length: 26"
- Twist: 1 turn in 10"
- Overall Length: 46 ¹/₂"
- Average Weight: 7 5/8 lbs.
- LOP: 13 3/8"; Drop @ Comb: 1/2"; Drop @ Heel: 1 3/8"

<u>700 VS</u>



- Available in .223 Rem, .22-250 and .308 Win calibers
- Kevlar reinforced fiberglass composite stock
- Aircraft grade aluminum bedding block runs full length of the receiver
- Matte finished carbon steel barrel
- Hinged floor plate magazine
- Magazine capacity: 5, 4, 4 respectively
- Drilled & tapped for scope mounts
- Action Type: Short Action
- Barrel Length: 26"
- Twist: 1 turn in 12"; 1 turn in 14"; and 1 turn in 10" respectively
- Overall Length: 45 ³/₄"
- Average Weight: 9 1/8 lbs.
- LOP: 13 3/8"; Drop @ Comb: 5/8"; Drop @ Heel: 5/8"

Seven LSS



- Available in .22-250, .243 Win and 7mm-08 calibers
- Attractive brown laminated stock with satin finish
- Satin finished 416 Stainless Steel barrel and action
- 4 round magazine capacity, hinged floor plate
- Furnished with sling swivel studs
- Drilled & tapped for scope mounts
- Action Type: Short Action
- Barrel Length: 20"
- Twist: 1 turn in 14"; 1 turn in 9 1/8"; and 1 turn in 9 ¼" respectively
- Overall Length: 39 ¹/₄"
- Average Weight: 6 ¹/₂ lbs.
- LOP: 13 3/8"; Drop @ Comb: 3/8"; Drop @ Heel: 3/8"

<u>Seven LS</u>



- Available in 223 Rem, 243 Win, 260 Rem, 7mm-08, and 308 Win. calibers
- Attractive brown laminated stock with satin finish
- Matte finished carbon steel barrel and action
- 4 round magazine capable, hinged floor plate (5 round magazine capacity for .223)
- Furnished with sights and sling swivel studs
- Drilled & tapped for scope mounts
- Action Type: Short Action
- Barrel Length: 20"
- Twist: 1 turn in 12"; 1 turn in 9 1/8"; 1 turn in 9"; 1 turn in 9 ¼"; and 1 turn in 10" respectively
- Overall Length: 39 ¼"
- Average Weight: 6 1/2 lbs.
- LOP: 13 3/8"; Drop @ Comb: 3/8"; Drop @ Heel: 3/8"

Seven Youth



- Available in .223 Rem, .243 Win, .260 Rem and 7mm-08 calibers
- Walnut-toned hardwood stock with flat finish
- Polished blue carbon steel barrel and action
- 4 round magazine capacity, hinged floor plate (5 round magazine capability for .223)
- Furnished with sights and sling swivel studs
- Drilled & tapped for scope mounts
- Action Type: Short Action
- Barrel Length: 20"
- Twist: 1 turn in 12"; 1 turn in 9 1/8"; 1 turn in 9"; and 1 turn in 9 ¼" respectively
- Overall Length: 38 ¼"; Average Weight: 6 1/4 lbs.
- LOP: 12 3/8"; Drop @ Comb: 3/8"; Drop @ Heel: 3/8"

597 Stainless Sporter



- .22 LR caliber semi-automatic
- New rugged and handsome hardwood stock with flat finish
- Satin finished 416 Stainless Steel barrel
- 10 round staggered clip magazine
- Furnished with sights and sling swivel studs
- Grooved receiver for tip-off scope mounts
- Drilled & tapped for Remington scope rail
- Barrel Length: 20"; Overall Length: 40"
- Average Weight: 5 ½ lbs.
- LOP: 14"; Drop @ Comb: 1 5/8"; Drop @ Heel: 2 5/8"

700 .338 Ultra Mag



- An unprecedented caliber available in 8 new offerings
 - \Rightarrow 700 BDL
 - * All the great features you've come to expect from every caliber in the BDL line-up but with the brawn of a new and innovative belt-less magnum.
 - \Rightarrow 700 BDL SS
 - * All the great features of the BDL but with a stalwart synthetic stock teamed up with a 416 Stainless Steel barreled action
 - \Rightarrow **700 LSS** in both right & left handed models
 - Stately gray laminated stock combined with a 416 Stainless
 Steel barreled action
 - \Rightarrow 700 Sendero SF
 - * 416 Stainless Steel barreled action with weight reducing longitudinal barrel flutes

700 .338 Ultra Mag (Continued)

- \Rightarrow 700 APR (African Plains Rifle)
 - * Offers the hand-made precision from our Custom Shop along with the transitional beauty of a laminated stock black satin finish Teflon for a non-glare finish.
- \Rightarrow 700 AWR (Alaskan Wilderness Rifle)
 - * Provides the durability of a Kevlar stock along with the weather resistance of 416 Stainless Steel. The barreled action is then plated with a black satin finish Teflon for a non-glare finish.
- \Rightarrow 700 Custom KS (Kevlar Stock) Mountain Rifle
- \Rightarrow 700 Custom KS Stainless Mountain Rifle
- Action Type: Long Action
- Barrel Length: 26"
- Overall Length: 46 ¹/₂"
- Average Weight: 7 ½ lbs.
- Twist: 1 turn in 10"
- LOP: 13 3/8"; Drop @ Comb: 3/8"; Drop @ Heel: 3/8"
- 3 round magazine capacity, hinged floor plate

Remington No. 1 Rolling Block, Silhouette

- 45-70 Govt. caliber
- 1 in 18 inch twist rate
- Button rifled barrel .004" deep, suitable for cast bullets
- 30" heavy barrel turned straight to 1 1/8" diameter (no taper)
- Barrel milled for front sight dovetail and tang
- Drilled and tapped for vernier sight, but vernier tang rear, and spirit level front sights <u>optional</u>.
- Shotgun style buttstock with pistol grip
- Single set trigger standard
- Gun weight 11 1/2 lb's <u>without sights</u>: meets NRA's Black Powder Cartridge Rifle (BPCR) Silhouette requirements.

<u>40 XR</u>



- Custom Shop offering in .22 Win. Mag.
- Single shot capability
- Rimfire Sporter featuring satin finished English Walnut stock with a classic, straight comb.
- Skeleton style butt plate
- Pistol grip and fore-end are accentuated with hand-cut, 20 line per inch, point pattern checkering.
- Deep luster blued finish
- Barrel is 'clean' (without sights)

Discontinued Products for 2000

RAMAC	Description	Replacement SKU
5277	11-87 Premier Sporting Clays	
9882	11-87 Premier Skeet	
9888	11-87 Premier Trap	
9674	11-87 SPS-T	5327
9863	11-96 Euro Lightweight 28" BBL	
9869	11-96 Euro Lightweight 26" BBL	
5335	1100 Special Field 12 GA	5357
5381	1100 Special Field 20 GA	5359
6979	870 Wingmaster TC Trap	4856
5871	700 Classic .17 Rem	6344
6205	700 VS SF-P .220 Swift	9703
6207	700 VS SF-P .22-250 Rem.	· 9701
6209	700 VS SF-P .308 Win	9705
7487	700 VLS .260 Rem	
7497	700 VLS 7mm-08 Rem.	
6119	700 BDL DM .243 Win.	
6125	700 BDL DM .280 Rem.	
6127	700 BDL DM 7mm-08 Rem.	
. 6989	700 BDL DM LH .30-06	
6991	700 BDL DM LH 7mm Rem. Mag.	
6261	700 BDL SS DM .308 Win.	

RAMAC	Description	Replacement SKU
7537	700 BDL SS DM-B 7mm Rem. Mag.	
4720	Seven - Lightweight .223 Rem.	4728
4782	Seven - Lightweight .243 Rem.	4793
4726	Seven - Lightweight .260 Rem.	4734
4786	Seven - Lightweight 7mm-08 Rem.	4795
4788	Seven - Lightweight .308 Win.	4789
4774	Seven - Youth .243 Win.	4779
4785	Seven - Youth .260 Rem.	4781
4778	Seven - Youth 7mm-08 Rem.	4783
5383	XP-100 R .22-250 Rem.	
5385	XP-100 R .223 Rem.	
5387	XP-100 R .260 Rem.	
5389	XP-100 R .35 Rem.	
9824	541-T .22	
9822	541-T HB .22	
9848	Sportsman 581-S .22	
5669	40-XR KS .22 (single shot)	
5673	40-XR KS Sporter .22 (single shot)	
4818	396 Sporting O/U 12 GA 30" VR	5229
4819	396 Sporting O/U 12 GA 28" VR	5231
4626	11-87 XBL Premier Trap 12GA 30" VR	
4492	1100 XBL Trap 12GA 30" VR	
4612	870 XBL Skeet 12GA 26" VR	



2000 Writer's Seminar 2001 Firearms Workshop

2000 Firearms Business Review

- Continue to enjoy double-digit increases in order volume in most major product categories.
- Firearms production remains the same as 1999, resulting in some supply shortfalls.
- New products for 2000 were very successful.
- Key financial matrix show continued improvement.

Business Outlook For 2001

- Trade inventories of Remington long guns will provide positive momentum for most of next year.
- November election results are likely to create another run on firearms and ammunition products.
- Industry and trade consolidation will continue at an accelerated pace.
- Additional government regulation of the industry, its trade channels and its end users are highly probable.

Strategic Initiatives

- Continue aggressive capital investment in plant equipment and operating systems.
- Lower cost with continued improvement in quality.
- Continue to keep supply tight.
- Lead the industry with innovative new products.