


2003 New Products

Rifles

Remington.

Model 673™ Guide Rifle



- Evolved from the Model 600 Magnum
- Wide striped (alternating dark and light) Laminate Stock with cheek piece, swivel studs and cut checkering
- 22" magnum contour barrel with machined steel ventilated rib and iron sights
- Based on Model Seven Action
- Receiver drilled and tapped for scope mounts (Same as Model Seven)
- Chambered for .300 Rem SA Ultra Mag and .350 Rem Mag
- Hinged floor plate magazine with 3+1 round capacity

Remington.

Model 673 Guide Rifle

Product Specifications

BARBER - M24 0182249

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.300 Rem SAUM	Short Action Bolt	22"	1:10"	41 3/16"	7 ½ Lbs	24689	\$825
.350 Rem Mag	Short Action Bolt	22"	1:16"	41 3/16"	7 ½ Lbs	24687	\$825


LOP= 13 11/16"; Drop @ Comb = 3/4"; Drop @ Heel = 3/4"

Remington.

BARBER - M24 0182249

R 2199327

2003 Model 700™ Classic



- 23rd version of the Limited Edition Classic series chambered for .300 Savage
- Traditional walnut straight-combed “Classic” style stock with swivel studs and cut-checkering
- 24” high polished blued “clean” barrel
- High polished blued carbon steel short action receiver
- Hinged floor plate magazine with 4+1 round capacity

Remington.

2003 Model 700™ Classic

Product Specifications

BARBER - M24 0182251


Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.300 Savage	Short Action Bolt	24"	1:12"	44 ½"	7 ¼ Lbs	25869	\$683

LOP= 13 3/8"; Drop @ Comb = ½"; Drop @ Heel = 1 3/8"

Remington.

BARBER - M24 0182251
R 2199329

Model 700™ Sendero® SF Short Action



- Premier long range short-action magnum platform in its class
- Chambered for 7mm & .300 Rem SA Ultra Mag cartridges
- Short-action 416 Stainless Steel receiver, drilled and tapped for scope mounts
- Hinged floor plate magazine with 3+1 round capacity
- 26" long range 416 Stainless Steel barrel with longitudinal fluting for heat dissipation and added rigidity
- Hand laid-up composite stock, reinforced with aramid fiber
 - fitted with swivel studs

Remington.

Model 700™ Sendero® SF Short Action

Product Specifications

BARBER - M24 0182253

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
7mm Rem SAUM	Short Action Bolt	26"	1:9 1/4"	45 3/4"	8 1/2 Lbs	26323	\$1016
.300 Rem SAUM	Short Action Bolt	26"	1:10"	45 3/4"	8 1/2 Lbs	26329	\$1016


LOP= 13 3/8"; Drop @ Comb = 5/8"; Drop @ Heel = 5/8"

Remington.

BARBER - M24 0182253 R 2199331

Model 700™ BDL™ SS

Rem SA Ultra Mags



- Available in 7mm and .300 Rem SA Ultra Mag Cartridges
- 416 Stainless Steel Short Action Receiver, drilled and tapped for scope mounts
- 24" 416 stainless steel magnum contour clean barrel
- Rugged matte black all-weather synthetic stock
- Remington "R₃"™ Recoil Pad with Patented Limbsaver™ Technology
- Hinged floor plate magazine with 3+1 round capacity

Remington.

Model 700™ BDL™ SS


Product Specifications

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
7mm Rem SAUM	Short Action Bolt	24"	1:9 1/4"	43 5/8"	7 1/4 Lbs	26434	\$775
.300 Rem SAUM	Short Action Bolt	24"	1:10"	43 5/8"	7 1/4 Lbs	26436	\$775

LOP= 13 3/8"; Drop @ Comb = 3/8"; Drop @ Heel = 1/2"

Remington.

Model 700™ BDL™ SS RMEF Camo



- Portion of proceeds donated to RMEF
- 2003 offering chambered for .300 Rem SA Ultra Mag
- 2003 offering will also feature Realtree Hardwoods® Gray HD™ camo patterned stock with Remington “R₃”™ Recoil Pad
- 416 Stainless Steel Short Action Receiver, drilled and tapped for scope mounts
- 24” 416 stainless steel magnum contour clean barrel
- Hinged floor plate magazine with 3+1 round capacity

Remington.

Model 700™ BDL™ SS RMEF Camo

Product Specifications

BARBER - M24 0182257


Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.300 Rem SAUM	Short Action Bolt	24"	1:10"	43 5/8"	7 ¼ Lbs	26438	\$835

LOP= 13 3/8"; Drop @ Comb = 3/8"; Drop @ Heel = 1/2"

Remington.

BARBER - M24 0182257 R 2199335

Model 7400™ Weathermaster™



- All-weather gas autoloading centerfire rifle
- Low-sheen nickel plated receiver drilled and tapped for scope mounts
- Low-sheen nickel plated 22" barrel with iron sights
- Rugged matte black synthetic Monte Carlo stock and fore end
- 4-round detachable magazine box
- Chambered for .270 Win and .30-06

Remington.

Model 7400™ Weathermaster™

Product Specifications

BARBER - M24 0182259

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.270 Win	Autoloading Long Action	22"	1:10"	42 5/8"	7 ½ Lbs	26458	\$624
30-06	Autoloading Long Action	22"	1:10"	42 5/8"	7 ½ Lbs	26459	\$624

LOP= 14"; Drop @ Comb = 1 3/16"; Drop @ Heel = 2 1/4"

Remington.

BARBER - M24 0182259 R2199337

Model 597™ Magnum Synthetic .17HMR



- Our most popular Model 597 platform now chambered for the new .17 Hornady Magnum Rimfire
- Matte black synthetic stock with swivel studs
- Detachable metal magazine box with 8-round capacity
- 20" sporter contour button-rifled clean barrel with blued finish
- 1:9" Twist rate – Six lands and grooves
- Receiver drilled and tapped for scope mounts and shipped with Weaver style scope rail

Remington.

Model 597™ Magnum Synthetic .17HMR

Product Specifications

BARBER - M24 0182261

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.17HMR	Blowback Autoloader	20"	1:9"	40"	5 ½ Lbs	26516	\$361

LOP= 14"; Drop @ Comb = 1 1/2"; Drop @ Heel = 2 1/4"

Remington.


BARBER - M24 0182261
R 2199339

2003 New Products

Custom Shop Rifles

Remington®

Model 700 Custom "C" Grade



- Fancy American walnut Monte Carlo stock with cheek piece
- Satin wood finish
- Rosewood fore end tip and grip cap
- Machine cut point pattern checkering
- 24" Custom Shop Clean Barrel (26" on Ultra Mags)
- Glass bedded action
- High polish metal finish
- Standard BDL style trigger guard with hinged floor plate
- Available in all standard calibers

Remington.

Model 700 Custom "C" Grade

Product Specifications*

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
Various	Bolt Action	24"**	Varies	44 ½"	7 ½ Lbs	25946	\$1733


LOP= 13 3/8"; Drop @ Comb = 1/2"; Drop @ Heel = 1 3/8"

*Dimensions listed for standard long action/long action magnum

**Ultra Mag barrel length is 26"

Remington.

Model 40-XB™ Tactical



- Stainless 40-XB bolt action repeater with Teflon® coating
- Adjustable Remington 40-X trigger
- Stainless 27 ¼" barrel with Teflon® coating and three longitudinal flutes for weight reduction
- Button rifled with 1:12" twist (chambered for .308 Win)
- H.S. Precision™ Pro Series Tactical stock with vertical pistol grip
- Precision machined aluminum bedding block
- Guaranteed to shoot 0.75" 5-shot groups at 100yds with match loads*

Remington.

Model 40-XB™ Tactical

Product Specifications

BARBER - M24 0182266

Caliber	Action Type	Barrel Length	Twist Rate	Overall Length	Average Weight	Item#	MSRP
.308 Win	Bolt Action	27 ¼"	1:12"	47 1/8"	10 ¼ Lbs	27174	\$2108

LOP= 13 1/2"; Drop @ Comb = 1 1/8"; Drop @ Heel = 1"

*Accuracy performance based on shooter, ammunition and optics

Remington.

BARBER - M24 0182266
R 2199344

2003 New Rifle Products

Summary By SKU

Remington®

2003 New Products Rifles

BARBER - M24 0182268

SKU	DESCRIPTION
24687	Model 673™ Centerfire Bolt Action Guide Rifles, .350 Rem. Mag.
24689	Model 673™ Centerfire Bolt Action Guide Rifle, .300 Rem. SA Ultra Mag
25869	Model 700™ Classic, .300 Savage
26323	Model 700™ Sendero® SF, 7mm Rem SA Ultra Mag
26329	Model 700™ Sendero® SF, .300 Rem SA Ultra Mag
26434	Model 700™ BDL SS 7mm Rem SA Ultra Mag
26436	Model 700™ BDL SS, .300 Rem SA Ultra Mag
26438	Model 700™ BDL SS RMEF, .300 Rem. SA Ultra Mag
26458	Model 7400™ Weathermaster™, .270 Win.
26459	Model 7400™ Weathermaster™, .30-06
26516	Model 597™, .17 HMR

Remington.

BARBER - M24 0182268
R 2199346

2003 Rifle Deletions

Summary By SKU

Remington.

2003 Product Deletions Rifles

SKU	DESCRIPTION
25777	Model 700™ ADL, 7mm Rem Mag
25797	Model 700™ BDL, .280 Rem
26348	Model 700™ Classic, .221 Rem Fire Ball
25799	Model 700™ BDL, 7mm-08 Rem.
25805	Model 700™ BDL, .338 Win. Mag.
26412	Model 700™ BDL, .338 Rem. Ultra Mag
26414	Model 700™ BDL, .375 Rem. Ultra Mag
29696	Model 700™ BDL SS, .338 Win. Mag
29728	Model 700™ BDL, SS, .375 H&H
26277	Model 700™ BDL SS, .375 Rem. Ultra Mag
26389	Model 700™ BDL SS RMEF, 7mm Rem. Ultra Mag.
29675	Model 700™ Sendero®, .25-06 Rem.
29679	Model 700™ Sendero®, 7mm Rem. Mag.

Remington.


2003 Product Deletions Rifles (Continued)

SKU	DESCRIPTION
29681	Model 700™ Sendero®, .300 Win. Mag.
26199	Model 700™ Sendero® SF .25-06 Rem.
27502	Model 700™ Sendero® SF, 7mm STW
25849	Model 700™ Mountain DM, .25-06 Rem.
26971	Model 700™ BDL DM, .300 Win. Mag.
26907	Model 700™ BDL SS DM, .25-06 Rem
26911	Model 700™ BDL SS DM, .280 Rem
24758	Model Seven™ LSS, .22-250
24762	Model Seven™ LSS, 7mm-08 Rem
24745	Model Seven™ SS, .223 Rem.
26566	Model 597™ Magnum LS, .22 WMR

Remington.

Remington R₃TM Recoil Pad

- Designed and Manufactured using Remington R₃ Three Step Technology from LimbsaverTM
- Technology Optimized for the ultimate in recoil abatement
- Available exclusively on select Remington Firearms and as an Accessory item for most synthetic stock Firearms



LimbsaverTM & NAVCOMTM are
trademarks of Sims Vibration Laboratory

Remington.

Remington R₃TM Recoil Pad

Remington R₃ Three Step Technology

1. ABSORBS
2. REDIRECTS
3. COMPRESSES

Remington.

Remington R₃TM Recoil Pad

1. ABSORBS Vibration

- LimbsaverTM proprietary NAVCOMTM (Noise And Vibration Control Material) material ABSORBS shock and reduces vibration
- Less vibration allows the shooter to stay on target
- Allows for faster follow-up in multiple shot scenarios

Remington.

Remington R₃TM Recoil Pad

BARBER - M24 0182275

2. REDIRECTS Energy

- LimbsaverTM technology utilizes specially designed internal “mushrooms” to redirect recoil energy outward in a 360° range rather than straight back into the shooter’s shoulder
- Results in greater comfort to the shooter

Remington.

BARBER - M24 0182275 R 2199353

Remington R₃TM Recoil Pad

BARBER - M24 0182276

3. COMPRESSES under recoil

- Specially designed internal air chambers allow the pad to compress under recoil
- Pad acts as a shock-absorber between the firearm and the shooter
- Turns the “punch” of recoil into a “push”

Remington.



Remington R₃TM Recoil Pad

BARBER - M24 0182277

Remember the Three Steps:

1. ABSORBS
2. REDIRECTS
3. COMPRESSES


Lead to more comfortable shooting!

Remington.

BARBER - M24 0182277 R 2199355

Remington R₃ Recoil Pad Test Data

BARBER - M24 0182278




Remington.

BARBER - M24 0182278 R 2199356

Remington R₃ Recoil Pad Test Data

BARBER - M24 0182279




Remington.

BARBER - M24 0182279 R 2199357

Remington R₃ Recoil Pad Test Data

BARBER - M24 0182280




Remington.

BARBER - M24 0182280 R 2199358

Remington R₃ Recoil Pad Test Data

BARBER - M24 0182281



Remington.

BARBER - M24 0182281
R 2199359

Remington R₃TM Recoil Pad

Featured On These Rifles for 2003:

Model 700 BDL SS

Model 700 BDL SS DM

Remington.

Remington.

