

Remington

WIN ★ 2006
WHAT'S IMPORTANT NOW

Remington®
2006 New Products-Rifles


WIN | *What's Important Now*

BARBER - M24 0182382

BARBER - M24 0182382 R 2199460

Model Seven™ CDL

WIN ★ 2006
WHAT'S IMPORTANT NOW



- New classic stock design
- “A” Grade Walnut with Black Fore End Tip and Grip Cap
- R3 Recoil Pad
- Satin Blued Metal
- Clean Barrel – No Sights

Model Seven CDL

WIN ★ 2006
WHAT'S IMPORTANT NOW

Product Specifications

Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)
Short	4+1* *223 Remington & 204 Ruger 5+1	20"	39"	6 1/2
Short Magnum	3+1	22" (20" w/sights on .350 Rem Mag)	41"	7 1/4

Length Of Pull = 13 3/8" Drop @ Comb = 1 1/4" Drop @ Heel = 1 1/4"

Model Seven™ CDL Offerings

WIN ★ 2006
WHAT'S IMPORTANT NOW

BARBER - M24 0182385


Caliber	Order #	MSRP
.204 Ruger	26411	\$788
.223 Remington	26413	\$788
.22-250 Remington	26415	\$788
.243 Win	26417	\$788
.260 Remington	26419	\$788
6.8mm Remington SPC	27373	\$788
7mm-08 Remington	26421	\$788
.308 Win	26423	\$788
.270 WSM	26361	\$815
7mm Remington SA Ultra	26363	\$815
.300 WSM	26365	\$815
.300 Remington SA Ultra	26367	\$815
.350 Remington Magnum	26369	\$815

BARBER - M24 0182385 R 2199463

Model 750™ Woodsmaster®

Autoloading Centerfire Rifle

WIN ★ 2006
WHAT'S IMPORTANT NOW



- Improved Gas System of the Model 7400™ to Improve Feeding and Function Reliability
- Redesigned Fore End
- New Stock Design with Lower Monte Carlo Comb and R3® Recoil Pad
- Added Sling Swivel Studs
- Magazine Box Interchangeable with Model 7400™ Magazine Boxes

Model 750™ Woodsmaster®

WIN ★ 2006
WHAT'S IMPORTANT NOW




Performance Improvements

- **Moved Gas Orifice Holes Rearward and Redesigned Barrel Lug to Reduce Orifice Hole Size and Improve Bolt Velocities**
 - New Design Results in Less Fouling
 - Greater Feeding Reliability
 - More Consistent Bolt Velocities
 - Gives Capability for More Carbine Offerings
- **Redesigned Barrel Extension**
 - Improved Feeding
 - Reduced Potential for Burs in Locking Lug Cuts
- **Electroless Nickel with Teflon® Coating on Breech Bolt**
 - Reduces friction
 - Improves Feeding from Magazine

Model 750 Woodsmaster®

WIN ★ 2006
WHAT'S IMPORTANT NOW

Design Changes - Wood



Model 750™ Woodsmaster®

WIN ★ 2006
WHAT'S IMPORTANT NOW

Rifle Specifications

Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)
Autoloading	4+1*	22"	42 5/8"	7 1/2
Autoloading Carbine	4+1	18 1/2"	39 1/8"	7 1/4

Length Of Pull = 13 1/2" Drop @ Comb = 1 5/8" Drop @ Heel = 2 1/4"

Model 750™ Woodsmaster®


WIN ★ 2006
WHAT'S IMPORTANT NOW

Product Offerings

Caliber	Order #	MSRP
.243 Win	27055	\$732
.308 Win	27057	\$732
.308 Win Carbine	27075	\$732
.270 Win	27059	\$732
.30-06 Sprg	27061	\$732
.30-06 Sprg Carbine	27077	\$732
.35 Whelen	27063	\$732
.35 Whelen Carbine	27079	\$732

Model 700™ CDL SF Limited

WIN ★ 2006
WHAT'S IMPORTANT NOW



- New Limited Edition Model 700 Offering
- First Year Offering .30-06 Springfield 100th Anniversary Commemorative
- Engraved Commemorative Floorplate
- Model 700 CDL Style Stock with R3® Recoil Pad
- 416 Stainless Steel Fluted Barreled Action
- Intended to be First in a Multi Year Series


Caliber	Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight	Order#	MSRP
.30-06 Sprg	Long	4+1	24"	44 ½ "	7 1/2 Lbs	26425	\$901

Length Of Pull = 13 1/2" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"

Remington® Model 700™ XCR™

Rocky Mountain Elk Foundation

WIN ★ 2006
WHAT'S IMPORTANT NOW




- Sixth edition of a Remington Rocky Mountain Elk Foundation trade gun
- Chambered for 2006 in .300 WSM
- Realtree™ Hardwoods® HD™ camo stock with XCR overmolded grip and fore end and R3™ recoil pad
- Hinged floor plate features cut engraved RMEF logo

Caliber	Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight	Order#	MSRP
.300 WSM	Short	3+1	24"	43 5/8"	7 3/8 Lbs	27146	\$1020

Model 700™ Sendero® SF II

WIN ★ 2006
WHAT'S IMPORTANT NOW



- Back By Popular Demand with New Features and a New Look
- Black H.S. Precision Hand Laid Up Stock with Full Length Aluminum Bedding Block
- Redesigned Fore End with Dual Swivel Studs
- New Grip Design with Right and Left Hand Palm Swell
- 26" Sendero/Varmint Contour Spin Polished 416 Stainless Steel Barrel and Receiver
- Six Distinctive Longitudinal Flutes to Reduce Weight and Improve Heat Dissipation
- Hinged Floor Plate Magazine

Model 700™ Sendero® SF II

Specifications and Offerings

WIN ★ 2006
WHAT'S IMPORTANT NOW


Caliber	Order #	MSRP
.264 Win Mag	27307	\$1112
7mm Remington Magnum	27311	\$1112
.300 Win Mag	27313	\$1112
7mm Remington Ultra Mag	27315	\$1112
.300 Remington Ultra Mag	27318	\$1112

Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)
Magnum Long	3+1	26"	46 5/8"	8 1/2

Length of Pull = 13 3/8" Drop @ Comb = 1 1/4" Drop @ Heel = 1 1/2"

Model 710™ Short Action Cartridge Offerings

WIN ★ 2006
WHAT'S IMPORTANT NOW



- **Two New Offerings for 2006 Chambered for .243 Win**
 - **Standard Offering with 22" Clean Barrel**
 - **Youth Model with 1" Shorter LOP and 20" Clean Barrel**
- **Built on Same Action Length as Existing Configurations**
- **Features Factory Mounted and Boresighted 3-9x40 Scope**
- **New Magazine Box Design to Accommodate Short Action Cartridges**

Model 710™ .243 Win Specifications

WIN ★ 2006
WHAT'S IMPORTANT NOW

BARBER - M24 0182396

Model (Order #)	Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)	MSRP
Youth (27418)	Bolt	4+1	20"	39 1/2"	6 7/8	\$439
Standard (27416)	Bolt	4+1	22"	42 1/2"	7 1/8	\$439

Length of Pull = 13 3/8" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"

BARBER - M24 0182396

R 2199474


6.8mm Remington SPC

New Rifle Offerings


WIN ★ 2006
WHAT'S IMPORTANT NOW



Model Seven YTH SYN



Model 700 SPS



Model Seven SS



Model Seven CDL

Model	Item#	MSRP
Model Seven YTH Synthetic	27381	\$595
Model Seven SS	24736	\$811
Model Seven CDL	27373	\$788
Model 700 SPS	27371	\$532

BARBER - M24 0182397

BARBER - M24 0182397
R 2199475

2006 New Rifle Products

WIN ★ 2006
WHAT'S IMPORTANT NOW

SKU	Description
26411	Model Seven CDL .204 Ruger
26413	Model Seven CDL .223 Remington
26415	Model Seven CDL .22-250 Remington
26417	Model Seven CDL .243 Win
26419	Model Seven CDL .260 Remington
27373	Model Seven CDL 6.8mm Remington SPC
26421	Model Seven CDL 7mm-08 Remington
26423	Model Seven CDL .308 Win
26361	Model Seven CDL .270 WSM
26363	Model Seven CDL 7mm Remington SA Ultra Mag
26365	Model Seven CDL .300 Remington SA Ultra Mag
26367	Model Seven CDL .300 WSM
26369	Model Seven CDL .350 Remington Magnum

BARBER - M24 0182398

BARBER - M24 0182398
R 2199476

2006 New Rifle Products

WIN ★ 2006
WHAT'S IMPORTANT NOW

SKU	Description
27307	Model 700 Sendero SF II .264 Win Mag
27311	Model 700 Sendero SF II 7mm Remington Magnum
27313	Model 700 Sendero SF II .300 Win Mag
27315	Model 700 Sendero SF II 7mm Remington Ultra Mag
27318	Model 700 Sendero SF II .300 Remington Ultra Mag
27055	Model 750 Woodsmaster .243 Win
27057	Model 750 Woodsmaster .308 Win
27075	Model 750 Woodsmaster .308 Win Carbine
27059	Model 750 Woodsmaster .270 Win
27061	Model 750 Woodsmaster .30-06 Sprg
27077	Model 750 Woodsmaster .30-06 Sprg Carbine
27063	Model 750 Woodsmaster .35 Whelen
27079	Model 750 Woodsmaster .35 Whelen Carbine
27371	Model 700 SPS 6.8mm Remington SPC

BARBER - M24 0182399

BARBER - M24 0182399 R 2199477

2006 New Rifle Products

WIN ★ 2006
WHAT'S IMPORTANT NOW

SKU	Description
27418	Model 710 Youth .243 Win
27416	Model 710 .243 Win
27131	Model 700 SPS Stainless .204 Ruger
27133	Model 700 SPS Stainless .223 Remington
27135	Model 700 SPS Stainless .22-250 Remington
27136	Model 700 SPS Stainless .308 Win
27140	Model 700 SPS Stainless .300 Remington Ultra Mag
27253	Model 700 SPS Stainless .270 WSM
27255	Model 700 SPS Stainless .300 WSM
27251	Model 700 SPS Stainless .25-06 Remington
27146	Model 700 XCR RMEF Camo .300 WSM
26425	Model 700 CDL SF Limited .30-06 Sprg
24736	Model Seven SS 6.8mm Remington SPC
27381	Model Seven Youth Synthetic 6.8mm Remington SPC

BARBER - M24 0182400

BARBER - M24 0182400 R 2199478

WIN ★ 2006
WHAT'S IMPORTANT NOW

2006

Rifle Deletions and Replacements

BARBER - M24 0182401

BARBER - M24 0182401

R 2199479

WIN ★ 2006
WHAT'S IMPORTANT NOW

DELETIONS

RECOMMENDED REPLACEMENT

RAMAC	Description	Cartridge	RAMAC	Description	Cartridge
29755	Model 7400	.243 Win	27055	750 Woodsmaster	.243 Win
29767	Model 7400	.308 Win	27057	Model 750 Woodsmaster	.308 Win
29757	Model 7400	.270 Win	27059	Model 750 Woodsmaster	.270 Win
29759	Model 7400(High Gloss)	.270 Win			
29763	Model 7400	.30-06	27061	Model 750 Woodsmaster	.30-06 Sprg
29765	Model 7400 (High Gloss)	.30-06			
29769	Model 7400 Carbine	.30-06	27077	Model 750 Woodsmaster Carbine	.30-06 Sprg
26310	Model 700 Classic LTD	.308 Win	26425	Model 700 CDL SF LTD	.30-06 Sprg
27145	Model 700 XCR RMEF	7mm Rem Mag	27146	Model 700 XCR RMEF	.300 WSM
24728	Model Seven LS	.223 Rem	26413	Model Seven CDL	.223 Rem
24793	Model Seven LS	.243 Win	26417	Model Seven CDL	.243 Win
24795	Model Seven LS	7mm-08 Rem	26421	Model Seven CDL	7mm-08
24789	Model Seven LS	.308 Win	26423	Model Seven CDL	.308 Win
29543	Model Seven LS	7mm Rem SA Ultra	26363	Model Seven CDL	7mm Rem SA Ultra
24791	Model Seven LS	.300 Rem SA Ultra	26365	Model Seven CDL	.300 Rem SA Ultra
24781	Model Seven YTH Birch	.260 Rem			

BARBER - M24 0182402

BARBER - M24 0182402 R 2199480




BARBER - M24 0182403

Remington® International Sporting Products

2007 New Products Seminar
Primland Resort
October 16th-18th

BARBER - M24 0182403 R 2199481



Remington® Model 798

Mauser 98 Bolt-Action Centerfire


Rifle



BARBER - M24 0182405

Remington Model 798

Mauser 98 Bolt-Action Centerfire Rifle



Mauser 98 Square Bridge Sporter Action

•Controlled Round Feed

- Non Rotating Claw Extractor
- Fixed Blade Ejector


BARBER - M24 0182405 R 2199483



BARBER - M24 0182406

Remington Model 798

Mauser 98 Bolt-Action Centerfire Rifle



Mauser 98 Square Bridge Sporter Action

•One Piece Steel Bolt Body

- Two Forward Locking Lugs (Horizontally Opposed)
- Rear Bridge Receiver Safety Lug
- Flat Bolt Face
- Sporter Style Rearward Swept Bolt Handle

BARBER - M24 0182406 R 2199484



Remington

BARBER - M24 0182407

Remington Model 798

Mauser 98 Bolt-Action Centerfire Rifle

- **One-Piece Solid Steel Trigger Guard/Magazine Assembly**
 - Steel Hinged Floor Plate
 - Steel Magazine Follower



BARBER - M24 0182407 R 2199485



BARBER - M24 0182408

Remington Model 798

Mauser 98 Bolt-Action Centerfire Rifle

Hammer Forged Barrels

- **22" Barrel Standard Calibers**
 - 243 Win, 308 Win, 25-06 Remington, 270 Win, 30-06 Sprg
- **24" Barrel Magnum Calibers**
 - 7mm Remington Magnum, 300 Win Mag
 - 375 H&H (Stainless with Sights)
- **26" Barrel with Sights Dangerous Game Calibers**
 - 375 H&H, 458 Win Mag (Blued)
- **Recessed Crown**
- **Sporter Contour**
- **Polished Blued Finish**

BARBER - M24 0182408 R 2199486




Remington

Remington Model 798

Mauser 98 Bolt-Action Centerfire Rifle

Sporter Style Fire Control

- Single Stage Trigger
- Two Position Safety
 - Tang Mounted
 - Safety Blocks the Trigger
- Tapped for Scope-Clean Barrel
- 375 H&H and 458 Win Mag with Sights



BARBER - M24 0182409


BARBER - M24 0182409 R 2199487



BARBER - M24 0182410

Remington Model 798

Mauser 98 Bolt-Action Centerfire Rifle



- Brown Laminate M700 ADL Style Monte Carlo Stock
- Designed and Manufactured in U.S.A.
- Stock Assembled to Barreled Action in Mayfield, KY Plant
- Super Strong Laminated Design
- Cut Checkering
- CNC Inletted and Glass Bedded
- 1" Rubber Recoil Pad


BARBER - M24 0182410

R 2199488



BARBER - M24 0182411

Remington Model 798 Stainless



- Forest Green Laminate M700 ADL Style Monte Carlo Stock
- Designed and Manufactured in U.S.A.
- Stock Assembled to Barreled Action in Mayfield, KY Plant
- Super Strong Laminated Design
- Cut Checkering
- CNC Inletted and Glass Bedded
- 1" Rubber Recoil Pad

BARBER - M24 0182411 R 2199489



BARBER - M24 0182412

Remington Model 798

Specifications

Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)
Standard Calibers	4+1	22"	42 1/2"	7
Magnum Calibers	3+1	24" 26"*	44 1/4" 46 1/4"*	7 1/8 7 1/2*

Length Of Pull = 13 3/8" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"

*Blued 375 H&H & 458 Win Mag

BARBER - M24 0182412 R 2199490



BARBER - M24 0182413

Remington Model 798

2007 Stainless Laminate

Caliber	Twist	Order #	MSRP
243 Win	1:10"	89820	\$710
25-06 Remington	1:10"	89821	\$710
270 Win	1:10"	89822	\$710
30-06 Sprg	1:10"	89823	\$710
7mm Remington Magnum	1:9 ¼"	89824	\$752
300 Win Mag	1:10"	89825	\$752
375 H&H	1:12"	89826	\$1032

BARBER - M24 0182413
R 2199491



BARBER - M24 0182414

Remington Model 798

2007 Blued Laminate

Caliber	Twist	Order #	MSRP
243 Win	1:10"	89831	\$648
270 Win	1:10"	89833	\$648
7mm Remington Magnum	1:9 ¼"	89834	\$690
30-06 Sprg	1:10"	89830	\$648
300 Win Mag	1:10"	89835	\$690
308 Win	1:12"	89832	\$648
375 H&H	1:12"	89836	\$970
458 Win Mag	1:14"	89837	\$1040


BARBER - M24 0182414 R 2199492



BARBER - M24 0182415

Remington Model 799

Mini-Mauser Bolt-Action Centerfire Rifle



Short Action Platform Derived from M98 Mauser

- Features Similar to Model 798 Platform
 - Solid Steel Receiver
 - Hammer Forged Barrels (20")
 - Solid Steel Trigger Guard and Floorplate (22 Hornet Features Detachable Magazine)
 - Sporter Style Single Stage Trigger with 2-Position Safety
 - Brown Laminated Stock

BARBER - M24 0182415
R 2199493




BARBER - M24 0182416

Remington Model 799

Mini-Mauser Bolt-Action Centerfire Rifle

Other Features

- Sako-Style Extractor & Bolt Guide
- Dual Front Locking Lugs
- Miniaturized Bolt Handle



BARBER - M24 0182416

R 2199494



BARBER - M24 0182417

Remington Model 799

Specifications

Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)
Short	4+1	20"	39 1/2"	6 3/4
22 Hornet	4 Round DM	20"	39 1/2"	6 3/4

Length Of Pull = 13 3/8" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"

BARBER - M24 0182417 R 2199495



BARBER - M24 0182418

Remington Model 799

2007 Offerings


Caliber	Twist	Order #	MSRP
222 Remington	1:14"	89851	\$648
223 Remington	1:12"	89850	\$648
22-250 Remington	1:14"	89854	\$648
22 Hornet	1:16"	89852	\$648
7.62x39mm	1:9 1/2"	89853	\$648

BARBER - M24 0182418
R 2199496



BARBER - M24 0182419

Remington Model Five Bolt-Action Rimfire Rifle



**High Quality Bolt-Action Rimfire at an
Affordable Price**

BARBER - M24 0182419


R 2199497



Remington

BARBER - M24 0182420

Remington Model Five Bolt-Action Rimfire Rifle



Action Features

- Solid Steel Receiver
 - Grooved for Dovetail Rimfire Rings
- Solid Steel Trigger Guard
- Steel 5-Round Detachable Magazine
- Single Stage Trigger with 2-Position Safety

BARBER - M24 0182420


R 2199498



Remington

BARBER - M24 0182421

Remington Model Five Bolt-Action Rimfire Rifle



Barrel Features

- Hammer Forged
 - 1:16" Twist Rate
- 22" Length with Recessed Crown
- Polished Blue Finish
- Target Iron Sights with Fold Down Rear Sight


BARBER - M24 0182421

R 2199499



BARBER - M24 0182422

Remington Model Five Bolt-Action Rimfire Rifle



Stock Features

- Designed and Manufactured in USA
 - Assembled to Action in Mayfield, KY Plant
- CNC Inletting
- Laser Cut Checkering
- Sturdy Brown Laminate Construction

BARBER - M24 0182422 R 2199500



BARBER - M24 0182423

Remington Model Five


Specifications

Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs)
Bolt Action Rimfire	5-Round DM	22"	40 3/4"	6 3/4


Length Of Pull = 13 3/8" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"

Caliber	Twist	Order #	MSRP
22LR	1:16"	89913	\$348
22WMR	1:16"	89914	\$363

BARBER - M24 0182423 R 2199501




Remington® Premier® Over&Under Shotguns





Remington Premier® STS® Competition




Skeet, Trap and Sporting

- Standard and Adjustable Comb
- Machined Steel Box-Lock Frame with Diamond Pattern Engraving
- Nickel Plated Receiver for Durability
- Gold Trigger
- Tang Mounted Barrel Selector Safety



Remington Premier® STS® Competition



Skeet, Trap and Sporting Product Features

- Over Bored (0.735" Diameter) Barrels and Lengthened Forcing Cones
- 10mm Target Rib with Ivory Front and Steel Mid Bead
- Includes Five Extended Pro-Bore Choke Tubes (Skeet, IC, Lt. Mod, Mod, Full)



BARBER - M24 0182427


Remington Premier® STS® Competition



Skeet, Trap and Sporting Product Features


- Richly Figured Walnut Stock With Right Hand Palm Swell
- Target Schnabel Fore End
- High Gloss Wood Finish

BARBER - M24 0182427 R2199505



Remington Premier® STS® Competition


BARBER - M24 0182428



30" and 32" Barreled Standard Comb
30" and 32" Adjustable Comb


BARBER - M24 0182428

R 2199506



BARBER - M24 0182429

Remington Premier® Field Grade



Product Features


- Available in 12GA, 20GA and 28GA
- Machined Steel Box-Lock Frame with Game Scene Engraving
- Coin Nickel Plated Receiver
- Gold Trigger
- Tang Mounted Barrel Selector Safety

BARBER - M24 0182429 R 2199507



BARBER - M24 0182430

Remington Premier® Field Grade



Product Features


- 12 GA Models Feature Over Bored Barrels (0.735" Diameter) and Lengthened Forcing Cones
- 7mm Rib with Ivory Front and Steel Mid Bead
- Five Flush Pro Bore Choke Tubes (Skeet, IC, Lt. Mod, Mod, Full)

BARBER - M24 0182430 R 2199508



BARBER - M24 0182431

Remington Premier® Field Grade



Product Features

- Richly Figured Walnut Stock
- Schnabel Fore End
- Satin Finished Wood


BARBER - M24 0182431

R 2199509



BARBER - M24 0182432

Remington Premier® Upland Grade



Product Features

- Available in 12GA, 20GA and 28GA
- Machined Steel Box-Lock Frame with Gold Game Scene Engraving
- Case Colored Receiver
- Gold Trigger
- Tang Mounted Barrel Selector Safety


BARBER - M24 0182432

R 2199510



BARBER - M24 0182433

Remington Premier® Upland Grade



Product Features


- 12 GA Models Feature Over Bored Barrels (0.735" Diameter) and Lengthened Forcing Cones
- 7mm Rib with Ivory Front and Steel Mid Bead
- Five Flush Pro Bore Choke Tubes (Skeet, IC, Lt. Mod, Mod, Full)

BARBER - M24 0182433 R 2199511



BARBER - M24 0182434

Remington Premier® Upland Grade



Product Features


- Richly Figured Walnut Stock
- Schnabel Fore End
- Oil Finished Wood

BARBER - M24 0182434 R 2199512



BARBER - M24 0182435

2007 Conservation Gun of the Year Ruffed Grouse Society



- 20 Gauge with 26" Barrels
- Fast Handling English Style Stock
- Deep Black Receiver with Gold Game Birds
- Portion of Proceeds Donated to Ruffed Grouse Society

BARBER - M24 0182435 R 2199513



BARBER - M24 0182436

Remington Premier® Over Unders



**All Models Include Lockable Travel Case
and Choke Tube Storage Box**

BARBER - M24 0182436

R 2199514

Remington Premier® Over Unders

BARBER - M24 0182437

Model	Order #	MSRP
Premier STS 12/28"	89591	\$2540
Premier STS 12/30"	89590	\$2540
Premier STS 12/32"	89592	\$2540
Premier STS 12/30" Adj. Comb	89594	\$2890
Premier STS 12/32" Adj. Comb	89593	\$2890
Premier Field 12/26"	89582	\$2086
Premier Field 12/28"	89581	\$2086
Premier Field 20/26"	89709	\$2086
Premier Field 20/28"	89708	\$2086
Premier Field 28/26"	89751	\$2128
Premier Field 28/28"	89750	\$2128

BARBER - M24 0182437 R 2199515



BARBER - M24 0182438









Remington Premier® Over Unders

Model	Order #	MSRP
Premier Conservation Ruffed Grouse Society 20/26"	89715	\$2380
Premier Upland 12/26"	89586	\$2226
Premier Upland 12/28"	89585	\$2226
Premier Upland 20/26"	89712	\$2226
Premier Upland 20/28"	89711	\$2226
Premier Upland 28/26"	89755	\$2268
Premier Upland 28/28"	89754	\$2268

BARBER - M24 0182438
R 2199516

Remington[®]

Genesis Black Powder Rifle Lineup





BARBER - M24 0182440

Genesis Black Powder Rifles



Easy to Use, Deadly on Game

- **.50 Caliber with In-Line 209 Ignition**
- **28" Barrels Handles 150 Grain Max Charge**
- **TorchCam™-Easy Access Rotating Breech Block**
- **5/16" Hex Head Breech Plug**
- **William's Fiber Optic Fire Sights**
Tapped for Scope Mount

BARBER - M24 0182440 R 2199518




Remington

BARBER - M24 0182441

Genesis Black Powder Rifle

Torch Cam™ Breech Block

- **Low Frictional Co-efficient
Xylan® Finish**
- **Quick Access To 209 Primer**
- **Seals Breech Plug From The
Elements**
- **Eliminates Primer Flash**
- **Removable Firing Pin For
Easy Cleaning**




BARBER - M24 0182441
R 2199519




BARBER - M24 0182442

Genesis Black Powder Muzzleloader

Genesis ML-Buckmaster Limited Edition



Genesis ML-Mossy Oak Break Up Stock & Fore End, Satin Barrel




BARBER - M24 0182442 R 2199520




BARBER - M24 0182443

Genesis Black Powder Muzzleloader

Genesis ML – Black Synthetic Stock & Fore End, Satin Barrel




**Genesis MLS Overmold™ – Black Synthetic
Over mold™ Stock & Fore End, Stainless Barrel**



BARBER - M24 0182443


R 2199521




BARBER - M24 0182444

Genesis Black Powder Muzzleloader

Genesis MLSF TH Camo – Mossy Oak New Break Up™
Thumbhole Stock & Fore End, Stainless Fluted Barrel.



Genesis MLSF TH – Black Synthetic Thumbhole Stock
& Fore End, Stainless Fluted Barrel



BARBER - M24 0182444


R 2199522




BARBER - M24 0182445

Genesis Black Powder Muzzleloader

Genesis ML Camo – Full Coverage Mossy Oak New Break Up™ Camo



Genesis MLSF TH Laminate– Grey Laminate Thumbhole
Stock & Fore End, Stainless Fluted Barrel.



BARBER - M24 0182445 R 2199523



Genesis Muzzleloader

Specifications

Caliber	Barrel Length	Twist Rate	Overall Length	Length Of Pull	Weight
.50 Cal	28"	1 in 28"	43"	14"	7.5 – 8.0lbs.



BARBER - M24 0182447

Genesis Muzzleloader

Model	Order #	MSRP
Genesis ML Blued	89294	\$293
Genesis ML Camo Blued	89276	\$349
Genesis MLS Overmold	89297	\$363
Genesis MLSF TH	89286	\$405
Genesis ML Full Camo	89295	\$405
Genesis MLSF Buckmaster Camo	89277	\$419
Genesis MLSF TH Camo	89299	\$461
Genesis MLSF TH Laminate	89285	\$594

BARBER - M24 0182447

R 2199525

2007 New ISP Products

BARBER - M24 0182448

SKU	Description
89820	Model 798 Stainless Laminate 243 Win
89821	Model 798 Stainless Laminate 25-06 Remington
89822	Model 798 Stainless Laminate 270 Win
89824	Model 798 Stainless Laminate 7mm Remington Magnum
89823	Model 798 Stainless Laminate 30-06 SPRG
89825	Model 798 Stainless Laminate 300 Win Mag
89826	Model 798 Stainless Laminate 375 H&H
89592	Premier STS Competition 12 Gauge 32" Barrels
89594	Premier STS Competition 12 Gauge 30" Barrels-Adjustable Comb
89593	Premier STS Competition 12 Gauge 32" Barrels-Adjustable Comb
89715	Premier Conservation Gun-Ruffed Grouse 20 Gauge 26" Barrels
89276	Genesis ML Blued, Mossy Oak Break-Up Stock & Fore End
89277	Genesis ML Stainless Fluted Buckmaster Realtree Stock & Fore End

BARBER - M24 0182448

R 2199526

2007 ISP Deletions

SKU	Deletion	SKU	Recommended Replacement
89764	SPR100N 410.24 Max Youth	89760	SPR100 410.24 Youth
89766	SPR100N 410.26 Max	89790	SPR100 410.26
89672	SPR100S 20.28 1/2 Sporting	89674	SPR100 20.26
89650	SPR210 16.28		
89720	SPR210 28.26	89724	SPR210 28/26 Nickel
89770	SPR210 410.26	89774	SPR210 410/26 Nickel
89600	SPR210C 12.20	89552	SPR220C 12/20 Nickel
89684	SPR210C 20.20	89694	SPR220C 20/20 Nickel
89660	SPR310 16.28		
89740	SPR310 28.26	89744	SPR310 28/26 Nickel
89780	SPR310 410.26	89784	SPR310 410/26 Nickel

Remington

SKU	Deletion	SKU	Recommended Replacement
89664	SPR310N 16.28		
89706	SPR310N 20.26	89700	SPR310 20.26
89338	SPR94 12.24 & 30.06		
89334	SPR94 12.24 & 308 Win		
89976	SPR22 30-06 SPRG		
89980	SPR22 45-70 GOVT		
89434	SPR453 12.24 Camo	89440	SPR453 12.24 Synthetic
89432	SPR453 12.26 Camo	89462	SPR453 12.26 Synthetic
89430	SPR453 12.28 Camo	89460	SPR453 12.28 Synthetic
89901	Model 412 Bolt Action Rimfire		
89298	Genesis MLS Break Up	89277	Genesis ML SF Buckmaster Hardwoods HD

BARBER - M24 0182450

BARBER - M24 0182450 R 2199528