

Model 721 Cal. 280

Date 1/2/48

R.T. No.	Rounds Fired	Malfunctions										Remarks
		Firing	Unlocking	Primary Extraction	Secondary Extraction	Ejection	Locking	Feeding	Loading	Unloading	Breakages	
	0											Rem. 130 + 150 gr. soft pt + core-lobet Ammo
	0-20	OK										130 gr.
	21-40	OK										"
	41-60	OK										150 gr.
	61-80	OK										"
	81-100	OK										130 gr.
	101-120	OK										"
	121-140	OK										150 gr.
	141-160	OK										"
	161-180	OK										130 gr.
	181-200	OK										"
	201-220	OK										150 gr.
	221-240	OK										"
	241-260	OK										130 gr.
	261-280	OK										"
	281-300	OK										150 gr.
	301-320	OK										"
												Weight of stock 2# 40 gr.
												Weight of rec + barrel 5# 40 gr.
												Weight of gun 43 7/8"
												Angular test
	371-390	OK										130 gr.
	391-410	OK										"
	411-430	OK										Right side up 150 gr.

Model 721 cal. 280Date 1/21/48

R.T. No.	Rounds Fired	Malfunctions											Remarks
		Firing	Unlocking	Primary	Extraction	Secondary	Extraction	Ejection	Locking	Feeding	Loading	Locking	
	430												Live Fire Test
	431-450	OK											150 gr.
	451-470	OK											130 gr.
	471-490	OK											" "
	491-510	OK											150 gr.
	511-530	OK											" "
	531-550	OK											130 gr.
	551-570	OK											" "
	571-590	OK											150 gr.
	591-610	OK											" "
	611-630	OK											130 gr.
	631-650	OK											" "
	651-670	OK											130 gr.
	671-690	OK											" "
	691-710	OK											130 gr.
	711-730	OK											" "
	731-750	OK											150 gr.
	751-770	OK											" "
	771-790	OK											130 gr.
	791-810	OK											" "
	811-830	OK											150 gr.
	831-850	OK											" "
	851-870	OK											130 gr.
	871-890	OK											" "
	891-910	OK											150 gr.
	911-930	OK											" "

Model 721 cal. .280
 Date 12/2/48

J.T. No.	Rounds Fired	Malfunctions											Remarks
		Firing	Unlocking	Primary Extraction	Secondary Extraction	Ejection	Locking	Feeding	Loading	Locking	Breakages	Replacements	
	430												five five (cont.)
	931-950	OK											130 gr.
	951-960	OK											" "
	961-980	OK											150 gr.
	981-1000	OK											" "
													Trigger Pull 4#
													4# 50%
													4# 20%
													4# 14%
													4# 14%
													Bot Opening 9# - 1
													10 - 1/2
													10 - 1/2
													11 - 1
													11 - 1
	1050-1060	OK											130 gr.
	1061-1080	OK											150 gr.
	1081-1100	OK											" "
	1101-1120	OK											" "
	1121-1140	OK											" "
	1141-1160	OK											130 gr.
	1161-1180	OK											" "
	1181-1200	OK											150 gr.
	1201-1220	OK											" "
	1221-1240	OK											130 gr.
	1241-1260	OK											" "