

Model 721

Date 9/27

300 Mag

Len[#] 47391

[illegible]

Model 721

300 Tigray

Date 9/27

R.T. No.	Rounds Fired	Malfunctions													Remarks
		Firing	Unlocking	Primary Extraction	Secondary Extraction	Ejection	Cocking	Feeding	Loading	Locking	Breakages	Replacements	Gun Failures	Adjustments	
															Gun # 47340
															Head Space Min .153 Little to Tight
															Head Space Min .152 - Max .154
															Firing Pin Retention OK
															Firing Pin Indent .023
															.023
															.022 1/2
															(.023) .023
															.023
															Trigger Pull Tot 6# - 8 oz
															6 - 3
															5 - 14
															7 - 3 1/2 5 - 9
															5 - 0
															Gun off test OK 10" Drop
															Bolt spring locking locked
															16 5 1/2
															17 5 1/2
															17 5
															16 5 1/2
															17 5 1/2
															Capacity OK

47172

BARBER - PRESALE R 0100495 ^{R2501483}

Date 9/27

47396

R2501484
BARBER - PRESALE R 0100496

Date 10/1

47339

R.T. In.		Rounds Fired	Malfunctions										Remarks			
			Firing	Unlocking	Primary Extraction	Secondary Extraction	Ejection	Cocking	Feeding	Loading	Locking	Breakages	Replacements	Gun Failures	Adjustments	
																Head Space Min. .152 Max. .155
																Trigger Pin Penetration OK
																" " Indent. .020
																.020
																.020
																.0195
																.0195
																.020
																Trigger Pull test 6" 10.00
																7 14
																7 14
																7 15
																8 6
																17 - 11
																Bolt opening locking centered
																13" 5
																12 4 1/2
																12 1/2 4 1/2
																13 4 1/2
																12 1/2 4 1/2
																far off test - OK 10" 4 - 3
																OK

Model 721

Date 7/27

Doc. # 47156

i.T. No.	Rounds Fired	Malfunctions				Remarks
		Firing Unlocking Primary Extraction Secondary Extraction Ejection Cocking Feeding Loading Locking Breakages Replacements Gun Failures Adjustments				
			Hood S/C	-110-	.19-2	OK .154
			Tuning Pin	Potension		AK
			" "	Indent		.038
						.023 F
						.023 F
			D+37		.024	
						.023 F
			Trigger pull test	8"	- 4 oz	
			X	8 -	5 -	
				8 -	1.3	
				9 -	2	
				8 -	5	
			Belt feeding spring			coked
			V V	10		5
				10.5		5
			(II)	11		5 in
				11.5		5
				11		5 5 5
			Jar off Test	10"		Lump
			/ / X	K		

Model 721Date 10/1

9.4mm = 47530

I.T. No.	Rounds Fired	Malfunctions											Remarks				
		Firing	Unlocking	Primary Extraction	Secondary Extraction	Ejection	Cocking	Feeding	Loading	Locking	Breakages	Replacements		Gun Failures	Adjustments		
																	Head Space Min. 153 7/16" .155 PK
																	Firing 15" Portus in PK
																	" " 2nd dent .0225
																	.023
																	.0235
																	(.023) .0225
																	.0235
																	Trigger Pull test 6" = 0.02
																	6 - 6
																	- 6 - 8
																	6 - 8
																	- 5 - 14
																	Bolt opening locking Locked
																	10.8" 4
																	11" 4
																	11" 5
																	11" 4
																	10.8" 4 1/2
																	jar off test 11" - 10" drop
																	jar off test 11" - 10" drop
																	jar off test 11" - 10" drop