

PHAS

Proof Tr

Recoil Meas

200 Round Basic Ja

ROUND 1

0-41

41-E

81-11

121-1

161-2

100 Round Shoulder

ROUND 1

0-2

21-4

41-60

61-80

81-100

50 Round Shoulder Function Test

ROUND LEVEL

0-10

11-20

21-30

31-40

41-50

ACCURACY (Point of Impact)

ROUND LEVEL

Remington

Remington

ACCURACY (Group Size)

ROUND LEVEL

Remington

Remington

1st Thousand rounds of Endurance Test

ROUND LEVEL

0-100

101-200

201-300

301-400

401-500

501-600

601-700

701-800

Remington

Remington

Remington

Remington

Federal

Federal

Federal

Winchester

MC (UMC)

Nosler Bal. Tip

BR PT

Bullet Conf.

PT SP Core-Lokt

SP Core-Lokt

MC (UMC)

Nosler Bal. Tip

BR PT

Bullet Conf.

SP Core-Lokt

SP Core-Lokt

Bullet Conf.

PT SP Core-Lokt

SP Core-Lokt

Bullet Conf.

PT SP Core-Lokt

SP Core-Lokt

MC (UMC)

Nosler Bal. Tip

SP

Nosler Bal. Tip

BT SP

Power Pt.+

Bullet Wt.

180

220

150

165

180

Bullet Wt.

150

220

Bullet Wt.

150

180

Bullet Wt.

180

220

150

165

180

165

150

180

Mfg. Code No.

27828

27830

23699

29178

21405

Mfg. Code No.

27826

27830

Mfg. Code No.

27826

21407

Mfg. Code No.

27828

27830

23699

29178

3006B

P3006Q

P3006G

SHV30064

No. Rifles

8

8

8

8

8

No. Rifles

4

4

No. Rifles

10

10

No. Rifles

10

10

10

10

10

10

10

10

Rounds/Riff Total Rounds

Rounds/R

31

Rounds/R

40

40

40

40

40

Rounds/Riff

20

20

20

20

20

Rounds/Riff

10

10

10

10

10

Rounds/Riff

10

10

Rounds/Riff Total Rounds

30

30

Rounds/Riff Total Rounds

100

100

100

100

100

100

100

100

Rem. Ammo

4000rds - 1000

1000rds ea/5 ammo types

25000rds of 2 diff types

Competitor
win 1000rds of 3 diff
Fed " of 3 diff3,500 of 180
3500 of 150
1000 of 30 other types
10,000

PHASE II

Proof Testing

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
SP	220	21717	30	1	30

Recoil Measurements

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
SP Core-Lokt	220	27830	1	30	30

200 Round Basic Jack Function Test

ROUND LEVEL

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
PT SP Core-Lokt	180	27828	10	40	400
SP Core-Lokt	220	27830	10	40	400
MC (UMC)	150	23699	10	40	400
Nosler Bal. Tip	165	29178	10	40	400
BR PT	180	21405	10	40	400

100 Round Shoulder Function Test

ROUND LEVEL

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
PT SP Core-Lokt	180	27828	2	20	40
SP Core-Lokt	220	27830	2	20	40
MC (UMC)	150	23699	2	20	40
Nosler Bal. Tip	165	29178	2	20	40
BR PT	180	21405	2	20	40

50 Round Shoulder Function Test

ROUND LEVEL

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
PT SP Core-Lokt	180	27828	8	10	80
SP Core-Lokt	220	27830	8	10	80
MC (UMC)	150	23699	8	10	80
Nosler Bal. Tip	165	29178	8	10	80
BR PT	180	21405	8	10	80

ACCURACY (Point of Impact)

ROUND LEVEL

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
SP Core-Lokt	150	27826	4	10	40
SP Core-Lokt	220	27830	4	10	40

ACCURACY (Group Size)

ROUND LEVEL

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
PT SP Core-Lokt	150	27826	10	30	300
SP Core-Lokt	150	21407	10	30	300

1st Thousand rounds of Endurance Test

ROUND LEVEL

Bullet Conf.	Bullet Wt.	Mfg. Code No.	No. Rifles	Rounds/Rifl	Total Rounds
PT SP Core-Lokt	180	27828	10	100	1000
SP Core-Lokt	220	27830	10	100	1000
MC (UMC)	150	23699	10	100	1000
Nosler Bal. Tip	165	29178	10	100	1000
SP	180	3006B	10	100	1000
Nosler Bal. Tip	165	P3006Q	10	100	1000
BT SP	150	P3006G	10	100	1000
Power Pt.+	180	SHV30064	10	100	1000

801-900	Winchester	Ballistic SilverTip	168	SBST3006A	10	100	1000
901-1000	Winchester	Fail Safe	150	S3006XB	10	100	1000
Continuation of Endurance Test							
1001-2000	Remington	SP, Core-Lokt	180	21407	6	1000	6000
2001-5000	Remington	SP, Core-Lokt	180	21407	3	3000	9000
5001-10000	misc 30.06 ammo to meet testing requirements LISTED BELOW				1	5000	5000

MISC AMMO FOR LAST LEG OF ENDURANCE

BRAND	CAL	GRAIN	TYPE	RAMAC	MISC FOR ENDURANCE
REM	30.06	150	L30062	23699	108
REM	30.06	150	R30063	21405	1000
REM	30.06	180	R30064	21407	629
REM	30.06	180	R30065	27828	202
REM	30.06	165	PRT3006B	29178	80
FED	30.06	165	3006Q BT		19
FED	30.06	125	3006C		500
FED	30.06	150	P3006P		20
FED	30.06	165	P3006T1		537
FED	30.06	168	GM3006M		369
FED	30.06	220	3006H		500
FED	30.06	165	P3006D		119
FED	30.06	180	P3006T2		112
FED	30.06	180	P3006T3		114
FED	30.06	180	P3006F		118
FED	30.06	180	P3006L		119
FED	30.06	180	P3006R		154
WIN	30.06	150	S3006XB		100
WIN	30.06	168	SBST3006A		100
WIN	30.06	180	SHV30064		100
Total=					5000

TOTAL ROUNDS REQ'D FOR PHASE II

Remington	SP (PROOF)	220	21717	30
Remington	PT SP Core-Lokt	180	27828	1520
Remington	SP Core-Lokt	220	27830	1590
Remington	MC (UMC)	150	23698	1520
Remington	Nosler Bal. Tip	165	29178	1520
Remington	BR PT	180	21405	520
Remington	SP, Core-Lokt	180	21407	15340
Remington	PT SP Core-Lokt	180	27826	300
Federal	SP	150	3006B	1000
Federal	Nosler Bal. Tip	165	P3006Q	1000
Federal	BT SP	150	P3006G	1000
Winchester	Power Pt.+	180	SHV30064	1000
Winchester	Ballistic SilverTip	168	SBST3006A	1000
Winchester	Fail Safe	150	S3006XB	1000
misc 30.06 ammo to meet testing requirements				5000
Total=				33340

ET27713

Confidential - Subject: 5.22.06r0006263 Order

Williams V. Remington