

N/C PROGRAMMING STATUS

3/8/74

PART	OPER. NO.	PROC.		CUTTER DES.		CUTTER FAB.		FIXT. DES.		FIXT. FAB.		PROG.		DEBUGO		DUR A	STATUS
		%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE		
D-10002D 1100X SOLT CARRIER	1	100	—	100	—	100	—	100	—	100	—	100	—	0	4/5/74	2	COMPL.
"	2	100	—	100	—	100	—	100	—	100	—	100	—	0	4/5/74	3	SCHD. FOR
"	3	100	—	100	—	100	—	100	—	90	3/15/74	30	3/8/74	0	4/5/74	WAS	4/5-24/74 E6 COMPLETE 1/15/74
D-10023C 1100X ARREL 12 GA.	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	—	SCHD. FOR 4/5-24/74 COMPLETE 1/15/74
C-10036B 1100X AS CYLINDER	1	100	—	50	3/13/74	0	3/20/74	100	—	100	—	100	3/27/74	75	4/5/74	4	SCHD. FOR 4/5-24/74 COMPLETE 1/15/74
D-10025C 1100X ALT COVER	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	1	SCHD. FOR 4/5-24/74 COMPLETE 1/15/74
INT COVER 1100X SPRING MANDREL	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	—	COMPL.
E-10068A 1100X ARREL EXTENSION	1	0	—	0	—	0	—	0	—	0	—	0	—	0	—	—	—
"	2	0	—	0	—	0	—	0	—	0	—	0	—	0	—	—	—
D-10078B 1100X INT RIB	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	—	NEW DESIN REQUIRE COMPL. BY 1/15/74
D-100005C 1100X DOLT HEAD	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	—	COMPL. BY 1/15/74
"	2	100	—	80	3/15/74	80	3/22/74	100	—	100	—	80	4/1/74	40	4/15/74	8	SCHD. FOR 4/5-24/74 COMPLETE 1/15/74
E-10040A 1100X SORE- END BLANK	1	0	—	0	—	0	—	0	—	0	—	0	—	0	—	—	—
D-10067A 1100X RAME-SOLID	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
"	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
"	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
"	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
"	5	0	3/22/74	0	5/17/74	0	5/24/74	100	—	100	—	0	5/10/74	0	6/19/74	11.5	SCHD. FOR 4/5-24/74 COMPLETE 1/15/74
E-10047B 1100X INERTIA SLEEVE	1	0	—	0	—	0	—	0	—	0	—	0	—	0	—	—	—

COMMENTS ON STATUS:

N/C PROGRAMMING STATUS

7

3/8/74

PART	OPER. NO.	PROC.		CUTTER DES.		CUTTER FAD.		FIXT. DES.		FIXT. FAD.		PROG.		DEBUG		D U	STATUS
		%	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE		
D-10032A 1100X	1	0	4/11/74	0	4/10/74	0	4/15/74	0	4/4/74	0	4/10/74	0	5/1/74	0	5/10/74	3.5	5/10-5/22
STOCK BLANK																	
E-10037A 1100X	1	0	5/22/74	0	5/24/74	0	5/21/74	100	—	—	—	0	8/2/74	0	8/16/74	4.5	5/10-5/22
TAP LOCK																	
C-10014B 1100X	1	0		0		0		0				0		0		4.5	8/15-8/27
CARRIER																	
F-10008A 1100X	1	85	5/1/74	100	—	100	—	100	—	—	—	80	5/8/74	0	5/15/74	3	5/15-5/27
C-HAMMER																	
C-10011C 1100X	1	0	4/11/74	0	4/20/74	0	5/3/74	0	5/3/74	0	5/10/74	0	5/17/74	0	5/24/74	4.5	5/15-5/27
TRIGGER																	
"	2	0	4/11/74	0		0		0				0		0		—	5/10-5/27
C-10026H 1100X	1	0		0		0		0				0		0		—	5/10-5/27
E-JECTOR																	
C-10010A 1100X	1	0		0		0		0				0		0		—	5/10-5/27
CARRIER D.S.																	
E-10024B 1100X	1	0		0		0		0				0		0		—	5/10-5/27
TRIGGER PLATE																	
"	2	0		0		0		0				0		0		—	5/10-5/27

COMMENTS ON STATUS:

N/C PROGRAMMING STATUS

3/8/74

PART	OPER. NO.	PROC.		CUTTER DES.		CUTTER FAB.		FIXT. DES.		FIXT. FAB.		PROG.		DEQUEO		D U	STATUS
		%	DATE	%	DATE	%	DATE	%	DATE	%	DATE	%	DATE	%	DATE		
5-00088C 742X REL EXTENSION	1	100		90	5/22/74	80	5/31/74	100		98	7/19/74	80	6/14/74	50	6/21/74	4	
"	2	50	6/28/74	50	7/5/74	0	7/12/74	0	7/12/74	0	7/19/74	0	8/2/74	0	8/7/74	6	
00002-L 742X AME-REFRASE ELDING TO 100 TANG	1	100		100		100		100		100		100		100			2 MAG & STD. CLAMP
"	2	100		100		100		100		100		100		100			(NIV) OVER COMPLETE
"	3	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
00002-L 742X AME-REFRASE ELDING TO 100 TANG	1	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
"	2	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
"	3	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
"	4	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
"	5	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
00002-L 742X AME-SSWID	1	100		100		100		100		100		100		100			10 MAG & STD. CLAMP
"	2	50	7/23/74	50	8/20/74	50	9/6/74	100		100		100	8/20/74	0	9/6/74	11.5	EB
"	3	50	7/23/74	50	8/20/74	50	9/6/74	100		100		100	8/20/74	0	9/6/74	11.5	EB
"	4	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	5	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
00002-L 742X AME-REFRASE ELDING TO 100 TANG	1	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	2	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	3	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	4	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	5	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
00002-L 742X AME-REFRASE ELDING TO 100 TANG	1	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	2	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	3	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	4	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS
"	5	100		100		100		100		100		100		100			COMPLDYME 4.5 WNS

COMMENTS ON STATUS:

N/C PROGRAMMING STATUS

3/8/74

PART	OPER. NO.	PROC.		CUTTER DES.		CUTTER FAB.		FIXT. DES.		FIXT. FAB.		PROG.		DEBUG		U STA
		%	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	COMP. %	DATE	
742-X TRIGGER PLATE	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
"	2	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
742-X PORT COVER	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
742-X HAMMER	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
"	2	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
742-X TRIGGER	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
"	2	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
742-X ACTION BOX	1	50	6/14/74	50	6/21/74	0	7/12/74	25	6/28/74	0	7/12/74	50	7/12/74	0	7/19/74	40
742-X TOP LOCK	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM
742-X STOCK BLANK	ALL OPS. ELDER	100	—	100	—	100	—	100	—	100	—	100	—	0	3/22/74	95
742-X STRIKER	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—	COM

COMMENTS ON STATUS:

N/C PROGRAMMING STATUS

3/8/74

PART	OPER. NO.	PROC.		CUTTER DES.		CUTTER FAB.		FIXT. DES.		FIXT. FAB.		PROG.		DEBUG		D U R A	STATU
		%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE	%	COMP. DATE		
540-X BUTT PAD	1 (Exc)	100	—	100	—	100	—	100	—	100	—	100	—	100	—		COMPL
"	2 (Eb)	100	—	100	—	100	—	100	—	100	—	100	—	100	—		COMPL
540-X BUTT PAD	1 (Exc)	100	—	100	—	100	—	100	—	100	—	100	—	100	—		COMPL
"	2 (Eb)	100	—	100	—	100	—	100	—	100	—	100	—	100	—		COMPL
100 RECEIVER-200A S.W. (POLISH PART)	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—		COMPL
HEADING PLUGS-200A A-36753 (55°)	1,2,3	100	—	100	—	100	—	100	—	100	—	100	—	100	—		200A EX -ONI INE
HEADING PLUGS-200A A-36753 (45°)	1,2,3	100	—	100	—	100	—	100	—	100	—	100	—	100	—		200A EX -ONI INE
5-29000X 1100-200A.L.W. RECEIVER-ET. PART	1	100	—	100	—	100	—	100	—	100	—	100	—	100	—		COMPL 100 EX

COMMENTS ON STATUS:

N/C PRODUCTION STATUS

3/8/74

PART	OPER NO.	SET UP		DEBUGG		RUN		QTY. COMPLETED	EST. DURA.	STATUS (IF COMPLETE)
		%	COMP. DATE	%	COMP. DATE	QTY	%			
510 BOLT	COMPL.	100	—	100	—	265	100	2/14/72	265	LOT 1 (COMPL.)
"						314	100	3/9/73	314	LOT 2 "
"						163	100	3/26/73	163	LOT 3 "
"						432	100	6/7/73	432	LOT 4 "
"						112	100	9/5/73	112	LOT 5 "
"						573	100	2/6/74	573	LOT 6
"						535	68	3/8/74	535	2.3 WKS. TO COMPLETE OP. NO. 485
"						187	38	—	0	21 WKS. WILL START 3/1/74
40-X BUTT PAD	182	100	—	100	—	496	100	5/24/73	496	COMPL.
"						514	100	10/25/73	514	COMPL.
40-X BUTT PAD	182	100	—	100	—	297	100	3/2/73	297	COMPL.
"						525	100	5/22/73	525	COMPL.
"						395	100	11/27/73	395	COMPL.
3200 TAP LOCK	60	100	—	100	—	2047	100	10/13/73	2047	COMPL.
3200 BARREL ASSEM.	360	100	—	100	—	234	100	10/23/73	234	COMPL.
CP100 BARREL	1	100	—	100	—	343	100	12/11/72	343	
"						111	100	4/27/73	111	
"						228	100	5/31/73	228	
"						106	100	6/20/73	106	
"						684	100	10/10/73	684	
						135	100	11/14/73	135	

COMMENTS ON STATUS:

N/C PRODUCTION STATUS

3/8/74

PART	OPER NO.	SET UP		DEBUGG		RUN		QTY. COMPLETED	EST. DURA.	STATUS (IF COMPLETE)
		%	COMP. DATE	%	COMP. DATE	QTY	%			
XPI00 BARREL	1	100	—	100	—	254	100	1/4/74	254	
455 (3/8 SHORT)	1	100	—	100	—	106	100	3/16/73	106	COMPL.
455 (1/4 SHORT)	1	100	—	100	—	200	100	1/16/73	200	COMPL.
"						636	100	4/17/73	636	"
"						288	100	8/9/73	288	"
"						417	100	11/1/73	417	"
"						192	100	11/8/73	192	"
TIME TRAP IMPROVING ARM CARRIER	182	100	—	100	—	20	100	5/2/73	20	COMPL.
"						9	100	7/3/73	9	"
"						112	100	7/27/73	112	"
541-S RECEIVER OP. NO. 1 (TOP) OP. NO. 2 (SIDE) SIGHT HOLES	182	100	—	100	—	1300	100	10/30/73	1300	COMPL.
728 RECEIVER SIDE SIGHT HOLES	1	100	—	100	—	450	100	10/5/73	450	COMPL.
742-X FRAME-15605 22 W/CLINING TAP TANG (MAY. & 276.)	1	100	—	100	—	4	100	11/21/73	4	COMPL.
"	2	100	—	100	—	4	100	12/5/73	4	"
"	3	100	—	100	—	4	100	12/6/73	4	"
742-X FRAME ASSEMBLY-AFTER 52 W/CLINING TAP TANG (MAY. & 276.)	1,2,3	100	—	100	—	7	100	12/21/73	7	"
"	4,5	100	—	100	—	7	100	1/21/74	7	"
540-X BUTT PAD	2	100	—	100	—	758	100	2/25/74	758	"
540-X BUTT PAD CASE 1	1	100	—	100	—	722	100	2/28/74	722	"

COMMENTS ON STATUS: