

1000 8500 5.25 575

MINIMUM	0.390625E-01	0.000000E 00
MAXIMUM	0.738281E 01	0.632344E 01
EV	0.734375E 01	0.652344E 01
MEAN	0.537266E 01	0.594023E 01
STAN DEV	0.186019E 01	0.110567E 01
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE		
MINIMUM	0.172668E 01	0.377312E 01
MAXIMUM	0.901863E 01	0.810735E 01
MIN AVG	0.500806E 01	0.572352E 01
MAX AVG	0.573725E 01	0.615695E 01

1000 8500 5.25 575

MINIMUM	0.152344E 01	0.117188E 01
MAXIMUM	0.832031E 01	0.675781E 01
EV	0.679688E 01	0.558594E 01
MEAN	0.564922E 01	0.638672E 01
STAN DEV	0.133517E 01	0.538340E 00
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE		
MINIMUM	0.303229E 01	0.533157E 01
MAXIMUM	0.826615E 01	0.744187E 01
MIN AVG	0.538753E 01	0.628120E 01
MAX AVG	0.591091E 01	0.640223E 01

1000 8500 5.25 575

MINIMUM	0.273438E 00	0.531250E 01
MAXIMUM	0.70931E 01	0.695313E 01
EV	0.742188E 01	0.164063E 01
MEAN	0.522909E 01	0.655742E 01
STAN DEV	0.168491E 01	0.182188E 00
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE		
MINIMUM	0.192727E 01	0.620033E 01
MAXIMUM	0.853210E 01	0.61451E 01
MIN AVG	0.489945E 01	0.652171E 01
MAX AVG	0.559993E 01	0.659313E 01

1000 8500 5.25 575

MINIMUM	0.117188E 00	0.597656E 01
MAXIMUM	0.70931E 01	0.683594E 01
EV	0.757813E 01	0.859375E 00
MEAN	0.515000E 01	0.658906E 01
STAN DEV	0.179369E 01	0.131529E 00
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE		
MINIMUM	0.163438E 01	0.633127E 01
MAXIMUM	0.866362E 01	0.684686E 01
MIN AVG	0.479844E 01	0.656328E 01
MAX AVG	0.550156E 01	0.661484E 01

1000 8500 5.25 575

MINIMUM	0.273438E 00	0.191406E 01
MAXIMUM	0.691406E 01	0.687500E 01
EV	0.664063E 01	0.496094E 01
MEAN	0.521641E 01	0.662187E 01
STAN DEV	0.141270E 01	0.482401E 00
ALL PREDICTED VALUES CALCULATED AT 95 PERCENT CONFIDENCE		
MINIMUM	0.244752E 01	0.567637E 01
MAXIMUM	0.798229E 01	0.756738E 01
MIN AVG	0.493952E 01	0.652732E 01
MAX AVG	0.549329E 01	0.671643E 01

1000 8500 5.25 575

MINIMUM	0.19531E 00	0.605469E 01
---------	-------------	--------------