

REMINGTON MODEL 710
Trial and Pilot SERIES C
PRELIMINARY MEASUREMENTS

BLUE INDICATES BELOW SPEC													
RED INDICATES ABOVE SPEC													
RING SCALE		TRIGGER PULL WITH SPRING SCALE				SAFE ON FORCES				SAFE OFF FORCES			
L GUNS	LBS.	TLW0407J OUT OF STOCK, ALL GUNS				TLW0407K GUNS A11-A20				TLW0407K GUNS A11-A20			
3	AVERAGE	1	2	3	AVERAGE	1	2	3	AVERAGE	1	2	3	AVERAGE
4.25	4.17	4.5	4.25	4.5	4.42				#DIV/0!				#DIV/0!
4.25	4.26	4	4	4.25	4.08				#DIV/0!				#DIV/0!
4.5	4.33	4.25	4.5	4.25	4.33				#DIV/0!				#DIV/0!
4.5	4.33	4.5	4.5	4.5	4.60				#DIV/0!				#DIV/0!
4.25	4.42	4.25	4.5	4.25	4.33				#DIV/0!				#DIV/0!
5	5.08	5.5	5.25	5	5.25				#DIV/0!				#DIV/0!
5	4.83	4.75	5	4.75	4.83				#DIV/0!				#DIV/0!
4.5	4.42	4.5	4.25	4.5	4.42				#DIV/0!				#DIV/0!
4.5	4.83	4.75	5.5	4.5	4.92				#DIV/0!				#DIV/0!
4.75	4.42	4.5	4.25	4.25	4.33				#DIV/0!				#DIV/0!
4.25	4.08	4	4.25	4.25	4.17	4.76	5.25	5.46	5.16	3.46	3.24	3.5	3.40
4.5	4.50	4.5	4.5	4.5	4.60	5.1	5.28	5.44	5.27	3.68	3.56	3.62	3.62
3.75	3.92	4	4.5	4	4.17	6.76	6.42	6.38	6.52	3.34	3.38	3.4	3.37
4.5	4.50	4.5	4.5	4.75	4.58	5.04	5.56	5.18	5.26	3.36	3.26	3.4	3.34
4.25	4.08	4.25	4	4.5	4.25	6.42	6.72	6.36	6.50	3.66	3.28	3.64	3.53
4.25	4.33	4.5	5	4.5	4.67	6.26	6.1	6.24	6.20	2.42	2.66	2.72	2.60
4	4.08	4.5	4	4	4.17	6.8	6.66	6.94	6.73	3.94	3.26	3.62	3.61
4	4.00	4	4.5	4.25	4.25	7.24	6.96	6.78	6.99	2.96	2.98	3.04	2.99
4.75	4.50	4.25	4.25	4.25	4.25	6.48	5.6	5.52	5.87	3.42	3.24	3.04	3.23
5.25	5.08	5.5	5	4.75	5.08	6.72	6.79	6.88	6.80	3.5	2.88	3.46	3.28
4.5	4.58	5.25	5.5	5	5.25				#DIV/0!				#DIV/0!
4.5	4.50	4	4.5	4.5	4.33				#DIV/0!				#DIV/0!
3.75	3.83	4	3.75	4.25	4.00				#DIV/0!				#DIV/0!
4.5	4.50	5	5.25	4.75	5.00				#DIV/0!				#DIV/0!
4.25	4.25	5	5	4.75	4.62				#DIV/0!				#DIV/0!
4.5	4.42	4	4.25	5	4.42				#DIV/0!				#DIV/0!
4.5	4.42	4.5	4.5	4.75	4.58				#DIV/0!				#DIV/0!
4	4.00	4	4.5	4	4.17				#DIV/0!				#DIV/0!
4.5	4.75	4.75	4.5	4.5	4.68				#DIV/0!				#DIV/0!
4.5	4.17	4.5	4.25	4.25	4.42				#DIV/0!				#DIV/0!
TEST AVERAGE		TEST AVERAGE				TEST AVERAGE				TEST AVERAGE			
TO 5.5 LBS.		SPEC. = 4.0 TO 5.5				SAAMI MIN. = 1 LB.				SAAMI MIN. = 1 LB.			

BARBER - 5.22.0670006999

Confidential - SHARPER-52250670006999 Order
Williams V. Remington

ET30027

REMINGTON MODEL 710
Trial and Pilot SERIES C
PRELIMINARY MEASUREMENTS

FIRING PIN HEAD TO SEAR ENGAGEMENT, TLW0407N, ALL GUNS		BOLT STOP & RELEASE FUNCTION TEST
measurement method		TLW0407O, GUNS A11-A20
produces a dimension range		STOP FUNCTION RELEASE DETENT
.064	.075	
.069	.080	
.063	.074	
.067	.078	
.067	.078	
.068	.079	
.071	.082	
.072	.083	
.068	.079	
.068	.079	
.066	.078	PASS 4.21
.066	.077	PASS 4.62
.066	.077	PASS 5.22
.066	.077	PASS 4.64
.067	.078	PASS 4.66
.068	.079	PASS 4.71
.067	.078	PASS 5.18
.068	.080	PASS 4.64
.067	.078	PASS 4.61
.065	.076	PASS 4.58
.067	.078	
.068	.079	
.068	.079	
.067	.078	
.069	.080	
.061	.073	
.067	.079	
.066	.077	
.069	.080	
.070	.081	

BARBER - 5.22.06r0007000

83

ET30028

Confidential - S
BARBER-522P06r0007000 Order
Williams v. Remington