











22 ~ B420 LBS, A 420 LBS, C 340 LBS.
DOWEL SEPARATED AT "B" LOCATION CRACK

100/16 100/16 100/16








5 2 4 BA 480 LBS, A 350 LBS, C 290 LBS.

DOWN TO PHILCO FREE ON RIGHT SIDE




(C. 1974)




84 AC

52

8-11-78






77 ~ B 400 lbs., AC 550 LBS.


100-108638-1074

8-11-75



82 ~ B 38065, A 41065, C 41065


200 STACK 10065 11050 7-27-73



82 B A C


(A. H. H. 8-11-78)

8-11-78
A. H. H.



700 STOKA 100/62 X10552 2-22-78


92 B34045, A34045, C33045



92 B A C


8-11-78

(C... 1974)





10Z B 3504ES, A 4204ES, C 3804ES.

700 STOCK 100/b, MP SEC 7-27-78



10Z B A C



8-11-78
A A II



112 B 300 LBS., A 360 LBS., C 340 LBS.,


8-11-78
A. A. N.

8-11-78
A. A. N.




122 B 320485, A360485, C 340 485.

700 STOCK 100% X103FC 7-27-78




8-11-78
A. A. N.




132 B330 LBS., A430 LBS., C 400 LBS.
 THE BRASS CROSS PIN - #72 DRILL
 PIN PULLED FROM - RIGHT SIDE.


8-11-78
 A.A.N.

700 STOCK 100 LBS. X 10 SEC 7-21-78





700 STOCK 100% X 10 SEC 2-27-78



✓ 14X B 360 LBS., A 370 LBS., C 310 LBS.


HOSE CROSS PM - NOT 7 INCH - HOLE PULSED

ON LEFT SIDE WITH WOOD -

SCREW PULL OUT OF WOOD - LEAST 1/4"

SCREW PULL OUT OF WOOD - LEAST 1/4"


6-11-78





152 B 390 LBS. A 390 LBS. C 360 LBS.

THRU BRASS PIN DRILL F246 ON RIGHT SIDE
#42 DRILL HOLE

100 STOCK 100165105EC 727-8




8-11-78




700 STOCK 100165 100165 7-27-78

162 - B 280LAS, A340LAS, C 260LAS.
FIGURE 4AS ATTACHMENT AT C AND B
PULLED FREE ON 220 GRAMS 24B

8-11-78





172 BA 370 LBS., C 440 LBS.


FIBREGLAS ATTACHMENT AT C AND B
ATTACHMENT PHILCO PADS ON
RAD GLASS 45 B.

172 BA 370 LBS., C 440 LBS. (1974)


8-11-78

172

200 STOCK 100 LBS. 110 SEC



172 BA 370 LBS., C 440 LBS. (1974)




182 BA440 LBS., C300 (BS.)

FIXING ATTACHMENT AT C & B.


ATTACH BULGED PART ON END GAIN

C & B.

8-11-78



8-11-78



192 B290LES, A 360LES, C 390LES.


FIBERGLAS ATTACHMENT AT C & B.

ATTACHMENT PHILCO PADS ON END OF MAIN

C & B



DATE: 10/11/78

200 STOCK 100/65 X 10 SEC





10/11/78 AC 7-22-78

8-11-78




20Z 205 STOCK 10016, ROSEC
 20Z BAC 420 LOS, A 330 LOS, C 320
 FIGURE 13. ATTACHMENT AT C & B
 ATTACHMENT PULLED FREE ON END
 GRAIN C & B
 8-11-78
 A. A. H.



212 B360LAS, A400LAS, C370LAS,
NO SUPPORT SAMPLE,


8-11-78
A A. II.

8-11-78
A A. II.




222 B 340 LBS, AC 370 LBS.
 THEN 2005 STOCK PULLED FROM ON
 LEFT SIDE. #42 DRILL

2005 STOCK 12084 NSEC



222 B AC 7-22-78

8-11-78
 A. N. H.






232 B 470LBS, A 500LBS, C 560LBS,
 THEN BARS PIN - H12 DANCE HALL

WIN PULLED PAPER FOR RIGHT SIDE

(C) 1974

8-11-78
 A.A.H.





200 STICK 100165 X10 SEC


242 B 300 LBS., A440 LBS., C410 LBS.


DRIVER PULLED FREE ON RIGHT SIDE.

8-11-78

AAH

AAH









2.5" B 400LBS, A 410LBS, C 340LBS.
WOOD POWDER PULVER PRESS RIGHT SIDE

SECTIONS NOT PULVER PRESS

8-11-78
A.A.H.






2.62 B 370 LBS, AC 360 LBS.

WOOD DOWEL PHILLIPS PILES ON LEFT SIDE


8-11-78

8-11-78



278 B 310 LBS., A 290 LBS., C 270 LBS.
WOOD DOWN & PULL ON
RIGHT SIDE


200 STICK 100 IN X 10 STICK 100




8-11-78

A. A. H.

TOP VIEW




BOTTOM VIEW




282 BAYZOLAS, AC 52043.
 FIBREGLASS ATTACHMENT AT C & B.
 ATTACHMENT FILLED FIBRE ON
 END GUN AT C & B.
 BLOCK NOT SEARCHED (282-1974)

700 STUCK 10016 X 10516



8-11-78
 A.M.H.




298 B200 AC 330

NO RAIN FORCE MEAT,
STOCK NOT SANDO.


(... 1974)

X-11-78
A. A. H.

700 STOCK 10014 X105EC






292 B AC 7-27-78



30X B270LSS, A240LSS, C100LSS.
 FIBROGLASS. ATTACHMENT AT C & B.
 ATTACHMENT THREE PAGES ON 800 GRAIN
 STOCK NOT SAMPED.
 (SEE ATTACHMENT 1974)

8-11-78
 N.A.H.






28T B 360 LBS., AC 460 LBS.

LEFT HAND STOCK - 702100 FAN
RIGHT SIDE.

PIN PULLED FROM LEFT SIDE
PIN SHOWN ON REBUILT SIDE ONLY

(unlabeled)
8-11-78



LEFT B39048S, C44016S, A38048S.

LEFT HAND STOCK - TESTED FROM
RIGHT SIDE.

PIN PLUGS FROM LEFT SIDE
PIN PLUGS FROM RIGHT SIDE ONLY
PINS FROM 1974

STANDARDIZATION SAMPLE

11/1/74

