

XP 100 TESTING - DROP TEST SUMMARY
6 PISTOLS - 2 CONTROL, 2 ALTERED, 2 PRINT

GUN	SAFETY	MUZZLE		BUTT		TDP	BOTTOM		MEASUREMENT
		ON	OFF	ON	OFF		OK	OFF	
A 5	B 7506317 3 FT. DROP 2.5 FT.	OK	OK	OK	OK	OK	OK	OK	As Rec'd. A.M. 10/27
	2 FT.	OK	FIRE D						
	1.5 FT.	OK	INCIDENT 1225						
	Sear Engagement								
	Sear Lift								
	Forward Null								
	Trigger Pull: Avg. of 3								
P 1	B 7605481 3 FT. DROP 2.5	OK	FIRE D	OK	OK	OK	OK	OK	As Rec'd. A.M. 10/27
	2	OK	INCIDENT 1222						
	1.5	OK	FIRE D						
	Sear Engagement								
	Sear Lift								
	Forward Null								
	Trigger Pull: Avg. of 3								
P 5	B 7606428 3 FT. DROP 2.5	OK	FIRE D	OK	FIRE D	OK	OK	OK	As Rec'd. A.M. 10/27
	2	OK	INCIDENT 1220						
	1.5	OK	FIRE D						
	Sear Engagement								
	Sear Lift								
	Forward Null								
	Trigger Pull: Avg. of 3								

1-31-79

Pg. 1

R.K.

XP100 TESTING - DROP TEST SUMMARY 6 Pistols - 2 CONTROL, 2 ALTERED, 2 PRINT

GUN	SAFETY	MUZZLE		BUTT		TOP		BOTTOM		MEASUREMENT	
		ON	OFF	ON	OFF	ON	OFF	ON	OFF	As Recd.	After Test
C3	B750467										
	3 FT. DROP	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.		
	2.5 FT. DROP	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.		
	2 FT. DROP	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.		
	1 FT. DROP							O.K.	O.K.		
	Sear Engagement									0.445"	0.445"
	Sear Lift									0.445"	0.445"
	Forward Null									0.445"	0.445"
	Trigger Pull: Avg. 3									2.20"	1.5"
C5	B7504932										
	3 FT. LIFT	O.K.	FIRE	O.K.	O.K.	O.K.	FIRE	O.K.	O.K.		
	2.5 FT. LIFT		INCH 0.2				INCH 0.2	O.K.	O.K.		
	2 FT. LIFT	O.K.	FIRE			O.K.	FIRE	O.K.	O.K.		
	1.5 FT. LIFT	O.K.	INCH 0.25			O.K.	INCH 0.25	O.K.	O.K.		
	1 FT. LIFT	O.K.	FIRE			O.K.	FIRE	O.K.	O.K.		
	Sear Engagement	O.K.	O.K.			O.K.	O.K.	O.K.	O.K.	0.445"	0.445"
	Sear Lift									0.445"	0.445"
	Forward Null									0.445"	0.445"
	Trigger Pull: Avg. 3									2.0"	2.5"
A4	B7506674										
	3 FT.	O.K.	FIRE	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.		
	2.5 FT.	O.K.	INCH 0.2								
	2 FT.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.		
	1 FT.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.	O.K.		
	Sear Engagement									0.445"	0.445"
	Sear Lift									0.445"	0.445"
	Forward Null									0.445"	0.445"
	Trigger Pull: Avg. 3									3.0"	2.5"

