

Date 9-30-82

Tester _____

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles 7500

Cycle Rate _____

TEST: _____

Sample (1)

<u>2500</u> Cycles	Total <u>10000</u>			
Sear Lift				
Trigger Pull <u>6.25-6.25-6.25-6.25-6.25</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>5.50</u> <u>5.00</u>	<u>4.25</u> <u>4.25</u>		
	<u>4.25</u> <u>4.25</u>	<u>4.00</u> <u>4.25</u>		
	<u>4.25</u>	<u>4.00</u>		

<u>2500</u> Cycles	Total <u>12500</u>			
Sear Lift				
Trigger Pull <u>6.25-6.00-6.00-6.25-6.25</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.00</u> <u>4.00</u>	<u>4.00</u> <u>4.00</u>		
	<u>4.00</u> <u>3.75</u>	<u>4.50</u> <u>4.25</u>		
	<u>4.25</u>	<u>4.00</u>		

<u>2500</u> Cycles	Total <u>15000</u>		<u>14000</u> - <u>13000</u> <u>Spring</u>	
Sear Lift				
Trigger Pull <u>6.25-6.25-6.25-6.25-6.25</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.25</u> <u>5.00</u>	<u>5.25</u> <u>5.25</u>		
	<u>4.25</u> <u>5.00</u>	<u>5.25</u> <u>5.25</u>		
	<u>3.75</u>	<u>5.25</u>		

<u>2500</u> Cycles	Total <u>17500</u>			
Sear Lift				
Trigger Pull <u>6.25-6.25-6.25-6.25-6.25</u>				
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
	<u>4.25</u> <u>4.25</u>	<u>5.25</u> <u>5.25</u>		
	<u>4.25</u> <u>3.75</u>	<u>5.25</u> <u>5.25</u>		
	<u>3.75</u>	<u>4.25</u>		

Date

9-30-80

Tester

DRY CYCLE SUMMARY

(For deviation attach supplementary sheet)

Previous Cycles

17500

Cycle Rate

TEST:

Safe on-offSample (C)

<u>2500</u>	Cycles	Total	<u>20000</u>
Sear Lift	<u>1.0105</u>	<u>millipool</u>	<u>.006</u>
Trigger Pull	<u>6.50 - 6.00</u>	<u>6.00 - 6.00</u>	
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function
	<u>6.00</u>	<u>5.25</u>	<u>5.00</u>
	<u>5.00</u>	<u>5.25</u>	<u>4.75</u>
	<u>4.50</u>	<u>5.00</u>	<u>6.00</u>

	Cycles	Total	
Sear Lift			
Trigger Pull			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function

	Cycles	Total	
Sear Lift			
Trigger Pull			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function

	Cycles	Total	
Sear Lift			
Trigger Pull			
Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function

9-30-50

A Long

(For deviation attach supplementary sheet)

0

10

SAFE ON - OFF

SAMPLE 2

2500 Cycles Total 7500

Sear Lift

Trigger Pull 600 - 6.25 - 6.25 - 6.25 - 6.25

Observations:	Force for Safe On	Force for Safe Off	10 Rd. Function	Safe Operation
450	4.2	4.00		
600	6.00	6.00		
750		4.50		