### **BARBER - PRESALE R 0108663**

# REMINGTON ARMS COMPANY, INC.

INTER-DEPARTMENTAL CORRESPONDENCE

Remington **OPPRO** 

DETERS

L. Fox J. E. Preiser

cc: E. Hooton, Jr. J. P. Glas

P. H. Holmberg

"CONFINE YOUR LETTER TO ONE SUBJECT ONLY"\_\_

To:

R. S. Swartz

February 12, 1981

From:

s. M. Morris

Ilion, New York

### M/700 BDL (.243 Cal.) COST ANALYSIS

A cost analysis has been developed for the major components and assemblies of a M/700 BDL .243 caliber rifle. The objective of this study is to illustrate by comparison the direct cost relationships of the machining, finishing, heat treatment and miscellaneous operations of a typical M/700 rifle. Also, this evaluation should be useful to our Engineering groups in their future consideration for design and process improvements.

Attached are (3) Exhibits. Respectively, Exhibits I and II illustrate the Standard Labor, Labor Variance, and Direct Expense Costs of the M/700 BDL assemblies and components as defined in the Research and Development part list dated 10/6/80. Exhibit III summarizes by type and quantity the manufacturing operations that are performed on a M/700 rifle.

A review of the components costs contained within this study indicated the stock represents 40% of the M/700 BDL composite total. The barrel assembly and receiver follows at 13% and 9% respectively.


Three high cost areas that deserve consideration are as follows:

- Stock Assembly Finishing Currently \$4.76 in Standard Labor to finish the M/700 stock. The operations include sand, stain, spray and fill. Hand sanding represents 70% (\$3.35/stock) of the finishing cost. Automated equipment, if feasible, would reduce costs in this area.
- Stock Assembly Labor Variance A comparison of 1979 and 1980 Labor Variance rates for the (5) M/700 Stock Processing Departments indicate that an \$.86/stock increase was realized in 1980. It appears that the 4th quarter schedule reductions and M.R.P.'s valuable influence in the wood area are responsible for this trend. Also, due to the uniformity problems encountered with wood finishes in 1980, (3) additional non process operations were performed on all M/700 BDL stocks produced. These operations included level sand, hand spray 3rd coat and inspect. The additional labor and direct expense associated with these operations totaled \$3.15 and \$.73 per stock respectively.

Because these operations were not recognized with a process, quantities were recorded at existing operations. Subsequently, the irregularity was overlooked and our floor control weakened. In order that the M/700 remain competitive, we must identify this type of process variation as variance so that appropriate controls can be used to deal with the situation.

 Barrel Assembly Complete - Direct expense machining operations account for \$4.80/BBL assembly in direct expense charges.
 Roughly 55% of that total is cutter grind and tool replacement costs. This percentage would indicate that the time may be right to concentrate on perishable tool improvements within this area.

Schematically, Exhibit I would chart as follows:



Please see attached cost sheets.

SMM/cmp



EXHIBIT I

				•			EXHIBIT	P I										<sub>D</sub>
Component Assy	Part Number	Std. Labor		Dir.Exp.	Std. Labor		h Dir, Exp. & Var	Std Labor	Labor	Treat Dir.Exp. & Var	Std. Labor	Misc Labor Var	Dir.Exp. & Var		<u>Tot</u> Std. labor	Lab D	ir.Exp Var	. Compositi
Barrel Assy Complete	31496	\$3.17	\$1.84	\$4.80	\$1.2	\$.73	\$1.00	\$.12	\$.02	\$.07	\$.96	\$ .56	\$.35	\$4.45	\$5.51	\$ 3.15\$	5.22	\$ 19.33 Z
Bolt Assy	28711	1.19	.36	2.53	.54	.09	.13	.ов	. 01	.09	.27	.08	.02	1.96	2.08	.54	2.77	7.3 <b>€</b>
Rear Sight Assy	32524	.53	.04	.14	01		.01	.01			.12	.02	.01	.66	.67	.06	.16	1.5
Firing Pin Assy	22041	.23	.01	.19	.06	.02	.02	.03		.02	.14	.04	.02	1.77	.46	.07	.25	12.5
Stock Assy	33370	1.32	.73	3.42	4.76	4.81	2.98	- 1			1.09	.81	.54	14.49	7.17	6.35	6.94	34.9 <b>£</b> .
Trigger Assy	26345	.38	.13	.11	.01		.01	.04		.06	.83	.27	.02	1.70	1.26	.40	.20	3.5
Trigger Guard Assy	26370	. 34	.11	.11	. 44	.14	. 12				.21	.07	.02	4.39	.99	. 32	.25	ص 5.9 <b>نا</b>
Sling Strap	30855	l			.01		. 01							1.66	.01		.01	1.68
Mics. Parts	٨	.27	.02	.15	.27	.08	. 05	.01		.02	.01			3.61	<b>356</b>	.10	.22:	44.49
Final Assy . & Inspect								,			1,96	.87	.08	•	1.96	.87	.08	2.91
Test				·				ļ	1		. 52	.22	1.87		.52	.22	1.87	2.61
Package								}			. 52	.16	.06	. 48	. 52	.16	.06	1.22
Totals		ş 7.43	3.24	\$ 11.45	\$7.36	\$ 5.87	\$ 4.33	\$ .29	\$ .03	\$ .26	\$ 6.63\$	3.10	\$2.99	35.17\$	21.71	\$12.24	\$19.0	3 \$88.15
% of Totals					*													
Std. Labor Labor Varian Direct Expe		31%	27%	60%	36%	48%	23%	1%		1%	<b>32%</b>	25%	16%					

EXHII	BIT II									•		ΒA	
Dir. Exp. & Var	Std Labor	Heat Labor Var	<del></del>	Std.	Mis Labor Var		Std Mat'l	Std.		Dir.Ex & Var	þ.	Compo	)
\$.10	\$.03	\$.01			·	-	\$1.64	\$.41	\$.22	\$.40	\$	2.37	
								.40	. 33	.78			
.21		}		.04	.01			.47	. 16	.59		1.42	
.60				. 38	.13	.07	2.34	. 85	. 28	.77		4.74	

Machine Labor Dir.Exp. Part Std. Std. Labor Component Number Var & Var Labor Labor, Var Upset & Drilled 19991 \$.33 \$.18 \$ .30 \$ .05 \$.03 Blank G.F.M. Blank 27829 .40 . 33 .78 Barre1 26287 .22 . 08 . 38 .21 .07 Barrel Assy 33451 .25 . 09 .10 .22 .06 0**1-08666**5 Bolt Body 20201 .11 .01 .03 .18 .20 .12 .03 .18 Bolt Head 28665 .48 .14 .49 .22 . 48 .14 .49 . ! 28696 Bolt Body Assy .44 .13 .08 1.15 .09 .03 .02 .01 .09 .08 . 02 . 02 . 69 .19 . 1.28 Receiver 91022 1.74 .56 2.49 .77 .25 .14 .09 .01 .09 .06 .13 .04 1.84 2.73 .86 2.78 8.21 33205 Stock 1.32 .73 3.42 4.76 4.81 2.98 .94 .76 .45 14.15 7.02 6.30 6.85 34.32

### EXHIBIT III

		M	achine
	No. of Oper.	Standard Labor/C	Expense/C
Machining (Wood)			
Joint & Plane	· 2	\$4.815	\$.013
Saw	1	2.700	.232
Shape	5	21.269	47.812
Drill	4	18.477	1.550
Profile	. 1	8.278	14.205
Inlet	2	25.408	9.828
Rout	4	23.579	2.769
Checker	2	27.269	135.605
1981 Ave.	21	\$1 <del>31.795</del>	\$ 212.014
Machining (Metal)	•		
Mill	31	\$198.875	\$183.661
Drill	12	88.116	69.159
Ream	13	48.335	17.223
C'Sink & C'Bore	5	18.179	11.873
Spot	<b>4</b> .		
Hand Screw Machine			·
Broach	2	15.958	26.947
Deburr	16	40.346	3.449
Lathe	4	36.125	36.458
Chamfer	. 1	4.578	.282
Tap	6	28.834	16.900
Saw -Cutoff ,	4	20.282	11.931
Machine Straighten	2	13.230	.200
Grind	11	45.937	7.064
Upset ,	1	1.303	2.510
G.F.M. profile	1 2	25.536 9.617	17.973 5.745
Auto Screw Machine Jewel . 1981 Ave.	$\begin{array}{c} \frac{1}{1} \\ \frac{1}{112} \end{array}$	6.946 6.392 \$608.589	6.014 10.747 \$428.136
2502 1.00			

		Manual Manual				
·	No. of	Standard	Total			
	Oper.	Labor/C	Expense/(	<u> </u>		
Surface Finish (Metal)						
File	9	\$48.927	\$2.659			
Polish & Buff	13	138.348	42.600			
Black Oxide	. 11	5.539	8.495			
Nitre Black	9	.633	.045			
Supersheen	18	7.209	3.430			
Almco	1	14.363	5.364			
Spin Finish (Ultramatic)	2	31.605	5.351	•		
Tumblast	je po saje <b>t</b> oj 🕳	5.175	8.356			
Steelguard	1	.894	.022			
Alumilite	2	3.997	1.678			
Vibrate	. 1	.623	.193	,		
Roto Finish						
Micro Bond 1981 Ave	1	.546	.030			
1961 AVE	69	\$ 257.859	\$ 78.233			
Surface Finish (Wood)		. •				
Sand	3	\$34.646	\$67.622			
Stain	1	38.827	3.203			
Seal	2	50.050	2.053			
Spray	2	53.224	94.017			
1981 Ave	8	\$ 476.747	\$ 166.895			
feat Treat						
<del></del>	17	\$1.893	\$ 1.055			
Cyanide Harden	6	3.815	. 4.824			
Microcarb Harden	2	2.619	.307			
Neutral Salt Harden	3	1.106	.834	٠		
Drew	3	2.255	.633	•		
Annesi	i	1.373	.471			
Cyanide Deplate	2	3.964	.734			
Copper Braze	2	3.904	.754			
Copper Deplate Lindberg Draw	11	6.506	1.472	·		
Austemper	1	6.220	3.114			
Weld	1 47-	2.708 \$ 32.459	.109 \$ 13.553			

## EXHIBIT III (continued)

	No. of Oper.	Standard Labor/C	Total Expense/C
Miscellaneous			
Sæmp	4	\$6.521	\$.216
Re-Tap			
Magnatiux	2	16.195	1.820
Szke			
Shave	1	6.646	6.329
Degrease	5	3.347	.898
Wasi	. 29	9.186	.845
Rollmark	3	5.776	.924
Load & Unload		•	
Assemble & Disassemble	. 16	180.855	4.446
Inspect & Repair	1	67.773	24.766
Heat-Quench			•
Purge & Heat			
Cooi			
Test for Braze	3	7.205	.113
Groove Firing Pin Shank			
Chamier			
Oil-Remove Chips			
NC Charges			,
Custom Shop			
Straighten Mold Gage Adjust Burn Off Inspect Inspect & Straighten Pickle Demagnetize 1981 Ave.	10 2 1 46 1 1 1 127	16.014 2.955 12.842 .977 8.988 9.397 .440 <u>4.270</u> \$ 359.387	4.804 .060 .184 .133 .145 .166 .061 .134