

REMINGTON ARMS COMPANY, INC.

INTER-DEPARTMENTAL CORRESPONDENCE



Xc: C.B. Workman
P.H. Holmberg
D.E. Bullis

"CONFINE YOUR LETTER TO ONE SUBJECT ONLY"

Ilion, New York
March 23, 1981

TO: W. H. FORSON
FROM: J. W. BROOKS
SUBJECT: BOLT ACTION CARBINE MODEL REQUIREMENTS

Per your letter of March 11 we have changed the model requirements for the Bolt Action Carbine as follows:

Stock

1. Walnut wood
2. RK-W glossy finish
3. M700 Classic butt pad
4. Swivel studs
5. Grip cap (similar to Model 870 TC)
6. Cut checkering
7. Shape of butt stock similar to sample reviewed in March. Grip similar to Model 7 sample. Fore End similar to schnabel but with tip rounded off.

Barreled Action

1. Barrel contour similar to M700 but approx. .100" smaller.
2. M700 rear sight assembly.
3. M700 front sight base with bottom radius to fit smaller barrel.
4. M700 front sight
5. M700 barrel bracket
6. M600 receiver with longer tang
7. M600 bolt stop with M700 type release
8. M700 trigger assembly with 2 position safety

To: W.H.Forson
From: J.W.Brooks
Subject: Bolt Action Carbine Model Requirements

3-23-81

-2-

-
9. M600 bolt assembly with M700 bolt handle and altered for a bolt lock
 10. New bolt plug
 11. New bolt lock
 12. M700 BDL short action magazine
 13. New stainless steel follower and spring
 14. New stamped trigger guard and floor plate assembly. Short release latch for front release.
 15. New trigger guard screw
 16. M700 BDL front guard screw

JWB:T
Firearms Research Division

[illegible]