

JACK ENDURANCE

REFRONT NO.: 832281

PAGE NO. /

PREVIOUS ROUNDS

DATE: 8-26-83

MODEL: 756

DATE: 2-5-26

SERIAL NO. B6424425

PREVIOUS ROUND

TEST TITLE: LIVE LOAD AND UNLOAD CYCLES (FOLLOWER TEST)

TTL. RIB. FIRED: 105

СИРАМЕ

TTL, MISFUNCTIONS: 3

FUNCTIONAL

[illegible]

Lazy ejection with Live Rd.

REMARKS

Excluded Sup 5401

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.

(PAPER AT) BARBER

JACK ENDURANCE CENTERFIRE
 DETROIT NO. 832281
 PAGE NO. 2
 DATE: 8-26-41
 MODEL: 700
 GAMES: 25/06
 SERIAL NO. B6424425
 TEST TITLE: Live Load UNLOAD Follow-up Test
 PREVIOUS ROUNDS
 TTL. RES. FIRED:
 TTL. MALFUNCTIONS:
 MALFUNCTION RATES:

"MALFUNCTIONS"

AMMUNITION Load Size	SHOOTER	NO. OF ROUNDS FIRED	MAGAZINE	CHARGE SHELL	DON'T FIRE	DON'T LOCK BACK	DON'T LOCK OPEN	FEED		SHELL STOPS MAG.	POWER OVERLITE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERLITE	ACTION SLUG UP	DON'T EXTRACT	REMARKS	ADJUSTMENTS	REPLACEMENTS	BOLT WEAR/TEARS	REMARKS (ON BACK)
								1st	2nd				HIGH	LOW	THIN	THICK											
120 gr HP 25068 S	DF	5	OK																								
4		5	OK																								
F 80 gr HP 25068 S		5	OK																								
11		5																									
F 117 gr SP 25068 S		5	OK																								
7		5	OK																								
F		5	OK																								

REMARKS

(PRINT IF NEEDED)

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.

JACK ENDURANCE

REFROT NO. 832281

PAGE NO. /

DATE: 8-26-83

MODEL: 7012 ; GAUGE: 25/0K

SERIAL NO. 36425153

**PREVIOUS
ROUNDS**

TEST TITLE: Unit Load & un-load (Follower Test)

TTL. RDS. FIRED: 105

PPL. HALFUNCTIONS! $\frac{0}{0}$
 HALFUNCTION RATE! $\frac{0}{0}$

CHROME

[illegible]

REMARKS

1. Bolt stop sticky

- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.

DIAGRAM (IF NEEDED)

SERIAL NO. B6425153

TEST TITLE: Five Lead Uranium (Followup #25)

TTL, RDS, FIRED;
TTL, MALFUNCTIONS;
MALFUNCTION RATE;

[illegible]

REMARKS

(OTHER) (IF ANY)

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.

REPROT NO.: 83228/

PAGE NO. /

JACK ENDURANCE CENTERFIRE

DATE 8-26-53

MODEL: 280

DATE: 2506

SERIAL NO. 136425260

PREVIOUS ROUNDS

TEST TITLE: High level + analysis (Follower Test)

TTL. RDS. FIRED: 105

TTL. MALFUNCTIONS: 0

HALF-FAILURE RATE: 0.0%

"MALFUNCTIONS"

CHROME

[illegible]

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER

R2515545
BARBER - PRESALE R 0114557

R2515545

RECEIVED

RECEIVED (17 APR 1968)

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.

JACK ENDURANCE

REPROT NO.: 8322F/

PAGE NO. 2

PREVIOUS ROUNDS

DATE: 8-26-83

MODEL 1 **700**

DATE: 25/06

SERIAL NO. E6425760

DO NOT AT ANY TIME: FOLLOW 185-

TTL. RDB. FIRED:
TTL. MALFUNCTIONS:
MALFUNCTION RATE:

NOTES

[illegible]

CONFIDENTIAL

(Barber H) [REDACTED]

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.