

SERIAL NO. B-7532019

7AP

HALF-FAILURE RATE:

HALF-FAILURE RATE:

[illegible]

SERIAL NO. B 753 42 99

TEST TITLE:

"MALFUNCTIONS"

TTL. RDS. FIRED: 20

TTL MALFUNCTIONS

HALF-FAILURE RATES

[illegible]

BARBER - PRESALE R 0118605

**CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
ISSUED BY DENINGTON**

BARBER - PRESALE R 0118605

R2519593

DATE: 5-15-91MODEL: XP100 RCARTRIDGE: 350 REM. MAG.SERIAL NO. 87534318PREVIOUS
ROUNDSTEST TITLE: 1 & P.TTL. RDS. FIRED: 20TTL. MALFUNCTIONS: 3MALFUNCTION RATE: 15%

"MALFUNCTIONS"

AMMUNITION Load Size.	SHOOTER	NO. OF ROUNDS FIRED	FIRING	TRAPPED SHELL	DON'T EXTRACT	DON'T BLOW BACK	DON'T LOCK OPEN	FEED FROM MAG.		SHELL STOPS MAG.	POWER OVERRIDE	DON'T LOCK UP	STEM CHAMBER				SHELL JUMPS MAG.	FOLLOWER BINDS	LOADING	BOLT OVERRIDE	ACTION HANG UP	DON'T EXTRACT	BREECHAGES	ADJUSTMENTS	REPLACEMENTS	BOLT VELOCITIES	REMARKS (ON BACK)		
								1st LATCH	2nd				HIGH	LOW	RIGHT	LEFT											YES	NO	
REMINGTON 200 GR. P.S.P.	HJ	10	-																	1									
R350m1																													
LOT-F2118450																													
REMINGTON 250 GR. P.S.P.	JS	10	-																	2									
1350																													
LOT-LX26CD																													
TOTAL (PER MIL.)																				3									

* FIRST ROUND FROM MAGAZINE