Features to check at a focus panel

2/19/91

- 1. barrel contour
- 2. barrel length
- 3. box magazine
- 4. synthetic stocks
- 5. safety location
  6. trigger feel (creep, overtravel, force)
  7. stainless vs. carbon steel
  8. sights vs. no sights

- 9. metal finish
- 10. accuracy
- 11. receiver shape (Blaser vs. traditional)
- 12. muzzle brake/porting
- 13. weight
- 14. balance
- 15. bolt lock
- 16. electronic fire control
- 17. extractor 18. recoil lug 19. "custom" o
- 19. "custom" order a gun and get it in 1 week

```
barrel contour
         -M/700 MR, BDL
         -M/77 MarkII
         -A-Bolt standard/magnum
         -M/70
2.
     barrel length
         -M/7
         -M/700 standard/magnum
3.
     box magazine
         -QuickClip
         -A-Bolt
         -M/788
4.
     synthetic stocks
         -M/700 AS, KS
         -M/77 MarkII
         -A-Bolt Stainless Stalker
5.
     safety location
         -M/700
         -M/77 MarkII
         -A-Bolt
         -M/70
         -Weatherby
6.
     trigger feel (creep, overtravel, force)
         -M/77 MarkII (no adjustment)
7.
     stainless vs. carbon steel
         -M/77 MarkII SS (bright).
         -A-Bolt Stainless Stalker (matte)
         -M/700AS (matte) vs. BDL (bright)
8.
     sights vs. no sights
         -M/700 Classic/MR, BDL
9.
     metal finish
         -M/700AS, BDL
         -M/77 MarkII SS
         -A-Bolt Stainless Stalker
10.
     accuracy
11.
     receiver shape (Blaser vs. traditional)
         -M/700
         -Blaser
     muzzle brake/porting
         -KDF screw on brake
         -Magnaport integral brake
13.
     weight
         -M/7 (6.25 lbs)
         -M/700 Varmint
14.
     balance
15.
     bolt lock
         -M/77 MarkII
         -Sauer
16.
     electronic fire control
17.
     extractor
         -M/700
         -A-Bolt (M16 type)
         -M/77 MarkII (Mauser claw type)
18.
     recoil lug
         -M/700
         -M/77
```

```
Features of competitive guns
M/77 MarkII
     - 3 position safety near bolt plug
     - bolt lock
    - stainless steel (bright)
     - tapered barrel to muzzle
     - synthetic stock
     - Mauser claw type of extractor
     - integral scope mounts
     - use of investment castings
     - traditional trap door magazine
A-Bolt
     - 3 lug lock up
     - stainless steel (satin/matte)
     - synthetic stock
     - magazine box
     - tapered barrel to muzzle
     - magnum barrel 4" longer than standard
     - 2 position tang safety
     - bolt lock
     - fluted bolt
     - extractor in shroud like M16
M/70
     - 3 position safety on bolt plug
     - barrel contour
     - Mauser claw type extractor
     - integral recoil lug
Weatherby
     - safety on bolt plug
     - stock styling ,
     - multi-lug lock up
     - extractor in shroud (M16 type)
Colt Sauer
     - rear lock up
     - box magazine
     - loaded chamber indicator
     - interchangable barrels
     - two piece stock
Blaser
     - interchangable barrels
     - unique receiver design
     - two piece stock
Sako
     - integral scope mounts
     - probably one of the heaviest guns
     - RH tang mounted safety
M/700
```

## Types of people for a focus panel

- women (size consideration in design)
- rancher (gun is an everyday tool)

- hunters (provide practical input)
- benchrest shooters (provide accuracy input)
- plaintiff's lawyer (L.S. Martin?)
- mechanical engineer (practical production)
- electrical engineer (new electronic technology)
- doctor (\$\$\$\$\$ for high end product)
- lawyer ( " " " , product liability)
- ballistics expert (accuracy, gun/ammo system approach)

R2519684 BARBER - PRESALE R 0118696