

DEHLER SYSTEM 82

91-96-10 09:45A SLOUFIRE...STATUS O.K. ?

COMMENT: VVVVXXXXXX

7 x 64 HEATED

ROUND	1-PRESSR	1-VEL/TA
1	58183	2852
2	59354	2826
3	54893	2793
4	56268	2837
5	58188	2849
6	57993	2879
7	56928	2828
8	59663	2868
9	56453	2811
10	55488	28185

10 VALID ROUNDS

MEAN	57468	2833
STD DEV	1961	22
MAX	60183	2868
MIN	54893	2793
RANGE	6090	75
MEAN+3S	63344	2980
MEAN-3S	51575	2766

COMMENT: PCB GAGE 346 SENS .133

DEHLER SYSTEM 82 91-06-10 10:38A SLOWFIRE...STATUS O.K. ?

COMMENT: 7 x 64 ROOM TEMP

ROUND	1-PRESSK	1-VEL/TA
1	53495	2759
2	52848	2758
3	51285	2728
4	51955	2735
5	54158	2788
6	53628	2766
7	54739	2784
8	54938	2795
9	53785	27675

9 VALID ROUNDS

MEAN	53396	2763
STD DEV	1228	22
MAX	54938	2795
MIN	51285	2728
RANGE	3732	67
MEAN+3S	57881	2830
MEAN-3S	49711	2695

COMMENT: 009 GAGE 346 SENS .133

DEHLER SYSTEM 82

91-86-10 11:14A SLOWFIRE...STATUS O.K. ?

COMMENT: 7 x 64 HEATED

	3878.	4.
	10000.	20.000
ROUND	1-PRESSR	1-VEL/TA
1	51200	2727
2	53523	2768
3	52398	2748
4	54228	2783
5	53523	2775
6	54473	2778
7	51398	2730
8	55300	2790
9	55578	2790S

o VALID ROUNDS

MEAN	53559	2765
STD DEV	1631	24
MAX	55578	2790
MIN	51200	2727
RANGE	4377	63
MEAN+3S	58453	2839
MEAN-3S	48664	2692

COMMENT: PCB GAGE 346 SENS .133