

DESIGN CHANGE REQUEST (DCR)
PARTS LIST CHANGE NOTICE (PLCN)
OR
PARTS LIST TRANSMITTAL

DCR # 00135
Sheet 1 of 3

Requested by	Changed by	Date
J. FINNEGAN	R.C.E.	9-9-70
Originating Date	Transmittal Date	
9-9-70	9-21-70	

TRANSMITTAL of DRAWINGS / PARTS LIST

Model	Part Name/List	Drawing No.	Part No.
MOHAWK 600 FOTHEA	TRIGGER ASSEMBLY	D-26730	26730-1
MOHAWK 600 FOTHEA	REAR SIGHT ASSEMBLY	C-24525	24525
MOHAWK 600 FOTHEA	PIN - SEAR - TRIGGER - BOLT STOP.	C-24475	24475 THRU 24484
MOHAWK 600 FOTHEA	FIRING PIN HEAD	C-23320	23320-1-2

Dwg. No.	Rev. No.	Design Change
D-26730	5	ADD USE MOHAWK 600
	6	ADDED MOHAWK 600 TRIGGER PART NO. C-90377 ETABULATION.
C-24525	21	ADD USE MOHAWK 600
C-24475	63	ADD USE - BOLT STOP PIN NO. 24484 - ADD USE SEAR PIN 24476 - ADD USE TRIGGER PIN 24477
C-23320	64	ADD USE MOHAWK 600

Reason for Change: UP DATE DWG. TO AGREE WITH PARTS LIST.

Disposition of Parts On Hand (check below)

() Scrap () Alter (☒) Use Inventory

(PLCN) Use form below if part number is changed/add-used, or superseded

	Dwg. No.	Part No.	Part Name	Qty.	Assem No.
Current Listing	D-26730	26730	TRIGGER ASS'Y. (MOHAWK 600)	1	
New Listing	D-26730	26731	" " (MOHAWK 600)	1	
Current Listing					
New Listing					
Current Listing					
New Listing					

Note: Please mark your Parts List to agree.

() Superseded Part is Obsolete (check disposition below)

() Use up () Scrap () Service Repair () Other Model

New Part is: () Steel () Powder Metal (☒) Assembly () Wood () Purchased () Other

DESIGN CHANGE REQUEST (DCR)
PARTS LIST CHANGE NOTICE (PLCN)
OR
PARTS LIST TRANSMITTAL

DCR # 8439
Sheet 2 of 3

Requested by	Changed by	Date
J. FINNEGAN	RCE	9-9-70
Originating Date	Transmittal Date	
9-9-70	9-21-70	

TRANSMITTAL of DRAWINGS / PARTS LIST

Model	Part Name/List	Drawing No.	Part No.
MOHAWK 600 FOTHERS	BRAZING SWIV (BOLT HANDLE)	C-20185	20185-7
MOHAWK 600 FOTHERS	REAR SIGHT STEP	C-28095	28093-8
MOHAWK 600 FOTHERS	SAFETY ASSEMBLY	C-26795	26795
MOHAWK 600 FOTHERS	FRONT SIGHT RAMP	B-28510	28510-11
MOHAWK 600 FOTHERS	FIRING PIN HEAD BLANK	B-27975	27975
MOHAWK 600 FOTHERS	SAFETY DETENT BALL	A-26850	26850

Dwg. No.	Rev. No.	Design Change
C-20185	41	ADD USE MOHAWK 600
C-28095	61	ADD USE "
C-26795	5	ADD USE "
B-28510	6	ADD USE "
B-27975	19	ADD USE "
A-26850	3	ADD USE "

Reason for Change: SEE PAGE 1

Disposition of Parts On Hand (check below)

() Scrap () Alter (☒) Use Inventory

(PLCN) Use form below if part number is changed/add-used, or superseded

	Dwg. No.	Part No.	Part Name	Qty.	Assem. No.
Current Listing					
New Listing					
Current Listing					
New Listing					
Current Listing					
New Listing					

Note: Please mark your Parts List to agree.

(Superseded Part is Obsolete (check disposition below)

() Use up () Scrap () Service Repair () Other Model Use

New Part is: () Steel () Powder Metal (☒) Assembly () Wood () Purchased () Other

APPROVED: [Signature]

DESIGN CHANGE REQUEST (DCR)
PARTS LIST CHANGE NOTICE (PLCN)
OR
PARTS LIST TRANSMITTAL

DCR # 8439
Sheet 3 of 3

Requested by	Changed by	Date
J. FINNEGAN	R.C.E.	9-9-70
Originating Date	Transmittal Date	
9-9-70		

TRANSMITTAL of DRAWINGS / PARTS LIST

Model	Part Name/List	Drawing No.	Part No.
MOHAWK 600 FOTHER	FIRING PIN ASSEMBLY	A-28600	28600
MOHAWK 600 OTHERS	BUTT PLATE SCREW	C-25410	25410-11
MOHAWK 600 OTHERS	REAR SIGHT BASE	B-25310	25310-13
MOHAWK 600 OTHERS	BOLT BODY BLANK	C-28500	28500-1

Dwg. No.	Rev. No.	Design Change
A-28600	9	ADD USE MOHAWK 600
C-25410	43	ADD USE "
B-25310	9	ADD USE "
C-28500	5	ADD USE "

Reason for Change: SEE PAGE ONE.

Disposition of Parts On Hand (check below)

() Scrap () Alter (☒) Use Inventory

(PLCN) Use form below if part number is changed/add-used, or superseded

	Dwg. No.	Part No.	Part Name	Qty.	Assem. No.
Current Listing					
New Listing					
Current Listing					
New Listing					
Current Listing					
New Listing					

Note: Please mark your Parts List to agree.

() Superseded Part is Obsolete (check disposition below)

() Use up () Scrap () Service Repair () Other Model Use

() New Part is: () Steel () Powder Metal () Assembly () Wood () Purchased () Other

APPROVED: [Signature]