

ALTERATIONS				
NO.	DATE	APP.	BY	REASON
3	REVISED AND REDRAWN			

NSN	91852	SAFETY BUTTON
40XR	91852	SAFETY BUTTON
40XC	91852	SAFETY BUTTON
40XBR	91852	SAFETY BUTTON
40XBCF	91852	SAFETY BUTTON
40XD	91852	SAFETY BUTTON
755	91852	SAFETY BUTTON
7 LWT.	91852	SAFETY BUTTON
MODEL	PART NO.	PART NAME
REV. BY DATE	REV. BY DATE	REV. BY DATE
LRS 05-08-11	REV 3-13-06	APP. BY DATE
TITLE BUTTON		
C-91852		
10/1	REVISIONS	REVISIONS
REMINGTON ARMS CO. INC.		
4000 KINGS ROAD, ANDOVER, MASS. 01810		

RECOMMENDED MATERIAL AND HEAT TREAT
 MATERIAL: 1018009
 HEAT TREAT: AFTER ASSEMBLY
 HARDNESS:
 C. H. OR
 HEAT TREAT AND COLOR TO BE DONE BY
 REMINGTON

DO NOT SCALE THIS DRAWING. REFER TO DIMENSIONS
 UNLESS OTHERWISE NOTED.
 TOLERANCES ON DIMENSIONS: UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS IN PARENTHESES ARE:
 1. PLACE .001 - TOLERANCE: ± .001
 2. PLACE .002 - TOLERANCE: ± .002
 3. PLACE .005 - TOLERANCE: ± .005
 4. PLACE .010 - TOLERANCE: ± .010
 5. PLACE .015 - TOLERANCE: ± .015
 6. PLACE .020 - TOLERANCE: ± .020
 7. PLACE .030 - TOLERANCE: ± .030
 8. PLACE .040 - TOLERANCE: ± .040
 9. PLACE .050 - TOLERANCE: ± .050
 10. PLACE .060 - TOLERANCE: ± .060
 11. PLACE .070 - TOLERANCE: ± .070
 12. PLACE .080 - TOLERANCE: ± .080
 13. PLACE .090 - TOLERANCE: ± .090
 14. PLACE .100 - TOLERANCE: ± .100
 15. PLACE .125 - TOLERANCE: ± .125
 16. PLACE .150 - TOLERANCE: ± .150
 17. PLACE .175 - TOLERANCE: ± .175
 18. PLACE .200 - TOLERANCE: ± .200
 19. PLACE .250 - TOLERANCE: ± .250
 20. PLACE .300 - TOLERANCE: ± .300
 21. PLACE .375 - TOLERANCE: ± .375
 22. PLACE .500 - TOLERANCE: ± .500
 23. PLACE .625 - TOLERANCE: ± .625
 24. PLACE .750 - TOLERANCE: ± .750
 25. PLACE .875 - TOLERANCE: ± .875
 26. PLACE 1.000 - TOLERANCE: ± 1.000
 27. PLACE 1.250 - TOLERANCE: ± 1.250
 28. PLACE 1.500 - TOLERANCE: ± 1.500
 29. PLACE 1.750 - TOLERANCE: ± 1.750
 30. PLACE 2.000 - TOLERANCE: ± 2.000
 31. PLACE 2.500 - TOLERANCE: ± 2.500
 32. PLACE 3.000 - TOLERANCE: ± 3.000
 33. PLACE 3.750 - TOLERANCE: ± 3.750
 34. PLACE 4.000 - TOLERANCE: ± 4.000
 35. PLACE 4.500 - TOLERANCE: ± 4.500
 36. PLACE 5.000 - TOLERANCE: ± 5.000
 37. PLACE 5.500 - TOLERANCE: ± 5.500
 38. PLACE 6.000 - TOLERANCE: ± 6.000
 39. PLACE 6.500 - TOLERANCE: ± 6.500
 40. PLACE 7.000 - TOLERANCE: ± 7.000
 41. PLACE 7.500 - TOLERANCE: ± 7.500
 42. PLACE 8.000 - TOLERANCE: ± 8.000
 43. PLACE 8.500 - TOLERANCE: ± 8.500
 44. PLACE 9.000 - TOLERANCE: ± 9.000
 45. PLACE 9.500 - TOLERANCE: ± 9.500
 46. PLACE 10.000 - TOLERANCE: ± 10.000
 47. PLACE 10.500 - TOLERANCE: ± 10.500
 48. PLACE 11.000 - TOLERANCE: ± 11.000
 49. PLACE 11.500 - TOLERANCE: ± 11.500
 50. PLACE 12.000 - TOLERANCE: ± 12.000
 51. PLACE 12.500 - TOLERANCE: ± 12.500
 52. PLACE 13.000 - TOLERANCE: ± 13.000
 53. PLACE 13.500 - TOLERANCE: ± 13.500
 54. PLACE 14.000 - TOLERANCE: ± 14.000
 55. PLACE 14.500 - TOLERANCE: ± 14.500
 56. PLACE 15.000 - TOLERANCE: ± 15.000
 57. PLACE 15.500 - TOLERANCE: ± 15.500
 58. PLACE 16.000 - TOLERANCE: ± 16.000
 59. PLACE 16.500 - TOLERANCE: ± 16.500
 60. PLACE 17.000 - TOLERANCE: ± 17.000
 61. PLACE 17.500 - TOLERANCE: ± 17.500
 62. PLACE 18.000 - TOLERANCE: ± 18.000
 63. PLACE 18.500 - TOLERANCE: ± 18.500
 64. PLACE 19.000 - TOLERANCE: ± 19.000
 65. PLACE 19.500 - TOLERANCE: ± 19.500
 66. PLACE 20.000 - TOLERANCE: ± 20.000
 67. PLACE 20.500 - TOLERANCE: ± 20.500
 68. PLACE 21.000 - TOLERANCE: ± 21.000
 69. PLACE 21.500 - TOLERANCE: ± 21.500
 70. PLACE 22.000 - TOLERANCE: ± 22.000
 71. PLACE 22.500 - TOLERANCE: ± 22.500
 72. PLACE 23.000 - TOLERANCE: ± 23.000
 73. PLACE 23.500 - TOLERANCE: ± 23.500
 74. PLACE 24.000 - TOLERANCE: ± 24.000
 75. PLACE 24.500 - TOLERANCE: ± 24.500
 76. PLACE 25.000 - TOLERANCE: ± 25.000
 77. PLACE 25.500 - TOLERANCE: ± 25.500
 78. PLACE 26.000 - TOLERANCE: ± 26.000
 79. PLACE 26.500 - TOLERANCE: ± 26.500
 80. PLACE 27.000 - TOLERANCE: ± 27.000
 81. PLACE 27.500 - TOLERANCE: ± 27.500
 82. PLACE 28.000 - TOLERANCE: ± 28.000
 83. PLACE 28.500 - TOLERANCE: ± 28.500
 84. PLACE 29.000 - TOLERANCE: ± 29.000
 85. PLACE 29.500 - TOLERANCE: ± 29.500
 86. PLACE 30.000 - TOLERANCE: ± 30.000
 87. PLACE 30.500 - TOLERANCE: ± 30.500
 88. PLACE 31.000 - TOLERANCE: ± 31.000
 89. PLACE 31.500 - TOLERANCE: ± 31.500
 90. PLACE 32.000 - TOLERANCE: ± 32.000
 91. PLACE 32.500 - TOLERANCE: ± 32.500
 92. PLACE 33.000 - TOLERANCE: ± 33.000
 93. PLACE 33.500 - TOLERANCE: ± 33.500
 94. PLACE 34.000 - TOLERANCE: ± 34.000
 95. PLACE 34.500 - TOLERANCE: ± 34.500
 96. PLACE 35.000 - TOLERANCE: ± 35.000
 97. PLACE 35.500 - TOLERANCE: ± 35.500
 98. PLACE 36.000 - TOLERANCE: ± 36.000
 99. PLACE 36.500 - TOLERANCE: ± 36.500
 100. PLACE 37.000 - TOLERANCE: ± 37.000
 101. PLACE 37.500 - TOLERANCE: ± 37.500
 102. PLACE 38.000 - TOLERANCE: ± 38.000
 103. PLACE 38.500 - TOLERANCE: ± 38.500
 104. PLACE 39.000 - TOLERANCE: ± 39.000
 105. PLACE 39.500 - TOLERANCE: ± 39.500
 106. PLACE 40.000 - TOLERANCE: ± 40.000
 107. PLACE 40.500 - TOLERANCE: ± 40.500
 108. PLACE 41.000 - TOLERANCE: ± 41.000
 109. PLACE 41.500 - TOLERANCE: ± 41.500
 110. PLACE 42.000 - TOLERANCE: ± 42.000
 111. PLACE 42.500 - TOLERANCE: ± 42.500
 112. PLACE 43.000 - TOLERANCE: ± 43.000
 113. PLACE 43.500 - TOLERANCE: ± 43.500
 114. PLACE 44.000 - TOLERANCE: ± 44.000
 115. PLACE 44.500 - TOLERANCE: ± 44.500
 116. PLACE 45.000 - TOLERANCE: ± 45.000
 117. PLACE 45.500 - TOLERANCE: ± 45.500
 118. PLACE 46.000 - TOLERANCE: ± 46.000
 119. PLACE 46.500 - TOLERANCE: ± 46.500
 120. PLACE 47.000 - TOLERANCE: ± 47.000
 121. PLACE 47.500 - TOLERANCE: ± 47.500
 122. PLACE 48.000 - TOLERANCE: ± 48.000
 123. PLACE 48.500 - TOLERANCE: ± 48.500
 124. PLACE 49.000 - TOLERANCE: ± 49.000
 125. PLACE 49.500 - TOLERANCE: ± 49.500
 126. PLACE 50.000 - TOLERANCE: ± 50.000
 127. PLACE 50.500 - TOLERANCE: ± 50.500
 128. PLACE 51.000 - TOLERANCE: ± 51.000
 129. PLACE 51.500 - TOLERANCE: ± 51.500
 130. PLACE 52.000 - TOLERANCE: ± 52.000
 131. PLACE 52.500 - TOLERANCE: ± 52.500
 132. PLACE 53.000 - TOLERANCE: ± 53.000
 133. PLACE 53.500 - TOLERANCE: ± 53.500
 134. PLACE 54.000 - TOLERANCE: ± 54.000
 135. PLACE 54.500 - TOLERANCE: ± 54.500
 136. PLACE 55.000 - TOLERANCE: ± 55.000
 137. PLACE 55.500 - TOLERANCE: ± 55.500
 138. PLACE 56.000 - TOLERANCE: ± 56.000
 139. PLACE 56.500 - TOLERANCE: ± 56.500
 140. PLACE 57.000 - TOLERANCE: ± 57.000
 141. PLACE 57.500 - TOLERANCE: ± 57.500
 142. PLACE 58.000 - TOLERANCE: ± 58.000
 143. PLACE 58.500 - TOLERANCE: ± 58.500
 144. PLACE 59.000 - TOLERANCE: ± 59.000
 145. PLACE 59.500 - TOLERANCE: ± 59.500
 146. PLACE 60.000 - TOLERANCE: ± 60.000
 147. PLACE 60.500 - TOLERANCE: ± 60.500
 148. PLACE 61.000 - TOLERANCE: ± 61.000
 149. PLACE 61.500 - TOLERANCE: ± 61.500
 150. PLACE 62.000 - TOLERANCE: ± 62.000
 151. PLACE 62.500 - TOLERANCE: ± 62.500
 152. PLACE 63.000 - TOLERANCE: ± 63.000
 153. PLACE 63.500 - TOLERANCE: ± 63.500
 154. PLACE 64.000 - TOLERANCE: ± 64.000
 155. PLACE 64.500 - TOLERANCE: ± 64.500
 156. PLACE 65.000 - TOLERANCE: ± 65.000
 157. PLACE 65.500 - TOLERANCE: ± 65.500
 158. PLACE 66.000 - TOLERANCE: ± 66.000
 159. PLACE 66.500 - TOLERANCE: ± 66.500
 160. PLACE 67.000 - TOLERANCE: ± 67.000
 161. PLACE 67.500 - TOLERANCE: ± 67.500
 162. PLACE 68.000 - TOLERANCE: ± 68.000
 163. PLACE 68.500 - TOLERANCE: ± 68.500
 164. PLACE 69.000 - TOLERANCE: ± 69.000
 165. PLACE 69.500 - TOLERANCE: ± 69.500
 166. PLACE 70.000 - TOLERANCE: ± 70.000
 167. PLACE 70.500 - TOLERANCE: ± 70.500
 168. PLACE 71.000 - TOLERANCE: ± 71.000
 169. PLACE 71.500 - TOLERANCE: ± 71.500
 170. PLACE 72.000 - TOLERANCE: ± 72.000
 171. PLACE 72.500 - TOLERANCE: ± 72.500
 172. PLACE 73.000 - TOLERANCE: ± 73.000
 173. PLACE 73.500 - TOLERANCE: ± 73.500
 174. PLACE 74.000 - TOLERANCE: ± 74.000
 175. PLACE 74.500 - TOLERANCE: ± 74.500
 176. PLACE 75.000 - TOLERANCE: ± 75.000
 177. PLACE 75.500 - TOLERANCE: ± 75.500
 178. PLACE 76.000 - TOLERANCE: ± 76.000
 179. PLACE 76.500 - TOLERANCE: ± 76.500
 180. PLACE 77.000 - TOLERANCE: ± 77.000
 181. PLACE 77.500 - TOLERANCE: ± 77.500
 182. PLACE 78.000 - TOLERANCE: ± 78.000
 183. PLACE 78.500 - TOLERANCE: ± 78.500
 184. PLACE 79.000 - TOLERANCE: ± 79.000
 185. PLACE 79.500 - TOLERANCE: ± 79.500
 186. PLACE 80.000 - TOLERANCE: ± 80.000
 187. PLACE 80.500 - TOLERANCE: ± 80.500
 188. PLACE 81.000 - TOLERANCE: ± 81.000
 189. PLACE 81.500 - TOLERANCE: ± 81.500
 190. PLACE 82.000 - TOLERANCE: ± 82.000
 191. PLACE 82.500 - TOLERANCE: ± 82.500
 192. PLACE 83.000 - TOLERANCE: ± 83.000
 193. PLACE 83.500 - TOLERANCE: ± 83.500
 194. PLACE 84.000 - TOLERANCE: ± 84.000
 195. PLACE 84.500 - TOLERANCE: ± 84.500
 196. PLACE 85.000 - TOLERANCE: ± 85.000
 197. PLACE 85.500 - TOLERANCE: ± 85.500
 198. PLACE 86.000 - TOLERANCE: ± 86.000
 199. PLACE 86.500 - TOLERANCE: ± 86.500
 200. PLACE 87.000 - TOLERANCE: ± 87.000
 201. PLACE 87.500 - TOLERANCE: ± 87.500
 202. PLACE 88.000 - TOLERANCE: ± 88.000
 203. PLACE 88.500 - TOLERANCE: ± 88.500
 204. PLACE 89.000 - TOLERANCE: ± 89.000
 205. PLACE 89.500 - TOLERANCE: ± 89.500
 206. PLACE 90.000 - TOLERANCE: ± 90.000
 207. PLACE 90.500 - TOLERANCE: ± 90.500
 208. PLACE 91.000 - TOLERANCE: ± 91.000
 209. PLACE 91.500 - TOLERANCE: ± 91.500
 210. PLACE 92.000 - TOLERANCE: ± 92.000
 211. PLACE 92.500 - TOLERANCE: ± 92.500
 212. PLACE 93.000 - TOLERANCE: ± 93.000
 213. PLACE 93.500 - TOLERANCE: ± 93.500
 214. PLACE 94.000 - TOLERANCE: ± 94.000
 215. PLACE 94.500 - TOLERANCE: ± 94.500
 216. PLACE 95.000 - TOLERANCE: ± 95.000
 217. PLACE 95.500 - TOLERANCE: ± 95.500
 218. PLACE 96.000 - TOLERANCE: ± 96.000
 219. PLACE 96.500 - TOLERANCE: ± 96.500
 220. PLACE 97.000 - TOLERANCE: ± 97.000
 221. PLACE 97.500 - TOLERANCE: ± 97.500
 222. PLACE 98.000 - TOLERANCE: ± 98.000
 223. PLACE 98.500 - TOLERANCE: ± 98.500
 224. PLACE 99.000 - TOLERANCE: ± 99.000
 225. PLACE 99.500 - TOLERANCE: ± 99.500
 226. PLACE 100.000 - TOLERANCE: ± 100.000
 227. PLACE 100.500 - TOLERANCE: ± 100.500
 228. PLACE 101.000 - TOLERANCE: ± 101.000
 229. PLACE 101.500 - TOLERANCE: ± 101.500
 230. PLACE 102.000 - TOLERANCE: ± 102.000
 231. PLACE 102.500 - TOLERANCE: ± 102.500
 232. PLACE 103.000 - TOLERANCE: ± 103.000
 233. PLACE 103.500 - TOLERANCE: ± 103.500
 234. PLACE 104.000 - TOLERANCE: ± 104.000
 235. PLACE 104.500 - TOLERANCE: ± 104.500
 236. PLACE 105.000 - TOLERANCE: ± 105.000
 237. PLACE 105.500 - TOLERANCE: ± 105.500
 238. PLACE 106.000 - TOLERANCE: ± 106.000
 239. PLACE 106.500 - TOLERANCE: ± 106.500
 240. PLACE 107.000 - TOLERANCE: ± 107.000
 241. PLACE 107.500 - TOLERANCE: ± 107.500
 242. PLACE 108.000 - TOLERANCE: ± 108.000
 243. PLACE 108.500 - TOLERANCE: ± 108.500
 244. PLACE 109.000 - TOLERANCE: ± 109.000
 245. PLACE 109.500 - TOLERANCE: ± 109.500
 246. PLACE 110.000 - TOLERANCE: ± 110.000
 247. PLACE 110.500 - TOLERANCE: ± 110.500
 248. PLACE 111.000 - TOLERANCE: ± 111.000
 249. PLACE 111.500 - TOLERANCE: ± 111.500
 250. PLACE 112.000 - TOLERANCE: ± 112.000
 251. PLACE 112.500 - TOLERANCE: ± 112.500
 252. PLACE 113.000 - TOLERANCE: ± 113.000
 253. PLACE 113.500 - TOLERANCE: ± 113.500
 254. PLACE 114.000 - TOLERANCE: ± 114.000
 255. PLACE 114.500 - TOLERANCE: ± 114.500
 256. PLACE 115.000 - TOLERANCE: ± 115.000
 257. PLACE 115.500 - TOLERANCE: ± 115.500
 258. PLACE 116.000 - TOLERANCE: ± 116.000
 259. PLACE 116.500 - TOLERANCE: ± 116.500
 260. PLACE 117.000 - TOLERANCE: ± 117.000
 261. PLACE 117.500 - TOLERANCE: ± 117.500
 262. PLACE 118.000 - TOLERANCE: ± 118.000
 263. PLACE 118.500 - TOLERANCE: ± 118.500
 264. PLACE 119.000 - TOLERANCE: ± 119.000
 265. PLACE 119.500 - TOLERANCE: ± 119.500
 266. PLACE 120.000 - TOLERANCE: ± 120.000
 267. PLACE 120.500 - TOLERANCE: ± 120.500
 268. PLACE 121.000 - TOLERANCE: ± 121.000
 269. PLACE 121.500 - TOLERANCE: ± 121.500
 270. PLACE 122.000 - TOLERANCE: ± 122.000
 271. PLACE 122.500 - TOLERANCE: ± 122.500
 272. PLACE 123.000 - TOLERANCE: ± 123.000
 273. PLACE 123.500 - TOLERANCE: ± 123.500
 274. PLACE 124.000 - TOLERANCE: ± 124.000
 275. PLACE 124.500 - TOLERANCE: ± 124.500
 276. PLACE 125.000 - TOLERANCE: ± 125.000
 277. PLACE 125.500 - TOLERANCE: ± 125.500
 278. PLACE 126.000 - TOLERANCE: ± 126.000
 279. PLACE 126.500 - TOLERANCE: ± 126.500
 280. PLACE 127.000 - TOLERANCE: ± 127.000
 281. PLACE 127.500 - TOLERANCE: ± 127.500
 282. PLACE 128.000 - TOLERANCE: ± 128.000
 283. PLACE 128.500 - TOLERANCE: ± 128.500
 284. PLACE 129.000 - TOLERANCE: ± 129.000
 285. PLACE 129.500 - TOLERANCE: ± 129.500
 286. PLACE 130.000 - TOLERANCE: ± 130.000
 287. PLACE 130.500 - TOLERANCE: ± 130.500
 288. PLACE 131.000 - TOLERANCE: ± 131.000
 289. PLACE 131.500 - TOLERANCE: ± 131.500
 290. PLACE 132.000 - TOLERANCE: ± 132.000
 291. PLACE 132.500 - TOLERANCE: ± 132.500
 292. PLACE 133.000 - TOLERANCE: ± 133.000
 293. PLACE 133.500 - TOLERANCE: ± 133.500
 294. PLACE 134.000 - TOLERANCE: ± 134.000
 295. PLACE 134.500 - TOLERANCE: ± 134.500
 296. PLACE 135.000 - TOLERANCE: ± 135.000
 297. PLACE 135.500 - TOLERANCE: ± 135.500
 298. PLACE 136.000 - TOLERANCE: ± 136.000
 299. PLACE 136.500 - TOLERANCE: ± 136.500
 300. PLACE 137.000 - TOLERANCE: ± 137.000
 301. PLACE 137.500 - TOLERANCE: ± 137.500
 302. PLACE 138.000 - TOLERANCE: ± 138.000
 303. PLACE 138.500 - TOLERANCE: ± 138.500
 304. PLACE 139.000 - TOLERANCE: ± 139.000
 305. PLACE 139.500 - TOLERANCE: ± 139.500
 306. PLACE 140.000 - TOLERANCE: ± 140.000
 307. PLACE 140.500 - TOLERANCE: ± 140.500
 308. PLACE 141.000 - TOLERANCE: ± 141.000
 309. PLACE 141.500 - TOLERANCE: ± 141.500
 310. PLACE 142.000 - TOLERANCE: ± 142.000
 311. PLACE 142.500 - TOLERANCE: ± 142.500
 312. PLACE 143.000 - TOLERANCE: ± 143.000
 313. PLACE 143.500 - TOLERANCE: ± 143.500
 314. PLACE 144.000 - TOLERANCE: ± 144.000
 315. PLACE 144.500 - TOLERANCE: ± 144.500
 316. PLACE 145.000 - TOLERANCE: ± 145.000
 317. PLACE 145.500 - TOLERANCE: ± 145.500
 318. PLACE 146.000 - TOLERANCE: ± 146.000
 319. PLACE 146.500 - TOLERANCE: ± 146.500
 320. PLACE 147.000 - TOLERANCE: ± 147.000
 321. PLACE 147.500 - TOLERANCE: ± 147.500
 322. PLACE 148.000 - TOLERANCE: ± 148.000
 323. PLACE 148.500 - TOLERANCE: ± 148.500
 324. PLACE 149.000 - TOLERANCE: ± 149.000
 325. PLACE 149.500 - TOLERANCE: ± 149.500
 326. PLACE 150.000 - TOLERANCE: ± 150.000
 327. PLACE 150.500 - TOLERANCE: ± 150.500
 328. PLACE 151.000 - TOLERANCE: ± 151.000
 329. PLACE 151.500 - TOLERANCE: ± 151.500
 330. PLACE 152.000 - TOLERANCE: ± 152.000
 331. PLACE 152.500 - TOLERANCE: ± 152.500
 332. PLACE 153.000 - TOLERANCE: ± 153.000
 333. PLACE 153.500 - TOLERANCE: ± 153.500
 334. PLACE 154.000 - TOLERANCE: ± 154.000
 335. PLACE 154.500 - TOLERANCE: ± 154.500
 336. PLACE 155.000 - TOLERANCE: ± 155.000
 337. PLACE 155.500 - TOLERANCE: ± 155.500
 338. PLACE 156.000 - TOLERANCE: ± 156.000
 339. PLACE 156.500 - TOLERANCE: ± 156.500
 340. PLACE 157.000 - TOLERANCE: ± 157.000
 341. PLACE 157.500 - TOLERANCE: ± 157.500
 342. PLACE 158.000 - TOLERANCE: ± 158.000
 343. PLACE 158.500 - TOLERANCE: ± 158.500
 344. PLACE 159.000 - TOLERANCE: ± 159.000
 345. PLACE 159.500 - TOLERANCE: ± 159.500
 346. PLACE 160.000 - TOLERANCE: ± 160.000
 347. PLACE 160.500 - TOLERANCE: ± 160.500
 348. PLACE 161.000 - TOLERANCE: ± 161.000
 349. PLACE 161.500 - TOLERANCE: ± 161.500
 350. PLACE 162.000 - TOLERANCE: ± 162.000
 351. PLACE 162.500 - TOLERANCE: ± 162.500
 352. PLACE 163.000 - TOLERANCE: ± 163.000
 353. PLACE 163.500 - TOLERANCE: ± 163.500
 354. PLACE 164.000 - TOLERANCE: ± 164.000
 355. PLACE 164.500 - TOLERANCE: ± 164.500
 356. PLACE 165.000 - TOLERANCE: ± 165.000
 357. PLACE 165.500 - TOLERANCE: ± 165.500
 358. PLACE 166.000 - TOLERANCE: ± 166.000
 359. PLACE 166.500 - TOLERANCE: ± 166.500
 360. PLACE 167.000 - TOLERANCE: ± 167.000
 361. PLACE 167.500 - TOLERANCE: ± 167.500
 362. PLACE 168.000 - TOLERANCE: ± 168.000
 363. PLACE 168.500 - TOLERANCE: ± 168.500
 364. PLACE 169.000 - TOLERANCE: ± 169.000