






TO BE DRILLED & REAMED  
TER FABRICATION.

RADIUS PERMISSIBLE ON ALL CORNERS

PT THOSE DIMENSIONED OTHERWISE.

|   |       |         |   |
|---|-------|---------|---|
| 6 | 40XCF | TRIGGER | 1 |
| 6 | 40X   | TRIGGER | 1 |
| 4 | 722   | TRIGGER | 1 |
|   | 721   | TRIGGER | 1 |
|   | 725   | TRIGGER | 1 |





DIA. 1  
-930 DIA.

|                                           |                   |                 |                 |
|-------------------------------------------|-------------------|-----------------|-----------------|
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
|                                           |                   |                 |                 |
| DETAIL NO.                                | MATERIAL SPEC.    | STOCK SIZE      | AMOUNT REQ.     |
| TOLERANCES NOT OTHERWISE GIVEN            |                   |                 |                 |
| 1 PLACE (.1) - TOLERANCE $\pm .08$        |                   |                 |                 |
| 2 PLACE (.01) - TOLERANCE $\pm .018$      |                   |                 |                 |
| 3 PLACE (.001) - TOLERANCE $\pm .0008$    |                   |                 |                 |
| REMINGTON ARMS COMPANY, INC. ILION, N. Y. |                   |                 |                 |
| SCALE FULL MODEL 700 PART DWG. No.        |                   |                 |                 |
| PART BARREL (VARMINT)                     |                   |                 |                 |
| TOOL BARREL BLANK FORM                    |                   |                 |                 |
| OPERATION FORM TURN & GEM                 |                   |                 |                 |
| DESIGNED                                  | BY<br>E. H. H. H. | DATE<br>5-18-64 | APPROVED        |
| DRAWN                                     | P. N.             | 1-30-67         | SUPD'S DWG. No. |
| CHECKED                                   |                   |                 | DRAWING No.     |
|                                           |                   |                 | D-75 4796       |