


REMINGTON MODELS 721 & 722

Gun experts and big game hunters everywhere have praised these sensational new rifles recently introduced and now available at a low price. You, as a hunter, are bound to like the clean, graceful lines. You'll find the light-weight (about 7 lbs.) pays off when you're coming up out of that last canyon on a long day's hunt. You'll be pleased with the perfect balance which makes them fast pointing as well as easy to carry. You'll be amazed at the entirely new and exclusive design of the encased bolthead, which helps give these rifles the *strongest* action ever built in a bolt-action rifle. You'll like the crisp match trigger with its lightning-fast let-off. You'll admire the smooth performance of these ruggedly strong rifles really built to take it.




SPECIFICATIONS

MODEL 721A "STANDARD" GRADE — Chambered for 30-06 Springfield or 270 Win. cartridges. 24-inch round, tapered barrel of ordnance steel. Carefully bored and rifled for extreme accuracy. New style sporting stock of genuine American walnut. Properly shaped pistol grip. Long, full, well rounded fore-end of semi-beavertail type. Shotgun style metal butt plate, checkered to prevent slipping. Rifle cocks on opening movement of bolt. Sensational new trigger with lightning fast let-off—no back-lash. Side placed thumb operated safety. Polished bolt and action. Special bolt stop. Magazine holds 4 cartridges which with one in chamber gives a capacity of 5 shots. White metal bead front sight mounted on matted ramp. Step adjustable sporting rear sight. Receiver properly drilled and tapped for adaptable scope mounts and standard micrometer receiver sights. Weight about 7% lbs. Length over-all 44%". Model 721A Chambered for 300 Magnum Cartridge: Same as above model except as follows: 26" heavy barrel, soft rubber recoil pad, 3 shot magazine plus one in chamber, weight about 8½ lbs., length over-all -46%".

MODEL 722A "STANDARD" GRADE — Same as No. 721A except with shorter action and chambered for 300 Savage and 257 Roberts cartridges. Weight about 7 pounds. Length over-all 431/4".

Figh. Camb Steck. Especially designed and properly proportioned for use with telescope or receiver sight. Available on both Model 721 and 722 in "A" Standard and "B" Special grades at slightly higher cost. No extra charge on "D" Peerless and "F" Premier grades. (See page seven)

Same of the world's most beautiful firearms built by
Remington craftsmen






REMINGTON SPECIAL HIGH GRADE GUNS

Every sportsman has a place in his heart for a high grade rifle or shotgun built by a master craftsman with unhurried care and meticulous skill. Remington Special High Grade guns have that unmistakable stamp of quality made possible only by long years of experience at the gun-makers bench. These skills of the gun-makers art are handed down through generations of professional craftsmen who build High Grade guns in our Ilion plant.

The long graceful receivers on Remington guns are exceptionally well adapted to creative engravings of various types such as elaborate scroll, game scenes and gold inlay. All types of Remington rifles and shotguns except 22 caliber bolt action and the Model 550, 22 autoloader, are available in fancy grades with high quality walnut stocks and fore-ends and artistically engraved receivers and barrels. A few examples of the advanced art of gun building by master Remington craftsmen are shown on this page.


SPECIFICATIONS



8 "Special" Grade: This grade is the same throughout as the A "Standard" grade, except that the stock and fore-end are made of selected figured American walnut, neatly hand checkered. Prices for "Special" grades are only a few dollars higher than for "Standard" grades, well worth the difference to the man who is a lover of fine guns.




D "Teurnement" Oracle Shetguns and D "Peerless" Oracle Rifless Stocks and fore-ends are made of very high grade walnut, especially selected for its natural beauty, and finely checkered by hand. Any stock dimensions, including special drop or length, check-piece, Monte Carlo, or cast-off, will be furnished without extra charge. The receiver and barrel are finished with handsome scroll engraving. All working parts are honed.



All Remington rifles and sherguns shown on pages 2 thru 17 of this catalog are available in the following fancy grades: 8 "Special" Grade for rifles and sherguns, D "Tournament" Grade for shorguns, D "Peerless" Grade for rifles and F "Premier" Grade for rifles and sherguns.


and fine scroll. All working parts are carefully polished and

hand-honed.






 $L \to \mathcal{L}_L$



STRONGEST BOLT ACTION EVER DEVELOPED, MAXIMUM STRENGTH AND ACCURACY, PERFECT BALANCE AND DEPENDABILITY.



MATCH RIFLE TRIGGER MECHAN-ISM — No backlosh. Sharp, crisp, lightning-fast let-off. New, easy-tooperate bolt release.




CLEAN, TRIM LINES — Minimum of dire-catching openings. Lever-type thumb safety blocks the firing pin and locks the bolt.

MODEL 721A "STANDARD" GRADE — Chambered for 30-06 or 270 Win. cartridges. 24-inch round, tapered barrel, carefully bared and rifled for extreme accuracy. Sporting stock of American walnut. High comb stock optional at no extra charge. Sensational new trigger with lightning-fast let-off — no backlash. Polished bolt and action. Magazine holds 4 cartridges which, with one in chamber, gives 5-shot capacity. White metal bead front sight on matted ramp. Step-adjustable sporting rear sight. Receiver drilled and tapped for 'scope mounts. Standard stock dimensions: Length 30½ inches, drop at comb 1% inches, drop at heel 2% inches, with high comb stock drop at comb is 1% inches, drop at heel 2% inches. Weight about 7% lbs. Length overall 44%".

IN 300 MAGNUM CALIBER — Same as above, but with 26" heavy barrel, soft rubber recoil pad, 3-shot magazine, plus one in chamber. Weight about 8½ lbs. Length 46½". MODEL 722A "STANDARD" GRADE — Same as Model 721A except with shorter action and chambered for 222 Rem., 244 Rem., 257 Roberts, 300 Sav. and 308 Win. cartridges. Weight about 7 pounds and length 43½" in 257 Roberts, 300 Sav. and 308 Win. calibers. Weight about 8 pounds and length 45½" in 222 Rem. and 244 Rem. calibers.

Get Figured Walnut, Other Extras at Little Extra Cost



Models 721BDL and 722BDL have the same super-strength actions as above, and in addition come with specially selected, beautifully figured American walnut stock and fore-end, fine hand checkering, sling swivels—at prices comparable to many models lacking higher-grade features!

*Prices subject to change without notice.

Model 725 721 722





Remington proudly presents the NEW

MODEL 725 CENTER FIRE RIFLE

A truly distinguished addition to a great line of sporting firearms.

You'll be proud to own this new bolt action big game rifle. Loaded with custom features, it's far ahead of all the others. New All Purpose stock permits instant use of either open or telescopic sights. Hinged floor plate means smooth easy loading or unloading. Fine checkering and beautiful American walnut stock makes the 725 fit you. like a glove. Rear sight is adjustable for both elevation and windage.

222 Remington, 243 Win., 280 Remington, 270 Win. 30-06, 375 H & H Magnum and 458 Win, Magnum Calibers

From **\$139.00***

MODEL 725 **SPECIFICATIONS** MODEL 725ADL — Chambered for 222 Remington, 243 Win., 280 Remington, 270 Win., 30-06, 375 H & H Magnum or 458 Win. Magnum Calibers. 22 inch round, (24" in Magnum Calibers), topered barrel, carefully bored for extreme accuracy. All purpose sporting stock of American walnut. Crisp trigger with new wide shoe — no back lash. Polished balt. Magazine holds 4 cartridges with one in chamber, giving 5 shot capacity. Gold bead hooded ramp front sight. Rear sight adjustable for windage and elevation. Receiver and barrel drilled and tapped for scope mounts (barrel tapped under rear sight). Stock dimensions: drop at comb 1 34 ", drop at heei 2½" ", length of pull 13½". Weight: 7 lbs. (9 lbs. in Magnum Calibers). Length overall 421/2



From **\$101.25***

From **\$101.25***

264 Win. Mag., 280 Remington, 30-06, 270 Win., 300 H & H Magnum Calibers

222 Remington, 222 Remington Magnum, 243 Win., 308 Win. Calibers

SPECIFICATIONS

MODEL 721A "STANDARD" GRADE -- Chambered for 264 Win. Mag., 280 Remington, 30-06 or 270 Win. cartridges. 22-inch round, tapered barrel, carefully bored and rifled for extreme accuracy. Sporting stock of American walnut, High comb stock optional at no extra charge. Sensational new trigger with lightning-fast let-off — no backlash. Polished bolt and action. Magazine holds 4 cartridges which, with one in chamber, gives 5-shot capacity. White metal bead front sight on matted ramp. Step-adjustable sporting rear sight. Receiver drilled and tapped for 'scope mounts. Standard stock dimensions: Length 30%inches, drop at comb 11/2 inches, drop at heel 21/4 inches. Weight about 71/4 lbs. Length

IN 300 MAGNUM CALIBER — Same as above, but with 24" heavy barrel, soft rubber recoil pad, 3-shot magazine, plus one in chamber. Weight about 81/4 lbs. Length 441/4".

MODEL 722A "STANDARD" GRADE — Same as Model 721A except with shorter action and chambered for 222 Remington, 222 Remington Magnum, 243 Win., and 308 Win. cartridges. Length 41 3/8" in 243 Win. and 308 Win. calibers, 43 3/4" in 222 Remington and 222 Remington Magnum. Weight about 7 lbs. in 243 Win., 308 Win., and about 8 lbs. in 222 Remington and 222 Remington Magnum.

*Prices subject to change without notice.

12

FIREARMS
AMMUNITION
TRAPS & TARGETS
Reministra

REMINGTON

Remington proudly presents the NEW

MODEL 725 CENTER FIRE RIFLE

A truly distinguished addition to a great line of sporting firearms.

You'll be proud to own this new bolt action big game rifle. Loaded with custom features, it's far ahead of all the others. New All Purpose stock permits instant use of either open or telescopic sights. Hinged floor plate means smooth easy loading or unloading. Fine checkering and beautiful American walnut stock makes the 725 fit you like a glove. Rear sight is adjustable for both elevation and windage.

222 Remington, 243 Win., 280 Remington, 270 Win., 30-06, 375 H & H Magnum and 458 Win. Magnum Calibers From

\$139.00*****

MODEL 725 **SPECIFICATIONS** MODEL 725ADL - Chambered for 222 Remington, 243 Win., 280 Remington, 270 Win., 30-06, 375 H & H Magnum or 458 Win. Magnum Calibers. 22 inch round, (24" in Magnum Calibers), tapered barrel, carefully bored for extreme accuracy. All purpose sporting stock of American walnut. Crisp trigger with new wide shoe - no back lash. Polished bolt. Magazine holds 4 cartridges with one in chamber, giving ${\bf 5}$ shot capacity. Gold bead hooded ramp front sight. Rear sight adjustable for windage and elevation. Receiver and barrel drilled and tapped for scope mounts (barrel tapped under rear sight). Stock dimensions: drop at comb 1 34", drop at heel 21/8", length of pull 131/2". Weight: 7 lbs. (9 lbs. in Magnum Calibers). Length overall 421/2".

MODEL 721

From

\$101.25*****

264 Win. Mag., 280 Remington, 30-06, 270 Win., 300 H & H Magnum Calibers

MODEL 722

From †101.25*

222 Remington, 222 Remington Magnum, 243 Win., 308 Win. Calibers

MODEL 721A "STANDARD" GRADE - Chambered for 264 Win. Mag., 280 Remington, 30-06 or 270 Win. cartridges. 22-inch round, tapered barrel, carefully bored and rifled for extreme accuracy. Sporting stock of American walnut. High comb stock optional at no extra charge. Sensational new trigger with lightning-fast let-off — no backlash. Polished bolt and action. Magazine holds 4 cartridges which, with one in chamber, gives 5-shot capacity. White metal bead front sight on matted ramp. Step-adjustable sporting rear sight. Receiver drilled and tapped for 'scope mounts. Standard stock dimensions: Length 301/2 inches, drop at comb 11/2 inches, drop at heel 21/4 inches. Weight about 71/4 lbs. Length overall 421/4".

IN 300 MAGNUM CALIBER - Same as above, but with 24" heavy barrel, soft rubber recoil pad, 3-shot magazine, plus one in chamber. Weight about 81/4 lbs. Length 441/4".

MODEL 722A "STANDARD" GRADE - Same as Model 721A except with shorter action and chambered for 222 Remington, 222 Remington Magnum, 243 Win., and 308 Win. cartridges. Length 41 3/8" in 243 Win. and 308 Win. calibers, 43 3/8" in 222 Remington and 222 Remington Magnum. Weight about 7 lbs. in 243 Win., 308 Win., and about 8 lbs. in 222 Remington and 222 Remington Magnum.

SPECIFICATIONS

*Prices subject to change without notice.

original First year


REMINGTON
AMMUNITION
PETERS
AMMUNITION
REMINGTON
FIREARMS

THE PROPERTY OF:

REMINGTON ARMS COMPANY, INC. • BRIDGEPORT 2, CONNECTICUT

THE MODEL 700 BDL HARMAN POLICE

MODEL 700



Calibers: 222 Remington, 222 Remington Magnum, 243 Win., 264 Win. Magnum, 7MM Remington Magnum, 270 Win., 280 Remington, 30-06, 308 Win., 375 H&H Magnum, 458 Win. Magnum

Shooters and hunters the world over will agree the Remington Model 700 BDL Custom De Luxe is the finest bolt action rifle ever made . . . the rifle with all the extra features found only on custom built models!


| PRICES . MODEL 700 BDL | Dealer** | Retail * * |
|---|----------|------------|
| 700 BDL — 222 Rem., 222 Rem. Mag., 243 Win., 270 Win., 280 Rem., | | |
| 30-06, 308 Win. 700 BDL — 7 MM Rem. Mag., | 105.00 | 139.95 |
| 264 Win. Mag. | 116.25 | 154.95 |
| 700 BDL 375 H&H Mag., 458 Win. Mag. | 232.50 | 310.00 |

SPECIFICATIONS . MODEL 700 BDL

| CALIBERS | 222 Rem., 222 Rem. Mag., 243 Win., 264 Win. Mag., 270 Win., 7 MM Rem. Mag., 280 Rem., 30·06, 308 Win., 375 H&H Mag., 458 Win. Mag. |
|---------------------------------|---|
| CAPACITY | Six — 222 Rem., 222 Rem. Mag. Five — 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. Four — 264 Win. Mag., 7 MM Rem. Mag., 375 H&H Mag., 458 Win. Mag. |
| BARREL LENGTH | 20" – 222 Rem., 222 Rem. Mag., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 24" (Stainless Steel Barrel) – 7 MM Rem. Mag., 264 Win. Mag. 26" (Muzzle Brake) – 375 H&H Mag., 458 Win. Mag. |
| OVER-ALL Length | 39½" — 222 Rem., 222 Rem. Mag., 243 Win. 40¾" — 270 Win., 280 Rem., 30.06, 308 Win. 44¾" — 7 MM Rem. Mag., 264 Win. Mag. (Includes Furnished Recoil Pad) 46¾" — 375 H&H Mag., 458 Win. Mag (Includes Furnished Recoil Pad) |
| STANDARD STOCK DIMENSIONS | 13¾" Length of Pull, 2¼" Drop at Heel, 1¼" Drop at Comb (from open sight line) checkered American Walnut |
| RECEIVER | Drilled and tapped for scope mounts. Fixed magazine with hinged floor plate. Matted top. |
| SIGHTS | Flat faced gold bead with hooded ramp front sight. Step adjustable rear sight, with wind- age adjustment screw. |
| WEIGHT | 6½ lbs — 222 Rem., and 222 Rem. Mag. 6¾ lbs. — 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 7¾ lbs. — 7 MM Rem. Mag., 264 Win. Mag. 9 lbs. — 375 H&H Mag., 458 Win. Mag. Average weight per case of five. 50 lbs. |

**Excise Tax Included

THE MODEL 700 ADL DELUXE BOLT ACTION CENTER FIRE RIFLE



Calibers: 222 Remington, 222 Remington Magnum, 243 Win., 264 Win. Magnum, 7MM Remington Magnum, 270 Win., 280 Remington, 30-06, 308 Win.

No other rifle on the market offers the shooter so many custom features at such a popular price. From its sharp, crisp trigger to its beautifully balanced stock, it is made for shooters who insist on the world's finest.

| PRICES . MODEL 700 ADL | Dealer** | Retail** |
|------------------------------------|----------|----------|
| 700 ADL — 222 Rem., 222 Rem. Mag., | | |
| 243 Win., 270 Win., 280 Rem., | | |
| 30·06, 308 Win. | 86.25 | 114.95 |
| 700 ADL — 7 MM Rem. Mag., | | |
| 264 Win. Mag. | 97.50 | 129.95 |
| 1" Sling Strap with Swivel Loops | 4.75 | 5.40 |
| 1" Sling Strap | | |
| with Quick Release Swivels | 7.95 | 9.10 |

SPECIFICATIONS . MODEL 700 ADL

| CALIBERS | 222 Rens., 222 Rem. Mag., 243 Win., 264 Win. Mag., 270 Win., 7MM Rem Mag., 280 Rem., 30-06, 308 Win. |
|---------------------------------|---|
| CAPACITY | Six — 222 Rem., 222 Rem. Mag. Five — 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. Four — 264 Win. Mag., 7 MM Rem. Mag. |
| BARREL LENGTH | 20" — 222 Rem., 222 Rem. Mag., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 24" — (Stainless Steel Barrel) — 7 MM Rem. Mag., 264 Win. Mag. |
| OVER-ALL LENGTH | 391/ ₄ " — 222 Rem., 222 Rem. Mag., 243 Win. 40½" — 270 Win., 280 Rem., 30-06, 308 Win. 44½" — 7 MM Rem. Mag., 264 Win. Mag. (includes furnished recoil pad) |
| STANDARD STOCK DIMENSIONS | 13% length of pull, $2%$ drop at heel, $1%$ drop at comb (from open sight line) checkered American Walnut |
| RECEIVER | Drilled and tapped for scope mounts. Fixed magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | 6½ lbs. — 222 Rem. and 222 Rem. Mag, 6¾ lbs. — 243 Win., 270 Win., 280 Rem., 30.06, 308 Win. 7¾ lbs. — 7 MM Rem. Mag. and 264 Win. Mag. Average weight per case of five, 48 lbs. |

Excise Tax Included



THE MODEL 600 · Center Fire Carbine

The newest of the popular Remington center fire tifles, the successful Model 600 is rapidly becoming America's favorite camp, saddle and deer rifle Surprisingly accurate, world's strongest action, yet weighs only 512 lbs. Now in tive ratiners plus new magnum below.)

"CONTIDENTIAL OF New York, County of New York, County of New York, 9344/95"

THE MODEL 600 MAGNUM no Staffe? Finade Thine New addition to Model 600 vamily, this Magnus to 1982 knockdown power in your hands at only 612 lifs. Dupont RK-Witough bowling pin lifetime finish enhances beauty of strong jaminated walnut and beech stock. Barrel bracket band gives back-up to stop scope slippage. Recoil pad, sling strap, and "reverse comb" case recoil sensation. World's strongest action.

| SPECIFICAT | IONS • MODEL 600 CARBINE | USE NUMBE | PS FOR EASY, | ACCURATE | ORDERING |
|--------------------------------|---|--|--|----------------------|------------------|
| CALIBERS | 308 Win., 5MM. Remington, 243 Win., 222 Remington, 1350 Remington Magnum (belted), 35 Remington. | MODEL | CXLIBERS | ORDER Numeers | RETAIL PRICES |
| CAPACITY | Five shot isix in 222 Remington), 14 shot. | | | | |
| BARREL LEHGTH | Tapered Remington Proof Steel 18½" ventilated rib, extremely accurate. Theavier barrel. | 7. C | 308 Win. | 5722 | |
| OVER-ALL LENGTH | 37½- | 5 600 Carbine | 6MM Remington 243 Win. 222 Remington | 5730 5734 5726 | 99.95 |
| DIARDARD STOCK STOCKSMID | 14" pull finctuding recoil pad, on Magnum model only) 134" drop at comb, 134" drop at Monte Carlo, 2" at heel. American walnut(tand beech laminated) custom checkering on fore-end and pistol grip. Monte Carlo, fluted comb. Isling strap. | 600 Carbine | 35 Remington | 5728 | |
| P(05:75R | Drilled and tapped for scope mounts and receiver sights. | Magnum | Magnum | 572 4 | 144.5 |
| 3,5673 | Blade ramp front sight with press bead, "U" noten rear adjustable for range and windage. Screw-removable. | | l Ouick Release Swivels | · | |
| | - Positive fast-action thumb type. | (Installed) | anick weigsze zwiaciz | 5382 | 9.10 |
| A48541] - 495 | Model 600, 51; Ibs., case of five — 36 lbs. Model 600 Magnum: 61; Ibs., case of five — 24 lbs. | Sling Strap & Quick Release Swivels Standard Equipment on Magnum Model | | | |
| 12431 ni eldaliava! | IUM Model Only. | Ē. | | | |


"tendopes" III. U.S. Excise Tax Prices subject to change withold had de These are minimum fair trace prices, Reministon so the drape program includes all plates tissed on front caves. In other states tress are recommended minimum prices

2.012

70 Bolt Action Center Fire Rifle Now Available in 15 Versatile

Calibers - Priced from \$134.95

Again, last year's sales records proved he famous Remington Model 700 bolt tion center fire rifle continued to be vinerica's best seller. One of the outstanding reasons for its success is the availability of a wide caliber selection, more than any other American manufacturer. The Model 700 offers a caliber for every type of hunting from varmints to elephants - A TOTAL OF 15 DIFFER-NT CARTRIDGES IN ALL. The 700 as seven magnum calibers to choose rom (one more than our major comsetitor) and five varmint cartridges (two more than our biggest competitor). It's de ideal gun for a shooter looking for an ll-around" rifle.



STRENGTH — Tests have proven the Model 700 action is the strongest bolt action center fire ever made. Just the ticket for handloaders who want strength where strength belongs. The secret is in the three rings of solid steel that "surround the cartridge head."

There are no extractor cutaways to weaken this critical area.

The Model 700 has the appearance of a far more expensive rifle. New in 1969 on the ADL grades is a jeweled bolt with a shrouded bolt plug, a restyled stock that improves balance and pointing, a new cott plate, a unique low profile safety that brush will not accidentally move on off, and a new checkering pattern.



The 700 BDL version has also been dressed up. Along with the ADL features, the BDL models have a sharp white spacer forward of the new butt plate, a new easier to adjust sling strap, and the addition of the hard hitting 350 Rem. Magnum and 6.5 Rem. Magnum calibers.


Along with these new features the Model 700 still offers the shooter the same list of extras that have made it the best seller it is. ACCURACY - a product of Remington's famous precision rilling and short, crisp trigger pull. CRAFTSMAN-SHIP — the traditional beauty of fine checkering and beautiful wood finish that is tough, hard, and scratch-resistant (we call it RK-W). ADDED FEATURES ---Monte Carlo stock and cheek piece, receiver drilled and tapped for 'scope mounts, checkered bolt knob, detachable sights for the shooters using a 'scope, BDL models feature a hinged floor plate, hooded front sight, sling strap and swivels, black grip cap and fore-end tip with white spacers.

Model 700 BDL "VARMINT SPECIAL"

The tremendous acceptance of the 700 and constant shooter demand have brought about the availability of a special heavy barreled varmint rifle, the 700 BDL "Varmint Special." Designed for minimum-target, maximum-range precision shooting. it is chambered for five of the most popular varmint cartridges going - 222 Rem., 223 Rem., 22-250 Rem., 6mm Rem., and 243 Win. A heavy 24" barrel places this rifle in a new accuracy class. It's equipped with 'scope bases, hinged floor plate, quick release swivels and new easier to adjust sling strap, Monte Carlo stock and cheek plate, RK-W wood finish and new custom checkering.

Model 700 "CUSTOM" RIFLE

The 700 "Custom" is the finest bolt action rifle ever manufactured by the Renungton Arms. Company. Available on special order only, the 700 "Custom" offers the sportsman a choice of specifications. It is available in a variety of calibers and features a select American Walnut stock, hand checkering, and a highly polished barrel (with or without sights) and receiver for the finest blueing possible. It is truly the ultimate gun for the ultimate sportsman.



(I - MODEL 700 ADL DELUXE, 22-250 Rem., \$134.95 2 - MODEL 700 BDL "CUSTOM" DELUXE, 7mm Rem., Mag., \$169.95

J - MODEL 700 BOL "VARMINT SPECIAL", 223 Rem., \$169.95 4 -- MODEL 700 "CUSTOM", 6mm Rem., \$334.95

Remington Mode



38 Bolt Action Rifle-Priced from \$89.95

Remington Model 660 Bolt Action

Carbine - Priced from \$119.95

Model 788

ITW NEW RIFLES HAVE EARNED, IN SUCH A SHORT PERIOD OF THE THE REPUTATION OUR MODEL 788 HAS ACQUIRED FOR ACCURACY AND DEPENDABILITY.

In the two years it has been manufactured, hunters and target shooters alike have found it to be the best all-around, economically priced bolt action rifle on the market.

This year the Model 788 IS AVAILABLE IN TWO NEW CALIBERS (6mm Rem. and 308) and with a LEFT HAND HOLT for southpaw shooters.



In order to chamber a rifle for a cartiadge like the potent 22-250 Rem., you've got to have an action that will stand an ambelievable amount of pressure. Not many \$89.95 bolt actions will. The nine extra-heavy locking lugs on the Model 488 bolt engage grooves in the solid steel receiver for a strong, secure lock-up.

The secret of the Model 788's exceptional ecuracy lies in its fast lock time (the interval between the time you pull the trigger and the rifle actually fires). The wik time is so fast the bullet has left the irrel of the Model 788 before a committee bullet has left the cartridge case competitive models.

M.odel 860

HE MODEL 660 IS THE MOST POW-KHUL BOLT ACTION CARBINE ON HE MARKET TODAY! NO OTHER GUN IN ITS CLASS IS CHAMBERED FOR THE HARD HITTING 350 REM. MAGNUM AND 6.5 REM. MAGNUM.

The cartridge head is supported by three rings of steel to insure super strength where strength belongs.

The 660 is available in other popular calibers too: 243, 308, 222 Rem., and 6mm Rem. The Model 660 bolt action carbine is versatile enough to hunt all big game animals of North America. Its convenient carbine length 20" barrel means easy carrying in the field without loss of accuracy or velocity. A special barrel bracket adds support to the 'scope mount making it more rigid. The 'scope can't be easily knocked out of adjustment when the going gets rough. New "vibrahoning" metal finish, inside and out, are silky-smooth for fast, friction-free operation. The receiver is drilled and tapped. It's a simple matter to install a 'scope. Adjustable sights are the same dependable type that are on the Remington Model 700. A good-looking black foreend tip, fine-line checkering, plus a black grip cap and butt plate (recoil pad on magnum models) help give this carbine the looks of a far more expensive gun. Magnum models feature a lamination of walnut and beech for extra strength, stability, and beauty. Sling straps and swivels are standard equipment on the 660 Magnum.



The Model 660's "S" shape bolt handle hugs the stock and won't interfere with brush or clothing. This bolt knob is serrated on the bottom for a good secure grip. RK-W wood finish, developed by Du Pont, protects the stock and brings out the lustrous beauty of the wood grain.

The Model 660 has many features of higher priced rifles. Standard equipment includes a Monte Carlo stock for a better cheek-to-stock fit for quicker, surer sight alignment with either a 'scope or open sights. The trigger is extra wide and serrated so your finger won't slip even when wearing a glove; it's extra crisp and clean, no creep or spongy action.

Economically priced in all calibers, the Model 660 is the most versatile carbine your money can buy.

REMINGTON MODEL XP-100 LONG RANGE PISTOL



- MODEL 680, 8mm Rem., \$119.95 2 -- MODEL 680 MAGNUM, 350 Rem. Mag., \$149.95 3 -- MODEL 788, 22-250 Rem., \$89.95
- MODEL 788, 44 Rom. Mag., \$88.95 5 -- MODEL 788, LEFT HAND, 8mm Rem., \$94.85

REMINGTON CENTER FIRE RIFLES

Model ZOG ORDER NUMBERS AND PRICES

| 10 | | | 4.5 | 240 | Length | Ayeral | Leagth | Weigh | rt Lbs. | 207 × 70 | O NOT | 70 | O BOL | Yarmile | et Special | Custos | n Medal * |
|----|---|---|-----------|--------------------------|------------|-------------------------------------|---|----------|---------------------|--|---|--|---|--------------------------------------|-------------------|--|-------------------|
| ٠ | Calbern | 7 | Total 2 | | | | | Apr. | Yas. | Ordst Nos. | Retail " | Order Nes | Retail "Prices" | Order Nes. | Retail Prices* | Order Nes. | Retail Prices* |
| | 1212 A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | | | | 43 1/2" 43 1/4" 43 1/4" 43 1/4" 43 1/4" | | မာတတက် <i>တ</i> န်း | 6054 6052 6056 6058 6062 6078 | 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 6080 6038 6082 6084 6088 6102 | \$154.05 | 6118 6116 6120 6122 6124 | \$ 169.95 | Special Special Special Special Special Special | \$334.95 |
| | 7 mm lan Har | | , | 224 | | 414 | | 742 | | 6076 | 3)49.95 | 6100 6098. | | | | Special Special Special | |
| EM | *6 5 Rem. Mag. *150 Rem. Mag *300 With Mag. | | 9″ 16″ | 24" 24" 24% | 马克克 | 43 % " 43 % " 2 44 % " | TEX NO. | | 1.00 | | १५६मध्यात संस्थात | 5924 5926 6104 6106 | \$169.95 *********************************** | | - | Special Special Special | 1 |
| | 458 Win. **** | | TRIC | 26.7 | 科教 | 1612 | 1. 24 | 23 19 50 | | 門學 | | 6108 | \$329.95 | | <u>.</u> | | |

Model 788 OFDER MOVEERS AND PRICES

| Tellium. | 2 | | | a A | 4.4 | Order Mos | Retail Prices |
|---------------------|---|----------|------------|------------|----------------------------|---------------------|--------------------|
| 22 In 1 | | | 242 | 434 | 72.45 2742 | 9722 | |
| Grim Rein. | 3 | 9" | 72" 72" | 42" 42" | 7¼ 7¼ | 9784 9780 | \$89.85 |
| | 1 | | | | 374 744 | 9738 9740 | Sec. |
| 6mm Rem. 308 Win | 3 | 9" | 22" 22" | 42~ | 774 | 9786 | \$94.95 |
| A Sing Scap A | | talled A | | | 71/4 24.2.1.1 24.3.1 | 9788 6426 | \$ 5.40 \$ 4.50 |

Model 660 order numbers and prices

| Calibers | Fixed Mag. Cap. | Bhi. Lgth. | O.A. Lgth. | Avg. | Twist, RH 1 turm in | Order Nas. | Retali |
|--|-----------------------|--------------------------|------------------------------|--------------------------|------------------------------|------------------------------|----------|
| Madel 660 Reg. 1222 Remington 6 mm Remington 243 Win. 308 Win. | 6555 | 20" 20" 20" 20" | 38¼″ 38¾″ 38¾″ 38¾″ | 614 614 614 614 | 14" 9" 9" 10" | 9518 9620 9622 9624 | \$119.95 |
| Sling Strap & Quic | k Rele | 858 SW | rivels (In: | stalled) | | 6382 | \$ 9.10 |
| Medel 660 Mag. 350 Rem. Mag. 8.5 mm Rem. Mag. | 4.4 | 20″ 20″ | 38¾" 38¾" | 6½ 5½ | 16~ 9~ | 9626 9628 | \$149,95 |

Fair Trade retail prices in states having fair Trade laws, Prices subject to change without notice.



der Numbers, Prices and Specifications

NUMBERS FOR ACCURATE ORDERING

Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sting strap and quick release swivels, black fore-end tip and white line spacers. 13% " length of pull, 2% drop at heel, $1\%_{\rm h}$ " drop at comb (from open sight line) checkered. SIGHTS — Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights. RECEIVER — Drilled and Tapped for 'scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type'scope mounts.

Plodel 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order tiu 6382 — \$9.10

• (USTOM MODEL 700 — Manufactured to customer specifications — choice of 20", 22" and 24" barrel — with or without floor plate — with hunting rights, or plain barrel with receiver drilled and tapped for 'scope mounts — length of pull from 13%" up to 14" with receil pad — extra charge for recoil pad, oil finished stocks and left hand cheek piece — orders con-cancellable — allow up to four months for delivery. Only ordnance steel barrels supplied.

Model 788

SPECIFICATIONS: STOCK — Monte Carlo type, 13%" length of pull, 2%" vop at heel, 1%" drop at comb (from open sight line). SIGHTS — Blade tront sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER — Drillad and tapped for 'scope mounts and receiver sight, (letachable clip type magazine.

Model 660

SPECIFICATIONS: STOCK — American Walnut (regular model) laminated walnut and beech (magnum). Custom checkering, Monte Carlo stock with fluted comb. 14" length of pull. 2" drop at heel, 1%" drop at comb. SIGHTS — Ramp front sight with brass bead. "U" notch rear sight, adjustable for elevation and windage. RECEIVER — Drilled and tapped for 'scope mounts. Itsed magazine.

Model 742

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber, STANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut, 13½" length of pull, 2½" drop at heel, 1½" drop at comb. Deluxe Model: 1½%" length of pull, 2½" drop at heel, 1½"drop at comb, 1½%" drop i Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Receivable clip magazine. SIGHTS — Flat faced gold bead with ramp front the Slep adjustable rear sight, for elevation, with windage adjustment ew WEIGHT — Approx. 7½ lbs. — Carbine 6½ lbs.

Model 760

PECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. IANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut. Is his "length of pull, 21/2" drop at heel, 11/4" drop at comb. Deluxe Model: 131/4" length of pull, 21/2" drop at heel, 11/4" drop at comb. 111/4" drop at Honie Carlo Receiver — Drilled and tapped for "scope mounts. Removable in magazine SIGHTS — Fiat faced gold bead with ramp front sight. Step thin table rear sight, for elevation, with windage adjustment screw. WEIGHT Approx 71/2 lbs — Carbine 63/4 lbs.

| Callbern | Twist-R H 1 Tern in | | Overall Length | Order Nes. | Retail Prices* |
|--|--------------------------|--|------------------------------|--------------------------------------|--------------------|
| Medel 742 6mm Rem. 280 Rem. 30/06 308 Win. 243 Win. | 9* 9* 10* 10* | 22* 22* 22* 22* 22* 22* | 42** 42** 42** 42** | 9632 9634 9636 9638 9648 | \$ 159.9 |
| Model 742 Carbine 30/06 308 Win. | 10* 10* | 18½″ 18½″ | 38½ " 38½ " | 9670 9672 | \$ 159.9 |
| Medel 742 BOL Beluxe 30/06 , 30/06 Left Hand 308 Win. 308 Win. Left Hand | 10″ 10″ 10″ 10″ | 22" 22" 22" 22" | 42" 42" 42" 42" | 9666 9668 9640 9644 | \$ 179.9 |
| Medel 742 D "Poerless" | Grade | | | Spec. | \$ 575.00 |
| Medel,742 F "Premier" (| Spec. | \$1,250.0 | | | |
| Sling Strep & Quick Re | lease Swiy | | ulled) | 6094 Specify Caliber | \$ 9.10 \$ 5.25 |

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nes. | Retail Prices* |
|--|---------------------------------|--|--|--|-----------------------|
| | 1 | | | | |
| 6inm Rein. 270 Win. 30/06 308 Win, 243 Win. | 9" 10" 10" 10" 9" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 5900 9726 9730 9732 9678 | \$ 139.9 5 |
| Medel 780 Carbine 30/06 308 Win. | 10~ 10~ | 18½* 18½* | 38½~ 38½~ | 9698 9714 | \$ 139.9 |
| Medel 760 SDL Deluxa 30/06 30/06 Left Hand 308 Win, 308 Win, Left Hand 270 Win, Left Hand | 10" 10" 10" 10" 10" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 9692 9694 9706 9710 9708 9712 | \$ 159.96 |
| Model 760 D "Peerless" | Grade · | | | Spec. | \$ 575.00 |
| Madel 788 F "Premier" (| irade | | | Spec. | \$1,250.00 |
| Sling Strap & Quick Rel Extra 4-Shot Clip | aasa Swive | ls (instai | led) | 6096 Specify | \$ 9.10 \$ 4.50 |

Deluxe models with left hand cheek piece have left hand safeties - both at no extra charge.



Vetion 22 Cal. Rifles

Models 580, 581, 582 - Priced from \$34.95

Model 514 - Priced at \$26.95

581 Clip Repeater and 582 Tubular Repeater

They have the look, feel and balance of big game center fire rifles — plus the strongest, most powerful bolt ever designed into a 22 caliber hunting rifle.

A NEW LEFT HAND MODEL 581 WITH THE BOLT ON THE LEFT SIDE IN AVAILABLE THIS YEAR FOR SOUTHPAW SHOOTERS. IT IS THE FALLY LEFT HAND BOLT ACTION FRIM FIRE RIFLE EVER MANUFACTURED IN AMERICA, ANOTHER FIRST FROM REMINGTON.

The 580 series feature an artillery type bolt with rear lock-up. Six extra-heavy rotary locking lugs at the back engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it — work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel.



Here is strength that has never been equaled in any 22 bolt action hunting rifle.

Actually, there's more built-in strength ore than you'll ever need, but it's nice to

factor.

Remington looked at all the other desirable features that make up a fine big game rifle... and we put them into this new rim fire line. Here they are:

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean — no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger. Everything about these new rifles is man-size. There's no corner cutting anywhere.

FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable check-to-stock fit that means more hits — with or without a 'scope. And there's no skimping on the fore-end, it's long, tapered, man-size to prevent canting and provides a good secure grip.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety — forward for fire; rearward for safe.

TWO EXTRACTORS are standard on this series of 22 rifles. Remington feels that two are better than one (so you get 2). Another extra at no extra charge.

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch adjustable rear with lock screw. You'll hit what you aim at with these sights.

ROUND STEEL RECEIVER means bedding into the stock can be more precise, which in turn contributes to fine accuracy. The receiver is also grooved for tip-off 'scope mounts. Actually, it's the strongest, most rigid receiver of any 22 bolt action hunting rifle because there are no slots or notches to weaken it, bolt handle isn't used as a lock-up lug. Here again, Remington designers made it like a center fire rifle. Costs' the shooter no more; it's an extra bonus he gets because of good design.



BOLT COVER keeps dirt and bad weather out. Assures smooth operation within, Adds to streamlining of the rifle, too, Here's an accuracy combination that's hard to beat . . . in all three models: 580 single shot, 581 chp repeater and 582 tubular repeater.

Model 514


Here is an excellent 22 caliber title at a popular price. It's a single-shot bolt action model with a self-cocking bolt, rotary thumb safety, and takes all 22 caliber cartridges—short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR, with shortened stock.

1 — MODEL 514 BR, Single Shet, Bey's Rifle, \$26.95 2 — MODEL 514, Single Shot, \$26.95 3 — MODEL 582, Tubular Repeater, \$49.95 4 — MODEL 581, Clip Repeater, \$44.95 5 — MODEL 580, Single Shet, \$34.85 6 — MODEL 581, LEFT HAND, Clip Repeater, \$49.95

NEW Remington Model 540X 22 Colored 40XB "Rangemaster" Target Rifle

The New Model 540X Match Target Rifle Priced from \$89.95

The Model 540X has all the design features and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and junior shooter, the Model 540X is super accurate, well balanced, and loaded with extras, the extras needed to win.



To continually punch holes in the X ring with any rifle, you need a gun with a good crisp trigger pull, one that will fire when you want it to. The 540X has a fully adjustable trigger that does exactly that. The secret's in its fast lock time. Lock time is the interval between the time you pull the trigger and the rifle actually fires. The 540X trigger is the fastest of any target rifle now manufactured.



A unique feature of this rifle is its fourway adjustable butt plate. The stock can be adjusted with the same wrench for length of pull, vertical, pitch or cant (left or right).

7 5

International Free Rifle

Rim Fire and Center Fire

A butt plate of this type climinates the need for costly stock alterations and is designed to fit the needs of all rifle shooters regardless of their physical characteristics.



The stock was designed with the target shooter in mind. Thumb cuts give you that secure grip for top scores. A new stock design and special rear sight bracket gives common sight alignment for shooting with either a 'scope or iron sights.

A front swivel block, Redfield #63 front and Redfield #75 rear sights are optional. The receiver is drilled and tapped for popular 'scope mounts.

Model 40XB "Rangemaster" (Rim Fire Model) Priced from \$169.95

Exclusive loading platform provides straight line feeding; no shaved bullets. Specially selected heavy ordnance steel barrel with new Remington rifling process assures utmost accuracy. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate, adjustable sling swivel and handstop are standard equipment. Other features are: extra strong bolt with double extractors, crisp trigger with positive adjustments for weight of pull, wide trigger for more uniform pull and comfort, thumb operated safety. The receiver is drilled and tapped for all standard sight mounts, telescope and metallic Redfield Olympic front and rear sights optional. A new

long rail for the adjustable fore-end stop and palm rest makes shooting good scotes easier.

Model 40XB "Rangemaster" (Center Fire Model) Priced from \$224.95

Now available in repeating models for use in National Match Courses, the 40XB is designed with clip slots for the conventional five shot clip. It loads from the top of the receiver and the magazine has a hinged floor plate. Repeating models are provided only in calibers equal to or shorter than the loaded length of the 308 cartridge.

The 40XB center fire repeating rifle a ideal for the rapid fire events, especially in the 7.62mm NATO (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. The 40XB meets the National Bench Rest Shooters Association rules for the Heavy Variant Class with most target telescopes (max. weight 13½ lbs.). Stainless steel barrels are supplied as standard on 7mm Rem. Magnum, 30-338, and other magnum calibers. Stainless steel is also recommended for 22-250 and 6mm Rem. (at extra charge). Stainless 40XB barrels are not blued.

International Free Rifle (Rim Fire and Center Fire) Priced from \$361.05

The International Free Rifle features the 40XB action, precision heavy barrel, a Remington designed adjustable butt plate and hook, adjustable palm rest, adjustable front sling swivel, and 2-ounce trigger a Lett-hand stock supplied at extra charge.

1 - MODEL 540X, 22 Cal. Match Target Rifle, \$109.95 (Hand-Stop Extra). 2 - MODEL 40XB, 22 Cal. Rim Fire Turget Rifle, \$204.95

3 — MODEL 40XB, Center Fire, 7.62mm NATO Target Rifle, \$224.95 (Target Sights Extra). 4 — MODEL 40XB Bench Rest, Center Fire, 222 Rem Cal.


Standess Stool Berret, Target Rifle, \$259.95. (Target 'scope Extra). 5 — INTERNATIONAL FREE RIFLE, Center Fire, 222 Rem , \$361.05

1464

Match Target Rifle

im Fire and Center Fire





BARBER - PRESALE R 012403267 REMINGTON RIM FIRE RIFLES

Order Numbers, Prices and Specifications



USE NUMBERS FOR ACCURATE ORDERING

ORDER NUMBERS AND PRICES

Models 580, 581 and 582

| Beit Action 22 College Sifes | Order Nos. | Retail Prices |
|--|--------------------|---------------|
| Model 580 Single Shot | 9852 | \$34.95 |
| Model 580 Single Shot, Smooth Bare | 9864 | \$39.95 |
| Model 581 Cup Repeater (Left Hand) | 9838 | \$41.95 |
| Model 582 Tubular Red Satisfy 1920 1922 1945 | 113 0056 .5 | \$49.95 |
| Sing Strap & Suively Installed | | \$ 5.40 |
| Mode 581 Extre 5 and Cile | 9828 | 3.50 |
| | | |

Model 514

| | Order Nes. | Retail Prices |
|--------------------------------------|------------|---------------|
| Model 514 Single Shot | 5572 | \$26.95 |
| Model 514 BR Single Shot Boy's Rifle | 5582 | \$26.95 |

Nylon 66

| Hyles 22 Callbor Billing 200 | Order Nos. | Rotall Prices* |
|--|------------|----------------|
| Nylon 56 MB "Moherik Brown" Automatic | 5500 | \$ 49.95 |
| Hylon 66 AB "Apache Black" Automatic | 5486 | \$ 54.95 |
| Hylon 66 CS "Ballary Special" (22 Sharts Daly) | 5512 | \$ 59.95 |
| Sling Strap & Swivels (Installed) | 47 (48) | \$ 5.40 |

warentve that these stocks will not work, crack, only, tade or post for the

Modela 552, 550 and 572

| | Order Nos. | Retail Prices* |
|---|--------------------------------------|---|
| 2 A Automatic C Carbine BDL Delune GS "Gallery Special" (22 Shorts Poly) og Ştrap and Swivels (Installed) | 5608 5612 9830 5610 6430 | \$64.95 \$64.95 \$74.95 \$76.95 \$ 7.50 |
| 550 22 Colliner Automatic Riffs A A A Strap and Swivels (Installed) A A | 5596 6428 | \$59.95 \$ 5.40 |
| si 572 22 Celiber Side Acties Biffs Z A 2 BDL Detuxe 2 SB Smooth Bore ng Strap and Swivels (installed) | 5626 9832 5628 6432 | \$64.95 \$74.95 \$74.95 \$ 7.50 |

Models 580, 581 and 582

SPECIFICATIONS: ACTION — All boll action. M-580 single shot. M-581 clip repeater, M/582 tubular repeater. CALIBER -- 22 tim fire, short, long, or long rifle cartridges. CAPACITY — M/580 single shot. M-581 5 shot. M-582 20 short, 15 long, 14 long rifle cartridges. BARREL — 24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK — Walnut finish, Monte Carlo type, full size, black butt plate. Single screw take down. SIGHTS -- Front; bead, dovetail adjustable. Rear: U Notch type, lock screw adjustable BOLT — Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER — Round, ordnance steel, grooved for scope mounts. SAFETY — Positive, serrated thumb type, forward for fire, reurward for sufe OVER-ALL LENGTH — 42%". WEIGHT — M/580 5 lbs. M-581 5½ lbs. M.582 5½ lbs.

Model 514

SPECIFICATIONS: ACTION — Bolt action, single shot CALIBER 2? short. long, long rifle rim fire. CAPACITY — Single shot BARREL 24 inch, precision rifled, Remington ordnance steel. STOCK — Walnut trinshed, lusted, black butt plate. SIGHTS — Bead front sight, open rear. SAFETY—Rotary thumb safety. RECEIVER — Made from solid steel, OVER-ALL LENGTH — 41 inches. Boy's rifle 40 inches. WEIGHT — 4½ lbs

Nylon 66

SPECIFICATIONS: ACTION — Automatic. CALIBER — 22 long title Rim fire CAPACITY — Tubular magazine thru butt stock. Holds 14 long title cartridges BARREL — 19% inch. precision rifled, Remington Ordnance Steel STOCK — One-piece structural hylon, checkered grip & fore-end with white diamond inlays, white time spacers on butt plate, grip cap & fore-end SIGHTS Adjustable rear sight, blade front, common sight line for mon sights and scope. SAFETY — Top-of-grip. RECEIVER — Grooved for "tip-off" 'scope mounts. OVER-ALL LENGTH — 38½". COLOR — Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receiver cover. WEIGHT — 4 lbs.

Models 552, 550 and 572

SPECIFICATIONS: MODEL 552: ACTION — Automatic, CALIBER — 22 Run Fire CAPACITY — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges, SIGHTS — Adjustable rear sight, bead front. Deliuxe Model Blude ramp front sight. Step adjustable rear sight with windule adjustment screw STOCK — Models 552 and 572 rich American walnut, BID har RK W limish Model 550, full length, walnut limish, SAFETY — Cross bull type RECEIVER — Grooved for "Tip 011" scope mounts, DVER-ALL LENGTH — 4.1", 40" (Capabine). WEIGHT — 5½ lbs.

MODEL 550: Same as Model 552 except SAFETY Thumb style OVER ALL LENGTH = 431/2", WEIGHT = 61/4 lbs.

MODEL 572: Same as Model 552 except ACTION - Pump, repeater

26

REMINGTON TARGET RIFLES

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING -

NEW Model 540X Match Target Rifle

SPECIFICATIONS: ACTION — Bolt, single shot. CALIBER — 22 cal. rim fire, Long Rifle only. CAPACITY — Single loading. SIGHTS — Redfield #63 front Redfield #75 rear (sights optional). SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. RECEIVER — Drilled and tapped for iron sights or 'scope mounts, rear sight bracket. BARREL LENGTH — 26". Over-all rifle length 43½" to 47½". LENGTH OF PULL — 12¾" to 15½". STOCK — length 30¾", thumb cuts, 4 way adjustable butt plate, rail. Front swivel block, sling and sling swivel opitional. Common sight alignment with 'scope or iron sights. WEIGHT — with sights 8 lbs. 8 oz.; without sights 8 lbs. 2 oz.

Model 40XB (Rim Fire)

SPECIFICATIONS: ACTION — Bolt, Single Shot. CALIBER — 22 rim fire, Long Rifle only. CAPACITY — Single loading. SIGHTS — Redfield Olympic front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Orilled & tapped for iron sights or 'scope mounts. BARREL LENGTH — 28". Yver-all rifle length 47". LENGTH OF PULL — 13½". (Trigger adjustable to 4 lbs.) STOCK — American walnut. Palm rest & front swivel block, adjustable on base. WEIGHT — With Redfield sights heavy barrel 12¾lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.

Model 40XB (Center Fire)

SPECIFICATIONS: ACTION - Bott, Single Shot & Repeating, CALIBERS -Single Shet - 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 mm (6 mm ,222 Mag.), 6 mm international (6 mm on ,250 Sav. case), 6 mm Rem. (244 chamber), 243 Win., 6.5 mm Rem. Mag., 7 mm Rem Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag., 300 Win. Mag.), Repeating - 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223 Rem., 243 Win., 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250 Rem. Calibers whose over all loaded length is equal to or shorter than the 308. CAPACITY -Single loading and repeater, iLoads from top of receiver). SIGHTS - Redfield Olympic front & rear sights optional. SAFETY — Thumb operated safety, positive. RECEIVER - Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. BARREL LENGTH - 271/4" free Hoating Overall length of rifle 47". LENGTH OF PULL - 131/2". Trigger adjustable 1 to 31/2 lbs. 2 ounce Trigger available at \$40.00 extra, STOCK belected American Walnut. Fore-end stop and sling swivel adjustable on hase. AVERAGE WEIGHT - Without Sights: Heavy Barrel 111/4 lbs., Standard

International Free Rifle (Rim Fire • Center Fire)

Remington designed adjustable butt plate with interchangeable rubber situte and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce lingue. Left hand stock supplied at \$25 extra cost. Center Fire Calibers: 2.2 Rem. Mag., 7.62 mm, 30-06 and others on special order.

ORDER NUMBERS AND PRICES

NEW Model 540X

| دور | | Order | Retail Prices* |
|-----|--|-------|----------------------|
| 7 | 540X Match Rifle (without sights) | 9796 | \$ 89.95 \$109.95 |
| 2 | 540X Match Rifle (with sights) | 9794 | \$109.95 |
| 7 | Sling Strap with Front Swivel Block Assembly (installed) | 6420 | \$ 6.95 |
| | Control of the Contro | | |

Model 40XB (Rim Fire)

| | AO XB "Rangemaster" — Rim Fire | Order Nos. | Retali Prices* |
|------------|--|---------------|-------------------|
| \$1 H1 | Std. Barrel with Sights, Rim Fire—22 Cal. Heavy Barrel with Sights, Rim Fire—22 Cal. | 5674 5670 | \$204.95 |
| 1 H2 S2 | Heavy Barrel without sights, Rim Fire—22 Cal. Std. Barrel without Sights, Rim Fire—22 Cal. | 5672 5676 | \$169.95 |

Model 40XB (Center Fire)


| Medel 40 XB "Rangemaster" — Center Fire | Nos. | Prices* |
|---|--------------------|----------|
| CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire | Special Special | \$224.95 |
| Extra for repeating Center Fire Models (Heavy Barrel Only) | | \$ 20.00 |
| Extra for calibers requiring stainless barrels | | \$ 20.00 |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (12 weeks or more for center fire models) | | \$ 40.00 |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |

International Free Rifle

| International Free Rifle | Order Nos. | Retail Prices* |
|--|---------------|-------------------|
| International Free Rifle, Rim Fire & Center Fire | Special | \$361.05 |

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

....



Remington Model 700 Bolt Action Center Fire Rifle... Available in 16 Calibers Including the NEW 25-06 Remington-Priced from \$139.95


again, last year's sales records proved ie famous Remington Model 700 bolt tion center fire rifle continued to be vinerica's best seller. One of the outstandig reasons for its success is the availbility of a wide caliber selection, more nan any other American manufacturer. SODED, THIS YEAR, TO THE LIST CALIBER FAVORITES IS THE PULAR 25-06, NOW VARMINT NO SMALL GAME HUNTERS TIKE CAN BUY COMMERCIALLY THE CARTRIDGE AND GUN COM-HNATION RELOADERS HAVE IIN PRAISING FOR YEARS. The to del 700 offers a caliber for every type t nunting from varmints to elephants -VIOTAL OF 16 DIFFERENT CART-IDGES IN ALL. The 700 has seven agnum calibers to choose from (one tore than our major competitor) and six armint cartridges (three more than our iggest competitor). It's the ideal gun for shooter looking for an "all-around" rifle.

FRENGTH — Tests have proven the ledel 700 action is the strongest bolt of on center fire ever made. Just the ext for handloaders who want strength ore strength belongs. The secret is in three rings of solid steel that "suramid the cartridge head."

here are no extractor cutaways to caken this critical area.

he Model 700 has the appearance of a more expensive rifle. The ADL grade a jeweled bolt with a shrouded bolt, a restyled stock that improves baland pointing and a unique low prosafety that brush will not accidentally see on or off, BDL models have a sharp te spacer forward of the butt plate teasier to adjust sling strap.

ig with these features the Model 700 offers the shooter the same list of



Three reasons why the Model 700 is the Strongest Bolt Action ever made

extras that have made it the best seller it is. ACCURACY — a product of Remington's famous precision rifling and short, crisp trigger pull. CRAFTSMAN-SHIP — the traditional beauty of fine checkering and beautiful wood finish that is tough, hard, and scratch-resistant (we call it RK-W). ADDED FEATURES — Monte Carlo stock and cheek piece, receiver drilled and tapped for scope mounts, checkered bolt knob, detachable sights for the shooters using a scope. BDI, models feature a hinged floor plate, hooded front sight, sling strap and swivels, black grip cap and fore-end tip with white spacers.

Model 700 BDL "VARMINT SPECIAL"

The tremendous acceptance of the 700 and constant shooter demand have brought about the availability of a special heavy barreled varmint rifle, the 700 BDL "Varmint Special." Designed for minimum-target, maximum-range precision


shooting, it is chambered for five of the most popular varmint cartridges going — 222 Rem., 223 Rem., 22-250 Rem., 6mm Rem., and 243 Win. A heavy 24" barrel places this rifle in a new accuracy class. It's equipped with scope bases, binged floor plate, quick telease swivels and an easier to adjust sling strap. Monte Carlo stock and check plate, RK-W wood finish and custom checkering


Model 700 "Custom" Rifle

The 700 "Custom" is the finest bolt action rifle ever manufactured by the Reinington Arms Company. Available on special order only, the 700 "Custom" offers the sportsman a choice of specifications. It is available in a variety of calibers and features a select American Walnut stock, hand checkering, and a highly polished barrel (with or without sights) and receiver for the linest blueing possible. It is truly the ultimate gun for the ultimate

MODEL 700 ADL DELUXE, 30-06 Spid., \$139.95 2 — MODEL 700 BDL "CUSTOM/DELUXE", 25-06 Rem., \$159.95 MODEL 700 BDL "YARMINT SPECIAL", 22-250 Rem., \$174.95 4 — MODEL 700 "CUSTOM SPECIAL", 6mm Rem., \$345.00

(Complete Specifications on Pages 18 and 19)





Remington Model 788 Bolt Action Rifle-Priced from \$89.95 Model 660 Bolt

Action Carbine - Priced from \$124.95



Model 660

THE MODEL 660 IS THE MOST POW-ERFUL BOLT ACTION CARBINE ON THE MARKET TODAY! NO OTHER GUN IN ITS CLASS IS CHAMBERED FOR THE HARD HITTING 350 REM. MAGNUM AND 6.5 REM. MAGNUM. \$1 he 660 is available in other popular calibers too: 243, 308, 222 Rem., and 6mm Rem. The Model 660 bolt action carbine is versatile enough to hunt all big game animals of North America. Its convenient carbine length 20" barrel means easy carrying in the field without loss of accuracy or velocity. A special barrel bracket adds support to the 'scope mount making it more rigid. The 'scope can't be easily knocked out of adjustment when the going gets rough. New "vibraboning" metal finish, inside and out, are rilky-smooth for fast, friction-free operation. The receiver is drilled and tapped. It's a simple matter to install a 'scope, Adjustable sights are the same dependable type that are on the Remington Model 700. A good-looking black foreend tip, fine-line checkering, plus a black grip cap and butt plate (recoil pad on magnum models) help give this carbine the looks of a far more expensive gun. Magnum models feature a lamination of walnut and beech for extra strength, stability, and beauty. Sling straps and swivels are standard equipment on the 660 Magnum.

the Model 660's "S" shape bolt handle mings the stock and won't interfere with brush or clothing. This bolt knob is ser-cited on the bottom for a good secure

grip. RK-W wood finish, developed by Du Pont, protects the stock and brings out the lustrous beauty of the wood grain.

The Model 660 has many features of higher priced rifles. Standard equipment includes a Monte Carlo stock for a better cheek-to-stock fit for quicker, surer sight alignment with either a 'scope or open sights. The trigger is extra wide and serrated so your finger won't slip even when wearing a glove; it's extra crisp and clean, no creep or spongy action.

Economically priced in all calibers, the Model 660 is the most versatile carbine your money can buy.

Model 788

FEW NEW RIFLES HAVE EARNED, IN SUCH A SHORT PERIOD OF TIME, THE REPUTATION OUR MODEL 788 HAS ACQUIRED FOR ACCURACY AND DEPENDABILITY. In the three years it has been manufac-

tured, hunters and target shooters alike have found it to be the best all-around, economically priced bolt action rifle on the market.

The Model 788 is also available for southpaw shooters. A left hand bolt is furnished in 6mm Rem. and 308 Win. calibers.

In order to chamber a rifle for a cartridge like the potent 22-250 Rem., you've got to have an action that will stand an unbelievable amount of pressure. Not many \$89,95 bolt actions will. The nine extra-heavy locking lugs on the Model 788 bolt engage grooves in the solid steel receiver for a strong, secure lock-up.

The secret of the Model 788's exceptional accuracy lies in its fast lock time (the interval between the time you pull the trigger and the rifle actually fires). The lock time is so fast the bullet has left the barrel of the Model 788 before a comparative bullet has left the cartridge case in competitive models.

REMINGTON MODEL XP-100 LONG RANGE PISTOL



1 - MODEL 880, 8mm Rem., \$124.85 2 - MODEL 860 MACHUM, 350 Rem. Mag., \$154.85 3 - MODEL 788, 22-250 Rem., \$89.95

4 -- MOBEL 788, Left Hand, 300 Win., \$84.85

(Complete Specifications on Pages 18 and 19)

REMINGTON CENTER FIRE RIFLE

MACE POO GROEF NUMBERS AND PRICES

| | 1 | G IEL | | | | Longth | WHE | t Lisa. | 70 | O AOL | 70 | 0 89L | Yanni | nt Special | Custo | n Model * |
|----------------|--|-------|--------|-------|-----------------------------|------------------|---|---------|---------------------------------------|-----------------------|--------------------------------------|-------------------|---------------|------------------|---|-------------------|
| | - | 1 | | | | 100 | Reg | Var. | Order Nos. | Retail Prices* | Order Nes. | Retail Prices* | Order Nes. | Retail Prices | Order Nos. | Retail Prices* |
| ۰۰) اد | 11200 | | | \$24° | 4314.* 4314.* | 4314.5 4314.1 | 3. | 9 | 6054 6052 | 19 10 | 6080 6038 | | 6118 6116 | | Special Special | |
| 1 . (*) | 25 06 Rem | 5 | 10" 24 | | 44V." | T. T. | | 9:4 | 5954 -6056 6058 6062 6078 | 18149.95 | 5944 6082 6084 6088 6102 | \$159.95 | 6122 6124 | | Special Special Special Special Special | \$345.00 |
| | | | | | 44 13 | | 7 7 7 7 7 7 7 7 7 | is in | 6074 6074 6060 | \$154. 9 5 | 6100 6098 6086 5924 | \$174.95 | - 4- | | Special Special Special | |
| · Constitution | 1800 Win Mag 1800 Win Mag 1375 HAM Mag 1464 Win Mag | | | | 434 4447 4644 4644 | | 742 742 0 9 2 | 2. A. | 2.4 | 45 | 5926 6104 6106 6108 | \$334.95 | | | Special Special | |

THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.

Model 788 ORDER NUMBERS AND PRICES

| Ballhora | Twist-R M 1 Years in | | | AL WL | Order Nes. | Retail · |
|--|--|--|--|--|--|--------------------|
| 222 Recs. 22-250 Ress. 6rnm Ress. 243 Win | 14************************************ | 24* 24* 22* 22* 22* 22* | 43% 43% 42″ 42″ 41% 41% | 714 714 714 714 714 714 | 9722 9736 9784 9782 9780 9738 9740 | \$89.95 |
| Model 788 Caft Mand Som Ress 308 Wis. | 9" 10" | 22" | 42*** 42*** | 71/4 71/4 | 9786 9788 | \$94.95 |
| Extra Oils Go | | Unsta | iled) | Cyronic Co | 6426 | \$ 5.40 \$ 4.50 |

Model 660 order numbers and prices

| Callbers | Fixed Mag. Cap. | Bbi. Lgth. | O.A. Lgth. | Avg. Wt. | Twist, RH 1 tura ia | Order Nes. | Retali Prices* |
|--|-----------------------|--------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------|
| Model 860 Reg. 222 Remington 6 mm Remington 243 Win. 308 Win. | 6 5 5 5 | 20" 20" 20" 20" | 38¾~ 38¾~ 38¾~ 38¾~ | 61/2 61/2 61/2 61/2 | 14~ 9~ 9~ 10~ | 9618 9620 9622 9624 | \$124.95 |
| - Sling Strap & Qui | k Reie | asa Sy | rivels (In: | stalled) | | 5382 | \$ 9.10 |
| Medel 580 Mag. . 350 Rem. Mag. 6.5 mm Rem. Mag. | 4 4 | 207 207 | 38¾~ 38¾~ | 6½ 6½ | 16" 9" | 9626 9628 | \$154.95 |

"Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program in other states, these are recommended minimum prices.

der Numbers, Prices and Specifications

SE NUMBERS FOR ACCURATE ORDERING

Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sling strap and quick release swivels, black fore-end tip and white line spacers. 13%" length of pull, $2\%_6$ " drop at heel, $1\%_6$ " drop at comb (from open sight line) checkered. SIGHTS — Flat faced gold based with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights. RECEIVER — Drilled and Tapped for 'scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type'scope mounts.

Model 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order No. 6382 — \$9.10

CUSTOM MODEL 700 — Manufactured to customer specifications — chuice of 20", 22" and 24" barrel — with or without floor plate — with hunting sights, or plain barrel with receiver drilled and tapped for 'scope mounts — length of pull from 13%" up to 14" with recoil pad — extra charge for recoil pad, oil finished stocks and left hand cheek piece — orders non-cancellable — allow up to four months for delivery. Only ordnance steel barrels supplied.

Model 788

SPECIFICATIONS: STOCK — Monte Carlo type. 13%" length of pull, 2%" drop at heel, 1%" drop at comb (from open sight line). SIGHTS — Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER — Drilled and tapped for 'scope mounts and receiver sight. Detachable clip type magazine.

Model 660

SPECIFICATIONS: STOCK — American Walnut (regular model) laminated walnut and beech (magnum). Custom checkering, Monte Carlo stock with fluted rumb, 14" length of pull, 2" drop at heel, 1%" drop at comb. SIGHTS — Ramp front sight with brass bead. Unnotch rear sight, adjustable for elevation and windage. RECEIVER — Drilled and tapped for 'scope mounts. fixed magazine.

Model 742

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut. 13½" length of pull, 2½" drop at heel, 1½" drop at comb. Defuxe Model: 13½," length of pull, 2½" drop at heel, 1½"drop at comb, 1½," drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. WEIGHT — Approx. 7½ lbs. — Carbine 6½ lbs.

Model 760

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: American wainut. \$\frac{1}{3}\text{k}''\ \text{ length of pull, 2\text{k}''\ drop at heel, \$\frac{1}{3}\text{k}''\ drop at comb. Deluxe Mopel: \$13\text{k}''\ length of pull, \$2\text{k}''\ drop at heel, \$1\text{k}''\ drop at comb. \$1\text{k}''\ drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable tip magazine. \$1\text{GHTS} — Flat laced gold bead with ramp front sight. Step injustable rear sight, for elevation, with windage adjustment screw. WEIGHT Approx \$7\text{k}_2\$ lbs. — Carbine \$6\text{k}_4\$ lbs.

Model 742 ORDER NUMBERS AND PRICES

| 1 Term in | | Overall Length | Order Nes. | Retail Prices* | |
|--|-------------------------------------|--|--|--|--|
| 9" 9" 10" 10" 9" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 9632 9634 9636 9638 9648 | 4 15405 | |
| 10" | 181/2~ 181/2~ | 38½~ 38½~ | 9670 9672 | \$ 164.95 | |
| 10" 10" 10" 10" | 22** 22** 22** 22** | 42" 42" 42" 42" | 9566 9668 9640 9644 | \$ 184.95 | |
| Grade | | - | Spec. | \$ 595.00 | |
| Grade | | | Spec. | \$1,295.00 | |
| - Sling Strap & Quick Release Swivel (installed) Extra 4-Shot Clip | | | | | |
| | 9" 9" 10" 10" 10" 10" 10" 10" 6rade | 9" 22" 10" 22" 10" 22" 10" 18½" 10" 18½" 10" 22" 10" 22" 10" 22" 10" 22" 10" 22" | 9" 22" 42" 10" 22" 42" 10" 22" 42" 10" 18½" 38½" 10" 18½" 38½" 10" 22" 42" 10" 22" 42" 10" 22" 42" 10" 22" 42" \$ trade Grade | 9" 22" 42" 9632 9" 22" 42" 9634 10" 22" 42" 9638 9" 22" 42" 9638 10" 22" 42" 9638 10" 18½" 38½" 9670 10" 18½" 38½" 9672 10" 22" 42" 9668 10" 22" 42" 9640 10" 22" 42" 9644 Srade Spec. | |

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.

Model 760 ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nas. | Retall Prices* |
|--|--|--|--|--|-----------------------|
| Model 760 6mm Rem. 270 Win. 30/06 308 Win. 243 Win. | 9" 10" 10" 10" 9" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 5900 9726 9730 9732 9678 | \$ 139.95 |
| Medel 780 Carbine 30/06 308 Win. | 10″ 10″ | 18½" 18½" | 38½″ 38½″ | 9698 9714 | |
| Medel 780 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand 270 Win. Left Hand | 10" 10" 10" 10" 10" 10" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 9692 9694 9706 9710 9708 9712 | \$ 159.9 5 |
| Model 760 D "Peerless" | Grade | | | Spec. | \$ 595.00 |
| Medel 780 f "Premier" 6 | Spec. | \$1,295.00 | | | |
| Sling Strap & Quick Reli Extra 4-Shot Clip | 6096 Specify Caliber | \$ 9.10 \$ 4.50 | | | |


Deluxe models with left hand cheek piece have left hand safeties — both at no entra charge.



NEINE Remington the 5mm and the

Models 591 and 592 Priced from \$64.95

The new Remington Models 591 clip repeater and 592 tubular repeater bolt action rifles are chambered for the new sensational 5mm Remington rim fire magnum cartridge. Why sensational? For these reasons. It's the fastest rim fire cartridge ever made (muzzle velocity 2100 feet per second) — the most accurate rim fire hunting cartridge and the only rim fire cartridge made with the super accurate "Power-Lokt" bullet. It looks like a center fire cartridge and it has the accuracy of a center fire cartridge - great for small game, varmint hunting, and informal target shooting. Other outstanding features of the Models 591 and 592 are:



- 1 MODEL 592, Tubular Repeater, 5mm Rim Fire Magnum, \$69.95
- 2 MODEL 591, Clip Repeater, 5mm Rim Fire Magnum, \$64.95
- 3 NYLON 77, City Repeater, \$49.95

(Complete Specifications on Pages 28 and 29)

5r 1970

Models 591 and 592 Chambered for Remington Rim Fire Magnum Nylon 77 Clip 22 Caliber Automatic


SIX EXTRA HEAVY ROTARY LUGS on the bolt engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Here is extra strength to handle the powerful 5mm Remington rim fire magnum cartridge. BOLT COVER at rear keeps out dirt and grit. UNIQUE TWO STAGE EXTRACTORS permit the bolt to completely enclose the cartridge head - assures utmost safety. FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch lock-screw rear. ROUND RECEIVER means bedding into the stock can be more precise which, in turn, contributes to fine accuracy. The

receiver is also grooved for tip-off 'scope mounts. ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle, polished and blued for good looks and long wear. NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety - forward for fire, rearward for safe. Marked "F" for fire; "S" for safe. MATCH TRIGGER QUAL-ITY - A good trigger pull is an important asset to any rifle. The lock time of the Models 591 and 592 is the fastest of any rim fire made today. What's lock time? It's the length of time, measured in a millisecond, between the release of the trigger sear and instant ignition. This means better accuracy, no trigger movement to pull the gun off target.

Nylon 77 Clip Automatic Priced at \$49.95

The unprecedented popularity of the Nylon 66 is directly responsible for the innovation of another new 22 cal. autoloader, the Nylon 77. This sleek little 4 lb. beauty has the looks, feel, and balance of the Nylon 66 but features a removable clip magazine for fast loading and unloading.

Designed with rugged handling in mind, the stock of the Nylon 77 is guaranteed not to warp, crack, chip, fade, or peel for the life of the rifle—or we will replace it free. No other manufacturer makes this claim. Remington's quite proud of the Nylon 77 and we have every reason to believe our customers will be too.



The Strongest Rim Fire Bolt Action Rifle Ever Made

Comparative Ballistics

| i 🏄 | Cartridge | Bullet Weight | | Trajectory Muzzio Riflo sighted in at 100 yds * | | | Wind, Deflect, | |
|-----|----------------------------------|-----------------|-----------------|---|---------|----------|----------------|---------------|
| | | & Style | Velecity F.P.S. | Energy Ft. Lhs. | 50 Yds. | 100 Yds. | 150 Yds. | At 100 Yds.** |
| _ | 5mm Remington Rim Fire Magnum | 38 Gr. P.L.H.P. | 2100 | 372 | +0.9 | ⊕ | —4.3 | 5.4 |
| | 22 Long Rifle | 40 Gr. Lead | 1285 | 147 | +3.1 | ⊕ | -11.1 | 8.6 |


(Irislance Above ()) or Below (—) the Line of Sight for Iron Sights 17 Inches Above the Bore Asis.

**Some a Wind of 15 M.P.H. Perpendicular to Line of Fire, P.L.H.P. — "Power-Lokt" Hollow Point.



Remington Bolt Action 22 Caliber Rifles...Models 580, 581 and

582-Priced from \$39.95 **Model 514**-Priced at \$26.95



Models 580 Single Shot, 581 Clip Repeater and 582 Tubular Repeater

They have the look, feel and balance of big game center fire rifles — plus the strongest, most powerful bolt ever designed into a 22 caliber hunting rifle.

A left hand model 581 with the bolt on the left side is available for southpaw shooters. It is the only left hand bolt action rim fire rifle ever manufactured in America, another first from Remington.

The 580 series feature an artillery type bolt with rear lock-up. Six extra-heavy rotary locking lugs at the back engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it — work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel.

Here is strength that has never been equaled in any 22 bolt action hunting rille. Actually, there's more built-in strength here than you'll ever need, but it's nice to know your rille is designed with this plus factor.

(Remington looked at all the other deice strable features that make up a fine big game rifle . . . and we put them into this new rim fire line. Here they are:

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean—no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger. Everything about these new rilles is man-size. There's no corner cutting anywhere.

FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheekto-stock lit that means more hits — with or without a 'scope. And there's no skimping on the fore-end, it's long, tapered, man-size to prevent canting and provides a good secure grip.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety - - forward for fire; rearward for safe.

TWO EXTRACTORS are standard on this series of 22 rifles. Remington feels that two are better than one (so you get 2). Another extra at no extra charge.


SIGHTS are rugged, similar to those on big gaine rifles. Bead front sight and U notch adjustable rear with lock screw. You'll hit what you aim at with these sights. ROUND STEEL RECEIVER means bedding into the stock can be more precise, which in turn contributes to line accuracy. The receiver is also grooved for tip-off scope mounts. Actually, it is the strongest, most rigid receiver of any 22 bolt action hunting rifle because there are no slots or notches to weaken it, bolt handle isn't used as a lock-up lig. Here again, Remington designers made it like a center fire rifle. Costs the shooter no more, its an extra bonus he pets because of good design.

BOLL COVER keeps dirt and bad weather out. Assures anooth operation within Adds to streamlining of the rifle too. Here's an accuracy combination that's hard to beat a mall three models. 580 single shot, 581 chp repeater and 582 tubular repeater.

Model 514

Here is an excellent 22 cabber ritle at a popular price. It is a single shot bolt action model with a self-cocking bolt rotary thumb safety, and takes all 22 cabber eartridges—short, long or long ritler standard velocity or liigh speed. For the young shooter it is also available as Model 514 BR, with shortened stock

4 1 — MODEL 514, Single Shet, \$28,95 2 — MODEL 580, Single Shet, \$39.95 3 — MODEL 581, Clip Repeater, \$49.95 4 — MODEL 582, Tabular Reseater, \$54.95



Remington Models 40XB "Rangemaster", 40XB-BR Bench Rest Target Rifles...Model 540X 22 Caliber Match Target Rifle... International Free Rifle

Model 40XB "Rangemaster" (Rim Fire Model) Priced from \$184.95


Exclusive loading platform provides straight line feeding; no shaved bullets. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate, adjustable sling swivel and hand-stop are standard equipment. Other features are: extra strong bolt with double extractors, crisp trigger with positive adjustments for weight of pull, wide trigger for more uniform pull and comfort, thumb operated hatety. The receiver is drilled and tapped for all standard sight mounts, telescope and metallic Redfield Olympic front and rear sights optional, A new long rail for the adjustable fore-end stop and palm rest makes shooting good scores easier.

Model 40XB "Rangemaster" (Center Fire Model) Priced from \$235.00

Now available in repeating models for use in National Match Courses, the 40XB is designed with clip slots for the conventional five shot clip. (Available in heavy barrel models only). It loads from the top of the receiver and the magazine has a hinged floor plate. Repeating models are provided only in calibers equal to or shorter than the loaded length of the 308 cartridge.

The 40XB center fire repeating rifle is ideal for the rapid fire events, especially in the 7.62mm NATO (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand hedded and the barrel is free floating. The 40XB meets the National Bench Rest Association rules for the Heavy Varnint Class with most target telescopes (Max. weight 13½ lbs.) Stain-



less steel barrels are supplied as standard on all magnum and varmint calibers except 222 Rem., 222 Rem. Mag., 223 Rem., 308 Win. and 30-06 Spfd. Stainless 40XB barrels are not blued. 40XB "Sporter" (22 long rifle version of Model 700 "Custom") available on special order.

Model 40XB-BR-Bench Rest (Center Fire) Priced at \$275.00

Built with all the features of the extremely accurate Model 40XB-CF but modified to give the competitive bench rest shooter a standardized rifle that provides the inherent accuracy advantages of a short (20") heavy, extremely stiff barrel. Wider, squared off fore-end gives a more stable rest on sand bags or other supports. In combination with the new Remington target 'scope, the resulting package weighs just under 101/2 lbs. and meets weight limitations for the sporter and light varmint classes of National Bench Rest Shooters Association competition. For shooters competing in the heavy varmint class, a 131/2 lb. 26" barrel version is available.

Remington 20 Power Target 'Scope Priced at \$159.95

Remington's new 20 power rifle 'scope is designed primarily for accuracy in critical bench rest shooting. Its relatively short length permits fore and aft receiver mounting, and climinates the need of a

forward mounting on the barrel. Produced in 20 power only, the target 'scope contains optics of the highest quality. Because of its lighter weight, shooters have greater flexibility in assembling rifle and 'scope combinations to meet National Bench Rest Shooters Association weight limitations.

Model 540X Match

Target Rifle Priced from \$99.95

The Model 540X has all the design features and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and junior shooter, the Model 540X is super accurate, well balanced, and loaded with extras. To continually punch holes in the X ring with any rifle, you need a gun with a good crisp trigger pull. The 540X has a fully adjustable trigger that does exactly that. The secret's in its fast lock time.

A unique feature of this ritle is its fiveway adjustable butt plate. The stock can be adjusted with the same wrench for length of pull, vertical, pitch or cant (left or right).

International Free Rifle (Rim Fire and Center Fire) Priced from \$365.00

The International Free Rifle teatures the 40XB action, precision heavy barrel, a Remington designed adjustable butt plate and hook, adjustable palm rest, adjustable front sling swivel and 2-ounce trigger. Left-hand stock supplied at extra charge.

- 4 1 MODEL 40XB, 22 Cal. Rim Fire Target Rifle, \$184.85 (Target Sights Extra) 2 MODEL 540X, 22 Cal. Match Target Rifle, \$119.95
 - 3 MODEL 40XB BENCH REST, Center Fire, 222 Rom., Stainless Steel Barrel, Target Rifle, \$275.00 (Target 'Scape Extra)
 - 4 INTERNATIONAL FREE RIFLE, Contor Fire, 222 Rom. \$385.00

(Complete Specifications on Pages 28 and 29)

Models 591 and 592

| | 900 |
|--|--|
| Model 592 Tubular Repeater Model 591 — Extra 4-shot Clip Model 591 Sling Strap & Swivels (Installed) 6 | 860 \$64.95 862 \$69.95 408 \$3.50 6 426 \$5.40 |
| | |

MELA NYLON

| A STATE OF THE PROPERTY OF THE PARTY. | Prairie Austr | and a second | Retail | Prices * |
|--|---------------|------------------------------|--------|----------------------------------|
| Nylon 77 Extra 5-shot Clip Extra 10-shot Clip Sling Strap & Swivels (Installed) | | 5532 4914 9828 6418 | 4 | 9.95 (7) 2.75 3.50 5.40 |

Nylon 66

| H | res 22 Calles Blins | Greer Nes. | Retali Prices* | |
|---|---|--------------|---|---|
| į | Nylon && MS "Mahant Braus" Astamatic | | \$54.95 | , |
| ٠ | Nyles 66 AB "Apache Black" Automotic " | 3 5486 | \$59.95 | |
| | Nytee 66 93 "Gellery Speciet" (22 Shorts Only) Bling Strap & Swivele (Installed) | 5512 6418 | #: \$64.95 # ^{(1,5} \$ 5.40 | 4 |

He generating that the stocks of the Myles 77 and Myles 66 will not warp, crack, chip, and or send for the life of the religious or me will replace it from

Models 580, 581 and 582

| Bott Action 22 College Million | Brder Nos. | Retail Prices* |
|---|---------------|--------------------|
| Model 580 Single Shot Smeath Bors | 9852 9864 | \$39,95 \$44,95 |
| | 9854 | \$49.95 |
| Model 581 Clip Repositor East Hand | 9838 9856 | \$54.95 \$54.95 |
| Models 580, 581 Sling Strap & Surinels (Installed) Model 562 Sling Strap & Surinels (Installed) | 6426 6428 | \$ 5.40 \$ 5.40 |
| Model 681 - Estra Sebet Ciler | 4914 | 2.75 |
| man and _ conta taken man to being the contact | | 4 0.00 |

Model 514

| The state of the s | Order Nos. | Retail Prices* |
|--|------------|----------------|
| Model 514 Single Steet | 5572 | \$26.95 |
| Model 514 BR Single Shot Boy's Rifle | 5582 | \$26.95 |

Models 552, 550 and 572

| | 1777年中的中国的特别 | Order Hos. | Ratall Prices* |
|--|--|--|---|
| 552 552 55 2 55 2 | A Automatia C Carbine SOL Delane G: "Gallery Special" (22 Shorts Only) E Strap and Swiyels Gratalled | 5608 1,5612 9830 2,5610 6439 | \$64.95 \$64.95 \$74.95 \$76.95 \$ 7.50 |
| H-14 | Now by America Statutes | 5596 * 6428 | \$59.95 \$ 5.40 |
| 572 572 572 \$14 | 572 32 College Stide Antice Stiffs A BOL Delume SB Smooth Born A Strap and Swisch Contailed | 5626 9832 5628 8432 | \$64.95 -, \$74.95 \$74.95 \$ 7.50 |

REMINGTON RIM FIRE RIFLES

NEW Models 591 and 592

SPECIFICATIONS: ACTION — All bolt action. M/591 ctip repeater, M/592 tubular repeater. CALIBER — 5mm Remington Rim Fire Magnum, CAPACITY — M/591, 4 in magazine, 1 in chamber; M/592, 10 in magazine, 1 in chamber. BARREL — 24 inch ordnance steel, crowned at muzzle. STOCK — Monte Carlo type, full size, butt plate and grip cap. SIGHTS — front, bead, dovetail, adjustable; Rear — U notch type, lock-screw adjustable. BOLT — Rear lock-up, 6 locking lugs, two stage extraction permits bolt to enclose cartridge head. RECEIVER — Round, ordnance steel, grooved for 'scope mounts. SAFETY — Rotary thumb safety. OVER-ALL LENGTH — 42-34". WEIGHT — M/591, 5 lbs; M/592, 5½ lbs.

NEW Nylon 77

SPECIFICATIONS: Same as Nylon 66 except 5 shot clip magazine. Extra 5 and 10 shot clips available.

Nylon 66

SPECIFICATIONS: ACTION — Automatic. CALIBER — 22 long rifle Rim Fire. CAPACITY — Tubular magazine thru butt stock. Holds 14 long rifle cartridges. BARREL — 19% inch, precision rifled, Remington Ordnance Steel. STOCK — One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. SIGHTS — Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY — Top-of-grip. RECEIVER — Grooved for "tip-off" 'scope mounts. OVER-ALL LENGTH — 38½". COLOR — Mohawk Brown with bluerly barrel and receiver. Apache Black with chrome plated barrel and receiver cover. WEIGHT — 4 lbs.

Models 580, 581 and 582

SPECIFICATIONS: ACTION — All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER — 22 rim file, short, long, or long rifle cartridges. CAPACITY — M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. BARREL — 24 inch ordnance steel, precision rifled, crowned at muzzle, STOCK — Walnut linish, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS — Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. BOLT — Artillery style, lock-up at rear, 6 locking lugs, double extractors. BOLT — Round, ordnance steel, grooved for 'scope mounts. SAFETY — Positive, serrated thumb type, forward for file, rearward for safe. OYER-ALL LENGTH — 42%". WEIGHT — M/580 5 lbs., M/581 5½ lbs., M/582 5½ lbs., M/582

Model 514

SPECIFICATIONS: ACTION — Bolt action, single shot CALIBER — 22 short, long, long rifle rim fire. CAPACITY — Single shot. BARREL — 24 inch, precision rifled, Remington ordnance steel. STOCK — Walnut finished, full sized, black butt plate. SIGHTS — Bead front sight, open rear. SAFETY — Rotary thumb safety. RECEIVER — Made from solid steel. OVER-ALL LENGTH — 41 inches. Boy's rifle 40 inches. WEIGHT — 4½ lbs.

Models 552, 550 and 572

SPECIFICATIONS: MODEL 552: ACTION — Automatic. CALIBER — 22 Rim Fire. CAPACITY — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. SIGHTS — Adjustable rear sight, bead front Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw STOCK — Models 552 and 572 rich American walnut, BDL has RK W finish Model 550, full length, walnut finish. SAFETY — Cross boit type. RECEIVER — Grooved for "tip-off" scope mounts. OVER-ALL LENGTH — 42"; 40" (Carbine). WEIGHT — 5½ lbs.

MODEL 550: Same as Model 552 except: SAFETY — Thumb style. OVER-ALL LENGTH — 431/2". WEIGHT — 61/4 lbs.

MODEL 572: Same as Model 552 except: ACTION - Pump, repeater.

21

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

Model 540X Match Target Rifle

NPECIFICATIONS: ACTION — Bolt, single shot. CALIBER — 22 cal. rim fire, rong Rifle only. CAPACITY — Single loading. SIGHTS — Redfield #63 front Redfield #75 rear (sights optional). SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. RECEIVER — Drilled and tapped for iron sights or 'scope mounts, rear sight bracket. BARREL LENGTH — 76" Over-all rifle length 43½" to 47½". LENGTH OF PULL — 12¾" to 15½". STOCK — length 30¾", thumb cuts, 5 way adjustable butt plate, if front swivel block, sling and sling swivel opitional. Common sight imment with 'scope or iron sights. WEIGHT — with sights 8 lbs. 8 oz.; without sights 8 lbs. 2 oz.

Model 40XB (Rim Fire)

PECIFICATIONS: ACTION — Boit, Single Shot. CALIBER — 22 rim fire, ong Rifle only. CAPACITY — Single loading. SIGHTS — Redfield Olympic and & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — three & tapped for iron sights or scope mounts. BARREL LENGTH — 28". Ver-all rifle length 47". LENGTH OF PULL — 13½". (Trigger adjustable to 3½ lbs.) STOCK — American walnut. Palm rest & front swivel block, justable on base. WEIGHT — With Redfield sights heavy barrel 12½ lbs. midard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.

Model 40XB (Center Fire)

PECHICATIONS: ACTION - Bolt, Single Shot & Repeating, CALIBERS rigie Shet - 222 Rem., 222 Rem. Mag., 223 Rem., 25-06 Rem., 22-250 cm , 6 mm x 47 (6 mm .222 Mag.), 6 mm international (6 mm on 250 av. case), 6 mm. Rem. (244 chamber), 243 Win., 6.5 mm. Rem. Mag., 7 mm. nem Mag., 7 62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag., 300 Am Mag) Repeating - 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223 Rem., 25-06 Rem., 243 Win., 6 mm x 47 mm, 6 mm Rem., 6 mm at , 22-250 Rem. Calibers whose over-all loaded length is equal to or shorter tion the 308 CAPACITY - Single loading and repeater, (Loads from top of eceiver). SIGHTS — Redfield Olympic front & rear sights optional. SAFETY Thumb operated safety, positive. RECEIVER - Drilled and tapped for e allic sights and telescope mount bases. Target type blocks furnished, AMREL LENGTH - 271/4" free floating. Overall length of rifle 47". LENGTH FULL = 13½ ". Trigger adjustable 1 to 3½ lbs. 2 ounce Trigger available 100 extra. STOCK - Selected American Walnut. Fore-end stop and sting +1 adjustable on base, AVERAGE WEIGHT -- Without Sights: Heavy Barrel in Ibs. Standard Barrel 9% Ibs.

nternational Free Rifle (lim Fire • Center Fire)

d slock, a Remington designed adjustable butt plate with interchangelibber plate and hook, adjustable palm rest, adjustable front sing Jounce trigger. Lett-hand stock supplied at \$25 extra cost. Center inbers 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on order.

REMINGTON TARGET RIFLES

ORDER NUMBERS AND PRICES

Model 540X

| Madel 540X | Order Nes. | Retail Prices* |
|---|---------------|-------------------|
| 540X Match Rifle (without sights) | 9796 | \$ 99.95 |
| 540X Match Rifle (with sights) | 9794 | \$119.95 |
| 540X Match Rifle (without sights) 540X Match Rifle (with sights) Sling Strap with Front Swivel Block Assembly (installed) | 6420 | \$ 6.95 |

Model 40XB (Rim Fire)

| Medel | 40 XB "Rangemaster" — Rim Fire | Order Nos. | Retail Prices* |
|----------|---|---------------|-------------------|
| S1 H1 | Std. Barrel with Sights, Rim Fire—22 Cal. Heavy Barrel with Sights, Rim Fire—22 Cal. | 5674 5670 | \$219.95 |
| H2 | Heavy Barrel without sights, Rim Fire-22 Cal. | 5672 | \$184.95 |
| \$2 | Std. Barrel without Sights, Rim Fire—22 Cal. | 5676 | \$159.95 |
| Kemit | igten Target 'Scepe | 5712 | \$122.92 |

Model 40XB (Center Fire)

| Medel 40 XB "Rangemaster" — Center Fire | Order Nes. | Retail Prices* | |
|---|--------------------|-------------------|--|
| CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire | Special Special | \$235.00 | |
| Extra for repeating Center Fire Models (Heavy Barrel Only) | | \$ 20.00 | |
| Extra for calibers requiring stainless barrels | | \$ 20.00 | |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (12 weeks or more for center fire models) | | \$ 40.00 | |
| Medel 40 XB Banch Rest | Special | \$275.00 | |
| Remington Target 'Scope | 5712 | \$159.95 | |

International Free Rifle

| international Free Rifle | Order Nes. | *Retall Prices* |
|--|---------------|--------------------|
| International Free Rifle, Rim Fire & Center Fire | Special | \$365.00 |

"Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program; In 9ther states, these are recommended minimum prices.

29 🍇 😘 🤧



Remington Model 7(1971 Polt Action Center Fire Rifle... Available in 17 Calibers Including The New 17 Remington

you want a rifle that's rugged, dependable, this accurate, distinctive, the world's strong-travailable in a dozen or more calibers, and unit like a Rolls...you want a Remington bodel 700.

This year, you can choose from 17 differmealibers, including the latest, hottest, and the smallest commercially loaded center fire an indge—the 17 Remington. This 4,000 plus obsper-second cartridge is just what the varint-small-game-accuracy shooter has been sing and waiting for. And only Remington incerning and the Model 700 can deliver this pie cartridge with the accuracy and power to serves.

With this latest addition, the Model 700 tters a caliber selection unmatched in the innistry. The Model 700 has a caliber for every spe of hunting from varmints to elephants—even magnum calibers and seven varmint all bers. It's the ideal gun for the shooter look-income the linest design and largest selection of the cuton rifle.

or the linest design and largest selection of action rifle.

ENGTH—Tests have proven the Model of action is the strongest bolt action center a ever made. It's just the ticket for hand-aders who want strength where strength sclongs. The secret is in the three rings of solid teel that surround the cartridge head. There is no extractor cuts to weaken this critical area.

WPEARANCE—The Model 700 has the aplearance of a far more expensive rifle. The distinctive ADL grade has a jeweled bolt that retains lubrication, a shrouded bolt cover to keep out dirt and grit, a restyled stock with attractive checkering to improve pointing, balance, and grip, and a unique low profile safety that will not accidentally move on or off. Whiteline spacers at the butt plate, fore-end tip, and pistol grip, and "quick-adjust" sling strap with swivels are standard on BDL models.

Along with these features, the Model 700 offers the shooter the same list of extras that have made it the best selling bolt action rifle. ACCURACY—Like all Remington firearms, the Model 700 is built one at a time by the world's finest gunsmiths. This care assures snug bedding, precision working parts, and a short crisp trigger pull. When you fire a Model 700, you hit what you aim at.

CRAFTSMANSHIP—The traditional beauty of fine checkering is accented with an exclusive, tough, hard, scratch-resistant Du Pont wood finish called RK-W.

EXTRA FEATURES—All Model 700 rifles have Monte Carlo stocks with cheek piece, checkered bolt knobs and detachable sights for scope users. The 700 receiver is drilled and tapped for scope mounts.

To make sure you get the most from this highly accurate and well built rifle, be sure to use Remington-Peters "Core-Lokt" or "Power-Lokt" center fire ammunition. It's the ammunition used to sight-in and test all Model 700

MODEL 700 BDL "VARMINT SPECIAL"

For 1971, this heavy barreled varmint rifle is available in six great varmint calibers including the new 25-06 Remington. The Model 700 "Varmint Special" is designed for small targetiong range precision shooting. Additional calibers include the 222 Remington, 223 Remington, 22-250 Remington, omm Remington and 243 Win. Its heavy barrel eliminates whipping and the result is superb accuracy enough to put the Model 700 "Varmint Special" in a new accuracy class. It's equipped with scope bases, lunged floor plate, quick release swivels and "quick-adjust" sling strap. Monte Carlo stock with check piece. RK-W wood finish and custom checkering

MODEL 700 "CUSTOM" RIFLE

If you're interested in an "extra special" Model 700, the Model 700 "Custom" is the rifle for you. Available on special order only, the Model 700 "Custom" offers you a choice of tailored specifications. It's available in a variety of calibers and features a select American Walnut stock, hand checkering, a highly polished barrel (with or without sights) and highly polished receiver for the finest blueing possible. The Model 700 "Custom" is the finest in Remington gunmaking.



JEL 700 ADL DELUXE, 30-06 Spfd., \$148.85

15

Model 760 "Gamema________ ump Action Rifle, Left And Right Hand Models-Model 788 Bolt Action Rifle, Left And Right Hand Models-

MODEL 760 "GAMEMASTER"

cou already own a pump shotgun, the Remton Model 760 will feel right the moment or pick it up.

Why? Let's start with the action bars. Model 760 has two of them. When you ip the action, the fore-end doesn't twist or it comes back straight and fast in a aboutable natural movement. Your finger iccleaves the trigger as it does in a lever conflicting you stay on target for fast administration. If they're needed.

Point two. The receiver and interior workcoats are put through our exclusive "vibraang" process. They come out mirror smooth I shiny – free from metal burrs that cause gash operation. The friction-free parts op-

are with silky-smooth ease.

Point three. It looks distinctive. All Model have the exclusive gleam that comes Du Pont RK-W wood finish. They also distinctive black fore-end tips and grip white line spacers, and streamlined beaof fore-ends. Standard grades have skip streckering and the BDL Deluxe grade fea--basket weavecheckering and Monte Carlo Ewith cheek piece tavailable in left hand 1005 (00). An 1812" barrel carbine version conting in heavy brush is also available. Foint lour. It's strong. The Model 760 is only pump action rifle strong enough to alle the powerful 30-06 Springfield undge. The secret is in the 760's solid steel liver and super-strong artillery type bolt. Add up these four points plus fast, removthe magazine clips and receivers that are ii ed and tapped for scope mounts, optional it hand BDL models with reversed safety al cheek piece on left side for southpaw noters, and you'll know why the Remington Model 760 is the quality leader in the center fire pump action field.

THE REMINGTON MODEL 788 BOLT ACTION RIFLE— EXTREMELY ACCURATE, EXTRA STRONG, AND UNBELIEVABLY INEXPENSIVE.

These statements are all true. In just four years, the Model 788 has built up a tremendous reputation among hunters and shooters.

It was built for the sportsman who wanted a low price big game rifle in popular, modern cartridges. The 788 gave him that in both left and right hand models.

The Model 788 was also designed to give good accuracy. It delivered that plus. Take the outdated 30-30 for example. The 788 shot groups with this cartridge that could have put it in the far more expensive target rifle class. Try the Model 788 in 22-250 or 6mm Remington and you'll see what pin-point accuracy is like.

The unusual accuracy of the Model 788 comes from its extremely fast lock time (the interval between pulling the trigger and primer ignition). The lock time is so fast that the bullet has left the 788's barrel before a comparative bullet in a competitive gun has left the cartridge case.

In short, the trigger pull is crisp, with no drag, and that means you'll hit what you aim at.


To handle the potent 22-250 Renungton, the Model 788 had to be strong. The secret of the 788's strength is in the nine locking lugs on the bolt and the grooved receiver Together, they lock up tight and secure.

With terrific accuracy, extra strength, and allow price going for it, the Model 788 is a tough

rifle to beat.

You can't beat Remington-Peters big game cartridges either. They're the cartridges used to test and sight in all 788's and 760's at the factory. These rifles, combined with Remington-Peters big game cartridges are "Partners in Power and Accuracy."





11 760 ADL, 30-06 Spid., \$148.85

.

REMINGTON CENTER FIRE RIFLES



Model 700 ORDER NUMBERS AND PRICES

| | | | | Barrel | Length | Overall | Length | Weigh | t Lbs. | 70 | O ADL | 70 | O BDL | Varmi | nt Special | Custom | Model ★ |
|-----|---|----------|----------------------------|--|--|--|--|----------------------------------|-----------|--|-------------------|--|-------------------|--|-------------------|---|-------------------|
| | Calibers | Cap. | Twist-R H 1 Turn in | Rog. | Var. | Rog. | Var. | Reg. | Var. | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| NEW | 17 Rem. | _ 6 | 9~ | 24~ | | 431/2" | | 7 | | | | 6046 | \$184.95 | | | | |
| | 22-250 Rem. 222 Rem. 223 Rem. 25-06 Rem. 6 mm Rem. 243 Win. 270 Win. 30-06 308 Win. | 56655555 | 14" 12" 10" 9" 10" 10" 10" | 24" 24" 24" 22" 22" 22" 22" 22" | 24" 24" 24" 24" 24" 24" | 43½" 43½" 41½" 41½" 42½" 42½" 42½" | 43½** 43½** 43½** 44½** 43½** 43½** | 7 7 7 7 7 7 | 9 9 9 9 9 | 6054 6052 5954 6056 6058 6062 6078 6076 | \$149.95 | 5944 6082 6084 6088 6102 6100 | \$169.95 | 6118 6116 6120 6048 6122 6124 | \$184.95 | Special Special Special Special Special Special Special Special Special | \$ 345.00 |
| | ●7 mm Rem. Mag. ●264 Win. Mag. ●6.5 Rem. Mag. ●350 Rem. Mag. ●300 Win. Mag. | 4 4 4 4 | 9" 9" 16" 10" | 24" 24" 24" 24" 24" | | 44½" 44½" 43½" 43¾" 44½" | | 7½ 7½ 7½ 7½ 7½ 7½ | | 6074 | \$164.95 | 6098 6086 5924 5926 6104 | \$184.95 | | | Special Special Special Special Special | \$357.00 |
| | •375 H&H Mag. •458 Win, Mag. | 4.4 | 12" 14" | 24" 24" | | 44½" 44½" | | 9 9 | | | | 6106 6108 | \$ 344.95 | | | | - |

Model 788 ORDER NUMBERS AND PRICES

| Calibera | CUp Mag. Cap. | Twist-R H,1 Turn in | Bbl. Lgth. | O.A. Lgth. | Av. Wt. Lbs. | Order Nas. | Retail Prices* | |
|--|-------------------------------------|--------------------------------------|--|--|----------------------------------|--|--------------------|--|
| Medel 788 | | | | | | | | |
| 222 Rem. 22-250 Rem. 6mm Rem. 243 Win. 308 Win. 30-30 | 4 3 3 3 3 | 14" 14" 9" 9" 10" 10" | 24" 24" 22" 22" 22" 22" | 43 % " 43 % " 42 42 42 42 41 % " | 7½ 7½ 7¼ 7¼ 7¼ 7¼ | 9722 9736 9784 9782 9780 9738 | \$ 99.95 | |
| Model 788 (Left Hand) 6mm Rem, 308 Win. | 3 3 | 9″ 10″ | 22** 22** | 42" 42" | 7¼ 7¼ | 9786 9788 | \$104.95 | |
| Sling Strap & C Extra Clip (Spe | luick Release Swiv cify Caliber) | els (installed) | | | <u> </u> | 6426 | \$ 5.40 \$ 4.50 | |



Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK—American Walnut. If L and Varmint Models include sling strap and quick release swivels, black love-end tip and white line spacers. 13%" length of pull, 2%" drop at heel, 1% of drop at comb (from open sight line) checkered. SIGHTS—Flat faced gold field with ramp front sight (hooded ramp on BDL model). Step adjustable rear lit with windage adjustment screw. Reasinght removable for addition of block without drilling or tapping armint model has no sights. TYER—Drilled and Tapped for scope mounts and receiver sights. BDL in has hinged floor plate. Varmint model has 40XB type scope mounts.

1310M MODEL 700—Manufactured to customer specifications—choice of 1, 22" and 24" barrel—with or without floor plate—with hunting sights, or an barrel with receiver drilled and tapped for "scope mounts—length of pull 13%" up to 14" with recoil pad—extra charge for recoil pad, oil finished is and left hand cheek piece—orders non-cancellable—allow up to four ins for delivery. Only ordnance steel barrels supplied.

lodel 788

FICATIONS: STOCK—Walnut finished hardwood, Monte Carlo type. 13%" frof pull, 2%" drop at heel, 1%" drop at comb (from open sight line), HTS: Blade front sight on ramp is detachable. U notch rear sight lock ow adjustable for windage and elevation, Rear sight barrel holes correct target scope block, RECELYER -Drilled and tapped for scope mounts and eriver sight. Detachable clip magazine.

Model 742

PICIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber, STAND-BI) STOCK DIMENSIONS—Stock and fore-end: American walnut, 13½" length in ull, 2½" drop at heel, 1½" drop at comb. Deluxe Model: 13½" length of all 2½" drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo, ICELYER—Drilled and tapped for scope mounts. Removable clip magazine, that a faced gold bead with ramp front sight. Step adjustable rear to relevation, with windage adjustment screw. WEIGHT—Approx. 7½ Carbine 6½ lbs.

Vlodel 760

PI CIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber. STAND-HI STOCK DIMENSIONS -Stock and fore-end: American walnut. 13½" length [MI. 2½" drop at heel, 1½" drop at comb. Deluxe Model: 13½" length 1. 2½" drop at heel, 1½" drop at comb, 1½%" drop at Monte Carlo. ½!VIR. Drilled and tapped for scope mounts. Removable clip magazine. GHTS—Flat faced gold bead with ramp front sight. Step adjustable reartiful for elevation, with windage adjustment screw. WEIGHT—Approx. 7½ Carbine 6¾ lbs.

Model 742

ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nos. | Retail Prices* | |
|--|--------------------------|---------------------------------|---------------------------------|--------------------------------------|--------------------|--|
| Model 742 6mm Rem. 280 Rem. 30/06 308 Win. 243 Win. | 9" 9" 10" 10" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 9632 9634 9636 9638 9648 | s 169.95 | |
| Model 742 Carbine 30/06 308 Win. | 10" 10" | 181/2" 181/2" | 38½" 38½" | 9670 9672 | - | |
| Model 742 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand | 10" 10" 10" 10" | 22" 22" 22" 22" | 42~ 42" 42" 42" | 9666 9668 9640 9644 | \$ 189.95 | |
| Model 742 B "Peerless" | Grade | 4 | | Spec. | \$ 595.00 | |
| Model 742 F "Premier" | Grade | | | Spec. | \$1,295.00 | |
| Sling Strap & Quick Release Swivels (Installed) Extra 4-Shot Clip | | | | | \$ 9.10 \$ 5.25 | |

Deluxe models with left hand cheek piece have left hand safeties—both at no extra charge.


Model 760

ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn In | | | Order Nos. | Retail Prices* |
|--|---------------------------------|--|--|--|-------------------|
| Model 760 6mm Rem. 270 Win. 30/06 308 Win. 243 Win. | 9" 10" 10" 10" 9" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 5900 9726 9730 9732 9678 | \$ 149.95 |
| Model 760 Carbine 30/06 308 Win. | 10" 10" | 18½" 18½" | 38 ½" 38 ½" | 9698 9714 | |
| Medel 760 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand 270 Win. 270 Win. Left Hand | 10" 10" 10" 10" 10" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 9692 9694 9706 9710 9708 9712 | \$ 169.95 |
| Model 760 D "Peerless" | Grade | | | Spec | מס יהיה \$ |
| Madel 760 F "Premier" | Grade | | | Spec. | \$1,295.00 |
| Sling Strap & Quick Release Swivels (installed) Extra 4-Shot Clip | | | | 6096 Specify Caliber | \$ 910 \$ 4.50 |

Deluxe models with left hand cheek piece have left hand saleties - both at no extra charge.





Remington Models 5' 1971 592 Chambered for The 5mm Rem. Rim Fire Magnum. Model 572 Pump Action 22 Caliber Rim Fire.

AODELS 591 and 592 wiced from \$69.95

Remangton Models 591 clip repeater and tubular repeater bolt action rifles are ambered for the sensational 5mm Remington. The magnum cartridge. Why sensational? The magnum cartridge with sensational? The magnum cartridge with the fastest rim fire artridge ever made (muzzle velocity 2100 per second)—the most accurate rim fire ting cartridge and the only rim fire cartimade with the super accurate "Powerbullet It looks like a center fire cartridge at this the accuracy of a center fire cartridge reat for small game, varmint hunting, and amal target shooting. Other outstanding mes of the Models 591 and 592 are:

SIX EXTRA HEAVY ROTARY LUGS on toolt engage grooves in the solid steel resolution to logether they lock up tight, like a bank in Here is extra strength to handle the cortul 5mm Remington rim fire magnum rindge. BOLT COVER at rear keeps out and grit. UNIQUE TWO STAGE EX-ACTOR permits the bolt to completely en-

close the cartridge head—assures utmost safety. FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch lock screw rear. ROUND RECEIVER means bedding into the stock can be more precise which, in turn, contributes to fine accuracy. The receiver is also grooved for tip-off scope mounts. ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle, polished and blued for good looks and long wear. NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety-forward for fire, rearward for safe. Marked "F" for fire; "S" for safe. MATCH TRIGGER QUALITY-A good trigger pull is an important asset to any rifle. The lock time of the Models 591 and 592 is the fastest of any rim fire made today. What's lock time? It's the length of time, measured in milliseconds, between the release of the trigger sear and instant ignition. This means better accuracy, no trigger movement to pull the gun off target.

MODEL 572 "FIELDMASTER" PUMP ACTION Priced from \$69.95

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best...action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" scope mounts. Capacity is large; tubular magazine holds 20 Short, 17 Long or 15 Long Rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index linger. The Model 572 is beautifully streamlined and balanced-rugged and dependable like Reinington big game rifles and shotguns. BDL deluxe models feature extra tough RK-W wood hinish, custom checkering, grip cap, and hig game type

REMINGTON MAGNUM

Fable in both Remington and Peters brands, the 5mm Remington Magnum has a 38 grain cover-Lokt" hollow point bullet. Needle point accuracy with perfect expansion goes hand in aid. The lastest run fire cartridge ever and the hardest hitting with more energy, less drift, crater accuracy, superior mushrooming.


| | BULLET | | VELOCITY— FT. PER SECOND | | ENERGY— FOOT POUNDS | | TRAJECTORY RIFLE SIGHTED IN AT 100 YDS. | | | |
|---------------------|------------|------------------------------|-----------------------------|-------------|------------------------|--------|---|-------------|--------------------|--------------------|
| an REMINGTON MAGNUM | err Mar | Style | Muzzie | 100 YDS. | 7150 705. | Muzzie | 100 TDS. | 150 YDS. | 100 YDS. Inches | 150 YOS. Inches |
| | 38 | "Power-Lokt" Hollow Point | 2100 | 1605 | 1400 | 372 | 217 | 165 | 0 | -4.3 |



RIM FIRE




50
HIGH VELOCITY
RIM FIRE
MAGNUM
CARTRIDGES



net. 592, Tubular Repeater, 5mm Rim Fire Magaum, \$74.95

21





Remington Bolt Act: /۶7/ Caliber Rifles... Models 580, 581, And 582, Left Hand Model 581, New Model 580 "Boys' Rifle"-

lodels 580 Single Shot, 581 Clip Repeater and 582 Tubular Repeater.

c 22s have the look, feel and balance of same center fire rifles—plus the strongest, c powerful bolt ever designed into a 22 ber hunting rifle.

the 580 series features an artillery type sigh rear lock-up. What does that mean in 11 means brute strength. When the closed on the cartridge, six rotary lock-ups are engaged in a grooved receiver. That's more strength than you'll ever the pressure is on ordinance steel locked ordinance steel not on a bolt handle locked a wooden stock. Try the action. It's silky-worth solid, secure and extra strong.

The new 580 "Boys' Rifle" has all the feaof the standard model 580 but the stock shorter for the young shooter

A left hand Model 581, with the bolt ade on the left side is available for south-shooters. It's the only left hand bolt action.

rim fire rifle made in America and it's another first from Remington.

Other great features of this super strong , rim fire series include:

HUNTING-TYPE TRIGGER that's wide and has a crisp, sharp, clean trigger pull withoutdrag. That means when you pull the trigger, you hit what you aim at. Another plus feature is a big, sturdy trigger guard that's roomy enough to handle a gloved linger.

FULLSIZE MONTE CARLO STOCK with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheek-to-stock fit and that means more hits with or without a scope. The fore-end is long, tapered and man-size to prevent canting giving you a good secure grip.

NON-SLIP THUMB SAFETY is con-

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. It gives you positive safety—forward for fire; rear-ward for safe.

DUAL EXTRACTORS give a two-handed grip on the cartridge to make sure ejection is fast and smooth without januting

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch adjustable rear sight with lock screw


ROUND STEEL RECEIVER makes stock bedding more precise and, in turn, contributes to fine accuracy. It's also growed for "up-off" score mounts.

BOLT COVER keeps dirt, gitt and bad weather out assuring smooth operation inside. It also gives the gun the streamlined look of a center free bit earner rife.

center fire big game rifle.


FOR THE BEST in accuracy and dependability, use Remington-Peres 22 caliber cartridges...the same cartridges used to test these rifles at the factory.

Put all of the 580 series features together and you will know what competition is shooting for.



BARBER - PRESALE R 0124057 2525045





Remington Models 46. Rangemaster," AXB-BR Bench Rest Target Rifles... Model 540X 22 Caliber Match Target Rifle... International Free Rifle.

10DEL 40XB "RANGEMASTER" RIM FIRE MODEL) 'riced from \$199.95

sclusive loading platform provides straight a feeding, no shaved bullets. High comb v.s same sighting plane for iron and teleope sights. Comb is grooved for bolt reoval. Mershon White Line non-slip rubber it plate, adjustable sling swivel and hand-plate standard equipment. Other learness extra strong bolt with double extractors, of trigger with positive adjustments for the double, wide trigger for more uniform fand comfort, thumb operated safety. The exercise drilled and tapped for all standard mounts, telescope and metallic Redfield oper front and rear sights optional. A long rail for the adjustable fore-end stop palm rest makes shooting good scores

ODEL 40XB "RANGEMASTER" NTER FIRE MODEL) d from \$249.95

wantable in repeating models for use in oal Match Courses, the 40XB is deal with clip slots for the conventional shor clip. (Available in heavy barrel is only). It loads from the top of the count the magazine has a hinged floor. Repeating models are provided only in sec equal to or shorter than the loaded the file 30X carringe.

The 40XB center fire repeating rifle is a for the rapid fire events, especially in 7.62mm NAFO (308) caliber, because of Jiorter bolt throw and extreme accuracy, 518 optimini weight for "over the

As a single shor model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. The 40XB meets the National Bench Rest Association rules for the Heavy Varmint Class with most target telescopes. (Max. weight 13½1bs.) Stainless steel barrels are supplied as standard on all magnum and varmint calibers except 222 Rem., 222 Rem. Mag., 223 Rem., 308 Win. and 30-06 Spid Stanless 40XB barrels are not blued. 40XB "Sporter" (22 long rifle version of Model 700 "Custom") available on special order.

MODEL 40XB-BR BENCH REST (CENTER FIRE) Priced at \$289.95

Built with all the features of the extremely accurate Model 40XB-CF but modified to give the competitive bench rest shooter a standardized rifle that provides the inherent accuracy advantages of a short (20°) heavy, extremely stiff barrel. Wider, squared off fore-end gives a more stable rest on sand bags or other supports. In combination with the new Remington arget—scope, the resulting package weighs just under 10°2 bs. and meets weight humantons for the sporter and light variant classes of National Bench Rest Shooters Association competition. For shooters competing in the heavy variant class, a 13°2 b, 26° barrel version is available.

REMINGTON . 20 POWER TARGET SCOPE Priced at \$169.95

Remington's new 20 power rifle scope is de-

signed primarily for accuracy in critical bench rest shooting. Its relatively short length permits fore and affreceiver mounting and chiminates the need of a forward mounting on the barrel. Produced in 20 power only the target scope contains optics of the highest quality Because of its lighter weight, shooters have greater flexibility in assembling ritle and scope combinations to meet National Bench Rest Shooters Association weight humations.

MODEL 540X MATCH TARGET RIFLE

Priced from \$99.95 The Model 540X has all

The Model 540X has all the design features and special attachments to make it the most accurate target tille in its class. Designed for the intermediate and jumor shooter the Model 540X is super accurate, well-balanced, and loaded with extras. To continually punch holes in the X-ring with any tille you need a pun with a good crisp trigger pull. The S40X has a fully adjustable trigger that does exactly that. The secret's in its last lock time.

A unique learnie of this ritle is its liver way adjustable but place. The closs can be adjusted with the same wiench for length of pull, vertical, pack or can teletror right?

INTERNATIONAL FREE RIFLE (RIM FIRE AND CENTER FIRE) Priced at \$395.00

The International Free Ritle learners the 30XB action, precision heavy barrel, at Remigron designed adjustable from plate and bask, adjustable palm rest, adjustable from sling swivel and 2-onnee trigger.



IEE 540X, 22 Cal. Match Target Rifle, \$119,65

(Complete Specifications on Pages 28 and 29)

22

REMINGTON TARC 1971 IFLES

Order Numbers, Prices and Specifications USE NUMBERS FOR ACCURATE ORDERING

Wodel 540X Watch Target Rifle

***CIFICATIONS: ACTION—Bolt, single shot. CALIBER—22 cal. rim fire, Long or only. CAPACITY—Single loading. SIGHTS—Redfield #63 front Redfield #75 rear (sights optional). SAFETY—Positive, serrated thumb type, forward in line, rearward for sale. RECEIVER—Drilled and tapped for iron sights or some mounts, rear sight bracket. BARREL LENGTH—26". Over-all rifle length 37½". LENGTH OF PULL—12¾" to 15½". STOCK—Walnut finished aritwood, length 30¾", thumb cuts, 5 way adjustable butt plate, rail. Front wivel block, sling and sling swivel optional. Common sight alignment with tupe or iron sights. WEIGHT—with sights 8 lbs. 8 oz., without sights 8 lbs. 2 oz.

Vlodel 40XB (Rim Fire)

FECIFICATIONS: ACTION—Bolt, Single Shot. CALIBER—22 rim fire, Long Rifle

1. CAPACITY—Single loading. SIGHTS—Redfield Olympic front & rear sights

1. Initial SAFETY—Thumb Safety, positive. RECEIVER—Drilled & tapped for

1. Initial or scope mounts. BARREL LENGTH—28". Over-all rifle length 47".

1. Initial of PULL—13½". (Trigger adjustable 1½ to 3½ lbs.) STOCK—Americanut, front swivel block, adjustable on base. WEIGHT—With Redfield

1. Initial or with the difference of the second of the se



todel 40XB (Center Fire)

: IFICATIONS: ACTION—Bolt, Single Shot & Repeating. CALIBERS—Single 222 Rem., 222 Rem. Mag., 223 Rem., 25-06 Rem., * 22-250 Rem., * 6 mm 16 mm. 222 Mag.), 6 mm Rem. * (244 chamber), 6 mm Int., * 243 Win., * oin Rem. Mag., * 7 mm Rem. Mag., * 7.62 mm Nato (308 Win.), 30-06, 138 * (.30.7 mm Mag.) 300 Win. Mag. * Repeating—7.62 mm Nato (308 Win.), Rein., 222 Rem. Mag., 223 Rem., 243 Win., * 6 mm x 47 mm, * 6 mm Rem., * oii Int., * 22-250 Rem. * 6.5 Rem. Mag. * Calibers whose over-all loaded their equal to or shorter than the 308. CAPACITY—Single loading and other (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety, positive (Loads from top of receiver) SAFETY—Thumb operated safety (Loads from top

duinless steel barrels only.

International Free Rifle Rim Fire • Center Fire)

CIFICATIONS: 40 XB type action, precision heavy barrel, a Remington ded adjustable butt plate with interchangeable rubber plate and hook, adpaim rest, adjustable front sling swivel, 2-ounce trigger. Center Fire 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on special order.

ORDER NUMBERS AND PRICES

Model 540X

| Medel 540X | Order Nos. | Retail Prices* |
|---|---------------|---------------------------------|
| 540X Match Rifle (without sights) | 9796 | \$ 99.95 \$119.95 \$ 6.95 |
| 540X Match Rifle (with sights) | 9794 | \$119.95 |
| Sling Strap with Front Swivel Block Assembly (optional) | 6420 | \$ 6.95 |

Model 40XB (Rim Fire)

| Model | 40 XB "Rangemaster"—Rim Fire | Nos. | Prices* |
|-------|--|------|----------|
| S1 | Std. Barrel with Sights, Rim Fire—22 Cal. | 5674 | \$234.95 |
| H1 | Heavy Barrel with Sights, Rim Fire—22 Cal. | 5670 | |
| H2 | Heavy Barrel without sights, Rim Fire22 Cal. | 56/2 | \$199.95 |
| S2 | Std. Barrel without Sights, Rim Fire22 Cal. | 56/6 | |


Model 40XB (Center Fire)

| Model 40 XB "Rangemaster"—Center Fire | Order Nos. | Retail Prices* |
|--|--------------------|-------------------|
| CF-S2 Std. Ordnance Barrel CF-H2 Heavy Ordnance Barrel | Special Special | \$249.95 |
| CF-S2 Std. Stainless Barrel CF-H2 Heavy Stainless Barrel | Special Special | \$269.95 |
| Repeating Center Fire Models (Heavy Barrel Only) | | \$ 20.00 |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (18 weeks or more for center fire models) | | \$ 40 00 |
| Model 40 XB Bench Rest Single Shot, Stainless Steel | Special | \$289 95 |
| Remington Target 'Scope | 5712 | \$169 95 |

International Free Rifle

| International Free Rifle | Order Nos. | Retail Prices* |
|--|---------------|-------------------|
| International Free Rifte, Rim Fire & Center Fire | Special | \$395 UO |

*Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program. In other states, these are recommended minimum prices



Queronical Court of the Court o

The experience gets better.

Through experience comes a finer appreciation of the shooting sports, and a heightened awareness of the special place they hold in your life.

Your personal expression of that experience, that interest, takes no higher form than the acquisition of a truly fine firearm.

The kind of gun most shooters only dream about. The kind of gun we make in the Remington Custom Shop.

Here, we craft one-of-a-kind guns to fit the taste, style and experience of just one person. You.

It is the very best of our gunmaker's art, and for pure joy and satisfaction of ownership, few things in this life can match it.


жж


In the Custom Shop, craftsmen ply skills unknown to machines to create masterpieces of precision and beauty. From deep within walnut-scented storerooms, the one piece of wood with just the right grain structure, color and pattern is selected for your gun. Then our master stockmaker cuts, chisels, files and sands the wood into its final form.

Checkering lines are skillfully cut by hand. The same attentive care is given to the stock's finish. In some cases, as many as 10 hand-rubbed coats are applied to achieve a luster and depth of finish worthy of a Remington Custom Gun.

Let us form your stock from one of our three premium woods. Choose the warm beauty of traditional American walnut, the richly figured patterns of California Claro, or the distinctive, tight grain of English walnut.

Rosewood and ebony are sculpted for plugs, fore-end tips and other finishing touches.






In the Custom Shop, craftsmanship goes beyond aesthetics. Our first and foremost goal is to create a firearm that shoots as good as it looks.

Each and every component receives individual attention from our master gunsmiths. The hammer-forged barrel is individually selected, then chambered, contoured, crowned and fitted to the receiver by hand. Parts are hand assembled.

This dedication to fit, finish and detail ensures that your Remington Custom Gun will stand above the ordinary in performance and beauty.



Each trigger is hand assembled in the Custom Shop. The result is an incredibly crisp trigger with virtually no creep or backlash. The foundation of accuracy is the barrel. That's why the Custom Shop pays extra attention to every step of the barrel-making process. Steel strength and uniformity, bore smoothness, groove depth and land beight must meet our rigid Custom Shop standards.





The Custom Shop proudly offers the

Remington Model 700 in four distinctive grades. Grades vary primarily by aesthetic differences, such as wood selection, checkering patterns and extent of engraving. But no matter which grade you order, you'll get a hand-assembled version of our legendary Model 700 action—the standard others are measured against.


Monte Carlo or straight comb stock hand crafted from richly figured California Claro or select American walnut. **H**and-cut checkering in a distinctive point pattern. A custom steel barrel, chambered, crowned and fitted by hand. Trigger mechanism, hand assembled and adjusted for the utmost in crispness.

Barreled action painstakingly bedded to the stock. Wide range of calibers. Your choice of recoil pad, stock style, wood type and metal finish, grip cap and fore-end tip.

GRADEII

The Model 700 Custom Grade II has every feature of the Grade I, plus some additional enhancements.

Distinctive English walnut stocks are available as well as California Claro and American walnut. ■ The trigger guard and floor plate are made of rugged, machined steel. ■ Skeleton steel grip cap and butt plate available with hand checkering on the wood. A solid steel butt plate also is available. Shadowline style cheekpiece may be selected.



Stacks When

When you select a Grade III or Grade IV

Model 700 Custom rifle, you're acquiring one of the finest examples of the riflemaker's art.


In these grades, premium woods, intricate engravings and elegant detailing blend to create the kind of gun discriminating riflemen appreciate.

GRADEIII

The receiver, barrel, bolt handle, trigger guard and floor plate are hand engraved with patterns unique to Remington's Custom Grade III. An intricate, 22-line-per-inch ribbon checkering pattern is standard on all Grade III guns.

GRADE IV

The ultimate expression of individuality and pride of ownership is represented by a Custom Grade IV. Our traditional Grade IV engraving pattern is a scroll design. We also can incorporate a big-game trophy, a favorite symbol or the design of your choice. Just give our craftsmen a few guidelines and let them create a masterpiece with built-in memories.




Grace Shotguns

Shooters who prefer pumps and autoloaders will find a wealth of distinctive custom options for these favorite guns. And there are no better pumps or autos to receive this special treatment than our legendary Remington Model 870, 11-87 and 1100 shotguns or the Model 7600 and Model 7400 centerfire rifles.

D GRADE RIFLES AND SHOTGUNS

Our Grade D shotguns and centerfire rifles start receiving special attention while they are still blocks of wood and steel. The individual attention continues as wood is hand-shaped and fitted to

select barrels and receivers. Checkering, engraving, highly polished and blued components all come together to create the look and feel of a fine custom firearm.



D Grade Model 11-87

The autoloader shown here features select American walnut stock with unique, hand-cut checkering, and hand engraving on approximately one-third of metal surfaces.

D Grade Specifics:

1. D Grade shotguns, pump or auto, are available in 12, 20 and 28 or .410 bore.
2. All standard barrel lengths can be specified.
3. Full, modified, improved cylinder or skeet choke. New interchangeable Rem™ Choke available on all 12- and 20-

gauge Custom 870s, 1100s,

and 12 gauge 11-87s.

- 4. Left-hand versions are available in 12-gauge only.
 5. Centerfire pump and autorifles can be ordered in 243 Win, 30-06 Spfld or 308 Win. The 7400 and 7600 are also available in 270 and 280 Rem. The 7600 can be ordered in 35 Whelen.
- 6. Custom hand engraving unique to the D Grade covers
- one third of receiver, trigger guard and breech end of barrel. 7. All have highly figured stocks
- of select American walnut.
 8. Monte Carlo, straight comb with pistol grip or English style stock is available with or without cheekpiece.
- 9. Wood is protected with high-gloss finish or satin
- finish. Hand-rubbed oil also is available:
- 10: Distinctive checkering is hand cut at 22 lines per inch.
 11: A butt pad can be specified in Old English, Presentation Grade, or the standard Remington style butt plate.
 12: A 10-kt. gold oval monogrammed nameplate can be inletted into the stock.



of these pump actions and autoloaders show your appreciation of the sport.

Handsome engraving and gold inlays illustrate your interests and experiences.

Even the choice woods and fine finish reflect your taste and style.

Model 11-87, F Grade

The fully engraved autoloader shown here features gold inlays on the receiver and a rich American walnut stock.

FGRADE RIFLES AND SHOTGUNS


On F Grade firearms, receivers, trigger guards and the breech end of barrels are graced by the handwork of our master engravers.

You can choose up to four distinctive game birds and animals to be engraved on each side of your receiver.

Or for a one-of-a-kind look, ask our custom engravers to incorporate your own original ideas. With a photograph of your prized mount or loyal hunting dog, we can create a truly unique and personalized firearm.

For the crowning touch, let us add 24-kt. gold inlays to the sides of your receiver. These precious metal sculptures make your F Grade gun a work of art.

But F Grade guns are not mere showpieces. Each Remington Custom Gun is individually inspected, assembled and tested. Your custom gun must meet our most rigorous performance standards before it will be released. We're sticklers about performance because we believe your gun should be as worthwhile an investment on the range as it is in the cabinet.



F Grade Specifics:

- 1. F Grade pump shotguns and autoloaders are available in 12, 20 and 28 or .410 bore. 2. All standard barrel lengths can be specified. 3. Full, modified, improved
- cylinder or skeet choke. New interchangeable "Rem" Choke is available on all 12- and 20-gauge Custom 870s, 1100s and 12-gauge
- 11-87s. 4. Left-hand versions available in 12-gauge only.

 5. Centerfire pump and autoloading rifles can be ordered in 243 Win, 30-06 Spfld or 308 Win. The 7400 and 7600 are also available in 270 and $280\,\mathrm{Rem}$. The $7600\,\mathrm{can}$ be ordered in 35 Whelen.

6. Full coverage hand engrav-

- ing on trigger guard, receiver and breech end of the barrel. 7. All have highly figured stocks of select American walnut.
- 8. Monte Carlo, straight comb with a pistol grip or English style stock is available with or without cheekpiece.
- 9. Checkering hand cut at 22 lines per inch.
- high-gloss, satin, rubbed oil finish
- 11. A butt pad can be
- specified in Old English, Presentation Grade or the standard Remington style
- IV-V. 10 de grada avel

CRARBENOGERES 0124074

| The following features are available for your selection as noted. | | | | |
|---|-------------|-------------|-------------|--------------------|
| | Grade I | Grade II | Grade III | Grade IV |
| CALIBERS: Right-hand—17 Rem, 222 Rem, 223 Rem, 22-250 Rem, 243 Win, versions 6mm Rem, 257 Roberts, 25-06 Rem, 270 Win, 7mm 6muser, 7mm-08 Rem, 280 Rem, 7mm Rem Mag, 308 Win, 30-06 Spfld, 300 H&H Mag, 300 Win Mag, 300 Wby Mag, 8mm Rem Mag, 375 H&H Mag, 416 Rem 6muser, 7mm-08 Rem, 280 Rem, 7mm Rem Mag, 300 Win Mag, 300 Win Mag, 300 Win Mag, 300 Win Mag, 350 Rem Mag, 375 H&H Mag, 416 Rem 6muser, 7mm-08 Rem, 280 Rem, 7mm Rem Mag, 30-338 Mag, 338 6muser, 7mm-08 Rem, 280 Rem, 7mm Rem Mag, 30-338 Mag, 338 6muser, 7mm-08 Rem, 280 Rem, 7mm Rem Mag, 300 Win Mag, 300 Win Mag, 350 Rem, 35 Rem, 35 Whelen, 250 Savage, 264 Win Mag | A | A | A | A |
| Left-hand —All calibers available in left-hand versions except versions 17 Rem, 222 Rem, 223 Rem, 350 Rem Mag and 6.5mm Rem Mag | 0 | 0 | 0 | A |
| BARRELS: Length from 18½" to 24" Light, medium or heavy contour Adjustable iron sights | A A A | A A A | A A A | A A A |
| METAL FINISH: Polished surface Matte finish | A O | A 0 | A 0 | A A |
| Solid steel trigger guard and floor plate | | A | A | A |
| LENGTH OF PULL: 13%" standard length of pull Nonstandard lengths | A O | A O | A O | A A |
| STOCK WOOD: California Claro or American walnut English walnut | A | A A | A A | A A |
| STOCK STYLE: Monte Carlo Classic straight comb Cheekpiece (if desired) White-line spacer (if desired) | A A A | A A A | A A A | A . A A A |
| Fore-end tip (if desired) and crossbolt plugs in ebony or rosewood | A | A | A | A |
| GRIP CAP (if desired): Ebony or rosewood Skeleton steel Solid steel | A O | A 0 0 | A O O | A A A |
| WOOD FINISH: High gloss or satin Hand-rubbed oil | A O | A O | A O | A A |
| RECOIL PAD/BUTT PLATE: .600", .800" or 1" Old English pad in black or brown Standard M/700 butt plate Checkered or skeleton steel butt plate | A A | A A O | A A O | A A A |
| HAND CHECKERING: Straight line point pattern—20 lines per inch Ribbon pattern—22 lines per inch Fleur-de-lis pattern—24 lines per inch | A | А | A | A |
| NAMEPLATE: Personalized 10k gold oval | 0 | 0 | 0 | A |

A = Available at no additional charge.
O = Available as an extra-cost option.

If no symbol appears, that feature is not available in that grade

See next page for D and F Grade feature selection.



Now That You've Got His Attention, Make Your Point.

He weighs as much as a pickup truck. And when he turns and charges, you can feel the ground rumble under your feet.

It takes a rifle with real muscle to knock out this heavyweight. And that's exactly what the Remington Custom Gun Shop is ready to build for you.

Presenting the Model 700™ Safari Grade rifle in the potent new .416 Remington Magnum caliber.

This superbly crafted firearm, with its legendary accuracy and steadfast reliability, lets you go toe to toe with the toughest, most dangerous game animals on earth. And win.

But the Model 700 Safari is a thing of beauty as well as performance. It is hand assembled and hand finished to your personal specifications by the custom gunmakers of Remington.

You'll choose the stock style (Classic straight comb or Monte Carlo) and the stock material (premium walnut or


Remington factory-loaded .416 ammunition delivers 2400 fps muzzle velocity with soft point or metal case round nose bullets.

gray Kevlar*). We add deep-cut checkering, 18 lines to the inch, and give the wood a traditional low-gloss finish.

The result is a rifle that is distinctly yours, flawless in fit and finish.

All our custom rifles and shotguns, including the new Model 700 Safari Grade, are shown in full color in the Remington Custom Gun Shop catalog. For your copy, send \$5.00 to Remington Arms Company, Custom Gun Shop Catalog (SI19), Eden Park, E71853, Wilmington, DE 19898.

Remember, always point the muzzle in a safe direction.



Remington CUSTOM GUN SHOP


| | | Monte Carlo | | Classic | | Suggeste |
|--|--|--------------|---------------------------------------|---------------|--|----------|
| MODEL TOO CAFARI CRADE | O D | Style | | Style | | Retail |
| MODEL 700 SAFARI GRADE | 8mm Remington Magnum 375 H&H Magnum | 5816 5836 | | 5892 5848 | | 602700 |
| | 416 Remington Magnum | 5834 | | 5840 | | \$827.00 |
| | 458 Win, Magnum | 5838 | | 5880 | | |
| | 458 win. Plagnum | 700 Custom | | 40-XR Sporte | | |
| MODEL 700 CUSTOM & | Grade I | 5946 | | 5660 | <u></u> | 1,200.00 |
| MODEL 40-XR CUSTOM SPORTER | Grade II | 5948 | | 5662 | · · · · · · · · · · · · · · · · · · · | 2,133.00 |
| | Grade III | 5950 | | 5664 | | 3,333.00 |
| | Grade IV | 5952 | ·- | 5666 | | 5,200.00 |
| | diade iv | RH | RH | LH | LH | 3,200.00 |
| | | Std BBL | Heavy BBL | Std BBL | Heavy BBL | , |
| "XP-100" CUSTOM | 223 Remington | 5482 | 5491 | 5484 | 5485 | |
| Long Range Pistols | 250 Savaget | 5461 | 5463 | 5465 | 5467 | - |
| | 6mm BR | 5449 | 5451 | 5453 | 5455 | - 00700 |
| | 7mm BR | 5475 | 5478 | 5477 | 5480 | 907.00 |
| | 7mm-08 Remington | 5493 | 5494 | 5489 | 5488 | - |
| | 35 Remington | 5495 | NA | 5497 | NA | - |
| MODEL SEVEN CUSTOM KS | 35 Remington | 4724 | | | | |
| ("Kevlar" Stock) | 350 Remington Magnum | 4722 | | | | • |
| | 7mm-08 | 4735 | | | | 867.00 |
| | 223 Remington | 4731 | | | | |
| | 7mm BR | 4733 | - | | | |
| MODELS 11-87 1100 870 | D Grade | | Special | | | 2,291.00 |
| MODELS 11-87, 1100, 870, 7400 AND 7600 | F Grade | | Special | | | 4,720.00 |
| | F Grade with Gold Inlay | | Special | | | 7,079.00 |
| MODEL 40-XR | .22 cal. | 5668 | Opeciai | | ······································ | 933.00 |
| MODEL 40-XR KS | .22 cal. | 5669 | | | | 1,067.00 |
| MODEL 40-XB | See catalog for calibers and | | | | | 933.00 |
| MODEL 40-XB KS | See catalog for calibers and | | | | | 1,067.00 |
| MODEL 40-XBBR | See catalog for calibers and | | | | | 1,000.00 |
| MODEL 40-XBBR KS† | See catalog for calibers and | | | | | 1,067.00 |
| MODEL 40-XC | 7.62 NATO only | 6002 | | | | 1,000.00 |
| MODEL 40-XC KS | 7.62 NATO only | 6000 | | | | 1,133.00 |
| Repeater Option for 40-XB & 40-XB KS | See catalog for calibers. | 0000 | | - | | 80.00 |
| 2-oz. Trigger for 40-XR, 40-XB, 40-XB KS & 40-XBBF | | | | | | 133.00 |
| 2-02. Ingger for 40-AR, 40-AB, 40-AB R3 & 40-ABB | (strigle shot othy) | Right Hand | | Left Hand | | 133.00 |
| MODEL 700 CUSTOM KS | 270 Win. | 5636 | | 5648 | | |
| ("Kevlar" Stock) | 280 Remington | 5638 | | 5650 | | |
| "Mountain Rifle" | 30-06 | 5640 | | 5652 | | • |
| | 7mm Remington Magnum | 5642 | | 5654 | | 867.00 |
| | 300 Win. Magnum | 5644 | | 5656 | | . 007.00 |
| | 300 Wby. Magnum† | 5625 | | 5627 | | |
| | 338 Win. Magnum | 5613 | | 5615 | · · | |
| | 8mm Remington Magnum | 5617 | | 5619 | | |
| | 35 Whelen | 5609 | | 5611 | | |
| | | 5646 | | 5658 | | |
| Ontions for Grades L. IV | 375 H&H Magnum Iron Sights | J040 | | 2030 | | 45.00 |
| Options for Grades I–IV (no extra cost on Grade IV) | | | · · · · · · · · · · · · · · · · · · · | | | 58.00 |
| (| Matte Finish Metal Parts | | | | | 51.00 |
| | Left Hand (M/700 only) | | | | | 182.00 |
| | Oil Finish Stock | | | | | |
| | Length of Pull—Non-Standar | a | | | | 36.00 |
| | Gold Oval Nameplate | | | | | 125.00 |
| | Solid Steel Grip Cap | | | | | 51.00 |
| | *Skeleton Steel Grip Cap | | | | | 103.00 |
| | *Skeleton Steel Butt Plate *Checkered Steel Butt Plate | | | | | 270.00 |
| | | | | | | 153.00 |

*Available on Grades II, III. and IV only. †New for 1989. M/700 KS, M/Seven and M/700 Safari—approximate delivery time is 4 months. All other guns—approximate delivery time is 10 months.

The Model 700 "Custom" KS "Mountain Rifle" is rugged and light weight.


The ultimate combination of light weight, strength and accuracy in a world-class big game rifle.

- Kevlar[™] stock that's stronger and lighter than wood or fiberglass.
- Gray, nonreflective textured finish. Strongest, most accurate light weight big game rifle. Hammer-forged steel barrel for strength and accuracy. Hand-assembled trigger for crisp, reliable performance.



Hand crafted to be the finest .22 rimfire rifle ever made.

- Custom barreled action based on the legendary 40-X design.
- Straight-line feeding single-shot action. Similar weight and feel to the Model 700 Custom rifles. Hand-assembled Model 700-style trigger is crisp and reliable. Remington special grade steel barrel selected for strength and accuracy. Available in four different grades.



Designed and crafted for superior big game stopping power, accuracy and dependability.

■ The strongest, most accurate big game rifle available. ■ Handassembled trigger for crisp, reliable pull. ■ Remington special steel barrel, cold-forged for strength and accuracy. ■ A choice of four calibers for big game.



Accurate rifles for the most demanding and skilled marksmen.

■ Most popular benchrest action ever made. ■ Hand-assembled trigger mechanism for crisp, reliable pull. ■ Barrels hand lapped for smoothness and accuracy. ■ Stock selected to provide the stability needed for consistent accuracy.



Custom "XP-100" now available in 223 Rem, 6mm BR, 7mm BR, 7mm 08 Rem, 35 Rem and 250 Sav



Now Remington's Custom Gun Shop puts shooting excellence in the palm of your hand.

Designed for silhouette shooters and handgun hunters Five powerful and proven calibers Strongest bolt action design Custom walnut stock Match-style sights

MODEL SEVEN "CUSTOM" "KS"

The Model Seven "Custom" "KS" with Kevlar® stock is the lightest, strongest, most accurate and compact-handling rifle you'll ever lay hands on.

With a tapered 20" barrel set into a classic-style Kevlar stock with cheekpiece and straight comb, the new Remington Model Seven "Custom" "KS" rifle weighs just 5\% pounds for the ultimate in comfortable, flexible handling. Available in 5 calibers, this remarkable rifle offers many custom features, including a European knob pistol grip, 1" black Old English recoil pad, fully adjustable front and rear sights and a black, glare-free bolt.

Pound for pound, the Kevlar stock

is four times stronger than steel, and weighs less than fiberglass. Available in nonreflective gray camouflage, this classic stock is pleasing to the eye, comfortable to the touch and virtually indestructible and impervious to the elements. Its dimensional stability provides a consistent aiming point and outstanding accuracy.

Bolt face, barrel and receiver surround the cartridge with three rings of solid steel for security. The trigger mechanism is hand assembled and

tested to assure crisp, reliable performance, shot after shot.

The barrel and action of every Model Seven "Custom" "KS" rifle are products of the Remington Custom Gun Shop. Each rifle is individually test fired from the shoulder.

For more information about this and other Remington custom firearms, visit your local full-line Remington dealer.

SPECIFICATIONS

STOCK:

Classic-style Kevlar, with cheekpiece and straight comb.

Gray camo nonreflective textured finish. Recoil pad is 1", black Old English. Hinged floor plate.

Swivel stud mounts are included.

LENGTH OF PULL:

131/2"

DROP AT HEEL:

DROP AT COMB:

1/3'

BARREL LENGTH:

20"

MUZZLE DIAMETER:

.59"

OVERALL LENGTH:

391/2"

MAGAZINE CAPACITY:

3

RECEIVER:

Drilled and tapped for scope mounts. Barrel has iron sights.

WEIGHT:

5¾ lbs.

TWIST:

1 in 16" (all calibers)

METAL FINISH:

Nonreflective, low luster

CALIBERS AND ORDER NUMBERS:

35 Rem.

4724

4722 350 Rem. Mag. 4735 7mm-08


223 Rem. 4731 7mm BR 4733

Remington is a trademark registered in the U.S. Patent & Trademark Office by Remington Arms Company, Inc. Model Seven is a trademark of Remington Arms Company, Inc., Wilmington, Del. 19898. Keylar is a trademark registered in the U.S. Patent & Trademark Office by E. I. du Pont de Nemours and Company (Inc.).



MODEL 40-XB "VARMINT SPECIAL"

The Model 40-XB "Varmint Special" with Kevlar[®] stock is strong and accurate — an ideal long-range varmint rifle.



With a 271/4" barrel, set into a custom Kevlar stock, the new Remington Mode 40-XB "Varmint Special" weighs an average of 10 pounds. The rifle is available in 14 calibers, and can be ordered as a single-shot or, in certain calibers, as a repeater.

Pound for pound, the Kevlar stock is four times stronger than steel, and weighs less than fiberglass. Available in black satin nonreflective finish, it fea-

tures a "beavertail" fore-end with flat bottom for increased stability when shooting from a rest. This custom stock, with its 1" Old English recoil pad, is attractive and comfortable to handle. The Kevlar makes it virtually indestructible and impervious to moisture and extremes of temperature and humidity.

The receiver is drilled and tapped for scope mounting. It is hand bedded to the

stock for a perfect, custom fit. Trigger pull is externally adjustable from $1\frac{1}{2}$ to $3\frac{1}{2}$ pounds. A special 2-oz. trigger is available on single-shot models.

The barrel and action of every Model 40-XB "Varmint Special" rifle are products of the Remington Custom Gun Shop. Each rifle is individually test fired.

For more information about this and other Remington custom firearms, visit your local full-line Remington dealer.

SPECIFICATIONS

| STOCK: Custom foam-filled Kevlar, with cheek- piece and straight comb. Rlack set in power factive to the total and finish | SPECIAL TRIGGER: Special 2-oz. trigger is available on single- | ORDER NUMBER: | STANDARD TWIST | OPTIONAL TWIST | CENTER TO CENTER MAX. AVG. TWO 5-SHOT GROUPS 100 YARDS | SINGLE- SHOT | REPEATER |
|---|--|---|-------------------|-------------------------|---|--|--|
| Black satin nonreflective textured finish. Recoil pad is 1", black Old English. Beavertail fore-end with flat bottom. Stock-mounted studs for sling swivel or bipod. RECEIVER: Drilled and tapped for scope and receiver sight mounting. TRIGGER PULL: Externally adjustable from 1½ to 3½ pounds. BARREL: Unblued stainless steel. | shot models. LENGTH OF PULL: 13½" BARREL LENGTH: 27¼" MUZZLE DIAMETER: Approx. ¾2" MAGAZINE CAPACITY: 4 rounds (repeaters) OVERALL LENGTH: 47" AVERAGE WEIGHT: 10 lbs. | 220 Swift 222 Rem. 222 Rem. Mag. 223 Rem. 22-250 Rem. 6mm Rem. 243 Win. 25-06 Rem. 7mm BR 7mm Rem. Mag. 762mm NATO (308 Win.) 30-06 30-338 (30-7mm Rem. Mag.) 300 Win. Mag. | 12" 10" | 12" 12" 10" 12" 12" 12" | .55" .45" .45" .45" .55" .60" .75" .60" .75" .75" 1.00" | 5995 5999 6001 5991 5993 6003 6005 6007 6019 6009 5997 6011 6013 6015 | 5995R 5999R 6001R 5991R 5993R 6003R 6005R ——————————————————————————————————— |

Remington is a trademark registered in the U.S. Patent & Trademark Office by Remington Arms Company, Inc., Model 40-XB is a trademark of Remington Arms Company, Inc., Wilmington, Del. 19898. Keviar is a trademark registered in the U.S. Patent & Trademark Office by E. J. du Pont de Nemours and Company (Inc.).

*Rifles meet these accuracy standards before leaving the Custom Shop. As proof of performance, target and load data are supplied with the rifle.



Wilmington, Delaware 19898

BARBER - PRESALE R 0124084

Remington JM GUN SHOP

CUSTOM MODEL 700 CENTERFIRE & MODEL 40-XR SPORTER RIFLES:

| Model: 700 40-X1 | R Rimfire | Sporter | |
|--|--|---------------------|---------------------|
| Grade:(I, II, III, IV) | Calibe | r:1 | |
| Barrel Length:(181/2" to | 24") | | |
| | | Muzzle I | |
| | | | 40-XC 22 Rimfire |
| Barrel Contour:Light | .55 | .59 | .55 |
| Medium | .65 | .65 | .65 |
| Heavy | .83 | .83 | .87 |
| Version: Right Hand Left Hand (Mode | el 700 only | ₍) | |
| Sights: Yes No | | | |
| Metal Finish: High Polish | M | atte | |
| Wood:Claro Walnut English Walnut ² | Americ | an Walnut | |
| Style: Monte Carlo | ."Classic" | Straight Comb | |
| Cheekpiece:With | . Without | | |
| Fore-End Tip:None | Rosewo | ood Ebo | ny |
| Reinforcing Pin Plugs: Re | osewood . | Ebony | |
| Wood Finish: High Gloss . | Sa | tinOil | |
| Grip Cap: None Ro | | | |
| 86 1.0 Stc So Sko | 000" "Old 1. M/700 _I lid Steel ² | English" plate | |
| Recoil Pad Color: Brown | Bl | ack | |
| White-Line Spacers: Yes . | No |) | |
| Length of Pull:13%" (Std | l.) | Other (specify: |) |
| Nameplate:Yes (Initials V | Wanted: _ |) _ | No |
| See catalog for available calibers. | | | i |
| ² Optional on Grades II, III and IV only. See | dealer for p | rice list. | |
| FOR FURTHER INFORMATION on any Custo NOTE TO CUSTOMER: After filling out work full-service Remington dealer. Shaded item | sheet, pleas | e complete the form | _ |
| Notes | | | |
| Customer's Name | | | |
| Address | | - | |
| City | State | | Zip |
| Telephone | | D | ate of Order |
| Signature Send To: Remington Du Popt Distribution | n Center 10 | 07 Market Street V | Wilmington DF 19808 |

| | | SHOT | GUNS: | | |
|-------------------------------|---------------------------|---------------------|------------|----------------------------|---------------------------|
| Model: _ | 11-87 | 1100 | 870 ' | Version: | Right Hand |
| | D Grade | | | _ | Left Hand (12 ga. only |
| _ | F Grade with (specify hun | Gold Inlay | ama hieda | on other de | |
| | (specify num | ung uogs, g | ame birus | s or outer de | esigns): |
| Gauge:3_ | | | | | |
| • | ngth; (21' | | | | |
| Choke: | 12 Ga. | 20 Ga. | | 28 Ga. | .410 Bore |
| | "Rem" Choke | | | | |
| | Skeet | Sk | eet . | | Full Mod |
| | Full Trap | | | | I.C. |
| | Mod Trap | | _ | Skee | tSkeet |
| | | RIFI | ES: | | |
| | 7400 | | | | |
| | D Grade | | | hia aama aa | athan darion |
| | F Grade with | Gold IIIIay | (specify t | olg game or | outer design): |
| | ngth: (181/ | " to 22") | | | |
| Daticibe | • | ERAL SPEC | IEIC ATTO | NS/ | |
| | OPTIONS FOR AL | | | 1 | ARMS: |
| Stock Style | e: Monte Ca | arlo | Straight | Comb | |
| Cheekpied | e:With _ | Witho | ut | | |
| Wood Fini | sh: High G | loss | _Satin | Oil | |
| Metal Finis | sh: High Po | olish | _ Matte | | |
| | /Butt Plate: | | | h" | |
| | | 800″ "0 | | | |
| | | 1.000″ " | | | |
| | | Ventilate | d Style Re | ecoil Pad on Butt Plate | -/Pod |
| | | Standard Checked | | | e/ rau |
| Recoil Pad | Color: Bla | | | | |
| White-Line | Spacers: | Yes | _No | | |
| | | | Dro | | Drop |
| | | of Pull | at Co | <u>mb</u> Other S | at Heel |
| Field/Skeet | Std. | Other | Sta. | Other S | td. Other |
| Shotguns | 14" | | 11/4" | 2 | |
| Regular Trap Monte Carlo T | 14%" "rap 14%" | | 1-78" | | ¾" |
| 7400 & 7600° | M/C 135/16" | | 1%" %" | | %" |
| 7400 & 7600° | Reg. 135/16" | | %6" | | /16" |
| *Measured fro | om center of bore. | | | • | · ·· |
| Nameplate | :: Yes (Init | ials Wanted | : |) | No |
| ³ See catalog fo | r available gauges and | calibers. | | | |
| | | | | | |
| Dealer | | | | | |
| ***** | | | | | |
| Address | | | | | |
| City | | State | | | Zip |
| () | <u>.</u> | | | | |
| Telephone | | | | P.O. # | |

BARBER - PRESALE R 0124085 D and F Grade Rifles and Shotguns

The following features are available for your selection as noted.

| - IOIOWING IC | atures are available for your selection as noted. | D.Cd. | F.C. I |
|---------------------------------|---|----------------|----------|
| A | | D Grade | F Grade |
| SHOTGUNS ON | | | 1 |
| MODEL: | 11-87, 1100 auto or 870 pump | A | Å |
| GAUGES: | 12, 20, 28 or .410 | A | A |
| BARREL: | Standard lengths from 21" to 30" | A. | i A |
| CHOKEE | (30" barrel not avail, in Imp Cyl or Skeet.) | | i ! |
| CHOKES: | Full, Mod, Imp Cylor Skeet | A | A. |
| | "Rem" Choke (12- and 20-gauge only) | A | A |
| RIFLES ONLY: | | | |
| MODEL: | 7400 auto or 7600 pump | A | A |
| CALIBERS: | 243 Win, 270 Win, 280 Rem, 30-06 Spfld | | |
| | or 308 Win | A | A |
| | 35 Whelen (7600 only) | A | i A |
| BARREL LENGT | H: 18½" to 22" | A | i A |
| METAL FINISH | | | <u> </u> |
| | • | |] |
| Polished surfac Matte finish | e | A O | A O |
| Gold inlay | | U | 0 |
| Gold Illiay | | | |
| LENGTH OF PU | JLL: | | |
| Standard: 1+" c | on field/skeet shotgun, 14 ½ " on trap shotguns, | | |
| | and 7600 rifles. | A | A |
| | dual specifications | A | A |
| 00000000000 | | | |
| STOCK WOOD: | | | |
| American walni | ut | A | A |
| STOCK STYLE: | |] - | |
| Monte Carlo or s | straight comb | A | A |
| Pistol grip (if de | | A I | A |
| Cheekpiece (if d | | A | A |
| | tering at 22 lines per inch | A | A |
| White-line space | | A | A |
| CDID CAD (15.1 | (karia | i | |
| GRIP CAP (if de | esirea): | | |
| Rosewood | | A | A |
| Standard Remin | gton | | A |
| WOOD FINISH: | : | 1 | |
| High gloss or sat | | A | A |
| Hand-rubbed oi | | 0 | 0 |
| | | | |
| RECOIL PAD/B | | 1 | |
| | 1" Old English pad in black or brown | A | A |
| Presentation gra | | . A | A |
| Standard Remin | | A | A |
| Checkered steel | butt plate | 0 | 0 |
| NAMEPLATE: | | | |
| Personalized 101 | k gold | A | A |
| | v 9010 | | |
| ENGRAVING: | | 1 | |
| Dittillities. | | | |

The <mark>crefis</mark>anca **Q A**to Remitted on Costona Cosa Stop

Suningen OUSIOM GUN SHOP

<u> Kyningani</u> (© 1007 Markee Se, Wilmingson ()

1963



TABLE OF CONTENTS

THE COVER—reproduced from an original painting by Bob Kuhn, well known wildlife and outdoor artist.

COLOR PHOTOGRAPHY by Carl Okerblom

REMINGTON FIREARMS **SHOTGUNS Pages** Automatic Model 1100 4, 5 Automatic Model 11-48 6 Automatic Model "Sportsman" 58 Pump Action Model 870 "Wingmaster" 8.9 Shotgun Facts 10 CENTER FIRE RIFLES Automatic Model 742 "Woodsmaster" 12 Pump Action Model 760 "Gamemaster" 13 Bolt Action Model 700 14 RIM FIRE RIFLES Automatic Nylon 66 16, 17 Lever Action Nylon 76 17 Bolt Action Nylon 10 17 Bolt Action Nylon 11 17 17 18, 19 18, 19 19 Bolt Action Model 514 19 TARGET RIFLES Bolt Action Model 40X "Rangemaster". Bolt Action Model 513T "Matchmaster" Bolt Action Model 521T 20, 21 20, 21 20, 21 Bolt Action International Free Rifle ... 20, 21 LONG RANGE PISTOL Bolt Action Model XP-100 REMINGTON HIGH GRADE GUNS 23 REMINGTON ARMS IN AMERICAN HISTORY 24, 25 REMINGTON AMMUNITION CENTER FIRE BULLETS "CORE-LOKT". 27 CENTER FIRE RIFLE CARTRIDGES 28-35 CENTER FIRE PISTOL & REVOLVER 34-37 CARTRIDGES PISTOL & REVOLVER BULLET TYPES . 38 SHOTGUN SHELLS 40-43 SUGGESTED SHOT SIZES FOR GAME 44


RIM FIRE CARTRIDGES

TRAP AND SKEET EQUIPMENT

REMINGTON TRAPS

45,46

47 .



From \$144.95

This Amazing and Unusual

REMINGTON MODEL 1100 AUTOMATIC SHOTGUN is scientifically designed to make everyone a better shot

What makes this new Remington automatic so special—so unique? Many things! Here's what we mean. Hunters, clay target shooters and gun experts from all over the country took part in the field testing of this gun and here's what they liked: Its perfect balance, excellent pointing qualities, dependable performance and smooth lines. Model 1100 is a gun that any sportsman is proud to own -to use — and to show to his friends. "Swings like it's part of you" . . . "Points itself" . . . "Feels right" is the way these experts described it. Recoil sensation is amazingly light, up to 40% less recoil than any other automatic; your shoulder feels a pat instead of a pow. And there's no barrel whip or jarring recoil which means you can get back on target fast. You'll drop those doubles . . . and have time to spare. They liked the wood finish too . . . the same type of finish used on bowling pins. It's durable and yet beautiful — colorfast, chip and scratch resistant and gives lasting protection against all kinds of weather and wear. It's a clear finish that lets the natural beauty of the wood show through.

Pick a Remington and you pick a winner. Skeet shooters do . . . have for years. Since 1953 Remington automatic shotguns have won more National Skeet Championships than all other brands of shotguns combined . . . and the same fine balance and pointing qualities are built into this new Remington. Remington's many years of experience in making automatic shotguns (longest of any gun maker) are behind the new Model 1100.

PECIFICATI

5-shot gas -operated STYLF automatic shotgun. Made in 12 gauge. **CAHGE** (16 and 20 gauge in 1964). High strength Remington proof steel. Extra barrel is interchangeable within gauge. BARREL Convenient cross-bolt type, SAFETY positive. Made from solid steel, top matted, scroll work on bolt and both sides of receiver. RECEIVED Stock and fore-end: rich American walnut. 14" long, 2½" drop at heel, 1%" **STANDARD**

> WEIGHT 12 gauge about 7½ ibs.

drop at comb.

STOCK

ZHOLZK**IM**LA

FEATURES THAT MAKE THE MODEL 1100 NEW — DIFFERENT — BETTER

CUSTOM CHECKERING on stock and fore-end . . . fleur-de-lis design. Checkering is fine-lined, uniform, goodlooking.

"markethally be s

TEAR DROP PISTOL GRIP with attractive white diamond inlay provides a natural, non-slip, comfortable grip.

FORE-END has swept back, streamlined design. Fine checkering and fluting give secure gripping area.

DISTINCT WHITE SPACERS on butt plate and grip cap add attractiveness.

NEW METAL FINISH looks better, wears better . . . because the metal is more highly polished.

BIG 5-SHOT CAPACITY - Easy to load. Four in magazine . . . one in chamber. Three-shot plug furnished.

NEEDS NO ADJUSTMENT - Performs perfectly for different loads; automatically. Shoots high base, low base, 23/4" magnum shells without adjustment.

QUICK-CHANGE BARRELS for all types of shooting. They're interchangeable in seconds; no factory fitting is required. Use one gun for all your shooting and get more game, targets, sport. FASTEST LOADING - Drop a shell in the breech; load another in the magazine in one motion. Load five shells in five seconds. LIGHTEST RECOIL - Power-pulse action tames recoil; it smooths

and cushions . . . and with no loss of power. Shooter feels a

RK-W PROTECTIVE FINISH — New DuPont wood finish is clear. Lets the wood grain show through. It's similar to that used on bowling pins; tough, hard, scratch-resistant . . . gives lasting protection against hard usage and bad weather.

AVAILABLE IN MAGNUM MODEL — Chambered for 3" magnum shells. Uses 23/4" magnums too. A rugged, dependable shotgun . . . reaches out and drops the high flyers.

DECORATIVE SCROLL WORK on receiver and bolt adds real beauty and value to this gun.

SELF CLEANING — The gas operation of this gun is unusual. It blows dirt and grime away, keeps action bright and shining for long periods of time. In the laboratory, thousands of shells were fired in the Model 1100 and the action was still as clean as a hound's tooth.

SUPREME DEPENDABILITY - Better, because it's made better. When you buy a shotgun you expect it to last a long time . . maybe even a lifetime. Chances are the new Model 1100 will do just that! Tests prove the shooting life of this new gun is up to seven times longer than any other automatic shotgun on the market.


BALANCE AND WEIGHT are just right, only 7½ lbs. in 12 gauge. Can be carried comfortably all day. No sacrifice of steel in barrel or receiver . . . not a "featherweight floater" that's too light to point right.

1963

Remington, Model 1100

TIMES LONGER LIFE 00,000 shells!

AUTOMATIC SHOTGUNS



(12 gauge in 1963)

(16 & 20 gauges in 1964)

(shown with ventilated rib)



MODEL 1100 TB - Trap Gun

Gas operation soaks up recoil . . . cushions and smooths. And less recoil means less fatigue . . . higher scores.

SPECIFICATIONS: Better grade wood, rubber recoil pad. Special stock dimensions: 14%" long including recoil pad, 1%" drop at heel, 1½" drop at comb. Weight: about 8½ lbs. Available in 28" and 30" full choke ventilated rib barrels only. Ivory bead front sight, white metal rear sight.

\$209.95

12 GAUGE ONLY (20 ga. in 1964) \$174.95 MODEL 1100 SA — Skeet Gun

Perfect balance, excellent pointing and fast swinging qualities make this gun a target buster wherever it is used. Light recoil is easy on the shoulder, too.

SPECIFICATIONS: 26" barrel, Remington special skeet boring, ventilated rib, ivory bead front sight and white metal rear sight. Stock dimensions are: 14" long, 2½" drop at heel, 15%" drop at comb. Weight: about 7½ lbs.



MUDEL 1

MODEL 1100 MAGNUM - Duck Gun

Built for the high flyers — reaches out and drops 'em.


SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 2¾" magnum shells. Available in 28" and 30" full choke, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 2½" drop at heel, 1¾" drop at comb. Furnished with recoil pad. Weight: about 8 lbs.

12 GAUGE ONLY (Shown with Ventilated Rib) From \$159.95

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| A. J. L. A. A. A. A. A. B. A. A. B. A. A. B. A. B. A. B. A. B. A. B. A. B. | Order Nes. | Retail Prices* |
|---|--------------------------------------|----------------------|
| Medel 1100 with Plan Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" imp. Cyl. Choke | 5322 5320 5326 5324 5328 | \$144.95 |
| Medel 1100 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 5332 5330 5336 5334 5338 | \$169.95 |
| Medel 1100 Magnum with Plain Barrel 30" Full Choke 28" Full Choke | 5344 5342 | \$159.95 |
| Medel 1100 Magnum with Yent. Rib Barrel 30" Full Choke 28" Full Choke | 5348 5346 | \$184.95 |
| Model 1100 SA Skeet with Vent. Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | 5356 5358 | \$174.95 \$199.45 |
| Medel 1100 SC Skeet with Vent. Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | 5360 5362 | \$239.95 \$264.45 |

| 4 4 4 4 4 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 | Order Nos. | Retail Prices* |
|--|--------------------------------------|----------------------|
| ledel 1100 TB Trap with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 5350 5352 | \$209.95 |
| xtra Barrels, Plain 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" imp. Cyl. Choke | 9500 9502 9504 9506 9508 | \$ 45.45 |
| xtra Barreis, Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" imp. Cyl. Choke | 9512 9514 9516 9518 9520 | \$ 68.15 |
| ixtra Barrels, Vent. Rib, SA & SC Skeet 26" Skeet Choke 26" with Cutts Comp. | 9522 9524 | \$ 72.40 \$ 96.90 |
| extra Barrels, Vent. Rib, TB Trap 30" Full Choke 28" Full Choke | 9526 9528 | \$ 72.4 |



USE NUMBERS, FOR EASY, ACCURATE ORDERING

| 11-48 A with Plain Barrel | 12 8A. | 18 8A. | 20 BA. | 28 SA. | 410 8A. | Retali Prices* |
|--|--|-----------|--------------|--------------|--------------|----------------------|
| 30" Full Choke 28" Full Choke 25" Full Choke | 4700 4702 | 4742 | 4774 | 4802 | 4828 | |
| 28" Mod. Choke 25" Mod. Choke | 4704 | 4744 | 4776 | 4804 | 4830 | \$129.95 |
| 26" imp. Cyl. 25" imp. Cyl. | 4706 | 4746 | 4778 | 4806 | 4832 | |
| 11-48 A with Vent, Rib Barrel | | | | | | |
| 30" Full Choke 28" Full Choke | 4710 4712 | 4748 | 4780 | | | l |
| 25" Full Choke 28" Mod. Choke | 4714 | 4750 | 4782 | 4808 | 4834 | \$155.50 |
| 25" Mod. Choke 26" Imp. Cyl. | 4716 | 4752 | 4784 | 4810 | 4836 | |
| 25" Imp. Cyl. 11-48 SA with Vent. Rib Barrel | - | · | | 4812 | 4838 | |
| 25" Skeet Choke 25" with Cutts Comp. | | | | 4814 4816 | 4840 4842 | \$161.50 \$186.00 |
| 26" Skeet Choke 26" with Cutts Comp. | 4722 4726 | | 4788 4790 | | | \$161.50 \$186.00 |
| Extra Barrels—Piain 30" Full Choke | 6150 | | | | | |
| 28" Full Choke 25" Full Choke | 6152 | 6168 | 6522 | 6190 | 6362 | } |
| 28" Mod. Choke 25" Mod. Choke | 6154 | 6170 | 6180 | 6192 | 6204 | \$ 44.35 |
| 26" imp. Cyl. Choke 25" imp. Cyl. Choke | 6156 | 6172 | 6182 | 6194 | 6206 | |
| Extra Barrels—Vent. Rib | | | | 4.0 T | | |
| 30" Full Choke 28" Full Choke | 6158 61 60 | 6174 | 6184 | | | |
| 25" Full Choke 28" Mad. Choke | 6162 | 6176 | 6186 | 6196 | 6208 | \$ 66.50 |
| 25" Mod. Choke 26" Imp. Cyl. Choke | 6164 | 6178 | 6188 | 6198 | 6210 | |
| 25" Imp. Cyl. Choke Extra Barrels—Skeet— | ļ | | ļ | 6200 | 6212 | |
| Vent. Rib | | | | | | |
| 25" Skeet Choke 25" with Cutts Comp. | | | • | 6202 6560 | 6594 6524 | \$ 70.69 \$ 95.19 |
| 26" Skeet Choke 26" with Cutts Comp. | 6476 6484 | | 6480 6486 | | | \$ 70.69 \$ 95.19 |

Model 11-48 is an automatic shotgun that packs a lot of value for the money. It's a big favorite with shooters for many reasons - such as: The price is attractive — feature for feature the 11-48 is truly a great gun buy. It's the only automatic on the market made in all five gauges, 12, 16, 20, 28 and 410 . . . and it's also available in skeet models, including 28 and 410 gauges. Here's a Remington automatic that's a dependable, trouble-free shotgun . . . and shooters the world over have proved it! They've bought over a half million since it was first announced. Satisfied customers tell us a trip to the gunsmith is rare because of its good design and construction. Remington guns are better because they're made better. Other features are: big 5 shot capacity (4 in 28 and 410 gauges), interchangeable barrels feature and light weight and light recoil of 28 and 410 models make it an excellent gun for women shooters and young boys just starting with a shotgun.

SPECIFICATIONS

| | OI FOIL IOVI IONO |
|---------------------------------|--|
| STYLE | 5 shot automatic shotgun — 4 shot in 28 and 410 gauges. |
| CAUGES | 12, 16, 20, 28 and 410. |
| BARREL | Remington Proof Steel — extra barrel interchangeable within gauge. |
| SAFETY | Convenient cross-bolt type, positive. |
| RECEIVER | Made from solid steel, top matted |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 12, 16, 20 ga. — 14" long, 2½" drop at heel, 1¾" drop at comb. 28 and 410 ga. — 13%" long, 2¾" drop at heel, 1¾" drop at comb. |
| WEIGHT | 12 gauge — 7 lbs. 16 gauge — 6¾ lbs. 20 gauge — 6½ lbs. |

ade in All Five Gauges

12, 16, 20, 28 & 410

1963

Remington, Model 11-48

AUTOMATIC SHOTGUNS



MODEL 11-48 A (shown with ventilated rib barrel)



From \$139.95

"Sportsman" 58

0

"Sportsman" 58 gives you Power-Matic action that softens recoil (with no power loss) and reduces barrel whip so you can get off an accurate second and third shot. And here is proof of quality throughout. Double action bars — interchangeable barrels — light weight for fast handling, easier carrying — game scenes on receiver — beautiful wood and metal finishes. It's the gun used by more skeet shooters than any other gun . . . and that's where dependability and fast-handling really count.

| | SPECIFICATIONS |
|---------------------------------|---|
| STYLE | 3 shot gas-operated automatic shotgun. |
| GAUGES | 16 and 20 |
| BARREL | High Strength Remington Proof steel. Extra barrel is interchangeable within gauge. |
| SAFETY | Convenient cross-bolt type, positive. |
| RECEIVER | Made from solid steel, top matted. Inscribed game scenes. |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 14" long, 2½" drop at heel, 1%" drop at comb. |
| WEIGHT | 16 gauge - 7 lbs. 20 gauge - 6¾ lbs. |

IN 16 AND 20 GAUGES • 3 SHOT CAPACITY

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| | | 15 6A. | 20 QA . | Retail Prices* |
|-----------|--|------------------------------|------------------------------|------------------------|
| ** | Spertaman" 58 ADL with Plain Barrel 28" Fuil Choke 28" Mod. Choke 26" Mod. Choke 26" imp. Cyl. Choke | 4550 4552 4598 4554 | 4620 4622 4674 4624 | \$. 139.95 |
| T T | Spartsman" 58 ADL with Vent. Rib Barrel 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 4562 4564 4610 4566 | 4632 4634 4686 4636 | \$ 165.05 |
| " <u></u> | Sportsman" 58 SA with Vent. Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | | 4650 4652 | \$ 170.50 \$ 195.00 |
| == | Spertsman" 58 SC with Vest. Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | | 4658 4660 | \$ 232.75 \$ 257.25 |
| | All prices subject to change without notice. | | | |

| | 16 GA. | 20 GA. | Retail Prices* | |
|--|------------------------------|------------------------------|----------------------|--|
| "Sportsman" 58 D with Yent, Rib | | Spec. | \$ 550.00 | |
| "Sportsman" 58 F with Vent. Rib | | Spec. | \$1,050.00 | |
| Extra Barrets, Plain 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 6122 6124 6346 6126 | 6136 6138 6358 6140 | \$ 45.45 | |
| Extra Barrels, Vent. Rib 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 6128 6130 6324 6132 | 6142 6144 6326 6146 | \$ 68.15 | |
| Extra Barrels—Skeet SA and SC Grade— Vent. Rib 26" Skeet Choke 26" with Cutts Comp. | | 6148 6464 | \$ 72.40 \$ 96.90 | |

From \$94.95

Some changes have been made on the outside of the Model 870. It looks a lot more attractive . . . and sportier. But we haven't changed the inside one bit. No need to. It's still the solid, dependable, trouble-free shotgun it has always been . . . the gun that has racked up a record for reliability with close to a million sportsmen who own Model 870's (and wouldn't trade them for anything). Here's where we've improved it:

CUSTOM CHECKERING on stock and fore-end is fine lined, uniform, extra good looking. Fine checkering, full measure beavertail and fluting on fore-end give a secure gripping area.

IMPROYED WOOD FINISH gives stock and fore-end a high gloss. Smooth, rich finish looks better — enhances the value of the gun. The Model 870 "Wingmaster" is good to look at . . . and even better to shoot.

GRIP CAP is a little "extra" but an important one that gives the gun that "finished look." You'll find many other shotguns do not have one.

These are just the new features — but it still has all the other great ones, such as: Double action bars (most pump guns have only one). They prevent twisting and binding, give smooth gliding action. The receiver is another example of quality — it's made from a solid block of high strength steel. And there's the interchangeable barrel feature that lets you change barrels in seconds without factory fitting.



Take a Model 870 anywhere — swing it on those zigzagging doves in the South — towering pheasants in the Dakotas — and high-flying geese at Mattamuskeet. It will be right at home among the thousands of other 870's.

| | SPECIFICATIONS |
|---------------------------------|---|
| STYLE | 5 shot pump action shotgun. Take down. |
| QAUQES | 12, 16 and 20. |
| BARREL | Special Remington proof steel. Extra barrel is interchangeable within gauge. |
| SAFETY | Convenient cross-bolt type, positive. |
| RECEIVER | Made from solid steel, top matted. |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: Rich American walnut, beautiful checkering. 14" long, 2½" drop at heel, 1%" drop at comb. |
| WEIGHT | 20 ga 6½ lbs., 16 ga 6¾ lbs 12 ga 7 lbs. |

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Model 870 with Plain Barrel | 12 GA. | 18 GA. | 20 GA. | Retail Prices* |
|---|--|------------------------------|------------------------------|-----------------------|
| 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" "Brushmaster" Rifle Sight Barrel | 4860 4862 4864 5014 4866 4988 | 5020 5022 5080 5024 | 5102 5104 5098 5106 | \$ 94.95 \$ 114.95 |
| Medel 870 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" imp. Cyl. Choke | 4890 4892 4894 4858 4896 | 5038 5040 5192 5042 | 5122 5124 5178 5126 | \$ 119.95 |
| Medel 876 Magnum with Plain Barrel 30" Full Choke 28" Full Choke | 4872 5010 | | 5176 | \$ 114.95 |
| Medel 870 Magnum with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 4922 5012 | | 5146 | \$ 139.95 |
| Medel 870 R with Plain Barrel 20" Riot Cyl. Choke | 4870 | | - | \$ 89.95 |

Wingmaster" Pump Shotgun

1963 **emington**, Model 870 "Wingmaster"

PUMP ACTION SHOTGUNS



TRAP, SKEET, "BRUSHMASTER," AND MAGNUM MODEL 870 SHOTGUNS

\$219.95

THE "WINGMASTER" MODEL 870 TC - Trap Gun

The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun! SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14%" long including recoil pad, 1%" drop at heel, 1½" drop at comb. Highly figured and finished American Walnut with finely checkered stock and fore-end. Hand fitted action and parts. Will furnish made to order stock lengths from 13½" to 14¾" on Model 870 TC only, without extra charge. Weight: about 8 lbs. This model also available in TB grade 14¾" stock only, lower price.

12 AND 20 GAUGES From \$135.95

THE "WINGMASTER" MODEL 870 SA — Skeet Gun

The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast second shots at skeet or upland game.

SPECIFICATIONS: 26" barrel. Remington Special Skeet Boring. Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 1\%" drop at comb. Weight: 12 gauge about 7 lbs., 20 gauge about 6½ lbs.

\$114.95

12 GAUGE, with Rifle Sight Barrel
THE "BRUSHMASTER" MODEL 870 — Deer Gun

The Model 870 "Brushmaster," made specially to handle rifled slugs and buck shot, is the latest in smashing power for those fast shots in brush country.

SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifle-type sights. Stock fitted with rubber recoil pad and white line spacer.

12 AND 20 GAUGES From \$114.95

THE "WINGMASTER" MODEL 870 MAGNUM — Duck Gun (shown with ventilated rib barrel)

Rugged and dependable for long range shooting! For geese and ducks. SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells — will also handle 2¾" shells. Variweight and wood 3 shot plug. 12 ga. with 28" and 30" full choke, plain or ventilated rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 1½" drop at comb. 20 ga. furnished in 28" full choke ventilated rib and plain barrels. Weight: 12 ga. about 8 lbs., 20 ga. about 7½ lbs., including variweight plug.



QUICK CHANGE BARRELS — Change them in seconds, right in the field. No factory fitting or special tools required. Use one gun for all your shotgun shooting and get more game, targets, sport.




GOOD DESIGN — Barrel is made with a hardened extension into which the breech block must lock before firing. Result . . . longer life, less wear, constant head space.




DOUBLE ACTION BARS prevent twisting and binding, give smooth gliding action for which Remington "Wingmaster" is famous. Many shooters say it works like a ball bearing action. And they're right!

| | 12 GA | 18 SA. | 20 GA. | Retail Prices* |
|--|----------------------|-----------|--------------|------------------------|
| Medel 870 R with Rifle Sights 20" Imp. Cyl. Choke | 4856 | | | \$ 99.95 |
| Medel 870 SA with Vent. Rib Barrel 26" Skeet Choke 26" With Cutts Comp. | 4944 4946 | | 5150 5152 | \$ 135.95 \$ 160.45 |
| Medel 870 SC with Vent. Rib Barrel 26" Skeet Choke 26" With Cutts Comp. | 4952 4954 | | 5158 5160 | \$ 199.95 \$ 224.45 |
| Model 870 TB with Vest. Rib Barre! 30" Full Choke 28" Full Choke 28" Mod. Choke | 4926 4928 4930 | | | \$ 159.95 |
| Medel 870 TC with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke | 4938 4940 4942 | | | \$ 219.95 |
| Medel 870 D with Vent. Rib Barrel | | Spec. | | \$ 525.00 |
| Medel 870 F with Yest. Rib Barrel | <u> </u> | Spec. | | \$1,025.00 |

| | 12 GA. | 16 GA. | 20 EA. | Retail Prices* |
|---|--|------------------------------|--|----------------------------------|
| Extra Barrels Plain 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" Riot Cyl. Choke 20" With Rifle Sights | 6214 6216 6218 6328 6220 6598 6544 | 6252 6254 6332 6256 | 6270 6272 6334 6274 | \$ 35.70 \$ 46.10 |
| Extra Barrels , Vent. Rib. 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 26" Skeet SA & SC Grades Only 26" With Cutts Comp. SA & SC Grades Only | 6222 6224 6226 6318 6228 6240 6450 | 6258 6260 6316 6262 | 6276 6278 6320 6280 6508 6456 | \$ 58.75 \$ 61.55 \$ 86.05 |
| Extra Barreis , TB & TC Grades Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke | 6242 6244 6246 | , | | \$ 61.55 |




SHOTGUN TERMS



GAUGES, CHOKES and BARRELS

GAUGES — Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:



SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 2¾" shell measures about 2½" to 2½" before it is fired, but 2¾" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 2¾" chamber will thus handle shells of the proper gauge up to 2¾" length.

PATTERN — Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet loads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE — Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12 gauge gun is .729". If the diameter at the muzzle end is reduced to .694", the constriction of .035" (difference) will control the shot sufficiently to give patterns averaging about 70% of the

shot in a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

| CHOKES | % at 40 yards in 30" circle |
|-------------------|--------------------------------|
| Full Choke | 70 |
| Modified Choke | 60 |
| Improved Cylinder | 50 |
| Cylinder | 40 |

CHOKE USES — A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.

Full Chokeducks, geese, pheasant, crows, turkey, fox, racoon, trap shooting.

Modified Chokerabbit, woodcock, doves, squirrels,

also all-round usefulness including ducks, quail, etc.

Improved Cylinder,
Special Skeetquail, grouse, partridge, rail, skeet
shooting, guard duty, riot, rifled slugs.


BARREL LENGTH — Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 26 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also minimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots . . . especially in heavy brush.

It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to a more open degree, full to modified, modified to improved cylinder, etc., as long as the barrel length is left unchanged.

: 1





Most Powerful

Automatic Big Game Rifle

When you're looking through the sights of a Remington Model 742 "Woodsmaster" automatic rifle, you're ready for that bouncing run of a big buck, a bear you've just taken by surprise or a trophy-rack bull moose that comes crashing out of the bush. In your favorite caliber and bullet weight, a Model 742 will drop any North American big game. You can get off five shots as fast as you can squeeze the trigger. And because of its gas-operated "Power-Matic" action which reduces recoil and barrel whip (with no loss of power), you can get back on target immediately for successive shots. If you hunt in heavy brush, you'll be interested in the short barrel carbine model.



EXTRA STRONG, DEPENDABLE. Solid steel receiver, rotary multiple-lug breech lock, and high strength barrel breech ring make Model 742 extra strong, safe, dependable . . . allow it to be chambered for super powerful calibers.



AMAZING "POWER-MATIC" ACTION — works on jet airplane principle. Gas moves rearward to operate action. "Jet" effect forces rifle forward—softens recoil with no power loss!



FAST, EASY LOADING, INTER-CHANGEABLE—4-cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.



ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely. Insures constant head space. Same exclusive design as on famous Remington Model 760 "Gamemaster."

| USE NUMBERS, FOR EASY, ACCURATE ORDER!! Model 742 A Autoloading Rifle | NG Order Nes. | Retail Prices* |
|--|------------------------------|----------------------------|
| 6 m/m Rem. 280 Rem. 30/06 308 Win. | 5866 5830 5838 5846 | \$ 139.95 |
| Medel 742 ADL Automatic Rifle | | |
| 6 m/m Rem. 280 Rem. 30/06 308 Win. | 5868 5832 5840 5848 | \$ 155.95 |
| Medel 742 C Carbine Automatic Rifle 280 Rem. 30/06 308 Win. | 5854 5858 5862 | \$ 139.95 |
| Medel 742 CDL Carbine Automatic Rifles 280 Rem. 30/06 308 Win. | 5856 5860 5864 | \$ 155.95 |
| Model 742 D "Peerless" Automatic Rifle | | \$ 575.00 |
| Model 742 F "Premier" Automatic Rifle | | \$1,050.00 |
| Sling Strap Only Sling Strap Assembly and Mountings Complete Fatra 4-Shot Clip | | \$3.05 \$5.40 \$4.50 |

SPECIFICATIONS • MODEL 742 A "WOODSMASTER"

| CALIBERS | 6 m/m Rem., 280 Rem., 30-06, 308 Win. (6 m/m not offered in 742 Carbine) |
|---------------------------------|---|
| CAPACITY | 4 in clip magazine plus one in chamber |
| BARREL LENGTH | 22" |
| OVER-ALL LENGTH | 42" |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut 13½" length of pull 2¼" drop at heel 1¾" drop at comb |
| RECEIVER | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 7½ lbs. |

MODEL 742 C CARBINE—Same as above except Barrel Length—18½" Gver-all Length—38½" Weight—7¼ ibs.

742 A and 742 C do not have checkering, sling swivels, or inscribed receivers.

MODEL 760 ADL DeLuxe Grade

MODEL 760 CDL Carbine

in defendable de la company

Makes no difference where you hunt . . . in Maine's wild Allagash country, far out in the big timbered Olympic Peninsula in Washington, or deer hunting in Wisconsin and Michigan -you'll stop 'em and drop 'em if you're carrying a lightweight, fast-handling Remington Model 760 "Gamemaster." It's the only pump action big game rifle made — anywhere! Five lightning-fast shots are yours at the flick of your wrist . . . one more reason why this rifle has been a consistent winner in the International Running Deer Matches. Pump action is slick, smooth --- so fast and effortless, shooters say it works like a "ball-bearing" action. Four-shot clip magazine is interchangeable. An extra loaded one in your pocket means you can reload in seconds . . . you've reserve fire power at your finger tips. The Remington Model 760 "Gamemaster" is a member of the look-alike Remington "family of guns" - rugged, dependable, trouble-free with the famous rotary multiple-lug bolt for extra strength. Another Remington gun "that's better - because it's made better" . . . in five powerful calibers: 280 Remington, 270, 30-06, 308, 35 Remington. Also made in short barrel "carbine" model.



AMAZING ACCURACY because of free floating barrel, encased bolt head, and advanced method of securing barrel to receiver.



SMOOTH, TROUBLE-FREE ACTION
— Parts perfectly fitted, double action bars, split second pump action—all insure fast, dependable operation.



From \$124.95

EXCEPTIONAL TRIGGER MECHAN-ISM. No backlash, drag or creep. Convenient, positive cross-bolt safety.



REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature

SPECIFICATIONS . MODEL 760 A "GAMEMASTER"

| í' | g! ^{22 ™} . | • |
|----|---------------------------------|---|
| • | CALIBERS | 280 Rem., 270 Win., 30-06, 308 Win., 35 Rem. |
| | CAPACITY | 4 in clip magazine plus one in chamber |
| | BARREL LENGTH | 22~ |
| | OVER-ALL LENGTH | 42" |
| | STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut 13½" length of pull 2¼" drop at heel 1¾" drop at comb |
| | RECEIVER | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| , | SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| | WEIGHT | About 71/2 lbs. |

MODEL 760 CARBINE—Same as above except Calibers—280 Rem., 270, 30-06, 202 Barrel Length—18½" Over-all Laugth—38½"

760 A and 760 C do not have checkering or sling swivels.

| ISE NUMBERS, FOR EASY, ACCURATE ORDERING | Order Nos. | Retail Prices* |
|---|---------------|-------------------|
| Medel 760 A Slide Action Rifle | NOS. | FIICES |
| 270 Win. | 5870 | |
| 280 Rem. | 5882 | |
| 30/06 | 5888 | \$ 124.9 |
| 308_Win. | 5896 | |
| 35 Rem. | 5910 | |
| Model 760 ADL Slide Action Rifle | | |
| 270 Win. | 5874 | |
| 280 Rem. | 5884 | |
| 30/06 | 5890 | \$ 142.9 |
| 308 Win. | 5900 | |
| 35 Rem. | 5912 | |
| Hodel 780 C Carbine Slide Action Rifle | \Box | |
| 270 Win. | 5880 | |
| 280 Rem. | 5886 | \$ 124.9 |
| 30/06 | 5894 | 4 124.3 |
| 308 Win. | 5906 | |
| Medel 760 CBL Carbine Slide Action Rifle | 1 | |
| 270 Win. | 5872 | |
| 280 Rem. | 5914 | \$ 142.9 |
| 30/06 | 5916 | ¥ 172.3 |
| 308 Win. | 5908 | l |
| Model 760 D Slide Action Rifle | | \$ 575.0 |
| Medel 760 F Slide Action Rifle | | \$1,050.0 |
| Sling Strap Only | · · · · · · | \$3.0 |
| Sling Strap Assembly and Mountings Complete | | \$5.4 |
| Extra 4-Shot Clip | | \$3.9 |

13



Remington, Model 700

BOLT ACTION CENTER FIRE RIFLL



and "Custom DeLuxe" Models

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Medel 700 ADL DeLuxe Belt Action Rifle | Order Nes. | Retail Prices* |
|---|--|----------------------|
| 222 Rem. 222 Rem. Mag. 6 m/m Rem. 243 Win. 270 Win. 280 Rem. 30/06 308 Win. 7 m/m Rem. Mag. } stainless steel barrel 264 Win. Mag. } and recoil pad | 5950 5958 5942 6044 5948 5954 5956 5956 5952 6046 | \$114.95 \$129.95 |
| 1" Sling Strap and Swivels 1" Sling Strap and Quick Release Swivels | | \$ 5.40 \$ 9.10 |
| Model 700 BDL Custem DeLuxe Belt Action Rifle 222 Rem. 222 Rem. Mag. 6 m/m Rem. 243 Win. 270 Win. 280 Rem. 30/06 308 Win. | 6024 6032 6018 6034 6022 6028 6020 6030 | \$139.95 |
| 7 m/m Rem. Mag. \ stainless steel barrel 264 Win. Mag. \ \ and recoil pad | 6026 6036 | \$154.95 |
| - 375 H&H Mag.) built-in muzzle brake 458 Win. Mag.) and recoil pad | 6040 6042 | \$310.00 |

The Remington 700 bolt-action is designed for the real rifleman: The shooter who wants the accuracy bonus of Remington's famous precision rifling and short, crisp trigger pull. The hunter who appreciates the comfort of a Monte Carlo comb and cheekpiece on an all-purpose stock that gives superb balance, natural shouldering, perfect alignment with either 'scope or open sights. The craftsman who loves the traditional beauty of fine checkering.

The 700 owner also gets a butter-smooth bolt action — the world's strongest. The bolt head completely encloses the cartridge case in a ring of steel. Double locking lugs provide extra strength for modern, high velocity loads.



This is the finest rifle Remington has ever made. We think it will become one of the finest rifles of all time. Here is true custom quality. The Remington Model 700 is also available in the new big game hot caliber — 7 m/m Remington Magnum. Ballistics are close to perfection. Accuracy of the Model 700 is amazing and it's available in twelve calibers -- 'chucks to elephants.

* All prices subject to change without notice.


SPECIFICATIONS . MODEL 700


| | CALIBERS-700 ADL 700 BDL | 222 Rem., 222 Rem. Mag., 6 m/m Rem., 243 Win., 264 Win. Mag., 270 Win., 7 m/m Rem. Mag., 280 Rem., 30-06, 308 Win. All above plus 375 H&H Mag., 458 Win. Mag. |
|---|------------------------------|---|
| | CAPACITY | Six—222 Rem., 222 Rem. Mag. Five—6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. Four—264 Win. Mag., 7 m/m Rem. Mag., 375 H&H Mag., 458 Win. Mag. |
| | BARREL LENGTH | 20"—222 Rem., 222 Rem. Mag., 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 24" (Stainless Steel Barrel)—7 m/m Rem. Mag., 264 Win. Mag. 26" (Muzzle Brake)—375 H&H Mag., 458 Win. Mag. |
| | OVER-ALL LENGTH | 39%" —222 Rem., 222 Rem. Mag., 6 m/m Rem., 243 Win. 40½" —270 Win., 280 Rem., 30-06, 308 Win. 44½" —7 m/m Rem. Mag., 264 Win. Mag. (includes recoil pad) 46%" —375 H&H Mag., 458 Win. Mag. (includes recoil pad) |
| | STANDARD STOCK DIMENSIONS | Stock: American walnut, BDL grade includes sling strap & swivels. 13%" length of pull, 2-5/16" drop at heel, 1-11/16" drop at comb (from open sight line) checkered. |
| | RECEIVER700 ADL 700 BDL | Drilled and tapped for scope mounts. Fixed magazine. Same at ADL plus hinged floor plate. Matted top. |
| | SICHTS | Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. |
| | SAFETY | Positive thumb type. |
| 1 | WEIGHT | 6½ lbs.—222 Rem. and 222 Rem. Mag. 6¾ lbs.—6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win. 7¾ lbs.—7 m/m Rem. Mag. and 264 Win. Mag. 9 lbs.—375 H&H Mag., 458 Win. Mag. |
| | | |



WORLD'S STRONGEST BOLT AC-TION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.









Top-of-grip thumb safety. The most convenient, easiest to use safety ever designed for 22 rifles.



Nylon 66 withstood torture tests of water, dust and mud combined with extremes of heat, and freezing cold—and it still functioned perfectly after thousands of rounds.




New Remington designed rear sight has thumb screws for adjustment for windage and elevation. It means easier sighting and improved shooting. Receiver also grooved for instant use of "tip-off" scope mounts.



Sharp, fine-line checkering on pistol grip and fore-end provides shooters with a steady, secure hold. White diamond inlay and spacers add to the dramatic new look of the Nylon 66.

All prices subject to change without notice.



USE NUMBERS, FOR EASY, ACCURATE ORDERING

| lylon 22 Caliber Rifles | Order Nos. | Retail Prices* |
|--|---------------|-------------------|
| Nylon 10 Bolt Action Single Shot | 5460 | \$25.75 |
| Nylon 10 SB Smooth Bore Single Shat | 5466 | 25.75 |
| Nylon 11 Bolt Action Clip Magazine | 5544 | 36.95 |
| Nylon 12 Bolt Action Tubular Magazine | 5558 | 39.95 |
| Nylon 66 AB "Apache Black" Automatic | 5486 | 54.95 |
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | 49.95 |
| Nylon 66 GS "Gallery Special" (22 Shorts Only) | 5512 | 59.95 |
| Nylon 76 AB "Apache Black" Lever Action | 5682 | 64.95 |
| Nylon 76 MB "Mohawk Brown" Lever Action | 5692 | 59.95 |
| Extra 6 Cartridge Clip) | 6388 | 2.40 |
| Extra 6 Cartridge Clip For Nylon 11 | 6390 | 3.10 |
| Sling Strap Assembly and Mountings Complete | 1 | 5.40 |

Remington's New NYLON 66 Automatic

Remington's new Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Today nylon is used everywhere — for gears, precision parts, bearings, even horseshoes... and in many industries such as automotive and aircraft, electronics and missiles. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 2½" wood blocks. Only six misses out of over 100,000 blocks thrown ... and without a malfunction.



Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 comes in Mohawk Brown and has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip.

Only Remington Nylon 22 gun stocks are guaranteed for a lifetime!

| SPECIFICATIONS | NYLON 66 | | |
|-----------------|--|---|---|
| ACTION | Automatic. | | |
| CALIBER | 22 long rifle Rim Fire. | | |
| CAPACITY | Tubular magazine thru butt stock. Holds 14 long rifle cartridges. | | |
| STOCK | One-piece structural nylon,checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. | | |
| SIGHTS | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. | | |
| SAFETY | Top-of-grip. | (|) |
| RECEIVER | Grooved for "tip-off" 'scope mounts. | | |
| OVER-ALL LENGTH | 38½" | | |
| COLOR | Mohawk Brown with blued bar. & rec. Apache Black with chrome plated barrel and receiver cover. | | |
| WEIGHT | 4 lbs. | | |

hree Great Actions

LEVER AUTOMATIC BOLT

Remington, NYLON

22 RIFLES





NYLON 66 AB "PRESENTATION" GRADE

Handsome "Apache Black" stock and fore-end of nylon with lustrous chrome barrel and receiver.





Take a good look at Remington's rugged Nylon 76, first lever action 22 with built-in accuracy! The big difference is the accuracy advantage of structural nylon. This amazing chipproof, waterproof, warp-proof, self-lubricating material makes the strongest, most rugged stock and fore-end known.

I his extra nylon stability lets Remington precision-fit stock to barrel with three-point bedding, the same principle that gives costly target rifles their accuracy. Add to this a precision-rifled ordnance steel barrel and a short 35° lever throw, and you have the fastest, most accurate lever action you've ever shouldered.



For extreme accuracy and reliability the Nylon 10 out-performs all other single shot 22 caliber rifles on the market... handles 22 Short, Long, and Long Rifle cartridges. It feeds from a special loading platform, has an automatic safety that sets on cocking bolt—and has such quality features as: Enclosed bolt, two extractors, two locking lugs, and chrome plated bolt handle. The automatic safety is an excellent feature for the young or just-beginning shooter. Also available in smooth bore for 22 shot cartridges.



Whatever you want in a bolt action 22—these guns have it! Bull's-eye accuracy, ultra modern design and the years and years of rugged performance only Remington structural nylon and ordnance steel can give. Choose either clip magazine (Nylon 11) or tubular magazine (Nylon 12). Both are winners! Features? The Nylon 11 and 12 give you plenty! Custom-grade features you won't find on 22's at twice the price! Examples: Super-accurate three-point bedding, the same principle used in expensive target rifles . . . perfect checkering and inletting . . . streamlined, chrome-plated Mannlicher-type bolt handle . . . and unequaled features like handy top-mounted thumb safety, fully adjustable rear sight and receiver grooved for "tip-off" 'scope mounts.

So if you want a gun that's tops for features, fun and fine shooting, see the Nylon 11 and 12. They're at your Remington dealer's, now!

Nylon sting strap and swivels loops available for all nylon rifles at additional charge.

| NYLON 76 | NYLON 10 | NYLON 11 | NYLON 12 |
|---|---|--|--|
| ever Action Repeater. | Bolt Action Single Shot. | Bolt Action Repeater. | Bolt Action Repeater. |
| 22 long rifle Rim Fire. | 22 short, long, long rifle Rim Fire. | 22 short, long, long rifle Rim Fire. | 22 short, long, long rifle Rim Fire. |
| Iubular magazine thru butt stock. | Single Shot. Loading Platform. | Clip magazine. Holds 6 cartridges (10 cartridge clip available). | Tubular magazine. Holds 20 short 16 long, 14 long rifle cartridges |
| Une-piece structural nylon checkered grip & fore-end with white diamond mlays, white line spacers on butt plate, grip cap & fore-end. | One-piece structural nylon checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. | One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. | One-piece structural nylon,checkered grip & fore-end with white diamond inlays, white line spacers on but plate, grip cap & fore-end. |
| Adjustable rear sight, blade front, common sight line for iron sights and 'scope. | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. | Adjustable rear sight, blade front common sight line for iron sight and 'scope. |
| Tap-of-grip. | Automatic Thumb Safety. Red dot in- dicator shows when ready to fire. | Thumb Safety. Red dot indicator shows when ready to fire. | Thumb Safety. Red dot indicator shows when ready to fire. |
| Grooved for "tip-off" 'scope mounts. | Grooved for "tip-off" 'scope mounts. | Grooved for "tip-off" 'scope mounts. | Grooved for "tip-off" 'scope mounts |
| 381/2" | 381/2" | 381/2" | 38½" |
| Mohawk Brown with blued bar. & rec. Apache Black with chrome plated parrel and receiver cover. | Mohawk Brown, | Mohawk Brown. | Mohawk Brown. |
| die ibs. | 4 lbs. | 41/4 lbs. | 41. 0 |

Remington, Automatic

22 RIM FIRE RIFLES





Model 552 "Speedmaster"

\$55.95


a A A

VERSATILE. Shoots 22 Short, Long and Long Rifle cartridges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.



SINGLE LOADING — AUTO EJEC-TION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection port, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically. Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced . . . the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is the newest member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle. "Speedmaster has every feature the shooter wants, such as: twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model and the Gallery Special. Pick a Model 552 off the rack at your dealer's — heft it — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" . . . because it's made better.





Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 22 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker . . . and good for week-end family fun, too.



This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Medel 572 22 Caliber Slide Action Rifle | Order Nes. | Retail Prices* |
|---|---------------|-------------------|
| 572 A | 5626 | \$58.95 |
| 572 SB Smooth Bore | 5628 | 65.95 |
| Sling Strap Assembly and Mountings Complete | | 7.50 |
| Medel 552 22 Caliber Automatic Rifle | | |
| 552 A Automatic | 5608 | \$55.95 |
| 552 C Carbine | 5612 | 55.95 |
| 552 GS. "Gallery Special" (22 Shorts Only) | 5610 | 66.65 |
| Sling Strap Assembly and Mountings Complete | | 7.50 |
| Medel 550 22 Caliber Automatic Rifle | | |
| 550 A | 5596 | \$49.95 |
| Sling Strap Assembly and Mountings Complete | | 5.40 |
| Medel 514 Single Shot Carbine | | |
| 514A | 5572 | \$20.95 |
| 514 BC Boy's Carbine | 5582 | 20.95 |
| Sling Strap Assembly and Mountings Complete | | 5.40 |

^{*} All prices subject to change without notice.



1963 Remington, Pump and Bolt Action

22 RIM FIRE RIFLES



Model 572 "Fieldmaster"

For the shooter who likes a pump action 22 caliber rifle, the "Field-master" Model 572 is best . . . by test. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns.



SINGLE LOADING—It's the only slide action 22 rifle with positive single loading through the ejection port—a feature especially important to parents and shooting instructors.



FAST, POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.



SHOOTERS FORGET—but a "Fieldmaster" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.



Here is an excellent 22 caliber first rifle... at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges — Short, Long, or Long Rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BC "Boy's Carbine" with cut down stock.


| SPECIFICATIONS | MODEL 552 | MODEL 550 | MODEL 572 | MODEL 514 |
|-----------------|--|--|--|--|
| ACTION | Automatic | Automatic | Pump, repeater | Bolt |
| CALIBER | 22 Rim Fire | 22 Rim Fire | 22 Rim Fire | 22 Rim Fire |
| CAPACITY | Tubular magazine holds 22 Short, 17 Long, 15 Long rifle cartridges | Tubular magazine holds 22 Short, 17 Long, 15 Long rifle cartridges | Tubular magazine holds 21 Short, 17 Long, 15 Long rifle | Single shot |
| STHOIS | Adjustable rear sight, bead front | Adjustable rear sight, bead front | Bead front, open rear | Bead front, open rear |
| STOCK | Rich American walnut | Rich American walnut | Rich American walnut | Rich American walnut |
| SAFETY | Cross-bolt type | Thumb style | Cross-bolt type | Rotary thumh safety |
| RECEIVER | Grooved for "tip-off" scope mounts | Grooved for "tip-off" scope mounts | Grooved for "tip-off" scope mounts | |
| OVER-ALL LENGTH | 42" 40" (Carbine) | 431/2" | 42 inches | 37 inches 36 inches (Boy's carbine) |
| WEIRNT | 5% lbs. | 6¼ lbs. | 51/2 lbs. | 4¾ lbs. |
| | | | 1 | |



A COMPLETE TARGET RIFLE READY TO SHOOT

MODEL 513T "MATCHMASTER" 22 caliber target rifle. Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull. 6-shot box magazine. Redfield front and rear sights. 11/4" leather sling, adjustable front swivel. Length 45". Weight about 9 pounds.





\$59.95

A FINE COMBINATION HUNTING AND TARGET RIFLE

MODEL 521 T— Remington's lowest-priced target 22 — and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, 1 shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.



\$361.05

INTERNATIONAL FREE RIFLE—RIM FIRE • CENTER FIRE Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 m/m, 30-06 and others on special order.

40X type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost.

USE NUMBERS, FOR EASY, ACCURATE ORDERING


| Model 40 X "Rangemaster" | Order Nos. | Retail Prices* |
|---|---------------|-------------------|
| 40X-S1 Std. Barrel with Sights, Rim Fire – 22 Cal. | 5656 | \$170.35 |
| 40X-S2 Std. Barrel without Sights, Rim Fire - 22 Cal. | 5658 | \$139.75 |
| 40X-H1 Heavy Barrel with Sights, Rim Fire - 22 Cal. | 5660 | \$170.35 |
| 40X-H2 Heavy Barrel without Sights, Rim Fire-22 Cal. | 5662 | \$139.75 |
| 40X-CF-S2 Std. Barrel without Sights, Center Fire | | \$187.95 |
| 40X-CF-H2 Heavy Barrel without Sights, Center Fire | | \$187.95 |
| Model 513 T "Matchmaster" Rim Fire | | |
| 513 TR "Target" Grade with Sights | 5564 | \$ 88.95 |
| 513 TX "Target" Grade without Sights | 5566 | \$ 66.45 |
| Extra 6—Cartridge Clip | 6388 | \$ 2.40 |
| Extra 10—Cartridge Clip | 6390 | \$ 3.10 |
| Model 521 T "Target" Grade Rim Fire | 5588 | \$ 59.95 |
| Extra 6—Cartridge Clip | 6388 | \$ 2.40 |
| Extra 10—Cartridge Clip | 6390 | \$ 3.10 |
| International Free Rifle Rim Fire—Center Fire | | \$361.05 |

* All prices subject to change without notice.



and non-thic bud to regulation Bodes in

TARGET RIFLES



MODEL 40 X "RANGEMASTER" 22 rim fire and center fire target rifle. Center fire calibers:

· Also available in center fire model in tollowing Supra (extra charge for center fire calibers requiring stainless steel barrels)

Here is the sensationally accurate Remington Model 40X that is taking top honors in the United States and at International matches throughout the world. It reflects all that Remington is famous for . . . craftsmanship, precision design, quality materials, attention to detail. The 40X is truly a target rifle that only Remington—the nation's oldest gun maker could create. Features are:

Bolt action single-shot with loading platform. Specially selected long-wearing ordnance steel barrel, with new precision rifling. Choice of standard or heavy barrel. Custom-style stock with high comb giving same sighting plane for iron and telescope sights. Comb grooved for easy bolt removal. Mershon White Line non-slip rubber butt plate.

Built-in adjustable bedding device. Adjustable sling swivel. Extra-strong bolt with heavy, over-size locking lugs insuring constant headspace. Double extractors. Loading platform gives absolutely straight-line feed. Adjustable, crisp trigger with positive click adjustments for weight of pull. Thumb safety. Large, strong receiver drilled and tapped for standard sight mounts—telescope and iron. Redfield Olympic front and rear sights optional. Greatly increased distance between 'scope blocks gives improved sight adjustment. Barrel length 28". Stock length 33". Overall length 46¾". Weight without Redfield Olympic sights: heavy barrel rifle 12 lbs., standard barrel rifle 10 lbs. Weight with sights: add 12 oz.



"GROUP TIGHTENER" . . . first production rifle ever made with convenient built-in bedding device. Adjustment of "tuning" screws can be done manually with small screw driver.



GREATER DISTANCE between telescope blocks means 50% finer sight adjustment. Reduces "sighting-in" errors. Photo shows difference between old 7.2" inter-mount radius and more precise 10.6" inter-mount radius on Model 40X.

| SPECIFICATIONS | MODEL 40X | MODEL 513T | MODEL 521 T |
|---|---|---|---|
| ACTION | Bolt | Bolt | Bolt . |
| CALIBER | 22 rim fire* | 22 rim fire | 22 rim fire |
| CAPACITY | Single loading Long Rifle only | 6-shot Clip magazine 10-shot clip available Long Rifle only | 6-shot Clip magazine 10-shot clip available Long Rifle only |
| STHĐIS | Redfield Olympic front and rear sights optional | Redfield micrometer front and rear sights optional | Micrometer rear, blade front |
| SAFETY | Thumb safety | Thumb safety | Thumb safety |
| RECEIVER | Drilled & tapped for iron sights or scope mounts | Drilled & tapped for iron sights or scope mounts | · |
| BARREL LENGTH | 28" | 27" | 25" |
| LENGTH OF PULL (Trigger to butt of stock) | 131/2" | 131/4" | 13¼" |
| STOCK | Rich American walnut | Rich American walnut | Rich American walnut |
| OVER-ALL LENGTH | 46%" | 45" | 42¾" |
| | With Redfield sights heavy barrel 12 lbs., 12 oz. | | |
| WEIGHT | Standard barrel, 10 lbs., 12 oz. | 8¾ lbs. | 6½ lbs. |
| | Approx. weight without sights, 12 oz. less | | |

^{*} Also available in center fire model in following calibers: 222 Rem., 222 Rem. Mag., 7.62 m/m, 30-06, and others on special order.

Here's the pistol that fires the

LONG RANGE PISTOL

NEW "FIRE BALL" CARTRIDGE

faster, farther and flatter than any gun your hand ever held



satisfactions, extra sporting pleasures you've never had before.


cision no other pistol and load can deliver.

It's exciting to shoot — exciting to own — and even exciting to look at.

Built with the world's strongest bolt (three rings of steel support the

cartridge head) this new gun and cartridge have been "cross-engineered"

made for each other, by Remington, to give you the power-and-pre-



Ballistics obtained in the XP-100, 101/2" barrel.

SPECIFICATIONS

STOCK: Du Pont "ZYTEL". ACTION: Bolt, solid frame. CAPACITY: Single shot. CALIBER: 221 Remington "Fire Ball". LENGTH: Barrel 10½". Overall 16¾". TRIGGER: Match type; grooved. SIGHTS: Fixed front; rear adjustable for windage and elevation. WEIGHT: 3¾" lbs., shipping weight with zipper case 7 lbs. ORDER NUMBER 5470.

FEATURES

ROTATING THUMB-SAFETY Bolt handle cannot be raised to open action, trigger cannot be pulled, when on SAFE position.

VENTILATED RIB for improved sighting, "custom-crafted" appearance.

CUSTOM-STYLE CHECKERING, white spacers and diamond inlays enhance appearance and value. INTERNAL FORE-END CAVITIES (5 of 'em) permit addition of weights to suit your personal shooting preferences. Cavities hold 38 caliber, 130

grain, metal case bullets (Remington Components Index Number B 22848).

MATCH TYPE TRIGGER with no backlash, no wobble . . . and it's grooved for a better finger feel. It's crisp — there's no lag in the let-off; extremely fast lock time.

SCIENTIFICALLY BALANCED to give minimum whip, jump and recoil. Grip is positioned at best position for steady holding . . . it's the comfort king of pistols.

ONE-PIECE STOCK OF DU PONT "ZYTEL" "the gunmaker's nylon" that gives a gun more durability, finest barrel-bedding (for greater accuracy) and lasting good looks.

WORLD'S STRONGEST BOLT same as featured on famous Remington center fire rifles.

RIFLE-TYPE REAR SIGHT is adjustable for windage and elevation.

UNIVERSAL GRIP fits either left—or right hand, is shaped to fit fingers and heel of hand.


* All prices subject to change without notice.




EXCITING TO SHOOT

beautiful to look at, and handsomely cased, too (at no extra charge.) New specially fitted, custom style zipper case is practical, durable . . . protects pistol wherever you go.

22






To carve a nation out of a wilderness, tools were needed. But even before settlers headed West behind a yoke of oxen or cleared land with the axe and cultivated it with a plow, pioneers of the young United States realized that the firearm was the basic tool needed to open the vast interior of a growing nation to the westward migration.

For with a rifle alone, a man could enter the wilderness with protection, and even more important — with a tool that would provide sustenance for himself and his family. To early Americans the rifle, shotgun and pistol were an indispensable part of pioneer life. When the land was being opened and hungry settlers waited the necessary months or years for their first crops to ripen, it was the firearm that provided them with food from nature's larder of game. It was this demand for the firearm as a tool . . . not as a weapon . . . that made the growth of Remington Arms Company, Inc. possible. From the first Remington flintlock made in 1816 to the incomparable Remington rolling block rifle of the late 19th century—Remington guns led the way wherever pioneers ventured.

In the formative, critical years of our young nation's growth, Remington... the oldest gunmaker in America... filled the need for the most indispensable of all pioneering tools — the firearm. Since 1816 Remington guns have proudly contributed towards our nation's heritage and in doing so, acquired a reputation for excellence in design and dependability.



| RE | MINGTON FIREARMS TOOLS OF THE FRON | TIER |
|----|--|------|
| 1. | Original Remington Flintlock, muzzle loading rifle | 1816 |
| 2. | Breech loading Remington-Jenks Sporting Rifle. Maynard-type lock | 1847 |
| 3. | Percussion Lock rifle and shotgun combination | 1848 |
| 4. | Muzzle loading, Percussion Lock "Zouave" rifle | 1863 |
| | Rim Fire or Center Fire Sporting Rifle No. 1. Rolling Block Action | 1867 |
| 6. | Center Fire 43 Caliber, Rolling Block Rifle, Presentation Grade. | 1897 |
| | Cap and Ball, 44 Caliber, Remington Single Action revolver | 1863 |
| | Over and Under Remington Derringer, 41 Rim Fire Caliber | 1865 |


Remington TRAP SKEET EQUIPMENT

MODEL A100T FOR TRAP
1 Remington autoloading
trap with ½ HP motor,
60 cycle, 115 volts, and
special auto-angling base.
1 push button release unit
with 100 feet of wire.
1 power control box.



REMINSTON AUTOLOADING TRAP

- Labor-saving (no trap boy needed) Large capacity (203 targets)
- Easy loading, stack at a time Connects to 110 volt wiring system
- No tools required Makes commercial gun clubs profitable!



MOGEL M200S FOR SKEET
2 Remington autoloading traps with ½ HP motors, 60 cycle, 115 volts. 1 walk around release unit and 70 feet of wire. 2 power control boxes. 1 connection box.



REMINSTON "BLUE ROCK" TARGETS

The new Remington square shoulder "Blue Rock" has weight where weight belongs!
Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot — targets break easier when hit by only a few pellets. All adding up to higher scores!





REMINGTON "WONDER" TRAP For straight trap and skeet. Tested in service ... proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.



REMINGTON "WONDER" TRAPS FOR SKEET SHOOTING

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control, all other accessories. Also Remington Electric release.





REMINGTON "EXPERT" TRAP A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.



REMINGTON "BLUE ROCK" TRAP For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Singlever Pull for manual operation.



MANUAL RELEASE for "Wender" or "Blue Rock" Outfits Simple to attach and easy to use, the Remington Singlever Pull is especially designed for manual operation of the "Wonder" Skeet Outfit. Easily and quickly converted to electric operation.

Remington, Wingmaster, Sportsman, Power-Matic, Woodsmaster, Gamemaster, Speedmaster, Raugemaster, Matchmaster, Fieldmaster, Targetmaster, Shur Shot, Core-Lokt, Blue Rock, Expert, Wonder, Kleanbore, Brushmaster and Jet are trademarks registered in the United States Patent Office. XP-100, Fire Ball, Rib-Lokt, Dial-A-Matic, Express, Nylon 10, Nylon 11, Nylon 12, Nylon 68, Nylon 76, are trademarks of Remington Arms Company, Ine., Bridgeport 2, Conn. In Canada: Remington Arms of Canada Limited, 14 Queen Elizabeth Bivd., Toronto 18, Ontario.

Zytel is a registered trademark of E. I. du Pont de Nemours & Co. for nylon resins.

1764


DIR THREE THERES TOOK! FOR CENTRE PROTECTION OF ARTHURAS TO USE THE PISTON WHO YOU YEE REMINGTON FIREARMS SHOTGUNS SUGGESTED SHOT SIZES TOR GAME Automatic Model 1100 4, 5 KIM Aktomatic Model 11-48 6, 7 Pump Action Model 870 "Wingmaster" ... 8, 9 DEWING LEGAL STATES 10 CENTER FIRE RIFLES TO A TOTAL Automatic Model 742 "Woodsmaster" 12 Pump Action Model 760 "Gamemaster" ... 13 Bolt Action Model 700 14 LONG RANGE PISTOL Bolt Action Model XP-100 16 RIM FIRE RIFLES Automatic Nylon 66 18 Lever Action Nylon 76 18 Bolt Action Models 510X, 511X, 512X, 514 19 Automatic Model 552 "Speedmaster" 20 Automatic Model 550 20 Pump Action Model 572 "Fieldmaster" ... TARGET RIFLES Bolt Action Model 40XB "Rangemaster" . . 22, 23 Bolt Action Model 513T "Matchmaster" ... 22, 23 Bolt Action Model 521T 22, 23 Bolt Action International Free Rifle 22, 23 REMINGTON NEW GUNS 24 REMINGTON HIGH GRADE GUNS REMINGTON AMMUNITION CENTER FIRE BULLETS "CORE-LOKT" 27 CENTER FIRE RIFLE CARTRIDGES 28-35 CENTER FIRE PISTOL & REVOLVER 34-37 CARTRIDGES PISTOL & REVOLVER BULLET TYPES 38 SHOTGUN SHELLS 40-43 SUGGESTED SHOT SIZES FOR GAME 44 RIM FIRE CARTRIDGES 45, 46

REMINGTON TRAPS

TRAP AND SKEET EQUIPMENT


THE COVER—reproduced from an original painting by Bob Kuhn, well-known wildlife and outdoor artist.

REMINGTON SHOTGUNS



Remington,

(IPIN)




Shooters throughout the country have made the new Remington Model 1100 the "most popular" — "most wanted" automatic shotgun . . . and . for good reasons, too. For example, duck and goose shooters, dove and quail hunters; gunners who swung the 1100 on pheasants and small game all last season tell us:



"It works, never jammed on me once, and I hunted every weekend." "Recoil is light" writes a trap shooter. "My boy says the kick doesn't bother him a bit . . . and it doesn't. He's shooting better than ever." Light recoil also pays off in doubles, too: for the trap shooter, skeet shooter and the hunter. Where that second shot counts - you can count on the Model 1100.

"Finish is good - stands up" reports a West Coast duck and goose shooter who shot it throughout the season . . . "And we get some mighty wet weather out here . . . it's tough on almost everything."

"It's a beautiful gun" — is a typical comment. And no wonder — with its fine-lined checkering, DuPont RKW finish, scroll work, steel receiver, white line spacers and tear drop pistol grip. Shooters are proud of this gun, in the field, and in their gun rack. You'll be too. Your



Skeet Gun

rear sight. Stock dimensions are: 14" long, 21/2" drop at heel, 11/2" drop at comb. Weight: about 71/2 lbs.



Built for the high flyers — reaches out and drops 'em.

SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 234" magnum shells. Available in 28" and 30" full choke in 12 gauge, and 28" full choke in 20 gauge, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 21/2" drop at heel, 11/2" drop at comb. Furnished with recoil pad. Weight: about 734 lbs.



12. 20 GAUGE

(shown with ventilated rib barrel)

| 47 | 1 | • | - | | | |
|----|---|---|---|---|---|---|
| 4 | 1 | 9 | 6 | 4 | • | ŀ |
| -3 | ′ | 1 | O | 7 | | ŀ |
| | | | | | | |

| erne | 5 shot gas operated shotgum. |
|---------------------------------|---|
| | Made in 12, 16 and 20 gauge |
| euses. | Special Remington proof steel. Extre harrel is interchangeable within gauge. |
| | 48% Cortin 28% Barrall. |
| LAFETY | Convenient cross-bolt type, |
| RECEIVER | Made from solid steel, top matted, scroll work on bolt and both sides of receiver. |
| STANDARD STOCK DIMENSIONS | Stock and fore-and: Rich American walnut. 147 long, 21/2 drop at heal, 11/2 drop at comb. |
| AVERAGE | 12 ps. 7 % be. 16 ps. 7% be. 20 ps. 7 be. |

HOLDER THAT WAVE THE WODE SAN

on stock and fore and four-de-lis design.

with attractive guite diamond inlay provides

has swept back streamlined design. First checkering and further size secure pripoing area.

on butt plate and grio can add attractiveness.

looks better, wears better because the metal

acre highly sellated.

- Easy to load four la magazine ... one in

—Performs perfectly for different loads, automatically—Shoots high bear, tow lates, 236 " magnus shells without adjustment

They're interchangeable in seconds; no facbery fitting is required. Use one gag for all year shooting and get inche angle largety sport.

Drop a shell in the breech; load another in the breech; load another in the beat market in the shells in five accords.

Ges action tames questi, it amosts and custions

the wood grain show through, it's sizellar to that used on bowling plans; bough, hard scratch-esistant; gives lasting protection against the state of the second plans; bough, hard scratch-esistant; gives lasting protection against the second plans and bad weather.

is made from a solid block of steel for extra strength

— Chambered for 3" magnum shells.

See 25" magnums too. A rugged, dependable shotgas — reaches

and dops the blot floors.

an receiver and bolt adds real beauty and


The gas operation of this gan is unusual. It blows that an epime every been action bright and shining for long periods

gun is up to seven times longer than any other automatic shotgun
on the merket

| The H | *** | and the | Service of the servic | He | 3 |
|-------|-----|---------|--|-----|------|
| | | | . 3 7 | 9.0 | . as |

| | | Order Ne | | • • |
|--|---------------------------------------|------------------------------|------------------------------|-------------------|
| Madel 1100 with Biolo Bowel | 12 Ga. | 18 Ga. | 20 Ga. | Retail Prices* |
| Medel 1100 with Plais Barrel 30". Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" imp. Cyl. Choke | 5322 5320 5326 5324 5328 | 5370 5374 5372 5376 | 5390 5394 5392 5396 | \$149.95 |
| Medel 1100 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 5332 5330 5336 5334 5338 | 5378 5382 5380 5384 | 5398 5402 5400 5404 | 174.95 |
| Medel 1100 Magaum with Plain Barrel 30" Full Choke 28" Full Choke | 5344 5342 | | 5428 | 164.95 |
| Medel 1100 Magnum with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 5348 5346 | | 5430 | 189.95 |
| Medel 1100 SA Skeet with Vent. Rib Barrel. 26" Skeet Choke 26" with Cutts Comp. | 5356 5358 | | 5408 5410 | 179.95 204.45 |
| Medel 1100 SB with Vent. Rib Barrel (Better Weed) 26" Skeet Choke 26" with Cutts Comp. | 5302 5304 | | 5422 5424 | 204.95 229.45 |
| Medel 1100 TB Trap with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke | 5350 5352 5354 | | | 214.95 |
| Medel 1100 D with Yent. Ril | | Spec | ;ial | 550.00 |
| Medal 1100 F with Vent Ril | Barrel | " Spec | ial | 1,050.00 |
| Extra Barrels, Piala 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 9500 9502 9504 9506 9508 | 9530 9532 9534 9536 | 9546 9548 9550 9552 | 45.45 |
| Extra Barrels, Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 9512 9514 9516 9518 9520 | 9538 9540 9542 9544 | 9554 9556 9558 9560 | 68.15 |
| Extra Barrels, Vent. Rib SA & SB Skeet Grades 26" Skeet Choke 26" with Cutts Comp. | 9524 | | 9562 9564 | 72.40 94.47 |
| Extra Barrels, Vest. Rib TB Trap 30" Full Choke 28" Full Choke 28" Mod. Choke "Fair Trade retail prices in state | 9526 9528 9566 s having Fair | Trade laws. | | 72.40 |

^{*}Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.




The Remington Model 11-48 is an automatic shotgun with a fine reputation that has been earned in the field and wherever skeet targets are thrown. Over a half million proud owners are our best salesmen; and they'll tell you the 11-48 is one of the finest automatics on the market. And it is!



It's the only automatic made in 12, 16, 20, 28 and 410 gauges and in the 28 and 410 gauges it's a big favorite with skeet shooters, youngsters, women . . . and hunters who like a small bore shotgun. And speaking of Remington automatic shotguns, they have won more National Skeet Championships than all other brands put together. Here is where shot-after-shot dependability really counts.

Model 11-48 is an excellent value . . . you get a lot of gun for the money, such as: Custom fine-lined checkering, receiver milled from a solid block of steel, rich American Walnut stock and fore-end, 5-shot capacity (in 12, 16 and 20 ga.) and it shoots all brands of ammunition, high and low base, rifled slugs and standard length magnum shells . . . all without adjustment.

Barrels are interchangeable, too. Takes only a minute to change them and you can do it right in the field. No special tools or factory fittings are required. Dependability, ruggedness, lightweight, fine balance, good looks . . . that's the Remington Model 11-48, a gun that's built the "Remington Way" - to last!





MODEL 11-48 SA Skeet Gun

Available in 12, 20, 28 and 410 gauges (410 gauge shown above) supreme dependability in the guns they shoot. The Model 11-48 has everything the skeet shooter wants . . . fine balance, excellent pointing qualities, ruggedness . . . plus many other features that all add up to higher scores.

SPECIFICATIONS: 26" barrel (25" on 28 and 410 gauges) Remington special skeet boring, ventilated rib barrel, ivory bead front sight and white metal rear sight. Stock dimensions: 12 and 20 gauge, 14" long, 21/2" drop at heel, 15%" drop at comb. 28 and 410 gauges, 13%" long, 2%" drop at heel, 1%" drop at comb. Weight: 12 ga. — $7\frac{1}{4}$ lbs., 20 ga. — $6\frac{1}{2}$ lbs., 28 and 410 ga. $-6\frac{1}{4}$ lbs.







Time for a new pump gun? If it is - and you're looking . . . we'd like to help. First of all you want a gun that shucks shells at the flick of your wrist - a gun that's got twin action bars and pumps like a ballbearing action without twisting or binding. There is a gun like this. It's the slick Remington Model 870!

Want one that's going to last? Of course. Then pick a pump that has a receiver machined from a solid block of steel if you want strength and ruggedness. That's the way a Remington 870 is built . . . we don't make them any other way.

Chances are you'll want to use that gun on different kinds of game. That means interchangeable barrels you can change in seconds right in the field and without any factory fitting or special tools. With a Remington 870 "Wingmaster" it's so easy - anyone can do it.

Everyone wants a good-looking gun. The 870 is a stand-out in any company and here's why: Custom fine-lined checkering, rich American Walnut stock and fore-end, full beavertail and fluting on fore-end, high-gloss wood finish and decorative grip cap. A Remington 870 pump is one of the best investments you can make in shooting enjoyment for yourself — as a gift — or some day as a pass-along gun to that youngster of yours. So, for good hunting this season, why not take along a new Remington Model 870.

MODEL 870 (shown with ventilated rib barrel) In 12, 16 and 20 gauges 12 GAUGE ONLY The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun!

"WINGMASTER" MODEL 870 TC Trap Gun

SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14% long including recoil pad, 176" drop at heel, 11/2" drop at comb. Highly figured and finished American Walnut with finely checkered stock and fore-end. Hand fitted action and parts. Will furnish made to order stock lengths from 13½" to 14¾" on Model 870 TC only, without extra charge. Weight: about 8 lbs. This model also available in TB grade 14¾" stock only, lower price. The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast

"WINGMASTER" MODEL 870 SA Skeet Gun

second shots at skeet or upland game. Also available in SC grade with specially selected wood and hand checkering. SPECIFICATIONS: (12 and 20 Gauges) 26" barrel. Remington Special Skeet Boring

Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 156" drop at comb. Weight: 12 gauge about 7 lbs., 20 gauge about 61/2 lbs.

12 GAUGE, WITH RIFLE SIGHT BARREL

"BRUSHMASTER" MODEL 870 Deer Gun

The Model 870 "Brushmaster," made specially to handle rifled slugs and buck shot, is the latest in smashing power for those fast shots in brush country.

SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifle-type sights. Stock fitted with rubber recoil pad and white line spacer.

12 AND 20 GAUGES

"WINGMASTER" MODEL 870 MAGNUM

Duck Gun

(shown with ventilated rib barrel)

Rugged and dependable for long range shooting! For geese and ducks. SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells - will also handle 234" shells. Variweight and wood 3 shot plug. 12 ga. with 28" and 30" full choke, plain or vent. rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 15%" drop at comb. 20 ga. furnished in 28" full choke vent. rib and plain barrels. Weight: 12 ga. about 8 lbs., 20 ga. about 71/2 lbs., including variweight plug.



| / | ዖ | 6 | 4 |
|---|---|---|---|
| | • | U | 7 |

SPECIFICATIONS

| Ž | | |
|---|---|------------------------------|
| | | |
| | | |
| j | k. 5 shot pump action shotgy | L Take down. |
| Ť | | |
| Ź | Line See See See See See See See See See S | |
| 7 | Sepola Remongros proof st | Litra harrel la |
| 1 | a la primer gentro a titular gan | |
| 3 | | |
| 1 | | |
| 1 | AND THE PERSON NAMED IN | A Property of the Assessment |
| H | The state of the second section is the second | |
| ī | THE PERSON NAMED IN COLUMN | page line. |
| Ť | | |
| 9 | | methed. |
| ä | | |
| 3 | | MALTINE WALLES |
| ı | Contact of the latest and the | est Zh. drop at |
| | | |
| | | |

USE NUMBERS FOR EASY, ACCURATE ORDERING

| OOL HUMBERS FU | L EASI, | ACCUI | WIE ON | LDEKING |
|---|--|---|------------------------------|-------------------|
| Model 870 with Plain Barral | 12 Ga. | Order Nes 18 Ra. | 20 Ga. | Retail Prices* |
| 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" Brushmaster Rifle Sight Barret | 4860 4862 4864 5014 4866 4988 | 5020 5022 5080 5024 | 5102 5104 5098 5106 | \$ 99.95 |
| Medel 870 with Year. Rib Barrel 30° Full Choke 28° Full Choke 28° Mod. Choke 26° Mod. Choke 26° Imp. Cyl. | 4890 4892 4894 4858 4896 | 5038 5040 5192 5042 | 5122 5124 5178 5126 | 124.95 |
| Medel 870 Magnum with Plain Barrel 30". Full Choke 28" Full Choke | 4872 5010 | | 5176 | 119.95 |
| Model 870 Magnum with Vent, Rib Barrel 30° Full Choke 28° Full Choke | 4922 5012 | Nach Nach Angel An | 5146 | 144.95 |
| Medel 870 R Plain 20° Riot Cyl. Choke Medel 878 & Rifle Sights 20° Imp. Cyl. Choke | 4870 4856 | | | 89.95 99.95 |
| Medel 870 SA with Vant: Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | 4944 4946 | | 5150 5152 | 129.95 154.45 |
| Medel 870 SC with Yest. Rib Barrel 26" Skeet Choke 26" with Cutts Comps. | 4952 4954 | | 5158 5160 | 194.95 219.45 |
| Model 870 T8 with Vent: Rib Barral 30° Full Choke 28° Full Choke 28° Mod. Choke | 4926 4928 4930 | | | 164.95 |
| Medel 870 TC with Yeit: Rib Barra 5 30 30' Full Choke 325 225 Full Choke 28 28' Mod. Choke | 4938 4940 4942 | | | 224.95 |
| X+= | Barrel | Special | | 525.00 |
| Medel 870 F with Vent. Rin | DEITEL | Special | | 1,025.00 |
| 30 Full Choke 28 Full Choke 28 Full Choke 28 Mod. Choke 26 Mod. Choke 26 Imp. Cyl. Choke 20 Riot Cyl. Choke 20 With Rifle Sights | 6214 6216 6218 6328 6220 6598 6544 | 6252 6254 6332 6256 | 6270 6272 6334 6274 | 35.70 46.10 |
| Vent Bib Barrel 30" Full Choke 4.28" Full Choke 4.28" Mod. Choke 25" Mod. Choke 25" Imp. Cyf. Choke 25" Skeet SA & SC Grades 4.25" SA & SC With | 6222 6224 6226 6318 6228 | 6258 6260 6316 6262 | 6276 6278 6320 6280 | 58.75 |
| Grades 26" SA & SC with Cutts Comp. | 6240 | | 6508 | 61.55 |
| TO 2 TO Goods 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 | 6450 | | 6456 | 83.62 |
| Vent. Rib Barret 30" Full Choke 28" Full Choke 28" Mod. Choke | 6242 6244 6246 | 176. 14. j | | 61.55 |



CHAIGE SARRELS

Change them in seconds, right
in the fleld No factory fitting
for special tools required. Use
ther gas for all your shotom
whooling and get seere game
therets soot




NOO JESUN Barrel S. made kilir k. lukuunad extension into kice the foresch block appe ech become firing. Result ween 1875, last was constant



INVELE ACTION BARS prevent wisting and binding, give smooth liding action for which Remagion "Wingmaster" is famous kany shooters say it works like ball bearing action. And they're


*Eair Trade retail prices in states having Fair Trade laws.



GAUGES, CHOKES **②** and BARRELS

GAUGES — Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:



SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 234" shell measures about 21/2" to 258" before it is fired, but 234" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 234" chamber will thus handle shells of the proper gauge up to 234" length.

PATTERN — Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet loads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE — Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12 gauge gun is .729". If the diameter at the muzzle end is reduced to .694", the constriction of .035" (difference) will control the shot sufficiently to give patterns averaging about 70% of the

shot in a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

| CHOKES | % at 40 yards in 30" circle |
|-------------------|-----------------------------|
| Full Choke | 70 |
| Modified Choke | 60 |
| Improved Cylinder | 50 |
| Cylinder | 40 |

choke USES—A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.

Full Chokeducks, geese, pheasant, crows, turkey, fox, racoon, trap shooting.

Modified Chokerabbit, woodcock, doves, squirrels, also all-round usefulness including ducks, quail, etc.

Improved Cylinder,

Special Skeetquail, grouse, partridge, rail, skeet shooting, guard duty, riot, rifled slugs.


BARREL LENGTH — Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 26 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also minimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots . . . especially in heavy brush.

It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to a more open degree, full to modified, modified to improved cylinder, etc., as long as the barrel length is left unchanged.



REMINGTON CENTER FIRE RIFLES



Remington,






1964 The Most Powerful Automatic **Big Game Rifle**



IF YOU'RE AN AUTOMATIC FAN . . . then the 742 "Woodsmaster" is your gun. There's meat in camp whenever you're shooting the Remington Model 742 Automatic . . . the modern rifle that's built for speed and power. You're packing a ton and a half of muzzle energy in the world's most powerful automatic hunting rifle the only one that handles the pile-driving force of that All-American 30/06 Springfield cartridge (available in 9 bullet weights and styles for every kind of American game from woodchucks to grizzlies). Fast, gas-operated action soaks up recoil. No tooth-rattling "kick", no loss of power and almost no muzzle whip. That's why you're back on target before your trigger finger can squeeze off a second shot. The 742 Automatic lets you concentrate on aiming and not on working the action. In fact, this modern light weight Remington powerhouse actually reloads itself faster than you can shoot! Doubt it? Try it yourself the next time that big buck busts out of the brush. Model 742 "Woodsmaster" is available in 30/06 Springfield, 280 Remington, 308 and 6 m/m Remington. If you hunt in heavy brush country, you'll be interested in the short barrel carbine model, in 30/06 and 308 calibers. Both regular and carbine models have the new custom fine line checkering.




EXTRA STRONG, DEPENDABLE. Solid steel receiver, rotary multiple-lug breech lock, and high strength barrel breech ring make Model 742 extra strong, safe, allow it to be dependable ... allow it to be chambered for super powerful calibers like the 30-06.



FAST, EASY LOADING, Interchangeable - 4 cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.



AMAZING "POWER-MATIC" AC-TION --- works on jet airplane principle. Gas moves rearward to operate action. "Jet" effect forces rifle forward—softens re-"Jet" coil with no power loss!




ROTARY MULTIPLE-LUG BREECH **BOLT** locks bolt and barrel together securely. Insures con-stant head space. Same exclusive design as on famous Remington Model 760 "Gamemaster."

| TERES | | | | |
|--|--|-----------|---------|----------|
| USENUM | BERS FOR E | ASY, ACCU | RATEORD | ETINE. |
| | | | | Retail |
| EARL Baraco | | | | Prices* |
| 280 temps 20/06 30 WK | | | | 149.95 |
| | | | | |
| X L | 1562 | | | 149.95 |
| | | | eirk- | 575.00 |
| The state of the s | | | 制。 | 1,050.00 |
| THE PERSON NAMED IN | & Swivels (Install | Spar | ify | 8.00 |
| Estra 4-Shot | GMP prices in states have | Call | | 4.50 |
| | A STATE OF THE STA | | | No. |

| CALIBERS | 6 m/m Rem., 280 Rem., 30-06, 308 Win. Carbine: 30-06 and 308 Win. |
|---------------------------------|---|
| CAPACITY | 4 in clip magazine plus one in chamber. |
| BARREL LENGTH | 22" — Carbine 18½" |
| OVER-ALL LENGTH | 42" — Carbine 38½" |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 13½" length of pull, 2¼" drop at heel, 1¾" drop at comb. |
| RECEIVER | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 7½ lbs Carbine 7¼ lbs. |

Fast handing
Accurate
Big Game Rifle



IF YOU'RE A PUMP GUN MAN . . . used to shooting a pump action shotgun, then the Remington Model 760 is the gun you'll want. You'll stop 'em and drop 'em if you're carrying a light weight, fast-handling Remington Model 760 "Gamemaster." It's the only pump action big game rifle made that's chambered for the popular and powerful 30/06 Springfield cartridge. Five lightningfast shots are yours at the flick of your wrist . . . one more reason why this rifle has been a consistent winner in the International Running Deer Matches. Pump action is slick, smooth -- so fast and effortless, shooters say it works like a "ball-bearing" action. An extra loaded clip magazine in your pocket means you can reload in seconds . . . you've reserve fire power at your fingertips. The Model 760 "Gamemaster" is another member of the Remington family of modern guns -- rugged, dependable, trouble-free with the famous rotary multi-lug bolt for extra strength. Custom, fine line checkering make it a standout in any gun rack. Another modern Remington gun "that's better - because it's made better" . . . in six powerful calibers: 223 Remington, 280 Remington, 270, 30/06, 308, 35 Remington. Also made in a carbine model in 35 Remington, 30/06 and 308 calibers.



AMAZING ACCURACY—Free floating barrel gives the kind of accuracy that means meat on the table, more first-shot hits.



EXCEPTIONAL TRIGGER MECHAN-ISM. No backlash, drag or creep. Convenient, positive cross-bolt safety.



LIGHTNING FAST ACTION — A flick of your forearm keeps you shooting; double action bars prevent twisting and binding. Pumping is effortless, like a ball-bearing action.




REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature.

| | Jan Francisco | | |
|-----------------------------|--|--|--------------------|
| THE RESIDENCE | | | |
| | | | 4 |
| | | | Treat . |
| | | | |
| | | | in the Carlo |
| | | 17. 14. 4 | |
| | | | |
| | | and miles to | |
| | | | |
| | | | |
| | | | |
| Senta de la Caraciana | A CONTRACT OF THE PERSON OF TH | | THE PERSON AND THE |
| The section of the section | | -28 | A 175.00 |
| A control of the profession | officer designation | Virginia de la companya del companya del companya de la companya d | 1,050.00 |
| | 10 | | |
| | | | 4429 |
| | | | |
| | The West Course | A CONTRACT | |

| | SPECIFICATIONS |
|------------------------------|--|
| | 230 Nem. 270 Win., 30-06, 308 Win., |
| Land CALIBERS | 35 Rem., 223 Rem. Carbine: 30-06, 308 Win., 35 Rem. |
| | A in clip magazina plus one in chamber except 223 dem. (5 in clip). |
| | 22 ⁴ —Carbina 1846* |
| TENETH | 42" - Carbine 3814." |
| STOCK STOCK DIMENSIONS | Stock and fore-end: rich American walnut, 13½" length of pull, 2¼" drop at heel, 1¼" drop at comb. |
| RECEIVER | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 71/2 lbs. — Carbine 71/4 lbs. |
| | |

World's Most Wanted Bolt Action Rifle in 13 Calibers



WORLD'S STRONGEST BOLT AC-TION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.

BOLT KNOB is checkered, top and bottom. Grip is custom checkered. BDL Model has grip cap and white spacers.






| | \$. V | | | 7 | SPECIFICATIONS ** | |
|-----|--------|---|-------------|----------|--|--------------|
| | * | | 173 | Ž | | |
| | | 2.54 | i é sa | | 222 Ress. 222 Ress. Mag. 6.5s/m Ress. 243 W | |
| Š | | | | | Win. Mag. 270 Win. 7 w/m Noni Mag. 280 30-06, 308 Win. 12-2 | |
| ١ | | | | | All above plus 300; Miss Mag. 325 H&H Mag. | |
| Н | | | 推り | | 458 Wm. 1614. | 第二条 |
| Ŷ. | 42 | H.L. | 10 | <u>.</u> | SIL SECOND POR AND MADE AND ADDRESS OF THE PARTY OF THE P | |
| Ĭ | | | 10 | 4 | | Rem. |
| | 7.3 | 700 | | 87 | 30-06, 300 Min. 7 m/no Rem Meg. 3 | w w |
| ġ | | | | į. | Mag. 375 Well Mag. 458 Win Mag. | W 1144. |
| ø | | লুক্ত করে। বুলুক্তের | a sales | 7 | | |
| ā | | | | | 22 - 4 m/n Am. 141 Wa. 742 Ma. 28 20 20 20 20 m. | |
| 1 | X | | MAG | \$ | TATHER ZZZ ROM. ZZZ ROM MAC T 1235 | |
| 1 | V | | tareste de | à. | " It was Stainless Steet Barrall I m/m Lan Har | |
| 4 | | | 1 | 4 | 200 Will May 764 Will May 257 - 371 HER May 458 Will Mag | 100 |
| ij | | | 6. 2: | | | |
| ä | · · | 867 | | X. | THE RESIDENCE OF THE PARTY OF T | |
| 1 | | | 40 | | | |
| 3 | • | | 4 -4 | ្ឋ | | |
| ď | 13. | () () () () () () () () () () | 1 | 1 | A STATE OF THE PARTY OF THE PARTY. | |
| 5 | | | | | | |
| | | 1.2 | 10.5 | | | |
| | | 20.00 | | | Activation were SDF trace include a server SDF trace include a server SDF trace include a server some special server | a allet |
| | | 8.5 | | | | |
| | | Most | 14.14.19 to | 2 | | 1 |
| | 17 | 7 1 | A 44 4 225 | 類 | | 100 |
| | | | | 1 | Orline and tapped for scope reports. Fixed ma | gazine. |
| c : | | | 2.00 | | Seme as ADL plus hinged floor plate. | 40.00 |
| è | | 14.18 | | | Figt Taced gold bead with ramp front sight | (hooded |
| 1 | | 7.4 | غاريون | | ramp on BOL modell. Step adjustable rear sig | |
| 1 | 138 | 1 | | 2 | wedge adjustment again | 100 |
| | | | 14.00.44 | à | Positive thamb type. | tigor de sa |
| | 2 | | | | A h. Mar 6 m/m Rem.; 243 Win.; 270 Win.; | A |
| | | | 2. | Ť. | 280 Lon. 30-06, 305 No. | With a li |
| | | | N P | | The Property lies to the late of the late | |
| | (| 11.00 | 2 4 3 6 7 7 | (3, 2 | P. X.L. The Annual Conference (1997) 1997 1997 1997 1997 1997 1997 1997 | 三人名 医 |

When the Model 700 was first developed, our tests proved that we had produced the finest center fire bolt action rifle ever made. Now our sales records have proven it again. Since its introduction, shooters have bought more Remington Model 700's than any other center fire bolt action rifle on the market in its price class. And their reasons for buying make good sense. For example:

The Remington 700 bolt action is designed for the real rifleman. The shooter who wants the accuracy bonus of Remington's famous precision rifling and short, crisp trigger pull. The hunter who appreciates the comfort of a cheek piece and Monte Carlo comb on an all-purpose stock that gives superb balance and perfect alignment with either 'scope or open sights. The craftsman who loves the traditional beauty of fine checkering. And it has a beautiful wood finish that is tough, hard, scratch-resistant—gives lasting protection against hard usage and bad weather. The 700 owner also gets the world's strongest bolt action. The bolt head completely encloses the cartridge case in a ring of steel. And the Model 700 is available in 13 popular calibers.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| | 700 ADL | | 700 BOL | |
|--|--|-------------------|--|-------------------|
| Model 700 | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| 222 Remington 222 Remington Mag. 6M/M Remington 243 Win. 270 Win. 280 Remington 30-06 308 Win. | 5950 5958 5942 6044 5948 5954 5956 | \$119.95 | 6024 6032 6018 6034 6022 6028 6020 6030 | \$144.95 |
| 7M/M Remington Mag. Stainless steel barrel and recoil pad 375 H&H Mag. 458 Win. Mag. | 5952 6046 | 134.95 | 6026 6036 6012 6040 6042 | 159.95 310.00 |
| Model 700 D "Peerless" Grade | Special | 600.00 | Special | 600.00 |
| Model 700 F "Premier" Grade | Special | 1,200.00 | Special | 1,200.00 |
| Sling Strap & Quick Release Swivels (installed) | 6382 | 9.10 | | |



Prices subject to change without notice.



GOOD LOOKS Model 600 has a new rugged look — every inch a rifle built to take it. It looks different and it is . . . in many ways. Notice the ventilated rib on the barrel. But there's more to it than looks. The rib, with its matted top surface, forms a "quick sight-line" that your eye just naturally follows — helps you get on a running target faster.

LIGHT WEIGHT There's none lighter — just 5½ well-balanced pounds which mean you can carry it all day and still finish fresh. This rifle is a carbine, it's short; you can handle it faster in heavy brush. Model 600 packs well, too; slips in a saddle scabbard, fits snugly in a car rack or in the cab of a pick up truck.

POWER Model 600 is available in four popular calibers—the brush-busting 35 Remington, powerful 6 m/m Remington, 308 Win. for big game; and the 222 Remington... a high velocity, flat trajectory cartridge that's rough on coyotes. To get the most from this cartridge, a rifle must be very accurate. Model 600 is! Other features like custom checkering and the world's strongest bolt action make it a gun you can't forget (and wouldn't want to). Why not see your dealer soon; he will be glad to show it to you.

| | SPECIFICATIONS |
|---------------------------------|--|
| CALIBERS | 6 m/m Rem., 35 Rem., 308 Win., 222 Rem. |
| CAPACITY | 5 Shot — 6 m/m Rem. 5 Shot — 35 Rem. 5 Shot — 308 Win. 6 Shot — 222 Rem. |
| BARREL LENGTH | Tapered, Remington Proof Steel 18½" with Ventilated Rib, Matted between Sights. |
| OVER-ALL LENGTH | 37¼" |
| STANDARD STOCK DIMENSIONS | Selected American Walnut, custom checkering on fore-end and pistol grip, Monte Carlo Stock with fluted comb. 14" Length of pull, 2" Drop at heel, 1%" Drop at comb. |
| RECEIVER | Drilled and Tapped for Scope Mounts. Fixed Magazine. |
| SIGHTS | Blade Ramp Front Sight with Brass Bead. "U" Notch Rear Sight Adjustable for elevation and windage with adjusting screws. |
| SAFETY | Positive Rotary Thumb Type with Corrugated Non-Slip Surface. |
| WEIGHT | 5½ ibs. |
| | "Fair Trade retail prices in states having Fair Trade la Prices subject to change without not |

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Model 600 Carbine | Order Nos. | Retail Prices* |
|--|------------------------------|-------------------|
| 6 m/m Remington 35 Remington 308 Win. 222 Remington | 5730 5728 5722 5726 | \$99.95 |
| Sling Strap & Swivels (installed) | 5732 | 8.00 |

on fore-end and grip is fine-lined, uniform, good looking. We suggest you do as other smart gun buyers do, compare this checkering with that found on other makes of guns. Then judge for yourself.

with fluted comb means a better cheekto-stock fit for quicker, surer sight alignment. Rich American Walnut Stock has all-purpose dimensions which give perfect alignment with either a scope or open sights. Functional shape of fore-end provides a good reliable, non-slip grip for steady holding.

Cartridge head is completely encased by a ring of solid steel. When bolt is closed, three rings of steel support the cartridge head. Strong? . . . there's none stronger.

— Only 5½ pounds but packs more power per pound than other carbines, from the brush-busting 35 Remington, powerful 6 m/m Remington and 308 Win. calibers, to the high velocity, flat trajectory 222 Remington coyote-walloping caliber. Carry it all day and at day's end you'll still be hunting —not just moving your feet.

It's the first time a domestic commercially produced sporting rifle has ever been designed with a ventilated rib. (Another first for Remington). It helps you aim, gives a definite sight-line so you get on running game faster.

— Short over-all length (37¼") makes Model 600 just right for hunting in heavy brush country because you can handle it faster, easier. It's a great saddle gun, too—fits a scabbard neatly or tucks in the rack of a pick-up truck.

Here's where Model 600 really shines. Free floating barrel of Remington proof steel is precision rifled to exact standards, by Remington's special methods. Trigger pull is short, crisp and clean. At the factory and in the field we shot close groups — and so will you. It was designed to shoot this way.

hugs the stock — doesn't stick out — slips in and out of scabbard with ease. Half knob is serrated on the bottom so you get a good secure grip. It's the same bolt handle as on the sensational Remington XP-100 pistol.

is conveniently located at the rear of the receiver where you can get at it in a hurry. Rearward for "safe". Forward for "fire."

with brass bead and sturdy U notch rear sight is adjustable for elevation and windage. Receiver drilled and tapped for scope and receiver sights.

is extra wide and corrugated; finger fits securely.

Trigger pull is crisp and clean—no creep, no spongy action.

15

XP-[]00

A Super-Accurate Long Range Pistol



1964

BOLT ACTION

SINGLE SHOT

CENTER FIRE

Ballistics

BALLISTICS ON 221 REMINGTON "FIRE BALL" CARTRIDGE WITH 50 GRAIN SOFT POINT BULLET MID-RANGE RANGE VELOCITY **ENERGY** TRAJECTORY (vards) (ft.-per-second) (foot-lbs (inches) Muzzle 2650 2420 650 0.2 50 100 2200 535 8.0 150 2000 445 1.9 200 1800 360 3.9

obtained in the XP-100, 101/2" barrel.

NOW...after years of Research & Development by America's Oldest Gunmaker

... a super-accurate, long range pistol that fires the new 221 Remington "Fire Ball" faster, farther and flatter than any handgun you ever held: The new and exciting REMINGTON XP-100 LONG RANGE PISTOL. Exclusively styled and designed with a one-piece stock of Du Pont "Zytel"—the "gunmaker's nylon" that gives a gun more durability, finest barrel-bedding (for greater accuracy) and lasting good looks—the XP-100 is new from butt to muzzle and made for new shooting satisfactions, extra sporting pleasures you've never had before.

It's exciting to shoot — exciting to own — and even exciting to look at. Built with the world's strongest bolt (three rings of steel support the cartridge head) this new gun and cartridge have been "cross-engineered" — made for each other, by Remington, to give you the power-and-precision no other pistol and load can deliver.

Price includes Zippered Carrying Case.

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

| A PROPERTY OF STREET |
|--|
| |
| |
| |
| |
| |
| The second secon |
| The state of the s |
| IN SECTION 221 Name of Time Suff. |
| |
| LEMOTH Barrel 1094 Overall 16% |
| |
| TIMES (pp. more) |
| |
| |
| |
| |
| State of the State |
| |
| AND PLANSES 6470 |
| |
| |
| |

FEATURES

ROTATING THUMB SAFETY Bolt handle cannot be raised to open action, trigger cannot be pulled, when on SAFE position.

VENTILATED RIB for improved sighting, "custom-crafted" appearance.

CUSTOM-STYLE CHECKERING, white spacers and diamond inlays enhance appearance and value.

INTERNAL FORE-END CAVITIES (5 of 'em) permit addition of weights to suit your personal shooting preferences. Cavities hold 38 caliber, 130 grain, metal case bullets (Remington Components Index Number B 22848).

MATCH: TYPE TRIGGER with no backlash, no wobble . . and it's grooved for a better finger feel, it's crisp — there's no lag in the let-off; extremely fast lock time.

SCIENTIFICALLY BALANCED to give minimum whip, jump and recoil. Grip is positioned at best position for steady holding . . it's the comfort king of pistols.

ONE-PIECE STOCK OF DU PONT "ZYTEL" "the gunmaker's nylon" that gives a gun more durability, finest barrel-bedding (for greater accuracy) and lasting good looks.

WORLD'S STRONGEST BOLT same as featured on famous Remington center fire rifles.

RIFLE-TYPE REAR SIGHT is adjustable for windage and elevation.

UNIVERSAL GRIP fits either left—or right hand, is shaped to fit fingers and heel of hand.

REMINGTON RIM FIRE RIFLES




Remington,



PRESALE R.0124130

All made of **Du Pont Zytel®Nylon**



NYLON 76 "TRAIL RIDER"

Take a good look at Remington's rugged Nylon 76, first lever action 22 with built-in accuracy! The big difference is the accuracy advantage of structural nylon. This extra nylon stability lets Remington precision-fit stock to barrel with threepoint bedding, the same principle that gives costly target rifles their accuracy. Comes in Mohawk Brown and Apache Black with chrome barrel and receiver.

NYLON 10. 11 AND 12 (Nylon 12 shown above)

Whatever you want in a bolt action 22 -- these guns have it! Bull's-eye accuracy, ultra modern design and the years and years of rugged performance only Remington structural nylon and ordnance steel can give. Choose the single shot (Nylon 10) clip magazine (Nylon 11) or tubular magazine (Nylon 12). All are winners! Features? They give you plenty! Super-accurate three-point bedding . . . perfect checkering and inletting . . . streamlined, chrome-plated Mannlicher-type bolt handle . . . and unequaled features like handy top-mounted thumb safety, fully adjustable rear sight and receiver grooved for "tip-off" 'scope mounts. Shoot modern -- Shoot Remington.

REMINGTON'S NEW NYLON 66 AUTOMATIC

Remington's new Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 21/2" wood blocks. Only six misses out of over 100,000 blocks thrown . . . and without a malfunction. Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip. Available in Mohawk Brown and Apache Black with chrome plated barrel and receiver.

| • | | _ | ı | |
|--|---------------|------------------|--------------------|--|
| | | | | NYLON 88 |
| MASS NUMBERS, FOR EASY, ACCURATE | | | ACTION | Automatic. |
| | ALCOHOL: | arrivative and | CALIBER | 22 long rifle Rim Fire. |
| Nylen 22 Caliber Liffes 3 | | Rotell Prices | CAPACITY | Tubular magazine thru butt stock. Holds 14 long rifle cartridges. |
| tylor, 10 Belt Action Single Shee | 5460 | \$26.95 | BARREL | 19% inch, precision rifled, Remington Proof Steel. |
| Byten 10 Sti Smooth Bord Single Shot Nyton 11 Well Action Killy Magazine, Specifical | 5466 554 | 26.95 | STOCK | One-plece structural nylon, check- gred grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. |
| Pario to Land Co. | 5558 5486 | 41.95 54.95 | STHDIS | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. |
| Nylon 66 MB "Mohawa Brown" Automatic " Nylon 68 GS "Gallery Special" (22 Shorts Only) | 5500° 5512 | 49.95 59.95 | SAFETY | Top-of-grip. |
| Horion 76 MB "Moheut Brown" Lever Action | 5592 | 59.95 | RECEIVER | Grooved for "tip-off" 'scope mounts. |
| Hylon 76 AB "Apache Blach" Lever Action Extra Cartridge City | 5682 6388 | 64.95 2.40 | OVER-ALL LENGTH | 381/2" |
| Extra 10 Cartridge Clip Sling Strap & Swivels Unstalled | 6390 | 3.10 5.40 | COLOR | Mohawk Brown with blued bar. & rec. Apache Black with chrome plated barrel and receiver cover. |
| | | | WEIGHT | 4 lbs. |
| Fair Trade retail prices in states hering fear Trade level Prices publical to chance without notice | | | NYLON 11 | Same as NYLON 66 except: ACTION — Same as NYLON 10 except: CAPACITY ilable): SAFETY — thumb safety. WEIGH Same as NYLON 10 except: CAPACITY |

| | विद्यासार र र | ig. |
|--------------------|--|--|
| | NYLON DS | NYLON 10 |
| ACTION | Automatic. | Bolt Action Single Shot. |
| CALIBER | 22 long rifle Rim Fire. | 22 short, long, long rifle Rim Fire. |
| CAPACITY | Tubular magazine thru butt stock. Holds 14 long rifle cartridges. | Single Shot. Loading Platform. |
| BARREL | 19% inch, precision rifled, Remington Proof Steel. | 24 inch, precision rifled, Remington Proof Steel. |
| STOCK | One-piece structural nylon, check- ered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. | One-piece structural nylon, check- ered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. |
| SIGHTS | Adjustable rear sight, blade front, common sight line for iron, sights and 'scope. | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. |
| SAFETY | Top-of-grip. | Automatic Thumb Safety. Red dot indicator shows when ready to fire. |
| RECEIVER | Grooved for "tip-off" 'scope mounts. | Grooved for "tip-off" 'scope mounts. |
| OYER-ALL LENGTH | 381/2" | 42%" |
| COLOR | Mohawk Brown with blued bar. & rec. Apache Black with chrome plated barrel and receiver cover. | Mohawk Brown. |
| WEIGHT | 4 (bs. | 41/4 lbs. |

Same as NYLON 68 except: ACTION - Lever, WEIGHT - 41/4 lbs. NYLON 11 — Same as NYLON 10 except: CAPACITY — Repeater, 6 shot clip magazine. (10 shot clip spealable): SAFETY — thumb safety. WEIGHT — 44 lbs.
NYLON 12 — Same as NYLON 10 except: CAPACITY — Repeater, tubular magazine holds 21 short, 15 long, 14 long rifle cartridges. SAFETY — thumb safety. WEIGHT — 4½ lbs.

For Plinking, Target Shooting, or Hunting

BOLT ACTION 22s



NEW BOLT ACTION 22 RIFLES

All rifles in the new Remington bolt action line (models 510X, 511X, and 512X) have an American Walnut stock, new 24-inch precision barrel, fully adjustable rear sight and blade ramp front sight. In addition, the receiver is grooved for 'scope mounts and all rifles have a red dot firing indicator, side lever thumb safety, self cocking bolt, double cocking cams, double locking lugs, double extractors, bright steel bolt with swept back, sure-grip oval ball handle. Pick the one that suits you best; model 510X is a single shot, model 511X a 6-shot clip magazine repeater and 512X shown above is a big capacity tubular magazine repeater. All three have true Remington high quality throughout. See them at your dealer's. He'll be glad to point out their many exclusive features that make them excellent buys.

512X "SPORTMASTER" TUBULAR MAGAZINE REPEATER



A favorite "first gun" because of its safety features. Automatic safety goes on when bolt is cocked and red dot shows when rifle is ready to fire. Also available in smooth bore model for shot cartridges.



511X "SCOREMASTER" CLIP MAGAZINE REPEATER

HOLDS 6 cartridges; short, long or long rifle.

MODEL 514

Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR "Boy's Rifle" with cut down stock.

| | in the second second second | |
|--|--|--|
| | | |
| | | MODEL B14 |
| so Victor | | Action, Single Shot. |
| CALIFIA | Clarific Total Land Ball | short long long rifle sim fire. |
| CONTOLL | | ele Mot." |
| • | Add and the second of the seco | lach, precision rifled, Remiagton of Steel |
| | The state of the s | guer (inished American Walaut) alzed, black built plate |
| | | |
| | | d trou sight open rear |
| | | |
| | | |
| | | ar August ang tr |
| | The state of the s | de from solid-steel |
| TOWN. | The same of the sa | inches, Boy's rifle 40 inches |
| HINE | "大学的人","我们们是一个人,我们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们们 | |
| ************************************** | The second secon | Section 189 Section 1877 |

USE NUMBERS FOR EASY, ACCURATE ORDERING

| oit Acties 22 Caliber Rilles | Order Nes. | Retail Prices* |
|--------------------------------------|---------------|-------------------|
| Model 510X Single Shot | 9800 | \$26.95 |
| Model 610X Single Shot, Smooth Bore | 9806 | 26.95 |
| Model 514 Single Shot | 5572 | 21.95 |
| Model 5148R Single Shot, Boy's Rifle | 5582 | 21.95 |
| Model 511X Clip Repeater | 9814 | 38.95 |
| Model 5121 Tubular Repeater | 9820 | 41.95 |
| Extra 6-Shot Clip | 6388 | 2.40 |
| Extra 10 Shor Clip For Model 511X | 6390 | 3.10 |
| Sling Strap & Swivels (installed) | | 5.40 |
| | [| |

*Fair Trade regult prices in states having Fair Trade laws.




Rapid Fire Extra Rugged Dependable

1964







VERSATILE. Shoots 22 Short, Long and Long Rifle cartridges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.



SINGLE LOADING — AUTO EJEC-TION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection port, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically. Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced . . . the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is another member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle. "Speedmaster" has every feature the shooter wants, such as: twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model and the Gallery Special. Pick a Model 552 off the rack at your dealer's — heft it — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" . . . because it's made right.



Model 550

Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other finc features are: Large capacity, up to 22 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker ... and good for week-end family fun, too.



This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.

| | Order Nos. | Retail Prices* |
|--|------------------------------|-----------------------------------|
| Medel 552 22 Caliber Automatic Rifle 552 A Automatic 552 C Carbine 552 GS "Gallery Special" (22 Shorts Only) Sling Strap and Swivels (installed) | 5608 5612 5610 6430 | \$55.95 55.95 66.65 7.50 |
| Medel 550 22 Caliber Automatic Rifle 550 A Sling Strap and Swivels (installed) | 5596 6428 | \$49.95 5.40 |
| Medel 572 22 Caliber Slide Action Rifle 572 A 572 SB Smooth Bore Sling Strap and Swivels (Installed) | 5626 5628 6432 | \$58.95 65.95 7.50 |

*Fair Trade retail prices in states having Fair Trade laws.

Prices subject to change without notice.



SHALLS

PUMP ACTION



SINGLE LOADING—It's the only slide action 22 rifle with positive single loading through the ejection port — a feature especially important to parents and shooting instructors.

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns. Also available with a smooth bore barrel.



FAST, POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.



shooters forget—but a "Field-master" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.

| | SPECIFICATIONS | | |
|---|---|---|---|
| Action | MODEL 552 | Automatic | Pump, repeater |
| CALBER | CONTRACTOR OF THE PARTY. | 22 Rim Fire | 22 Rim Fire |
| | Tubular negazine holds 20 Short 17 Long 15 Lang effic certridges | Tubular magazine holds 22 Short, 17 Long, 15 Long rifle cartridges | Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges |
| | Associated for ago, beed front | Adjustable rear sight, bead front | Adjustable rear sight, bead front |
| THE STREET | Pick American walnut | Rich American welnut | Rich American walnut |
| | | Thumb style | Cross-bolt type |
| ACCUPACION | Grooves for Sup-off scope mounts | Grooved for "tip-off" scope mounts | Grooved for "tip-off" scope mounts |
| ALEP-IT TENSIE | 40° Carbine) | 431/2** | 42" |
| WEART | 7 hz. | 614 lbs. | 5½ lbs. |



Model 40XB **World's Most Accurate Target Rifle** Here is the sensationally accurate Remington Model 40XB that is taking top honors in the United States and at International matches throughout the world. It reflects all that Remington is famous for . . . craftsmanship, precision design, quality materials, attention to details. The 40XB is truly a target rifle that only Remington - the nation's oldest gun maker could create. Features are:



Bolt action single-shot with loading platform: Specially selected long-wearing ordnance steel barrel, with new precision rifling. Choice of standard or heavy barrel. Custom-style stock with high comb giving same sighting plane for iron and telescope sights. Comb grooved for easy bolt removal. Mershon White Line non-slip rubber butt plate.

Built-in adjustable bedding device. Adjustable sling swivel. Extra-strong bolt with heavy, over-size locking lugs insuring constant headspace. Double extractors. Loading platform gives absolutely straight-line feed. Adjustable, crisp trigger with positive click adjustments for weight of pull. Thumb safety. Large, strong receiver drilled and tapped for standard sight mounts - telescope and iron. Redfield Olympic front and rear sights optional. Greatly increased distance between 'scope blocks gives improved sight adjustment. Barrel length 28". Stock length 33". Overall length 47". Weight without Redfield Olympic sights: heavy barrel rifle 12 lbs., standard barrel rifle 10 lbs. Weight with sights: add 12 oz.



A COMPLETE TAKGET RE MODEL 513 T "MATCHMASTER" 22 caliber target rifle. Stock specially proportioned for

accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull. 6-shot box magazine. Redfield front and rear sights. 11/4" leather sling, adjustable front swivel. Length 45". Weight about 834 pounds.



MODEL 521 T — Remington's lowest-priced target 22 — and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, 1 shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.



Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 m/m, 30-06 and others on special order.

40XB type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost.





"GROUP TIGHTENER" . . . first production rifle ever made with convenient built-in bedding device. Adjustment of "tuning" screws can be done manually with small screw driver.



GREATER DISTANCE between telescope blocks means 50% finer sight adjustment. Reduces "sighting-in" errors. Photo shows difference between old 7.2" inter-mount radius and more precise 10.6" inter-mount radius on Model 40XB.

ENUMBERS FOR EASY, ACCURATE ORDERING

| Model 40-10. "Dangomangs" | Order Nos. | Retail Prices* |
|--|--|---|
| S1. Std. Barrel with Sights, Rim Fire—22 Cal. H1. Heavy Barrel with Sights, Rim Fire—22 Cal. H2. Heavy Barrel without Sights, Rim Fire—22 Cal. S2. Std. Barrel without Sights, Rim Fire—22 Cal. S7. Std. Barrel without Sights, Center Fire CF-12. Heavy Barrel without Sights, Center Fire Edge for callbers requiring standess barrels 18 weeks or more by center fire models? | 5674 5670 5672 5676 Spec. Spec. | \$184.95 154.95 192.95 192.95 20.00 |
| Medde 813 (Matchmarter" Rim Pre Dwy \$15 F | 5564 5566 6388 6390 | 88.95 66.45 2.40 3.10 |
| Medel B21 Rim Fire Only 50 C " Clarget" Datra G.—Cartridge Clie Extra: 10—Cartridge Clig | 5588 6388 6390 | 59.95 2.40 3.10 |
| International Free Riffle, Rim Fire & Center Fire | Spec. | 361.05 |



MODEL 40XB RANGEMASTER 22 rim fire and center fire target rifle. Center fire calibers, 222 Rem., 222 Rem. Mag., 244 Rem., 6 m/m Rem. 7.62 m/m, 30-06 and others on special order. (extra charge for center fire calibers requiring establess steel harrels)

MEST STATE OF THE STATE OF THE

| | mileon | | MODEL 5217 |
|------------------|--------|---|---|
| | | Boll Reposite | Bolt, Repeater. |
| | | 22 Rine Free | 22 Rim Fire. |
| | | 6-shot Cilp magazine. 10-shot Clip. available. Long Rifle only | 6-shot Clip magazine. 10-shot Clip available. Long Rifle only. |
| | | Redfield micrometer front & sear X xights inclease | Micrometer rear, blade front |
| *** | | Chuma Sarety, positive | Thumb Safety, positive. |
| | | Oriflet & People for Iron Sights et 40. | Drilled & tapped for Lyman 57 RS peep sight. |
| The standard and | | | 257. |
| | | 1312 ((rigger to center of butt plate) | 13¼". (Trigger to center of butt plate) |
| | | American walnut. Sling Strap | American walnut. Sling Strap. |
| | | 6.65 | 4244." |
| | | 384 /bs. | 6½ lbs. |


Feet Trade setal prices in status having Fair Trade laws. Prices subject to change without notice

Presents..


NEW GUNS.



Thousands of proud owners who have shot the Model 1100 in the field and at the traps claim it's the greatest automatic shotgun ever made. Their reasons: less recoil, longer life, good balance, high quality throughout. Made in 12, 16 and 20 gauges — in all popular barrel lengths, chokes and models.



MODEL 700 Big Game Rifle Here's the rifle that appeals to the shooter... who marvels at its great accuracy; the hunter who knows it has the world's strongest bolt action with power to take any North American game; and the craftsman who appreciates the traditional beauty and workmanship of this rifle. Available in 13 most wanted calibers.



MODEL 600
Powerful, Light Weight Carbine


Pound for pound this sleek, light weight carbine packs more power and accuracy than any other carbine in its class. Its light weight and carbine length make it the ideal brush gun; tucks nicely in a saddle scabbard, too. Now in 35 Remington, 6 m/m Rem., 308 Win. and 222 Remington calibers.



HIGH GRADE GUNS

THE FINEST! As appreciative sportsmen and shooters well know, gunsmithing is both an art and a craft. Since 1816, succeeding generations of Remington master gunsmiths have contributed accuracy, reliability, handling ease and handsomeness to the unmatched reputation of Remington products.


Today's high grade Remington guns reflect this great tradition of the artisan-gunmaker: The "Woodsmaster" F Premier Grade automatic big game rifle is just one example of the extra quality available to shooters who enjoy owning the finest. Hand-engraved receiver and barrel, game scenes, custom hand checkering, matched American walnut stock and fore-end... all these superiorities make it obviously the finest, undeniably a Remington.



BARBER - PRESALE R 0124138


MODEL MIGOT FOR TRAP

1 Remington autoloading trap with 1/2 HP motor, 60 cycle, 115 volts, and special auto-angling base. 1 push button release unit with 100 feet of wire. 1 power control box.



REMINSTON AUTOLOADING TRAP

- Labor-saving (no trap boy needed)
- Large capacity (203 targets)
- Easy loading, stack at a time Connects to 110 volt wiring system
- No tools required
- Makes commercial gun clubs profitable!



MODEL A200S FOR SKEET

2 Remington autoloading traps with 1/2 HP motors, 60 cycle, 115 volts. 1 walk around release unit and 80 feet of wire. 2 power control boxes. 1 connection box.



REMINGTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically 'sets" itself. Instant adjustment.



REMINGTON "WONDER" TRAPS FOR SKEET SHOOTING

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control, all other accessories. Also Remington Electric release




Trap & Skeet

The new Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot. targets break easier when hit by only a few pellets.
All adding up to higher scores!







Maria de la companya de la companya




REMINOTON "EXPERT" TRAP

A strong lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.



REMINGTON "BLUE ROCK" TRAP


For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Singlever Pull for manual operation.



MANUAL RELEASE for "Wonder" or "Blue Rock" Outfits

Simple to attach and easy to use, the Remington Singlever Pull is especially designed for manual operation of the "Wonder" Skeet Outfit. Easily and quickly converted to lectric operation.





| SHOTGUNS Pages Bolt Action Model 40XB "Rangemaster" 2 Bolt Action Model 513T "Matchmaster" 2 | 2, 23 |
|---|--------|
| | |
| Automatic Model 1100 | |
| Automatic Model 11-48 6, 7 Bolt Action Model 521T | .2, 23 |
| Pump Action Model 870 "Wingmaster" 8, 9 Bolt Action International Free Rifle 2 | 2, 23 |
| Shotgun Facts 10 REMINGTON NEW GUNS | 24 |
| REMINGTON HIGH GRADE GUNS | 25 |
| REMINGTON AMMUNITION | |
| Automatic Model 742 "Woodsmaster" 12 Pump Action Model 760 "Gamemaster" 13 CENTER FIRE BULLETS "CORE-LOKT" | 27 |
| 그렇게 하는 그는 그는 그는 그는 그는 그는 그는 그들은 그들이 가장 하는 사람들이 되었다. 그는 | 28-35 |
| Bolt Action Model XP-100 | |
| Bolt Action Model 600 and 600 Magnum 16 CARTRIDGES | 34-37 |
| RIM FIRE RIFLES PISTOL & REVOLVER BULLET TYPES | 38 |
| | 40-43 |
| Automatic Nylon 66 | 44 |
| 512X, 514 19 RIM FIRE CARTRIDGES | 15, 46 |
| Automatic Model 552 "Speedmaster". 20 | |
| Automatic Model 550 20 REMINGTON TRAPS | |
| Pump Action Model 572. "Fieldmaster" 21 TRAP AND SKEET EQUIPMENT | 47 |

THE COVER — The pronghorn antelope scene shown on the cover is reproduced from an original painting by Bob Kuhn, famous outdoor artist and sportsman. Our pronghorn antelope (Antilocapra americana) is truly an All-American, for this fine western prairie animal is found nowhere except in North America. They have super-sharp eyesight and their fleetness is also extraordinary; forty miles per hour is not unusual and in short bursts they have been clocked doing sixty miles per hour. For speed, they're the champs; fastest of all big game in America. Back in the twenties, the pronghorn population was in trouble, but today, due to wise conservation practices, and stringent hunting laws, the antelope has made a strong come back; they're at their peak — in range capacity. States that have large herds are Wyoming, Montana, New Mexico, Texas, Idaho, Oregon, South Dakota, Nevada, Colorado and Arizona.




Large 5-Shot Capacity In 12, 16 and 20 Gauges Up to 55% Less Recoil than Fixed-Action Guns 1965

Shooters throughout the country have made the new Remington Model 1100 the "most popular" -- "most wanted" automatic shotgun . . . and for good reasons, too. For example, duck and goose shooters, dove and quail hunters; gunners who swung the 1100 on pheasants and small game all last season tell us:

"It works, never jammed on me once, and I hunted every weekend." "Recoil is light" writes a trap shooter. "My boy says the kick doesn't bother him a bit . . . and it doesn't. He's shooting better than ever." Light recoil also pays off in doubles, too; for the trap shooter, skeet shooter and the hunter. Where that second shot counts - you can count on the Model 1100.

"Finish is good - stands up" reports a West Coast duck and goose shooter who shot it throughout the season . . . "And we get some mighty wet weather out here . . . it's tough on almost everything."

"It's a beautiful gun" - is a typical comment. And no wonder - with its fine-lined checkering, DuPont RK-W wood finish, scroll work, steel receiver, white line spacers and tear drop pistol grip. Shooters are proud of this gun, in the field, and in their gun rack. You'll be too. Your dealer's got 'em in 12, 16, and 20 gauges, with both plain and ventilated rib barrels.



MODEL 1100 TB Trap Gun Gas operation soaks up recoil . . . cushions and smooths. And less recoil means less fatigue . . . higher scores.

SPECIFICATIONS: Better grade wood, rubber recoil pad. Special stock dimensions: 14%" long including recoil pad, 1¼" drop at heel, 1¾" drop at comb. Available in 28" and 30" full choke and 28" modified choke, ventilated rib barrels only. Ivory bead front sight, white metal rear sight. Also available with optional Monte Carlo stock at extra charge. Weight: about 81/4 lbs

12, 20 GAUGE

(shown with Monte Carlo stock)

MODEL 1100 SA Skeet Gun

Perfect balance, excellent pointing and fast swinging qualities make this gun a target buster wherever it is used. Light recoil is easy on the shoulder, too. SPECIFICATIONS: (SB grade has better walnut) 26" barrel. Remington special skeet boring, ventilated rib, ivory bead front sight and white metal rear sight. Stock dimensions are: 14" long, 21/2" drop at heel, 11/2" drop at comb. Weight: about 71/2 lbs.

Built for the high flyers — reaches out and drops 'em.

MODEL 1100 MAGNUM

Duck Gun

12. 20 GAUGE with ventilated rib barrel)

SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 234" magnum shells. Available in 28" and 30" full choke in 12 gauge, and 28" full choke in 20 gauge, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 21/2" drop at heel, 11/2" drop at comb. Furnished with recoil pad. Weight: about 734 lbs.

with the roll of the second of the second of

| smr. | 5 shot gas operated shotgun. 3 shot plug furnished. |
|---------------------------|--|
| RAUGE | Made in 12, 16 and 20 gauge. |
| BARREL | Special Remington proof steel. Extra barrel is interchangeable within gauge. |
| OVER-ALL LENGTH | 48" (with 28" Barrel). |
| SAFETY | Convenient cross-bolt type. |
| RECEIVER | Made from solid steel, top matted, scroll work on bolt and both sides of receiver. |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: Rich American walnut. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14%" long, 1¾" drop at heel, 1¾" drop at comb. Monte Carlo; 14¾" long, 1¾" drop at heel, 1¼" drop at comb, 1¾" drop at M.C. |
| AVERAGE | 12 mg - 716 the - 16 mg - 716 the 20 mg - 7 the |

| 7 | | | | | | |
|---|----------|---|---------|-----------------------|-----------|----------|
| | * 2 | | . Agric | and the second second | 18 | |
| | A COLUMN | | 4.50 | | MALE: | پُروزي ه |
| | | - | 2 | | A topical | |
| | 100 | | | | ₹(5)€ | |

on stock and fore-end . . . fleur-de-lis design. ring is tion lined uniform, good looking.

with attractive white diamond inlay provides natural, non-slip, comfortable grip.

has swept back, streamlined design. Fine checkering and fluting give secure gripping area.

on butt plate and grip cap add attractiveness. looks better, wears better . . . because the metal is more highly polished.

Easy to load. Four in magazine . . . one in the state of the state of

——Performs perfectly for different loads; automatically—Shoots high base, low base, 236," magnum shells without

- They're interchangeable in seconds; no factory fitting is required. Use one gun for all your shooting and get more game tergets, sport.

Drop a shell in the breech; load another in the one motion. Load five shells in five seconds.

- Gas action tames recoil; it smooths and cushions and with so loss of power.

New DuPont wood finish is clear. Lets the wood grain show through. It's similar to that used on bowling pins; tough, hard, scratch-resistant . . . gives lasting protection against hard usage and bad weather.

is made from a solid block of steel for extra strength, ruggedness, dependability,

- Chambered for 3" magnum shells. Uses 234" magnums too. A rugged, dependable shotgun . . . reaches out and drops the high flyers.

on receiver and bolt adds real beauty and

The gas operation of this gun is unusual. It blows dirt and grime musy, keeps action bright and shining for long periods A. Inc.

Tests prove the shooting life of this new gun is up to seven times longer than any other automatic shotgun on the market.


are just right, only 7½ lbs. in 12 gauge. Can be carried comfortably all day. No sacrifice of steel in barrel or receiver . . . not a "featherweight floater" that's too light to point right.

Carle to the transfer of the control of

| | 12 Ga. | Order Ne 16 Ga. | s. 20 Ga. | Retail Prices* |
|-------------------------------------|--------------------|--------------------|--------------|-------------------|
| Model 1100 with Plain Barrel | | | | |
| 30" Full Choke | 5322 | | | |
| 28" Full Choke | 5320 | 5370 | 5390 | |
| 28" Mod. Choke | 5326 | 5374 | 5394 | \$149.95 |
| 26" Mod. Choke | 5324 | 5372 | 5392 | |
| 26" (mp. Cyl. Choke | 5328 | 5376 | 5396 | |
| Medel 1100 | ٠, | | | |
| with Vent. Rib Barrei | | Į. | | |
| 30" Full Choke | 5332 | | | |
| 28" Full Choke | 5330 | 5378 | 5398 | |
| 28" Mod. Choke | 5336 | 5382 | 5402 | 174.95 |
| 26" Mod. Choke | 5334 | 5380 | 5400 | |
| 26" Imp. Cyl. Choke | 5338 | 5384 | 5404 | |
| Model 1100 Magnum | | | | |
| with Plain Barrel | | } | | |
| 30" Full Choke | 5344 | |] | 164.95 |
| 28" Full Choke | 5342 | | 5428 | 104.55 |
| Model 1100 Magnum | | | | |
| with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5348 | | | 189.95 |
| 28" Full Choke | 5346 | | 5430 | |
| Model 1100 SA Skeet | | |] | |
| with Vent. Rib Barrel | | | | |
| 26" Skeet Choke | 5356 | | 5408 | 179.95 |
| 26" with Cutts Comp. | 5358 | | 5410 | 204.45 |
| Model 1100 SB with Vent. | | | | |
| Rib Barrel (Better Wood) | | } | | |
| 26" Skeet Choke | 5302 | | 5422 | 204.95 |
| 26" with Cutts Comp. | 5304 | | 5424 | 229.45 |
| Model 1100 TB Trap | | | | |
| with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5350 | | | |
| 28" Full Choke | 5352 | | | 214.95 |
| 28" Mod. Choke | 5354 | | | |
| 30" Full Choke | 5306) | rith Monte | | |
| 28" Full Choke | 3314} _^ | ario Stock | | 224.95 |
| 28" Mod. Choke | 5318) | ai 10 5(00A | | |
| Model 1100 D with Vent. Rif | Barrel | Spec | cial | 550.00 |
| Model 1100 F with Yent Rit | Barrei | Spec | cial | 1,050.00 |
| Extra Barrels, Plain | | | | |
| 30" Full Choke | 9500 | [| | |
| 28" Full Choke | 9502 | 9530 | 9546 | |
| 28" Mod. Choke | 9504 | 9532 | 9548 | 45.45 |
| 26" Mod. Choke | 9506 | 9534 | 9550 | |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | |
| Extra Barrels, Vent. Rib | | | | |
| 30" Full Choke | 9512 |] | | |
| 28" Full Choke | 9514 | 9538 | 9554 | |
| 28" Mod. Choke | 9516 | 9540 | 9556 | 68.15 |
| 26" Mod. Choke | 9518 | 9542 | 9558 | |
| 26" Imp. Cyi. Choke | 9520 | 9544 | 9560 | |
| Extra Barrels, Vent. Rib | | | | |
| SA & SB Skeet Grades | { | | | |
| 26" Skeet Choke | 9522 | | 9562 | 72.40 |
| 26" with Cutts Comp. | 9524 | 1 | 9564 | 94.47 |
| | | | | |
| Extra Barrels, Yent. Rib TB Trap | | | | |
| 30" Full Choke | 9526 | | | |
| 28" Full Choke | 9528 | | | 72.40 |
| 28" Mod. Choke | 9566 | | | |
| | | - ' | - | - |

Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.







The Remington Model 11-48 is an automatic shotgun with a fine reputation that has been earned in the field and wherever skeet targets are thrown. Over a half million proud owners are our best salesmen and they'll tell you the 11-48 is one of the finest automatics on the market. And it is!

It's the only automatic made in 12, 16, 20, 28 and 410 gauges and in the 28 and 410 gauges it's a big favorite with skeet shooters, youngsters, women . . . and hunters who like a small bore shotgun. And speaking of Remington automatic shotguns, they have won more National Skeet Championships than all other brands put together. Here is where shot-after-shot dependability really counts.

Model 11-48 is an excellent value . . . you get a lot of gun for the money, such as: Custom fine-lined checkering, receiver milled from a solid block of steel, rich American Walnut stock and forc-end, 5-shot capacity (in 12, 16 and 20 ga.) and it shoots all brands of ammunition, high and low base, rifled slugs and standard length magnum shells . . . all without adjustment.

Barrels are interchangeable, too. Takes only a minute to change them and you can do it right in the field. No special tools or factory fittings are required. Dependability, ruggedness, lightweight, fine balance, good looks . . . that's the Remington Model 11-48, a gun that's built the "Remington Way" — to last!





MODEL 11-48 SA Skeet Gun Available in 12, 20, 28 and 410 gauges (410 gauge shown above) gauges and is the only automatic shotgun made in 28 and 410 gauges. It's a great favorite with skeet shooters who demand supreme dependability in the guns they shoot. The Model II-48 has everything the skeet shooter wants . . . fine balance, excellent pointing qualities, ruggedness . . . plus many other features that all add up to higher scores.

SPECIFICATIONS: 26" barrel (25" on 28 and 410 gauges) Remington special skeet boring, ventilated rib barrel, ivory bead front sight and white metal rear sight. Stock dimensions: 12 and 20 gauge, 14" long, 2½" drop at heel, 15%" drop at comb. 28 and 410 gauges, 13%" long, 25%" drop at heel, 15%" drop at comb. Weight: 12 ga. — 7½ lbs., 20 ga. — 6½ lbs., 28 and 410 ga. — 6¼ lbs.



| | 1465 | | | | | | |
|--|---------|--|--|------------------|----------------------------|--------------|----------------------------------|
| | Ų: | SE NUMBERS | FOR EAS | The Colo | 12.00 | - | |
| | | | | | | 111 | Retail Prices* |
| | | | | | | | |
| | | | | | | | 3124.95 |
| | | The state of the s | | | | 482 | |
| | | | | | | | |
| The state of the s | | | | | | | . 27 |
| | | | | | 782 481 | | 15 195 |
| | | | | | 184 | | |
| | | | | | | | |
| | | | | | | 4840 | 164.95 |
| | | | | | 786 700 | | 164,95 189,45 |
| SPECIFICATIONS | | | | | | | |
| | | | | | 5 7 2 | | |
| | | | | | | 5362 5204 | 4.5 |
| | | | | | | 6206 | |
| | | | | | | | 2 |
| | | | | 6174 6 | 184 6196 | | |
| | | Andrew Comment | | 6176 6 6178 6 | 186 6194 188 6200 | | 66.50 |
| | | | | | 6200 | 6212 | |
| | | | | | 6200 | CEOL | To ex |
| | A VARIA | 2 San Chair | 6476 | 6 | 6202 6560 480 | | 70.65 92.72 70.65 92.72 |
| | | | eng 6484 Status baying Fellows Place | eir Trade is | WE. | | 1 32.12 |






Time for a new pump gun? If it is - and you're looking . . . we'd like to help. First of all you want a gun that shucks shells at the flick of your wrist - a gun that's got twin action bars and pumps like a ballbearing action without twisting or binding. There is a gun like this. It's the slick Remington Model 870!

Want one that's going to last? Of course. Then pick a pump that has a receiver machined from a solid block of steel if you want strength and ruggedness. That's the way a Remington 870 is built . . . we don't make them any other way.

Chances are you'll want to use that gun on different kinds of game. That means interchangeable barrels you can change in seconds right in the field and without any factory fitting or special tools. With a Remington 870 "Wingmaster" it's so easy - anyone can do it.

Everyone wants a good-looking gun. The 870 is a stand-out in any company and here's why: Custom fine-lined checkering with fleur-de-lis design, rich American Walnut stock and fore-end, and Du Pont-developed RK-W wood finish similar to that used on bowling pins. A Remington 870 pump is one of the best investments you can make in shooting enjoyment - for yourself - as a gift - or, some day, as a pass-along gun to that youngster of yours. So, for good hunting this season, why not take along a new Remington Model 870.



"WINGMASTER" MODEL 870 TC Trap Gun

The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun! SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14%" long including recoil pad. 1%" drop at heel, 1½" drop at comb. Highly figured and finished American Walnut with finely checkered stock and fore-end. Hand fitted action and parts. Will furnish made to order stock lengths from 13½" to 14¾" on Model 870 TC only, without extra charge. Weight: about 8 lbs. This model also available in TB grade 14¾" stock only, lower price. Both models available with optional Monte Carlo stock at extra charge.

"WINGMASTER" MODEL 870 SA Skeet Gun The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast second shots at skeet or upland game. Also available in SC grade with specially selected wood and hand checkering.

SPECIFICATIONS: (12 and 20 Gauges) 26" barrel. Remington Special Skeet Boring Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 15's" drop at comb. Weight: 12 gauge about 7 lbs., 20 gauge about 61/2 lbs.

12 GAUGE, WITH RIFLE SIGHT BARREL

"BRUSHMASTER" MODEL 870 Deer Gun The Model 870 Deluxe "Brushmaster," made specially to handle rifled slugs and buck shot, is the latest in smashing power for those fast shots in brush country.

SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifle-type sights. Stock fitted with rubber recoil pad and white line spacer. Also available in standard model with rifle sights.

Rugged and dependable for long range shooting! For geese and ducks.

12 AND 20 GAUGES

"WINGMASTER" MODEL 870 MAGNUM Duck Gun

(shown with ventilated rib barrel)

SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells - will also handle 234" shells. Variweight and wood 3 shot plug. 12 ga, with 28" and 30" full choke. plain or vent, rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 15%" drop at comb. 20 ga. furnished in 28" full choke vent, rib and plain barrels. Weight: 12 ga. about 8 lbs., 20 ga. about 7½ lbs., including variweight plug.

BARBER - PRESALE R 01241452525133

secret en me

The party of the party of the desired by

Egypenient greek boll type, positive

The True Tolk street for malica

ppe and on each lice American walnut Dacott

and American State 12 (rop gt. Lee /14/)

and Committee 12 (rop gt. Lee /14/)

AND THE PERSON NAMED OF THE



MOR CHAPTER PARELS



And the second s


PARTIAL : Action ZARE prevent mixing and binding give snooth fiding action for shith Reminipus Wingnaster is famous. Many shootes key if works like a ball bearing action. And they're right!


USE NUMBERS FOR EASY, ACCURATE ORDERING

| voe numbena run | LU3 I | Order Nes. | WIE ON | DEKING Retail |
|--|--|--|--------------------------------------|--------------------|
| Medal 870 with Plais Berral | 12 Ga. | 16 Ga. | 20 Ga. | Prices* |
| 30° Full Choke 28° Full Choke 300 3° 28° Mod. Choke 26° Mod. Choke 26° Imp. Cyl. Choke 20° "Brushmaster!" Dehnce | 4860 4862 4864 5014 4866 4988 | 5020 5022 5080 5024 with Rifle S | 5102 5104 5098 5106 | \$ 99.95 119.95 |
| Standard Sta | 4856 | Aine S | 8.11.3 - | 99.95 |
| with Vent. Ris Sarrel 30" Full Choke 28" Full Choke 26" Mod. Choke 26" Mod. Choke 26" Mod. Choke 26" Limp. Cyl. | 4890 4892 4894 4858 4896 | 5038 5040 5192 5042 | 5122 5124 5178 5126 | 124.95 |
| Model 870 Magnum with Ptain Sarrel 30" Full Chakes 28" Full Choke | 4872 5010 | | 5176 | 119.95 |
| Medel 870 Magnum with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 4922 5012 | | 5146 | 144.95 |
| Medel 870 R Plain 20" Riot Cyl. Choke Medel 870 R Riffe Sights 20" Imp. Cyl. Choke | 4870 4856 | | | 89.95 99.95 |
| Medel 870 SA with Vent. Rib "A" Skeet Choke 26" with Cutts Comp. Medel 870 SC with Vent. Rib | 4944 4946 | | 5150 5152 | 129.95 154.45 |
| 26" Skeet Choke 26" with Cutts Comp. Medel 870 TB with Vent: Rib | 4952 4954 | | 5158 5160 | 194.95 219.45 |
| 29 30" Full Choke Two 28" Full Choke 5 28" Mod. Choke 30" Full Choke | 4926 4928 4930 | | | 164.95 |
| 28" Full Chake 28" Mod. Chake Medel 870 TC with Yest. Rib | 4906 4908 4910 | with Monte Carlo Stock | | 174.95 |
| 30 Full Choke 28 Full Choke 28 Mod. Choke 30 Full Choke 28 Full Choke 28 Mod. Choke | 4938 4940 4942 4912 4924 4874 | with Monte | | 224.95 234.95 |
| Medal 870 D with Yent Rib Ba | _ | Special | | 525.00 |
| Medel 870 F with Vent Rib B | rrel . | Special | | 1,025.00 |
| Plain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 36" Tips Cyl. Choke | 6214 6216 6218 6328 6220 6598 | 6252 6254 6332 6256 | 6270 6272 6334 6274 | 35.70 |
| 20" With Rifle Sights Yeat. Rib Barrel 2 30" Full Choke | 6222 | | | 46.10 |
| 28" Full Choke 28" Mod. Choke 25" Mod. Choke 26" Imp. Cyl. Choke 26" Skeet Sa & SC | 6224 6226 6318 6228 6240 | 6258 6260 6316 6262 | 6276 6278 6320 6280 6508 | 58.75 61.55 |
| Cutts Comp. TB & TC Grade Vent. Rib Barrel | 1130 | | 6456 | 83,62 |
| 30" Full Choke 28" Full Choke 28" Mod Choke | 6242 6244 6246 | T | | 61.55 |

Fair Trade retail prices in states having Fair Trade laws Pripsis, subject to change without notice.








GAUGES — Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:



SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 2¾" shell measures about 2½" to 2½" before it is fired, but 2¾" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 2¾" chamber will thus handle shells of the proper gauge up to 2¾" length.

PATTERN — Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet loads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE — Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12 gauge gun is .729". If the diameter at the muzzle end is reduced to .694", the constriction of .035" (difference) will control the shot sufficiently to give patterns averaging about 70% of the

shot in a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

| CHOKES | % at 40 yards in 30" circle |
|-------------------|-----------------------------|
| Full Choke | 70 |
| Modified Choke | 60 |
| Improved Cylinder | 50 |
| Cylinder | 40 |

CHOKE USES — A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.

Full Chokeducks, geese, pheasant, crows, turkey, fox, racoon, trap shooting.

Modified Chokerabbit, woodcock, doves, squirrels, also all-round usefulness including ducks, quail, etc.

Improved Cylinder,
Special Skeetquail, grouse, partridge, rail, skeet shooting, guard duty, riot, rifled slugs.

BARREL LENGTH — Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 26 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also minimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots . . . especially in heavy brush.

It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to a more open degree, full to modified, modified to improved cylinder, etc., as long as the barrel length is left unchanged.

ं अंगिर विशेष अस्ति । स्वासिक



Remington,

UPIND

Most Powerful Automatic Big Game Rifle



IF YOU'RE AN AUTOMATIC FAN . . . then the 742 "Woodsmaster" is your gun. There's meat in camp whenever you're shooting the Remington Model 742 Automatic . . . the modern rifle that's built for speed and power. You're packing a ton and a half of muzzle energy in the world's most powerful automatic hunting rifle the only one that handles the pile-driving force of that All-American 30/06 Springfield cartridge (available in 9 bullet weights and styles for every kind of American game from woodchucks to grizzlies). Fast, gas-operated action soaks up recoil. No tooth-rattling "kick", no loss of power and almost no muzzle whip. That's why you're back on target before your trigger finger can squeeze off a second shot. The 742 Automatic lets you concentrate on aiming and not on working the action. In fact, this modern light weight Remington powerhouse actually reloads itself faster than you can shoot! Doubt it? Try it yourself the next time that big buck busts out of the brush. Model 742 "Woodsmaster" is available in 30/06 Springfield, 280 Remington, 308 and 6 m/m Remington. If you hunt in heavy brush country, you'll be interested in the short barrel carbine model, in 30/06 and 308 calibers. Both regular and carbine models have the new custom fine line checkering.



EXTRA STRONG, DEPENDABLE. Solid steel receiver, rotary multiple-lug breech lock, and high strength barrel breech ring make Model 742 extra strong, safe, dependable . . allow it to be chambered for super powerful calibers like the 30-06.



AMAZING "POWER-MATIC" ACTION — works on jet airplane principle. Gas moves rearward to operate action. "Jet" effect forces rifle forward—softens recoil with no power loss!



FAST, EASY LOADING, Interchangeable — 4 cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.




ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely. Insures constant head space. Same exclusive design as on famous Remington Model 760 "Gamemaster."

| USE NUM | BERS FOR E | SY, ACCUR | ATE ORDE | RING |
|---------------------|----------------------|--|----------|-----------------|
| | | distribution of the state of th | | eteli rices* |
| allo care | | | | |
| | | | | AP.95 |
| | | | | |
| | | | | 149.95 |
| | | | | 575.00 |
| | view View | | | 050.00 |
| | | | | 9.10 |
| | | | | 4.50 |
| 12 Prices subject t | e Change without not | | | Mar 23 |

| | STERNIATION |
|---------------------------------|--|
| CALIBERS | 6 m/m Rem., 280 Rem., 30-06, 308 Win. Carbine: 30-06 and 308 Win. |
| CAPACITY | 4 in clip magazine plus one in chamber. |
| BARREI LENGTH | 22" — Carbine 18½" |
| OVER-ALL LENGTH | 42"— Carbine 38½" |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 13½" length of pull, 2¼" drop at heel, 1¾" drop at comb. |
| AECEWEN | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 7½ lbs. — Carbine 7¼ lbs. |

Fast Hand 1996
Accurate
Big Game Rifle

Model 760 "GAMEMASTER"



IF YOU'RE A PUMP GUN MAN . . . used to shooting a pump action shotgun, then the Remington Model 760 is the gun you'll want. You'll stop 'em and drop 'em if you're carrying a light weight, fast-handling Remington Model 760 "Gamemaster." It's the only pump action big game rifle made that's chambered for the popular and powerful 30/06 Springfield cartridge. Five lightningfast shots are yours at the flick of your wrist . . . one more reason why this rifle has been a consistent winner in the International Running Deer Matches. Pump action is slick, smooth - so fast and effortiess, shooters say it works like a "ball-bearing" action. An extra loaded clip magazine in your pocket means you can reload in seconds . . . you've reserve fire power at your fingertips. The Model 760 "Gamemaster" is another member of the Remington family of modern guns - rugged, dependable, trouble-free with the famous rotary multi-lug bolt for extra strength. Custom, fine line checkering make it a standout in any gun rack. Another modern Remington gun "that's better - because it's made better" . . . in six powerful calibers: 223 Remington, 280 Remington, 270, 30/06, 308, 35 Remington. Also made in a carbine model in 35 Remington, 30/06 and 308 calibers.



AMAZING ACCURACY—Free floating barrel gives the kind of accuracy that means meat on the table, more first-shot hits.



EXCEPTIONAL TRIGGER MECHAN-ISM. No backlash, drag or creep. Convenient, positive cross-bolt safety.



LIGHTNING FAST ACTION — A flick of your forearm keeps you shooting; double action bars prevent twisting and binding. Pumping is effortless, like a ball-bearing action.



REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature.

| | | | 1 |
|---|----------------------|-------------------|-------------------|
| | | | |
| | der diame. | | |
| | | State | Retail Prices' |
| | | | (IICA) |
| August 700 | | | |
| | ANT 20 1 | | |
| | | | 129.95 |
| | | | 1000 |
| 15 Manager | | # 1,0685 # #S | |
| AND PROPERTY. | | | a. ((44. ****) |
| A STANCE OF THE | | 9700 | And other street, |
| | MATE IN THE STATE OF | 9702 | 129.95 |
| Service Sections 1 | | | |
| description of the second | State 7 | Spec. | 575.00 |
| | Service Control | Spec. | 1,050.00 |
| TO A | Palacia Suissia | 6382 | 9.10 |
| May Strap & Quick Clastelle | | Specify | " Siller |
| Extra 4-Shot Cilp | | Calber of | 4.50 3.90 |
| *Fair Yrade cetell prices | in and having fal | Toda lama is a sa | |

| CALIBERS | 280 Rem., 270 Win., 30-06, 308 Win., 35 Rem., 223 Rem. Carbine: 30-06, 308 Win., 35 Rem. |
|---------------------------------|---|
| CAPACITY | 4 in clip magazine plus one in chamber except 223 Rem. (5 in clip). |
| BARREL LENGTH | . 22" — Carbine 18½" |
| OVER-ALL LENGTH | 42" — Carbine 38½" |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 13½" length of pull, 2¼" drop at heel, 1¾" drop at comb. |
| RECEIVER | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| SIBHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 7½ lbs. — Carbine 7¼ lbs. |

12

Model 700

Bolt Action Rifle in 14 Calibers

WORLD'S STRONGEST BOLT AC-TION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.





BOLT KNOB is checkered, top and bottom. Grip is custom checkered. BDL Model has grip cap and white spacers.



MONTE CARLO STOCK and CHEEK PIECE make the model 700 good to look at . . . and good to shoot. There's a better cheek-to-stock fit with a Monte Carlo stock and cheek piece . . . which means quicker, surer sight alignment with either scope or iron sights.







NEW FEATURES FOR 1965


- BEAUTIFUL, SUPER-TOUGH RK-W FINISH, the most durable wood finish known, is now on all Model 700 Rifles. Du Pont-developed RK-W finish is similar to that used on bowling pins. No wonder it's good on guns.
- LONG 22" BARRELS are now standard on the following rifles: 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06 and 308 Win. Varmint and Magnum calibers are unchanged at 24" and Safari calibers at 26".
- SIGHTS ARE NOW DETACHABLE. If a shooter who uses a scope prefers to remove the iron sights, it's now an easy matter. A screwdriver is all that's needed and the filler screws supplied in the receiver will plug the sight fastening holes.
- THE 700 ADL AND BOL MODELS are now available in the new hot varmint caliber, the 22-250 Remington. Muzzle velocity is 3760 feet per second.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| | 700 ADL | | 700 BDL | |
|---|--|--------------------|--|------------------------------|
| Model 700 | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| 22-250 Remington 222 Remington Mag. 222 Remington Mag. 6m/m Remington 243 Win. 270 Win. 280 Remington 30-06 308 Win. 7m/m Remington Mag. Stainless Steel barrel and recoil pad 458 Win. Mag. recoil pad 458 Win. Mag. | 5940 5950 5958 5942 6044 5948 5954 5956 5956 5956 | \$129.95 144.95 | 6010 6024 6032 6018 6034 6022 6028 6020 6030 6026 6036 6012 6040 6042 | \$149.95 164.95 324.95 |
| Model 708 B "Peerless" Grade | Special | 600.00 | Special | 600.00 |
| Model 700 F "Premier" Grade | Special | 1,200.00 | Special | 1,200.00 |
| Sling Strap & Quick Release Swivels (installed) | 6382 | 9.10 | | |

"Fair Trade retail prices in states having Fair Trade laws.

Prices subject to change without notice



When the Model 700 was first developed, our tests proved that we had produced the finest center fire bolt action rifle ever made. yow our sales records have proven it again. Since its introduction, hooters have bought more Remington Model 700's than any ther center fire bolt action rifle on the market in its price class. nd their reasons for buying make good sense. For example: he Remington 700 bolt action is designed for the real rifleman. he shooter who wants the accuracy bonus of Remington's amous precision rifling and short, crisp trigger pull. The hunter

who appreciates the comfort of a cheek piece and Monte Carlo comb on an all-purpose stock that gives superb balance and perfect alignment with either 'scope or open sights. The craftsman who loves the traditional beauty of fine checkering. And it has a beautiful wood finish that is tough, hard, scratch-resistant gives lasting protection against hard usage and bad weather. The 700 owner also gets the world's strongest bolt action. The bolt head completely encloses the cartridge case in a ring of steel. And the Model 700 is available in 14 popular calibers.

REMINGTON MODEL $\mathcal{N}(\mathcal{P}) = [(0)(0)$ LONG RANGE PISTOL

A Super-Accurate Pistol



FEATURES

ROTATING THUMB-SAFETY. VENTILATED RIB. CUSTOM-STYLE CHECKERING. INTERNAL ORE-END CAVITIES FOR ADDITION OF WEIGHTS. MATCH TYPE TRIGGER. SCIENTIFICALLY ALLANCED to give minimum whip, jump and receil. ONE-PIECE STOCK OF DU PONT FYTEL" NYLON. WORLD'S STRONGEST BOLT, RIFLE-TYPE REAR SIGHT, UNIVERSAL GRIP either left or right hand.

SPECIFICATIONS


| STOCK | Du Pont "ZYTEL".® |
|--------------|---|
| ACTION | Bolt, solid frame. |
| CAPACITY | Single shot. |
| CALIBER | 221 Remington "Fire Ball". |
| LENGTH | Barrel 10½". Overall 16¾". |
| TRIGGER | Match type; grooved. |
| SIGHTS | Fixed front; rear adjustable for windage and elevation. |
| WEIGHT | 3% lbs., shipping weight with zipper case 7 lbs. |
| ORDER NUMBER | 5470 |

Price includes Zippered Carrying Case.

Fair Trade retail prices in states having Fair Trade laws. Prices subject to chance without e-

Model *600*

more Power and Accuracy than any other Carbine in its class



NEW MODEL 600 MAGNUM

CHAMBERED FOR the new 350 Remington Magnum Caliber

The **only** carbine made in a belted high power magnum caliber and the **only** production model hunting rifle made with a laminated stock!

SPECIFICATIONS • MODEL 600

| • | | | |
|---------------------------------|---|--|--|
| CALIBERS | 222 Rem., 6 m/m Rem., 243 Win., 308 Win., 35 Rem. | | |
| CAPACITY | 5 Shot — 6 m/m Rem., 35 Rem., 308 Win., 243 Win. 6 Shot — 222 Rem. | | |
| BARREL LENGTH | Tapered, Remington Proof Steel 18½" with Ventilated Rib, Matted between Sights. | | |
| OVER-ALL LENGTH | 37¼" | | |
| STANDARD STOCK DIMENSIONS | Selected American Walnut, custom checkering on fore-end and pistol grip. Monte Carlo Stock with fluted comb. 14" Length of pull, 2" Drop at heel, 1%" Drop at comb. | | |
| RECEIVER | Drilled and Tapped for Scope Mounts. Fixed Magazine. | | |
| SICHTS | Blade Ramp Front Sight with Brass Bead. "U" Notch Rear Sight Adjustable for elevation and windage with adjusting screws. | | |
| SAFETY | Positive Rotary Thumb Type with Corrugated Non-Slip Surface. | | |
| WEIGHT | 5½ lbs. | | |

MODEL 600 MAGNUM

Same as above except: CALIBER — 350 Remington Magnum only. CAPAC-11Y — 4 Shot. BARREL — Special magnum type with barrel bracket for scope back-up. STOCK — laminated walnut and beech. Recoil pad, black and white spacers, and strap and quick release swivels are standard equipment. Stock dimensions same as Model 600. RECEIVER — Drilled and tapped for standard and forward scope mounts. WEIGHT — 6½ lbs.

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Medel 600 | Order Nos. | Retail Prices* |
|-------------------------------|---------------|-------------------|
| 222 Remington | 5726 | |
| 6 m/m Remington | 5730 | |
| 243 Win. | 5734 | \$ 99.95 |
| 308 Win. | 5722 | |
| 35 Remington | 5728 | ľ |
| Strap & Quick Release Swivels | 6382 | 9.10 |
| Medel 600 Magnum | | |
| 350 Remington Magnum | 5724 | 144.95 |

*Fair Trade retail prices in states having Fair Trade laws.

CUSTOM CHECKERING on fore-end and grip is fine-lined, uniform, gobd looking. We suggest you do as other smart gun buyers do, compare this checkering with that found on other makes of guns. Then judge for yourself.

MONTE CARLO STOCK means a better cheek-to-stock fit for quicker, surer sight alignment. Rich American Walnut Stock has all-purpose dimensions which give perfect alignment with either a scope or open sights. Functional shape of fore-end provides a good reliable, non-slip grip for steady holding.

WORLD'S STRONGEST BOLT. Cartridge head is completely encased by a ring of solid steel. When bolt is closed, three rings of steel support the cartridge head. Strong? . . . there's none stronger.

A LIGHT WEIGHT POWERHOUSE — Only 5½ pounds but packs more power per pound than other carbines, from the brush-busting 35 Remington to the high velocity, flat trajectory 222 Remington coyote-walloping caliber. VENTILATED RIB. It's the first time a domestic commercially produced sporting rifle has ever been designed with a ventilated rib. (Another first for Remington). It helps you aim, gives a definite sight-line so you get on running game faster.

FAST-HANDLING MODEL — Short over-all length (371/4") makes Model 600 just right for hunting in heavy brush country because you can handle it faster, easier. It's a great saddle gun, too — fits a scabbard neatly or tucks in the rack of a pick-up truck.

FINEST ACCURACY. Here's where Model 600 really shines. Free floating barrel of Remington proof steel is precision rifled to Remington's exact standards. Trigger pull is short, crisp and clean. At the factory and in the field we shot close groups — and so will you. It was designed to shoot this way.

FORWARD S BOLT HANDLE hugs the stock—doesn't stick out—slips in and out of scabbard with ease. Half knob is serrated on the bottom so you get a good secure grip.

ROTATING THUMB SAFETY is conveniently located at the rear of the receiver where you can get at it in a hurry. Rearward for "safe". Forward for "fire."

BLADE RAMP FRONT SIGHT has brass bead. Sturdy U notch rear sight is adjustable for elevation and windage. Receiver drilled and tapped for scope and receiver sights.

TRIGGER is extra wide and corrugated; finger fits securely. Trigger pull is crisp and clean — no creep, no spongy action.

MODEL 600 MAGNUM Same features as above, except:

STOCK. A handsome lamination of walnut and beech that provides tremendous strength, stability and beauty. It's warp-free and waterproof. WOOD FINISH is famous Du Pont RK-W that's tough, scratch and water resistant, the most durable wood finish known. It's similar to that used on bowling pins.

RECOIL PAD cushions the recoil of the game-getting 350 Remington Mag. caliber. Black and white spacers add to good looks.

MAGNUM BARREL is designed to handle the powerful hot 350 Remington Magnum caliber. Free floating barrel provides extreme accuracy.

SCOPE BACK-UP. Strong bracket of steel forms scope mount back-up which takes vibration and recoil. Scope can also be mounted in forward position which provides long eye relief for instant sighting.

STRAP and QUICK RELEASE SWIVELS are standard equipment on Model 600 Magnum.

WELFUL Line 614 well belonged pounds and short overall length.

WEIGHT. Just 6½ well-balanced pounds . . . and short over-all length (37¼") make it a honey to handle in heavy cover.

1965


REMINGTON RIM FIRE RIFLES





odo of

Made of DuPont Zytel®Nylon




NYLON 66 APACHE BLACK

Nylon 66 is also made in an Apache Black deluxe I. The stock is Du Pont "Zytel" black nylon and both arrel and the receiver cover are chome plated. Inside, the same reliable, trouble-free rifle as the standard wk brown model.

iylon 66 is the most rugged automatic 22 rim fire rifle Alaskan fishermen think so, too; they use it on their boats to keep marauding sea lions out of their nets. pray, foul weather, fish slime and mud knock out 22's. But not the Nylon 66. This is why these fisherook on the Remington Nylon 66 as almost a "tool-of-ide." Still further proof: Trappers in the hunid is along the Gulf States swear by the "gun with the stock." Why? Same reasons; it's tough, it works under miditions, it stands up . . . and it's exceptionally ate.

our dealer to see the fabulous Nylon 66, in Apache or Mohawk Brown. They're both winners.



SE NUMBERS, FOR EASY, ACCURATE ORDERING

| lon 22 Caliber Rifles | Order Nos. | Retail Prices* |
|---|---------------|-------------------|
| Ny on 66 MB "Mohawk Brown" Automatic Ny on 66 AB "Apache Black" Automatic | 5500 5486 | \$49.95 54.95 |
| Ny on 66 GS "Gallery Special" (22 Shorts Only) using Strap & Swivels (installed) | 5512 | 59.95 5.40 |

de retail prices in states having Fair Trade laws. .hiect to change without notice.

REMINGTON'S NEW NYLON 66 AUTOMATIC

Remington's new Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 21/2" wood blocks. Only six misses out of over 100,000 blocks thrown . . . and without a malfunction. Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip. Available in Mohawk Brown and Apache Black with chrome plated barrel and receiver.

| | SPECIFICATIONS NYLON 66 |
|--------------------|---|
| ACTION | Automatic |
| CALIBER | 22 long rifle Rim Fire. |
| CAPACITY | Tubular magazine thru butt stock. Holds 14 long rifle cartridges. |
| BARREL | 19¼ inch, precision rifled, Remington Proof Steel. |
| STOCK | One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. |
| SIGHTS | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. |
| SAFETY | Top-of-grip. |
| RECEIVER | Grooved for "tip-off" 'scope mounts. |
| OVER-ALL LENGTH | 38½" |
| COLOR | Mohawk Brown with blued bar. & rec. Apache Black with chrome plated barrel and receiver cover. |
| WEIGHT | 4 ibs. |

For Plinking, Target Shooting, or Hunting

BOLT ACTION 22s

512X "SPORTMASTER" TUBULAR MAGAZINE REPEATER





NEW BOLT ACTION 22 RIFLES


All rifles in the new Remington bolt action line (models 510X, 511X, and 512X) have an American Walnut stock, new 24-inch precision barrel, fully adjustable rear sight and blade ramp front sight. In addition, the receiver is grooved for 'scope mounts and all rifles have a red dot firing indicator, side lever thumb safety, self cocking bolt, double cocking cams, double locking lugs, double extractors, bright steel bolt with swept back, sure-grip oval ball handle. Pick the one that suits you best; model 510X is a single shot, model 511X a 6-shot clip magazine repeater and 512X shown above is a big capacity tubular magazine repeater. All three have true Remington high quality throughout. See them at your dealer's. He'll be glad to point out their many exclusive features that make them excellent buys.



A favorite "first gun" because of its safety features. Automatic safety goes on when bolt is cocked and red dot shows when rifle is ready to fire. Also available in smooth bore model for shot cartridges.



HOLDS 6 cartridges; short, long or long rifle.



Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR "Boy's Rifle" with cut down stock.

| 1 1 | SPECIEICATIONE | AMODEL 514 |
|----------|--|---|
| Same | Sol Solution and Carting | Bolf Action, Single Shot. |
| | Earth and the second | 2/2 ghort, long, long rifle rim fire. |
| | | Single Shot: 44 |
| | | Proof Steel *** Licquer (Inished American Walnut) |
| | tell sized black but puels. | full sized, black butt plate. |
| | | Bead Jight sight open rear |
| | | |
| | The state of the s | |
| 1 | | Age then saley |
| | | Made from solid steel. |
| MERALL | | 42 inches. Boy's rifle 40 inches. |
| WEIGHT | 44 bx | 4% ba |
| MARK BUT | Same as MODEL STOR MARKS CAPAC | TY - Schot clin magazine SAFETY - |


MODEL STEE Land of MODEL STOR Managh. CAPACITY — 6-shot city magazine. SAFETY — 5-shot lever though type. WEIGHT — 5 lbc.
MODEL STEEL STEE

USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Beit Acties 22 Caliber Rifles | Order Nes. | Retail Prices* |
|--------------------------------------|---------------|-------------------|
| Model 510X Single Shot | 9800 | \$27.95 |
| Model 510X Single Shot, Smooth Bore | 9806 | 27.95 |
| Model_514 Single Shot | 5572 | 22.95 |
| Model 514BR Single Shot, Boy's Rifle | 5582 | 22.95 |
| Model 511X Clip Repeater | 9814 | 39.95 |
| Model 512X Tubular Repeater | 9820 | 42.95 |
| Extra 6-Shot Clip | 6388 | 2.40 |
| Extra 10-Shot Clip | 6390 | 3.10 |
| Sling Strap & Swivels (installed) | | 5.40 |

*Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.

Model 552 "Speedmaster"



VERSATILE. Shoots 22 Short, Long and Long Rifle cartridges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.



SINGLE LOADING — AUTO EJECTION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection port, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically.

Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced . . . the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is another member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle. "Speedmaster" has every feature the shooter wants, such as: twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model and the Gallery Special. Pick a Model 552 off the rack at your dealer's — heft it — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" . . . because it's made right.



Model 550

Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 22 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker . . . and good for week-end family fun, too.



This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.


| | Order Nos. | Retail Prices* |
|--|------------------------------|-----------------------------------|
| Medal 552 22 Caliber Automatic Rifle 552 A Automatic 552 C Carbine 552 GS "Gallery Special" (22 Shorts Only) Sling Strap and Swivels (ipstalled) | 5608 5612 5610 6430 | \$57.95 57.95 66.65 7.50 |
| Medel 550 22 Caliber Automatic Rifls 550 A Sling Strap and Swivels (installed) | 5596 6428 | \$49.95 5.40 |
| Medel 572 22 Caliber Slide Action Rifle 572 A 572 SB Smooth Bore Sling Strap and Swivels (installed) | 5626 5628 6432 | \$59.95 65.95 7.50 |

*Fair Trade retail prices in states having Fair Trade laws

Smooth At 196 Large Capacity All-'Round 22

PUMP ACTION





For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns. Also available with a smooth bore barrel.

A TO SERVICE OF THE PROPERTY O



FAST, POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.



SHOOTERS FORGET—but a "Field-master" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.

| The state of the s | THE RESERVE OF THE PERSON OF T | | <u> </u> |
|--|--|--|--|
| 4 6 6 | SPECIFICATIONS 1000 1000 | | |
| | MODEL 552 | ALC: NO. | A STATE OF THE STA |
| ACTION OF | Automatic | Automatic | Pump, repeater |
| Euro | 22 Rim Die | 22 Rim Fire | 22 Rim Fire |
| | Tubelar magazine holds 20 Short, 17 Long 15 Long rifle cartridges | Tubular magazine holds 22 Short, 17 Long, 15 Long rifle cartridges | Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges |
| | Adjustable year pight, beed front | Adjustable rear sight, bead front | Adjustable rear sight, bead front |
| stock P | Rich Américan Walnut | Rich American walnut | Rich American walnut |
| | Cross-bolf type | Thumb style | Cross-bolt type |
| Serve \$ | Ground for tip-off scope mounts | Grooved for "tip-off" scope mounts | Grooved for "tip-off" scope mounts |
| ONEWATT TENGUR | 42 ⁹ 40° (Carbine) | 431/2" | 42" |
| WIND THE | | 6¼ lbs. | 5½ lbs. |



Model 40XB
World's Most Accurate
Target Rifle

Here is the sensationally accurate Remington Model 40XB that is taking top honors in the United States and at International matches throughout the world. It reflects all that Remington is famous for . . . craftsmanship, precision design, quality materials, attention to details. The 40XB is truly a target rifle that only Remington—the nation's oldest gun maker could create. Features are:

Bolt action single-shot with loading platform: Specially selected long-wearing ordnance steel barrel, with new precision rifling. Choice of standard or heavy barrel. Custom-style stock with high comb giving same sighting plane for iron and telescope sights. Comb grooved for easy bolt removal. Mershon White Line non-slip rubber butt plate.

Built-in adjustable bedding device. Adjustable sling swivel. Extra-strong bolt with heavy, over-size locking lugs insuring constant headspace. Double extractors. Loading platform gives absolutely straight-line feed. Adjustable, crisp trigger with positive click adjustments for weight of pull. Thumb safety. Large, strong receiver drilled and tapped for standard sight mounts—telescope and iron. Redfield Olympic front and rear sights optional. Greatly increased distance between 'scope blocks gives improved sight adjustment. Barrel length 28". Stock length 33". Overall length 47". Weight without Redfield Olympic sights: heavy barrel rifle 12 lbs., standard barrel rifle 10 lbs. Weight with sights: add 12 oz.



A COMPLETE TARGET RIFLE LUMBER TO SHOOT

MODEL 513 T "MATCHMASTER" 22 caliber target rifle. Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull. 6-shot box magazine. Redfield front and rear sights. 114" leather sling, adjustable front swivel. Length 45". Weight about 834 pounds.

A FINE COMBINATION HUNTING AND LOSS ALL BUTCH

MODEL 521 T — Remington's lowest-priced target 22 — and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, 1 shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.

INTERNATIONAL FREE RIFLE—RIM FIRE • CENTER FIRE Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 m/m, 30-06 and others on special order.


40XB type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost.



1965

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Model 40-XB "Rangemaster" | Order Nos. | Retail Prices* |
|--|--|---|
| S1 Std. Barrel with Sights, Rim Fire—22 Cal. H1 Heavy Barrel with Sights, Rim Fire—22 Cal. H2 Heavy Barrel without Sights, Rim Fire—22 Cal. S2 Std. Barrel without Sights, Rim Fire—22 Cal. CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire Extra for calibers requiring stainless barrels (6 weeks or more for capter fire models) | 5674 5670 5672 5676 Spec. Spec. | 184.95 154.95 192.95 192.95 20.00 |
| Madel 513 "Matchmaster", Rim Fire Only 513 TR "Target" Grade with Sights 613 TX "Target" Grade without Sights Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5564 5566 6388 6390 | 89.95 69.95 2.40 3.10 |
| Medel S21T, Rim Fire Only S21 T, "Target" S21 T, "Target" S22 Extra 6—Cartridge Clip C Extra 10—Cartridge Clip | 5588 6388 6390 | 59.95 2.40 3.10 |
| Piles international Free Rifle Rim Fire & Center Fire | Spec. | 361.05 |





GREATER DISTANCE between telescope blocks means 50% finer sight adjustment. Reduces "sighting-in" errors. Photo shows difference between old 7.2" inter-mount radius and more precise 10.6" inter-mount radius on Model 40XB.

MODEL 40XB "RANGEMASTER" 22 rim fire and center fire target rifle.
Center fire calibers: 22-250 Rem., 222 Rem., 222 Rem. Mag.,
244 Rem., 6 m/m Rem., 7.62 m/m, 30-06 and others
on special order. (extra charge for center fire calibers requiring
stainless steel barrels)

SPECIFICATIONS

| | Secretaria de la composición de la comp | WOREL BIST | MODEL 521T |
|-----------------|---|--|---|
| and the second | | Bolt, Repeater | Bolt, Repeater. |
| | | 22 Rim Fan. | 22 Rim Fire. |
| | And a service bill only | 6-shot Clip magazine, 10-shot Clip available, Lung Rifle only | 6-shot Clip magazine, 10-shot Clip available. Long Rifle only. |
| | A Benth | Redfield informator front & rear wights optional. | Micrometer rear, blade front |
| A William | ATEN SINGERFUL | Thumb Safety, positive. | Thumb Safety, positive. |
| RECEIVER | Drilled & tapped for less sights on scope mounts | Drilled & tapped for iron sights or scope mounts. | Orilled & tapped for Lyman 57 RS peep sight. |
| BARREL LENSTH & | | 27 | 25". |
| LEMETH OF PULL | a various com | 1314", (Trieger to conter of butt plate) | 13¼". (Trigger to center of butt plate) |
| | CONTRACTOR OF THE PARTY | American wainut Sling Strap. | American walnut. Sling Strap. |
| MAN ALL LENGTHS | and the second | 45* | 42¾." |
| WEIGHT | With Redfield sights heavy barrel 12% Ibs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less. | 8% lbs. | 6½ lbs. |

Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice


REMINGTON Presents..

NEW GUNS.



MODEL 600 MAGNUM in 350 Remington Mag. Caliber

It's the most powerful, most accurate, most rugged big game carbine made: The new Model 600 Magnum carbine is the first production model hunting rifle ever made with a laminated stock (rich walnut and beech) and the only carbine in a high power belted magnum caliber. Chambered for the new powerful 350 Remington magnum caliber, it will take any big game in North America.



MODEL 700 Big Game Rifle Here's the rifle that appeals to the shooter... who marvels at its great accuracy; the hunter who knows it has the world's strongest bolt action with power to take any North American game; and the craftsman who appreciates the traditional beauty and workmanship of this rifle. Available in 14 most wanted calibers.




Thousands of proud owners who have shot the Model 1100 in the field and at the traps claim it's the greatest automatic shotgun ever made. Their reasons: less recoil, longer life, good balance, high quality throughout. Made in 12, 16 and 20 gauges — in all popular barrel lengths, chokes and models.



HIGH GRADE GUNS

THE FINEST! As appreciative sportsmen and shooters well know, gunsmithing is both an art and a craft. Since 1816, succeeding generations of Remington master gunsmiths have contributed accuracy, reliability, handling ease and handsomeness to the unmatched reputation of Remington products.

Today's high grade Remington guns reflect this great tradition of the artisan-gunmaker: The "Woodsmaster" F Premier Grade automatic big game rifle is just one example of the extra quality available to shooters who enjoy owning the finest. Hand-engraved receiver and barrel, game scenes, custom hand checkering, matched American walnut stock and fore-end... all these superiorities make it obviously the finest, undeniably a Remington.



BARBER - PRESALE R 0124163

MODEL A100T FOR TRAP


I Remington autoloading trap with 1/2 HP motor, 60 cycle, 115 volts, and special auto-angling base. 1 push button release unit with 100 feet of wire. 1 power control box.



1965


REMINETON AUTOLOADING TRAP

- Labor-saving (no trap boy needed) Large capacity (203 targets)
- Easy loading, stack at a time Connects to 110 volt wiring system
- No tools required
- Makes commercial gun clubs profitable!



MODEL M200S FOR SKEET

2 Remington autoloading traps with ½ HP motors, 60 cycle, 115 volts. 1 walk around release unit and 80 feet of wire. 2 power control boxes. 1 connection box.



REMINSTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.



REMINGTON WONDER" TRAPS FOR SKEET SHOOTING

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control. all other accessories. Also Remington Electric release



Trap & Skeet

REMINATON "ALUE RABOL" TARBETR

The new Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot targets break easier when hit by only a few pellets. All adding up to higher scores!



สะทักษาสาสมาส (1985) สมุดสมาส All you need to enjoy shotgun sport all year round are Remington "Blue Rock" targets and a Remington target thrower. Easy to use. Throw targets any way you like.

Shot, Gere-Leit, Size Rock, Expert, Wonder, Klasnbore, schmaster and let are trademarts registered in the United States Patest Office. XP-100, Fire Bell, Rib-Lott, Nylon 66, Hi-Speed, siden, it was and Spatteriess are trademarks of Remington Arms




BENEMETON "EXPERT" TRAP

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for walk up shooting games.



REMINSTON "BLUE ROCK" TRAP

For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Sing-lever Pull for manual operation.



MANUAL RELEASE for "Wonder" er "Blue Reck" Outfits

Simple to attach and easy to use, the Remington Singlever Pull is especially designed for manual operation of the "Wonder" Skeet Outfit. Easily and quickly converted to

Table of Contents


REMINGTON FIREARMS

| SHOTGUNS | Pages |
|---|--------|
| Automatic Model 1100 | 4, 5 |
| Automatic Model 11-48 | 6, 7 |
| Pump Action Model 870 "Wingmaster" . | 8, 9 |
| Shotgun Facts | 10, 11 |
| CENTER FIRE RIFLES | |
| Automatic Model 742 "Woodsmaster" | 12 |
| Pump Action Model 760 "Gamemaster" . | 13 |
| Bolt Action Model 700 | |
| Bolt Action Model 40XB | 15 |
| Bolt Action Model 600 and 600 Magnum | 16 |
| Bolt Action Model XP-100 | 16 |
| RIM FIRE RIFLES | |
| Automatic Nylon 66 | 18 |
| Bolt Action Models 510X, 511X, | |
| 512X, 514 | 19 |
| Automatic Model 552 "Speedmaster" | 20 |
| Automatic Model 550 | 20 |
| Pump Action Model 572 "Fieldmaster" . | 21 |
| TARGET RIFLES | |
| Bolt Action Model 40XB "Rangemaster" | 22 |
| Bolt Action Model 513T "Matchmaster" Bolt Action Model 521T | 22 |
| | 22 |
| Bolt Action International Free Rifle | 22 |
| REMINGTON NEW GUNS | 23 |
| REMINGTON AMMUNITION | |
| CENTER FIRE, "CORE-LOKT" & | |
| "POWER-LOKT" | |
| CENTER FIRE RIFLE CARTRIDGES | 26–33 |
| CENTER FIRE PISTOL & REVOLVER | |
| CARTRIDGES | 32–35 |
| PISTOL & REVOLVER BULLET TYPES | 36 |
| SHOTGUN SHELLS | |
| SUGGESTED SHOT SIZES FOR GAME | 41 |
| RIM FIRE CARTRIDGES | 42, 43 |
| REMINGTON TRAPS | |
| | 40 |
| TRAP AND SKEET EQUIPMENT | 43 |

Shown on the cover and throughout the catalog are classic shooting scenes in the history of American hunting and the famous Remington guns used long ago. The original paintings were done by Bob Kuhn, well-known wildlife artist and sportsman, especially for Remington's 150th Anniversary.







This year Remington, the oldest gunmaker in America, marks its 150th Anniversary. From a humble beginning in 1816 in a small forge near Ilion, New York, the company founded by Eliphalet Remington has grown into a vast, diversified industrial organization.

In the early days, Remington firearms rode toward the Rockies in covered wagons and teamed with the plow and ax to help tame the wilds. When the land was being opened and hungry settlers waited the necessary months or years for their first crops to ripen, it was the firearm that provided them with food from nature's larder of game. It was this demand for firearms as a tool that made the growth of Remington Arms Company, Inc. possible. Since 1816 Remington guns have proudly contributed toward our nation's heritage and in doing so, acquired a reputation for excellence in design and dependability.

To our sportsmen-customers of today, and to those of years gone by . . . Remington Arms is grateful; for they are a part of our heritage, our growth, and our success.

WINGS ON THE MISSISSIPPI—1930's. The cry of the Canada goose has long been heard above our rivers and plains. Remote breeding areas in the Far North and wise conservation have sustained these magnificent flocks

Remove

REMINGTON SHOTGUNS

REMINGTON Model 1100 AUTOMATIC SHOTGUN

1966


Shoote's imoughout the country have made the new Remington Model 1100 the "most popular" — "most wanted" automatic shotgun . . . and for good reasons, too. They tell us:

"It works, never jammed on me once, and I hunted every weekend." "Recoil is light" writes a trap shooter. "My boy says the kick doesn't bother him a bit . . . and it doesn't. He's shooting better than ever." Light recoil also pays off in doubles, too; for the trap shooter, skeet shooter and hunter.



"Finish is good — stands up" reports a West Coast duck and goose shooter who shot it throughout the season . . . "And we get some mighty wet weather out here . . . it's tough on almost everything."

"It's a beautiful gun" — is a typical comment. And no wonder — with its fine-lined checkering, DuPont RK-W wood finish, scroll work, steel receiver, white line spacers and tear drop pistol grip. Your dealer has 'em in 12, 16, and 20 gauges, with both plain and ventilated rib barrels.



MODEL 1100 TB Trap Gun

SPECIFICATIONS: Better grade wood, rubber recoil pad. Special stock dimensions: 14%" long including recoil pad, 1%" drop at heel, 1%" drop at comb. Available in 28" and 30" full choke and 28" modified choke, ventilated rib barrels only. Ivory bead front sight, white metal rear sight. Also available with optional Monte Carlo stock at extra charge. Weight: about 8½ lbs.

12, 20 GAUGE



Perfect balance, excellent pointing and fast swinging qualities make this gun a target buster wherever it is used. Light recoil is easy on the shoulder, too. SPECIFICATIONS: 26" barrel, Remington special skeet boring, ventilated rib, ivory bead front sight and white metal rear sight. Stock dimensions are: 14" long, 2½" drop at heel, 1½" drop at comb. (SB grade same specifications with better grade wood). Weight: about 7½ lbs.

12, 20 GAUGE (shown with ventilated rib barrel)

MODEL 1100 MAGNUM

Duck Gun

Built for the high flyers—reaches out and drops 'em.

SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 2¼" magnum shells. Available in 28" and 30" full choke in 12 gauge, and 28" full choke in 20 gauge, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 2½" drop at heel, 1½" drop at comb. Furnished with recoil pad. Weight: about 7½ lbs.



BARBER - PRESALE R 0124168

FEATURES THAT MAKE THE MODEL 11.



CUSTOM CHECKERING on stock and fore-end . . . fleur-de-lis design. Checkering is fine-lined, uniform, good looking.

TEAR DROP PISTOL GRIP with attractive white diamond inlay provides a natural, non-slip, comfortable grip.

FORE-END has swept back, streamlined design. Fine checkering and fluting give secure gripping area.

DISTINCT WHITE SPACERS on butt plate and grip cap add attractiveness. NEW METAL FINISH looks better, wears better . . . because the metal is more highly polished.

 ${\bf BIG}$ 5-SHOT CAPACITY — Easy to load. Four in magazine . . . one in chamber. Three-shot plug furnished.

NEEDS NO ADJUSTMENT — Performs perfectly for different loads; automatically — Shoots high base, low base, 2% " magnum shells without adjustment.



QUICK-CHANGE BARRELS — They're interchangeable in seconds; no factory fitting is required. Use one gun for all your shooting and get more game, targets, sport.

FASTEST LOADING — Drop a shell in the breech; load another in the magazine in one motion. Load five shells in five seconds.

 $\label{lightest} \textbf{LIGHTEST RECOIL} \ \mbox{$-$ Gas action tames recoil; it smooths and cushions} \ \mbox{$...$ and with no loss of power.}$

RK-W PROTECTIVE FINISH — New DuPont wood finish is clear. Lets the wood grain show through. It's similar to that used on bowling pins; tough, hard, scratch-resistant . . . gives lasting protection against hard usage and bad weather.

STEEL RECEIVER is made from a solid block of steel for extra strength, ruggedness, dependability.

AVAILABLE IN MAGNUM MODEL — Chambered for 3" magnum shells. Uses 2%" magnums too. A rugged, dependable shotgun . . . reaches out and drops the high flyers.

DECORATIVE SCROLL WORK on receiver and bolt adds real beauty and value to this gun.

SELF CLEANING — The gas operation of this gun is unusual. It blows dirt and grime away, keeps action bright and shining for long periods of time.

SUPREME DEPENDABILITY — Tests prove the shooting life of this new gun is up to seven times longer than any other automatic shotgun on the market.

BALANCE AND WEIGHT are just right, only 7½ lbs. in 12 gauge. Can be carried comfortably all day. No sacrifice of steel in barrel or receiver . . . not a "featherweight floater" that's too light to point right.

NEW 20 GAUGE LIGHTWEIGHT MODEL 1100 WITH SPE-CIALLY SELECTED MAHOGANY STOCK AND FORE-END, AVAILABLE IN FIELD GRADE GUNS AND SA SKEET GRADE

SPECIFICATIONS

5 shot gas operated shotgun. 3 shot plug furnished.

Made in 12, 16 and 20 gauge.

Special Remington proof steel. Extra barrel is interchangeable within gauge.

OVER-ALL 48" (with 28" Barrel).

STYLE

GAUGE

BARREL

SAFETY

RECEIVER

STANDARD STOCK DIMENSIONS

AVERAGE

WEIGHT

Convenient cross-bolt type.

Made from solid steel, top matted, scroll work on bolt and both sides of receiver.

Stock and fore-end: Rich American walnut, 14'' long, $2\frac{1}{2}''$ drop at heel, $1\frac{1}{2}''$ drop at comb. Trap reg., $14\frac{4}{3}''$ long, $1\frac{3}{4}''$ drop at heel, $1\frac{1}{2}''$ drop at comb. Monte Carlo; $14\frac{1}{3}''$ long, $1\frac{3}{4}''$ drop at heel, $1\frac{1}{4}''$ drop at comb,

11/4" drop at M.C.

12 ga. - 7½ ibs.; 16 ga. - 7¼ ibs., 20 ga. - 7 ibs.

| | 12 Ga. | Retail Prices* | | |
|--|---------------|-------------------|--------------------------------|------------------|
| Model 1100 with Plain Barrel | | 16 Ga. | 20 Ga. | 111003 |
| 30" Full Choke | 5322 | | Wal. Mah. | |
| 28" Full Choke | 5320 | 5370 | 5390 5440 | #154 OF |
| 28" Mod. Choke 26" Mod. Choke | 5326 5324 | 5374 5372 | 5394 5442 5392 5444 | \$154.95 |
| 26" Imp. Cyl. Choke | 5328 | 5376 | 5396 5446 | |
| 22" Imp. Cyl. Deer Gun | 17 | ith Rifle Sig | | 174.95 |
| Model 1100 | | | | |
| with Vent, Rib Barrel | · · · | | Wat 118ah | |
| 30" Full Choke | 5332 | 5270 | Wal. Mah. | |
| 28" Full Choke 28" Mod. Choke | 5330 5336 | 5378 5382 | 5398 5450 5402 5452 | 179.95 |
| 26" Mod. Choke | 5334 | 5380 | 5400 5454 | 179.00 |
| 26" Imp. Cył. Choke | 5338 | 5384 | 5404 5456 | |
| Model 1100 Magnum with Plain Barrel | | | | |
| 30" Full Choke | 5344 | | | 169.95 |
| 28" Full Choke | 5342 | | 5428 | |
| Model 1100 Magnum with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5348 | | | |
| 28" Full Choke | 5346 | | 5430 | 194.95 |
| Madel 1100 SA Skeet | | · · · · · · | | |
| with Yent. Rib Barrel | 5050 | İ | Wal. Mah. | |
| 26" Skeet Choke 26" with Cutts Comp. | 5356 5358 | } | 5408 5438 5410 5448 | 184.95 209.95 |
| | 3336 | | 2410[2440 | 203,33 |
| Model 1100 SB with Vent. RID Barrel (Better Wood) | | | ļ ' | |
| 26" Skeet Choke | 5302 | | 5422 | 209.95 |
| 26" with Cutts Comp. | 5304 | | 5424 | 234.95 |
| Model 1100 TB Trap with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5350 | | l i | |
| 28" Full Choke | 5352 | 1 | | 219.95 |
| 28" Mod. Choke | 5354 | l | ! | |
| 30" Full Choke | 5306 | vith Monte | | |
| 28" Full Choke 28" Mod. Chake | 7314} | arlo Stock | | 229.95 |
| | 3319) | | | |
| Model 1100 D with Yent. Rit | | Spe | | 550.00 |
| Model 1100 F with Vent Rit | Barrel | Spe | cial | 1,050.00 |
| Extra Barrels, Plain | 0500 | | | |
| 30" Full Choke 28" Full Choke | 9500 9502 | 9530 | 9546 | |
| 28" Mod. Choke | 9504 | 9532 | 9548 | 45.45 |
| 26" Mod. Choke | 9506 | 9534 | 9550 | |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | |
| 22" Imp. Cyl. Rifle Sights | 9568 | | | 54.50 |
| Extra Barrels, Vent. Rib | 0510 |] |] [| |
| 30" Full Choke | 9512 9514 | 0520 | DEEA | |
| 28" Full Choke 28" Mod. Choke | 9514 | 9538 9540 | 9554 9556 | 68.15 |
| 26" Mod. Choke | 9518 | 9542 | 9558 | 00.10 |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | |
| Extra Barrels, Vent. Rib | | <u> </u> | | |
| SA & SB Skeet Grades | 0500 | ŧ | 0500 | 70 40 |
| 26" Skeet Choke 26" with Cutts Comp. | 9522 9524 | Ī | 9562 9564 | 72.40 94.47 |
| | 3324 | | | 37.7/ |
| Extra Barrels, Vent. Rib TB Trap | | | | |
| 30" Full Choke | 9526 | | \ | |
| 28" Full Choke | 9528 | ļ | | 72.40 |
| 28" Mod. Choke | 9566 | l * | } | 1 |
| *Fair Trade retail prices in state | s naving Fair | rrage laws. | | |

^{*}Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.



5

REMINGTON

Model 11-48

AUTOMATIC SHOTGUN

Only Automatic made in All 5 Gauges 12, 16, 20, 28 and 410


The Remington Model 11-48 is an automatic shotgun with a fine reputation that has been earned in the field and wherever skeet targets are thrown. Over a half million proud owners are our best salesmen and they'll tell you the 11-48 is one of the finest automatics on the market. And it is!

 $\langle \rangle$)

It's the only automatic made in 12, 16, 20, 28 and 410 gauges and in the 28 and 410 gauges it's a big favorite with skeet shooters, youngsters, women . . . and hunters who like a small bore shotgun. And speaking of Remington automatic shotguns, they have won more National Skeet Championships than all other brands put together. Here is where shot-after-shot dependability really counts.

Model 11-48 is an excellent value . . . you get a lot of gun for the money, such as: Custom fine-lined checkering, receiver milled from a solid block of steel, rich American Walnut stock and fore-end, 5-shot capacity (in 12, 16 and 20 ga.) and it shoots all brands of ammunition, high and low base, rifled slugs and standard length magnum shells . . . all without adjustment.

Barrels are interchangeable, too. Takes only a minute to change them and you can do it right in the field. No special tools or factory fittings are required. Dependability, ruggedness, lightweight, fine balance, good looks . . . that's the Remington Model 11-48, a gun that's built the "Remington Way" — to last!



MODEL 11-48 SA
Skeet Gun
Available in 12, 20, 28 and 410 gauge's
(410 gauge shown above)

The 11-48 is available in a skeet model in 12, 20, 28 and 410 gauges and is the only automatic shotgun made in 28 and 410 gauges. It's a great favorite with skeet shooters who demand supreme dependability in the guns they shoot. The Model 11-48 has everything the skeet shooter wants . . . fine balance, excellent pointing qualities, ruggedness . . . plus many other features that all add up to higher scores.

SPECIFICATIONS: 26" barrel (25" on 28 and 410 gauges) Remington special skeet boring, ventilated rib barrel, ivory bead front sight and white metal rear sight. Stock dimensions: 12 and 20 gauge, 14" long, 2½" drop at heel, 15%" drop at comb. 28 and 410 gauges, 13%" long, 25%" drop at heel, 15%" drop at comb. Weight: 12 ga. — 7¼ lbs., 20 ga. — 6½ lbs., 28 and 410 ga. — 6¼ lbs.

1))



At the National Skeet Championships and at local shoots, the Remington Model 11-48 is a standout. It's the only automatic made in 28 and 410 gauges; skeet shooters like it because of its fine balance, excellent pointing qualities and dependability.



| | SPECIFICATIONS |
|---------------------------------|--|
| STYLE | 5 shot automatic shotgun — 4 shot in 28 and 410 gauges. 3 shot plug furnished. |
| GAUGES | 12, 16, 20, 28 and 410. (3" chamber in 410 ga.) |
| BARREL | Special Remington proof steel — extra barrel interchangeable within gauge. |
| OVER-ALL LENGTH | 48½" with 28" barrel |
| SAFETY | Convenient cross-bolt type, positive. |
| RECEIVER | Made from solid steel, top matted. |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: Rich American walnut. 12, 16, 20 ga. — 14" long, 2½" drop at heel, 1½" drop at comb. 28 and 410 ga. — 13½" long, 2½" drop at heel, 1½" drop at comb. |
| AVERAGE WEIGHT | 12 ga 7¼ lbs.; 16 ga 6¾ lbs.; 20 ga 6½ lbs.; 28 ga 6¼ lbs.; 410 ga 6¼ lbs. |

| USE NUMBERS FOR | EAS | /. AC | CUR | ATE | QRD | RING |
|----------------------|---------------|--------|------------------------|----------------|--|------------------------|
| | | | | | | |
| | | | | 29 | Ale | Section 1 |
| | | | Q. | Ge. | 66 | Prices! |
| 4.4 | | | | | | |
| | | 111 | | | | |
| | | 177 | | | | \$139.96 |
| | | | 12.5 | 4804 | 4830 | |
| | | | | 4806 | 482 | |
| | | | | | d | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | 77 | | 1 | 7 | |
| | | | | 4808 | 4434 | |
| | | | *** | 4810 | 4836 | 164.95 |
| | | 4752 | 4784 | | | |
| | | | | 4812 | 4838 | |
| | | | | | ************************************** | |
| are services and the | | 19 | | | 4 | |
| | | | | | | |
| | | | | 4814 | 4840 | 160.95 |
| | | | 4788 | 4816 | 1844 | 194.95 169.95 |
| | | | 4790 | | | 194.95 |
| | | | | de la constant | | |
| | - | | 40 | | | |
| Continues California | | | 4.4 | | 100 | |
| | | | | | | |
| | | 6168 | 6522 | 6190 | 6362 | agreet to |
| | (014 | \$170 | 6180 | 2 (a) | 4.4 | Arm. |
| | | 1172 | F1 #2 | 5182 | 620 4 | |
| | | | | 8131 | 6206 | |
| | | | | 7. | 1 | |
| | ± 3 | | | | | |
| | | | | | | |
| | | 1178 | FIRA | | | |
| | | | 25 | 6196 | 6208 | |
| | | 6176 | 6186 | 6198 | 621 6 . | 66.50 |
| | | 6178 | 5188 | | 14.5 | ing print |
| | 1.5 | | | 8200 | 6212 | |
| | | | | 11. | | |
| | | | | * Y2.67 | | |
| | | | | 6300 | 6604 | 70.00 |
| Stan Surp Surp Seems | | | | 6202 6560 | 6594 6524 | 70.65 9 2.72 |
| | 54.6 | | 6480 | ્યુદ | - 1 | , 70.65 |
| | BASA BY/OR | t Trad | 6486 | | | 92.77 |
| | | T THE | Charles and the second | | 4 | |

1966

REMINGTON

Model 870

PUMP ACTION SHOTGUN

Time for a new pump gun? If it is — and you're looking... we'd like to help. First of all you want a gun that shucks shells at the flick of your wrist — a gun that's got twin action bars and pumps like a ball-bearing action without twisting or binding. There is a gun like this. It's the slick Remington Model 870!

Want one that's going to last? Of course. Then pick a pump that has a receiver machined from a solid block of steel if you want strength and ruggedness. That's the way a Remington 870 is built . . . we don't make them any other way.

Chances are you'll want to use that gun on different kinds of game. That means interchangeable barrels you can change in seconds—right in the field and without any factory fitting or special tools. With a Remington 870 "Wingmaster" it's so easy—anyone can do it.


Everyone wants a good-looking gun. The 870 is a stand-out in any company and here's why: Custom fine-lined checkering with fleur-de-lis design, rich American Walnut stock and fore-end, and Du Pont-developed RK-W wood finish similar to that used on bowling pins. A Remington 870 pump is one of the best investments you can make in shooting enjoyment—for yourself—as a gift—or, some day, as a pass-along gun to that youngster of yours. So, for good hunting this season, why not take along a new Remington Model 870.



"WINGMASTER" MODEL 870 TC Trap Gun The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun! SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14% long including recoil pad, 1% drop at heel, 1½" drop at comb. Highly figured and finished American Walnut with finely checkered stock and fore-end. Hand fitted action and parts. Will furnish made to order stock lengths from 13½" to 14¾" on Model 870 TC only, without extra charge. Weight: about 8 lbs. This model also available in TB grade 14¾" stock only, lower price. Both models available with optional Monte Carlo stock at extra charge.

"WINGMASTER" MODEL 870 SA Skeet Gun The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast second shots at skeet or upland game. Also available in SC grade with specially selected wood and hand checkering.

SPECIFICATIONS: (12 and 20 Gauges) 26" harrel. Remington Special Skeet Boring Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 15%" drop at comb. Weight: 12 gauge about 7 lbs., 20 gauge about 6½ lbs.



12 GAUGE, WITH RIFLE SIGHT BARREL

"BRUSHMASTER" MODEL 870 Deer Gun The Model 870 Deluxe "Brushmaster," made specially to handle rifled slugs and buck shot, is the latest in smashing power for those fast shots in brush country.

SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifle-type sights. Stock fitted with rubber recoil pad and white line spacer. Also available in standard model with rifle sights.



12 AND 20 GAUGES

"WINGMASTER" MODEL 870 MAGNUM

Duck Gun (shown with ventilated rib barrel)

Rugged and dependable for long range shooting! For geese and ducks. SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells — will also handle 2¾" shells. Variweight and wood 3 shot plug. 12 ga. with 28" and 30" full choke, plain or vent. rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 158" drop at comb. 20 ga. furnished in 28" full choke vent. rib and plain barrels. Weight: 12 ga. about 8 lbs., 20 ga. about 7½ lbs., including variweight plug.

1)

1966

STYLE

GAUGES

evone?

BARREL

OVER-ALL LENGTH

RECEIVER

STANDARD STOCK DIMENSIONS

> AVERAGE WEIGHT

SPECIFICATIONS

5 shot pump action shotgun. Take down. 3 shot plug furnished.

12, 16 and 20.

Special Remington proof steel. Extra barrel is interchangeable within gauge.

481/2" with 28" barrel.

Convenient cross-bolt type, positive.

Made from solid steel, top matted.

Stock and fore-end: Rich American walnut. Beautiful checkering. 14" long, 2½" drop at heel, 1¾" drop at comb. Trap reg., 14¾" long, 1¾" drop at heel, 1½" drop at comb. Monte Carlo; 14¾" long, 1¾" drop at heel, 1¾" drop at comb, 1¾" drop at M.C.

12 ga. - 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.





QUICK CHANGE BARRELS—Change them in seconds, right in the field. No factory fitting or special tools required. Use one gun for all your shotgun shooting and get more game, targets, sport.



GOOD DESIGN — Barrel is made with a hardened extension into which the breech block must lock before firing, Result . . . longer life, less wear, constant head space.




DOUBLE ACTION BARS prevent twisting and binding, give smooth gliding action for which Remington "Wingmaster" is famous. Many shooters say it works like a ball bearing action. And they're right!


we with the

USE NUMBERS FOR EASY, ACCURATE ORDERING

| USE NUMBERS FOR | EASY | , ACCUR | ATE OR | DERING |
|---|--|---|--------------------------------------|--------------------|
| Model 870 with Plain Barrel | 12 Ga. | Order Nos. 16 Ga. | 20 Ga. | Retail Prices* |
| 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" "Brushmaster" Deluxe | 4860 4862 4864 5014 4866 4988 | 5020 5022 5080 5024 with Rifle Si | 5102 5104 5098 5106 | \$ 99.95 |
| Standard | 4984) | | Riitz | 99.95 |
| Model 870 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyi. | 4890 4892 4894 4858 4896 | 5038 5040 5192 5042 | 5122 5124 5178 5126 | 124.95 |
| Model 870 Magnum with Plain Barrel 30" Full Choke 28" Full Choke | 4872 5010 | | 5176 | 119.95 |
| Model 870 Magnum with Yent. Rib Barrel 30% Full Choke 28" Full Choke | 4922 5012 | | 5146 | 144.95 |
| Medel 870 R Plain 20" Riot Cyl. Choke Medel 870 R Rifle Sights 20" Imp. Cyl. Choke | 4870 4856 | | | 89.95 99.95 |
| Medel 870 SA with Vent, Rib 26" Skeet Choke 26" with Cutts Comp. Medel 870 SC with Vent, Rib | 4944 4946 | | 5150 5152 | 129.95 154.95 |
| 26" Skeet Choke 26" with Cutts Comp. | 4952 4954 | | 5158 5160 | 194.95 219.95 |
| Medel 870 TB with Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke | 4926 4928 4930 | | | 164.95 |
| 30" Full Choke 28" Full Choke 28" Mod. Choke | 4906 4908 4910 | with Monte Carlo Stock | | 174.95 |
| Model 870 TC with Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 30" Full Choke 28" Full Choke | 4324 } | with Monte | | 224.95 234.95 |
| 28" Mod. Choke | 10,77 | Carlo Stock | <u> </u> | |
| Model 870 D with Yent, Rib B: Model 870 F with Yent, Rib B | | Special Special | | 525.00 1,025.00 |
| Pjain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" Riot Cyl. Choke 20" Imp. Cyl. Rifle Sights | 6214 6216 6218 6328 6220 6598 6544 | 6252 6254 6332 6256 | 6270 6272 6334 6274 | 35.70 46.10 |
| Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 26" Skeet SA & SC | 6222 6224 6226 6318 6228 6240 | 6258 6260 6316 6262 | 6276 6278 6320 6280 6508 | 58.75 |
| 26" SA & SC with Cutts Comp. | 6450 | · | 6456 | 83.62 |
| TB & TC Grade Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke "Fair Trade retail prices in states h | 6242 6244 6246 | Trade laws | | 61.55 |


*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.





GAUGES — Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:



SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 2¾" shell measures about 2½" to 2¾" before it is fired, but 2¾" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 234" chamber will thus handle shells of the proper gauge up to 234" length.

PATTERN - Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet loads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE -- Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12 gauge gun is .729". If the diameter at the muzzle end is reduced to .694", the constriction of .035" (difference) will control the shot sufficiently to give patterns averaging about 70% of the shot in a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

| CHOKES | % at 40 yards in 30" circle |
|-------------------|--------------------------------|
| Full Choke | 70 |
| Modified Choke | 60 |
| Improved Cylinder | 50 |
| Cylinder | 40 |

CHOKE USES — A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.

Full Chokeducks, geese, pheasant, crows, turkey, fox, racoon, trap shooting. Modified Choke rabbit, woodcock, doves, squirrels, also all-round usefulness including ducks, quail, etc. Improved Cylinder,

Special Skeetquail, grouse, partridge, rail, skeet shooting, guard duty, riot, rifled slugs.

BARREL LENGTH — Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 22 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also minimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots . . . especially in heavy brush.

It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to a more open degree, full to modified, modified to improved cylinder, etc., as long as the barrel length is left unchanged.



TOLLING UP ANTELOPE—1870's. When early hunters needed meat the wary, prong-horned antelope was in large supply. Wise conservation halted a serious deciline, and again large bands are hunted in 10 Western states.

FAST, EASY LOADING, Interchangeable — 4 cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.





IF YOU'RE AN AUTOMATIC FAN . . . then the 742 "Woodsmaster" is your gun. There's meat in camp whenever you're shooting the Remington Model 742 Automatic . . . the modern rifle that's built for speed and power. You're packing a ton and a half of muzzle energy in the world's most powerful automatic hunting rifle the only one that handles the pile-driving force of that All-American 30/06 Springfield cartridge (available in 9 bullet weights and styles for every kind of American game from woodchucks to grizzlies). Fast, gas-operated action soaks up recoil. No tooth-rattling "kick", no loss of power and almost no muzzle whip. That's why you're back on target before your trigger finger can squeeze off a second shot. The 742 Automatic lets you concentrate on aiming and not on working the action. In fact, this modern light weight Remington powerhouse actually reloads itself faster than you can shoot! Doubt it? Try it yourself the next time that big buck busts out of the brush. Model 742 "Woodsmaster" is available in 30/06 Springfield, 280 Remington, 308 and 6 m/m Remington. If you hunt in heavy brush country, you'll be interested in the short barrel carbine model, in 30/06 and 308 calibers. Both regular and carbine models have the new custom fine line checkering.

EXTRA STRONG, DEPENDABLE. Solid steel receiver, world's strongest bolt and rotary multiple-lug breech lock make Model 742 extra strong, safe, dependable . . . allow it to be chambered for super powerful calibers like the 30/06.

AMAZING "POWER-MATIC" AC-TION — works on jet airplane principle. Gas moves rearward to operate action. "Jet" effect forces rifle forward—softens recoil with no power loss!

ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely. Insures constant head space. Same exclusive design as on famous Remington Model 760 "Gamemaster."

More than the start which he we take the property will be a start of the







| iedel 742 | Order Nes. | Retail Prices |
|--|-------------------------------|---------------|
| 6 mm Remington 280 Remington 30/06 308 Wife | 9650 9652 9654, 9656 | \$ 149.95 |
| MINE SERVICE | 9662 9664 | 149.95 |
| edel 742 994: Beless 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand | 9666 9658 £9640 9644 | 169,95 |
| del 142 8 "Poorless" Brade | Spec. | 575.00 |
| odel 162 F "Frender" Brade | Spec. | 1,050.00 |
| Sting Stree & Quick Belegate Switch (installed) Extra 4-Shot Clip Polytice models with left hand cheek place | | 9.10 4.50 |

| | Train Train |
|---------------------------------|---|
| CALIBERS | Regular Model: 6 mm Rem., 280 Rem., 30/06, 308 Win. Carbine: 30/06 and 308 Win. Deluxe: 30/06, 308 Win. |
| CAPACITY | 4 in clip magazine plus one in chamber. |
| BARREL LENGTH | 22" Carbine 18½" |
| OVER-ALL LENSTH | 42" — Carbine 38½" |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 13½" length of pull, 2½" drop at heel, 1½" drop at comb. Deluxe Model: 13½" length of pull, 2½" drop at heel, 1¾" drop at comb, 11½" drop at Monte Carlo. |
| RECEIVER | Drilled and tapped for 'scope mounts. Removable clip magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 7½ lbs. — Carbine 7½ lbs. |



AMAZING ACCURACY—Free floating barrel gives the kind of accuracy that means meat on the table, more first-shot hits.

Model 760 "Gamemaster"





LIGHTNING FAST ACTION — A flick of your forearm keeps you shooting; double action bars prevent twisting and binding. Pumping is effortless, like a ball-bearing action.



REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature



EXCEPTIONAL TRIGGER MECHAN-ISM. No backlash, drag or creep. Convenient, positive cross-bolt safety.

IF YOU'RE A PUMP GUN MAN . . . used to shooting a pump action shotgun, then the Remington Model 760 is the gun you'll want. You'll stop 'em and drop 'em if you're carrying a light weight, fast-handling Remington Model 760 "Gamemaster." It's the only pump action big game rifle made that's chambered for the popular and powerful 30/06 Springfield cartridge. Five lightningfast shots are yours at the flick of your wrist . . . one more reason why this rifle has been a consistent winner in the International Running Deer Matches. Pump action is slick, smooth — so fast and effortless, shooters say it works like a "ball-bearing" action. An extra loaded clip magazine in your pocket means you can reload in seconds . . . you've reserve fire power at your fingertips. The Model 760 "Gamemaster" is another member of the Remington family of modern guns - rugged, dependable, trouble-free with the famous rotary multi-lug bolt for extra strength. Custom, fine fine checkering make it a standout in any gun rack. Another modern Remington gun "that's better - because it's made better"... in six powerful calibers: 223 Remington, 280 Remington, 270, 30/06, 308, 35 Remington. Made in regular, carbine and deluxe models.

| USE NUMBERS FOR EASY. | MAHIMAT | |
|--|--------------------|--|
| | and a contract of | Retail Prices 4 |
| 22 Marine State | | |
| | | |
| 300 | | 134.95 |
| 35 Tempertus | | |
| | | Market State of the State of th |
| | | |
| THE RESERVE OF THE PARTY OF THE | | NA 134.95 7 |
| | | |
| Maria Cara Cara Cara Cara Cara Cara Cara | 44. | |
| THE FOLIA | 100 | |
| | 7706 | 154.96 |
| | 100 | |
| TO BE AN AREA OF THE PARTY OF T | 9118 | |
| TAME OF THE PARTY AND THE PART | THE SECOND | 575.00 |
| Audel 1981 Threaler Grade | Spec. | 1,050.00 |
| Sling Strap & Quick Release Swivels | 6382 | 9.10 |
| Extre 4-Shet Clip | Specify | 3.90 |
| Delura models with left hand clean wiere h | | |
| | China Marine | |
| Fair Frame rotall prices in mates having fai | HATHOD NEWS: Price | a subject to change without notice. |

| | ्र के स्थापन के किया है। इ.स.च्या के स्थापन क |
|---------------------------------|--|
| CALIBERS | Regular Model: 280 Rem., 270 Win., 30/06, 308 Win., 35 Rem., 223 Rem. Carbine: 30/06, 308 Win., 35 Rem. Deluxe: 30/06, 270 Win., 308 Win. |
| CAPACITY | 4 in clip magazine plus one in chamber except 223 Rem. (5 in clip). |
| BARREL LENGTH | 22" — Carbine 18½" |
| OVER-ALL LENGTH | 42" — Carbine 38½" |
| STANDARD STOCK DIMENSIONS | Stock and fore-end: rich American walnut. 13½" length of pull, 2½" drop at heel, 1½" drop at comb. Deluxe Model: 13¾" length of pull, 2½" drop at heel, 1¾" drop at comb, 11¾" drop at Monte Carlo. |
| RECEIVER | Drilled and tapped for 'scope mounts, Removable clip magazine. |
| SIGHTS | Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. |
| WEIGHT | About 7½ lbs. — Carbine 7½ lbs. |

Model 700

WORLD'S STRONGEST BOLT AC-TION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.




BOLT KNOB is checkered, top and bottom. Grip is custom checkered. BDL Model has grip cap and white spacers.



MONTE CARLO STOCK and CHEEK PIECE make the model 700 good to look at . . . and good to shoot. There's a better cheek-to-stock fit with a Monte Carlo stock and cheek piece . . . which means quicker, surer sight alignment with either scope or iron sights.



| CALIBERS 706 ADL | SPECIFICATIONS 22-250 Rem., 222 Rem., 222 Rem. Mag., 5 m/m Rem., 243 Win., 264 Win. Mag., 270 Win., 7 m/m Rem. Mag., 280 Rem., 30-06, 308 Win. All above plus 300 Win. Mag., 375 H&H Mag., 458 Win. Mag. |
|---------------------------------|---|
| CAPACITY | Six — 222 Rem., 222 Rem. Mag. Five — 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win., 22-250 Rem. Four — 264 Win. Mag., 7 m/m Rem. Mag., 300 Win. Mag., 375 H&H Mag., 458 Win. Mag. |
| BARREL LEN ATH | 22" — 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06; 308 Win. 24" — 222 Rem., 222 Rem. Mag., 22-250 Rem. 24" — (Stainless Steel Barrel) / m/m Rem. Mag., 300 Win. Mag., 264 Win. Mag. 26" — 375 H&H Mag., 458 Win: Mag. |
| OVER-ALL LENGTH | 41½"- 6 m/m Rem., 243 Win., 308 Win. 42½"- 270 Win., 280 Rem., 30-06. 43½"- 222 Rem., 222 Rem. Mag., 22-250 Rem. 44½"- 7 m/m Rem. Mag., 300 Win. Mag., 264 Win. Mag. (includes recoil pad). 46½"- 375 H&H Mag., 458 Win. Mag. (includes recoil pad) |
| STANDARD STOCK DIMENSIONS | Stock: American walnut, BDL grade includes sling strap & swivels, 13% length of pull, 2% drop at comb (from open sight line) checkered. |
| RECEIVER 700 ADL 700 BDL | Drilled and tapped for scope mounts. Fixed magazine. Same as ADL plus hinged floor plate. |
| SIGNIS | Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. |
| SAFETY | Positive thumb type. |
| WEIGHT | 6% lbs 6 m/m Renx., 243 Win., 270 Win., 280 Rem., 30-06, 308 Win., 22-250 Rem. 222 Rem., 222 Rem. Mag. 7% lbs 7 m/m Rem. Mag., 300 Win. Mag., and 264 Win. Mag., 9 lbs 375 H&H Mag., 458 Win. Mag. |



NEW FEATURES

- BEAUTIFUL, SUPER-TOUGH RK-W FINISH, the most durable wood finish known, is now on all Model 700 Rifles. Du Pont-developed RK-W finish is similar to that used on bowling pins. No wonder it's good on guns.
- LONG 22" BARRELS are now standard on the following ritles 6 m m Rem. 243 Win., 270 Win., 280 Rem., 30-06 and 308 Win. Varmint and Magnum calibers are unchanged at 24" and Safari calibers at 26".
- SIGHTS ARE NOW DETACHABLE. If a shooter who uses a scope prefers to remove the iron sights, it's now an easy matter. Filler screws supplied in the receiver will plug the sight fastening holes.
- THE 700 ADL AND BDL MODELS are now available in the new hot varmint caliber, the 22-250 Remington. Muzzle velocity is 3760 feet per second.


USE NUMBERS FOR EASY, ACCURATE ORDERING

| | 700 ADL | | 700 BDL | |
|---|--|-------------------|--|-------------------|
| Model 700 | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| 22-250 Remington 222 Remington 222 Remington Mag. 6m/m Remington 243 Win. 270 Win. 280 Remington 30-06 308 Win. | 5940 5950 5958 5942 6044 5948 5954 5956 | \$129.95 | 6010 6024 6032 6018 6034 6022 6028 6020 6030 | \$149.95 |
| 7m/m Remington Mag. stainless 264 Win. Mag. steel barrel and recoil 300 Win. Mag. | 5952 6046 | 144.95 | 6026 6036 6012 | 164.95 |
| 375 H&H Mag. recoil pad 458 Win. Mag. | | | 6040 6042 | 324.95 |
| Model 700 D "Peerless" Grade | | | Special | 600.00 |
| Model 700 F "Premier" Grade | | | Special | 1,200.00 |
| Sling Strap & Quick Release Swivels (installed) | 6382 | 9.10 | | Included |



^{*}Fair Trade retail prices in states having Fair Trade laws.

Prices subject to change without notice.





When the Model 700 was first developed, our tests proved that we had produced the finest center fire bolt action rifle ever made. Now our sales records have proven it again. Since its introduction, shooters have bought more Remington Model 700's than any other center fire bolt action rifle on the market in its price class. And their reasons for buying make good sense. For example:

The Remington 700 bolt action is designed for the real rifleman. The shooter who wants the accuracy bonus of Remington's famous precision rifling and short, crisp trigger pull. The hunter

who appreciates the comfort of a cheek piece and Monte Carlo comb on an all-purpose stock that gives superb balance and perfect alignment with either 'scope or open sights. The craftsman who loves the traditional beauty of fine checkering. And it has a beautiful wood finish that is tough, hard, scratch-resistant—gives lasting protection against hard usage and bad weather. The 700 owner also gets the world's strongest bolt action. The bolt head completely encloses the cartridge case in a ring of steel. And the Model 700 is available in 14 popular calibers.

The second se

REMINGTON MODEL 40XB TARGET RIFLE IN CENTER FIRE MODEL



NOW AVAILABLE IN REPEATING MODEL

for use in National Match Course

| | SPECIFICATIONS | |
|--|---|--|
| ACTION | Bolt, single Shot & Repeating | |
| CALIBERS — Single shot | 222 Rem., 222 Rem. Mag., 223 Rem., 22-250, 6 mm x 47 mm (6 mm .222 Mag.), 6 mm International (6 mm on .250 Sav. case), 6 mm Rem. (.244 chamber), 6.5 x 55 (For International Match Shooting), 7 mm Rem. Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag.). | |
| REPEATING | 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223, 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250. Calibers whose over-all loaded length is equal to or shorter than the 308. | |
| CAPACITY | Single loading and 5-shot clip repeater. (Loads from top of receiver). | |
| SIGHTS | Redfield Olympic front & rear sights optional. | |
| SAFETY | Thumb operated safety, positive. | |
| RECEIVER | Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. | |
| ARREL LENGTH | 271/4" free floating. Overall Length of rifle 47". | |
| 13½". Trigger adjustable 1 to 3½ lbs. 2 ounce Trigger available at \$40, extra. | | |
| STOCK Selected American Walnut. Fore-end stop and sling swivel adjustable on base. Without Sights: Heavy Barrel 11¼ lbs., Standard E 9¾ lbs. | | |

The 40XB center fire rifle is designed with clip slots for the conventional five shot clip. It loads from the top of the receiver and the magazine has a hinged floor plate. Clip slots are provided only in calibers with 308 head diameter. Repeating model is available in 7.62 mm Nato (308), 222 Rem., 222 Rem. Magnum, 223, 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250. The 40XB center fire repeating rifle is ideal for the rapid fire events, especially in the 7.62 mm Nato (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40XB center fire is offered in several center fire calibers as listed at left. The action is hand bedded and the barrel is free floating . . . for superior accuracy. The heavy barrel model meets the National Bench Rest Shooters Association rules for the Heavy Varmint Class with most target telescopes. (Max. weight 13½ lbs.) Standard barrel model can be made to fit the NBRSA Light Varmint Class rules by using a light scope and removal of wood from beneath the barrel and but plate. (Max. weight 10½ lbs.) Stainless steel barrels are supplied as standard on 7 mm Rem. Magnum and 30-338 at extra charge. Stainless steel is also recommended for 22-250 and 6 mm Rem. (at extra charge.)

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Model 40-XB "Rangemaster" | Order No. | Retail Prices* | |
|---|--------------------|--------------------------------------|--|
| CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire Extra for repeating Center Fire Models Extra for calibers requiring stainless barrels (6 weeks or more for center fire models) | Special Special | \$192.95 192.95 20.00 20.00 | |

Fair Trade retail prices in states having Fair Trade Fixe

Privince office of the

Model 600





FEATURES • MODEL 600

CUSTOM CHECKERING on fore-end and grip is fine-lined, uniform, good looking. We suggest you do as other smart gun buyers do, compare this checkering with that found on other makes of guns. Then judge for yourself.

MONTE CARLO STOCK means a better cheek-to-stock fit for quicker, surer sight alignment. Rich American Walnut Stock has all-purpose dimensions which give perfect alignment with either a scope or open sights. Functional shape of fore-end provides a good reliable, non-slip grip for steady holding.

WORLD'S STRONGEST BOLT. Cartridge head is completely encased by a ring of solid steel. When bolt is closed, three rings of steel support the cartridge head. Strong? . . . there's none stronger.

A LIGHT WEIGHT POWERHOUSE — Only 6 pounds but packs more power per pound than other carbines, from the brush-busting 35 Remington to the high velocity, flat trajectory 222 Remington coyote-walloping caliber. VENTILATED RIB. It's the first time a domestic commercially produced sporting rifle has ever been designed with a ventilated rib. (Another first for Remington). It helps you aim, gives a definite sight-line so you get on running game faster.

FAST-HANDLING MODEL — Short over-all length (37¼") makes Model 600 just right for hunting in heavy brush country because you can handle it faster, easier. It's a great saddle gun, too — fits a scabbard neatly in fucks in the rack of a pick-up truck.

FINEST ACCURACY. Here's where Model 600 really shines. Free floating carriel of Remington proof steel is precision rifled to Remington's exact Landards. Trigger pull is short, crisp and clean. At the factory and in the factor we shot close groups — and so will you. It was designed to shoot this way.

FORWARD S BOLT HANDLE hugs the stock — doesn't stick out — slips in and out of scabbard with ease. Half knob is serrated on the bottom so you get a good secure grip.

ROTATING THUMB SAFETY is conveniently located at the rear of the receiver where you can get at it in a hurry, Rearward for "safe", Forward for "fire."

BLADE RAMP FRONT SIGHT has brass bead. Sturdy U notch rear sight is adjustable for elevation and windage. Receiver drilled and tapped for scope and receiver sights.

TRIGGER is extra wide and corrugated; finger fits securely. Trigger pull is crisp and clean — no creep, no spongy action.

MODEL 600 MAGNUM Same features as above, except:

STOCK. A handsome lamination of walnut and beech that provides tremendous strength, stability and beauty. It's warp-free and waterproof. WOOD FINISH is famous Du Pont RK-W that's tough, scratch and water resistant, the most durable wood finish known. It's similar to that used on bowling pins.

RECOIL PAD cushions the recoil of the game-getting 350 Rem. Mag. and 6.5 mm Rem. Mag. calibers. Black and white spacers add to good looks. MAGNUM BARREL is designed to handle both powerful hot Mag. calibers. Free floating barrel provides extreme accuracy.

SCOPE BACK-UP Strong bracket of steel forms scope mount back-up which takes vibration and recoil. Scope can also be mounted in forward position which provides long eye relief for instant sighting.

STRAP and QUICK RELEASE SWIVELS are standard equipment on Model 600 Magnum.

WEIGHT. Just $6\mathcal{V}_2$ well-balanced pounds . . . and short over-all length $(3744^{\prime\prime})$ make it a honey to handle in heavy cover

| | SPECIFICATIONS • MODEL 600 |
|---------------------------------|---|
| CALIBERS | 222 Rem., 6 mm Rem., 243 Win., 308 Win 35 Rem. |
| CAPACITY | 5 Shot — 6 mm Rem., 35 Rem., 308 Win., 243 Win. 6 Shot — 222 Rem. |
| BARREL LENGTH | Tapered, Remington Proof Steel 18½" with Ventilated Rib, Matted between Sights. Overall Length of rifle 37¼". |
| STANDARD STOCK DIMENSIONS | Selected American Walnut, custom checkering on fore-end and pistol grip. Monte Carlo Stock with fluted comb. 14" Length of pull, 2" Drop at heel, 1%" Drop at comb. |
| RECEIVER | Drilled and Tapped for Scope Mounts. Fixed Magazine. |
| SIGHTS | Blade Ramp Front Sight with Brass Bead. "U" Notch Rear Sight Adjustable for elevation and windage with adjusting screws. |
| SAFETY | Positive Rotary Thumb Type with Corrugated Non-Slip Surface. |
| WEIGHT | 6 lbs. |

MODEL 600 MAGNUM

Same as above except: CALIBER — 350 Rem. Mag. and 6.5 mm Rem. Mag. CAPACITY — 4 Shot, BARREL — Special magnum type with barrel bracket for scope back-up, STOCK — laminated walnut and beech, Recoil pad, black and white spacers, and strap and quick release swivels are standard equipment. Stock dimensions same as Model 600, RECEIVER — Drilled and tapped for standard and forward scope mounts. Weight — $6\frac{1}{2}$ lbs.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Order Nos. | Retail Prices* |
|------------|--|
| 5726 | |
| | 0.00.05 |
| | \$ 99,95 |
| | · · |
| | |
| 6382 | 9.10 |
| | , |
| 5724 | 144.95 |
| 9850 | |
| | 5726 5730 5734 5722 5728 6382 |

REMINGTON MODEL XP-100 LONG RANGE PISTOL

*99.95

PRICE INCLUDES ZIPPERED CARRYING CASE

*O But Action • SINGLE SHOT

*CENTER FIRE

*221 REMINGTON "FIRE BALL" CALIBER
Checkering. Internal Fore-End Cavities for Addition of Weights. Match Type Trigger. Scientifically Balanced to give minimum whip, jump and recoil. One-Piece Stock of Bu Pont "Zytel" Nylon. World's Strongest Bolt. Rifte-Type Rear Sight. Universal Grip fits either left or right hand. Weight 3¾ lbs. Order No. 5470.

ail prices in states having Fair Trade laws. Prices subject to change without notice.



STEADY, SON—1820's. In Kentucky, land of sharp-eyed riflemen, the wild turkey was a challenge to many a youngster's growing skill. This greatest of game birds continues to be a prized trophy in many states.

Rymin in v.






NYLON 66 APACHE BLACK

The Nylon 66 is also made in an Apache Black deluxe model. The stock is Du Pont "Zytel" black nylon and both the barrel and the receiver cover are chome plated. Inside, it's the same reliable, trouble-free rifle as the standard mohawk brown model.

The Nylon 66 is the most rugged automatic 22 rim fire rifle made. Alaskan fishermen think so, too; they use it on their fishing boats to keep marauding sea lions out of their nets. Salt spray, foul weather, fish slime and mud knock out other 22's. But not the Nylon 66. This is why these fishermen look on the Remington Nylon 66 as almost a "tool-ofthe-trade." Still further proof: Trappers in the humid bayous along the Gulf States swear by the "gun with the nylon stock." Why? Same reasons; it's tough, it works under all conditions, it stands up . . . and it's exceptionally accurate.

Ask your dealer to see the fabulous Nylon 66, in Apache Black or Mohawk Brown. They're both winners.



USE NUMBERS, FOR EASY, ACCURATE ORDERING

| Nylon 22 Caliber Rifles | | Retail Prices** |
|--|------|--------------------|
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | \$49.95 |
| Nylon 66 AB "Apache Black" Automatic | 5486 | 54.95 |
| Nylon 66 GS "Gallery Special" (22 Shorts Only) | 5512 | 59.95 |
| Sling Strap & Swivels (installed) | 1 | 5.40 |

We guarantee that these stocks will not warp, crack, chip, fade or peel for the life of the rifle - or we will replace it free

"Fair Trade retail prices in states having fair Trade laws.

Provis subject to change without notice.

REMINGTON'S NEW NYLON 66 AUTOMATIC

Remington's new Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets. tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 21/2" wood blocks. Only six misses out of over 100,000 blocks thrown . . . and without a maltunction. Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip. Available in Mohawk Brown and Apache Black with chrome plated barrel and receiver

| di di | SPECIFICATIONS |
|--------------------|---|
| | NYLON 86 |
| ACTION | Automatic |
| CALIBER | 22 long rifle Rim Fire. |
| CAPACITY | Tubular magazine thru butt stock. Holds 14 long rifle cartridges. |
| BARREL | 19% inch, precision rifled, Remington Proof Steel. |
| STOCK | One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. |
| SIGHTS | Adjustable rear sight, blade front, common sight line for iron sights and 'scope. |
| SAFETY | Top-of-grip. |
| RECEIVER | Grooved for "tip-off" 'scope mounts. |
| OVER-ALC LENGTH | 381⁄2″ |
| COLOR | Mohawk Brown with blued bar. & rec. Apache Black with chrome plated barrel and receiver cover. |
| WEIGHT | 4 lbs. |

BOLT ACTION 22s





512X "SPORTMASTER" TUBULAR MAGAZINE REPEATER

NEW BOLT ACTION 22 RIFLES

All rifles in the new Remington bolt action line (models 510X, 511X, and 512X) have an American Walnut stock, new 24-inch precision barrel, fully adjustable rear sight and blade ramp front sight. In addition, the receiver is grooved for 'scope mounts and all rifles have a red dot firing indicator, side lever thumb safety, self cocking bolt, double cocking cams, double locking lugs, double extractors, bright steel bolt with swept back, sure-grip oval ball handle. Pick the one that suits you best; model 510X is a single shot, model 511X a 6-shot clip magazine repeater and 512X shown above is a big capacity tubular magazine repeater. All three have true Remington high quality throughout. See them at your dealer's. He'll be glad to point out their many exclusive features that make them excellent buys.

510X "TARGETMASTER" SINGLE SHOT

A favorite "first gun" because of its safety features. Automatic safety goes on when bolt is cocked and red dot shows when rifle is ready to fire. Also available in smooth bore model for shot cartridges.



511X "SCOREMASTER" CLIP MAGAZINE REPEATER

HOLDS 6 cartridges; short, long or long rifle.



Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR "Boy's Rifle" with cut down stock.

| ACTION | SPECIFICATIONS 400EL 510X Bolt Action, Single Shot. | MODEL 514 Bolf Action, Single Shot |
|--------------------|---|--|
| CALIBER | 22 Short, long, long rifle rim fire. | 22 short, long, long rifle rim fire. |
| CAPACITY | Single Shot | Single Shot. |
| BARREL | 24-inch, precision rifled, Remington Proof Steel | 24-inch, precision rifled, Remington Proof Steel. |
| Carrestock | Lacquer finished American Walnut, full sized, black butt plate. | Lacquer finished American Walnut, full sized, black butt plate. |
| SIGHTS | Front: Ramp type blade with high-visibility white dot. Rear: Fully adjustable for wind- age and elevation with thumb. | Bead front sight, open rear. |
| SMETT | Side lever thumb type at rear of bolt handle. Goes on automatically when bolt is closed. Red dot firing indicator, red band on firing pin. | Rotary thumb safety. |
| RECEIVER | All-steel; grooved for tip-off scope mounts. | Made from solid steel. |
| OYER-ALL LENGTH | 41% inches. | 41 inches. Boy's rifle 40 inches. |
| WEISHT | 4% lbs. 1 12 1 44 12 12 12 12 14 14 14 14 14 | 4¾ lbs. |

MODEL 811X — Same as MODEL 510X except; CAPACITY — 6-shot clip magazine. SAFETY — side lever thumb type. WEIGHT — 5 lbs.

MODEL 812X — Same as MODEL 510X except; CAPACITY — tubular magazine, holds 21 short, 16 losg; 14 long ritig cartridges, SAFETY — aide lever; thumb type; WEIGHY — 514, lbs.

USE NUMBERS, FOR EASY, ACCURATE ORDERING


| Belt Action 22 Caliber Rifles | Order Nos. | Retail Prices* |
|--------------------------------------|---------------|-------------------|
| Model 510X Single Shot | 9800 | \$29.95 |
| Model 510X Single Shot, Smooth Bore | 9806 | 32.95 |
| Model 514 Single Shot | 5572 | 24.95 |
| Model 514BR Single Shot, Boy's Rifle | 5582 | 24.95 |
| Model 511X Clip Repeater | 9814 | 39.95 |
| Model 512X Tubular Repeater | 9820 | 44.95 |
| Extra 6-Shot Clip | 6388 | 2.40 |
| Extra 10-Shot Clip | 6390 | 3.10 |
| Sling Strap & Swivels (installed) | | 5.40 |


*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

AUTOMATIC

Model 552 "Speedmaster"







VERSATILE. Shoots 22 Short, Long and Long Rifle cartridges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.



SINGLE LOADING — AUTO EJECTION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection port, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically.

Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced . . . the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is another member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle. "Speedmaster" has every feature the shooter wants, such as: twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model, the Gallery Special and the new deluxe model. Pick a 552 off the rack at your dealer's — heft it — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" . . . because it's made right.



Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mrx them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 22 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker, and good for week-end family fun, too.



This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.


| | Order Nos. | Retail Prices |
|---|--------------------------------------|--|
| Model 552 22 Caliber Automatic Rifle 552 A Automatic 552 C Carbine 552 BDL Deluxe 552 GS "Gallery Special" (22 Shorts Only) Sling Strap and Swivels (installed) | 5608 5612 9830 5610 6430 | \$57.95 57.95 69.95 69.95 7.50 |
| Model 550 22 Caliber Automatic Rifle 550 A Sling Strap and Swivels (installed) | 5596 6428 | \$54.95 5.40 |
| Model 572 22 Caliber Slide Action Rifle 572 A 572 BDL Deluxe 572 SB Smooth Bore Sling Strap and Swivels (installed) | 5626 9832 5628 6432 | \$59.95 74.95 69.95 7.50 |

"Fair Trade retail prices in states having Fair Trade laws.

Prines subject to change without notice

PUMP ACTION

Model 572 "Fieldmaster"



For the shooter who likes a pump action 22 cailber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns.

Grip Cap, Large Cartridge Capacity, Fast Smooth Action



FAST, POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.



shooters forget—but a "Field-master" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.

| | aprelie viort | | |
|-----------------------|--|---|---|
| Section . | Automatic | Automatic | ين جوريون - Pump, repeater |
| CALIBER | 22 Rim Elra | 22 Rim Fire | 22 Rim Fire |
| CAPACITY | Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges | Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges | Tubular magazine holds 20 Short, 17 Long, 15 Long rifle cartridges |
| SUBNITS | Adjustable rear sight, bead front. Deluxe Modal: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw | Adjustable rear sight, bead front | Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw |
| STOCK! | Rich American walnut | Rich American walnut | Rich American walnut |
| SMITH | Cross-bolt type | Thumb style | Cross-bolt type |
| RECEIVER | Grooved for "tip-off" scope mounts | Grooved for "tip-off" scope mounts | Grooved for "tip-off" scope mounts |
| OVER-ALL LENGTH | 42" 40" (Carbine) | 431/2" | 42" |
| * * * * Acces * Acces | 51/2 lbs. | 6¼ lbs. | 5½ ibs. |



MODEL 513 T "MATCHMASTER" 22 caliber target rifle. Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull, 6-shot box magazine. Redfield front and rear sights. 1¼" leather sling, adjustable front swivel.



MODEL 521 T — Remington's lowest-priced target 22 — and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, I shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.



INTERNATIONAL FREE RIFLE RIM FIRE • CENTER FIRE

Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on special order.

40XB type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with inter-hangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost.

MODEL 40XB "RANGEMASTER" Features are: Exclusive loading platform provides straight line feeding: no shaved bullets. Specially selected long-wearing, ordnance steel barrel with the new Remington-process rifling. Choice of free floating standard or heavy barrels. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate. Adjustable sling swivel and handstop. Extra strong bolt with oversize locking lugs. Double extractors. Easy-to-adjust crisp trigger with positive click adjustments for weight of pull. Wider than average trigger for more uniform pull and comfort. Thumb operated safety. Receiver drilled and tapped for all standard sight mounts—telescope and metallic. Redfield Olympic front and rear sights optional. New long rail for fore-end stop and palm rest. Center fire model shown on page 15.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Model 40-XB "Rangemaster" | Order Nos. | Retail Prices* |
|--|------------------------------|----------------------------------|
| S1 Std. Barrel with Sights, Rim Fire—22 Cal. H1 Heavy Barrel with Sights, Rim Fire—22 Cal. H2 Heavy Barrel without Sights, Rim Fire—22 Cal. | 5674 5670 5672 | 184.95 154.95 |
| S2 Std. Barrel without Sights, Rim Fire—22 Cal. | 5676 | 104.90 |
| Model 513 "Matchmaster", Rim Fire Only 513 TR "Target" Grade with Sights 513 TX "Target" Grade without Sights Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5564 5566 6388 6390 | \$94.95 74.95 2.40 3.10 |
| Model 521T, Rim Fire Only 521 T "Target" Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5588 6388 6390 | \$64.95 2.40 3.10 |
| International Free Rifle, Rim Fire & Center Fire | Special | 361.05 |

| | | SPECIFICATIONS | | | |
|----|----------------|--|---|---|--|
| | | weett de se | MODEL 513T | MODEL 521T | |
| | ACTION . | Bolt, Single Shot | Bolt, Repeater. | Repeater. | |
| | MA CHINE | 22 Rim Fire. Some Center Fire. | 22 Rim Fire. | 22 Rim Fire. | |
| N. | CAMICITY | Single loading, Long Rifle only. | 6-shot Clip magazine. 10-shot Clip available. Long Rifle only. | 6-shot Clip magazine. 10-shot Clip available. Long Rifle only. | |
| | SMAITT | Redfield Olympic front & rear sights option: | Redfield micrometer front & rear sights optional. | Micrometer rear, blade front | |
| | SMETT | Thumb Safety, positive. | Thumb Safety, positive. | Thumb Safety, positive. | |
| | BECOVER | Drilled & tapped for iron sights or scope mounts. | Drilled & tapped for iron sights or scope mounts. | Drilled & tapped for Lyman 57 RS peep sight. | |
| | BARREL LENGTH | 28". Over-all rifle length 47". | 27". Over-all rifle length 45". | 25". Over-all rifle length 42¾". | |
| | LENGTH OF PULL | 13½". (Trigger adjustable 2 to 4 lbs.) | 13½". (Trigger to center of butt plate) | 13¼". (Trigger to center of butt plate) | |
| • | STOCK | American walnut. Palm rest & front swivel block, adjustable on base. | American walnut. Sling Strap. | American walnut. Sling Strap. | |
| • | WEIGHT | With Redfield sights heavy barrel 12% lbs. Standard barrel, 10 lbs., 12 oz Without sights, 12 oz less. | 8¾ ibs. | 6½ lbs. | |

Fair Trade retail eriese in states bauton field Jeads Links Brices auditor to change without notice

DELUXE RIFLES FOR 1966



MODEL 742 BDL DELUXE AUTOMATIC The Only Automatic Rifle that comes in the 30-06 Springfield Caliber. Also available in 308 Caliber.



MODEL 760 BDL DELUXE PUMP ACTION The World's Fastest Hand Operated Big Game Rifle. In 30-06, 270, 308 Calibers.

FEAT URES 1

742 BDL 760 BDL RK-W Du Pont developed wood finish: clear, tough, hard, scratch and water resistant.

Beautiful basket weave checkering on rich American walnut stock and fore-end. Monte Carlo stock with cheek piece — right or left hand.

Step receiver is the ultimate in deluxe design.



MODEL 552 BDL DELUXE AUTOMATIC 22 RIFLE



FEATURES 552 BDL

572 BDL


RK-W Du Pont Developed Wood Finish. Custom Checkering. Big Game Type Sights. Tapered Barrel. Crowned Muzzle. Precision Rifling. Fluted Comb Cuts on Stock. Attractive Grip Cap. Big Cartridge Capacity. Single Loading feature. Model 552 shoots all size 22's Interchangeably. Positive Cross Bolt Safety. Special Feeding Design prevents jamming. Receiver Grooved for Tip Off Scope Mounts.

DEER GUN-MODEL 1100 AUTOMATIC SHOTGUN with rifle sights and rifle accuracy



SHORT 22" BARREL for fast handling in heavy cover.
RECOIL PAD that adds to the comfort of shooting.
RIFLE TYPE SIGHTS for accurate aiming.
CHOKE that gives optimum results with rilled slugs and buckshot.

1966



ROGUE GRIZZLY—1860's. It took cool nerve to face a cattle-killing grizzly armed with only a muzzle-loading rifle. Huntable numbers of grizzlies occur today in remote mountain areas of the U.S.A., Canada and Aleska.





TABLE OF CONTENTS **REMINGTON FIREARMS** SHOTGUNS **Pages** Automatic Model 1100 ... 4, 5 Automatic Model 11-48 Pump Action Model 870 "Wingmaster" CENTER FIRE RIFLES Automatic Model 742 "Woodsmaster" Pump Action Model 760 "Gamemaster" . Bolt Action Model 700 . Bolt Action Model 700 "Varmint Special" Bolt Action Model 788 Bolt Action Model 600 and 600 Magnum 13 Bolt Action Model XP-100 RIM FIRE RIFLES Bolt Action Models 580, 581, 582 16, Automatic Model 550 . . 18 Pump Action Model 572 "Fieldmaster" . . TARGET RIFLES Bolt Action Model 40XB "Rangemaster" . Bolt Action Model 513T "Matchmaster" . **Bolt Action Model 521T** Bolt Action International Free Rifle PETERS AMMUNITION Center Fire "Core-Lokt" & "Power-Lokt" 24, 25 Center Fire Rifle Cartridges Center Fire Pistol & Revolver Cartridges. 32-35 Pistol & Revolver Bullet Types Shotgun Shells Rim Fire Cartridges **REMINGTON TRAPS** Trap & Skeet Equipment Original paintings shown on the cover and throughout the catalog were done by Bob Kuhn, well-known wildlife artist and sportsman. The cover illustration will also appear in the 1968 Remington calendar.

"Young Reliable" that's what they're calling the Remington Model 1100. In just a few years, shooters throughout the country have made it the "most popular" — "most wanted" automatic shotgun . . . and for good reasons, too. They tell us:

"It works, never jammed on me once, and I hunted every weekend."

"Recoil is light" writes a trap shooter. "My boy says the kick doesn't bother him a bit . . . and it doesn't. He's shooting better than ever." Light recoil also pays off in

doubles, too; for the trap shooter, skeet shooter and hunter.

"Finish is good—stands up" reports a West Coast duck and goose shooter who shot it throughout the season . . . "And we get some mighty wet weather out here . . . it's tough on almost everything."

"It's a beautiful gun" — is a typical comment. And no wonder — with its fine-lined checkering, Du Pont RK-W wood finish, scroll work, steel receiver, white line spacers and tear drop pistol grip. Your dealer has 'em in 12, 16, and 20 gauges, with both plain and ventilated rib barrels.



SPECIFICATIONS: Ramp front sight and adjustable rifle type rear sight, 22" barrel, recoil pad, standard stock dimensions, 12 gauge only, plain barrel. Choke gives optimum results with rifled slugs and buckshot. Weight: about 7¼ lbs.




SPECIFICATIONS: Better grade wood, rubber recoil pad. Special stock dimensions: 14%" long including recoil pad, 1%" drop at heel, 1%" drop at comb. Available in 28" and 30" full choke and 28" modified choke, ventilated rib barrels only. Ivory bead front sight, white metal rear sight. Available with optional Monte Carlo stock at extra charge. Weight: about 8¼ lbs.



SPECIFICATIONS: 26" barrel, Remington special skeet boring, ventilated rib, ivory bead front sight and white metal rear sight. Stock dimensions are: 14" long, 2½" drop at heel, 1½" drop at comb. (SB grade same specifications with better grade wood). Weight: about 7½ lbs.



SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 2¾" magnum shells. Available in 28" and 30" full choke in 12 gauge, and 28" full choke in 20 gauge, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 2½" drop at heel, 1½" drop at comb. Furnished with recoil pad. Weight: about 7¾ lbs.



SPECIFICATIONS: STYLE - 5 shot gas operated shotgun. 3 shot plug furnished. GAUGE - Made in 12, 16 and 20 gauge. BARREL - Special Remington ordnance steel. Extra barrel is interchangeable within gauge. OVER-ALL LENGTH - 48" (with 28" Barrel). SAFETY - Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. 14" long, 21/2" drop at heel, 11/2" drop at comb. Trap reg., 14%" long, 1%" drop at heel, 1%" drop at comb. Monte Carlo, 14%' long, 114" drop at heel, 114" drop at comb, 114" drop at M.C. AVERAGE WEIGHT - 12 ga. - 71/2 lbs., 16 ga. - 71/4 lbs., 20 ga. - 7 lbs.

CUSTOM CHECKERING on stock and fore-end . . . fleur-de-lis design. Checkering is fine-lined, uniform, good looking.

TEAR DROP PISTOL GRIP with attractive white diamond inlay provides a

natural, non-slip, comfortable grip.

FORE-END has swept back, streamlined design. Fine checkering and fluting give secure gripping area.

DISTINCT WHITE SPACERS on butt plate and grip cap add attractiveness. NEW METAL FINISH looks better, wears better . . . because the metal is more highly polished.

BIG 5-SHOT CAPACITY - Easy to load. Four in magazine . . . one in chamber. Three-shot plug furnished.

NEEDS NO ADJUSTMENT — Performs perfectly for different loads; automatically. Shoots high base, low base, 234" magnum shells without adjustment.

QUICK-CHANGE BARRELS - They're interchangeable in seconds; no factory fitting is required. Use one gun for all your shooting and get more game, targets, sport.

FASTEST LOADING - Drop a shell in the breech; load another in the magazine in one motion. Load five shells in five seconds.

LIGHTEST RECOIL — Gas action tames recoil; it smooths and cushions . . . and with no loss of power.

RK-W PROTECTIVE FINISH — New Du Pont wood finish is clear. Lets the wood grain show through. It's similar to that used on bowling pins; tough, hard, scratch-resistant . . . gives lasting protection against hard usage and bad weather.

STEEL RECEIVER is made from a solid block of steel for extra strength, ruggedness, dependability.

AVAILABLE IN MAGNUM MODEL — Chambered for 3" magnum shells. Uses 2¾" magnums too. A rugged, dependable shotgun . . . reaches out and drops the high flyers.

DECORATIVE SCROLL WORK on receiver and bolt adds real beauty and value to this gun.

SELF CLEANING — The gas operation of this gun is unusual. It blows dirt and grime away, keeps action bright and shining for long periods of time. SUPREME DEPENDABILITY - Tests prove the shooting life of this new gun is up to seven times longer than any other automatic shotgun on the market. BALANCE AND WEIGHT are just right, only 71/2 lbs. in 12 gauge. Can be carried comfortably all day. No sacrifice of steel in barrel or receiver . . . not a "featherweight floater" that's too light to point right.

NEW 20 gauge lightweight Model 1100 with specially selected mahogany stock and fore-end, available in Field Grade Guns and SA Skeet Grade.

| | 12 Ga. | Orde 16 Ga. | r Nos. I 20 | Ga. | Retail Prices* |
|---|--|--|--|--------------------------------------|--------------------|
| Model 1100 with Plain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 22" Imp. Cyl. Deer Gun | 5322 5320 5326 5324 5328 5308 | 5370 5374 5372 5376 With Rifle | Wal. 5390 5394 5392 5396 Sights | Mah. 5440 5442 5444 5446 | \$159.95 179.95 |
| Model 1100 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 5332 5330 5336 5334 5338 | 5378 5382 5380 5384 | Wal. 5398 5402 5400 5404 | Mah. 5450 5452 5454 5456 | 184.95 |
| Model 1100 Magnum with Plain Barrel 30" Full Choke 28" Full Choke | 5344 5342 | | 54 | 28 | 174.95 |
| Model 1100 Magnum with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 5348 5346 | | 54: | 30 | 199.95 |
| Model 1100 SA Skeet with Vent. Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | 5356 5358 | | Wal. 5408 5410 | Mah. 5438 5448 | 189.95 214.95 |
| Model 1100 SB with Vent. Rib Barrel (Better Wood) 26" Skeet Choke 26" with Cutts Comp. | 5302 5304 | | 54: 54: | | 214.95 239.95 |
| Model 1100 TB Trap with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 30" Full Choke 28" Full Choke 28" Mod. Choke | 5350 5352 5354 5306 5314 5318 | with Mo Carlo St | | | 224.95 |
| Medel 1100 D with Vent. Rib B | arrel | s | 550.00 | | |
| Model 1100 F with Vent. Rib B | arrel | S | pecial | | 1,050.00 |
| Extra Barrels, Plain 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 22" Imp. Cyl. Rifle Sights | 9500 9502 9504 9506 9508 9568 | 9530 9532 9534 9536 | 9546 9548 9550 9552 | | 45.45 54.50 |
| Extra Barrels, Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 9512 9514 9516 9518 9520 | 9538 9540 9542 9544 | 95: 95: 95: 95: | 5 6 58 | 68.15 |
| Extra Barrets, Vent. Rib SA & SB Skeet Grades 26" Skeet Choke 26" with Cutts Comp. | 9522 9524 | | 95) 95) | | 72.40 94.47 |
| Extra Barrels, Vent. Rib TB Trap 30" Full Choke 28" Full Choke 28" Mod. Choke *Fair Trade retail prices in states h | 9526 9528 9566 aving Fair | Trade law | rs. | | 72.40 |

r Trade retall prices in states having Fair Trade laws Prices subject to change without notice.



Only Automatic made in All 5 Gauges 12, 16, 20, 28 and 410

The Remington Model 11-48 is an automatic shotgun with a fine reputation that has been earned in the field and wherever skeet targets are thrown. Over a half million proud owners are our best salesmen and they'll tell you the 11-48 is one of the finest automatics on the market. And it is!

It's the only automatic made in 12, 16, 20, 28 and 410 gauges and in the 28 and 410 gauges it's a big favorite with skeet shooters, youngsters, women . . . and hunters who like a small bore shotgun. And speaking of Remington automatic shotguns, they have won more National Skeet Championships than all other brands put together. Here is where shot-after-shot dependability really counts.


Model 11-48 is an excellent value . . . you get a lot of gun for the money, such as: Custom fine-lined checkering on fore-end and stock, receiver milled from a solid block of ordnance steel, rich American Walnut stock and fore-end, 5-shot capacity (in 12, 16 and 20 ga.) and it shoots all brands of ammunition, high and low base plus rifled slugs . . . all without adjustment.

Barrels are interchangeable, too. Takes only a minute to change them and you can do it right in the field. No special tools or factory fittings are required. Dependability, ruggedness, lightweight, fine balance, good looks . . . that's the Remington Model 11-48, a gun that's built the "Remington Way" — to last!




The 11-48 is available in a skeet model in 12, 20, 28 and 410 gauges and is the only automatic shotgun made in 28 and 410 gauges. It's a great favorite with skeet shooters who demand supreme dependability in the guns they shoot. The Model 11-48 has everything the skeet shooter wants; fine balance, excellent pointing qualities, ruggedness, plus many other features that all add up to higher scores.

SPECIFICATIONS: 26" barrel (25" on 28 and 410 gauges) Remington special skeet boring, ventilated rib barrel, ivory bead front sight and white metal rear sight. Stock dimensions: 12 and 20 gauge, 14" long, 2½" drop at heel, 15%" drop at comb. 28 and 410 gauges, 13%" long, 25%" drop at heel, 15%" drop at comb. Weight: 12 ga. — 7½ lbs., 20 ga. — 6½ lbs., 28 and 410 ga. — 6¼ lbs.



At the National Skeet Championships and at local shoots, the Remington Model 11-48 is a standout. It's the only automatic made in 28 and 410 gauges; skeet shooters like it because of its fine balance, excellent pointing qualities and dependability.

SPECIFICATIONS: STYLE — 5 shot automatic shotgun — 4 shot in 28 and 410 gauges. 3 shot plug furnished. GAUGES — 12, 16, 20, 28 and 410. (3" chamber in 410 ga.) BARREL — Special Remington ordnance steel — extra barrel interchangeable within gauge. OVER-ALL LENGTH — $48\frac{1}{2}$ " with 28" barrel. SAFETY — Convenient cross-bolt type, positive. RECEIVER — Made from solid steel, top matted. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. 12, 16, 20 ga. — 14" long, $2\frac{1}{2}$ " drop at heel, $1\frac{1}{2}$ " drop at comb. 28 and 410 ga. — $13\frac{1}{2}$ " long, $2\frac{1}{2}$ " drop at heel, $1\frac{1}{2}$ " drop at comb. AVERAGE WEIGHT — 12 ga. $7\frac{1}{2}$ lbs.; 16 ga. - $6\frac{1}{2}$ lbs.; 28 ga. - $6\frac{1}{2}$ lbs.; 410 ga. - $6\frac{1}{2}$ lbs.



SOLIO STEEL RECEIVER is milled from a block of ordnance steel; it's super-strong. Every Model 11-48 is built this way for extra strength, durability and ruggedness.



CHOICE OF 5 GAUGES — It's the only automatic shotgun made in all 5 gauges; 12, 16, 20, 28 and 410. Pick the one for your type of shooting.

| | 1 | 0 | rder No | s. | | ! |
|--|--------------|-----------|-----------|--------------|--------------|------------------|
| | 12 Ga. | 16 Ga. | 20 Ga. | 28 Ga. | 410 Ga. | Retail Prices |
| Model 11-48 with Plain Barrel | | | | | | |
| 30" Full Choke | 4700 | | | | | \$139.95 |
| 28" Full Choke 25" Full Choke | 4702 | 4742 | 4774 | 4802 | 4828 | 139.95 144.95 |
| 28" Mod. Choke | 4704 | 4744 | 4776 | 4002 | 4020 | 139.95 |
| 25" Mod. Choke | '''' | " " | ''' | 4804 | 4830 | 144.95 |
| 26" Imp. Cyl. Choke | 4706 | 4746 | 4778 | | | 139.9 |
| 25" Imp. Cyl. Choke | | | | 4806 | 4832 | 144.9 |
| Model 11-48 with Vent. Rib Barrel | | | | | | |
| | 4710 | l | ł | ľ | 1 | |
| 30" Full Choke 28" Full Choke | 4710 4712 | 4748 | 4780 | | 1 | 164.99 164.99 |
| 25" Full Choke | 7/12 | 1 47.40 | 4750 | 4808 | 4834 | 169.9 |
| 28" Mod. Choke | 4714 | 4750 | 4782 | | | 164.9 |
| 25" Mod. Choke | | | l | 4810 | 4836 | 169.9 |
| 26" Imp. Cyl. Choke | 4716 | 4752 | 4784 | 4010 | | 164.9 |
| 25" Imp. Cyl. Choke | | |] | 4812 | 4838 | 169.9 |
| Model 11-48 SA with Vent. Rib Barrel 25" Skeet Choke | | | | 4014 | 4040 | 174.0 |
| 25" with Cutts Comp. | | | | 4814 4816 | 4840 4842 | 174.9 199.9 |
| 26" Skeet Choke | 4722 | } | 4788 | 1010 | 1072 | 169.9 |
| 26" with Cutts Comp. | 4726 | | 4790 | | | 194.9 |
| Extra Barrels, Plain | | | | | | |
| 30" Full Choke | 6150 | 1 | | 1 | | ł |
| 28" Full Choke | 6152 | 6168 | 6522 | | ļ | |
| 25" Full Choke | | | | 6190 | 6362 | |
| 28" Mod. Choke 25" Mod. Choke | 6154 | 6170 | 6180 | C102 | COOL | 44.3 |
| 26" Imp. Cyl. Choke | 6156 | 6172 | 6182 | 6192 | 6204 | |
| 25" Imp. Cyl. Choke | 0130 | 10172 | 10102 | 6194 | 6206 | |
| | | _ | | | | |
| Extra Barrels, Vent. Rib | | | | | | |
| 30" Full Choke | 6158 | C174 | | | | |
| 28" Full Choke 25" Full Choke | 6160 | 6174 | 6184 | 6196 | 6208 | • |
| 28" Mod. Choke | 6162 | 6176 | 6186 | 1,120 | 1 0200 | 66.5 |
| 25" Mod. Choke | | | | 6198 | 6210 | |
| 26" Imp. Cyl. Choke | 6164 | 6178 | 6188 | | | 1 |
| 25" Imp. Cyl. Choke | | | | 6200 | 6212 | |
| Extra Barrels, Vent Rib (Skeet) | | | | | | |
| 25" Skeet Choke | 1 | |] | 6202 | 6594 | 70.65 |
| 25" with Cutts Comp. | | | [| 6560 | 6524 | 92.72 |
| 26" Skeet Choke | 6476 |] | 6480 | | | 70.65 |
| 26" with Cutts Comp. | 6484 | 1 | 6486 | | | 92.7 |

^{*}Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice

Remington Model 87 rump Action Shotgun

Time for a new pump gun? If it is — and you're looking ... we'd like to help. First of all you want a gun that shucks shells at the flick of your wrist — a gun that's got twin action bars and pumps like a ball-bearing action without twisting or binding. There is a gun like this. It's the slick Remington Model 870!

Want one that's going to last? Of course. Then pick a pump that has a receiver machined from a solid block of steel if you want strength and ruggedness. That's the way a Remington 870 is built . . . we don't make them any other way.

Chances are you'll want to use that gun on different kinds of game. That means interchangeable barrels you can change in seconds — right in the field and without any factory fitting or special tools. With a Remington 870 "Wingmaster" it's so easy — anyone can do it.

Everyone wants a good-looking gun. The 870 is a stand-out in any company and here's why: Custom fine-lined checkering with fleur-de-lis design, rich American Walnut stock and fore-end, and Du Pont-developed RK-W wood finish similar to that used on bowling pins. A Remington 870 pump is one of the best investments you can make in shooting enjoyment — for yourself — as a gift — or, some day, as a pass-along gun to that youngster of yours. So, for good hunting this season, why not take along a new Remington Model 870.

"WINGMASTER" MODEL 870 TC Trap Gun 12 Gauge Only

The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun!

SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14%" long including recoil pad, 1%" drop at heel, 1½" drop at comb. Highly figured and finished American Walnut with finely

checkered stock and fore-end. Hand fitted action and parts. Weight: about 8 lbs. This model also available in TB grade, lower price. Both models available with optional Monte Carlo stock at extra charge.

"WINGMASTER" MODEL 870 SA Skeet Gun

The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast second shots at skeet or upland game. Also available in SC grade with specially selected wood and hand checkering.

SPECIFICATIONS: (12 and 20 Gauges) 26" barrel. Remington Special Skeet Boring Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 15%" drop at comb. Weight: 12 gauge about 7 lbs., 20 gauge about 6½ lbs.



"BRUSHMASTER" MODEL 870 Deer Gun 12 Gauge with Rifle Sight Barrel

The Model 870 Deluxe "Brushmaster," made specially to handle rifled slugs and buckshot, is the latest in smashing power for those fast shots in brush country.

SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifletype sights. Stock fitted with rubber recoil pad and white line spacer. Also available in standard model with rifle sights.



Rugged and dependable for long range shooting! For geese and ducks.

SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells — will also handle 2¾" shells. Variweight and wood 3 shot plug. 12 ga. with 28" and 30" full choke, plain or vent. rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 1¾" drop at comb. 20 ga. furnished in 28" full choke, vent. rib and plain barrels. Weight: 12 ga. about 8 lbs., 20 ga. about 7½ lbs., including variweight plug.



MODEL 870 (shown with ventilated rib barrel)

SPECIFICATIONS: STYLE — 5 shot pump action shotgun. Take down. 3 shot plug furnished. GAUGES — 12, 16 and 20. BARREL — Special Remington ordnance steel. Extra barrel' is interchangeable within gauge. OVER-ALL LENGTH,— $48\frac{1}{2}$ " with 28" barrel. SAFETY — Convenient cross-bolt type, positive. RECEIVER — Made from solid steel, top matted. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. Beautiful checkering. 14" long, $2\frac{1}{2}$ " drop at heel, $1\frac{1}{2}$ " drop at comb. Trap reg., $14\frac{1}{2}$ " long, $1\frac{1}{2}$ " drop at heel, $1\frac{1}{2}$ " drop at comb. Monte Carlo; $14\frac{1}{2}$ %" long, $1\frac{1}{2}$ 6 drop at heel, $1\frac{1}{2}$ 6 drop at comb, $1\frac{1}{2}$ 6 drop at M.C. AVERAGE WEIGHT — 12 ga. $1\frac{1}{2}$ 7 lbs.; 16 ga. $1\frac{1}{2}$ 8 lbs.; 20 ga. $1\frac{1}{2}$ 9 lbs.



QUICK CHANGE BARRELS—Change them in seconds, right in the field. No factory fitting or special tools required. Use one gun for all your shotgun shooting and get more game, targets, sport.



GOOD DESIGN — Barrel is made with a hardened extension into which the breech block must lock before firing. Result . . . longer life, less wear, constant head space.



DOUBLE ACTION BARS prevent twisting and binding, give smooth gliding action for which Remington "Wingmaster" is famous. Many shooters say it works like a ball bearing action. And they're right!

| USE NUMBERS FOR E | ASY, A | CCUR | ATE O | RDERING |
|--|--|--|--|------------------------------|
| Model 870 with Plain Barrel | 12 Ga. | Order Nos 16 Ga. | | Retail Prices* |
| 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" "Brushmaster" Deluxe Standard | 4860 4862 4864 5014 4866 4988 { | 5020 5022 5080 5024 with Rifle | 5102 5104 5098 5106 Sights | \$104.95 124.95 104.95 |
| Model 870 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp.Cyl. | 4890 4892 4894 4858 4896 | 5038 5040 5192 5042 | 5122 5124 5178 5126 | 129.95 |
| Model 870 Magnum with Plain Barrel 30" Full Choke 28" Full Choke | 4872 5010 | | 5176 | 124.95 |
| Model 870 Magnum with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 4922 5012 | | 5146 | 149.95 |
| Model 870 R Plain 20" Riot Cyl. Choke Model 870 R Rifle Sights 20" Imp. Cyl. Choke | 4870 4856 | 1 | | 94.95 104.95 |
| Model 870 SA with Vent. Rib 26" Skeet Choke 26" with Cutts Comp. | 4944 4946 | | 5150 5152 | 134.95 159.95 |
| Model 870 SC with Vent. Rib 26" Skeet Choke 26" with Cutts Comp. | 4952 4954 | | 5158 5160 | 199.95 224.95 |
| Model 870 TB with Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 30" Full Choke 28" Full Choke 28" Mod. Choke | 4926 4928 4930 4906 4908 4910 | with Mon Carlo Sto | | 169.95 |
| Model 870 TC with Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 30" Full Choke 28" Full Choke 28" Mod. Choke | 4938 4940 4942 4912 4924 4874 | with Mon Carlo Sto | | 229.95 239.95 |
| Model 870 D with Vent. Rib Barrel | | Special | | 525.00 |
| Model 870 F with Vent. Rib Barrel | | Special | | 1,025.00 |
| Plain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 20" Riot Cyl. Choke 20" Imp. Cyl. Rifle Sights | 6214 6216 6218 6328 6220 6598 6544 | 6252 6254 6332 6256 | 6270 6272 6334 6274 | 35.70 46.10 |
| Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 26" Skeet SA & SC Grades 26" SA & SC with Cutts Comp. | 6222 6224 6226 6318 6228 6240 6450 | 6258 6260 6316 6262 | 6276 6278 6320 6280 6508 6456 | 58.75 61.55 83.62 |
| TB & TC Grade Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke Fair Trade retail prices in states havin | | e laws. | | 61.55 |

^{*}Fair Trade retail prices in states having Fair Trade law Prices subject to change without notice.



IF YOU'RE AN AUTOMATIC FAN . . . then the 742 "Woodsmaster" is your gun. There's meat in camp whenever you're shooting the Remington Model 742 Automatic . . . the modern rifle that's built for speed and power. You're packing a ton and a half of muzzle energy in the world's most powerful automatic hunting rifle — the only one that handles the pile-driving force of that All-American 30/06 Springfield cartridge (available in 9 bullet weights and styles for every kind of American game from woodchucks to grizzlies). Fast, gas-operated action soaks up recoil. No tooth-rattling "kick", no loss of power and almost no muzzle whip. That's why you're back on target before your trigger finger can squeeze off a second shot. The 742 Automatic lets you concentrate on aiming and not on working the action. In fact, this modern light weight Remington powerhouse actually reloads itself faster than you can shoot! Doubt it? Try it yourself the next time that big buck busts out of the brush. Model 742 "Woodsmaster" is available in 30/06 Springfield, 280 Remington, 308 and 6 m/m Remington. If you hunt in heavy brush country, you'll be interested in the short barrel carbine model, in 30/06 and 308 calibers. All models, regular, carbine and deluxe have Du Pont RK-W wood finish.



FAST, EASY LOADING, Interchangeable — 4 cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.



ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely . . . artillery type. Insures constant head space. Model 760 has same exclusive design.

SPECIFICATIONS, ORDER NUMBERS AND PRICES





| Calibers | Barrel Length | Overall Length | Order Nos. | Retail Prices* |
|--|----------------------------|----------------------------|------------------------------|-------------------|
| Model 742 6 mm Remington 280 Remington 30/06 308 Win. | 22 22 22 22 22 | 42 42 42 42 42 | 9650 9652 9654 9656 | \$ 159.95 |
| Model 742 Carbine 30/06 308 Win. | 18½ 18½ | 38½ 38½ | 9662 9664 | 159.95 |
| Model 742 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand | 22 22 22 22 22 | 42 42 42 42 42 | 9666 9668 9640 9644 | 169.95 |
| Model 742 D "Peerless" Grade | | | Spec. | 575.00 |
| Model 742 F "Premier" Grade | | | Spec. | 1,050.00 |
| Sting Strap & Quick Release Swi (installed) | 6094 Specify | 9.10 | | |
| Extra 4-Shot Clip | | | Caliber | 4.50 |

Deluxe models with left hand cheek piece have left hand safeties $-\!\!\!-\!\!\!-$ both at no extra charge.

CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: rich American walnut. $13\frac{1}{2}$ " length of pull, $2\frac{1}{4}$ " drop at heel, $1\frac{3}{4}$ " drop at comb. Deluxe Model: $13\frac{1}{6}$ " length of pull, $2\frac{1}{2}$ " drop at heel, $1\frac{1}{6}$ " drop at comb. $1\frac{1}{4}$ 6" drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. WEIGHT — About $7\frac{1}{2}$ lbs. — Carbine $7\frac{1}{4}$ lbs.

^{*}Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.





IF YOU'RE A PUMP GUN MAN ... used to shooting a pump action shotgun, then the Remington Model 760 is the gun you'll want. You'll stop 'em and drop 'em if you're carrying a light weight, fast-handling Remington Model 760 "Gamemaster." It's the only pump action big game rifle made that's chambered for the popular and powerful 30/06 Springfield cartridge. Five lightning-fast shots are yours at the flick of your wrist . . . one more reason why this rifle has been a consistent winner in the International Running Deer Matches. Pump action is slick, smooth - so fast and effortless, shooters say it works like a "ballbearing" action. An extra loaded clip magazine in your pocket means you can reload in seconds . . . you've reserve fire power at your fingertips. Model 760 is the fastest hand-operated big game rifle made because your trigger hand never leaves the grip when you're pumping. And your eye never leaves the sights. Custom, fine line checkering make it a standout in any gun rack. Made in six powerful calibers: 223 Remington, 280 Remington, 270, 30/06, 308, 35 Remington. Made in regular, carbine and deluxe models. All have RK-W wood finish.



LIGHTNING FAST ACTION — A flick of your forearm keeps you shooting; double action bars prevent twisting and binding. Pumping is effortless, like a ball-bearing action.



REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature.

SPECIFICATIONS, ORDER NUMBERS AND PRICES

| Calibers | Barrel Length | Overall Length | Order Nos. | Retail Prices* |
|--|--|--|--|-------------------|
| Model 760 223 Remington (5.56 mm) 270 Win. 280 Remington 30/06 308 Win. 35 Remington | 22 22 22 22 22 22 22 | 42 42 42 42 42 42 42 | 9690 9680 9682 9684 9686 9688 | \$ 139.95 |
| Model 760 Carbine 30/06 308 Win. 35 Remington | 18½ 18½ 18½ | 38½ 38½ 38½ 38½ | 9700 9702 9696 | 139.95 |
| Model 760 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand 270 Win. 270 Win. Left Hand | 22 22 22 22 22 22 22 | 42 42 42 42 42 42 | 9692 9694 9706 9710 9708 9712 | 154.95 |
| Model 760 D "Peerless" Grade | | | Spec. | 575.00 |
| Model 760 F "Premier" Grade | | | Spec. | 1,050.00 |
| Sling Strap & Quick Release Swi (installed) Extra 4-Shot Clip | 6096 Specify Caliber | 9.10 3.90 | | |

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.

CAPACITY — 4 in clip magazine plus one in chamber except 223 Rem. (5 in clip). STANDARD STOCK DIMENSIONS — Stock and fore-end: rich American walnut. $13\frac{1}{2}$ " length of pull, $2\frac{1}{4}$ " drop at heel, $1\frac{1}{4}$ " drop at comb. Deluxe Model: $13\frac{1}{4}$ " length of pull, $2\frac{1}{2}$ " drop at heel, $1\frac{1}{4}$ " drop at comb, $1\frac{1}{14}$ " drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. WEIGHT — About $7\frac{1}{2}$ lbs. — Carbine $7\frac{1}{4}$ lbs.

*Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.





WORLD'S STRONGEST BOLT AC-TION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.



BOLT KNOB is checkered, top and bottom. Grip is custom checkered. BDL Model has grip cap and white spacers.



MONTE CARLO STOCK and CHEEK PIECE make the model 700 good to look at . . and good to shoot. There's a better cheek-to-stock fit with a Monte Carlo stock and cheek piece . . . which means quicker, surer sight alignment with either scope or iron sights.


When the Model 700 was first developed, our tests proved that we had produced the finest center fire bolt action rifle ever made. Now our sales records have proven it again. Since its introduction, shooters have bought more Remington Model 700's than any other center fire bolt action rifle on the market in its price class. And their reasons for buying make good sense. For example:

The Remington 700 bolt action is designed for the real rifleman. The shooter who wants the accuracy bonus of Remington's famous precision rifling and short, crisp trigger pull. The hunter who appreciates the comfort of a cheek piece and Monte Carlo comb on an all-purpose stock that gives superb balance and perfect alignment with either 'scope or open sights. The craftsman who loves the traditional beauty of fine checkering. And it has a beautiful wood finish that is tough, hard, scratch-resistant — gives lasting protection against hard usage and bad weather. The 700 owner also gets the world's strongest bolt action. The bolt head completely encloses the cartridge case in a ring of steel. And the Model 700 is available in 15 popular calibers.


BEAUTIFUL, SUPER-TOUGH RK-W FINISH, the most durable wood finish known, is now on all Model 700 Rifles. Du Pont-developed RK-W finish is similar to that used on bowling pins. No wonder it's good on guns.

LONG 22" BARRELS are now standard on the following rifles: 6 m/m Rem., 243 Win., 270 Win., 280 Rem., 30-06 and 308 Win. Varmint and Magnum calibers are unchanged at 24" and Safari calibers at 26".

SIGHTS ARE NOW DETACHABLE. If a shooter who uses a scope prefers to remove the iron sights, it's now an easy matter. Filler screws supplied in the receiver will plug the sight fastening holes.



NEW Model 700 BDL "VARMINT SPECIAL"



he Model 700 is one of the fastest selling bolt action ater fire rifles. Now it's made in the new BDL "Varmint escent" version — designed for minimum-target, maxiann-range precision shooting.

11's chambered for 5 of the hot ones - 5 fast-and-flat hooting cartridges that are sure medicine on chucks, 'cats, toxes and other pests - and its 24" heavy barrel places CHAMBERED FOR 5 of the hottest varmint calibers: 222 Rem., 223 Rem., 22-250 Rem., 6 mm Rem., 243 Win.

this rifle in a new accuracy class.

Target-rifle (Remington 40XB) scope bases - hinged floor plate - quick release swivels and strap - crisp, smooth trigger - Monte Carlo stock with check piece -Du Pont developed RK-W wood finish — custom quality checkering . . . they all add up to "something special in a varmint special"... the one you'd expect from Remington.

SPECIFICATIONS, ORDER NUMBERS AND PRICES • MODEL 700 ADL, BDL AND VARMINT

| | { · · | Barrel | Length | Overali | Length | Weig | ht Lbs. | 700 | ADL | 700 | BDL | Varmi | nt Model |
|--|---|---|---------------------------------|--|--|---------------------------------|---------|--|----------------|--|----------------|--------------------------------------|----------------|
| Calibers | Cap. | Reg. | Yar. | Reg. | Yar. | Reg. | Var. | Order Nos. | Retaii Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| 22-250 Rem. 222 Rem. 222 Rem. Mag. 223 Rem. 6 mm Rem. 243 Win. 270 Win. 280 Rem. 30-06 308 Win. | 5 6 6 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 24" 24" 22" 22" 22" 22" 22" 22" 22" | 24" 24" 24" 24" 24" | 43½" 43½" 43½" 41½" 41½" 42½" 42½" 42½" 42½" | 43½" 43½" 43½" 43½" 43½" 43½" | 7 7 7 7 7 7 7 | 9999 | 5940 5950 5958 5942 6044 5948 5954 5956 | \$134.95 | 6010 6024 6032 6018 6034 6022 6028 6020 6030 | \$154.95 | 5928 5930 5932 5934 5936 | \$169.95 |
| 7 mm Rem. Mag.264 Win. Mag.300 Win. Mag. | 4 4 4 | †24" †24" †24" | | 44½" 44½" 44½" | | 7½ 7½ 7½ 7½ | | 5952 6046 | 149.95 | 6026 6036 6012 | 169.95 | | |
| • 375 H&H Mag. • 458 Win. Mag. | 4 | 26" 26" | | 46½" 46½" | | 9 | | | | 6040 6042 | 329.95 | - | |

have recoil pad. (1Stainless steel barrel). *Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sling strap and quick release swivels, and black fore-end tip. $13^3 a^{\prime\prime\prime}$ length of pull, $2\%_a{^{\prime\prime\prime}}$ drop at heel, $11\%_a{^{\prime\prime\prime}}$ drop at comb (from open sight line) checkered. SIGHTS — Flat faced gold bead with ramp front sight (hooded tamp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights. RECEIVER — Drilled and Tapped for scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type scope mounts.



In two favorite brush-busting big game calibers, 30-30 and 44 Rem. magnum and two super-accurate long range varmint calibers, 222 Rem. and 22-250 Kem.

Now you can get a moderately priced Remington bolt action rifle in one of the most famous deer calibers ever designed — the popular 30-30. Over the years, this caliber has probably taken more deer than any other single caliber. Or you can get this new rifle in still another game-getter, the 44 Remington Magnum, which is rapidly gaining in popularity because of its tremendous shocking and stopping power. This cartridge has a heavy bullet which plows through the thickest brush with little deflection. Now you can get bolt action accuracy in both of these calibers . . . with the new Remington Model 788.

And Model 788 offers still more. If you're a varmint shooter, you have a choice of two of the hottest varmint calibers—the sizzling 22-250 Remington or the superaccurate 222 Remington. Both calibers are rough on varmints and small game. This bolt action beauty does not carry a big price tag. It's priced right—so that every hunter can afford it. There are no fancy frills, just solid, rugged, long-lasting dependability... true Remington quality. The many outstanding features described below are your assurance that this new Remington rifle is built to last for many, many years.

Quality Features of the REMINGTON MODEL 788

ARTILLERY TYPE BOLT has nine extra heavy tocking lugs that engage grooves in the solid steel receiver for a strong, secure lock-up . . . like a bank vault. Rear bolt cover provides extra protection and streamlining.

CLIP MAGAZINE stips in or out of the receiver in seconds with one hand; makes loading or unloading simple and safe. No working cartridges through the action. An extra pre-loaded magazine in your pocket speeds up loading.

TAPERED BARREL is finest ordnance steel — precision rifled for extreme accuracy at all hunting ranges. Barrel is crowned at muzzle. Elevated barrel bracket provides a solid, positive 'scope back-up.

ROUND RECEIVER permits perfect wood-to-metal bedding . . . which in turn contributes to fine accuracy. Receiver is also drilled and tapped for 'scope mounts and receiver sight at left rear.

BLADE FRONT SIGHT on serrated ramp is detachable and U notch rear sight is lock-screw adjustable for windage and elevation. Rear sight barrel holes are correct for target scope block.

BIG SERRATED SAFETY is convenient and well positioned at rear of receiver. Forward for fire; rearward for safe.

ALL-PURPOSE MONTE CARLO STOCK with pistol grip is designed for use with 'scope or open sights. Full size fore-end provides a sure grip for holding and aiming.

HUNTING TYPE TRIGGER. Sturdy trigger guard is big enough for use with gloves. Trigger pull is crisp and clean; you can feel the quality when you squeeze off shots in this new model. Exceptionally fast lock time contributes to fine accuracy.

SPECIFICATIONS, ORDER NUMBERS AND PRICES

| Calibers | Clip Mag. Cap. | | Overall Length | Av. Wt. Lbs. | Order Nos. | Retail Prices* |
|--|-------------------|--------------------------|------------------------------|---------------------|--------------------------------------|-------------------------|
| Model 788 222 Remington 22-250 Remington 30-30 44 Remington Mag. Sling Strap & Swive Extra Clip (Specify Ca | | 24" 24" 22" 22" | 43%" 43%" 415%" 417 | 7½ 7½ 7½ 7 | 9722 9736 9738 9740 6426 | \$84.95 5.40 3.90 |

STOCK — American Walnut, Monte Carlo type. 13% "length of pull, 2% drop at heel, 1%" drop at comb (from open sight line). SIGHTS — Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER — Drilled and tapped for 'scope mounts and receiver sight. Detachable clip type magazine.

Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.



FEATURES . MODEL 600

CUSTOM CHECKERING on fore-end and grip is fine-lined, uniform, good looking. We suggest you do as other smart gun buyers do, compare this checkering with that found on other makes of guns. Then judge for yourself.

MONTE CARLO STOCK means a better cheek-to-stock fit for quicker, surer sight alignment. Rich American Walnut Stock has all-purpose dimensions which give perfect alignment with either a scope or open sights. Functional shape of fore-end provides a good reliable, non-slip grip for steady holding WORLD'S STRONGEST BOLT. Cartridge head is completely encased by a ring of solid steel. When bolt is closed, three rings of steel support the cartridge head. Strong? . . . there's none stronger.

A LIGHT WEIGHT POWERHOUSE — Only 6 pounds but packs more power per pound than other carbines, from the brush-busting 35 Remington to the high velocity, flat trajectory 222 Remington coyote-walloping caliber.

VENTILATED RIB. It's the first time a domestic commercially produced sporting rifle has ever been designed with a ventilated rib. (Another first for Remington.) It helps you aim, gives a definite sight-line so you get on running game faster.

FAST-HANDLING MODEL — Short over-all length (371/4") makes Model 600 just right for hunting in heavy brush country because you can handle it taster, easier. It's a great saddle gun, too — fits a scabbard neatly or tucks in the rack of a pick-up truck.

FINEST ACCURACY. Here's where Model 600 really shines. Free floating barrel of Remington proof steel is precision rifled to Remington's exact standards. Trigger pull is short, crisp and clean. At the factory and in the field we shot close groups — and so will you. It was designed to shoot this way.

FORWARD S BOLT HANDLE hugs the stock — doesn't stick out — slips in and out of scabbard with ease. Half knob is serrated on the bottom so you ret a good secure grip.

ROTATING THUMB SAFETY is conveniently located at the rear of the reover where you can get at it in a hurry. Rearward for "safe". Forward in "fire."

BLADE RAMP FRONT SIGHT has brass bead. Sturdy U notch rear sight is adjustable for elevation and windage. Receiver drilled and tapped for scope and receiver sights.

IRIGGER is extra wide and corrugated; finger fits securely. Trigger pull is crisp and clean — no creep, no spongy action.

MODEL 600 MAGNUM Same features as above, except:

STOCK. A handsome lamination of walnut and beech that provides tremendous strength, stability and beauty. It's warp-free and waterproof.

WOOD FINISH is famous Du Pont RK-W that's tough, scratch and water resistant, the most durable wood finish known. It's similar to that used on bowling pins.

RECOIL PAD cushions the recoil of the game-getting 350 Rem. Mag. and 6.5 mm Rem. Mag. calibers. Black and white spacers add to good looks. MAGNUM BARREL is designed to handle both powerful hot Mag. calibers.

Free floating barrel provides extreme accuracy.

SCOPE BACK-UP. Strong bracket of steel forms 'scope mount back-up which takes vibration and recoil.' Scope can also be mounted in forward position which provides long eye relief for instant sighting.

STRAP and QUICK RELEASE SWIVELS are standard equipment on Model 600 Magnum.

WEIGHT: Just $6\frac{1}{2}$ well-balanced pounds . . . and short over-all length $(37\frac{1}{4}")$ make it a honey to handle in heavy cover.

SPECIFICATIONS: MODEL 600 AND 600 MAGNUM — CALIBERS — Model 600-222 Rem., 6 mm Rem., 243 Win. 308 Win. 35 Rem. Model 600 Magnum — 350 Rem. Mag., 6.5 mm Rem. Mag. CAPACITY — 4 Shot — 350 Rem. Mag., 6.5 mm Rem. Mag. CAPACITY — 4 Shot — 350 Rem. Mag., 6.5 mm Rem. Mag. 5 Shot — 6 mm Rem., 35 Rem., 308 Win., 243 Win. 6 Shot — 222 Rem. BARREL — Tapered, Remington Ordnance Steel 18½" with Ventilated Rib, Matted between Sights. Overall Length of rifle 37½". 600 Magnum has magnum barrel. STANDARD STOCK DIMENSIONS — American Walnut, custom checkering on fore-end and pistol grip. Monte Carlo Stock with fluted comb. 14" Length of Pull, 2" Drop at heel, 1%" Drop at comb. 600 Magnum has laminated stock. RECEIVER — Drilled and Tapped for 'Scope Mounts. Fixed Magazine. SIGHTS — Blade Ramp Front Sight with Brass Bead. "U" Notch Rear Sight Adjustable for elevation and windage with adjusting screws. SAFETY — Positive Rotary Thumb Type with Corrugated Non-Slip Surface. WEIGHT — 6 lbs. 600 Magnum 6½ lbs.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Model 600 | Order Nos. | Retail Prices* |
|--|--|----------------|
| 222 Remington 6 mm Remington 243 Win. 308 Win. 35 Remington Strap & Quick Release Swivels (Installed) | 5726 5730 5734 5722 5728 6382 | \$ 99.95 |
| Model 600 Magnum | | |
| 350 Remington Magnum 6.5 mm Remington Magnum | 5724 9850 | 144.95 |

REMINGTON MODEL XP-100 LONG RANGE PISTOL

BOLT ACTION • SINGLE SHOT CENTER FIRE

*99.95
Price Includes
Zippered Carrying Case


221 REMINGTON "FIRE BALL" CALIBER
Rotating Thumb-Safety. Ventilated Rib.
Custom-Style Checkering. Internal Fore-End
Cavities for Addition of Weights. Match
Type Trigger. Scientifically Balanced to
give minimum whip, jump and recoil. OnePiece Stock of Du Pont "Zytel" Nylon.
World's Strongest Bolt. Rifle-Type Rear
Sight. Universal Grip fits either left or
right hand. Weight 3¾ ibs. Order No. 5470

Drilled and tapped, ready for 'scope

^{*}Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice

SHOOTERS ASKED US: "Is there any reason why you can't make a 22 bolt action rifle that looks like a center fire rifle... with the strength of a center fire rifle?"

AND OUR ANSWER: No, there isn't any reason, and perhaps we should have done it sooner. But we're happy to bring it to you now. Our new series of bolt action rifles are what you asked for; 22 rim fire rifles with the look, feel and balance of big game center fire rifles — plus the strongest, most powerful bolt ever designed into a 22



caliber hunting rifle. How did we do it? Well, we started by redesigning the bolt, making it stronger, smoother, better. It's the artillery type with rear lock-up. The bolt has six extra-heavy,

rotary locking lugs at the back that engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it — work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel.

Here is strength that has never been equalled in any 22 bolt action hunting rifle. Actually, there's more built-in strength here than you'll ever need, but it's nice to know your rifle is designed with this plus factor. Then we looked at all the other desirable features that make up a fine big game rifle . . . and we put many of them into this new rim fire line. Here they are:

BOLT COVER at rear keeps dirt and bad weather outside; smooth operation inside. Adds to streamlining of the rifle, too.

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean — no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger. Everything about these new rifles is man-size. There's no corner cutting anywhere.

FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheek-to-stock fit that means more hits — with or without a scope. And there's no skimping on the fore-end, it's long, tapered, man-size to prevent canting and provide a good secure grip.

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch lock-screw adjustable rear. You'll hit what you aim at with these sights.

ROUND RECEIVER means bedding into the stock can be more precise, which in turn contributes to fine accuracy. The re-



MODEL STO BINGLE SHOT

and are : [] [] [] [] [] []

Internation of the second

BE HIVE FIFES

MODEL SAZ ZARRI LE REPERTE

MODEL 514

Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR "Boy's Rifle" with cut down stock.

eiver is also grooved for tip-off 'scope mounts. Actually, it's the strongest, most rigid receiver of any 22 bolt action hunting title because there are no slots or notches to weaken it; bolt handle isn't used as lock-up lugs. Here again, Remington designers made it like a center fire rifle. Costs the shooter no more; it's an extra bonus he gets because of good design.

ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle and polished and blued for good looks and long wear. Barrels of all models are super accurate (we made sure of that). Chances are you'll agree when you try one—for hunting, informal target shooting or just plain plinking.

IWO EXTRACTORS are standard on this new series of 22 rifles. Remington feels that two are better than one (so you get 2). Another extra at no charge.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety — forward for fire; rearward for safe

TRUE REMINGTON QUALITY and buils-eye performance — that's what you get when you shoot these new rifles. Here's why: Strength and rigidity of bolt, adjustable sights, hunting type trigger, round receiver for snug bedding, and precision rifled burrel. Here's an accuracy combination that's hard to beat in all three models; 580 single shot, 581 clip repeater and 532 tubular repeater.

SPECIFICATIONS: ACTION — All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER — 22 rim fire; short, long, or long rifle cartridges. CAPACITY — M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. BARREL — 24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK — Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS — Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. BOLT — Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVE — Round, ordnance steel, grooved for 'scope mounts. SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH — 42%". WEIGHT — M/580 5 lbs., M/581 5½ lbs., M/582 5½ lbs.

SPECIFICATIONS: MODEL 514 — ACTION — Bolt action, single shot. CALIBER — 22 short, long, long rifle rim fire. CAPACITY — Single shot. BARREL — 24 inch, precision rifled, Remington ordnance steel. STOCK — Walnut finished hardwood, full sized, black butt plate. SIGHTS — Bead front sight, open rear. SAFETY — Rotary thumb safety. RECEIVER — Made from solid steel. OVER-ALL-LENGTH — 41 inches. Boy's rifle 40 inches. WEIGHT — 4¾ lbs.

| Bolt Action 22 Caliber Rifles | Order Nos. | Retail Prices* | |
|--|------------|----------------|--|
| Model 580 Single Shot | 9852 | \$34.95 | |
| Model 580 Single Shot, Smooth Bore | 9864 | 39.95 | |
| Model 581 Clip Repeater | 9854 | 44.95 | |
| Model 582 Tubular Repeater | 9856 | 49.95 | |
| Model 514 Single Shot | 5572 | 26.95 | |
| Model 514 BR Single Shot Boy's Rifle | 5582 | 26.95 | |
| Sling Strap & Swivels (Installed) Model 581 Extra 5-Shot Clip | 4914 | 5.40 2.40 | |



Model 552 "Speedmaster"



VERSATILE. Shoots 22 Short, Long and Long Rifle cartidges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.



SINGLE LOADING — AUTO EJECTION. For use as a single shot rifle, pull back bolt, drop cartridge into the ejection port, release bolt and you're ready to shoot. Empty cartridge case will be ejected automatically.




Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced ... the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is another member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle. "Speedmaster" has every feature the shooter wants, such as: twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model, the Gallery Special and the new deluxe model. Pick a 552 off the rack at your dealer's — heft it — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" ... because it's made right.




This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.



Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 20 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker . . . and good for week-end family fun, too.



SINGLE LOADING — It's the only slide action 22 rifle with positive single loading through the ejection port — a feature especially important to parents and shooting instructors.



SHOOTERS FORGET—but a "Fieldmaster" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.





SPECIFICATIONS: MODEL 552: ACTION — Automatic. CALIBER — 22 Rim Fire. CAPACITY — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. SIGHTS — Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. STOCK — Rich American walnut. SAFETY — Cross-bolt type. RECEIVER — Grooved for "tip-off" scope mounts. OVER-ALL LENGTH — 42": 40" (Carbine). WEIGHT — $5\frac{1}{2}$ lbs.

MODEL 550: Same as Model 552 except: SAFETY — Thumb style. OVER-ALL LENGTH — 43½". WEIGHT — 6¼ lbs.

MODEL 572: Same as Model 552 except: ACTION - Pump, repeater.

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns.

| • | Order Nos. | Retail Prices* |
|---|------------|----------------|
| Model 552 22 Caliber Automatic Rifle | | |
| 552 A Automatic | 5608 | \$ 59.95 |
| 552 C Carbine | 5612 | 59.95 |
| 552 BDL Deluxe | 9830 | 69.95 |
| 552 GS "Gallery Special" (22 Shorts Only) | 5610 | 71.95 |
| Sling Strap and Swivels (installed) | 6430 | 7.50 |
| Model 550 22 Caliber Automatic Rifle | | |
| 550 A | 5596 | \$ 56.95 |
| Sling Strap and Swivels (installed) | 6428 | 5.40 |
| Model 572 22 Caliber Slide Action Rifle | | |
| 572 A | 5626 | \$ 61.95 |
| 572 BDL Deluxe | 9832 | 74.95 |
| 572 SB Smooth Bore | 5628 | 71.95 |
| Sling Strap and Swivels (installed) | 6432 | 7.50 |

^{*}Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice

Trylon 22s **Remington**



Remington's new Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 21/2" wood blocks. Only six misses out of over 100,000 blocks thrown ... and without a malfunction.


Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip. Available in Mohawk Brown and Apache Black with chrome plated barrel and receiver.




The Nylon 66 is also made in an Apache Black deluxe model. The stock is Du Pont "Zytel" black nylon and both the barrel and the receiver cover are chrome plated. Inside, it's the same reliable, trouble-free rifle as the standard mohawk brown model.

The Nylon 66 is the most rugged automatic 22 rim fire rifle made. Alaskan fishermen think so, too; they use it on their fishing boats to keep marauding sea lions out of their nets. Salt spray, foul weather, fish slime and mud knock out other 22's. But not the Nylon 66. This is why these fishermen look on the Remington Nylon 66 as almost a "tool-of-the-trade." Still further proof: Trappers in the humid bayous along the Gulf States swear by the "gun with the nylon stock." Why? Same reasons; it's tough, it works under all conditions, it stands up . . . and it's exceptionally accurate.


Ask your dealer to see the fabulous Nylon 66, in Apache Black or Mohawk Brown. They're both winners.



IT'S AMAZINGLY ACCURATE . . . barrel and fore-end are precisely mated to give outstanding accuracy. Structuralnylon permits three-point bedding found only in costly target rifles.



TOP-OF-GRIP THUMB SAFETY. The most convenient, easiest to use safety ever designed for 22 rifles.



LOADING IS FAST, EASY - a twist of wrist and tubular magazine is removed or replaced through butt plate. Single loading for beginner is handled smoothly through port with automatic ejection of fired round.

ACTION - Automatic. CALIBER - 22 long rifle Rim Fire. CAPACITY — Tubular magazine thru butt stock. Holds 14 long rifle cartridges. BARREL — 19% inch, precision rifled, Remington Ordnance Steel. STOCK - One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. SIGHTS -Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY - Top-of-grip, RECEIVER - Grooved for "tip-off" 'scope mounts. OVER-ALL LENGTH - 381/2". COLOR - Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receiver cover. WEIGHT - 4 lbs.


| Nylon 22 Caliber Rifle | Nylen | 22 | Caliber | Rifles |
|------------------------|-------|----|---------|--------|
|------------------------|-------|----|---------|--------|

| ylon 22 Caliber Rifles | Order Nes. | Retail Prices** |
|--|------------|-----------------|
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | \$ 49.95 |
| Nylon 66 AB "Apache Black" Automatic | 5486 | 54.95 |
| Nylon 66 GS "Gallery Special" (22 Shorts Only) | 5512 | 59.95 |
| Sling Strap & Swivels (installed) | ł | 5.40 |

We guarantee that these stocks will not warp, crack, chip, fade or peet for the life of the rifle — or we will replace it free.


**Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.

Remington Target Rifles



Exclusive loading platform provides straight line feeding; no shaved bullets. Specially selected ordnance steel barrel with the new Remington-process rifling. Choice of free floating standard or heavy barrels. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate. Adjustable sling swivel and handstop. Extra strong bolt with double extractors. Crisp trigger with positive click adjustments for weight of pull. Wide trigger for more uniform pull and comfort. Thumb operated safety. Receiver drilled and tapped for all standard sight mounts — telescope and metallic. Redfield Olympic front and rear sights optional. New long rail for fore-end stop and palm rest.

SPECIFICATIONS: MODEL 40 XB (Rim Fire Rifle): ACTION — Bolt, Single Shot. CALIBER — 22 Rim Fire. Some Center Fire. CAPACITY — Single loading. Long Rifle only. SIGHTS — Redfield Olympic front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Drilled & tapped for iron sights or scope mounts. BARREL LENGTH — 28". Over-all rifle length 47". LENGTH OF PULL — 13½". (Trigger adjustable 2 to 4 lbs.) STOCK — American walnut. Palm rest & front swivel block, adjustable on base. WEIGHT — With Redfield sights heavy barrel 12¾ lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.



Now Available in Repeating Model for use in National Match Course

The 40 XB center fire rifle is designed with clip slots for the conventional five shot clip. It loads from the top of the receiver and the magazine has a hinged floor plate. Clip slots are provided only in calibers with 308 head diameter. The 40 XB center fire repeating rifle is ideal for the rapid fire events, especially in the 7.62 mm Nato (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40 XB center fire is offered in several center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. Heavy barrel model meets the National Bench Rest Shooters Association rules for the Heavy Varmint Class with most target telescopes. (Max. weight 13½ lbs.) Standard barrel model can be made to fit the NBRSA Light Varmint Class rules by using a light scope and removal of wood from beneath the barrel and butt plate. (Max. weight 10½ lbs.) Stainless steel barrels are supplied as standard on 7 mm Rem. Magnum and 30-338 at extra charge. Stainless steel is also recommended for 22-250 and 6 mm Rem. (at extra charge.) Stainless 40 XB barrels are not blued.

SPECIFICATIONS: MODEL 40 XB (Center Fire Rifle): ACTION — Bolt, Single Shot & Repeating, CALIBERS — Single Shot — 222 Rem., 222 Rem., Mag., 223 Rem., 22-250, 6 mm x 47 mm (6 mm .222 Mag.), 6 mm international (6 mm on .250 Sav. case), 6 mm Rem. (.244 chamber), 243 Win., 6.5 mm Rem. Mag., 7 mm Rem. Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag.). Repeating — 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223, 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250. Calibers whose over-all loaded length is equal to or shorter than the 308. CAPACITY — Single loading and repeater. (Loads from top of receiver). SIGHTS — Redfield Olympic tront & rear sights optional. SAFETY — Thumb operated safety, positive. RECEIVER — Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. BARREL LENGTH — 27¼" free floating. Overall Length of rifle 47". LENGTH OF PULL — 13½". Trigger adjustable to 3½ lbs. 2 ounce Trigger available at \$40. extra. STOCK — Selected American Walnut. Fore-end stop and sling swivel adjustable on base. AYERAGE WEIGHT — Without Sights: Heavy Barrel 11¼ lbs., Standard Barrel at 14 lbs.



22 caliber target rifle. Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull, 6-shot box magazine. Redfield front and rear sights. 114" leather sling, adjustable front swivel.

SPECIFICATIONS: MODEL 513 T: ACTION — Bolt, Repeater. CALIBER — 22 Rim Fire. CAPACITY — 6-shot Clip magazine. 10-shot Clip available. Long Rifle only. SIGHTS — Redfield micrometer front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Drilled & tapped for iron sights or 'scope mounts. BARREL LENGTH — 27". Over-all rifle length 45". LENGTH OF PULL — 13½". (Trigger to center of butt plate.) STOCK — American walnut. Sling Strap. WEIGHT — 8¾ lbs.



Remington's lowest-priced target 22—and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, I shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.

SPECIFICATIONS: MODEL 521 T — Same as Model 513 T except; SIGHTS — Micrometer rear, blade front. RECEIVER — Drilled & Tapped for Lyman 57 RS peep sight. BARREL LENGTH — 25". Over-all rifle length 42¼". LENGTH OF PULL — 13¼". (Trigger to center of butt plate). WEIGHT — 6½ lbs.



40 XB type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Model 40 XB "Rangemaster" | Order Nos. | Retail Prices* |
|--|------------------------------|---|
| S1 Std. Barrel with Sights, Rim Fire—22 Cal. H1 Heavy Barrel with Sights, Rim Fire—22 Cal. H2 Heavy Barrel without Sights, Rim Fire—22 Cal. S2 Std. Barrel without Sights, Rim Fire—22 Cal. | 5674 5670 5672 5676 | \$189.95 159.95 |
| CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire Extra for repeating Center Fire Models Extra for calibers requiring stainless barrels Extra for 2 Oz. Trigger (12 weeks or more for center fire models) | Special Special | \$199.95 199.95 20.00 20.00 40.00 |
| Model 513 "Matchmaster", Rim Fire Only 513 TR "Target" Grade with Sights 513 TX "Target" Grade without Sights Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5564 5566 6388 6390 | \$ 99.95 79.95 2.40 3.10 |
| Model 521 T, Rim Fire Only 521 T "Target" Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5588 6388 6390 | \$ 69.95 2.40 3.10 |
| International Free Rifle, Rim Fire & Center Fire | Special | 361.05 |

Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.

21



| ٠, | ١. | | | | | | | | |
|----|----------------------|----------------|----------------------|---------------------------|--------------------------------|------------------------|-----------------------------|--|-----------------------|
| | INDEX NO. | B U WgtGrs. | L L E T Style | VELO FT. PEI Muzzie | CITY — R SECOND 100 YDS. | ENEI FOOT Muzzie | RGY — POUNDS 100 YDS. | MID-RANGE TRAJECTORY Ins100 YDS. | 1 |
| | 2267 2268 | 29 27 | Lead Hollow Point | 1125 1155 | 920 920 | 81 80 | 54 51 | 4.3 4.2 | |
| | 2269 | 29 | Lead | 1240 | 965 | 99 | 60 | 3.8 | |
| | 2283 2284 | 40 36 | Lead Hollow Point | 1335 1365 | 1045 1040 | 158 149 | 97 86 | 3.3 3.3 | |
| | 2291 | 45 | Lead | 1450 | 1110 | 210 | 123 | 2.7 | |
| | 2214 | 29 | Lead | 1045 | 810 | 70 | | | |
| | 2204 • 2205 | 29 15 | Lead Composition | 1045 1710 | <u> </u> | 70 97 | - | - - | • |
| _ | 2224 | 40 | Lead | 1145 | 975 | 116 | 84 | 4.0 | <u>-</u> |
| | 2237 | 45 | Lead | 1055 | 930 | 111 | 86 | 4.6 | |
| | 2226 | 40 | Lead | _ | _ | _ | _ | | M |
| | 2228 | 40 | Lead | _ | _ | | _ | _ | A T C H |
| | 2299 | #12 Shot | | _ | _ | _ | _ | | 8 H O T |
| ~ | 2249 | - | _ | _ | | _ | _ | _ | |
| - | 3894 3297 3895 | - - - | | - - - | - - - | <u>-</u> | _ _ _ | - | B L N K S |
| | •9005 | | _ | _ | | _ | _ | | 5 |
| | | | | · | • | | | | • |

REMINGTON IN STATES

EQUIPMENT

Among the items produced for the clay target sports are:

REMINOTON "BLUE ROCK" TARGETS

The Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot—targets break easier when hit by only a few pellets. All adding up to higher scores!

REMINSTON TARGET THROWER

All you need to enjoy shotgun sport all year round are Remington "Blue Rock" targets and a Remington target thrower. Easy to use. Throw targets any way you like.

REMINSTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.

REMINGTON "WONDER" TRAPS for Skeet Sheeting

Two Remington "Wonder" traps with Remington's exclusive Singlever manual control, all other accessories. Also Remington Electric release.

REMINGTON "BLUE ROCK" TRAP

For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps and Remington's exclusive Singlever Pull for manual operation.

REMINSTON "EXPERT" TRAP

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.

MODEL A100T FOR TRAP

1 Remington autoloading trap with ½ HP motor, 60 cycle, 115 volts, and special auto-angling base. 1 push button release unit with 100 feet of wire. 1 power control box.

MODEL M200S FOR SKEET

2 Remington autoloading traps with ½ HP motors, 60 cycle, 115 volts. 1 walk around release unit and 80 feet of wire. 2 power control boxes. 1 connection box.

For complete details on above equipment, write to Shooting Promotion Section, Remington Arms Company, inc., Bridge-port, Connecticut 06602.

Remington, Wingmaster, Woodmaster, Gamemaster, Speedmaster, Rangemaster, Matchmaster, Fieldmaster, Power Piston, Power-Lokt, Targetmaster, Core-Lokt, Fire Ball, Blue Rock, Expert, Wonder, Kleanbore, Brushmaster, Palma and let are trademarks registered in the United States Patent Office. XP-100, Rib-Lokt, Nylon 66, golden, Power-Pakt and Post-Wad are trademarks of Remington Arms Company, Inc., Bridgeport, Connecticut 06602, Zytel is a registered trademark of E. I. du Pont de Nemoura & Co. for nylon resins. Peters, Victor, and Krumble Ball, are Reg. U. S. Pat. Off.; High Velocity is a trademark of Peters Cartridge Division, Remington Arms Company, Inc.





TABLE OF CONTENTS REMINGTON FIREARMS SHOTGUNS *** Automatic Model 1100 Automatic Model 11-48 Pump Action Model 870 "Wingmaster" CENTER FIRE RIFLES ENTER FIRE RIFLES Automatic Model 742 "Woodsmaster" Pump Action Model 760 "Gamemaster" Boit Action Model 700 "Varmint Special" Bolt Action Model 788 Bolt Action Model 660 and 660 Magnum Bolt Action Model XP-100 M FIRE RIFLES Bolt Action Models 590M, 591M, 592M Bolt Action Models 580, 581, 582 Bolt Action Models 580, 581, 582 Bolt Action Model 51A Automatic Nylon 66 Automatic Model 550 "Speedmaster" Automatic Model 550 Pump Action Model 572 "Fieldmaster" ARGET RIFLES 11 13 13 TARGET RIFLES ARGET RIFLES Bolt Action Model 40XB "Rangemaster" Bolt Action Model 513T "Matchmaster" Bolt Action Model 521T Bolt Action International Free Rifle 20 20 REMINGTON-PETERS AMMUNITION REMINGTON-PETERS AMMUNITION Shotgun Shells Center Fire "Core-Lokt" & "Power-Lokt" Center Fire Rifle Cartridges Center Fire Pistol & Revolver Cartridges Pistol & Revolver Builet Types Caliber Suggestions Suggested Shot Sizes for Game Rim Fire Cartridges New 5mm Remington Rim Fire Magnum Cartridge REMINGTON TRAPS Trap & Skept Equipment

The cover and introductory pages were done by Bob Kuhn well-known wildlife ertist and sportsman These illustrations well also appear in the 1969 Remington calendar



"Young Reliable" that's what they're calling the Remington Model 1100. In just a few years, shooters throughout the country have made it the "most popular" — "most wanted" automatic shotgun . . . and for good reasons, too. They tell us:


"It works, never jammed on me once, and I hunted every weekend."

"Recoil is light" writes a trap shooter. "My boy says the kick doesn't bother him a bit . . . and it doesn't. He's shooting better than ever." Light recoil also pays off in


doubles, too; for the trap shooter, skeet shooter and hunter.

"Finish is good—stands up" reports a West Coast duck and goose shooter who shot it throughout the season . . . "And we get some mighty wet weather out here . . . it's tough on almost everything."

"It's a beautiful gun"— is a typical comment. And no wonder—with its fine-lined checkering, Du Pont RK-W wood finish, scroll work, steel receiver, white line spacers and tear drop pistol grip. Your dealer has 'em in 12, 16, and 20 gauges, with both plain and ventilated rib barrels.




MODEL 1100 SA Skeet Gun 12, 20 Gauge SPECIFICATIONS: 26" barrel, Remington special skeet boring, ventilated rib, ivory bead front sight and white metal rear sight. Stock dimensions are: 14" long, 2½" drop at heel, 1½" drop at comb. (SB grade same specifications with better grade wood). Weight: about 7½ lbs.



(shown with ventilated rib barrel)

12, 20 Gauge

SPECIFICATIONS: Chambered for 3" magnum loads. Will also handle 2¾" magnum shells. Available in 28" and 30" full choke in 12 gauge, and 28" full choke in 20 gauge, plain or ventilated rib barrels. Stock dimensions: 14" long including pad, 2½" drop at heel, 1½" drop at comb. Furnished with recoil pad. Weight: about 7¾ lbs.



SPECIFICATIONS: STYLE — 5 shot gas operated shotgun, 3 shot plug furnished. GAUGE — Made in 12, 16 and 20 gauge. BARREL — Special Remington ordnance steel. Extra barrel is interchangeable within gauge. OVER-ALL LENGTH — 48" (with 28" Barrel). SAFETY — Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14¾" long, 1¾" drop at heel, 1¾" drop at comb. Monte Carlo, 14¾" long, 1¾" drop at heel, 1¾" drop at comb. 1¾" drop at M.C. AVERAGE WEIGHT — 12 ga. -7½ lbs., 16 ga. -7¼ lbs., 20 ga. -7 lbs.

CUSTOM CHECKERING on stock and fore-end . . . fleur-de-lis design. Checkering is fine-lined, uniform, good looking.

TEAR DROP PISTOL GRIP with attractive white diamond inlay provides a natural, non-slip, comfortable grip.

FORE-END has swept back, streamlined design. Fine checkering and fluting give secure gripping area.

DISTINCT WHITE SPACERS on butt plate and grip cap add attractiveness. NEW METAL FINISH looks better, wears better . . . because the metal is more highly polished.

BIG 5-SHOT CAPACITY — Easy to load. Four in magazine . . . one in chamber. Three-shot plug furnished.

NEEDS NO ADJUSTMENT — Performs perfectly for different loads; automatically — Shoots high base, low base, 244" magnum shells without adjustment.

QUICK-CHANGE BARRELS — They're interchangeable in seconds; no factory fitting is required. Use one gun for all your shooting and get more game, targets, sport.

FASTEST LOADING — Drop a shell in the breech; load another in the magazine in one motion. Load five shells in five seconds.

LIGHTEST RECOIL — Gas action tames recoil; it smooths and cushions . . . and with no loss of power.

RK-W PROTECTIVE FINISH — New Du Pont wood finish is clear. Lets the wood grain show through. It's similar to that used on bowling pins; tough, hard, scratch-resistant . . . gives lasting protection against hard usage and bad weather.

STEEL RECEIVER is made from a solid block of steel for extra strength, ruggedness, dependability.

AVAILABLE IN MAGNUM MODEL — Chambered for 3" magnum shells. Uses 2¾" magnums too. A rugged, dependable shotgun . . . reaches out and drops the high flyers.

DECORATIVE SCROLL WORK on receiver and bolt adds real beauty and value to this gun.

SELF CLEANING — The gas operation of this gun is unusual. It blows dirt and grime away, keeps action bright and shining for long periods of time. SUPREME DEPENDABILITY — Tests prove the shooting life of this new gun is up to seven times longer than any other automatic shotgun on the market. BALANCE AND WEIGHT are just right, only 7½ lbs. in 12 gauge. Can be carried comfortably all day. No sacrifice of steel in barrel or receiver... not a "featherweight floater" that's too light to point right.

NLW 20 gauge lightweight Model 1100 with specially selected managany stock and fore-end, available in Field Grade Guns and SA Skeet Grade.

| | 12 Ga. | Orde 16 Ga. | r Nos. | Ga. | Retail Prices* |
|---|--|------------------------------------|--|--------------------------------------|--------------------|
| Model 1100 with Plain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 22" Imp. Cyl. Deer Gun | 5322 5320 5326 5324 5328 5308 | 5370 5374 5376 With Rifle | 5390 5394 5392 5396 5396 Sights | Mah. 5440 5442 5444 5446 | \$159.95 179.95 |
| Model 1100 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 5332 5330 5336 5334 5338 | 5378 5382 5384 | Wal. 5398 5402 5400 5404 | Mah. 5450 5452 5454 5456 | 184.95 |
| Model 1100 Magnum with Plain Barrel 30" Full Choke 28" Full Choke | 5344 | | 54: | 28 | 174.95 |
| Model 1100 Magnum with Vent. Rib Barrel 30" Full Choke 28" Full Choke | 5348 5346 | | 54: | 30 | 199.95 |
| Model 1100 SA Skeet with Vent. Rib Barrel 26" Skeet Choke 26" with Cutts Comp. | 5356 5358 | | Wal. 5408 5410 | Mah. 5438 | 189.95 214.95 |
| Model 1100 SB with Vent. Rib Barrel (Better Wood) 26" Skeet Choke | 5302 | | 54: | 22 | 214.95 |
| Model 1100 TB Trap with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 30" Full Choke 28" Full Choke 28" Mod. Choke | 5350 5352 5354 5306 5314 5318 | with Mor Carlo Sto | | | 224.95 234.95 |
| Model 1100 D with Vent. Rib B | arrei | s | pecial | | 550.00 |
| Model 1100 F with Vent. Rib B | arrel | S | 1,250.00 | | |
| Extra Barrels, Plain 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke 22" Imp. Cyl. Riffe Sights | 9500 9502 9504 9506 9508 9568 | 9530 9532 9534 9536 | 95 95 95 95 | 48 50 | 45.45 54.50 |
| Extra Barrels, Vent. Rib 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Mod. Choke 26" Imp. Cyl. Choke | 9512 9514 9516 9518 9520 | 9538 9540 9542 9544 | 95 95 95 95 | 56 58 | 68.15 |
| Extra Barrels, Vent. Rib SA & SB Skeet Grades 26" Skeet Choke 26" with Cutts Comp. | 9522 9524 | | 95 95 | | 72.40 94.47 |
| Extra Barrels, Vent. Rib TB Trap 30" Full Choke 28" Full Choke 28" Mod. Choke | 9526 9528 9566 | Trade law | | | 72.40 |

^{*}Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.



Only Automatic made in All 5 Gauges 12, 16, 20, 28 and 410

The Remington Model 11-48 is an automatic shotgun with a fine reputation that has been earned in the field and wherever skeet targets are thrown. Over a half million proud owners are our best salesmen and they'll tell you the 11-48 is one of the finest automatics on the market. And it is!

It's the only automatic made in 12, 16, 20, 28 and 410 gauges and in the 28 and 410 gauges it's a big favorite with skeet shooters, youngsters, women . . . and hunters who like a small bore shotgun. And speaking of Remington automatic shotguns, they have won more National Skeet Championships than all other brands put together. Here is where shot-after-shot dependability really counts.

Model 11-48 is an excellent value . . . you get a lot of gun for the money, such as: Custom fine-lined checkering on fore-end and stock, receiver milled from a solid block of ordnance steel, rich American Walnut stock and fore-end, 5-shot capacity (in 12, 16 and 20 ga.) and it shoots all brands of ammunition, high and low base plus rifled slugs . . . all without adjustment.

Barrels are interchangeable, too. Takes only a minute to change them and you can do it right in the field. No special tools or factory fittings are required. Dependability, ruggedness, lightweight, fine balance, good looks . . . that's the Remington Model 11-48, a gun that's built the "Remington Way" — to last!



Available in 12, 20, 28 and 410 gauges (28 gauge shown above)

The 11-48 is available in a skeet model in 12, 20, 28 and 410 gauges and is the only automatic shotgun made in 28 and 410 gauges. It's a great favorite with skeet shooters who demand supreme dependability in the guns they shoot. The Model 11-48 has everything the skeet shooter wants; fine balance, excellent pointing qualities, ruggedness, plus many other features that all add up to higher scores.


SPECIFICATIONS: 26" barrel (25" on 28 and 410 gauges) Remington special skeet boring, ventilated rib barrel, ivory bead front sight and white metal rear sight. Stock dimensions: 12 and 20 gauge, 14" long, 21/2" drop at heel, 15/8" drop at comb, 28 and 410 gauges, 131/8" long, 25% drop at heel, 15% drop at comb. Weight: 12 ga. — $7\frac{1}{4}$ lbs., 20 ga. — $6\frac{1}{4}$ lbs., 28 and 410 ga. — $6\frac{1}{4}$ lbs.



MODEL 11-48 (shown with ventilated rib barrel) in 12, 16, 20, 28 and 410 Gauges

At the National Skeet Championships and at local shoots, the Remington Model 11-48 is a standout. It's the only automatic made in 28 and 410 gauges; skeet shooters like it because of its fine balance, excellent pointing qualities and dependability.

SPECIFICATIONS: STYLE — 5 shot automatic shotgun — 4 shot in 28 and 410 gauges. 3 shot plug furnished. GAUGES — 12, 16, 20, 28 and 410. (3" chamber in 410 ga.) BARREL — Special Remington ordnance steel — extra barrel interchangeable within gauge. OVER-ALL LENGTH — 48½" with 28" barrel. SAFETY — Convenient cross-boit type, positive. RECEIVER — Made from solid steel, top matted. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. 12, 16, 20 ga. — 14" long, 2½" drop at heel, 1¾" drop at comb. 28 and 410 ga. — 13¾" long, 2½" drop at heel, 1¾" drop at comb. AVERABE WEIGHT — 12 ga. 7¼ lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.; 28 ga. - 6¼ lbs.; 410 ga. - 6¼ lbs.



SOLID STEEL RECEIVER is milled from a block of ordnance steel; it's super-strong. Every Model 11-48 is built this way for extra strength, durability and ruggedness.



choice of 5 GAUGES — It's the only automatic shotgun made in all 5 gauges; 12, 16, 20, 28 and 410. Pick the one for your type of shooting.

| | Order Nos. | | | | | | | |
|---|------------------------------|----------------------|--|----------------------|----------------------|--------------------------------------|--|--|
| | 12 Ga. | 16 Ga. | 20 Ga. | 28 Ga. | 410 Ga. | Retail Prices* | | |
| Model 11-48 with Plain Barrel | | | | | | | | |
| 30" Full Choke 28" Full Choke | 4700 4702 | 4742 | 4774 | l | | } | | |
| 25" Full Choke | 4702 | 17/42 | 7//4 | 4802 | 4828 |) | | |
| 28" Mod. Choke | 4704 | 4744 | 4776 | • | | \$149.95 | | |
| 25" Mod. Choke 26" Imp. Cyl. Choke | 4706 | 4746 | 4778 | 4804 | 4830 | | | |
| 25" Imp. Cyl. Choke | 4700 | 4/40 | 4//0 | 4806 | 4832 | | | |
| Model 11-48 | | | | | | | | |
| with Vent. Rib Barrel | j | ļ | | |] | | | |
| 30" Full Choke 28" Full Choke | 4710 4712 | 4748 | 4780 | | 1 | | | |
| 25" Full Choke | 4/12 | 4/40 | 4/80 | 4808 | 4834 | | | |
| 28" Mod. Choke | 4714 | 4750 | 4782 | | | 174.95 | | |
| 25" Mod. Choke 26" Imp. Cyl. Choke | 4716 | 4752 | 4784 | 4810 | 4836 | | | |
| 25" Imp. Cyl. Choke | 4710 | 4,32 | 4704 | 4812 | 4838 | | | |
| Model 11-48 SA with Vent. Rib Barrel 25" Skeet Choke 25" with Cutts Comp. 26" Skeet Choke 26" with Cutts Comp. | 4722 4726 | | 4788 4790 | 4814 4816 | 4840 4842 | 179.95 204.95 179.95 204.95 | | |
| Extra Barrels, Plain 30" Full Choke 28" Full Choke 25" Full Choke 28" Mod. Choke 25" Mod. Choke 26" Imp. Cyl. Choke 25" Imp. Cyl. Choke | 6150 6152 6154 6156 | 6168 6170 6172 | 6522 6180 6182 | 6190 6192 6194 | 6362 6204 6206 | 44.35 | | |
| | | | | | | | | |
| Extra Barrels, Vent. Rib | l | l | | ł | 1 | | | |
| 30" Full Choke | 6158 | | | | | | | |
| 28" Full Choke 25" Full Choke | 6160 | 6174 | 6184 | 6196 | 6208 | | | |
| 28" Mod. Choke | 6162 | 6176 | 6186 | **** | 1 3230 | 66.50 | | |
| 25" Mod. Choke | 6164 | 1,70 | 6100 | 6198 | 6210 | | | |
| 26" Imp. Cyl. Choke 25" Imp. Cyl. Choke | 0104 | 6178 | 6188 | 6200 | 6212 | | | |
| Extra Barrels, Vent Rib (Skeet) | | | | | | | | |
| 25" Skeet Choke | } | |] | 6202 | 6594 | 70.65 | | |
| 25" with Cutts Comp. |] | } |] | 6560 | 6524 | 92.72 | | |
| 26" Skeet Choke 26" with Cutts Comp. | 6476 |] | 6480 | · | | 70.65 | | |
| LO: man outes comp. | 6484 | | 6486 | ' | i | 92.72 | | |

^{*}Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.




NOW-Recoil Pad is standard on all Model 870 shotguns

Time for a new pump gun? If it is — and you're looking ... we'd like to help. First of all you want a gun that shucks shells at the flick of your wrist — a gun that's got twin action bars and pumps like a ball-bearing action without twisting or binding. There is a gun like this. It's the slick Remington Model 870!

Want one that's going to last? Of course. Then pick a pump that has a receiver machined from a solid block of steel if you want strength and ruggedness. That's the way a Remington 870 is built . . . we don't make them any other way.

Chances are you'll want to use that gun on different kinds of game. That means interchangeable barrels you can change in seconds — right in the field and without any factory fitting or special tools. With a Remington 870 "Wingmaster" it's so easy — anyone can do it.

Everyone wants a good-looking gun. The 870 is a stand-out in any company and here's why: Custom fine-lined checkering with fleur-de-lis design, rich American Walnut stock and fore-end, and Du Pont-developed RK-W wood finish similar to that used on bowling pins. A Remington 870 pump is one of the best investments you can make in shooting enjoyment — for yourself — as a gift — or, some day, as a pass-along gun to that youngster of yours. So, for good hunting this season, why not take along a new Remington Model 870.



The "Wingmaster" Model 870 TC is the world's most perfectly balanced trap gun!

SPECIFICATIONS: Available with 28" modified, 28" or 30" full choke, ventilated rib barrel. Ivory bead front and white metal rear sight. Recoil pad. Special target grade sear, hammer and trigger assembly. Stock dimensions: 14%" long including recoil pad, 1%" drop at heel, 1½" drop at comb. Highly figured and finished American Walnut with finely

checkered stock and fore-end. Hand fitted action and parts. Weight: about 8 lbs. This model also available in TB grade, lower price. Both models available with optional Monte Carlo stock at extra charge.

"WINGMASTER" MODEL 870 SA Skeet Gun

The Model 870 SA, most perfectly balanced pump action shotgun, is ideal for fast second shots at skeet or upland game. Also available in SC grade with specially selected wood and hand checkering.

SPECIFICATIONS: (12 and 20 Gauges) 26" barrel. Remington Special Skeet Boring Ventilated rib with ivory bead front and white metal rear sight. Stock dimensions: 14" long, 2½" drop at heel, 15%" drop at comb. Weight: 12 gauge about 7 lbs., 20 gauge about 6½ lbs.



"BRUSHMASTER" MODEL 870 Deer Gun 12 Gauge with Rifle Sight Barrel

The Model 870 Deluxe "Brushmaster," made specially to handle rifled slugs and buckshot, is the latest in smashing power for those fast shots in brush country.


SPECIFICATIONS: The same as standard 870 except as follows: Lightning-fast 20" barrel with fully adjustable rifle-type sights. Stock fitted with rubber recoil pad and white line spacer. Also available in standard model with rifle sights.




(shown with ventilated rib barrel) — 12, 20 Gauge

Rugged and dependable for long range shooting! For geese and ducks.

SPECIFICATIONS: 5 shot; chambered for 3" Magnum shells — will also handle 2¾" shells. Variweight and wood 3 shot plug. 12 ga, with 28" and 30" full choke, plain or vent. rib barrel. Steel bead front sight, rubber recoil pad. Checkered stock and fore-end. Stock: 14" long including pad, 2½" drop at heel, 1¾" drop at comb. 20 ga. furnished in 28" full choke, vent. rib and plain barrels. Weight: 12 ga. about 8 lbs., 20 ga. about 7½ lbs., including variweight plug.



SPECIFICATIONS: STYLE - 5 shot pump action shotgun. Take down, 3 shot plug furnished. GAUGES — 12, 16 and 20. BARREL — Special Remington ordnance steel. Extra barrel is interchangeable within gauge. OVER-ALL LENGTH - 481/2" with 28" barrel. SAFETY - Convenient cross-bolt type, positive. RECEIVER - Made from solid steel, top matted. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. Beautiful checkering. 14" long, 21/2" drop at heel, 1%" drop at comb. Trap reg., 14%" long, 1%" drop at heel, 1½" drop at comb. Monte Carlo; 14%" long, 1%" drop at heel, 1%" drop at comb, 1%" drop at M.C. AVERAGE WEIGHT - 12 ga. - 7 lbs.; 16 ga. - 634 lbs.; 20 ga. - 61/2 lbs.



QUICK CHANGE BARRELS . Change them in seconds, right in the field. No factory fitting or special tools required. Use one gun for all your shotgun shooting and get more game, targets, sport.



GOOD DESIGN --- Barrel is made with a hardened extension into which the breech block must lock before firing, Result . . . longer life, less wear, constant head space.



DOUBLE ACTION BARS prevent twisting and binding, give smooth gliding action for which Rem-ington "Wingmaster" is famous. Many shooters say it works like a ball bearing action. And they're right!

| | | | | Retail | | | |
|---|--|--------------|--------------|------------------|--|--|--|
| Model 870 with Plain Barrel | Order Nos. 12 Ga. 16 Ga. 20 Ga. | | | | | | |
| 30" Full Choke | 5046 | | | 1 | | | |
| 28" Full Choke 28" Mod. Choke | 5048 5050 | 5056 5058 | 5064 5066 | \$104.95 | | | |
| 26" Mod. Choke | 5052 | 2020 | 5068 | \$104.55 | | | |
| 26" Imp. Cyl. Choke | 5054 | 5062 | 5070 | | | | |
| 20" "Brushmaster" Deluxe Standard | 4988 (5026) | with Rifle | Sights | 124.95 104.95 | | | |
| Model 870 with Vent. Rib Barrel | ticle | 0.10 | l. i. li | | | | |
| 30" Full Choke tundy | 5196 | tided | | 1 (, ,, | | | |
| 28" Full Choke the Little Comp. 28" Mod. Choke | 5198 | 5206 | 5214 | 100.05 | | | |
| 26" Mod. Choke | 5200 5202 | 5208 | 5216 5218 | 129.95 | | | |
| 26% Imp.Cyl. | 5204 | 5212 | 5220 | | | | |
| Model 870 Magnum with Plain Barrel | 6. 1. 1 1 | | | si Sh | | | |
| 30" Full Choke | 4872 | ŀ | | | | | |
| 28" Full Choke | . unitiGas | | 5176 | 124.95 | | | |
| Model 870 Magnum with Vent. Rib Barrel | | | | | | | |
| 30" Full Choke | 4922 | | F140 | 149.95 | | | |
| 28" Full Choke | 5012 | | 5146 | 175.50 | | | |
| Model 870 R Plain 20" Cyl. Choke | 5030 | | | | | | |
| 18" Cýl. Choke | 5032 | | | 94.95 | | | |
| 20" Imp. Cyl. Choke, Rifle Sights | 5028 | | | 104.95 | | | |
| Model 870 SA with Vent. Rib 26" Skeet Choke | 5128 | | E122 | 134.95 | | | |
| 26" with Cutts Comp. | 5130 | | 5132 5134 | 159.95 | | | |
| Model 870 SC with Vent. Rib | | | | | | | |
| 26" Skeet Choke | 5136 | | 5140 | 199.95 | | | |
| Model 870 TB with Vent. Rib | 400C | | | | | | |
| 30" Full Choke 28" Full Choke | 4926 4928 | | | 169.95 | | | |
| 28" Mod. Choke | 4930 | i | | | | | |
| 30" Full Choke 28" Full Choke | 4906 } 4908 } | with Mon | | 179.95 | | | |
| 28" Mod. Choke | 4910 | Carlo Sto | CK | | | | |
| Model 870 TC with Vent. Rib | | | | | | | |
| 30" Full Choke 28" Full Choke | 4938 4940 | | | 229,95 | | | |
| 28" Mod. Choke | 4942 | } | | 223.33 | | | |
| 30" Full Choke 28" Full Choke | 4912 | with Mon | te | 220.05 | | | |
| 28" Mod. Choke | 4924 } 4874 | Carlo Sto | ck | 239.95 | | | |
| Model 870 D with Vent. Rib Barrel | | Special | | 525.00 | | | |
| Model 870 F with Vent. Rib Barrel | | Special | | 1,250.00 | | | |
| Plain Barrel | | , – | | | | | |
| 30" Full Choke 28" Full Choke | 6214 6216 | 6252 | 6270 | | | | |
| 28" Mod. Choke | 6218 | 6254 | 6272 | 25.70 | | | |
| 26" Mod. Choke | 6328 | 6332 | 6334 | 35.70 | | | |
| 26" Imp. Cyl. Choke 20" Cyl. Choke | 6220 6598 | 6256 | 6274 | ! | | | |
| 20" Imp. Cyl. Rifle Sights | 6544 | | | 46.10 | | | |
| Vent. Rib Barrel | | | | | | | |
| 30" Full Choke 28" Full Choke | 6222 6224 | 6258 | 6276 |]] | | | |
| 28" Mod. Choke | 6226 | 6260 | 6278 | 58.75 | | | |
| 26" Mod. Choke | 6318 | 6316 | 6320 | | | | |
| 26" Imp. Cyl. Choke 26" Skeet SA & SC Grades | 6228 6240 | 6262 | 6280 6508 | 1 61.55 | | | |
| 26" SA & SC with Cutts Comp. | 6450 | | 6456 | 83.62 | | | |
| TB & TC Grade Vent. Rib Barrel | | | | | | | |
| 30" Full Choke | 6242 | | | | | | |
| 28" Full Chake 28" Mod. Choke | 6244 6246 | ĺ | | 61.55 | | | |
| *Fair Trade retail prices in states havin | | i e laws. | • | 1 | | | |

Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.



IF YOU LIKE AUTOMATICS . . . you'll like the new Remington "Woodsmaster" Model 742 rifle. A new vibra-honing process makes metal surfaces of this new rifle mirror-smooth — parts work easier, smoother; last longer, too. "Woodsmaster" has many new features, such as: beautiful skip line checkering, restyled fore-end with black fore-end tip, white line spacers, plus a non-slip butt plate. The Model 742 is the strongest automatic big game rifle made. Artillery type bolt has multiple lugs that lock bolt and barrel together as tight as a bank vault. And when the bolt is closed, three rings of steel (bolt, barrel and receiver) enclose the cartridge head. The receiver is milled from a solid block of ordnance steel. Model 742 is so strong it can handle the All-American 30-06 Springfield cartridge. And about the automatic action. First of all, it's dependable -- designed for trouble-free functioning. And the fast, gas-operated action soaks up recoil with no loss of power. You're back on target immediately for those extra shots just in case you need them. But chances are you won't, because Model 742 is one of the most accurate automatics ever made. Why not try the 742 "Woodsmaster" this hunting season. When that big buck busts out of the brush — he's yours.



FAST, EASY LOADING, Interchangeable

4 cartridge magazine facilitates loading and unloading. Extra loaded magazines are easy to carry in pocket.



ROTARY MULTIPLE-LUG BREECH BOLT locks bolt and barrel together securely ... artillery type. Insures constant head space. Model 760 has same exclusive design.

All Models have Du Pont RK-W Wood Finish.

SPECIFICATIONS, ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nos. | Retail Prices* |
|-----------------------|------------------------|-------|-------------------|---------------|-------------------|
| Model 742 | | | | | |
| 6 mm Remington | 9" | 22 | 42 | 9632 | |
| 280 Remington | 9" | 22 | 42 | 9634 | |
| 30/06 | 10" | 22 | 42 | 9636 | \$ 159.95 |
| 308 Win. | 10" | 22 | 42 | 9638 | |
| 243 Win, | 9" | 22 | 42 | 9648 | |
| Model 742 Carbine | | | | | |
| 30/06 | 10" | 181/2 | 381/2 | 9670 | 159.95 |
| 308 Win. | 10" | 181/2 | 381/2 | 9672 | 1 |
| Model 742 BDL Deluxe | | | | | |
| 30/06 | 10" | 22 | 42 | 9666 | |
| 30/06 Left Hand | 10" | 22 | 42 | 9668 | 179.95 |
| 308 Win, | 10" | 22 | 42 | 9640 | 1/3.33 |
| 308 Win, Left Hand | 10" | 22 | 42 | 9644 | |
| Model 742 D "Peerles | s" Grade | | | Spec. | 575.00 |
| Model 742 F. "Premier | " Grade | | | Spec. | 1,250.00 |
| Sling Strap & Quick R | elease Swi | vel | | 6094 | 9.10 |
| (installed) | | | | Specify | |
| Extra 4-Shot Clip | | | | Caliber | 4.50 |

Deluxe models with left hand cheek piece have left hand safeties — both at nextra charge,

CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: rich American walnut. 13% length of pull, 2% drop at heel, 1% drop at comb. Deluxe Model: 13% length of pull, 2% drop at heel, 1% drop at comb, 1% drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. WEIGHT — About 7% lbs. — Carbine 6%" lbs.

*Fair Trade retail prices in states having fair Trade laws. Prices subject to change without notice.



760 BDL DELUXE RIFLE with RK-W Wood Finish, Basket Weave Checkering,
Monte Carlo Stock and Cheek Piece, Step Receiver . . . in 30-06, 270, 308 Calibers

ARE "PUMPS" YOUR CHOICE? The new restyled "Gamemaster" Model 760 is the fastest hand operated big game rifle made. It has many features similar to the automatic, such as: New vibra-honing process - inside and out - makes metal surfaces silky smooth; parts work friction-free. New skip line checkering gives this rifle a distinctive look and the checkering assures a non-slip grip. Other new features are: Streamlined beavertail fore-end with black tip, white line spacers on butt plate, grip cap and fore-end and a newly designed non-slip butt plate. Pump it and your trigger finger never leaves the trigger. Aim it and your eye never leaves the sights. Double action bars prevent twisting and binding. Accuracy is there, too; crisp trigger, precision rifling and a free-floating barrel are working for you -- helping you put that buck in the freezer. Because of its super strong artillery-type bolt, Model 760 is the only pump action big-game rifle that's chambered for the popular and powerful 30-06 Springfield cartridge. Why not take one on your next deer hunting trip. It's "buck insurance."



LIGHTNING FAST ACTION — A flick of your forearm keeps you shooting; double action bars prevent twisting and binding. Pumping is effortless, like a ballbearing action.



REMINGTON FIRE CONTROL trigger must be released and squeezed for each shot — can't fire unless action is completely closed. An important safety feature.

All Models have Du Pont RK-W Wood Finish.

SPECIFICATIONS, ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn in | | | Order Nos. | Retail Prices* | | | |
|--|---------------------------------|--|--|--|-------------------|--|--|--|
| Model 760 223 Remington (5.56 mm) 270 Win. 30/06 308 Win. 243 Win. | 12" 10" 10" 10" 9" | 22 22 22 22 22 22 | 42 42 42 42 42 | 9724 9726 9730 9732 9678 | \$ 139.95 | | | |
| Model 760 Carbine 30/06 308 Win. | 10" 10" | 18½ 18½ | 38½ 38½ | 9698 9714 | 139.95 | | | |
| Model 760 BOL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand 270 Win. 270 Win. Left Hand | 10" 10" 10" 10" 10" | 22 22 22 22 22 22 22 22 | 42 42 42 42 42 42 42 | 9692 9694 9706 9710 9708 9712 | 159.95 | | | |
| Model 760 D "Peerless" | Grade | | | Spec. | 575.00 | | | |
| Model 760 F "Premier" (| Model 760 F "Premier" Grade | | | | | | | |
| Sling Strap & Quick Rele (installed) | 6096 Specify | 9.10 | | | | | | |
| Extra 4-Shot Clip | , | | | Caliber | 3.90 | | | |

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.

CAPACITY — 4 in clip magazine plus one in chamber except 223 Rem. (5 in clip).STANDARD STOCK DIMENSIONS — Stock and fore-end: rich American walnut. 13%" length of pull, 2%" drop at heel, 1%" drop at comb. Deluxe Model: 13%" length of pull, 2%" drop at heel, 1%" drop at comb, 1%" drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. WEIGHT — About 7% lbs. — Carbine 6%" lbs.

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.





WORLD'S STRONGEST BOLT AC-TION. Cartridge head is encased and supported by ring of solid steel. When action is closed, three rings of steel support the cartridge head. It's super-strong.



BOLT KNOB is checkered, top and bottom. Grip is custom checkered. BDL Model has grip cap and white spacers.



MONTE CARLO STOCK and CHEEK PIECE make the model 700 good to look at . . . and good to shoot. There's a better cheek-to-stock fit with a Monte Carlo stock and cheek piece . . . which means quicker, surer sight alignment with either scope or iron sights.


When the Model 700 was first developed, our tests proved that we had produced the finest center fire bolt action rifle ever made. Now our sales records have proven it again. Since its introduction, shooters have bought more Remington Model 700's than any other center fire bolt action rifle on the market in its price class. And their reasons for buying make good sense. For example:

The Remington 700 bolt action is designed for the real rifleman. The shooter who wants the accuracy bonus of Remington's famous precision rifling and short, crisp trigger pull. The hunter who appreciates the comfort of a cheek piece and Monte Carlo comb on an all-purpose stock that gives superb balance and perfect alignment with either 'scope or open sights. The crastsman who loves the traditional beauty of fine checkering. And it has a beautiful wood finish that is tough, hard, scratch-resistant — gives lasting protection against hard usage and bad weather. The 700 owner also gets the world's strongest bolt action. The bolt head completely encloses the cartridge case in a ring of steel. And the Model 700 is available in 14 popular calibers.

BEAUTIFUL, SUPER-TOUGH RK-W FINISH, the most durable wood finish known, is now on all Model 700 Rifles, Du Pont-developed RK-W finish is similar to that used on bowling pins, No wonder it's good on guns.

LONG 22" BARRELS are now standard on the following rifles: 6 m/m Rem., 243 Win., 270 Win., 30-06 and 308 Win. Varmint and Magnum calibers are unchanged at 24" and Safari calibers at 26".

SIGHTS ARE NOW DETACHABLE. If a shooter who uses a scope prefers to remove the iron sights, it's now an easy matter. Filler screws supplied in the receiver will plug the sight fastening holes.



NEW Model 700 BDL "VARMINT SPECIAL"



Heavy 24" barrel with target rifle (Remington 40XB) scope bases. CHAMBERED FOR 5 of the hottest varmint calibers: 222 Rem., 223 Rem., 22-250 Rem., 6 mm Rem., 243 Win.

The Model 700 is one of the fastest selling bolt action center fire rifles. Now it's made in the new BDL "Varmint Special" version — designed for minimum-target, maximum-range precision shooting.

It's chambered for 5 of the hot ones — 5 fast-and-flat shooting cartridges that are sure medicine on chucks, 'cats, foxes and other pests — and its 24" heavy barrel places

this rifle in a new accuracy class.

Target-rifle (Remington 40XB) scope bases — hinged floor plate — quick release swivels and strap — crisp, smooth trigger — Monte Carlo stock with cheek piece — Du Pont developed RK-W wood finish — custom quality checkering . . . they all add up to "something special in a varmint special" . . . the one you'd expect from Remington.

SPECIFICATIONS, ORDER NUMBERS AND PRICES . MODEL 700 ADL, BDL AND VARMINT

| | | Twist-R H | Вагте | Length | Overall | Length | Weig | ht Lbs. | 700 | ADL | 70 | BDL | Yarmi | nt Model |
|---|--|--|---|---------------------------------|---------|--------------------------------------|--|---------|--|--------------------|--|------------------------------|--------------------------------------|----------------|
| Calibers | Cap. | 1 Turn in | Reg. | Var. | Reg. | Var. | Reg. | Var. | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| 22-250 Rem. 222 Rem. 222 Rem. Mag. 223 Rem. 6 mm Rem. 243 Win. 270 Win. 30-06 308 Win. • 7 mm Rem. Mag. • 264 Win. Mag. • 300 Win. Mag. • 315 H&H Mag. • 458 Win. Mag. | 5 6 6 5 5 5 5 5 4 4 4 4 | 14" 14" 14" 12" 9" 10" 10" 10" 10" 10" 11" 11" | 24" 24" 22" 22" 22" 22" 124" 124" 124" 1 | 24" 24" 24" 24" 24" | | 43½" 43½" 43½" 43½" 43½" | 7 7 7 7 7 7 7 7 7 7 1½ 7½ 7½ 9 9 | 9 9 9 9 | 5940 5950 5958 5942 6044 5948 5946 5956 5952 6046 | \$134.95 149.95 | 6010 6024 6032 6018 6034 6022 6020 6030 6026 6036 6012 6040 6042 | \$154.95 169.95 329.95 | 5928 5930 5932 5934 5936 | \$ 169.95 |

[•] Have recoil pad. †Stainless steel barrel. *Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.

STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sling strap and quick release swivels, and black fore-end tip. 13% " length of pull, 2%" drop at heel, 11%" drop at comb (from open sight line) checkered. SIGHTS — Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights, RECEIVER — Drilled and Tapped for scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type scope mounts.

Model 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order No. 6382 — \$9.10



In two favorite brush-busting big game calibers, 30-30 and 44 Rem. Magnum and two super-accurate long range varmint calibers, 222 Rem. and 22-250 Rem.

Now you can get a moderately priced Remington bolt action rifle in one of the most famous deer calibers ever designed — the popular 30-30. Over the years, this caliber has probably taken more deer than any other single caliber. Or you can get this new rifle in still another game-getter, the 44 Remington Magnum, which is rapidly gaining in popularity because of its tremendous shocking and stopping power. This cartridge has a heavy bullet which plows through the thickest brush with little deflection. Now you can get bolt action accuracy in both of these calibers . . . with the new Remington Model 788.

And Model 788 offers still more. If you're a varmint shooter, you have a choice of two of the hottest varmint calibers—the sizzling 22-250 Remington or the superaccurate 222 Remington. Both calibers are rough on varmints and small game. This bolt action beauty does not carry a big price tag. It's priced right—so that every hunter can afford it. There are no fancy frills, just solid, rugged, long-lasting dependability... true Remington quality. The many outstanding features described below are your assurance that this new Remington rifle is built to last for many, many years.

Quality Features of the REMINGTON MODEL 788

ARTILLERY TYPE BOLT has nine extra heavy locking lugs that engage grooves in the solid steel receiver for a strong, secure lock-up . . . like a bank vault. Rear bolt cover provides extra protection and streamlining.

CLIP MAGAZINE slips in or out of the receiver in seconds with one hand; makes loading or unloading simple and safe. No working cartridges through the action. An extra pre-loaded magazine in your pocket speeds up loading.

TAPERED BARREL is finest ordnance steel — precision rifled for extreme accuracy at all hunting ranges. Barrel is crowned at muzzle. Elevated barrel bracket provides a solid, positive 'scope back-up.

ROUND RECEIVER permits perfect wood-to-metal bedding . . . which in turn contributes to fine accuracy. Receiver is also drilled and tapped for 'scope mounts and receiver sight at left rear.

BLADE FRONT SIGHT on serrated ramp is detachable and U notch rear sight is lock-screw adjustable for windage and elevation. Rear sight barrel holes are correct for target scope block.

BIG SERRATED SAFETY is convenient and well positioned at rear of receiver. Forward for fire; rearward for safe.

ALL-PURPOSE MONTE CARLO STOCK with pistol grip is designed for use with 'scope or open sights. Full size fore-end provides a sure grip for holding and aiming.

HUNTING TYPE TRIGGER. Sturdy trigger guard is big enough for use with gloves. Trigger pull is crisp and clean; you can feel the quality when you squeeze off shots in this new model. Exceptionally fast lock time contributes to fine accuracy.

SPECIFICATIONS, ORDER NUMBERS AND PRICES

| Calibers | Clip Mag. Cap. | Twist-R H 1 Turn in | | | Av. Wt. Lbs. | | Retail Prices* |
|---|-------------------|--------------------------|--------------------------|-----------------------------------|--------------------|------------------------------|-------------------|
| Model 788 222 Rem. 22-250 Rem. 30-30 44 Rem. Mag. | 4 3 3 3 | 14" 14" 10" 38" | 24" 24" 22" 22" | 435/8" 435/8" 415/8" 41" | 7½ 7½ 7 7 | 9722 9736 9738 9740 | \$89.95 |
| Sling Strap & Extra Clip (Spe | ĺ | | | 6426 | 5.40 3.90 | | |

STOCK — American Walnut, Monte Carlo type. 13%" length of pull, 2%" drop at heel, 1%" drop at comb (from open sight line). SIGHTS — Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER — Drilled and tapped for 'scope mounts and receiver sight. Detachable clip type magazine.

^{*}Fair Trade retail prices in states having Fair Trade lawe Prices subject to change without notice.





Sleek New Remington Model 660 Carbine packs the power and punch to knock down any big game in North America

The new Model 660 bolt action center fire carbine has power ... lots of it ... all the way up to that powerhouse — the 350 Remington Magnum Caliber. But it has more than power. It's actually an improvement and a replacement for the Remington Model 600 carbine ... which already has an excellent reputation. So it wasn't easy making changes ... but the changes we did make give the shooter a better looking, better performing, more accurate rifle. For example:

New metal finishes, inside and out, are now silky-smooth for fast, friction-free operation; thanks to a new vibra-honing process. Receiver is already drilled and tapped; it's a simple matter to install a 'scope. New adjustable sights are the same dependable type that are on the Remington Model 700. The fore-end was redesigned and a good-looking black fore-end tip was added plus a black grip cap with diamond inlay. Three white line spacers on the fore-end, grip cap and butt plate give this carbine an attractive appearance — in the field or in a gun rack. New 20" magnum barrel (for greater accuracy and stability) is now standard on both the Model 660 regular and Model 660 magnum rifles. Over-all measurement is a comfortable, fast-handling carbine length (38¾"). Convenient length means this rifle goes anywhere - in a saddle scabbard, pick up truck or carrying in heavy brush country. The new bolt cover at rear keeps out dirt, grit and bad weather. And one of its best features is this: It has the world's strongest bolt action. Three rings of solid steel surround the cartridge head.

FEATURES MODELS 660 AND 660 MAGNUM

CUSTOM CHECKERING on fore-end and grip is fine-lined, uniform, good looking.

MONTE CARLO STOCK means a better cheek-to-stock fit for quicker, surer sight alignment with either a 'scope or open sights.

WORLD'S STRONGEST BOLT. When bolt is closed, three rings of steel surround and support the cartridge head.

FORWARD "S" BOLT HANDLE hugs the stock— doesn't stick out. Half knob is serrated on the bottom for a good secure grip. No bruised fingers from recoil.

ROTATING THUMB SAFETY is conveniently located at the rear of the receiver marked "F" for fire; "S" for safe.

ADJUSTABLE SIGHTS. Brass bead on front sight. Sturdy U notch rear sight is adjustable for elevation and windage.

TRIGGER is extra wide and corrugated; crisp and clean — no creep, no spongy action.

STOCK. Model 660 has American walnut. Model 660 Magnum has lamination of walnut and beech that provides tremendous strength, stability and beauty.

WQQD FINISH is famous DuPont RK-W that's tough, scratch and water resistant, the most durable wood finish known.

RECOIL PAD on Model 660 Magnum cushions the recoil of the game-getting 350 Rem. Mag. and 6.5 mm Rem. Mag. calibers.

MAGNUM BARREL on both models. Free floating barrel provides extreme accuracy.

'SCOPE BACK-UP. Strong bracket of steel forms 'scope mount back-up which takes vibration and recoil; keeps scope "zeroed in."

SPECIFICATIONS, ORDER NUMBERS AND PRICES

| | Fixed Mag. Cap. | Bbi. Lgth. | O.A. Lgth. | Avg. Wt. | Twist, RH 1 turn in | Order Nos. | Retail Prices' |
|---|-----------------------------|-------------------------------------|---|----------------------------|------------------------------|--------------------------------------|-----------------------|
| Madel 660 Reg. 222 Remington 6 mm Remington 243 Win. 308 Win. Sling Strap & Quic | 6 5 5 5 k Relea | 20" 20" 20" 20" ase Swi | 38¾" 38¾" 38¾" 38¾" vels (insta | 6½ 6½ 6½ 6½ 6½ | 14" 9" 9" 10" | 9618 9620 9622 9624 6382 | \$119.95 1 9.10 |
| Model 660 Mag. 350 Rem. Mag. 6.5 mm Rem. Mag. | 4 | 20" 20" | 38¾" 38¾" | 6½ 6½ | 16" 9" | 9626 9628 | 149.95 |

STOCK — American Walnut (regular model) laminated walnut and beech (magnum). Custom checkering, Monte Carlo stock with fluted comb. 14" length of pull. 2" drop at heel, 17%" drop at comb. SIGHTS — Ramp front sight with brass bead. "U" notch rear sight, adjustable for elevation and windage. RECEIVER — Drilled and tapped for 'scope mounts. Fixed magazine.

REMINGTON MODEL XP-100 LONG RANGE PISTOL

BOLT ACTION • SINGLE SHOT CENTER FIRE



^{*}Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.



The 580 series of holt action rifles are what you asked for; 22 rim fire rifles with the look, feel and balance of big game center fire rifles - plus the strongest, most powerful bolt ever designed into a 22 caliber hunting rifle. How did we do it? Well, we started by redesigning the bolt, making it stronger, smoother, better. It's the artillery type with rear lock-up. The bolt has six extra-heavy, rotary locking lugs at the back that engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it - work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel. Here is strength that has never been equalled in any 22 bolt action hunting rifle. Other features are:

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean -no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger.

BOLT COYER at rear keeps out dirt, grit and bad weather.

FULL SIZE MONTE CARLO STOCK with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheek-to-stock fit that means more hits-with or without a 'scope.

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch lock-screw adjustable rear.

ROUND RECEIVER means bedding into the stock can be more precise, which in turn contributes to fine accuracy. The receiver is also grooved for tip-off 'scope mounts.

ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle and polished and blued for good looks and long wear.

TWO EXTRACTORS are standard on these rifles.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety-forward for fire; rearward for safe. Marked "F" for fire; "S" for safe.

TRUE REMINGTON QUALITY and bulls-eye performance—that's what you get when you shoot these rifles. Here's why: Strength and rigidity of bolt, adjustable sights, hunting type trigger, round receiver for snug bedding, precision rifled barrel plus fastest lock-time; here's an accuracy combination that's hard to beat.



MODEL 514

Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with self-cocking bolt, rotary thumb safety and takes all 22 caliber cartridges short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR "Boy's Rifle" with cut down stock.

SPECIFICATIONS: ACTION - All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER - 22 rim fire; short, long, or long rifle cartridges. CAPACITY — M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. BARREL - 24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK - Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS -- Front; bead, dovetail adjustable. Rear: U Notch type, lock-screw adjustable. BOLT -Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER - Round, ordnance steel, grooved for 'scope mounts. SAFETY - Positive. serrated thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH - 42%". WEIGHT - M/580 5 lbs., M/581 51/4 lbs., M/582 51/2 lbs.

SPECIFICATIONS: MODEL 514 - ACTION - Bolt action, single shot. CALIBER - 22 short, long, long rifle rim fire. CAPACITY - Single shot. BARREL - 24 inch, precision rifled, Remington ordnance steel. STOCK - Walnut finished hardwood, full sized, black butt plate. SIGHTS - Bead front sight, open rear. SAFETY -- Rotary thumb safety. RECEIVER -- Made from solid steel. OVER-ALL-LENGTH — 41 inches. Boy's rifle 40 inches. WEIGHT — 4% lbs.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Bolt Action 22 Caliber Rifles | Order Nos. | Retail Prices* |
|--|------------------------------|--|
| Model 580 Single Shot Model 580 Single Shot, Smooth Bore Model 581 Clip Repeater Model 582 Tubular Repeater Sling Strap & Swivels (Installed) Model 581 — Extra 5-shot Clip | 9852 9864 9854 9856 | \$34.95 39.95 44.95 49.95 5.40 2.40 |
| Model 514 Single Shot Model 514 BR Single Shot Boy's Rifle | 5572 5582 | 26.95 26.95 |

Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice

Remington Minimum Nylon 66 22 Rim Fire RIFLES



Remington's Nylon 66 is setting an amazing record in sales and customer acclaim. Here's whyl

BARBER - PRESALE R 0124225

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 21/2" wood blocks. Only six misses out of over 100,000 blocks thrown . . . and without a malfunction.

Receiver parts, stock and barrel are a bold interlocking of steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure holding, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip. Available in Mohawk Brown and Apache Black with chrome plated barrel and receiver.




The Nylon 66 is also made in an Apache Black deluxe model. The stock is Du Pont Zytel black nylon and both the barrel and the receiver cover are chrome plated. Inside, it's the same reliable, trouble-free rifle as the standard mohawk brown model.

The Nylon 64 is the most rugged automatic 22 rim fire rifle made. Maskan fishermen think so, too; they use it on their fishing boats to keep marauding sea lions out of their nets. Salt spray, foul weather, fish slime and mud knock out other 22's. But not the Nylon 66. This is why these fishermen look on the Remington Nylon 66 as almost a "tool-of-the-trade." Still further proof: Trappers in the humid bayous along the Gulf States swear by the "gun with the nylon stock." Why? Same reasons; it's tough, it works under all conditions, it stands up . . . and it's exceptionally accurate.


Ask your dealer to see the fabulous Nylon 66, in Apache Black or Mohawk Brown. They're both winners.



IT'S AMAZINGLY ACCURATE . and fore-end are precisely mated to give outstanding accuracy. Structuralnylon permits three-point bedding found only in costly target rifles.



TOP-OF-GRIP THUMB SAFETY. The most convenient, easiest to use safety ever designed for 22 rifles.



LOADING IS FAST, EASY — a twist of wrist and tubular magazine is removed or replaced through butt plate. Single loading for beginner is handled smoothly through port with automatic ejection of fired round.

district A course . - Automatic, CALIBER - 22 long rifle Rim Fire. CAPACITY — Tubular magazine thru butt stock. Holds 14 long rifle cartridges. BARREL — 19% inch, precision rifled, Remington Ordnance Steel. STOCK - One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. SIGHTS --Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY - Top-of-grip. RECEIVER - Grooved for "tip-off" 'scope mounts. OVER-ALL LENGTH - 381/2". COLOR - Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receiver cover. WEIGHT - 4 lbs.


| Nylon 22 Caliber Rifles | Order Nos. | Retail Prices** | | | |
|--|------------|-----------------|--|--|--|
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | \$ 49.95 | | | |
| Nylon 66 AB "Apache Black" Automatic | 5486 | 54.95 | | | |
| Nylon 66 GS "Gallery Special" (22 Shorts Only) | 5512 | 59.95 | | | |
| Sling Strap & Swivels (installed) | 6418 | 5.40 | | | |


We guarantee that these stocks will not warp, crack, chip, fade or life of the rifle — or we will replace it free.

*Fair Trade retail prices in states having Fair Trade laws Prices subject to change without notice.



VERSATILE. Shoots 22 Short, Long and Long Rifle cartridges interchangeably without adjustment. Load 'em up in any order and start shooting. Your trigger finger does all the work.







Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced . . . the rifle you'll want for small game hunting, controlling crop-destroying and marauding pests, or for just plain fun-shooting. The Model 552 is another member of Remington's "family of guns"; looks, handles and shoots like its big brother, the Model 742 big game rifle, "Speedmaster" has every feature the shooter wants, such as; twenty shots as fast as you can squeeze the trigger, rich walnut stock, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available in the short barrel (21") carbine model, the Gallery Special and the new deluxe model. Pick a 552 off the rack at your dealer's - heft it - throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" ... because it's made right.




This rugged and dependable automatic will handle, interchangeably and without adjustment, Short, Long and Long Rifle cartridges.



Model 550

Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 20 Shorts, American walnut stock, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed - an exceptionally fine all-around rifle for the hunter or plinker . . . and good for week-end family fun, too.





SINGLE LOADING — It's the only slide action 22 rifle with positive single loading through the ejection port — a feature especially important to parents and shooting instructors.

FAST, POSITIVE ACTION — short stroke operation is fast and smooth . . . ideal for plinking or for getting off quick shots at hard-to-hit game. The Model 572 "Fieldmaster" shoots as fast as you can flick the fore-end.

SHOOTERS FORGET—but a "Fieldmaster" won't. For extra safety it's designed not to fire if the trigger is pressed while the action is being closed. Trigger must be released and pressed for each shot.



SPECIFICATIONS: MODEL 552: ACTION — Automatic. CALIBER — 22 Rim Fire. CAPACITY — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. SIGHTS — Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. STOCK — Rich American walnut. SAFETY — Cross-bolt type. RECEIVER — Grooved for "tip-off" scope mounts. OVER-ALL LENGTH — 42"; 40" (Carbine), WEIGHT — 5½ lbs.

MODEL 550: Same as Model 552 except: SAFETY — Thumb style. OVER-ALL LENGTH — $43\frac{1}{2}$ ". WEIGHT — $6\frac{1}{4}$ lbs.

MODEL 572: Same as Model 552 except: ACTION -- Pump, repeater.


For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 short, 17 long or 15 long rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| | Order Nos. | Retail Prices* |
|---|------------|----------------|
| Model 552 22 Caliber Automatic Rifle | | |
| 552 A Automatic | 5608 | \$ 59.95 |
| 552 C Carbine | 5612 | 59.95 |
| 552 BDL Deluxe | 9830 | 69.95 |
| 552 GS "Gallery Special" (22 Shorts Only) | 5610 | 71.95 |
| Sling Strap and Swivels (installed) | 6430 | 7.50 |
| Model 550 22 Caliber Automatic Rifle | | |
| 550 A | 5596 | \$ 56.95 |
| Sling Strap and Swivels (installed) | 6428 | 5.40 |
| Model 572 22 Caliber Slide Action Rifle | | |
| 572 A | 5626 | \$ 61.95 |
| 572 BDL Deluxe | 9832 | 74.95 |
| 572 SB Smooth Bore | 5628 | 71.95 |
| Sling Strap and Swivels (installed) | 6432 | 7.50 |

^{*}Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.

Remington Target Rives



Exclusive loading platform provides straight line feeding; no shaved bullets. Specially selected ordnance steel barrel with the new Remington-process rifling. Choice of free floating standard or heavy barrels. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate. Adjustable sling swivel and handstop. Extra strong bolt with double extractors. Crisp trigger with positive click adjustments for weight of pull. Wide trigger for more uniform pull and comfort. Thumb operated safety. Receiver drilled and tapped for all standard sight mounts — telescope and metallic. Redfield Olympic front and rear sights optional. New long rail for fore-end stop and palm rest.

SPECIFICATIONS: MODEL 40 XB (Rim Fire Rifle): ACTION — Bolt, Single Shot. CALIBER — 22 Rim Fire. Some Center Fire. CAPACITY — Single loading. Long Rifle only. SIGHTS — Redfield Olympic front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Drilled & tapped for iron sights or 'scope mounts. BARREL LENGTH — 28". Over-all rifle length 47". LENGTH OF PULL — 13½". (Trigger adjustable 2 to 4 lbs.) STOCK — American walnut. Palm rest & front swivel block, adjustable on base. WEIGHT — With Redfield sights heavy barrel 12¾ ibs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.



(Center Fire Model) Now Available in Repeating Model for use in National Match Course

The 40 XB center fire rifle is designed with clip slots for the conventional five shot clip. It loads from the top of the receiver and the magazine has a hinged floor plate. Clip slots are provided only in calibers with 308 head diameter. The 40 XB center fire repeating rifle is ideal for the rapid fire events, especially in the 7.62 mm Nato (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40 XB center fire is offered in several center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. Heavy barrel model meets the National Bench Rest Shooters Association rules for the Heavy Varmint Class with most target telescopes. (Max. weight 13½ lbs.) Standard barrel model can be made to fit the NBRSA Light Varmint Class rules by using a light scope and removal of wood from beneath the barrel and butt plate. (Max. weight 10½ lbs.) Stainless steel barrels are supplied as standard on 7 mm Rem. Magnum and 30-338 at extra charge. Stainless steel is also recommended for 22-250 and 6 mm Rem. (at extra charge.) Stainless 40 XB barrels are not blued.

SPECIFICATIONS: MODEL 40 XB (Center Fire Rifle): ACTION — Bolt, Single Shot & Repeating. CALIBERS — Single Shot — 222 Rem., 222 Rem., 2223 Rem., 22-250, 6 mm x 47 mm (6 mm .222 Mag.), 6 mm international (6 mm on .250 Sav. case), 6 mm Rem. (244 chamber), 243 Win., 6.5 mm Rem. Mag., 7 mm Rem. Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag.). Repeating — 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223 Vin., 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250. Calibers whose over-all loaded length is equal to or shorter than the 308. CAPACITY—Single loading and repeater. (Loads from top of receiver). SIGHTS — Redfield Olympic front & rear sights optional. SAFETY — Thumb operated safety, positive. RECEIVER — Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. BARREL LENGTH — 27½" free floating. Overall Length of rifle 47". LENGTH OF PULL — 13½". Trigger adjustable 1 to 3½" ibs. 2 ounce Trigger available at \$40. extra. STOCK — Selected American Walnut. Fore-end stop and sling swivel adjustable on base. AVERAGE WEIGHT — Without Sights: Heavy Barrel 11½ lbs., Standard Barrel 9¾ lbs.




22 caliber target rifle. Stock specially proportioned for accurate sighting, steady holding. Heavy 27" barrel. Adjustable trigger pull, 6-shot box magazine. Redfield front and rear sights. 1¼" leather sling, adjustable front swivel.

SPECIFICATIONS: MODEL 513 T: ACTION — Bolt, Repeater. CALIBER — 22 Rim Fire. CAPACITY — 6-shot Clip magazine. 10-shot Clip available. Long Rifle only. SIGHTS — Redfield micrometer front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Drilled & tapped for iron sights or 'scope mounts. BARREL LENGTH — 27". Over-all rifle length 45". LENGTH OF PULL — 13½". (Trigger to center of butt plate.) STOCK — American walnut. Sling Strap. WEIGHT — 8% lbs.



Remington's lowest-priced target 22—and it's convertible! Just remove target aperture from micrometer rear sight and you have a fine hunting rifle with peep sight. Patridge-type front sight. 6-shot box magazine, I shot in chamber gives 7-shot capacity. Complete with sling strap, adjustable swivel. Chambered for 22 long rifle only.

SPECIFICATIONS: MODEL 521 T — Same as Model 513 T except; SIGHTS — Micrometer rear, blade front. RECEIVER — Drilled & Tapped for Lyman 57 RS peep sight. BARREL LENGTH — 25". Over-all rifle length 42%". LENGTH OF PULL — 131/4". (Trigger to center of butt plate). WEIGHT — 61/2 lbs.



40 XB type action, precision heavy barrel, rough-turned laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost.

USE NUMBERS FOR EASY, ACCURATE ORDERING

| Model 40 XB "Rangemaster" | Order Nos. | Retail Prices* |
|--|------------------------------|---|
| S1 Std. Barrel with Sights, Rim Fire—22 Cal. H1 Heavy Barrel with Sights, Rim Fire—22 Cal. H2 Heavy Barrel without Sights, Rim Fire—22 Cal. S2 Std. Barrel without Sights, Rim Fire—22 Cal. | 5674 5670 5672 5676 | \$189.95 159.95 |
| CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire Extra for repeating Center Fire Models Extra for calibers requiring stainless barrels Extra for 2 Oz. Trigger (12 weeks or more for center fire models) | Special Special | \$199.95 199.95 20.00 20.00 40.00 |
| Model 513 "Matchmaster", Rim Fire Only 513 TR "Target" Grade with Sights 513 TX "Target" Grade without Sights Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5564 5566 6388 6390 | \$ 99.95 79.95 2.40 3.10 |
| Model 521 T, Rim Fire Only 521 T "Target" Extra 6—Cartridge Clip Extra 10—Cartridge Clip | 5588 6388 6390 | \$ 69.95 2.40 3.10 |
| International Free Rifle, Rim Fire & Center Fire | Special | 361.05 |

*Fair Trade retail prices in states having Fair Trade laws. Prices subject to change without notice.





TABLE OF CONTENTS

| REMINGTON FIREARMS | |
|---|--------------------------------------|
| SHOTGUNS | Pages |
| Automatic Model 1100, Pump Action Model 870 "Wingmaster" (28 & 410 Ga.) Automatic Model 1100 (12, 16, 20 Ga.) Pump Action Model 870 "Wingmaster" (12, 16, 20 Ga.) | 4, 5 6, 7 8, 9 10, 11 |
| CENTER FIRE RIFLES Bolt Action Model 700 | 14, 15 15 |
| RIM FIRE RIFLES Bolt Action Models 580, 581, 582 Bolt Action Model 514 Automatic Nylon 66 Automatic Model 552 "Speedmaster" Automatic Model 550 Pump Action Model 572 "Fieldmaster" | 20, 21 22, 23 22, 23 22, 23 |
| TARGET RIFLES Bolt Action Model 40XB "Rangemaster" | 24, 25 |


| Bolt Action International Free Rifle Bolt Action Model 540XB | 24, 25 |
|--|------------------------|
| 40XB | 26, 27 |
| REMINGTON-PETERS AMMUNITION | |
| Shotgun Shells | 29 |
| Shot Sizes | 32, 33 32, 33 33 |
| Center Fire Rifle Cartridges Center Fire Pistol & Revolver Cartridges Pistol & Revolver Bullet Types | 34-39 |
| Ammunition Components | 42 |
| REMINGTON TRAPS | |
| Trap & Skeet Equipment | 30, 31 |
| The cover and the framed illustrations on t | |

The cover and the framed illustrations on firearms pages were done by Bob Kuhn, well-known wildlife artist and sportsman.





NEW for 1969



Complete Specifications on Pages 10 and 11

28 and 410 Gauge Now Available in Remington Model 1100 Automatic Shotgun-Remington Model 870 "Wingmaster" Pump Action Shotgun

HERE, AT LAST, ARE THE TWO REMINGTON SHOTGUNS MOST REQUESTED BY SHOOTERS FROM ALL OVER THE WORLD. Built on its own receiver frame and copied after the famous 1100 auto-

copied after the famous 1100 automatic and 870 "Wingmaster" these light weight small gauge models with extra soft recoil are just the ticket for a light field gun, teaching a woman or youngster to shoot, or banging away on the skeet field. These new models will surely satisfy the keen desire of a true sportsman who enjoys the competitive challenge of shooting small gauge guns.

Model 1100 Automatic 28 and 410 Gauges Priced from \$174.95

The Model 1100 needs no introduction to sportsmen. For the past five years its dependability, light recoil, and attractive appearance has made it the top favorite with shooters.

Now, the world's most popular small gauges, the 28 and 410, are members of the 1100 line.

For the first time ever, Remington is offering a proven and dependable gasoperated automatic in all five gauges, 12, 16, 20, 28, and 410. The 410 gauge field grade will handle 3" shotgun shells only. With the addition of the 28 and 410 gauges, it is now possible to own five guns with the look, teel, and balance of one.

Model 1100 field grade 28 and 410 mgauge guns will be supplied with mahogany stocks and fore-ends (for extra

light weight), and plain or ventilated rib barrels.

Model 870 "Wingmaster" Pump Action 28 and 410 Gauges Priced from \$119.95

1969 marks the 20th year the Model 870 pump has been in continuous production at the Remington Arms Co. While some changes have been made in the Model 870, over the years, our engineers have been unable to improve the basic design of this shotgun.

We're pretty proud that a "Wingmaster" is in the gun cabinets of well over a million sportsmen throughout the world. The addition of 28 and 410 gauges in the 870 pump line will enable current 12, 16, and 20 gauge "Wingmaster" owners to shoot a lighter gun built on its own receiver frame that has the same balance and pointing characteristics of their old favorite.

Designed to handle all 28 gauge and 2½" and 3" 410 gauge shotgun shells, the 870 field grade will be available with a plain or ventilated rib barrel and mahogany stock and fore-end for extra light weight. All the features of the old standard 870 "Wingmaster" in heavier gauges have gone into the production of the 28 and 410 gauges. They're fine counter parts of an already proven shotgun.


Models 870 and 1100 Matched Pair Skeet Guns, 28 and 410 Gauges Priced at \$395.00 and \$495.00

A matched pair of either Model 1100

or 870 skeet guns in 28 and 410 gauges is now available for the skeet shooter who enjoys the challenge of shooting small gauge guns. Both guns will be supplied in a hard vinyl trunk-type gun case. These guns will be offered with identical matched pair numbers distinctively gilded in golden scroll on the receiver and sure to be collectors' items.

Models 1100 and 870 skeet guns have American walnut stocks and fore-ends and ventilated rib skeet bored barrels (Model 1100 410 ga. skeet guns have 2½" chambers for improved patterns on the skeet field). Due to the tremendous demand for these models and limited production, 28 & 410 ga. skeet guns will be available as matched pairs only in 1969.






filled with shot, will weigh approximately 12 ounces.

🛊 1 — MODEL 1100, 410 Ga., Fwil Choke, \$199.95 2 — MODEL 1100, 28 Ga., Mod Choke, \$199.95 3 — MODEL 870, 410 Ga., Full Choke, \$144.95

4 — MODEL 870, 28 Ga., Med Cheke, \$144.85 5, 6 — MODEL 1100 Matched Pair 410 Ga. and 28 Ga., Skeet, \$495.00. (Price Includes Twin Gun Case and Match-Weight Skeet Caps.)



Remington Mod 1



Complete Specifications on Pages 10 and 11

200 Automatic Shotgun-

12.16 and 20 Gauges - Priced from \$164.95


THE MODEL MOOPISUITHE MOST DEPENDABLE AUTOMATIC SHOTGUN MADE AND THE BIG-GEST SELLER IN THE UNITED STATES.

The confidence of the confiden

What more can we say other than tell you what hundreds of thousands of 1100 owners already know. Remington automatic shotguns have been manufactured continually since 1905. And, when you've been making anything as long as we've been making automatic thotguns, you learn how to make them 19th. All the things we've learned down through the years, exist in the Model 1100. We're pretty proud of this model and the excellent reputation it has earned in six short years.

Here are some of the features that have made it the great gun it is:

DEPENDABILITY — In all kinds of weather with all kinds of loads, the 1100 will give you the performance you have come to expect from Remington.




Its gas metering system is designed to perate with all types of shotgun shells making it possible for you to hunt a variety of game with the proper ammunition. This unique design enables the shooter to use all 234" standard velocity, "Express", and 234" magnum loads without any gun adjustments. For long range shots, the 1100 magnum duck gun is just the ticket. It was designed with the waterfowl hunter in mind and will function exclusively with 234" and 3" magnum shotgun shells.

At the 1968 World's Skeet Shooting Championships, there were more Model 1100s on the firing line than any other shotgun by a wide margin. Also, at last year's Grand American Trapshoot, more trophies were won in the Doubles Target Championship event with 1100 trap guns than any other shotgun. Proof enough competitive shooters put their confidence in the Model 1100. Barrels, within gauge and similar chamber lengths, are interchangeable in seconds, no factory fitting is required. There are 72 different chokes, barrel lengths, and gauge combinations to choose from, when selecting a 12, 16, or 20 gauge Model 1100.

RECOIL — There really isn't much. As a matter of fact, the correct word to use is "push." The 1100 gives up to 40% less "kick" than any other shotgun action. Your shoulder feels a "push" rather than a "punch." The secret is in Remington's system of gas metering which handles recoil slowly and evenly. The power is still there, but your shoulder doesn't feel it. This means more pleasureable shooting hours with less body fatigue, shot after shot after shot.

If you're thinking about buying a new shotgun for your wife or youngster, it makes good sense to select a gun that's a pleasure to shoot. A gun like the 1100.



APPEARANCE — In order to have a best selling product, it must look the part. The 1100 does . . . and for many reasons. The solid steel receiver features decorative scroll work. Its deep rich blue (outside and in) is caused by our unique "vibra-honing" metal finish, an ultra-fine abrasive material resembling green gum drops. Parts operate smoother, glide easier. Fine line checkering in a fleur-de-lis design combined with American Walnut (Mahogany supplied in some light weight 20 gauge models) gives the 1100 the look of a far more expensive gun. The finish is tough and scratch-resistant. It was developed by Du Pont and called RK-W; it's the same finish used on bowling pins. All the wood grain shows through with a rich luster.

White line spacers and a tear drop pistol grip cap do not make the 1100 shoot any better but it gives you that pride of ownership feeling.

^{1 -} MODEL 1100, 12 Ga., 30" Full Choke, \$189.95 2 - MODEL 1100, Deer Gun, 12 Ga., \$184.95 3 - MODEL 1100 SA, 12 Ga., Skeet, \$194.95

^{4 --} MODEL 1100 TB, 12 Ga., Trap. \$229.95 5 -- MODEL 1100 MAGNUM, Duck Gun, 12 Ga., 30" Full Choke, \$204.95

1969

Remington Model 870.

Wingmaster" Pump

Action Shotgun-

12, 16 and 20 Gauges


Priced from \$109.95

IF YOU'RE IN THE MARKET FOR A NEW PUMP SHOTGUN, there are a few things you should keep in mind.

LOOK FOR a gun that has a dependable reputation and good lines. The Model 870 "Wingmaster" is such a


LOOK FOR one that's been in continuous production for a long length of time. After all, you know a product is good if it's been manufactured for 20 years and is still the most preferred product in its class.

Our engineers have been unable to improve its basic design. How can you make America's best selling pump shotgun better? We haven't found a way yet.



LOOK FOR a gun that has a receiver machined from a solid piece of steel. With magnum ammunition you need all the receiver strength you can get. Remington continues to use solid ordnance steel in the manufacture of 870 "Wingmaster" receivers and for that matter all other Remington shotgun receivers, to insure proper performance and utmost safety.

LOOK FOR double action bars (they're the two rails on each side of the foreend). They permit you to pump the gun twice as smoothly, shot after shot, without the problem of twisting or binding. Double insurance that your gun will feed and eject properly under all shooting conditions.



LOOK FOR a gun that features interchangeable barrels without gunsmith or factory refitting. Chances are, you'll want to use your new gun on different types of game. These requirements are easily satisfied with the purchase of an extra barrel. If this is the case, you have in the Model 870 "Wingmaster" the choice of 17 distinctive barrel lengths and choke combinations in the 12 gauge alone.

LOOK FOR A GUN THAT WILL SHOOT ALL 234", standard velocity, "Express", and 23/4" magnum shotgun shells. The owner of an 870, 12 gauge magnum may shoot all 12 gauge shotgun shells without gun modifications a total of 21 distinct shotgun shell loads with the largest selection of shot sizes Dollar for dollar, the 870 "Wingma" ter" is the most versatile shotgun you

All 870 "Wingmasters" in field, trap, skeet, deer, and magnum models feature a unique metal finish. We call it "vibra-honing". The result is almost a mirror-like finish on all metal surfaces (both inside and out). Inside, the smoother the action is, the easier it works. Outside, the smoother a base you start with, the deeper and richer the blueing.

LOOK FOR a gun that has a special wood finish. When Remington ships an 870 from its factory, we expect it to be subject to years of rugged use. Not only must the steel be of the highest quality but also the wood. That's why we protect the stock and fore-end with an exclusive Du Pont wood finish called RK-W. This clear finish, similar to that used on bowling pins, is tough, hard and scratch-resistant. It gives lasting protection against hard usage and bad weather.

LOOK FOR the Remington "Winmaster" at your local dealer.

1 --- MODEL 870, 12 Ga., 30" Full Choke, \$134.95 2 --- MODEL 870 TC, Monte Carlo, Trap, \$259.95 3 --- MODEL 870, 12 Ga., "Brushmaster", \$129.95 4 -- MODEL 870, 12 Ga., 26" Imp. Cyl. Choke, \$134.95 5 -- MODEL 870 MAGNUM, Duck Gun, 12 Ga., 30" Full Choke, \$154.95



REMINGTON S. TGUNS Order Numbers, Price

NEW Model 1100 28 and 410 Gauges

SPECIFICATIONS: STYLE — Gas operated. 5 shot capacity with 28 ga. shells — 4 shot capacity with 3" - 410 ga. shells. 3 shot plug furnished. BARREL — Special Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER — 2½" in 410 ga. skeet; 3" shells only in field grades; 2¾" in 28 ga. field and skeet models. OVER-ALL LENGTH — 45½". SAFETY — Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. STOCK DIMENSIONS, mahogany in field grades, walnut in matched skeet pairs — 14" long, 2½" drop at heel, 1½" drop at comb. AVERAGE WEIGHT — 28 ga. skeet - 6¾ lbs.; 410 ga. skeet - 7¼ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel - 6¼ lbs.; 410 ga. plain barrel - 6¾ lbs.; 28 ga. vent. rib - 6½ lbs.; 410 ga. vent. rib - 7 lbs.

Model 1100 12, 16 and 20 Gauges

SPECIFICATIONS: STYLE — 5 shot gas operated shotgun. 3 shot plug furnished. GAUGE — Made in 12, 16 and 20 gauge. BARREL — Special Remington ordnance steel. Extra barrel is interchangeable within gauge. OVER-ALL LENGTH — 48" (with 28" Barrel). SAFETY — Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. 14" long, $2\frac{1}{2}$ " drop at heel, $1\frac{1}{2}$ " drop at comb. Trap reg., $14\frac{3}{4}$ " long, $1\frac{3}{4}$ " drop at heel, $1\frac{1}{4}$ " drop at comb. Monte Carlo, $14\frac{3}{4}$ " long, $1\frac{3}{4}$ " drop at heel, $1\frac{1}{4}$ " drop at comb. 1\(\frac{1}{4}\)" drop at M.C. AVERAGE WEIGHT — 12 ga. -7\(\frac{1}{2}\) lbs., 16 ga. -7\(\frac{1}{4}\) lbs., 20 ga. -7 lbs.

NEW Model 870 28 and 410 Gauges

SPECIFICATIONS: STYLE — Pump Action. 5 shot capacity with 28 ga. and 2½"-410 ga. shells.— 4 shot capacity with 3"-410 ga. shells. Take down. 3 shot plug furnished. BARREL — Special Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER — 3" in 410 ga.; 2¾" in 28 ga. OVER-ALL LENGTH.—45½". SAFETY—Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted. STOCK DIMENSIONS, mahogany in field grades and walnut in matched skeet pairs, — 14" long, 2½" drop at heel, 1¾" drop at comb. AVERAGE WEIGHT — 28 ga. skeet-6 lbs.; 410 ga. skeet-6¼ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel-5½ lbs.; 410 ga. plain barrel-5¾ lbs.; 28 ga. vent. rib-5¾ lbs.; 410 ga. vent. rib-6 lbs.

Model 870 12, 16 and 20 Gauges

SPECIFICATIONS: STYLE — 5 shot pump action shotgun. Take down. 3 shot plug furnished. GAUGES — 12, 16 and 20. BARREL — Special Remington ordnance steel. Extra barrel is interchangeable within gauge. OVER-ALL LENGTH — 48½" with 28" barrel. SAFETY — Convenient cross-bolt type, positive. RECEIVER — Made from solid steel, top matted. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. Beautiful checkering. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at heel, 1½" drop at comb. Monte Carlo; 14¾" long, 1½" drop at heel, 1¾" drop at comb. 1¾" drop at M.C. AVERAGE WEIGHT — 12 ga. - 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.

Ganges, Barrel Lengths (*) and Chokes Market Model 1100 28 and 410 Gauges Order No. Retail

| | Orde 28 Ge | r Nos. | Retail Prices* |
|--|----------------------|----------------------|-------------------|
| Model 1100 with Plain Barrel 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 5316 5406 5412 | 5460 5462 5464 | \$174.95 |
| Model 1100 with Vent. Rib Barrel 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 5414 5416 5426 | 5466 5468 5296 | \$199,95 |
| Model 1100 Matched Pair Skeet 28 ga. and 410 ga. with Gun Case | 5. | 258 | \$495.00 |

Model 1100 12, 16 and 20 Gauges

| | 12 Ga. | Order 16 Ga. | Nes. 28 | Ga. | Retall Prices |
|--|------------------------------------|-------------------------------------|-----------------------|--------------------------|-------------------------|
| Medel 1180 with Plais Barrel 30° Full Choke as 28° Full Choke | 5322 5320 | 5370 | Wal. 5390 5394 | Mah. 5440 5442 | \$ 164.95 |
| 28" Mod. Choke 22" Imp. Cyl. Deer Gun | 5326 5328 5308 ^w | 5374 5376 ith Riffe Sights | 5394 5260 | 5446 | \$ 184.95 |
| Medel 180 with Yent, Rib Barrel 90° Full Choke 28° Full Choke 22° Mod. Choke 26° Imp. Cyt. Choke | 5332 5330 5336 5338 | 5378 5382 5384 | 5398 5402 5404 | 5450 5452 5456 | \$ 189.95 |
| Model 1100 Magnaus with Plais Barre 30° Full Choke 12 28° Fell Choke | 5344 5344 | 3304 | | 28 | \$ 179.95 |
| Hase 1.00 Names etts cent file betree 30° Fell Choke 28° Full Choke Medel 1100 D with Vent, Rib Be | 5348 | | | 30 | \$ 204.95 |
| Medel 1100 F with Vent. Rib Ba | | | ecial ecial | | \$ 550.00 \$1,250.00 |
| Medel 1100 SA Skeet with Yent, Rib Barrel | 574% | | Wal. | Mah. | VX,200.00 |
| 26" Skeet Choke | 5356 5358 | | 5408 5410 | 5438 | \$ 194.95 \$ 219.95 |
| Medel 1100 SB with Vent. Alb Barrel (Better Weed) 267 Skeet Choka | 5302 | | 5422 | 10- 14- 14- 14- | \$ 219.95 |
| Model 100 TB Trac with Yest Bib Barras | 5288 | | | | |
| 28 Full Chair | 5352 5354 | | | | \$ 229.95 |
| NEW 30" Mod Trap Choke Monte 28" Pall Choke Carlo 28" Mod. Choke Stock | 5290 5314 5318 | | | | \$ 239.95 |

Fair Trade retail prices in states having Fair Trade laws.

Ed Specifications use NI 1969 FOR ACCURATE ORDERING


| | | | | М | ក្រៅ ៤០០ | -E | xtr | a B | arr | els | |
|---|-------------------|--------------------|---|--|---|---------------------------------------|--|--------------|---------------------------------------|----------------------|--|
| | | | | | | | | rder Ne | 3 . | 1 | Retail |
| 28 and 10 cm | | | | | | 1264 | IB Co. | ZU 62. | 28 62. | 41062 | Prices* |
| | | | Rejuit Prices | | Barrels, Plain "Full Choke | 9500 | e de la como de la com | | 7 | | • |
| Model 870 with Plain Barrel | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 | Light Choke with the | 0.00 | 0520 | 44 | dia | 000 | \$45.45 |
| 25" Full Choke 25" Mod. Choke | 4868 4904 | 4948 4950 | 5119.55 | | " Full Choke | WATER STATE | 20592: | 10540 | 9588 | 9574 | \$47.95 \$45.45 |
| 25" Imp. Cyl. Choke | 4916 | 4978 | | (1) (2007年) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2 | " Mod. Choke | | * | | 9510 | 9576 | \$47.95 |
| Model 870 with Vent. Rib Barrel 25" Full Choke | 4918 | 4986 | | | Same Alan Shill man Control | FOR TOP | POCOC. | A OF BOT | | A CONTRACT | \$45.45 |
| 25" Mod. Choke 25" Imp. Cyl. Choke | 4920 4932 | 5086 4990 | E HAS | | " Imp. Cyl. Choke | - | 754 780 | | 6584 | 9578 | \$47.95 |
| Model 870 Matched Pair Skeet | | | | | " Imp. Cyl. Rifle Sights | 9568 | | 9572 | | | \$54.50 |
| 28 ga. and 410 ga. with Gun Case | 5 50 570 5 5 5 | 120 | \$395,00 | | Barrals, Yest, Bill. | | Š. | | | | |
| A. A. T. | | | | | full Choke | 9512 9514 | 9539 | 9554. | | w Maria | \$68.15 |
| | | | | | " Full Choke | | | | 6586 | 9580 | \$70.95 |
| | 10 | | | | W. Mad. Objects | SOST CE | 0540 | 10556 | 0020 | 0593 | \$68.15 |
| TANK TERMINA | | | Retail Prices | | " Mod. Choke | - neage | SEAR. | gsen: | 6588 | 9582 | \$70.95 \$68.15 |
| | | | | 1 1 2 3 1 1 1 2 | " Imp. Cyl. Choke | | 100 | | 6590 | 9584 | \$70.95 |
| | | | | | Barrels, Vent. Rib. | | 4-5 7 | 7.7 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1.5% | |
| | | . () im: | \$ 10995 | A CONTRACTOR OF THE | & Skeet Grades Skeet Choke | 9522 | 7 | 9562 | | | \$72.40 |
| 20" "Brushmaster" Deluxe | | redo si pari | 6 189 W | 3.60 | Street Cittle Com | 20524 | Sei Lui | 956A | akachet sec | estatie. | \$94.47 |
| | | 4832 | THE REAL PROPERTY. | 2 | " Skeet Choke | | 3 | | 6592 | 9586 | \$74.95 |
| TOTAL SERVICE | | | | | " Mod.Trap Choke | 9570 | | V | 47. | | |
| | | | | 12.12 | Full Choke # Tree Mod. Choke | 9528 9566 | | | | | \$72.40 |
| | | | | 100 | per Hallen | | | | | | • |
| LINE OF THE VALUE OF STREET | | | \$ 525.00 | M | odel 870 - | - E3 | ctra | . Ba | rre | ls | |
| TO A LAND VOE | | | \$1,250.00 | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1200 | | Order No | | 410 Ga. | Retail Prices* |
| | | | | 10.0 | | 12 04. | 10 04. | 20 02. | 2004. | 710 02. | FIICES |
| | | | 1 2395 | The second secon | Barrel Full Choke | 6214 | | l | | | |
| | | | | | Fell Course | 515 | ,c252 | 6270 | Value of | 200 | \$35.70 |
| and in tender | | | \$ 454.95 | | " Full Choke | | August 1 | | 6282 | 6236 | \$37.95 |
| | | 32 114 | | A CONTRACTOR OF | " Mod. Choke | e (a | 18 4.50 | 5 2 1 1 P | 6284 | 6238 | \$35.70 \$37.95 |
| | | | 27 90 95 | 3-8 FINE TO THE | Mod. Onoke | F29A | £256 | 6274 | 0204 | 0230 | \$35.70 |
| | | 1 | 7 4 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | / NEW 2 | " Imp. Cyl. Choke | | | | 6286 | 6248 | \$37.95 |
| THE RESERVE AND ASSESSED. | | | 109.95 | T. C. | A TO THE STATE OF | | 78.72 | 6020 | | | \$35.70 |
| | 5120 | | 4 | 4 9 0 | " Imp. Cyl. Rifle Sights | 6544 | | 6230 | | | \$46.10 |
| | | | | OF THE STATE OF THE STATE OF | | e 4.7 kg | 175 | * 3 | | | |
| | oke i kwa | | 1 164.95 | ALCOHOLD TO A STATE OF THE STAT | Rib Barrel | 6222 | 1 | | 1 . | | \$58.75 |
| | | | METAL STREET | * 3 . 3 | Fig. Chore | 6222 6224 | 6250 | 6276 | | 40.5.54 | |
| | | | PLANT TREE | 11 2 | Fift Choke Still Choke Full Choke | 6224 | | | 6288 | 6250 | \$61.95 |
| 30" Mod.Trap Choke | 5006 | . y (<u>(()</u> | PLANT TREE | 2 | Full Choke | 6224 | | | 6288 | 6250 | \$58.75 |
| 30" Mod.Trap Choke | 5006 | | \$ 214.95 | 2 | Fift Choke Still Choke Full Choke | 6224 | 8260 | 6979 | | 6250 6264 | |
| 30" Mod.Trap Choke | 5006 | , W | \$ 214.95 \$1.176.85 | 2 | Fift Shoke "The Choke" "Full Choke "Mod. Choke | # # # # # # # # # # # # # # # # # # # | 8260 | 6979 | 6288 6290 | 6250 6264 6266 | \$58.75 \$61.95 |
| 30" Mod.Trap Choke | 5006 | 110 | \$ 214.95 | 2 2 | Full Choke 5" Mod. Choke 5" Imp. Cyl. Choke | 6224 | 8260 | 6979 | 6288 6290 | 6250 6264 6266 | \$58.75 \$61.95 \$58.75 |
| 30" Mod.Trap Choke 30" Mod.Trap Choke | 5034 | | \$ 214.95 \$1.176.85 | 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | " Full Choke " Mod. Choke " Imp. Cyl. Choke | # # # # # # # # # # # # # # # # # # # | 6262 | 6970 | 6288 6290 6292 | 6250 6264 6266 | \$58.75 \$61.95 \$58.75 |
| 30" Mod.Trap Choke 30" Mod.Trap Choke | 5034 | | £ 214.95 | 2 2 (14) | "I'll Choke "" Mod. Choke "" Imp. Cyl. Choke "" Imp. Cyl. Choke "" Imp. Cyl. Choke | 6232 | 6262 | 6970 | 6288 6290 6292 | 6250 6264 6266 | \$58.75 \$61.95 \$58.75 \$61.95 |
| 30" Mod.Trap Choke 30" Mod.Trap Choke | 5034 | | \$ 214.95 \$1.176.85 | 1851 2 1851 2 1851 2 1851 3 | Full Choke " Mod. Choke " Imp. Cyl. Choke " Imp. Cyl. Choke " Imp. Cyl. Choke " Fall Choke | 6232 6244 6246 | 6262 | 6330 | 6288 6290 6292 | 6250 6264 6266 | \$58.75 \$61.95 \$58.75 \$61.95 |
| 30" Mod.Trap Choke 30" Mod.Trap Choke | 5034 | | £ 214.95 | 160 2 160 2 160 2 160 2 160 3 | Full Choke " Mod. Choke " Imp. Cyl. Choke " Imp. Cyl. Choke " Imp. Cyl. Choke " Full Choke " Full Choke " Mod.TrapChoke " Full Choke " Mod.TrapChoke " Full Choke " Skeet SA & 8C Grades | 6232 6244 6246 | 6262 | 6970 | 6288 6290 6292 | 6250 6264 6266 | \$58.75 \$61.95 \$58.75 \$61.95 |
| 30" Mod.Trap Choke 30" Mod.Trap Choke | 5034 | | \$ 214.95 \$ 176.85 \$ 244.95 | 100 2 100 2 100 2 100 3 | Full Choke " Mod. Choke " Imp. Cyl. Choke " Imp. Cyl. Choke " Imp. Cyl. Choke " Fall Choke | 6232 6244 6246 | 6262 | 6330 | 6288 6290 6292 | 6250 6264 6266 | \$58.75 \$61.95 \$58.75 \$61.95 |



70 Bolt Action Center Fire Rifle Now Available in 15 Versatile

Calibers - Priced from \$134.95

Again, last year's sales records proved the famous Remington Model 700 bolt ction center fire rifle continued to be vmerica's best seller. One of the outstanding reasons for its success is the availability of a wide caliber selection, more than any other American manufacturer. The Model 700 offers a caliber for every type of hunting from varmints to elephants - A TOTAL OF 15 DIFFER-ENT CARTRIDGES IN ALL, The 700 has seven magnum calibers to choose from (one more than our major competitor) and five varmint cartridges (two more than our biggest competitor). It's be ideal gun for a shooter looking for an ll-around" rifle.



STRENGTH — Tests have proven the Model 700 action is the strongest bolt action center fire ever made. Just the ticket for handloaders who want strength where strength belongs. The secret is in the three rings of solid steel that "surround the cartridge head."

There are no extractor cutaways to weaken this critical area.

The Model 700 has the appearance of a far more expensive rifle. New in 1969 on the ADL grades is a jeweled bolt with a shrouded bolt plug, a restyled stock that improves balance and pointing, a new butt plate, a unique low profile safety but brush will not accidentally move on r off, and a new checkering pattern.




The 700 BDL version has also been dressed up. Along with the ADL features, the BDL models have a sharp white spacer forward of the new butt plate, a new easier to adjust sling strap, and the addition of the hard hitting 350 Rem. Magnum and 6.5 Rem. Magnum calibers. Along with these new features the Model 700 still offers the shooter the same list of extras that have made it the best seller it is. ACCURACY - a product of Remington's famous precision rifling and short, crisp trigger pull. CRAFTSMAN-SHIP — the traditional beauty of fine checkering and beautiful wood finish that is tough, hard, and scratch-resistant (we call it RK-W). ADDED FEATURES -Monte Carlo stock and cheek piece, receiver drilled and tapped for 'scope mounts, checkered bolt knob, detachable sights for the shooters using a 'scope. BDL models feature a hinged floor plate, hooded front sight, sling strap and swivels, black grip cap and fore-end tip with white spacers.

Model 700 BDL "VARMINT SPECIAL"

The tremendous acceptance of the 700 and constant shooter demand have brought about the availability of a special heavy barreled varmint rifle, the 700 BDL "Varmint Special." Designed for minimum-target, maximum-range precision shooting, it is chambered for five of the most popular varmint cartridges going - 222 Rem., 223 Rem., 22-250 Rem., 6mm Rem., and 243 Win. A heavy 24" barrel places this rifle in a new accuracy class. It's equipped with 'scope bases, hinged floor plate, quick release swivels and new easier to adjust sling strap, Monte Carlo stock and cheek plate, RK-W wood finish and new custom checkering.

Model 700 "CUSTOM" RIFLE

The 700 "Custom" is the finest bolt action rifle ever manufactured by the Remington Arms Company. Available on special order only, the 700 "Custom" offers the sportsman a choice of specifications. It is available in a variety of calibers and features a select American Walnut stock, hand checkering, and a highly polished barrel (with or without sights) and receiver for the finest blueing possible. It is truly the ultimate gun for the ultimate sportsman.



🜓 1 — MODEL 700 ADL DELUXE, 22-250 Rem., \$134.95 📉 2 — MODEL 700 BDL "CUSTOM" DELUXE, 7mm Rem., Mag., \$169.95

3 -- MODEL 700 BOL "VARMINT SPECIAL", 223 Rem., \$169.95 4 -- MODEL 700 "CUSTOM", 6mm Rem., \$334.95



Remington Model



88 Bolt Action Rifle—Priced from \$89.95

Remington Model 660 Bolt Action

Carbine - Priced from \$119.95

Model 788

HEW NEW RIFLES HAVE EARNED, IN SUCH A SHORT PERIOD OF TIME, THE REPUTATION OUR MODEL 788 HAS ACQUIRED FOR ACCURACY AND DEPENDABILITY.

In the two years it has been manufactured, hunters and target shooters alike have found it to be the best all-around, economically priced bolt action rifle on the market.

This year the Model 788 IS AVAILABLE IN TWO NEW CALIBERS (6mm Rem. and 308) and with a LEFT HAND BOLT for southpaw shooters.



In order to chamber a rifle for a cartridge like the potent 22-250 Rem., you've got to have an action that will stand an unbelievable amount of pressure. Not many \$89.95 bolt actions will. The nine extra-heavy locking lugs on the Model 788 bolt engage grooves in the solid steel receiver for a strong, secure lock-up.

The secret of the Model 788's exceptional accuracy lies in its fast lock time (the interval between the time you pull the trigger and the rifle actually fires). The lock time is so fast the bullet has left the barrel of the Model 788 before a comparative bullet has left the cartridge case in competitive models.

Model 660

THE MODEL 660 IS THE MOST POW-REFUL BOLT ACTION CARBINE ON HE MARKET TODAY! NO OTHER GUN IN ITS CLASS IS CHAMBERED FOR THE HARD HITTING 350 REM. MAGNUM AND 6.5 REM. MAGNUM.

The cartridge head is supported by three rings of steel to insure super strength where strength belongs.

The 660 is available in other popular calibers too: 243, 308, 222 Rem., and 6mm Rem. The Model 660 bolt action carbine is versatile enough to hunt all big game animals of North America. Its convenient carbine length 20" barrel means easy carrying in the field without loss of accuracy or velocity. A special barrel bracket adds support to the 'scope mount making it more rigid. The 'scope can't be easily knocked out of adjustment when the going gets rough. New "vibrahoning" metal finish, inside and out, are silky-smooth for fast, friction-free operation. The receiver is drilled and tapped. It's a simple matter to install a 'scope. Adjustable sights are the same dependable type that are on the Remington Model 700. A good-looking black foreend tip, fine-line checkering, plus a black grip cap and butt plate (recoil pad on magnum models) help give this carbine the looks of a far more expensive gun. Magnum models feature a lamination of walnut and beech for extra strength,

stability, and beauty. Sling straps and swivels are standard equipment on the 660 Magnum.



The Model 660's "S" shape bolt handle hugs the stock and won't interfere with brush or clothing. This bolt knob is serrated on the bottom for a good secure grip. RK-W wood finish, developed by Du Pont, protects the stock and brings out the lustrous beauty of the wood grain.

The Model 660 has many features of higher priced rifles. Standard equipment includes a Monte Carlo stock for a better cheek-to-stock fit for quicker, surer sight alignment with either a 'scope or open sights. The trigger is extra wide and serrated so your finger won't slip even when wearing a glove; it's extra crisp and clean, no creep or spongy action.

Economically priced in all calibers, the Model 660 is the most versatile carbine your money can buy.

REMINGTON MODEL XP-100 LONG RANGE PISTOL



4 1 — MODEL 660, 6mm Rem., \$119.95 2 — MODEL 660 MAGNUM, 350 Rem. Mag., \$149.95 3 — MODEL 788, 22-250 Rem., \$89.95

4 - MODEL 788, 44 Rem. Mag., \$89.95 5 - MODEL 788, LEFT HAND, 6mm Rem., \$94.95

Remington Model 742

"Woodsmaster" Automatic

Remington Model 760

Gamemaster" Pump Action Rifles

Priced from \$139.95

63 YEARS OF AUTOMATIC RIFLE EXPERIENCE HAS GONE INTO THE MANUFACTURE OF REMINGTON'S LATEST MODEL -

Model 742 "Woodsmaster"

Remington introduced America's first Automatic rifle back in 1906 and we've been making them ever since.


The Model 742 is the most dependable automatic on the market. It's proven itself time and time again, under all weather conditions. Prior to its introduction, the 742 withstood performance tests that included freezing the action, subjecting the action to dust and dirt and a deluge of water. It passed these tests with flying colors. Proof enough it will stand up under all hunting conditions.



It's extra strong too -- strong enough to hold the pressures of the 30-06 Springfield cartridge. The artillery-type bolt has multiple lugs that lock bolt and barrel together as tight as a bank vault. When the bolt is closed, three rings of steel (bolt, barrel, and receiver) enclose the cartridge

Designed for trouble-free functioning, the

fast gas-operated action soaks up recoil with no loss of power. You're back on target immediately for those extra shots (if you need them). If you hunt in heavy brush, take a look at the 742 Carbine. Its 181/2" barrel makes it a handy gun to have when the going is rough.



Extra clips are available for fast loading in the field. Sling strap and swivels are optional.

Both the Model 742 rifle and carbine feature a unique metal finish. We call it "vibra-honing." The result is a mirror-like finish on all metal surfaces (both inside and out). Parts operate smoother, glide easier. The blueing resembles that of far more expensive models. It has a rich lustrous finish.

Du Pont developed RK-W wood finish protects the stock and fore-end. This clear finish, similar to that used on bowling pins, is tough, hard and scratch-resistant. It gives lasting protection against hard usage and bad weather.

BDL grade "Custom Deluxe" models feature beautiful basket-weave checkering,

Monte Carlo stock with full cheek piece either for right or left hand shooters (safety reversed for left hand shooters at no extra cost) and an attractive black fore-end tip and grip cap. All Model 742's are drilled and tapped for 'scope mounts.

Model 760 "Gamemaster"

The Model 760 pump action center fire rifle is the fastest hand-operated big gamy rifle made. It's faster than the faste 30 lever action. Double action bars guarantee dependability and prevent twisting and binding. All this means velvet-smooth pumping, shot after shot.


The Model 760 is the only pump action big game rifle that's chambered for the powerful 30-06 Springfield cartridge. The secret's in its solid steel receiver and extrastrong artillery type bolt.

All Model 760's are drilled and tapped for 'scope mounts. RK-W Du Pont developed wood finish is standard on all models as is a streamlined beaver-tail fore-end with black tip and white line spacers. Skip line checkering on standard grades gives the rifle a distinctive look.

New "vibra-honing" metal finish, inside and out, makes metal surfaces silkysmooth; parts work friction-free. BDL Deluxe grades feature basket weave checkering, Monte Carlo stock with cheek piece for right or left hand shooters (safety reversed on guns with left hand cheek piece at no extra cost).

The Model 760 "Gamemaster" carbine with an 181/2" barrel is just the ticket when you're hunting in heavy brush. Dollar for dollar, you can't buy a better pump action big game rifle.

1 — MODEL 742 CARBINE, 30-06 Spfd., \$159.95 2 — MODEL 742, 308 Win., \$159.95 3 — MODEL 742 BDL DELUXE, 30-06 Spfd., \$179.95 4 --- MODEL 760 CARBINE, 308 Win., \$139.95 5 -- MODEL 760, 6mm Rem., \$139.95 6 -- MODEL 760 BDL DELUXE, 30.06 Spfd., \$159.95



REMINGTON CENTER FIRE RIFLES

MORA JOHN SRIER NUMBERS AND PRICES

| | | | | - | Lege | Fred | Langth | Weigh | it Lbe, | 70 | O ABL | 70 | O BOL | Yarmir | nt Special | Custon | n Medel 🖈 |
|--|--------------------------------|------------|---------------|------------|--------------|----------------------|----------|----------|-----------|----------------------|-------------------|----------------------|---------------------|----------------------|-------------------|-------------------------------|-------------------|
| | Callera | | | | | | | Neg. | Yar. | | Retait Prices* | | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| v.) | U.S. | | | | | | | | 9 | 6054 6052 | | 6080 6038 | | 6118 6116 | (1,000 OF | Special Special | |
| | | | | | | | igk: | | 9 | 6056 6058 | \$134.95 | 6082 6084 | \$ 154.95 | 6120 6122 6124 | \$169.95 | Special Special | |
| ************************************** | 30-06 % M 308 WM | | | | | | | | | 6062 6078 6076 | | 6088 6102 6100 | | | | Special Special Special | \$334.95 |
| | 1200 | | | 11/16 | | | 78.35 | 114 | 240 | 6074 | \$149.95 | 6098 | | | | Special Special | 400 |
| HEV | | 4 | 9" 16" | 24" 24" | | 43%" 43%" 4456 | | 7½ 7½ | with the | 0.42 | 18800 | 5924 5926 6104 | 3 169.95 | | | Special Special Special | |
| | •375 HAM Mag. •458 Wig Mag. | | | 42 | | 46 X | V | 13 | | | in the | 6106 6108 | \$329.95 | | 1.3 | | |
| | 14 20 | TO KINCHES | TO VERY STATE | 100 | 10 July 2012 | 100 | | 4.4 | get versi | 3212 | 44.6 | F | and the contract of | | | | |

ties the ball and the state and state bearing and recal and

MONEY ENORDER MONER PRINCES

| | | | | | | | Order Mos. | Retali Prices* | |
|-------|----------------------|-----|-----------|------------|------------|----------|---------------------|--------------------|-----|
| N. W. | | | | | | 77 | 972 2 | | |
| | 6mm Rem. | 3 | 9″ | 22" | 42" | 71/4 | 9784 | \$89.85 | |
| | 308 Win. | 3 | 10" | 22" | 42" | 71/4 | 9780 9738 | | |
| | label collection | | | | | | | | のない |
| 7 | 6mm Rem. 308 Win. | 3 3 | 9" 10" | 22" 22" | 42" 42" | 7¼ 7¼ | 9786 9788 | \$94.95 | 7.4 |
| | | 1 | | | | | 6426 | \$ 5.40 \$ 4,50 | |

Model 660 ORDER NUMBERS AND PRICES

| Callbers | Fixed Mag. Cap. | Bbi. Lgtb. | O.A. Lgth. | Avg. Wt. | Twist, RH 1 turn in | Order Nos. | Retail Prices* |
|--|-----------------------|--------------------------|------------------------------|----------------------|------------------------------|------------------------------|-------------------|
| Madel 660 Reg. 1222 Remington 6 mm Remington 243 Win. 308 Win. | .6 | 20" 20" 20" 20" | 38¾" 38¾" 38¾" 38¾" | 6½ 6½ 6½ 6½ | 14" 9" 9" 10" | 9618 9620 9622 9624 | \$119.95 |
| Sling Strap & Qui | ck Rele | ase Sv | vivels (In: | stalled) | | 6382 | \$ 9.10 |
| Medel 880 Mag. 350 Rem. Mag 6.5 mm Rem. Mag. | | 20″ 20″ | 38¾″ 38¾″ | 6½ 6½ | 16″ 9″ | 9626 9628 | \$149.95 |

'Fair Trade retail prices in states having Fair Trade laws.

Prices subject to change without notice.



der Numbers, Prices and Specifications

NUMBERS FOR ACCURATE ORDERING

Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sling strap and quick release swivels, black fore-end tip and white line spacers. 13% length of pull, 2% drop at heel, 11% drop at comb (from open sight line) checkered. SIGHTS — Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights. RECEIVER — Drilled and Tapped for 'scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type'scope mounts.

Model 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order No. 6382 - \$9.10

★ CUSTOM MODEL 700 — Manufactured to customer specifications — choice of 20", 22" and 24" barrel — with or without floor plate — with hunting sights, or plain barrel with receiver drilled and tapped for 'scope mounts — length of pull from 13¾" up to 14" with recoil pad — extra charge for recoil pad, oil finished stocks and left hand cheek piece — orders non-cancellable — allow up to four months for delivery. Only ordnance steel barrels supplied.

Model 788

PECIFICATIONS: STOCK — Monte Carlo type. 13%" length of pull, 2%" rop at heel, 1%" drop at comb (from open sight line). SIGHTS — Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER — Drilled and tapped for 'scope mounts and receiver sight. Detachable clip type magazine.

Model 660

SPECIFICATIONS: STOCK — American Walnut (regular model) laminated walnut and beech (magnum). Custom checkering, Monte Carlo stock with fluted comb. 14" length of pull. 2" drop at heel, 17%" drop at comb. SIGHTS — Ramp front sight with brass bead. "U" notch rear sight, adjustable for elevation and windage. RECEIVER — Drilled and tapped for 'scope mounts. Fixed magazine.

Model 742

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut. 13%" length of pull, 2%" drop at heel, 1%" drop at comb. Deluxe Model: 13%" length of pull, 2%" drop at heel. 1%"drop at comb, 1%" drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment crew. WEIGHT — Approx. 7% lbs. — Carbine 6% lbs.

Model 760

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber.

STANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut.

13%" length of pull, 2%" drop at heel, 1%" drop at comb. Deluxe Model:

13%6" length of pull, 2½" drop at heel, 1%" drop at comb. 1½6" drop at

Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable ap magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step djustable rear sight, for elevation, with windage adjustment screw. WEIGHT Approx. 7½ lbs. — Carbine 6¾ lbs.


| Model 742 | | | | | |
|---|---------------------------------|--|---------------------------------|--------------------------------------|--------------------|
| Calibera | Twist-R H 1 Turn in | | Overali Length | Order Nes. | Retail Prices* |
| Medel 742 6mm Rem. 280 Rem. 30,06 308 Win. 243 Win. | \$ \$ \$ \$ \$ \$ | 22* 22* 22* 22* 22* | 42" 42" 42" 42" 42" | 9632 9634 9636 9638 9648 | \$ 159.95 |
| Medel 742 Carbine 30/06 308 Win: | 10° 10° | 18½" 18½" | 38½″ 38½″ | 9670 9672 | \$ 159.95 |
| Medel 742 BDL Belizze 50/06 30/06 Left Hand 308 Win. 398 Win. Left Hand | 10° 10° 10° 10° 10° | 22" 22" 22" 22" | 42" 42" 42" 42" | 9666 9668 9640 9644 | \$ 179.95 |
| Medel 742 D "Peerless" | Grade | | | Spec. | \$ 575.00 |
| Madel 742 F "Premier" | Grade : | 1-7-1-4-1 2-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1 | | Spec. | \$1,250.00 |
| Sling Strep & Quick R | elease Swive | els (inst | alled) | 6094 Specify Caliber | \$ 9.10 \$ 5.25 |

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.

| Moc | iei 76 | U ORDER | NUMBERS arrel Overall O | AND | PRICES |
|-----|--------|----------------|--------------------------------|--------|--------|
| 100 | | Twist-R H B | arrei i Overali i O | rder l | Retali |

| Calibers | 1 Turn in | Length | Length | Nos. | Prices* |
|--|---------------------------------|--|--|--|--------------------|
| # 6mm Rem. 270 Win. 30/06 308 Win. 243 Win. | 9" 10" 10" 10" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 5900 9726 9730 9732 9678 | \$ 139.95 |
| Medel 780 Carbine 30/06 308 Win | 10″ 10″ | 18½″ 18½″ | 38½″ 38½″ | 9698 9714 | \$ 139.95 |
| Medel 760 BDL Beluxe 30/06 30/06 Left Hand 308 Win. 308 Win. 270 Win. 270 Win. Left Hand | 10" 10" 10" 10" 10" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 9692 9694 9706 9710 9708 9712 | \$ 159.95 |
| Medel 760 D "Pecriess" | Grade : | . . | | Spec. | \$ 575.00 |
| Medel 780 F "Premier" (| Grade | | | Spec. | \$1,250.00 |
| Sling Strap & Quick Rel Extra 4-Shot Clip | ease Swive | ls (insta | led) | 6096 Specify Caliber | \$ 9.10 \$ 4.50 |

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.



Interpolation 22 Cal. Rifles

Models 580, 581, 582 - Priced from \$34.95

Model 514 – Priced at \$26.95

581 Clip Repeater and 582 Tubular Repeater

They have the look, feel and balance of big game center fire rifles — plus the strongest, most powerful bolt ever designed into a 22 caliber hunting rifle.

A NEW LEFT HAND MODEL 581 WITH THE BOLT ON THE LEFT SIDE IS AVAILABLE THIS YEAR FOR SOUTHPAW SHOOTERS. IT IS THE PALY LEFT HAND BOLT ACTION RIM FIRE RIFLE EVER MANUFACTURED IN AMERICA, ANOTHER FIRST FROM REMINGTON.

The 580 series feature an artillery type bolt with rear lock-up. Six extra-heavy rotary locking lugs at the back engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it — work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel.



Here is strength that has never been equaled in any 22 bolt action hunting rifle.

Actually, there's more built-in strength ere than you'll ever need, but it's nice to

or and factor.

Remington looked at all the other desirable features that make up a fine big game rifle... and we put them into this new rim fire line. Here they are:

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean—no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger. Everything about these new rifles is man-size. There's no corner cutting anywhere.


FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheekto-stock fit that means more hits — with or without a 'scope. And there's no skimping on the fore-end, it's long, tapered, man-size to prevent canting and provides a good secure grip.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety — forward for fire; rearward for safe.

TWO EXTRACTORS are standard on this series of 22 rifles. Remington feels that two are better than one (so you get 2). Another extra at no extra charge.

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch adjustable rear with lock screw. You'll hit what you aim at with these sights.

ROUND STEEL RECEIVER means bedding into the stock can be more precise, which in turn contributes to fine accuracy. The receiver is also grooved for tip-off 'scope mounts. Actually, it's the strongest, most rigid receiver of any 22 bolt action hunting rifle because there are no slots or notches to weaken it; bolt handle isn't used as a lock-up lug. Here again, Remington designers made it like a center fire rifle. Costs the shooter no more; it's an extra bonus he gets because of good design.




BOLT COVER keeps dirt and bad weather out. Assures smooth operation within. Adds to streamlining of the rifle, too. Here's an accuracy combination that's hard to beat . . in all three models: 580 single shot, 581 clip repeater and 582 tubular repeater.

Model 514

Here is an excellent 22 caliber rifle... at a popular price. It's a single-shot bolt action model with a self-cocking bolt, rotary thumb safety, and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR, with shortened stock.

- 🜓 1 --- MODEL 514 BR, Single Shet, Boy's Rifle, \$26.95 2 --- MODEL 514, Single Shot, \$26.95 3 --- MODEL 582, Tubular Repeater, \$49.95
 - 4 -- MODEL 581, Clip Repeater, \$44.95 5 -- MODEL 580, Single Shot, \$34.95 6 -- MODEL 581, LEFT HAND, Clip Repeater, \$49.95



Todels 552, 550 Automatic and 572 Pump Action 22 Cal. Rim Fire Rifles

Nylon 66 Automatic Priced from \$49.95

Remington's Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 2½ " wood blocks. Only six misses out of 100,000 blocks thrown . . . and without a malfunction

Receiver parts, stock and barrel are interlocked with steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure loading, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip.

The Nylon 66 is also made in an Apache Black deluxe model. The stock is Du Pont Zytel® black nylon and both the barrel and the receiver cover are chrome plated. Inside, it's the same reliable, trouble-free rifle as the standard mohawk brown model.



The Nylon 66 is the most rugged automatic 22 rim fire rifle made. It will work when conditions get tough.

Model 552 "Speedmaster" Automatic Priced from \$64.95

Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced and chambered for Short, Long and Long Rifle cartridges. The Model 552 is another member of Remington's "family of guns;" looks, handles and shoots like its big brother, the Model 742 big game rifle. The "Speedmaster" has every feature a shooter wants, such as: twenty shots as fast as you can squeeze the trigger, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available is the short barrel (21") carbine model, the Gallery Special and a deluxe model with custom checkering, RK-W wood finish and big game type sights. Pick a 552 off the rack at your dealer's - throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" ... because it's made right.

Model 550 Automatic Priced at \$59.95

Rapid fire, extra ruggedness and depend-

ability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 20 Shorts, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed—an exceptionally line all-around rifle for the hunter or plinker... and good for week-end family fun, too.

Model 572 "Fieldmaster" Pump Action Priced from \$64.95


For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 Short, 17 Long or 15 Long Rifle cartridges. It has a cross bolt safety conveniently tocated at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced a rugged and dependable like Remington big game rifles and shotguns. BDL deluxe models feature extra tough RK-W wood finish, custom checkering, grip cap, and big game type sights.

- ◀ 1 -- MODEL 552 BDL DELUXE, Automatic, \$74.95 2 -- MODEL 552 A, Automatic, \$64.95 3 -- MODEL 550 A, Automatic, \$59.95
 - 4 MODEL 572 BDL DELUXE, "Fieldmaster", Pump Action, \$74.95 5 MODEL 572 A, "Fieldmaster", Pump Action, \$64.95
 - 6 NYLON 66 AB, "Apache Black", Automatic, \$54.95 7 NYLON 66 MB, "Mohawk Brown," Automatic, \$49.95

NEW Remington Model 540X 22 Col. 40XB "Rangemaster" Target Rifle

The New Model 540X Match Target Rifle Priced from \$89.95

The Model 540X has all the design features and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and junior shooter, the Model 540X is super accurate, well balanced, and loaded with extras, the extras needed to win.



To continually punch holes in the X ring with any rifle, you need a gun with a good crisp trigger pull, one that will fire when you want it to. The 540X has a fully adjustable trigger that does exactly that. The secret's in its fast lock time. Lock time is the interval between the time you pull the trigger and the rifle actually fires. The 540X trigger is the fastest of any target rifle now manufactured.



A unique feature of this rifle is its fourway adjustable butt plate. The stock can be adjusted with the same wrench for length of pull, vertical, pitch or cant (left or right).

International Free Rifle

Rim Fire and Center Fire

A butt plate of this type eliminates the need for costly stock alterations and is designed to fit the needs of all rifle shooters regardless of their physical characteristics.



The stock was designed with the target shooter in mind. Thumb cuts give you that secure grip for top scores. A new stock design and special rear sight bracket gives common sight alignment for shooting with either a 'scope or iron sights.

A front swivel block, Redfield #63 front and Redfield #75 rear sights are optional. The receiver is drilled and tapped for popular 'scope mounts.

Model 40XB "Rangemaster" (Rim Fire Model) Priced from \$169.95

Exclusive loading platform provides straight line feeding; no shaved bullets. Specially selected heavy ordnance steel barrel with new Remington rifling process assures utmost accuracy. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate, adjustable sling swivel and handstop are standard equipment. Other features are: extra strong bolt with double extractors, crisp trigger with positive adjustments for weight of pull, wide trigger for more uniform pull and comfort, thumb operated safety. The receiver is drilled and tapped for all standard sight mounts, telescope and metallic Redfield Olympic front and rear sights optional. A new long rail for the adjustable fore-end stop and palm rest makes shooting good scores easier.

Model 40XB "Rangemaster" (Center Fire Model) Priced from \$224.95

Now available in repeating models for use in National Match Courses, the 40XB is designed with clip slots for the conventional five shot clip. It loads from the top of the receiver and the magazine has a hinged floor plate. Repeating models are provided only in calibers equal to or shorter than the loaded length of the 308 cartridge.

The 40XB center fire repeating rifle i ideal for the rapid fire events, especially in the 7.62mm NATO (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. The 40XB meets the National Bench Rest Shooters Association rules for the Heavy Varmint Class with most target telescopes (max. weight 13½ lbs.). Stainless steel barrels are supplied as standard on 7mm Rem. Magnum, 30-338, and other magnum calibers. Stainless steel is also recommended for 22-250 and 6mm Rem. (at extra charge). Stainless 40XB barrels are not blued.

International Free Rifle (Rim Fire and Center Fire) Priced from \$361.05

The International Free Rifle features the 40XB action, precision heavy barrel, a Remington designed adjustable butt plate and hook, adjustable palm rest, adjustable front sling swivel and 2-ounce trigger Left-hand stock supplied at extra charge


1 — MODEL 540X, 22 Cal. Match Target Rifle, \$109.95 (Hand-Stop Extra). 2 — MODEL 40XB, 22 Cal. Rim Fire Target Rifle, \$204.95 (Target Sights Extra). 4 — MODEL 40XB Bench Rest, Center Fire, 222 Rem. Cal., Stainless Steel Barrel, Target Rifle, \$259.95. (Target 'scope Extra). 5 — INTERNATIONAL FREE RIFLE. Center Fire, 222 Rem., \$361.05

1969

Match Target Rifle

Rim Fire and Center Fire





BARBER - PRESALE R 0124254

REMINGTON RIM FIRE RIFLES

Order Numbers, Prices and Specifications



USE NUMBERS FOR ACCURATE ORDERING

ORDER NUMBERS AND PRICES

Models 580, 581 and 582

| Seft Action 22 Caliber Sities | Order Nes. | Retail Prices |
|--|------------|--------------------|
| Model 580 Single Shot | 9852 | \$34.95 |
| Model 580 Single Shot Smooth Bert | ,8864 | \$39.95 \$44.95 |
| Model 581 Clip Repeater (Left Hand) | 9838 | \$49.95 |
| Model 552 Judular Englister Sling Strop & Swigely Installed | | \$ 5.40 |
| Mode 581 — Extra 5 stell Clip Model 581 — Extra 10 stell Clip | 4914 | \$ 2.75 |
| and the same of th | All Value | 4 0.00 |

Model 514

| | Order Nes. | Retail Prices |
|--------------------------------------|------------|---------------|
| Model 514 Single Shot | 5572 | \$26.95 |
| Model 514 BR Single Shot Boy's Rifle | 5582 | \$26.95 |
| | | L |

Nylon 66

| Nyles 22 Callber Bifles | Order Nes. | Rotail Prices* |
|--|------------|----------------------|
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | \$ 49.95 |
| Nylon 66 AB "Apache Black" Automatic | 5486 | \$ 54.95 \$ 59.95 |
| Nylon 66 GS "Gallery Special" (22 Shorts Only). Sling Strap & Swivels Unstalled | 2012 | \$ 5.40 |

We guarantee that these stocks will not worp, crack; chip, tade or peel for the

Models 552, 550 and 572

| | Grder Nos. | Retail Prices* |
|---|--------------------------------------|---|
| Medel 552 22 Cather Antendate Rifle 552 A Automatic 552 C Carbine 552 BOL Delute 552 BS "Gallery Special" (22 Shorts Only) Sling Strap and Swivels (hastalled) | 5608 5612 9830 5610 6430 | \$64.95 \$64.95 \$74.95 \$76.95 \$ 7.50 |
| Model 550 22 Caliber Automatic Riffs 550 A Sling Strap and Swivels (installed) | 5596 6428 | \$59.95 \$ 5.40 |
| Medel 872 22 Caliber Slide Action Rifle 572 A 572 BDL Deluxe 572 SB Smooth Bore Sling Strap and Swivels (installed) | 5626 9832 5628 6432 | \$64.95 \$74.95 \$74.95 \$ 7.50 |

Models 580, 581 and 582

SPECIFICATIONS: ACTION — All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER — 22 rim fire; short, long, or long rifle cartridges. CAPACITY — M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. BARREL — 24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK — Walnut finish, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS — Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. BOLT — Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER — Round, ordnance steel, grooved for 'scope mounts. SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH — 42%". WEIGHT — M/580 5 lbs., M/581 5½ lbs., M/582 5½ lbs.

Model 514

SPECIFICATIONS: ACTION — Bolt action, single shot. CALIBER — 22 short, long, long rifle rim fire. CAPACITY — Single shot. BARREL — 24 inch, precision rifled, Remington ordnance steel. STOCK — Walnut finished, fusized, black butt plate. SIGHTS — Bead front sight, open rear. SAFETY — Rotary thumb safety. RECEIVER — Made from solid steel. OVER-ALL LENGTH — 41 inches. Boy's rifle 40 inches. WEIGHT — 434 lbs.

Nylon 66

SPECIFICATIONS: AGTION — Automatic. CALIBER — 22 long rifle Rim Fire. CAPACITY — Tubular magazine thru butt stock. Holds 14 long rifle cartridges. BARREL — 19% inch, precision rifled, Remington Ordnance Steel. STOCK — One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. SIGHTS — Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY — Top-of-grip. RECEIVER — Grooved for "tip-off" 'scope mounts. OVER-ALL LENGTH — 38½". COLOR — Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receiver cover. WEIGHT — 4 lbs.

Models 552, 550 and 572

SPECIFICATIONS: MODEL 552: ACTION — Automatic. CALIBER — 22 Rim Fire. CAPACITY — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. SIGHTS — Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. STOCK — Models 552 and 572 rich American walnut, BDL has RK-W finish. Model 550, full length, walnut finish. SAFETY — Cross-bolt type. RECEIVER — Grooved for "tip-off" scope mounts. OVER-ALL LENGTH — 42"; 40" (Carbine). WEIGHT — 5½ lbs.

MODEL 550: Same as Model 552 except: SAFETY — Thumb style. OVER-ALL LENGTH — $43\frac{1}{2}$ ". WEIGHT — $6\frac{1}{4}$ lbs.

MODEL 572: Same as Model 552 except: ACTION — Pump, repeater.

REMINGTON TARGET RIFLES

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

NEW Model 540X Match Target Rifle

SPECIFICATIONS: ACTION — Bolt, single shot. CALIBER — 22 cal. rim fire, Long Rifle only. CAPACITY — Single loading. SIGHTS — Redfield #63 front Redfield #75 rear (sights optional). SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. RECEIVER — Drilled and tapped for iron sights or 'scope mounts, rear sight bracket. BARREL LENGTH — 26". Over-all rifle length 43½" to 47½". LENGTH OF PULL — 12¾" to 15½". STOCK — length 30¾", thumb cuts, 4 way adjustable butt plate, rail. Front swivel block, sling and sling swivel opitional. Common sight alignment with 'scope or iron sights. WEIGHT — with sights 8 lbs. 8 oz.; without sights 8 lbs. 2 oz.

Model 40XB (Rim Fire)

SPECIFICATIONS: ACTION — Bolt, Single Shot. CALIBER — 22 rim fire, Long Rifle only. CAPACITY — Single loading. SIGHTS — Redfield Olympic front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Drilled & tapped for iron sights or 'scope mounts. BARREL LENGTH — 28". Yver-all rifle length 47". LENGTH OF PULL — 13½". (Trigger adjustable to 4 lbs.) STOCK — American walnut. Palm rest & front swivel block, adjustable on base. WEIGHT — With Redfield sights heavy barrel 12¾ lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.

Model 40XB (Center Fire)

SPECIFICATIONS: ACTION - Bolt, Single Shot & Repeating, CALIBERS -Single Shot — 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 mm (6 mm .222 Mag.), 6 mm international (6 mm on .250 Sav. case), 6 mm Rem. (244 chamber), 243 Win., 6.5 mm Rem. Mag., 7 mm Rem Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag., 300 Win. Mag.). Repeating – 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223 Rem., 243 Win., 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250 Rem. Calibers whose over-all loaded length is equal to or shorter than the 308. CAPACITY -Single loading and repeater. (Loads from top of receiver). SIGHTS - Redfield Olympic front & rear sights optional. SAFETY — Thumb operated safety, positive. RECEIVER - Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. BARREL LENGTH - 271/4" free floating. Overall length of rifle 47". LENGTH OF PULL - 131/2". Trigger adjustable 1 to 31/2 lbs. 2 ounce Trigger available at \$40.00 extra. STOCK -Selected American Walnut. Fore-end stop and sling swivel adjustable on base. AVERAGE WEIGHT -- Without Sights: Heavy Barrel 111/4 lbs., Standard Barrel 93/4 lbs

International Free Rifle (Rim Fire • Center Fire)

SPECIFICATIONS: 40 XB type action, precision heavy barrel, laminated stock, Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at \$25 extra cost. Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on special order.

ORDER NUMBERS AND PRICES

NEW Model 540X

| | Order | Retali Prices* |
|--|-------|----------------------|
| 540X Match Rifle (without sights) | 9796 | \$ 89.95 \$109.95 |
| 540X Match Rifle (with sights) | 9794 | \$109,95 |
| Sling Strap with Front Swivel Block Assembly (installed) | 6420 | \$ 6.95 |

Model 40XB (Rim Fire)

| Medel 40 XB "Rangemaster" — Rim Fire | Order Nos. | Retail Prices* |
|---|---------------|-------------------|
| S1 Std. Barrel with Sights, Rim Fire—22 Cal. H1 Heavy Barrel with Sights, Rim Fire—22 Cal. | 5674 5670 | \$204.95 |
| H2 Heavy Barrel without sights, Rim Fire—22 Cal. S2 Std. Barrel without Sights, Rim Fire—22 Cal. | 5672 5676 | \$169.95 |

Model 40XB (Center Fire)

| Model 40 XB "Rangemaster" — Center Fire | Order Nos. | Retail Prices* |
|--|--------------------|-------------------|
| GF-S2 Std. Barrel without Sights, Center Fire GF-H2 Heavy Barrel without Sights, Center Fire | Special Special | \$224.95 |
| Extra for repeating Center Fire Models | | \$ 20.00 |
| Extra for calibers requiring stainless barrels | | \$ 20.00 |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (12 weeks or more for center fire models) | | \$ 40.00 |
| · · · · · · · · · · · · · · · · · · · | | |

International Free Rifle

| international Free Rifle | Order Nos. | Retail Prices* |
|--|---------------|-------------------|
| International Free Rifle, Rim Fire & Center Fire | Special | \$361.05 |

*Fair Trade retail prices in states having Fair Trade laws.
Prices subject to change without notice.






TABLE OF CONTENTS


| REMINGTON FIREARMS | Pages | TARGET RIFLES | Pages |
|--|----------------------|---|------------------|
| SHOTGUNS | | Bolt Action Model 40XB "Range- master" | |
| Automatic Model 1100 | 4, 5 6, 7 8, 9 | Bolt Action Model 540X Target Scope Specifications—All Rim Fire and Center Fire Target Models | 26, 27 26, 27 |
| Specifications — All Shotgun Models CENTER FIRE RIFLES | | PREMIER GRADE Shotguns and Center Fire Rifles | 30 |
| Bolt Action Model 700 | • | GAUGE, CHOKE AND BARREL FACTS | 31 |
| master" | 14, 15 | REMINGTON-PETERS AMMUNITION | |
| Magnum | 16, 17 | Shotgun Shells | 32-35 |
| Bolt Action Model 788 | | Suggested Shot Sizes for Game | 33 |
| Bolt Action Model XP-100 | 17 | Shot Sizes | 34 |
| Specifications — All Center Fire Rifle | | Center Fire "Core-Lokt" & "Power- | 26 27 |
| Models | 18, 19 | Lokt" | 36, 37 |
| RIM FIRE RIFLES | | Interchangeability Chart | 30, 37 |
| NIMI FIRE RIFLES | | Center Fire Rifle Cartridges | 38-43 |
| Bolt Action Models 591 and 592 | | Center Fire Pistol & Revolver Cartridges | |
| Automatic Nylon 77 | | Pistol & Revolver Bullet Types | - |
| Bolt Action Models 580, 581, 582 | - | Ammunition Components | 46 |
| Bolt Action Model 514 | | Rim Fire Cartridges | 47 |
| Automatic Nylon 66 | • | • | |
| Automatic Model 552 "Speedmaster" Automatic Model 550 | | REMINGTON TRAPS | |
| Pump Action Model 572 "Fieldmaster" | | Trap & Skeet Equipment | 34, 35 |

The bronze sculpture, opposite, created for the 100th anniversary of the Remington Arms Company, Inc. in 1916, depicts Eliphalet Remington II at the anvil on which he hammered out the first of his rifles. That was in 1816. Remington was 23 years of age, and while the somewhat primitive forge no longer exists, the spirit of the man continues to guide the Remington gunsmiths of the present. Remington built a better rifle more than 150 years ago and the world beat a path to his forge. Now, a century and a half later, the oldest gunmakers in America present the newest guns.

First Remington Gun-1816

Ten Millionth Remington Gun-1957





Remington Model 1100 Automatic Shotgun-12, 16, 20, 28 & 410 Gauges-Priced from \$169.95



THE MODEL 1100 IS THE MOST DEPENDABLE AUTOMATIC SHOTGUN MADE AND THE BIG-GEST SELLER IN THE UNITED STATES. It's the only automatic available in 5 gauges. What more can we say other than tell you what hundreds of thousands of 1100 owners already know. Remington automatic shotguns have been manufactured continually since 1905. And, when you've been making anything as long as we've been making automatic shotguns, you learn how to make them right. All the things we've learned down through the years, exist in the Model 1100. We're pretty proud of this model and the excellent reputation it has earned in seven short years.

A NEW MODEL 1100, 20 GA. LIGHTWEIGHT IS AVAILABLE THIS YEAR. Designed for the hunter who wants a fast pointing, easy handling 20 ga. automatic, this versatile

model will handle all 234" standard and magnum shot shells. A new specially designed lightweight steel receiver and mahogany stock and fore-end promises to make this new 20 ga. a favorite upland gun for years to come.

Here are some of the features that make the model 1100 America's most popular automatic.


DEPENDABILITY — In all kinds of weather with all kinds of loads, the 1100 will give you the performance you have come to expect from Remington. Its gas metering system is designed to operate with all types of shotgun shells making it possible for you to hunt a variety of game with the proper ammunition. This unique design enables the shooter to use all 234" standard velocity, "Express", and 234" magnum loads without any gun adjustments. Barrels, within gauge and similar chamber lengths, are interchangeable in seconds, no factory fitting is

required. This beefed up, self-cleaning gas operated shotgun has a greatly extended shooting life. It'll still be shooting long after less rugged automatics have worn out.


RECOIL — There really isn't much. As a matter of fact, the correct word to use is "push." The 1100 gives less "kick" than any other shotgun action. Your shoulder feels a "push" rather than a "punch."

APPEARANCE — In order to have a best selling product, it must look the part. The 1100 does . . . and for many reasons. The solid steel receiver features decorative scroll work. Its deep rich blue (outside and in) is caused by our unique "vibra-honing" metal finish. Du Pont developed RK-W wood finish is tough and scratch-resistant. White line spacers and a tear drop pistol grip cap do not make the 1100 shoot any better but it gives you that pride of ownership feeling.

■ MODEL 1100, 12 Ga., Magnum Duck Gbn, 30" Full Choke, \$209.95
 2 — MODEL 1100, 12 Ga., 28" Mod. Choke, \$194.95
 3 — NEW MODEL 1100, 20 Ga., (Lightweight), 26" Imp. Cyl. Choke, \$204.95
 4 — MODEL 1100, 410 Ga., 25" Mod. Choke, \$204.95



Remington Model 870 "Wingmaster" Pump Action otgun-12, 16, 20, 28 & 410 **'es—** Priced from \$119.95



F YOU'RE IN THE MARKET FOR NEW PUMP SHOTGUN, there are a few things you should keep in mind.

LOOK FOR a gun that has a dependable reputation and good lines. The Model 870 "Wingmaster" is such a

LOOK FOR one that's been in continuous production for a long length of time. After all, you know a product is good if it's been manufactured for 20 years and is still the most preferred product in its class.

Our engineers have been unable to improve its basic design. How can you make America's best selling pump shotgun better? We haven't found a way yet.

LOOK FOR a gun that has a receiver machined from a solid piece of steel. With magnum ammunition you need all the receiver strength you can get. Remington continues to use solid ordnance steel in the manufacture of 870 "Wingmaster" receivers and for that matter all other Remington shotgun receivers, o insure proper performance and utmost safety.

LOOK FOR double action bars (they're the two rails on each side of the fore-end). They permit you to pump the gun twice as smoothly, shot after shot, without the problem of twisting or binding. Double insurance that your gun will feed and eject properly under all shooting conditions.

LOOK FOR a gun that features interchangeable barrels without gunsmith or factory refitting. Chances are, you'll want to use your new gun on different types of game. These requirements are easily satisfied with the purchase of an extra barrel. If this is the case, you have in the Model 870 "Wingmaster" the choice of 17 distinctive barrel lengths and choke combinations in the 12 gauge alone.

LOOK FOR A GUN THAT WILL SHOOT ALL 2¾", standard velocity, "Express", and 2¾" magnum shotgun shells. The owner of an 870, 12 gauge magnum may shoot all 12 gauge shotgun shells without gun modifications a total of 21 distinct shotgun shell loads with the largest selection of shot sizes. Dollar for dollar, the 870 "Wingmaster" is the most versatile shotgun you can buy.

LOOK FOR a gun that has modern style (this year's 870's have fancy white line spacers at the butt plate and grip cap). All 870 "Wingmasters" in field, trap, skeet, deer, and magnum models feature a unique metal finish. We call it "vibra-honing". The result is almost a mirror-like finish on all metal surfaces (both inside and out). Inside, the smoother the action is, the easier it works. Outside, the smoother a base you start with, the deeper and richer the blueing.


LOOK FOR a gun that has a special wood finish. When Remington ships an 870 from its factory, we expect it to be subject to years of rugged use. Not only must the steel be of the highest quality but also the wood. That's why we protect the stock and fore-end with an exclusive Du Pont wood finish called RK-W. This clear finish, similar to that used on bowling pins, is tough, hard and scratch-resistant. It gives lasting protection against hard usage and bad weather.

LOOK FOR the Remington "Wingmaster" at your local dealer.

¶ 1 — MODEL 870, 12 Ga., 28" Mod. Choke, \$144.95

2 - MODEL 870 MAGNUM, Duck Gun, 12 Ga., 30" Full Choke, \$164.95 3 - MODEL 870, 20 Ga., 28" Med. Cheke, \$144.95 4 -- MODEL 870, 28 Ga., 25" Full Cheke, \$154.95

(Complete Specifications on Pages 10 and 11)



Remington TRAP and SKEET Model 1100 Automatic and Model 870 "Wingmaster" Pump Action Shotguns-Priced from \$149.95

Proven The Best by World Record Performance



TRAP — This game's changed considerably since Remington introduced America's first "reasonably" priced double barrel trap gun 'way back in 1874. So have our trap guns. America's favorite trap model isn't a rabbit-eared double anymore, it's a slick, solid steel receiver pump gun. Remington calls it the Model 870. Our customers call it "Old Reliable."

It's not uncommon for a trapshooter to shoot four or five thousand shells a year through one gun. Clay target busters are quick to recognize that the 870 is built to withstand this type of use. Double action bars prevent twisting and binding and a solid steel receiver insures utmost safety and dependability. The 870 is available in a variety of barrel lengths, both full and modified chokes. The TB grade (our economy model) offers all of the features of our more expensive TC grade with the exception of fancy wood nd hand checkering. Monte Carlo stocks are optional on both models. The Model 1100 TB trap grade is our gas operated automatic you've heard so much about. In a little over seven years this gun has become the predominate favorite among trapshooters who prefer an automatic. Why do some prefer our automatic over other types of actions? RECOIL is one big reason. Actually the Model 1100 has less kick than any other shotgun action and, when you're shooting at 300 or so targets a day, body fatigue could mean the difference between winning or losing. DEPENDABILITY is another big reason why so many shooters use and prefer the Model 1100. It works. And not only with factory loads either, many reloaders have won major championships with the Model 1100 shooting their "home brewed" loads. Full and modified chokes are available in a variety of barrel lengths. Monte Carlo stocks are optional.

SKEET — It would be hard trying to talk about skeet guns without getting the Remington Model 1100 into the sentence somewhere. Actually, skeet

sort of grew up with Remington. We set up one of the country's first skeet fields (Lordship, Conn.) and conducted the first national tournament of any importance (The Great Eastern). So, it's safe to assume Remington is just a little ahead of the field when it comes to knowing how to build a good skeet gun. We were quite a bit ahead of the field at the 1969 World's Skeet Championships. Four out of the five perfect scores in the All-Bore event were shot with Model 1100's (the fifth was a discontinued Remington model). Our Model 1100 SA is the big skeet favorite. It doesn't have the fancy wood our Deluxe SB grade has, but it's not as expensive either and shoots just as well. This year it's available in 410, 28, 20, and 12 gauges, all with special "Skeet" bored barrels, solid steel receivers and built-in dependability. The Model 870 "Wingmaster" SA and SC skeet is just the ticket if you enjoy the heft of a pump action. The SA version is chambered for 410, 28, 20 and 12 gauge shotshells.

1 -- MODEL 1100 SA, 12 Ga., Skeet, \$199.95 2 -- MODEL 1100 SA, 410 Ga., Skeet, \$209.95 3 -- MODEL 1100 TB, 12 Ga., Trap, \$234.95

4 - MODEL 870 TB, 12 Ga., Trap, \$184.95 5 - MODEL 870 TC, 12 Ga., Trap, \$259.95

(Complete Specifications on Pages 10 and 11)

1970

REMINGTON SHOTGUNS

Model 1100 28 and 410 Gauges

SPECIFICATIONS: STYLE — Gas operated. 5 shot capacity with 28 ga. shells — 4 shot capacity with 3" -410 ga. shells. 3 shot plug furnished. BARREL — Special Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER — 2½" in 410 ga. skeet; 3" shells only in field grades; 2¾" in 28 ga. field and skeet models. OVER-ALL LENGTH — 45½". SAFETY — Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. STOCK DIMENSIONS, mahogany in field grades, walnut in skeet grades — 14" long, 2½" drop at heel, 1½" drop at comb. AVERAGE WEIGHT — 28 ga. skeet -6¾ lbs.; 410 ga. skeet -7¼ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel -6¼ lbs.; 410 ga. plain barrel -6¾ lbs.; 28 ga. vent. rib -6½ lbs.; 410 ga. vent. rib -7 lbs.

Model 1100 12, 16 and 20 Gauges

SPECIFICATIONS: STYLE — 5 shot gas operated shotgun, 3 shot plug furshed. GAUGE — Made in 12, 16 and 20 gauge. BARREL — Special Remingordnance steel. Extra barrel is interchangeable within gauge. 20 ga. antitweight barrels interchangeable only within lightweight models. OVERALL LENGTH — 48" (with 28" Barrel). SAFETY — Convenient cross-bolt type. RECEIVER — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. STANDARD STOCK DIMENSIONS — Stock and fore-end: Rich American walnut. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14¾" long, 1¾" drop at heel, 1¾" drop at comb. Monte Carlo; 14¾" long, 1¾" drop at heel, 1¾" drop at comb. 1¾" drop at M.C. AVERAGE WEIGHT — 12 ga. - 7½ lbs., 16 ga. - 7¼ lbs., 20 ga. - 7 lbs. (20 ga. lightweight - 6½ lbs.).

Model 870 28 and 410 Gauges

SPECIFICATIONS: STYLE — Pump Action. 5 shot capacity with 28 ga. and 2½" - 410 ga. shells — 4 shot capacity with 3" - 410 ga. shells. Take down. 3 shot plug furnished. BARREL — Special Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER — 3" in 410 ga.; 2¾" in 28 ga. OVER-ALL LENGTH — 45½". SAFETY—Convenient cross-bolt type. RECEIVER Made from solid steel, top matted. STOCK DIMENSIONS, mahogany in 1 grades and walnut in skeet grades — 14" long, 2½" drop at heel, in "drop at comb. AVERAGE WEIGHT — 28 ga. skeet - 6 lbs.; 410 ga. skeet 6½ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. daim barrel - 5½ lbs.; 410 ga. plain barrel - 6 lbs.; 28 ga. vent. rib - 6¼ lbs.; 410 ga. vent. rib - 6¼ lbs.; 410 ga. vent. rib - 6¼ lbs.

Model 870 12, 16 and 20 Gauges

iPECIFICATIONS: STYLE — 5 shot pump action shotgun. Take down. 3 shot blug furnished. GAUGES — 12, 16 and 20. BARREL — Special Remington adhance steel. Extra barrel is interchangeable within gauge. OVER-ALL ENGTH — 48½" with 28" barrel. SAFETY — Convenient cross-bolt type, positive. RECEIVER — Made from solid steel, top matted. STANDARD STOCK IIMENSIONS — Stock and fore-end: Rich American walnut. Beautiful checkers 14" long. 2½" drop at heel, 1½" drop at comb. Trap reg., 14%" big. 1½" drop at heel, 1½" drop at comb. Monte Carlo; 14%" long, drop at heel, 1½" drop at comb. 1½" drop at M.C. AVERAGE WEIGHT pa. 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.

Order Numbers, Prices and

Gauges, Barrel Lengths and Chokes

Model 1100 12, 16 and 20 Gauges

| | , | | -60 | - | | |
|----------|--------|---------------------------------|-----------|-------------------|---------------|-------------------|
| | | | | rder Ne 16 Ga. | s. 20 Ga. | Retail Prices* |
| | | 1100 with Plain Barrel | | | | |
| | 30" | Full Choke Full Choke | 5322 | | | Ì |
| | | Full Choke | 5320 | 5370 | 5390 | \$ 169.95 |
| 1.5 | | Mod. Choke | 5326 | 5374 | 5394 | |
| | | imp, Cyl. Chake | | 5376 | 5396 | <u> </u> |
| | 22" | imp. Cyl. Deer Gun | 5308 | ith Rifle | 5260 | \$ 189.95 |
| | | 1100 with Vent. Rib Barrel | | | | |
| | | Full Choke | 5332 | • | 1 | [|
| | | Full Choke | 5330 | 5378 | 5398 | \$ 194.95 |
| | 28″ | Mod. Choke | 5336 | 5382 | 5402 | |
| | | Imp. Cyl. Choke | 5338 | 5384 | 5404 | L |
| × | Model | 1100 Magnum with Plain Barrel | | | | |
| | 14303 | Fill Chair Sales Sales Sales | .5344 | ļ | | l |
| NEW | 30" | Mod. Choke | 5250 | l | E400 | \$ 184.95 |
| | | Mad Chale | | - | 5428. 5254 | ŧ |
| NEW | | Mod. Choke | | | 3234 | |
| | Model | 1100 Magnum | 1 | ļ. | l | |
| | WITH V | ent. Rib Barrel | 5348 | ĺ | | Ì |
| NEW | | Mod. Choke | 5252 | ł | Į | \$ 209.95 |
| | | MOU. CHOKE | | | 5430 | \$ 209.33 |
| NEW! | | Mod. Choke | 2000 | A STANSON | 5256 | 1 |
| | | 1100 SA Skeet | | | | |
| | with V | ent. Rib Barrel | | 1 | i | 1 4 |
| in S | | Skeet Choke | 5356 | l | 5408 | \$ 199.5 |
| 1 | | Skeet Choke with Cutts Comp. | 5358 | | 5410 | \$ 224.95 |
| Quality. | | 1100 SB Skeet | 3000 | | 01120 | # LLT.55 |
| | | ent. Rib Barrei (Fancy Weed) | l | | ĺ | |
| | | Skeet Choke | 5302 | ì | 5422 | \$ 224.95 |
| | | 1100 TB Trap | 1 0002 | } | | V 224.55 |
| | with V | ent. Rib Barrel | i | l | l | 1 |
| | | Full Choke | 5350 | 1 | [| ĺ |
| | | Mod. Trap Choke | 5288 | | | \$ 234.95 |
| | | Full Choke | 5352 | l | 1 | |
| 100 | | Mod. Trap Choke | 5354 | 1 | ĺ | 1 |
| | | Full Choke with | 5306 | | | |
| | 30" | Mod. Trap Choke Monte | 5290 | 1 | j | \$ 244.95 |
| | 28″ | Full Choke Carlo | 5314 | i | 1 | |
| | | Mod. Trap Choke Stock | 5318 | | l | 1 |
| | Model | 1100 D "Tournament" with Vent. | Rib Barre | el S | pecial | \$ 595.00 |
| | | 1100 F "Premier" with Vent. Rib | | | pecial | \$1,295.00 |
| | | Gold Inlay | 041 IUI | | pecial | \$2,000.00 |
| ٠, ٠ | | . 4014 111111 | | | hen.a. | 142,000.00 |

Model 1100-28 & 410 Gauges also 20 Gauge Lightweight

| | | _ | | _ | |
|-----|--|----------------------|----------------------|----------------------|-------------------|
| | | 20 Ga. | rder No j 28 Ga. | s. 410 Ga. | Retail Prices* |
| NEW | Model 1100 with Plain Barrel | 9596 9598 9600 | 5316 5406 5412 | 5460 5462 5464 | \$ 179.95 |
| NEW | Model 1100 with Vent. Rib Barrel 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 9602 9604 9606 | 5414 5416 5426 | 5466 5468 5296 | \$ 204.9 |
| NEW | Model 1100 SA Skeet with Vent. Rib Barrel 25" Skeet Choke | | 5432 | 5298 | \$ 209.95 |
| : O | "Match-Weight" Skeet Cap for Small Gauge Model 1100 | | 6338 | 6338 | \$ 9.95 |

^{*}Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program

specifications

USE NUMBI ACCURATE ORDERING


Model 870 12, 16 and 20 Gauges

| | | | | rder No | | | letail |
|---|---------------------------------------|--|--------------|--------------|--------------|-------------|---------------|
| | | | 12 Ga. | 16 Ga. | 20 Ga. | ľ | rices* |
| | Medel 870 with Plain Barrel | | | | | | |
| | 30" full Choke | | 6900 | coon | 6014 | | 110.00 |
| | 28" Full Choke | | 6902 | 6908 | 6914 | • | 119.95 |
| | 28" Mod. Choke | | 6904 6906 | 6910 | 6916 | | |
| | 26" Imp. Cyl. Choke | | 0900 | 6912 | 6918 | <u> </u> | |
| | Medel 879 Deer Gun "Brushma | | | with | *** | | 100 0 |
| | 20" Imp. Cyl. Choke Deluxe | | 6960 | Rifle | 6962 | \$ | 139.9 |
| | 20" Imp. Cyl. Choke Stand | ard | 5026 | Sights | | \$ | 119.95 |
| | Medel 870 with Vent, Rih Barr | ei | | | | | |
| | 30" Full Choke | | 6930 | | | 1 | |
| | 28" Full Choke | | 6932 | 6938 | 6944 | \$ | 144.9 |
| | 28" Mod. Choke | | 6934 | 6940 | 6946 | 1 | |
| | 26" Imp. Cyl. Choke | | 6936 | 6942 | 6948 | l | |
| | Medel \$70 Magnum with Plain | Sarrel | | | | Г | |
| | 20" full Choice | ar in the same | £966.: | ŀ | 1 | | |
| 1 | 30" Mod. Choke | | 6968 | ŀ | ĺ | 15 | 139.9 |
| | 22% Juli Chake 1874 | Principle of the Control of the Cont | the street | out their | .6970 | Ι. | |
| ľ | 28" Mod. Choke | | | | 6972 | 1 | |
| • | Medel 870 Magnum | | | | | ┰ | |
| | with Vent Bib Recret | | i | 1 | 1 | l | |
| , | # 30% Full Choke | THE PARTY | 6076 | l | | ŀ | |
| N | 30" Mod. Choke | | 6978 | 1 | [| ĺŝ | 164.9 |
| | 287 Fuli Choke | V. 10400 | | 1335 | 6980 | ۲ | |
| ٧ | 28" Mod. Choke | | | | 6982 |] | |
| | Medel 870 Pelice with Plain B | arral | | \vdash | | t | |
| | 20" Police Cvl. Choke | - 14: | 5030 | | 1 | s | 109.9 |
| ÷ | 18" Police Cyl. Choke | | 5032 | } | 1 | ľ | 100.5 |
| (| 20" Imp. Cyl. Choke, Rifle S | Ciabta | 5028 | | | s | 119.9 |
| , | | | 3020 | | | 13 | 115.5 |
| | Medel 870 SA Skeet with Yent | . KIÐ BAITEI | cone | 1 | 0000 | | 140.0 |
| | 26" Skeet Choke | | 6988 | | 6992 | \$ | 149.9 |
| | 26" with Cutts Comp. | | 6990 | | 6994 | \$ | <u> 174.9</u> |
| | Medel 870 SC Skeet with Yest | . Rib Barrel | | | 1 | Г | |
| | 26" Skeet Choke | | 5136 | 1 | 5140 | \$ | 224.9 |
| | Medel 870 TB Trap with Yest. | Rib Rarrel | | | | Т | |
| | 30" Full Choke | | 4926 | ł | ľ | l | |
| | 30" Mod. Trap Choke | | 5006 | 1 | l l | Ś | 184.9 |
| | 28" Full Choke | | 4928 | ļ | 1 | ľ | |
| | 28" Mod. Trap Choke | | 4930 | l | i | ı | |
| | 30" Full Choke | with | 4906 | | | ✝ | |
| | 30" Mod. Trap Choke | Monte | 5034 | | l | ls | 194.9 |
| | 28" Full Choke | Carlo | 4908 | Ì | Ì | Ì٣ | 1011 |
| | 28" Mod. Trap Choke | Stock | 4910 | l | | | |
| | | | 7010 | | | ۰ | |
| | Model 870 TC Trap with Yent. | KIB DATE! | 4030 | 1 | ĺ | Ĺ | |
| | 30" Full Choke | | 4938 5036 | 1 | | | 259.9 |
| | 30" Mod. Trap Choke 28" Full Choke | | 4940 | 1 | 1 | , | 235.3 |
| | 20 Full Glicke | | 4942 | 1 | l | ı | |
| | 28" Mod. Trap Choke | | | | ļ | ļ., | |
| | 30" Full Choke | with | 4912 | 1 | J | - | 0001 |
| | 30" Mod. Trap Choke | Monte | 5044 | l | 1 | Į¥. | 269.9 |
| | 28" Full Choke | Carlo | 4924 | | 1 | 1 | |
| | 28" Mod. Trap Choke | Stock | 4874 | <u> </u> | | 1_ | |
| | Model 870 D with Vent. Rib B | arrel | | Special | | 1\$ | 595.0 |
| | Model 870 F with Vent. Rib Ba | | | Special | | 100 | ,295.0 |

Model 870-28 & 410 Gauges

| | | r Nos. | Retail | |
|---|----------------------|----------------------|----------|--|
| | 28 Ga. | 410 Ga. | Prices* | |
| Medel 870 with Plain Barrel 25" Full Choke | 4000 | 4040 | | |
| 25" Mod. Choke 25" Imp. Cyl. Choke | 4868 4904 4916 | 4948 4950 4978 | \$129.95 | |
| Aedei 870 with Vent. Rib Barrei 25" Full Choke 25" Mod. Choke | 4918 4920 4932 | 4986 5086 4990 | \$154.95 | |
| Model 870 SA Skeet with Vent. Rib Barrel 25" Skeet Choke | 4934 | 4996 | \$159.95 | |
| "Match-Weight" Skeet Cap for Small Gauge Medel 870 | 6336 | 6336 | \$ 9.95 | |
| and the second of the second of | | • | | |

| Model 1100 Extra Barre | | | | 0 | rder | | | | } | |
|---|--|----------|----------|-----------|----------|-------------|---------------------------|--------------|--------------|--|
| | 12 Ga. | 18 | Ga. | 20 Sta | 6a. | Ī | 20 Ga. Light Jeight | 28 Ga. | 410 Ga | Retail Prices* |
| Extra Barrels, Plain | | Γ | | | | | | | | |
| 30" Full Choke 28" Full Choke | 9500 9502 | ۵ | 530 | Q.F | 46 | | | | | \$45.45 |
| 28" Full Choke | - agus | - | - | 5. | - | | 6578 | | | \$47.95 |
| 25" Full Choke | i | \vdash | | Н | | | | 9588 | 9574 | \$47.95 |
| 28" Mod. Choke | 9504 | 9 | 532 | 95 | 48 | | | | | \$45.45 |
| 28" Mod. Choke | | | | _ | | _ (| 6580 | | | \$47.95 |
| 25" Mod. Choke | 0500 | _ | 500 | ^- | | | | 9510 | 9576 | \$47.95 |
| 26" Imp. Cyl. Choke 26" Imp. Cyl. Choke | 9508 | 9: | 536 | 90 | 52 | _ | 6582 | | | \$45.45 \$47.95 |
| 25" Imp. Cyl. Choke | | - | _ | _ | | | 0302 | 6584 | 9578 | \$47.95 |
| 22" Imp. Cyl. Rifle Sights | 9568 | ┢ | | 95 | 72 | | | 0304 | 3378 | \$54.50 |
| Extra Barrels, Vent. Rib. | | ┢ | | | | _ | | | | |
| 30" Full Choke | 9512 | l | | | | | | | | \$68.15 |
| 28" Full Choke | 9514 | 9 | 538 | 95 | 554 | _ | | | - | |
| 28" Full Choke 25" Full Choke | ļ | - | | \vdash | | | 9590 | 6586 | 9580 | \$70.95 \$70.95 |
| 28" Mod. Choke | 9516 | 9 | 540 | 9! | 556 | \vdash | | 0300 | 3700 | \$68.15 |
| 28" Mod. Choke | | ۲ | | | | - | 9592 | | | \$70.95 |
| 25" Mod. Choke | | | | | | | | 6588 | 9582 | \$70.95 |
| 26" Imp. Cyl. Choke | 9520 | 9 | 544 | 9: | 60 | Ш | | | | \$68.15 |
| 26" Imp. Cyl. Choke | | L | | L | | | 9594 | | L | \$70.95 |
| 25" Imp. Cyl. Choke | ļ | L | | <u> </u> | | L | | 6590 | 9584 | \$70.95 |
| Extra Barrels, Vent. Rib Trap & Skeet Grades | ł | l | | | | | | | | |
| 26" Skeet Choke | 9522 | l | | 9! | 662 | | | | | \$72.40 |
| 26" Skeet Cutts Comp. | 9524 | T | | 9: | 564 | | | | | \$94.47 |
| 25" Skeet Choke | | | | | | | | 6592 | 9586 | \$74.95 |
| 30" Full Choke . 30" Mod. Choke Tues | 9526 9570 | 1 | | l | | | | | | |
| 28" Full Choke 28" Mod. Choke | 9528 9566 | | | | | | | | | \$72.40 |
| Model 870 | <u>. </u> | <u>-</u> | | <u> </u> | | <u>_</u> | order No | | | Retail |
| Extra Barre | ls | | 120 | ìa. | 166 | ìa. | 20 Ga. | 28 Ga. | 410 Ga. | Prices* |
| Plain Barrel | | | | | | | | | | |
| 30" Full Choke 28" Full Choke | | 1 | 62 | | 62 | 2 | 6270 | | | \$35.70 |
| 25" Full Choke | | 닉 | 02 | | 02. | 32 | 0270 | 6282 | 6236 | \$37.95 |
| 28" Mod. Choke | | - | 62 | 18 | 62 | 54 | 6272 | 0.01 | 1 | \$35.70 |
| 25" Mod. Choke | | | | | | | | 6284 | 6238 | \$37.95 |
| 26" Imp. Cyl. Choke | | | 622 | 20 | 62 | 56 | 6274 | | <u> </u> | \$35.70 |
| 25" Imp. Cyl. Choke | | | - 05 | _ | <u> </u> | | | 6286 | 6248 | \$37.95 |
| 20" Cyl. Choke 20" Imp. Cyl. Rifle Sights | | _ | 65 | _ | ├ | | 6230 | | | \$35.70 \$46.10 |
| | | _ | -03 | | - | _ | 0230 | | ├ | \$40.10 |
| Vent. Rib Barrel 30" Full Choke | | | 62: | 22 | | |] | | | |
| 28" Full Choke | | į | 62 | | 62 | 58 | 6276 | | | \$58.75 |
| 25" Full Choke | | | | | | | | 6288 | 6250 | \$61.95 |
| 28" Mod. Choke | | | 62 | 26 | 62 | 60 | 6278 | | \ <u>:</u> | \$58.75 |
| 25" Mod. Choke | | | | 20 | - | C 10 | CORO | 6290 | 6264 | \$61.95 |
| 26" Imp. Cyl. Choke 25" Imp. Cyl. Choke | | | 62 | 28 | 62 | 62 | 6280 | 6292 | 6266 | \$58.75 \$61.95 |
| Trap & Skeet Grades | - | | - | | Η- | _ | | 22.32 | 0200 | +01.33 |
| Vent. Rib Barrels | | | | | | | | 1 | | <u> </u> |
| 30" Full Choke | | | 62 | | 1 | | | 1 | } | 1 |
| l 28" Full Choke 1"" | | | | 44 | | | | | | \$61.55 |
| 28" Mod. Choke I 26" Skeet SA & SC Grades | | | 62 62 | | 1 | | 6508 | 1 | | ł |
| 26" SA & SC with | | | 1 34 | 70 | - | | 3300 | l | + | |
| Cutts Comp. | | | 64 | 50 | _ | | 6456 | L | | \$83.62 |
| 25" Skeet Choke | | | | | | | | 6294 | 6268 | |



BARBER - PRESALE R 0124266 R2525254

Remington Model 700 Bolt Action Center Fire Rifle... Available in 16 Calibers Including the NEW 25-06 Remington-Priced from \$139.95

am, last year's sales records proved tamous Remington Model 700 bolt ton center fire rifle continued to be smerica's best seller. One of the outstanding reasons for its success is the availability of a wide caliber selection, more than any other American manufacturer.


ADDED, THIS YEAR, TO THE LIST OF CALIBER FAVORITES IS THE 'OPULAR 25-06. NOW VARMINT AND SMALL GAME HUNTERS TIKE CAN BUY COMMERCIALLY HE CARTRIDGE AND GUN COM-INATION RELOADERS HAVE TEN PRAISING FOR YEARS. The todel 700 offers a caliber for every type I hunting from varmints to elephants ---A TOTAL OF 16 DIFFERENT CART-:IIXGES IN ALL. The 700 has seven agnum calibers to choose from (one wre than our major competitor) and six imint cartridges (three more than our gest competitor). It's the ideal gun for shooter looking for an "all-around" rifle.

IRENCITH — Tests have proven the todel 700 action is the strongest bolt ation center fire ever made. Just the aket for handloaders who want strength increastrength belongs. The secret is in the three rings of solid steel that "sursund the cartridge head."

here are no extractor cutaways to caken this critical area.

he Model 700 has the appearance of a r more expensive rifle. The ADL grade is a jeweled bolt with a shrouded bolt ug, a restyled stock that improves balice and pointing and a unique low prosafety that brush will not accidentally even or off. BDL models have a sharp we spacer forward of the butt plate teasier to adjust sling strap.

ing with these features the Model 700 offers the shooter the same list of



Three reasons why the Model 700 is the Strongest Bolt Action ever made

extras that have made it the best seller it is. ACCURACY — a product of Remington's famous precision rifling and short, crisp trigger pull. CRAFTSMAN-SHIP — the traditional beauty of fine checkering and beautiful wood finish that is tough, hard, and scratch-resistant (we call it RK-W). ADDED FEATURES — Monte Carlo stock and cheek piece, receiver drilled and tapped for scope mounts, checkered bolt knob, detachable sights for the shooters using a scope. BDI. models feature a hinged floor plate, hooded front sight, sling strap and swivels, black grip cap and fore-end tip with white spacers.

Model 700 BDL "VARMINT SPECIAL"

The tremendous acceptance of the 700 and constant shooter demand have brought about the availability of a special heavy barreled varmint rifle, the 700 BDL "Varmint Special." Designed for minimum-target, maximum-range precision

shooting, it is chambered for five of the most popular varmint cartridges going — 222 Rem., 223 Rem., 22-250 Rem., 6mm Rem., and 243 Win. A heavy 24" barrel places this rifle in a new accuracy class. It's equipped with scope bases, hinged floor plate, quick release swivels and an easier to adjust sling strap. Monte Carlo stock and cheek plate, RK-W wood finish and custom checkering.

Model 700 "Custom" Rifle


The 700 "Custom" is the finest bolt action rifle ever manufactured by the Remington Arms Company. Available on special order only, the 700 "Custom" offers the sportsman a choice of specifications. It is available in a variety of calibers and features a select American Walnut stock, hand checkering, and a highly polished barrel (with or without sights) and te ceiver for the linest blueing possible. It is truly the ultimate gun for the ultimate sportsman.

MODEL 700 ADL DELUXE, 30-06 Sptd., \$139.95 2 — MODEL 700 BDL "CUSTOM/DELUXE", 25-06 Rem., \$159.95 MODEL 700 BDL "VARMINT SPECIAL", 22-250 Rem., \$174.95 4 — MODEL 700 "CUSTOM SPECIAL", 6mm Rem., \$345.00

(Complete Specifications on Pages 18 and 19)



Remington Model 742 "Woodsmaster" Automatic - Priced from \$164.95 Model 760 "Gamemaster" Pump Action Rifles-Priced from \$139.95



64 YEARS OF AUTOMATIC RIFLE EXPERIENCE HAS GONE INTO THE MANUFACTURE OF REMINGTON'S LATEST MODEL —

Model 742 "Woodsmaster"

Remington introduced America's first Automatic rifle back in 1906 and we've been making them ever since.

The Model 742 is the most dependable automatic on the market. It's proven itself time and time again, under all weather conditions. Prior to its introduction, the 742 withstood performance tests that included freezing the action, subjecting the action to dust and dirt and a deluge of water. It passed these tests with flying colors. Proof enough it will stand up under all hunting conditions.

It's extra strong too. The artillery-type bolt has multiple lugs that lock bolt and barrel together as tight as a bank vault. When the bolt is closed, three rings of steel (bolt, barrel, and receiver) enclose the cartridge head.

Designed for trouble-free functioning, the fast gas-operated action soaks up recoil with no loss of power. You're back on target immediately for those extra shots (if you need them). If you hunt in heavy

brush, take a look at the 742 Carbine. Its 18½" barrel makes it a handy gun to have when the going is rough.

Extra clips are available for fast loading in the field. Sling strap and swivels are optional.

Both the Model 742 rifle and carbine feature a unique metal finish. We call it "vibra-honing." The result is a mirror-like finish on all metal surfaces (both inside and out). Parts operate smoother, glide easier. The blueing resembles that of far more expensive models. It has a rich lustrous finish.

Du Pont developed RK-W wood finish protects the stock and fore-end. This clear finish, similar to that used on bowling pins, is tough, hard and scratch-resistant. It gives lasting protection against hard usage and bad weather.

BDL grade "Custom Deluxe" models feature beautiful basket-weave checkering, Monte Carlo stock with full cheek piece either for right or left hand shooters (safety reversed for left hand shooters at no extra cost) and an attractive black fore-end tip and grip cap. All Model 742's are drilled and tapped for 'scope mounts.

Model 760 "Gamemaster"

The Model 760 pump action center fire

rifle is the fastest hand-operated big game rifle made. It's faster than the fastest lever action. Double action bars guarantee dependability and prevent twisting and binding. All this means velvet-smooth pumping, shot after shot.

The Model 760 is the only pump action big game rifle that's chambered for the powerful 30-06 Springfield cartridge. The secret's in its solid steel receiver and extrastrong artillery type bolt.

All Model 760's are drilled and tapped for 'scope mounts, RK-W Du Pont developed wood finish is standard on all models as is a streamlined beaver-tail fore-end with black tip and white line spacers. Skip line checkering on standard grades gives the rifle a distinctive look.

New "vibra-honing" metal finish, inside and out, makes metal surfaces silkysmooth; parts work friction-free. BDI. Deluxe grades feature basket weave checkering, Monte Carlo stock with cheek piece for right or left hand shooters (safety reversed on guns with left hand cheek piece at no extra cost).

The Model 760 "Gamemaster" carbine with an 18½" barrel is just the ticket when you're hunting in heavy brush. Dollar for dollar, you can't buy a better pump action big game rifle.

1 --- MODEL 742, 6mm Rem., \$164.95 2 --- MODEL 742 BDL DELUXE, 30-06 Spfd., \$184.95 3 --- MODEL 760, 308 Win., \$139.95

4 - MODEL 760 BOL DELUXE, 30-06 Spfd., \$159.95

(Complete Specifications on Pages 18 and 19)

Remington Model 788 Bolt Action Rifle-Priced from \$89.95 Model 660 Bolt

Action Carbine - Priced from \$124.95



Model 660

THE MODEL 660 IS THE MOST POW-ERFUL BOLT ACTION CARBINE ON THE MARKET TODAY! NO OTHER GUN IN ITS CLASS IS CHAMBERED FOR THE HARD HITTING 350 REM. MAGNUM AND 6.5 REM. MAGNUM. The 660 is available in other popular calibers too: 243, 308, 222 Rem., and 6mm Rem. The Model 660 bolt action carbine is versatile enough to hunt all big game animals of North America. Its convenient carbine length 20" barrel means easy carrying in the field without loss of accuracy or velocity. A special barrel bracket adds support to the 'scope mount making it more rigid. The 'scope can't be easily knocked out of adjustment when the going gets rough. New "vibrahoning" metal finish, inside and out, are silky-smooth for fast, friction-free operation. The receiver is drilled and tapped. It's a simple matter to install a 'scope. Adjustable sights are the same dependable type that are on the Remington Model 700. A good-looking black foreend tip, fine-line checkering, plus a black grip cap and butt plate (recoil pad on magnum models) help give this carbine the looks of a far more expensive gun. Magnum models feature a lamination of walnut and beech for extra strength, stability, and beauty. Sling straps and swivels are standard equipment on the 660 Magnum.

The Model 660's "S" shape bolt handle hugs the stock and won't interfere with brush or clothing. This bolt knob is serrated on the bottom for a good secure

grip. RK-W wood finish, developed by Du Pont, protects the stock and brings out the lustrous beauty of the wood grain.

The Model 660 has many features of higher priced rifles. Standard equipment includes a Monte Carlo stock for a better cheek-to-stock fit for quicker, surer sight alignment with either a 'scope or open sights. The trigger is extra wide and serrated so your finger won't slip even when wearing a glove; it's extra crisp and clean, no creep or spongy action.

Economically priced in all calibers, the Model 660 is the most versatile carbine your money can buy.

Model 788

FEW NEW RIFLES HAVE EARNED, IN SUCH A SHORT PERIOD OF TIME, THE REPUTATION OUR MODEL 788 HAS ACQUIRED FOR ACCURACY AND DEPENDABILITY. In the three years it has been manufac-

tured, hunters and target shooters alike have found it to be the best all-around, economically priced bolt action rifle on the market.

The Model 788 is also available for southpaw shooters. A left hand bolt is furnished in 6mm Rem. and 308 Win. calibers.

In order to chamber a rifle for a cartridge like the potent 22-250 Rem., you've got to have an action that will stand an unbelievable amount of pressure. Not many \$89.95 bolt actions will. The nine extra-heavy locking lugs on the Model 788 bolt engage grooves in the solid steel receiver for a strong, secure lock-up.

The secret of the Model 788's exceptional accuracy lies in its fast lock time (the interval between the time you pull the trigger and the rifle actually fires). The lock time is so fast the bullet has left the barrel of the Model 788 before a comparative bullet has left the cartridge case in competitive models.

REMINGTON MODEL XP-100 LONG RANGE PISTOL



4 1 -- MODEL 680, 6mm Rem., \$124.95 2 -- MODEL 660 MAGNUM, 350 Rem. Mag., \$154.95 3 -- MODEL 788, 22-250 Rem., \$89.95

4 - MODEL 788, Left Hand, 308 Win., \$94.95

REMINGTON CENTER FIRE RIFLE

MANUAL 700 ORDER NUMBERS AND PRICES

| | | | | Longth | Weig | it Lie. | 70 | a AOL | 70 | BOL | Varmi | at Special | Custer | n Medel * |
|------------|-------|------------|--------|--------|----------------------------|---------|--|-------------------|--|-------------------|---------------|-------------------|--|------------------|
| | | | | ya, | No. | Var, | Order Nes. | Retail Prices* | Order Nes, | Retail Prices* | Order Nes. | Retail Prices* | Order Nes. | Retail Prices |
| | | H 6. 17.4 | AT PHY | 13% | | 9 | 6054 8052 | | 6080 6038 | | 6118 6116 | | Special Special | |
| 25-06 Rem. | 5 10" | 24" | 441/2" | ASK. | 7 | | 5954 6056 6058 6062 6078 6078 | /81/38 .95 | 5944 6082 6084 6088 6102 6100 | \$159.95 | 6122 6124 | | Special Special Special Special Special Special | \$345.00 |
| | | | | | 7% 7% 7% 7% 7% | | 6074 6060 | \$154.95 | 6098 6086 5924 5926 6104 | \$174.95 | 44.0 | | Special Special Special Special Special | |
| -451 WE NO | | 26° 26° | 都 | | 9 2 | 10 C | 10.4 | | 6106 6108 | \$334.95 | | | | |



Model 788 ORDER NUMBERS AND PRICES

| Calbon | Mar Car | Twist-R M 1 Years in | Bhi. Leth. | O.A. Lett. | Av. Wt. Lbs. | Order Nes. | Retail Prices* |
|--|----------|-------------------------|---|--|-------------------|--|--------------------|
| Model 78 222 Refi 223 Refi 2249 Refi 5mm Refi 5mm Refi 80 Refi | 12.00 PM | | 24* 24* 22* 22* 22* 22* 22* | 43%** 43%** 42* 42* 42* 41%** | 米米米米米米米 | 9722 9736 9784 9782 9780 9738 9740 | \$89.95 |
| Model 756 Caft Model Sonn Rom. SON Wile | | 9- | 22° 22° | 42" 42" | 7¼ 7¼ | 9786 9788 | \$94.95 |
| Extra Sile Co | | | (insta | iled) | Aystern Litter | 6426 | \$ 5.40 \$ 4.50 |

Model 660 order numbers and prices

| Calibers | Fixed Mag. Cap. | Bbi. Lgth. | O.A. Lgth. | Avg. Wt. | Twist, RH 1 turn in | Order Nos. | Retail Prices* |
|---|-----------------------|--------------------------|------------------------------|----------------------|------------------------------|------------------------------|-------------------|
| Medei 660 Reg. 222 Remington 6 mm Remington 243 Win. 308 Win. | 6 5 5 5 | 20" 20" 20" 20" | 38¾" 38¾" 38¾" 38¾" | 6½ 6½ 6½ 6½ | 14" 9" 9" 10" | 9618 9620 9622 9624 | \$124.95 |
| Sling Strap & Quic | k Rele | ase Sv | vivels (in: | stalled) | | 6382 | \$ 9.10 |
| Medel \$60 Mag. 350 Rem. Mag. 6.5 mm Rem. Mag. | 4 4 | 20″ 20″ | 38¾" 38¾" | 6½ 6½ | 16″ 9″ | 9626 9628 | \$154.95 |

"Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program in other states, these are recommended minimum prices.



der Numbers, Prices and Specifications

SE NUMBERS FOR ACCURATE ORDERING

Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sling strap and quick release swivels, black fore-end tip and white line spacers. 133%" length of pull, 25% drop at heel, 11% drop at comb (from open sight line) checkered. SIGHTS — Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights. RECEIVER — Drilled and Tapped for 'scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type'scope mounts.

Model 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order No. 6382 — \$9.10

★ CUSTOM MODEL 700 — Manufactured to customer specifications — choice of 20", 22" and 24" barrel — with or without floor plate — with hunting sights, or plain barrel with receiver drilled and tapped for 'scope mounts — length of pull from 13¾" up to 14" with recoil pad — extra charge for recoil pad, oil finished stocks and left hand cheek piece — orders non-cancellable — allow up to four months for delivery. Only ordnance steel barrels supplied.

Model 788

**SPECIFICATIONS: STOCK — Monte Carlo type. 13%" length of pull, 2%" drop at heel, 1%" drop at comb (from open sight line). SIGHTS — Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER — Drilled and tapped for 'scope mounts and receiver sight. Detachable clip type magazine.

Model 660

SPECIFICATIONS: STOCK — American Walnut (regular model) laminated walnut and beech (magnum). Custom checkering, Monte Carlo stock with fluted comb, 14" length of pull, 2" drop at heel, 1%" drop at comb. SIGHTS — Ramp front sight with brass bead. U notch rear sight, adjustable for elevation and windage. RECEIVER — Drilled and tapped for 'scope mounts. Fixed magazine.

Model 742

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut. 13%" length of pull, 2%" drop at heel, 1%" drop at comb. Deluxe Model: 13%" length of pull, 2%" drop at heel. 1%" drop at comb, 1%6" drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. WEIGHT — Approx. 7%2 lbs. — Carbine 6% lbs.

Model 760

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. STANDARD STOCK DIMENSIONS — Stock and fore-end: American walnut. \$13\%" length of pull, 2\%" drop at heel, 1\%" drop at comb. Deluxe Model: 13\%" length of pull, 2\%" drop at heel, 1\%" drop at comb, 1\%\%" drop at Monte Carlo. RECEIVER — Drilled and tapped for 'scope mounts. Removable clip magazine. SIGHTS — Flat faced gold bead with ramp front sight. Step indijustable rear sight, for elevation, with windage adjustment screw. WEIGHT Approx. 7\% lbs. — Carbine 6\% lbs.

Model 742 ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nes. | Retail Prices* |
|--|----------------------------|---------------------------------|---------------------------------|--------------------------------------|-------------------|
| Medel 742 6mm Rem, 280 Rem, 30/06 308 Win, 243 Win, | 9" 9" 10" 10" | 22" 22" 22" 22" 22" | 42~ 42~ 42~ 42~ 42~ | 9632 9634 9636 9638 9648 | \$ 164.95 |
| Medel 742 Carbine 30/06 308 Win. | 10″ 10″ | 18½″ 18½″ | 38½″ 38½″ | 9670 9672 | ¥ 104.33 |
| Medel 742 BDL Delixe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand | 10" 10" 10" 10" | 22" 22" 22" 22" | 42" 42" 42" 42" | 9666 9668 9640 9644 | \$ 184.95 |
| Model 742 D "Peerless" | Grade | | | Spec. | \$ 595.00 |
| Model 742 F "Premier" (| Spec. | \$1,295.00 | | | |
| Sling Strap & Quick Re Extra 4-Shot Clip | 6094 Specify Caliber | \$ 9.10 \$ 5.25 | | | |

Deluxe models with left hand cheek plece have left hand safeties — both at no extra charge.

Model 760 order numbers and prices

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overall Length | Order Nos. | Retali Prices* |
|--|---------------------------------|--|--|--|-------------------|
| Model 760 6mm Rem. 270 Win. 30/06 308 Win. 243 Win. | 9" 10" 10" 10" 9" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 5900 9726 9730 9732 9678 | \$ 139.95 |
| Model 760 Carbine 30/06 308 Win. | 10" 10" | 18½" 18½" | 38½″ 38½″ | 9698 9714 | |
| Medel 760 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand 270 Win. 270 Win. Left Hand | 10" 10" 10" 10" 10" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 9692 9694 9706 9710 9708 9712 | \$ 159.95 |
| Model 760 D "Peerless" | Grade | | | Spec. | \$ 595.00 |
| Medel 760 F "Premier" | | Spec. | \$1,295.00 | | |
| Sling Strap & Quick Re Extra 4-Shot Clip | 6096 Specify Caliber | \$ 9.10 \$ 4.50 | | | |

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.




NEVO

Remington the 5mm and the

Models 591 and 592 Priced from \$64.95

The new Remington Models 591 clip repeater and 592 tubular repeater boit action rifles are chambered for the new sensational 5mm Remington rim fire magnum cartridge. Why sensational? For these reasons. It's the fastest rim fire cartridge ever made (muzzle velocity 2100 feet per second) — the most accurate rim fire hunting cartridge and the only rim fire cartridge made with the super accurate "Power-Lokt" bullet. It looks like a center fire cartridge and it has the accuracy of a center fire cartridge - great for small game, varmint hunting, and informal target shooting. Other outstanding features of the Models 591 and 592 are:



- ◀ 1 MODEL 592, Tubular Repeater, 5mm Rim Fire Magnum, \$69.95
- 2 MODEL 591, Clip Repeater, 5mm Rim Fire Magnum, \$64.95
- 3 --- NYLON 77, Clip Repeater, \$49.95

(Complete Specifications on Pages 28 and 29)

br 1970

Models 591 and 592 Chambered for Remington Rim Fire Magnum Nylon 77 Clip 22 Caliber Automatic


SIX EXTRA HEAVY ROTARY LUGS on the bolt engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Here is extra strength to handle the powerful 5mm Remington rim fire magnum cartridge. BOLT COVER at rear keeps out dirt and grit. UNIQUE TWO STAGE EXTRACTORS permit the bolt to completely enclose the cartridge head - assures utmost safety. FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch lock-screw rear. ROUND RECEIVER means bedding into the stock can be more precise which, in turn, contributes to fine accuracy. The

receiver is also grooved for tip-off 'scope mounts. ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle, polished and blued for good looks and long wear. NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety --- forward for fire, rearward for safe. Marked "F" for fire; "S" for safe. MATCH TRIGGER QUAL-ITY - A good trigger pull is an important asset to any rifle. The lock time of the Models 591 and 592 is the fastest of any rim fire made today. What's lock time? It's the length of time, measured in a millisecond, between the release of the trigger sear and instant ignition. This means better accuracy, no trigger movement to pull the gun off target.

Nylon 77 Clip Automatic Priced at \$49.95

The unprecedented popularity of the Nylon 66 is directly responsible for the innovation of another new 22 cal. autoloader, the Nylon 77. This sleek little 4 lb. beauty has the looks, feel, and balance of the Nylon 66 but features a removable clip magazine for fast loading and unloading.

Designed with rugged handling in mind, the stock of the Nylon 77 is guaranteed not to warp, crack, chip, fade, or peel for the life of the rifle—or we will replace it free. No other manufacturer makes this claim. Remington's quite proud of the Nylon 77 and we have every reason to believe our customers will be too.




The Strongest Rim Fire Bolt Action Rifle Ever Made

Comparative Ballistics

| 1 | Cartridge | Bullet Weight & Style | Mu Valocity F.P.S. | zzie Energy Ft. Lbs. | Trajectery Rifle sighted in at 100 yds.* 50 Yds. 100 Yds. 150 Yds. | | | Wind, Deflect, in Inches At 100 Yds.** |
|---|----------------------------------|--------------------------|-----------------------|---------------------------|--|---|-------------|--|
| _ | 5mm Remington Rim Fire Magnum | 38 Gr. P.L.H.P. | 2100 | 372 | +0.9 | Ф | —4.3 | 5.4 |
| | 22 Long Rifle | 40 Gr. Lead | 1285 | 147 | +3.1 | 0 | —11.1 | 8.6 |


^{*}Distance Above (+) or Below (—) the Line of Sight for Iron Sights. .7 Inches Above the Bore Axis.

*Assume a Wind of 15 M.P.H. Perpendicular to Line of Fire. P.L.H.P. — "Power-Lokt" Hollow Point.



Remington Bolt Action 22 Caliber Rifles...Models 580, 581 and

582—Priced from \$39.95 **Model 514**—Priced at \$26.95



Models 580 Single Shot, 581 Clip Repeater and 582 Tubular Repeater

They have the look, feel and balance of big game center fire rifles — plus the strongest, most powerful bolt ever designed into a 22 caliber hunting rifle.

A left hand model 581 with the bolt on the left side is available for southpaw shooters. It is the only left hand bolt action rim fire rifle ever manufactured in America, another first from Remington.

The 580 series feature an artillery type bolt with rear lock-up. Six extra-heavy rotary locking lugs at the back engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it — work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel.

Here is strength that has never been equaled in any 22 bolt action hunting rifle. Actually, there's more built-in strength here than you'll ever need, but it's nice to know your rifle is designed with this plus factor.

It. Remington looked at all the other de-Re sirable features that make up a fine big game rifle . . . and we put them into this new rim fire line. Here they are:

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean — no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger. Everything about these new rifles is man-size. There's no corner cutting anywhere.

FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheek-to-stock fit that means more hits — with or without a 'scope. And there's no skimping on the fore-end, it's long, tapered, man-size to prevent canting and provides a good secure grip.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety — forward for fire; rearward for safe.

TWO EXTRACTORS are standard on this series of 22 rifles. Remington feels that two are better than one (so you get 2). Another extra at no extra charge.

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch adjustable rear with lock screw. You'll hit what you aim at with these sights. ROUND STEEL RECEIVER means bedding into the stock can be more precise, which in turn contributes to fine accuracy. The receiver is also grooved for tip-off scope mounts. Actually, it's the strongest, most rigid receiver of any 22 bolt action hunting rifle because there are no slots or notches to weaken it; bolt handle isn't used as a lock-up lug. Here again, Remington designers made it like a center fire rifle. Costs the shooter no more; its an extra bonus he gets because of good design.


BOLT COVER keeps dirt and bad weather out. Assures smooth operation within. Adds to streamlining of the rifle, too. Here's an accuracy combination that's hard to beat . . . in all three models: 580 single shot, 581 clip repeater and 582 tubular repeater.

Model 514

Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with a self-cocking bolt, rotary thumb safety, and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR, with shortened stock.

1 — MODEL 514, Single Shot, \$26.95 2 — MODEL 580, Single Shot, \$39.95 3 — MODEL 581, Clip Repeater, \$49.95 4 — MODEL 582, Tubular Repeater, \$54.95

Mamalata Equaffications on Page 20 . . 20



BARBER - PRESALE R 0124278 R2525266

Remington Nylon 66, Models 552, 550 Automatic and 572 Pump Action 22 Caliber Rim Fire Rifles

Nylon 66 Automatic Priced from \$54.95

Remington's Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 2½" wood blocks. Only six misses out of 100,000 blocks thrown . . . and without a malfunction.


Receiver parts, stock and barrel are interlocked with steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure loading, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip.

The Nylon 66 is also made in an Apache Black deluxe model. The stock is Du Pont Zytel® black nylon and both the barrel and the receiver cover are chrome plated. Inside, it's the same reliable, trouble-free rifle as the standard Mohawk Brown model.

The Nylon 66 is the most rugged automatic 22 rim fire rifle made. It will work when conditions get tough.

Model 552 "Speedmaster" Automatic Priced from \$64.95

Here's the Remington 22 caliber autonatic that's fast shooting, accurate, nicely alanced and chambered for Short, Long



Nylon 66 — The Rim Fire Rifle with the Fully Guaranteed All-Weather Stock

and Long Rifle cartridges. The Model 552 is another member of Remington's "family of guns;" looks, handles and shoots like its big brother, the Model 742 big game rifle. The "Speedmaster" has every feature a shooter wants, such as: twenty shots as fast as you can squeeze the trigger, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available is the short barrel (21") carbine model, the Gallery Special and a deluxe model with custom checkering, RK-W wood finish and big game type sights. Pick a 552 off the rack at your dealer's - throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" ... because it's made right.

Model 550 Automatic Priced at \$59.95

Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 20 Shorts, fine accuracy, thumb safety, receiver grooved

for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker . . . and good for weekend family fun, too.

Model 572 "Fieldmaster" | Pump Action Priced from \$64.95


For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 Short, 17 Long or 15 Long Rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced - rugged and dependable like Remington big game rifles and shotguns. BDL deluxe models feature extra tough RK-W wood finish, custom checkering, grip cap, and big game type sights.

(Complete Specifications on Pages 28 and 29)

^{1 -} MODEL 552 BDL DELUXE, Automatic, \$74.85 2 - MODEL 550 A, Automatic, \$59.95

^{3 -} MODEL 572 BOL DELUXE, "Fieldmaster", Pump Action, \$74.95 4 - MODEL 572A, "Fieldmaster", Pump Action, \$64.95

^{5 -} MODEL 86 AB, "Apache Black", Automatic, \$59.95 6 - MODEL 86 MB, "Mohawk Brown", Automatic \$54.95



Remington Models 40XB "Rangemaster", 40XB-BR Bench Rest Target Rifles...Model 540X 22 Caliber Match Target Rifle... International Free Rifle

Model 40XB "Rangemaster" (Rim Fire Model) Priced from \$184.95


Exclusive loading platform provides straight line feeding; no shaved bullets. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate, adjustable sling swivel and hand-stop are standard equipment. Other features are: extra strong bolt with double extractors, crisp trigger with positive adjustments for weight of pull, wide trigger for more uniform pull and comfort, thumb operated safety. The receiver is drilled and tapped for all standard sight mounts, telescope and metallic Redfield Olympic front and rear sights optional, A new long rail for the adjustable fore-end stop and palm rest makes shooting good scores easier.

Model 40XB "Rangemaster" (Center Fire Model) Priced from \$235.00

Now available in repeating models for use in National Match Courses, the 40XB is designed with clip slots for the conventional five shot clip. (Available in heavy barrel models only). It loads from the top of the receiver and the magazine has a hinged floor plate. Repeating models are provided only in calibers equal to or shorter than the loaded length of the 308 cartridge.

The 40XB center fire repeating rifle is ideal for the rapid fire events, especially in the 7.62mm NATO (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. The 40XB meets the National Bench Rest Association rules for the Heavy Varmint Class with most target telescopes (Max. weight 13½ lbs.) Stain-



less steel barrels are supplied as standard on all magnum and varmint calibers except 222 Rem., 222 Rem. Mag., 223 Rem., 308 Win. and 30-06 Spfd. Stainless 40XB barrels are not blued. 40XB "Sporter" (22 long rifle version of Model 700 "Custom") available on special order.

Model 40XB-BR-Bench Rest (Center Fire) Priced at \$275.00

Built with all the features of the extremely accurate Model 40XB-CF but modified to give the competitive bench rest shooter a standardized rifle that provides the inherent accuracy advantages of a short (20") heavy, extremely stiff barrel. Wider, squared off fore-end gives a more stable rest on sand bags or other supports. In combination with the new Remington target 'scope, the resulting package weighs just under 101/2 lbs. and meets weight limitations for the sporter and light varmint classes of National Bench Rest Shooters Association competition. For shooters competing in the heavy varmint class, a 131/2 lb. 26" barrel version is available.

Remington 20 Power Target 'Scope Priced at \$159.95

Remington's new 20 power rifle 'scope is designed primarily for accuracy in critical bench rest shooting. Its relatively short length permits fore and aft receiver mounting, and eliminates the need of a

forward mounting on the barrel. Produced in 20 power only, the target 'scope contains optics of the highest quality. Because of its lighter weight, shooters have greater flexibility in assembling rifle and 'scope combinations to meet National Bench Rest Shooters Association weight limitations.

Model 540X Match Target Rifle Priced from \$99.95

The Model 540X has all the design features and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and junior shooter, the Model 540X is super accurate, well balanced, and loaded with extras. To continually punch holes in the X ring with any rifle, you need a gun with a good crisp trigger pull. The 540X has a fully adjustable trigger that does exactly that. The secret's in its fast lock time.

A unique feature of this rifle is its fiveway adjustable butt plate. The stock can be adjusted with the same wrench for length of pull, vertical, pitch or cant (left or right).

International Free Rifle (Rim Fire and Center Fire) Priced from \$365.00

The International Free Rifle features the 40XB action, precision heavy barrel, a Remington designed adjustable butt plate and hook, adjustable palm rest, adjustable front sling swivel and 2-ounce trigger. Left-hand stock supplied at extra charge.

- 1 MODEL 40XB, 22 Cal. Rim Fire Target Rifle, \$184.95 (Target Sights Extra) 2 MODEL 540X, 22 Cal. Match Target Rifle, \$119.95
 - 3 MODEL 40XB BENCH REST, Center Fire, 222 Rem., Stainless Steel Barrel, Target Rifle, \$275.00 (Target 'Scope Extra)
 - 4 INTERNATIONAL FREE RIFLE, Center Fire, 222 Rem. \$365.00

(Complete Specifications on Pages 28 and 29)



ORDER NUMBERS AND PRICES

MEN Models 591 and 592

| Model 591 Clip Repeater Model 592 Tubular Repeater Model 591 — Extra 4-shot Clip Model 591 Sling Strap & Swivels (Installed) Model 592 Sling Strap & Swivels (Installed) | 6408 6426 | \$64.95 \$69.95 \$ 3.50 \$ 5.40 \$ 5.40 |
|--|--------------|---|

NEWSTAN

| The control of the section of the se | | |
|--|------|---------|
| Nylon 77 | 5532 | \$49,95 |
| Extra 5-shot Clip | 4914 | \$ 2,75 |
| Extra 10-shot Clip | 9828 | \$ 3,50 |
| Sling Strap & Swivels (Installed) | 6418 | \$ 5,40 |

Nylon 66

| Hyles 22 Califier Billes | Order Nes. | Retail Prices* |
|--------------------------|--|--------------------|
| Nylon 66 MB "Mohawi | Brewa Automatic 5500 | \$54.95 |
| | liech" Autometic 5486 | \$59.95 |
| Sling Strap & Swivele | pecial" (22 Shorts Only) 5512 Jastaliedi 6418 | \$64.95 \$ 5.40 |

We guaranties that the efection of the Myten 77 and Myten 66 will not werp, crack, chip, fact, an analytic the Hip of the reference or we will deplace it from

Models 580, 581 and 582

| Belt Action | 22 Celiber Ris | | | Order Nes. | Retali Prices* |
|----------------------|---|-------------|-----------------|----------------------|-------------------------------|
| Model 58 | O Single Shot. O Single Shot, | Smooth Bor | | 9864 | \$39,95 \$44.95 |
| Model 58 | 1 Clip Repeats 1 Clip Repeats 2 Tubular Rep | e Caft Hand | | 9854 9838 9856 | \$49.95 \$54.95 \$54.95 |
| | | | eks ((pstelled) | 6426 8428 | \$ 5.40 \$ 5.40 |
| Model 58 Mages 54 | | | | 4514 9825 | 12.50 |

Model 514

| Model 514 Single Shot 5572 | Retail Prices* |
|---|----------------|
| Model 514 Single Shot | \$26.95 |
| Model 514 BR Single Shot Boy's Rifle 5582 | \$26.95 |

Models 552, 550 and 572

| · · · · · · · · · · · · · · · · · · · | 27.00 | |
|--|--|--------------------|
| | Order Hes. | Retail Prices* |
| Medel 352 22 Caliber Littemette Sife | | a. |
| 552 A Automatic | 5608 | \$64.95 |
| 552 C Carbine 552 BDL Delute | 5612 9830 | \$64.95 \$74.95 |
| 552 66 "Bullery Special" (22 Shorts | The state of the s | \$76.95 |
| Sling Strep and Desirets Contailed | | \$ 7.50 |
| Name and P. College Supposed Miles | TIPE STATE | 3 Sec. 18 |
| | 5596 | \$59.95 |
| | 6428 | \$ 5.40 |
| | | |
| HI CONTRACTOR OF STREET | 5626 | \$64.95 |
| 572 BOL Deluge Street S | 5628 | \$74.95 \$74.95 |
| Sling Strap and Decemb Contained. | 4432 | \$ 7.50 |
| CONTRACTOR SALES DESCRIPTION OF THE PROPERTY O | | SAN PROSTRUCTOR |

REMINGTON RIM FIRE RIFLES

NEW Models 591 and 592

SPECIFICATIONS: ACTION — All bolt action. M/591 clip repeater, M/592 tubular repeater. CALIBER — 5mm Remington Rim Fire Magnum. CAPACITY — M/591, 4 in magazine, 1 in chamber; M/592, 10 in magazine, 1 in chamber. BARREL — 24 inch ordnance steel, crowned at muzzle. STOCK — Monte Carlo type, full size, butt plate and grip cap. SIGHTS — Front, bead, dovetail, adjustable; Rear — U notch type, lock-screw adjustable. BOLT — Rear lock-up, 6 locking lugs, two stage extraction permits bolt o enclose cartridge head. RECEIVER — Round, ordnance steel, grooved for 'scope mounts. SAFETY — Rotary thumb safety. OVER-ALL LENGTH — 42-3/a". WEIGHT — M/591, 5 lbs; M/592, 5½ lbs.

NEW Nylon 77

SPECIFICATIONS: Same as Nylon 66 except 5 shot clip magazine. Extra 5 and 10 shot clips available.

Nylon 66

SPECIFICATIONS: ACTION — Automatic. CALIBER — 22 long rifle Rim Fire. CAPACITY — Tubular magazine thru butt stock. Holds 14 long rifle cartridges. BARREL — 19% inch, precision rifled, Remington Ordnance Steel. STOCK — One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. SIGHTS — Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY — Top-of-grip. RECEIVER — Grooved for "tip-off" 'scope mounts. OVER-ALL LENGTH — 38½". COLOR — Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receive cover. WEIGHT — 4 lbs.

Models 580, 581 and 582

SPECIFICATIONS: ACTION — All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER — 22 rim fire; short, long, or long rifle cartridges. CAPACITY — M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. BARREL — 24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK — Walnut finish, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS — Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. BOLT — Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER — Round, ordnance steel, grooved for 'scope mounts. SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH — 4236". WEIGHT — M/580 5 lbs., M/581 5½ lbs., M/582 5½ lbs.

Model 514

SPECIFICATIONS: ACTION — Bolt action, single shot. CALIBER — 22 short, long, long rifle rim fire. CAPACITY — Single shot. BARREL — 24 inch, precision rifled, Remington ordnance steel. STOCK — Walnut finished, full sized, black butt plate. SIGHTS — Bead front sight, open rear. SAFETY — Rotary thumb safety. RECEIVER — Made from solid steel. OVER-ALL LENGTH — 41 inches. Boy's rifle 40 inches. WEIGHT — 434 lbs.

Models 552, 550 and 572

SPECIFICATIONS: MODEL 552: ACTION — Automatic. CALIBER — 22 Rim Fire. CAPACITY — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. SIGHTS — Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw STOCK — Models 552 and 572 rich American walnut, BDL has RK-W finish Model 550, full length, walnut finish. SAFETY — Cross-bolt type. RECEIVER — Grooved for "tip-off" scope mounts. OVER-ALL LENGTH — 42"; 40" (Carbine). WEIGHT — 5½ lbs.

MODEL 550: Same as Model 552 except: SAFETY — Thumb style. OVER-ALL LENGTH — 43½". WEIGHT — 6½ lbs.

MODEL 572: Same as Model 552 except: ACTION - Pump, repeater.

BARBER - PRESALE R 01242837

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

Model 540X Match Target Rifle

SPECIFICATIONS: ACTION — Bolt, single shot. CALIBER — 22 cal. rim fire, Long Rifle only. CAPACITY — Single loading. SIGHTS — Redfield #63 front Redfield #75 rear (sights optional). SAFETY — Positive, serrated thumb type, forward for fire, rearward for safe. RECEIVER — Drilled and tapped for iron sights or 'scope mounts, rear sight bracket. BARREL LENGTH — 26". Over-all rifle length 43½" to 47½". LENGTH OF PULL — 12¾" to 15½". STOCK — length 305%", thumb cuts, 5 way adjustable but plate, rail. Front swivel block, sling and sling swivel opitional. Common sight alignment with 'scope or iron sights. WEIGHT — with sights 8 lbs. 8 oz.; without sights 8 lbs. 2 oz.

Model 40XB (Rim Fire)

SPECIFICATIONS: ACTION — Bolt, Single Shot. CALIBER — 22 rim fire, Long Rifle only. CAPACITY — Single loading. SIGHTS — Redfield Olympic front & rear sights optional. SAFETY — Thumb Safety, positive. RECEIVER — Littled & tapped for iron sights or 'scope mounts. BARREL LENGTH — 28". Ver-all rifle length 47". LENGTH OF PULL — 13½". (Trigger adjustable 1½ to 3½ lbs.) STOCK — American walnut. Palm rest & front swivel block, ijustable on base. WEIGHT — With Redfield sights heavy barrel 12¾ lbs. mandard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.

Model 40XB (Center Fire)

SPECIFICATIONS: ACTION — Bolt, Single Shot & Repeating. CALIBERS — Single Shat — 222 Rem., 222 Rem., Mag., 223 Rem., 25-06 Rem., 22-250 Rem., 6 mm x 47 (6 mm .222 Mag.), 6 mm international (6 mm on 250 Sav. case), 6 mm Rem. (244 chamber), 243 Win., 6.5 mm Rem. Mag., 7 mm Rem Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag., 300 Win. Mag.). Repeating — 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223 Rem., 25-06 Rem., 243 Win., 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 222-250 Rem. Calibers whose over-all loaded length is equal to or shorter than the 308. CAPACITY — Single loading and repeater. (Loads from top of receiver). SIGHTS — Redfield Olympic front & rear sights optional. SAFETY

Thumb operated safety, positive. RECEIVER — Drilled and tapped for netallic sights and telescope mount bases. Target type blocks furnished. BARREL LENGTH — 27¼" free floating. Overall length of rifle 47". LENGTH 19 PULL — 13½". Trigger adjustable 1 to 3½ lbs. 2 ounce Trigger available 10.00 extra. STOCK — Selected American Walnut. Fore-end stop and sling adjustable on base. AVERAGE WEIGHT — Without Sights: Heavy Barrel 114 lbs., Standard Barrel 9¾ lbs.

International Free Rifle Rim Fire • Center Fire)

FICATIONS: 40 XB type action, precision heavy barrel, laminated uncld stock, a Remington designed adjustable butt plate with interchange-rubber plate and hook, adjustable palm rest, adjustable front sling a 2-ounce trigger. Left-hand stock supplied at \$25 extra cost. Center alibers: 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on a order:

REMINGTON TARGET RIFLES

ORDER NUMBERS AND PRICES

Model 540X

| Medel 540X | Order Nos. | Retail Prices* |
|--|---------------|-------------------|
| 540X Match Rifle (without sights) | 9796 | \$ 99.95 |
| 540X Match Rifle (with sights) | 9794 | \$119.95 |
| Sling Strap with Front Swivel Block Assembly (installed) | 6420 | \$ 6.95 |

Model 40XB (Rim Fire)

| Model | 40 XB "Rangemaster" — Rim Fire | Order Nos. | Retail Prices* |
|-------|---|---------------|-------------------|
| S1 | Std. Barrel with Sights, Rim Fire—22 Cal. | 5674 | \$219.95 |
| H1 | Heavy Barrel with Sights, Rim Fire—22 Cal. | 5670 | |
| H2 | Heavy Barrel without sights, Rim Fire—22 Cal. | 5672 | \$184,95 |
| S2 | Std. Barrel without Sights, Rim Fire—22 Cal. | 5676 | |
| Remir | ngton Target 'Scope | 5712 | \$159.95 |

Model 40XB (Center Fire)


| Medel 40 XB "Rangemaster" Center Fire | Order Nes. | Retail Prices* |
|---|--------------------|-------------------|
| CF-S2 Std. Barrel without Sights, Center Fire CF-H2 Heavy Barrel without Sights, Center Fire | Special Special | \$235.00 |
| Extra for repeating Center Fire Models (Heavy Barrel Only) | | \$ 20.00 |
| Extra for calibers requiring stainless barrels | | \$ 20.00 |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (12 weeks or more for center fire models) | | \$ 40.00 |
| Medel 40 XB Bench Rest | Special | \$275.00 |
| Remington Target 'Scope | 5712 | \$159.95 |


International Free Rifle

| International Free Rifle | | Retail Prices* |
|--|---------|-------------------|
| International Free Rifle, Rim Fire & Center Fire | Special | \$365.00 |

*Minimum fair Trade retail prices in all states included in Remington's Fair Trade program. In other states, these are recommended minimum prices.

29






Gauges, Chokes and Barrels

GAUGES — Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:



SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 234" shell measures about 2½" to 258" before it is fired, but 234" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 234" chamber will thus handle shells of the proper gauge up to 234" length.

PATTERN — Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet loads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE — Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12 gauge gun is .729". If the diameter at the muzzle end is reduced to .694", the constriction of .035" (difference) will control the shot sufficiently to give patterns averaging about 70% of the

shot in a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

| CHOKES | % at 40 yards in 30" circle |
|-------------------|-----------------------------|
| Full Choke | 70 . |
| Modified Choke | 60 |
| Improved Cylinder | 50 |
| Cylinder | 40 |

CHOKE USES — A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.


| Full Choke | ducks, geese, pheasant, crows, turkey, fox, racoon, trap shooting. |
|-------------------------------------|--|
| Modified Choke | rabbit, woodcock, doves, squirrels, also all-round usefulness including ducks, quail, etc. |
| Improved Cylinder, Special Skeet | quail, grouse, partridge, rail, skeet shooting. |


BARREL LENGTH — Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 26 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also minimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots . . . especially in heavy brush.

It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to more open degree, full to modified, modified to improve cylinder, etc., as long as the barrel length is left unchan







1971 E OF CONTENTS

| REMINGTON FIREARMS | Pages |
|---|--------------------------------------|
| SHOTGUNS | ` |
| Automatic Model 1100 | 8.9 |
| CENTER FIRE RIFLES | |
| Bolt Action Model 700 Automatic Model 742 "Woodsmaster" Pump Action Model 760 "Gamemaster" Bolt Action Model 788 Bolt Action Model XP-100 Specifications—All Center Fire Rifle Models | 17 |
| RIM FIRE RIFLES | |
| Bolt Action Models 591 and 592 Automatic Nylon 77 Bolt Action Models 580, 581, 582 Automatic Nylon 66 Automatic Model 552 "Speedmaster" Pump Action Model 572 "Fieldmaster" | 24, 25 22, 23 24, 25 24, 25 |
| TARGET RIFLES | |
| Bolt Action Model 40XB "Rangemaster" Bolt Action International Free Rifle Bolt Action Model 540X Target Scope Specifications—All Rim Fire and Center Fire Target Models | 26, 27 26, 27 27 |
| PREMIER GRADE Shotguns and Center Fire Rifles | 2. 3 |
| GAUGE, CHOKE AND BARREL FACTS. | |
| REMINGTON-PETERS AMMUNITION | |
| Shotgun Shells Suggested Shot Sizes for Game Shot Sizes Center Fire "Core-Lokt" & "Power-Lokt" Caliber Suggestions Interchangeability Chart | 30 47 34, 35 35 |
| Center Fire Rifle Cartridges Center Fire Pistol & Revolver Cartridges Pistol & Revolver Bullet Types Ammunition Components Rim Fire Cartridges | 36-41 42-43 43 45 |
| REMINGTON TRAPS | • |
| Trap & Skeet Equipment | 33 |
| REMINGTON SPORTSMEN'S LIBRARY | _ |
| Books and Prints | 46 |

Remington"Premier"Grade Guns.

"Premier" grade rifles and shotguns are the finest guns available from America's oldest gunmaker. Select American Walnut stocks and fore-ends are hand finished and beautifully checkered. The stock is fitted with a gold nameplate on which the owner's initials can be engraved. The receiver is extensively engraved with game scenes and scroll of the customer's choice. Gold inlays are available in premier grade guns at \$2000 00.



Remington Model 11. Latomatic Shotgun... (2, 16, 20, 28 & 410 Gauges)

The Remington Model 1100 Automatic Shotgun is the largest seller in the United States.

Remington has been making automatic shotguns since 1905. That makes Remington he oldest and most experienced automatic shotgun manufacturer in America. In 66 years, one thing stands out in the Remington Automatic shotgun line-each gun was built for an individual shooter. It fit his needs and did what he wanted it to do. Those needs have been watched and studied since 1905 and today, the shooter can choose from 46 variations and 4 specifications. When you buy a Remington sdel 1100, you don't have to settle for somerg close to what you want, you get exactly you want. And, after all, when you're acting an automatic that is exactly what you want; you'll perform better.

A NEW LIGHTWEIGHT MODEL 1100, 20 GA. 3 INCH MAGNUM IS AVAILABLE THIS YEAR

If you're a hunter, and are looking for a lightweight automatic shotgun with enough power to handle fast-flying game birds and small game, here is your answer. This new lightweight Model 1100, 20 gauge 3 inch magnum is designed for the sportsman who does a lot of walking when he goes out to hunt. He's also the type of man who shoots a lot on these long hunts so he knows how recoil and weight can affect his performance.

The lightweight 3 inch magnum handles both of these problems beautifully. The recoil of this 6¾ lb. gun is nothing more than a gentle push so he can shoot all day and not be bothered with the "punch" found in other automatic shotguns. And even though this gun is light on recoil and weight, it's not light on power. It handles Remington-Peters 2¼ and 3 inch magnums and will give the same power and performance as 12 gauge standard field loads.


So if you're looking for a combination of light weight, light recoil, and extra power in an automatic shotgun, take the new lightweight Model 1100, 20 gauge 3 inch magnum along and see how enjoyable an all-day hunt can be.

DEPENDABILITY—In all kinds of weather with all kinds of loads, the standard 1100 will give you the performance you have come to expect from Remington. Its gas metering system is designed to operate with all types of shotgun shells making it possible for you to hunt a va-

riety of game with the proper ammunition. This unique design enables the shooter to use all 2¾" standard velocity, "Express," and 2¾" magnum loads without any gun adjustments. Barrels, within gauge and similar chamber lengths, are interchangeable in seconds, no factory fitting is required. This beefed up, self-cleaning gas operated shotgun has a greatly extended shooting life. It'll still be shooting long after less rugged automatics have worn out. For extra dependability, be sure to use Remington or Peters shotgun shells—the same ammunition used in developing and testing all Model 1100's at the factory.

RECOIL—There really isn't much. As a matter of fact, the correct word to use is "push." The 1100 gives less "kick" than any other shotgun action. Your shoulder feels a "push" rather than a "punch."

APPEARANCE—In order to have a best selling product, it must look the part. The 1100 does...and for many reasons. The solid steel receiver features decorative scroll work. Its deep rich blue (outside and in) is caused by our unique "vibra-honing" metal finish. Du Pont developed RK-W wood finish is tough and scratch resistant. White line spacers and a teardrop pistol grip cap do not make the 1100 shoot any better but it gives you that pride of ownership feeling.



MODEL 1100, 20 Ga., Magnum (Lightweight), 28" Full Choke, \$239.95



Remington Model & 1971 ingmaster" Pump Cction Shotgun...12, 16, 20, 28 & 410 Gauges. New Left-Hand Models...12 & 20 Gauges

For over 20 years, the Remington Model 870 "Wingmaster" has been the leader in the pump action shotgun field. This year, it's available for left-handers too.

For 1971, Remington has added two models to the long list of Model 870 specifications. The new 12 and 20 gauge left-hand Model 870's perfect answer for the left-handed or left ter-eyed shooter who is now using a right-hand pump action gun and is bothered by ejecting hulls. Regardless of what shoulder you shoot from, the Model 870 "Wingmaster" is the finest pump action shotgun you can buy.

The Model 870 is presently being used by over a million sportsmen. It's built to take the rough use that often comes with hunting and shooting. The receiver is machined from a solid piece of ordnance steel to give the 870 extra strength—the strength to handle powerful magnum ammunition.

The Model 870 has double action bars (they're the two rails—one on each side of the fore-end). These double action bars let you

pump the Model 870 twice as smoothly, shot after shot, without twisting or binding. That's double insurance that the 870 will feed and eject properly under all shooting conditions.


The Model 870 will also shoot all 2¾" standard velocity, "Express," and 2¾" magnum shells without adjustments. The 12 gauge, 3 inch magnum owner can shoot all 12 gauge ammunition without problems, giving you a selection of 21 different loads and the largest selection of shot sizes.

If you are planning to hunt different types of game, the Model 870 makes barrel changing fast and easy with instantly interchangeable barrels within gauge and chamber length. No factory or gunsmith fitting is necessary. In the 12 gauge alone, you can choose from 17 different choke and barrel length combinations.


The Remington Model 870 has a modern look too. Remington uses a unique metal fin-

ishing treatment called "vibra-honing" which gives a mirror-like finish to all metal parts both inside and out. The inside parts glide smooth and easy and the blueing bonds to the outside with a deep rich luster. The quality of the metal finish is also carried to the wood with a unique Du Pont wood finish called RK-W. This finish, similar to the finish used on bowling pins, is tough, hard and scratch resistant and will hold up for years of hard outdoor use. The shine of the wood and the luster of the metal are accented by white line spacers on the recoil pad or butt plate and pistol grip making the 870 one of the most attractive guns on the firearms market today.

Right or left, full choke to improved cylinder, the Remington Model 870 "Wingmaster" gives you a greater selection, more for your dollar, and a better chance in any shooting sport you want to try.



'



Remington Trap An. 1971 At Guns... Codel 1100 Automatic And Model 870 Wingmaster" Pump Action Shotguns New Left-Hand 870 Trap Guns




SKEET—It would be hard trying to talk about skeet guns without getting the Remington Model 1100 into the sentence somewhere. Acsually, skeet sort of grew up with Remington. We set up one of the country's first skeet fields Lordship, Conn.) and conducted the first nanal tournament of any importance (The ant Eastern). So, it's safe to assume Remon is just a little ahead of the field when it as to knowing how to build a good skeet We were quite a bit ahead of the field at 970 World's Skeet Championships. Five he top six shooters in the All-Gauge event ed on Remingtons. Our Model 1100 SA is e big skeet favorite. It doesn't have the fancy and our Deluxe SB grade has, but it's not as pensive either and shoots just as well. This em it's available in 410, 28, 20, and 12 gauges, ill with special "Skeet" bored barrels, solid steel receivers and built-in dependability. The Model 870 "Wingmaster" SA and SC skeet is just the ticket if you enjoy the feel of a pump action. The SA version is chambered for 410, 28, 20 and 12 gauge shotshells.

TRAP—This game's changed considerably since Remington introduced America's first "reasonably" priced double barrel trap gun 'way back in 1874. So have our trap guns. America's favorite trap model isn't a rabbiteared double anymore, it's a slick, solid steel receiver pump gun. Remington calls it the Model 870. Our customers call it "Old Reliable." NEW FOR 1971 is a true mirror-image lefthand Model 870 trap gun. This model was designed and engineered for the left-hander or left master-eyed clay target shooter who previously shot a standard pump gun and was bothered by ejecting hulls. We've eliminated this problem with our new left-hand 870's.

It's not uncommon for a trapshooter to shoot four or five thousand shells a year through one gun. Clay target busters are quick to recognize that the 870 is built to withstand this type of use. Double action bars prevent twisting and binding and a solid steel receiver insures utmost safety and dependability. The 870 is available in a variety of barrel lengths, both full and modified chokes. The

TB grade (our economy model) offers all of the features of our more expensive TC grade with the exception of fancy wood and hand checkering. Monte Carlo stocks are optional on both models. The Model 1100 TB trap grade is our gas operated automatic you've heard so much about. In a little over seven years this gun has become the predominate favorite among trapshooters who prefer an automatic Why do some prefer our automatic over other types of actions? RECOIL is one big reason. Actually the Model 1100 has less "kick" than any other shotgun action and, when you're shooting at 300 or so targets a day, body fatigue could mean the difference between winning or losing. DEPENDABILITY is another big reason why so many shooters use and prefer the Model 1100. It works. And not only with factory loads either, many reloaders have won major championships with the Model 1100 shooting their "home brewed" loads. Full and modified chokes are available in a variety of barrel lengths. Monte Carlo stocks are optional.

All Remington Model 1100 and 870 trap and skeet guns are tested and patterned at the factory with Remington-Peters target load ammunition. For championship performances in clay target events, we recommend their use regardless of what make gun you shoot.



MODEL 1100 SA, 12 Ga., Skeet, \$214.95

REMINGTON SHOTGUNS

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

Model 1100 12, 16 and 20 Gauges

SPECIFICATIONS: STYLE—5 shot gas operated. 3 shot plug furnished. GAUGE—Made in 12, 16 and 20 gauge. BARREL—Special Remington ordnance steel. Extra barrel is interchangeable within gauge. 20 ga. lightweight barrels interchangeable only within lightweight models. OVER-ALL LENGTH—48" (with 18" Barrel). SAFETY—Convenient cross-bolt type. RECEIVER—Made from solid steel, top matted, scroll work on chrome plated bolt and both sides of receiver. STANDARD STOCK DIMENSIONS—Stock and fore-end: Rich American walnut. (20 ga. Lightweight—Mahogany) 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14¾" long, 1¾" drop at heel, 1¾" drop at comb. Trap reg., 14¾" long, 1¾" drop at heel, 1¾" drop at comb. 13%" drop at M.C. AYERAGE WEIGHT—12 ga. - 7½ lbs., 16 ga. - 7¼ lbs., 20 ga. - 7 lbs. (20 ga. lightweight - 6½ lbs., 20 ga. Lightweight Magnum - 6¾ lbs.).

Model 1100 28 and 410 Gauges

SPECIFICATIONS: STYLE—Gas operated. 5 shot capacity with 28 ga. shells—4 shot capacity with 3" 410 ga. shells. 3 shot plug furnished. BARREL—5 pecial Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER—2½" in 410 ga. skeet; 3" shells only in field grades; 2¾" in 28 ga. field and skeet models. OVER-ALL LENGTH—45½". SAFETY—Convenient cross-bolt type. RECEIVER—Made from solid steel, top matted, scroll work on chrome plated bolt and both sides of receiver. STOCK DIMENSIONS—Mahogany in field grades, walnut in skeet grades—14" long, 2½" drop at heel, 1½" drop at comb. AVERAGE WEIGHT—28 ga. skeet - 6¾ lbs.; 410 ga. skeet - 7¼ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel - 6¼ lbs.; 410 ga. plain barrel - 6¼ lbs.; 28 ga. vent. rib - 6½ lbs.; 410 ga. vent. rib - 7 lbs.

Model 870 12, 16 and 20 Gauges

SPECIFICATIONS: STYLE—5 shot pump action. Take down. 3 shot plug furnished. GAUGES—12, 16 and 20. BARREL—Special Remington ordnance steel. Extra barrel is interchangeable within gauge. OVER-ALL LENGTH—48½" with 28" barrel. SAFETY—Convenient cross-bolt type. RECEIVER—Made from solid steel, top matted, bolt chrome plated. STANDARD STOCK DIMENSIONS—Stock and fore-end: Rich American walnut. Recoil pad. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14¾" long, 1½" drop at heel, 1½" drop at comb. Monte Carlo; 14¾" long, 1¾" drop at heel, 1½" drop at comb. 1½" drop at M.C. AVERAGE WEIGHT—12 ga. - 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.

Model 870 28 and 410 Gauges

SPECIFICATIONS: STYLE—Pump Action. Take down. 5 shot capacity with 28 ga. and 2½" - 410 ga. shells—4 shot capacity with 3" - 410 ga. shells. 3 shot plug furnished. BARREL—Special Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER—3" in 410 ga.; 2¾" in 28 ga. OVER-ALL LENGTH—45½". SAFETY—Convenient cross-bolt type. RECEIVER—Made from solid steel, top matted, bolt chrome plated. STOCK DIMENSIONS—Mahogany in field grades and walnut in skeet grades—14" long, 2½" drop at heel, 15%" drop at comb. AVERAGE WEIGHT—28 ga. skeet - 6 lbs.; 410 ga. skeet 6½ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain larrel - 5½ lbs.; 410 ga. plain barrel - 6 lbs.; 28 ga. vent. rib - 5¾ lbs.; 410 g. vent. rib - 6¼ lbs.

7/ Iges, Barrel Lengths and Chokes

| Model 1100— | _ | | | |
|--|------------------------------|----------------------|----------------------|--------------------------|
| 12, 16 & 20 Gauges | 12 Ga. | rder Nos 16 Ga. | 20 Ga. | |
| Model 1100 with Plain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke | 5322 5320 5326 5328 | 5370 5374 5376 | 5390 5394 5396 | \$ 184.95 |
| 22" Imp. Cyl. Deer Gun | 5308 | with Rifle Sights | 5260 | \$ 204.95 |
| Model 1100 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke | 5332 5330 5336 5338 | 5378 5382 5384 | 5398 5402 5404 | \$ 209.95 |
| Model 1100 Magnum with Plain Barrel 30" Full Choke 30" Mod. Choke 28" Full Choke 28" Mod. Choke | 5344 5250 | | 5428 5254 | \$ 204.95 |
| Model 1100 Magnum with Vent. Rib Barrel 30" Full Choke 30" Mod. Choke 28" Full Choke 28" Mod. Choke | 5348 5252 | | 5430 5256 | \$ 229.95 |
| Model 1100 SA Skeet with Vent. Rib Barrel 26" Skeet Choke | 5356 | | 5408 | \$ 214.95 |
| 26" Skeet Choke with Cutts Comp. | 5358 | | 5410 | \$ 239.95 |
| Model 1100 SB Skeet with Vent. Rib. Barrel (Fancy Wood) 26" Skeet Choke | 5302 | | 5422 | \$ 239.95 |
| Model 1100 TB Trap with Vent. Rib Barre! 30" Full Choke 30" Mod. Trap Choke | 5350 5288 | | | \$ 249.95 |
| 30" Full Choke 30" Mod. Trap Choke Carlo Stock | 5306 5290 | | | \$ 259.95 |
| Model 1100 D "Tournament" with Vent. | | | Special | \$ 595.00 |
| Model 1100 F "Premier" with Vent, Rib E with Gold Inlay | Barrel | | Special Special | \$1,295.00 \$2,000.00 |

28, 410 &

20 Gauge Lightweight


| | | 20 Ga. | 410 Ga. | Retail Prices* | | |
|-----|--|----------------------|----------------------|----------------------|----|--------|
| | Model 1100 with Plain Barrel 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 9596 9598 9600 | 5316 5406 5412 | 5460 5462 5464 | \$ | 194.95 |
| | Model 1100 with Vent. Rib Barrel 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 9602 9604 9606 | 5414 5416 5426 | 5466 5468 5296 | \$ | 219.95 |
| NEW | Model 1100 Magnum with Plain Barrel 28" Full Choke | 9656 | | : | \$ | 214.95 |
| NEW | Model 1100 Magnum with Vent. Rib Barrel 28" Full Choke | 9658 | | | \$ | 2 |
| | Model 1100 SA Skeet with Vent. Rib Barrel 25" Skeet Choke | | 5432 | 5298 | \$ | 224.95 |
| | "Match-Weight" Skeet Cap for Small Gauge Model 1100 | | 6338 | 6338 | \$ | 9.95 |
| | "Match-Weight" Skeet Cap | | | | Ė | |

*Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program. In other states, these are recommended minimum prices.

| 12, 16 & 20 Gauges | Model 970 | | | | _ |
|---|---|----------------|-----------------------|---------|--|
| Full Choke Full Choke 6902 6902 6902 6908 6902 6908 6908 6908 6908 6918 6918 6918 6918 6918 6918 6918 691 | Model 870— 12, 16 & 20 Gauges | 12 Ga . | Order No: 16 Ga. j | 20 Ga. | |
| Full Choke | 777 Full Choke | 6900 | | | |
| Model 870 Deer Four "Brushmaster" G906 Model 870 Deer Four "Brushmaster" G907 Imp. Cyl. Choke Deluxe G908 Sights G908 | Full Choke | 6902 | | | \$ 124.95 |
| 1972 Imp. Cyl. Choke Standard 5026 5144.95 | 26" Imp. Cyl. Choke | | | | |
| Model 870 with Vent. Rib Barrel Soze Sights Sight | | 6060 | | 5053 | £ 1// 05 |
| 30° Full Choke | | | Sights | 0302 | |
| 28" Full Choke 6934 6946 | | 6030 | | | |
| Model 870 With Plain Barrel 30" Full Choke 898 | 28" Full Choke | 6932 | | | \$ 149.95 |
| 30° Full Choke 6968 6970 \$ 144.95 | | | | | |
| 30° Mod. Choke 28° Mod. Choke 28° Mod. Choke 6978 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6972 6978 | Model 870 Magnum with Plain Barrel | 6066 | | | |
| Model B70 Magnum with Vent. Rib Barrel 30° Full Choke 6978 6978 6982 8 169.95 8 8 8 8 8 8 8 8 8 | 30" Mod. Choke | | | | \$ 144.95 |
| 30° Full Choke 6978 6980 \$ 169.95 30° Mod. Choke 28° Full Choke 6978 6980 \$ 109.95 30° Mod. Choke 5030 \$ 109.95 3109.95 3109.95 3109.95 3109.95 3109.95 32° Police Cyl. Choke 5032 32° Police Cyl. Choke 6988 6992 \$ 154.95 32° Police Cyl. Choke 6988 6992 \$ 154.95 32° Police Choke 6980 6994 \$ 179.95 32° Police Choke 6990 6994 \$ 179.95 32° Police Choke 5136 5140 \$ 229.95 32° Police Choke 5136 5140 \$ 229.95 32° Police Choke 5006 \$ 189.95 32° Police Choke 5006 | | | | | |
| 30° Mod. Choke 28° Mod. Choke 5030 3 109.95 109.9 | | 6076 | | | |
| Model 870 Police with Plain Barrel 207 Police Cyl. Choke | 30" Mod. Choke | | | | \$ 169.95 |
| 20 Police Cyl. Choke 5032 \$ 109.95 | | | | | |
| 18 | Model 870 Police with Plain Barrel | 5020 | | | ¢ 100.05 |
| Model 870 SA Skeet with Vent. Rib Barrel 26" Skeet Choke 65" Skeet Choke 6990 6994 \$ 179.95 | 18" Police Cyl. Choke | | | | φ 105.55 |
| 154.95 | | 5028 | | | \$ 119.95 |
| Seet Choke | | 6988 | | 6992 | \$ 154.95 |
| Model 870 IR Jean Barrel 30° Full Choke 30° Mod. Trap Choke 30° Mod. Trap Choke 30° Full Choke 30° Mod. Trap Choke 30° Full Choke 30° Mod. Trap Choke 30° Full Choke 30° Mod. Trap Choke 3189.95 3264.95 3199.95 3264.95 31870 TC Trap with Vent. Rib Barrel 30° Full Choke 31° Mod. Trap Choke 31° Mod. Choke | | 6990 | | 6994 | \$ 179.95 |
| Model 870 TB Trap with Vent. Rib Barrel 30" Full Choke 30" Full Choke 30" Full Choke 30" Full Choke 30" Mod. Trap Choke 30" Mod. Choke 30" Full | | 5136 |] | 5140 | \$ 229.95 |
| 189.95 30" Mod. Trap Choke with Monte 4906 1870 TC Trap with Vent. Rib Barrel 10" Mod. Trap Choke Carlo Stock 5034 \$ 199.95 199 | Model 870 TB Trap with Yent. Rib Barrel | | | | |
| 1870 TC Trap With Vent. Rib Barrel | | | | | \$ 189.95 |
| 1870 TC Trap with Vent. Rib Barrel 4938 50 | 30" Full Choke with Monte | | | | \$ 199.95 |
| Second S | | 5034 | | | |
| ## Full Choke | 0" Full Choke | | | | \$ 264:95 |
| Model 870 D with Vent. Rib Barrel Special \$1,295.00 | | | | | £ 274.05 |
| Special Spec | | 5044 | Casainl | | |
| Node 870 with Plain Barrel 195" Full Choke 4868 4948 4950 4904 4950 4978 | | | | | |
| Number N | 78 & 410 Gauges | | | | |
| ## 15" Full Choke ## 24904 ## 250 ## 25" Imp. Cyl. Choke ## 25" Imp. Cyl. Choke ## 24904 ## 250 ## 25" Imp. Cyl. Choke ## 25" Full Choke ## 25" Mod. Choke ## 25" Mod. Choke ## 25" Mod. Choke ## 25" Imp. Cyl. Choke ## 25" Skeet Choke ## 2490 ## 25" Skeet Choke ## 25524 Skeet Choke ## 25524 Skeet Choke ## 25526 Skeet Skeet Will Choke ## 25528 Skeet Choke ## 25528 S | | | 28 62. | 410 62. | Prices |
| Model 870 with Vent. Rib Barrel 25" Full Choke 4918 4986 4920 5086 \$159.95 25" Mod. Choke 4932 4990 | 25" Full Choke | | | | 212425 |
| 25" Full Choke 25" Mod. Choke 25" Mod. Choke 25" Mod. Choke 25" Mod. Choke 25" Imp. Cyl. Choke 4932 4990 4990 4990 5164.95 | | | | | \$134.95 |
| 25" Mod. Choke 4920 5086 4930 4990 4930 4990 4930 4990 4930 4990 4930 4990 4930 4990 4930 4990 4930 4990 4930 4990 4930 4996 4930 4930 4996 4930 49 | | | 4010 | 4096 | |
| Model 870 SA Skeet with Vent. Rib Barrel 25" Skeet Choke | 25" Mod. Choke | | 4920 | 5086 | \$159.95 |
| 25" Skeet Choke | | | 4932 | 4990 | |
| State | 25" Skeet Choke | <u> </u> | 4934 | 4996 | \$164.95 |
| ### Company of the content of the co | | | 6336 | 6336 | \$ 9.95 |
| Model 870 LH with Plain Barrel 30" Full Choke 28" Full Choke 26" Imp. Cyl. 5508 5526 S129.95 | | | | | |
| 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Model 870 LH With Vent. Rib Barrel 30" Full Choke 28" Mod. Choke 28" Mod. Choke 28" Mod. Choke 5510 5528 5528 5528 5154.95 5516 5516 5516 5516 5516 5516 5516 55 | H Hallu-12 & 20 Gau | iges | 12 Ga. | 20 Ga. | |
| 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Model 870 LH with Vent. Rib Barrel 30" Full Choke 28" Mod. Choke 28" Mod. Choke 5510 5528 5528 5528 5528 5510 5528 5514 5530 5516 5516 5516 5516 5516 5516 5516 551 | | | 5504 | | |
| Model 870 LH with Vent. Rib Barrel 30" Full Choke 5510 5528 5526 | 28" Full Choke | | ŀ | | \$129.95 |
| Model 870 LH with Vent. Rib Barrel 30" Full Choke 28" Full Choke 5514 5530 5528 \$154.95 | | • | | | 1 |
| 30" Full Choke 2510 5528 Full Choke 5510 5528 Full Choke 5514 5530 5516 5566 28" Imp. Cyl. 5516 5566 5566 5566 5566 5566 5566 556 | | | <u> </u> | | |
| 28" Mod. Choke 5514 5530 5516 5566 | 30" Full Choke | | 5510 | 55.00 | \$154.05 |
| State 870 LH Magnum with Plain Barrel 30" Full Choke 5594 \$149.95 | 28" Mod. Choke | | | 5530 | \$1,04.50 |
| 30" Full Choke 5594 \$149.95 | | | 5516 | 5566 | |
| ### Vent. Rib Barrel 30" Full Choke 5496 \$174.95 Model 870TB £H with Vent. Rib Barrel 30" Full Choke 5518 \$194.95 | 30" Full Choke | | 5594 | | \$149.95 |
| Model 870TB LH with Vent. Rib Barrel 30" Full Choke 5518 \$194.95 | with Vent. Rib Barrel | | ENDE | | ¢174.05 |
| 30" Full Choke 5518 \$194.95 | JO THIN OHORG | | 3430 | | \$1/4.33 |
| 30" Full Choke (with Monte Carlo Stock) 5520 \$204.95 | Model 870TB ! H with Vent Dib Rarrel | | | | |
| | | | 5518 | | \$194.95 |

| /97/ 100 | Order Nos. | | | | | | | | | | |
|--|------------------------------|--------|------------------|-----------------|--------|-------------|-------------------|--|--|--|--|
| Extra Barrels | 12 Ga. | 16 Ga. | 20 Ga. Stand. | Light Weight | 28 Ga. | 410 Ga. | Retail Prices* | | | | |
| Extra Barrels, Plain | | | | | | | | | | | |
| 30" Full Choke 28" Full Choke | 9500 9502 | 9530 | 9546 | | 1 | | \$ 49.95 | | | | |
| 28" Full Choke | 3302 | 3330 | 5340 | 6578 | | | \$ 52.95 | | | | |
| 25" Full Choke | | | | 03/6 | 9588 | 9574 | \$ 52.95 | | | | |
| 28" Mod. Choke | 9504 | 9532 | 9548 | | 3300 | 53/4 | \$ 49.95 | | | | |
| 28" Mod. Choke | 3304 | 3332 | 3340 | 6580 | | | \$ 52.95 | | | | |
| 25" Mod. Choke | | | | 0300 | 9510 | 9576 - | \$ 52.95 | | | | |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | | 3310 | 33/0- | \$ 49.95 | | | | |
| 26" Imp. Cyl. Choke | 3300 | 3335 | 3332 | 6582 | ł | | \$ 52.95 | | | | |
| 25" Imp. Cyl. Choke | | | | | 6584 | 9578 | \$ 52.95 | | | | |
| 22" Imp. Cyl. Rifle Sights | 9568 | | 9572 | | - | - 00,0 | \$ 60.95 | | | | |
| Extra Barrels, Vent. Rib 30" Full Choke | 9512 | | | | | | | | | | |
| 28" Full Choke | 9514 | 9538 | 9554 | <u> </u> | | | \$ 74.95 | | | | |
| 28" Full Choke | | | | 9590 | | | \$ 77.95 | | | | |
| 25" Full Choke | | | | | 6586 | 9580 | \$ 77.95 | | | | |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | L | | \$ 74.95 | | | | |
| 28" Mod. Choke | | | | 9592 | | | \$ 77.95 | | | | |
| 25" Mod. Choke | | | | | 6588 | 9582 | \$ 77.95 | | | | |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | | | | \$ 74.95 | | | | |
| 26" Imp. Cyl. Choke | | | | 9594 | | | \$ 77.95 | | | | |
| 25" Imp. Cyl. Choke | | | | | 6590 | 9584 | \$ 77.95 | | | | |
| Extra Barrels, Vent. Rib Trap & Skeet Grades | | | | | | | | | | | |
| 26" Skeet Choke | 9522 | | 9562 | <u> </u> | | | \$ 79.95 | | | | |
| 26" Skeet Cutts Comp. | 9524 | | 9564 | | | | \$104.95 | | | | |
| 25" Skeet Choke | | | | | 6592 | 9586 | \$ 82.95 | | | | |
| 30" Full Choke 30" Mod. Choke 28" Full Choke 28" Mod. Choke | 9526 9570 9528 9566 | | | | | | \$ 79.95 | | | | |

| Model 870 Extra Barrels | | | rder Nos | | | Retail |
|--|--------------|--------|----------|--------|---------|---------|
| Extra Darreis | 12 Ga. | 16 Ga. | 20 Ga. | 28 Ga. | 410 Ga. | Prices* |
| Plain Barrel | | | | | | |
| 30" Full Choke | 6214 | | | · ' | 1 | \$39.95 |
| 28" Full Choke | 6216 | 6252 | 6270 | | | \$33.33 |
| 25" Full Choke | | | | 6282 | 6236 | \$42.95 |
| 28" Mod. Choke | 6218 | 6254 | 6272 | | | \$39.95 |
| 25" Mod. Choke | | | | 6284 | 6238 | \$42.95 |
| 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | | | \$39.95 |
| 25" Imp. Cyl. Choke | | | | 6286 | 6248 | \$42.95 |
| 20" Cyl. Choke | 6598 | | | | | \$39.95 |
| 20" Imp. Cyl. Rifle Sights | 6544 | | 6230 | | | \$50.95 |
| Vent. Rib Barrel 30" Full Choke 28" Full Choke | 6222 6224 | 6258 | 6276 | | | \$64.95 |
| 25" Full Choke | | | | 6288 | 6250 | \$67.95 |
| 28" Mod. Choke | 6226 | 6260 | 6278 | | | \$64.95 |
| 25" Mod. Choke | | | | 6290 | 6264 | \$67.95 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6289 | | | \$64.95 |
| 25" Imp. Cyl. Choke | | | | 6292 | 6266 | \$67.95 |
| Trap & Skeet Grades Vent. Rib Barrels 30" Full Choke 30" Mod. Choke | 6242 6232 | | | - | • | |
| 28" Full Choke 1 rap 28" Mod. Choke | 6244 6246 | | | | | \$69.95 |
| 26" Skeet SA & SC Grades | 6240 | | 6508 | | | |
| 26" SA & SC with Cutts Comp. | 6450 | | 6456 | | | \$94.95 |
| 25" Skeet Choke | | | | 6294 | 6268 | \$72.95 |





Remington Model 742 "Woodsmaster" Automatic, Left* And Right Hand Models

Add up all the things you want in an automatic big game rifle. The result will be a Remington Model 742.

REMINGTON 742 "WOODSMASTER"

We introduced the first automatic rifle in 1906 and Remington engineering is still giving sportsmen the ultimate in automatic shooting.

The Model 742 is engineered for the ultimate in dependability. Subject it to excessive dirt—it performs. Submergeit in water—it performs. The Model 742 is built for the outdoors and every weather condition nature offers.

THÉ MODEL 742 IS ENGINEERED FOR THE ULTIMATE IN STRENGTH. When the action is closed, you get a lock-up as tight and strong as a bank vault. This strength comes from an artillery-type holt with multiple locking lugs that locks bolt to barrel as tight as engineering knowledge can make it.

We carry this strength even further. When the bolt is locked on the cartridge head, it gives you three rings of steel strength—the bolt, the barrel, and the receiver. The result is a cartridge head that's locked in tight and surrounded by triple steel strength.

THE MODEL 742 ALSO GIVES YOU THE ULTIMATE IN TROUBLE-FREE FUNCTIONING. Its fast, gas operated action soaks up recoil and keeps you on target for extra shots (if you need them). The interior working parts are coated with friction-freeing Du Pont Teflon "S" to give longer wear, self lubrication, and dirt and oil resistance to make cleaning easier. For reliable functioning, be sure to use

Remington-Peters "Power-Lokt" or "Core-Lokt" ammunition—the same ammunition used to develop and test all Model 742's.

THE MODEL 742 GIVES YOU THE ULTIMATE IN LOOKS AND SELECTION TOO. Remington's unique "vibra-honing" metal finishing process assures a mirror-like finish on all metal surfaces both inside and out, parts glide smooth and easy. The blueing bonds with a rich luster only found on far more expensive firearms.

The gleam of a 742 stock and fore-end is unmatched in the industry for beauty and quality. It comes from Du Pont RK-W finish which is similar to the finish used on bowling pins. It's tough, hard, and scratch resistant and holds up in rough weather and hard usage.

For selection, the Model 742 offers you five great hunting calibers, a distinctive ADL standard grade, BDL "Custom Deluxe" grade with beautiful basket weave checkering and Monte Carlo stock with full cheek piece, BDL "Custom Deluxe" left-hand version, with reversed safety, 18½" barrel carbine version for hunting in brush and rough country are all available at popular prices. Special D "Peerless" and F "Premier" grades are available on special order. All models have distinctive black fore-end and grip caps, fast loading clip magazines, a convenient bolt release, and are drilled and tapped for scope mounts.

Put all of these features together and you'll know why its name is "Woodsmaster."

*Has left hand cheek piece and safety. BDL grades only.

(Complete Specifications on Pages 18 and 19)

(Page 12) MODEL 742, 6mm Rem., \$169.95 (Page 13) MODEL 742 BDL DELUXE, 30-06 Spfd., \$189.95



BARBER - PRESALE R 0124300

Remington Model 7(1971) Colt Action Center Fire Rifle... Available in 17 Calibers Including The New 17 Remington

t vou want a rifle that's rugged, dependable, aghly accurate, distinctive, the world's strongst, available in a dozen or more calibers, and will like a Rolls...you want a Remington Aodel 700.

This year, you can choose from 17 differnt calibers, including the latest, hottest, and he smallest commercially loaded center fire artridge—the 17 Remington. This 4,000 plus xot-per-second cartridge is just what the varnunt-small-game-accuracy shooter has been wiking and waiting for. And only Remington tempering and the Model 700 can deliver this mapper cartridge with the accuracy and power theoryes.

With this latest addition, the Model 700 liters a caliber selection unmatched in the infustry. The Model 700 has a caliber for every vpe of hunting from varmints to elephants—even magnum calibers and seven varmint albers. It's the ideal gun for the shooter lookup to the finest design and largest selection of the color rifle.

ORI action rine.

CRI action is the strongest bolt action center rice ever made. It's just the ticket for hand-oaders who want strength where strength selongs. The secret is in the three rings of solid steel that surround the cartridge head. There c no extractor cuts to weaken this critical

NPPEARANCE—The Model 700 has the appearance of a far more expensive rifle. The dis-

tinctive ADL grade has a jeweled bolt that retains lubrication, a shrouded bolt cover to keep out dirt and grit, a restyled stock with attractive checkering to improve pointing, balance, and grip, and a unique low profile safety that will not accidentally move on or off. Whiteline spacers at the butt plate, fore-end tip, and pistol grip, and "quick-adjust" sling strap with swivels are standard on BDL models.

Along with these features, the Model 700 offers the shooter the same list of extras that have made it the best selling bolt action rifle. ACCURACY—Like all Remington firearms, the Model 700 is built one at a time by the world's finest gunsmiths. This care assures snug bedding, precision working parts, and a short crisp trigger pull. When you fire a Model 700, you hit what you aim at.

CRAFTSMANSHIP—The traditional beauty of fine checkering is accented with an exclusive, tough, hard, scratch-resistant Du Pont wood finish called RK-W.

EXTRA FEATURES—All Model 700 rifles have Monte Carlo stocks with cheek piece, checkered bolt knobs and detachable sights for scope users. The 700 receiver is drilled and tapped for scope mounts.


To make sure you get the most from this highly accurate and well built rifle, be sure to use Remington-Peters "Core-Lokt" or "Power-Lokt" center fire ammunition. It's the ammunition used to sight-in and test all Model 700 rifles.

MODEL 700 BDL "VARMINT SPECIAL"


For 1971, this heavy barreled varmint rifle is available in six great varmint calibers including the new 25-06 Remington. The Model 700 "Varmint Special" is designed for small targetlong range precision shooting. Additional calibers include the 222 Remington, 223 Remington, 22-250 Remington, 6mm Remington and 243 Win. Its heavy barrel eliminates whipping and the result is superb accuracy—enough to put the Model 700 "Varmint Special" in a new accuracy class. It's equipped with scope bases, hinged floor plate, quick release swivels and "quick-adjust" sling strap. Monte Carlo stock with cheek piece, RK-W wood finish and custom checkering.

MODEL 700 "CUSTOM" RIFLE

If you're interested in an "extra special" Model 700, the Model 700 "Custom" is the rifle for you. Available on special order only, the Model 700 "Custom" offers you a choice of tailored specifications. It's available in a variety of calibers and features a select American Walnut stock, hand checkering, a highly polished barrel (with or without sights) and highly polished receiver for the finest blueing possible. The Model 700 "Custom" is the finest in Remington gunmaking.



Ad-JEL 700 ADL DELUXE, 30-06 Spfd., \$149.95



Model 760 "Gamema: 1971_ ump Action Rifle, Teft* And Right Hand Models-Model 788 Bolt Action Rifle, Left And Right Hand Models-

MODEL 760 "GAMEMASTER"

If you already own a pump shotgun, the Remington Model 760 will feel right the moment von pick it up.

Why? Let's start with the action bars.
Model 760 has two of them. When you up the action, the fore-end doesn't twist or tal. It comes back straight and fast in a infortable natural movement. Your finger wer leaves the trigger as it does in a lever non letting you stay on target for fast admonal shots, it they're needed.

Point two. The receiver and interior workparts are put through our exclusive "vibraing" process. They come out mirror smooth and shiny—free from metal burrs that cause toggsh operation. The friction-free parts opor

Point three. It looks distinctive. All Model of have the exclusive gleam that comes Du Pont RK-W wood finish. They also distinctive black fore-end tips and grip white line spacers, and streamlined beacttail fore-ends. Standard grades have skip me checkering and the BDL Deluxe grade feames basket weavecheckering and Monte Carlo tock with cheek piece (available in left hand crisions, too). An 1802" barrel carbine version or hunting in heavy brush is also available.

Point four. It's strong. The Model 760 is he only pump action rifle strong enough to andle the powerful 30-06 Springfield attridge. The secret is in the 760's solid steel ecciver and super-strong artillery type bolt.

Add up these four points plus fast, removble magazine clips and receivers that are tilled and tapped for scope mounts, optional it hand BDL models with reversed safety and cheek piece on left side for southpaw hooters, and you'll know why the Remington Model 760 is the quality leader in the center fire pump action field.

THE REMINGTON MODEL 788 BOLT ACTION RIFLE— EXTREMELY ACCURATE, EXTRA STRONG, AND UNBELIEVABLY INEXPENSIVE.

These statements are all true. In just four years, the Model 788 has built up a tremendous reputation among hunters and shooters.

It was built for the sportsman who wanted a low price big game rifle in popular, modern cartridges. The 788 gave him that in both left and right hand models.

The Model 788 was also designed to give good accuracy. It delivered that plus. Take the outdated 30-30 for example. The 788 shot groups with this cartridge that could have put it in the far more expensive target rifle class. Try the Model 788 in 22-250 or 6mm Remington and you'll see what pin-point accuracy is like.

The unusual accuracy of the Model 788 comes from its extremely fast lock time (the interval between pulling the trigger and primer ignition). The lock time is so fast that the bullet has left the 788's barrel before a comparative bulletin a competitive gun has left the cartridge case.

In short, the trigger pull is crisp, with no drag, and that means you'll hit what you aim at.
To handle the potent 22-250 Remington


To handle the potent 22-250 Remington, the Model 788 had to be strong. The secret of the 788's strength is in the nine locking lugs on the bolt and the grooved receiver. Together, they lock up tight and secure.

With terrific accuracy, extra strength, and alow price going for it, the Model 788 is a tough rifle to beat.

You can't beat Remington-Peters big game cartridges either. They're the cartridges used to test and sight in all 788's and 760's at the factory. These rifles, combined with Remington-Peters big game cartridges are "Partners in

Power and Accuracy."





100EL 760 ADL, 30-06 Spfd., \$149.95

REMINGTON CENTER FIRE RIFLES



Model 700 ORDER NUMBERS AND PRICES

| | , | | | Barrel | Length | Overall | Length | Weigh | it Lbs. | 70 | O ADL | 70 | O BDL | Varmi | nt Special | Custom | Model★ |
|-----|---|---|--|--|--|--|--|----------------------------------|---------|--|-------------------|--------------------------------------|-------------------|--|-------------------|---|-------------------|
| | Calibers | Cap. | Twist-R H 1 Turn in | Reg. | Var. | Reg. | V aг. | Reg. | Var. | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| NEW | 17 Rem. | 6 | 9″ | 24" | | 431/2" | | 7 | | | | 6046 | \$184.95 | | | | |
| | 22-250 Rem. 222 Rem. 223 Rem. 25-06 Rem. 6 mm Rem. 243 Win. 270 Win. 30-06 308 Win. | 5 6 6 5 5 5 5 5 5 | 14" 14" 12" 10" 9" 9" 10" 10" | 24" 24" 22" 22" 22" 22" 22" 22" | 24" 24" 24" 24" 24" 24" | 43½" 43½" 44½" 41½" 41½" 42½" 42½" 41½" | 43½" 43½" 43½" 44½" 43½" 43½" | 7 7 7 7 7 7 7 | 9999 | 6054 6052 5954 6056 6058 6062 6078 6076 | \$149.95 | 6080 6038 5944 | \$169.95 | 6118 6116 6120 6048 6122 6124 | \$184.95 | Special Special Special Special Special Special Special Special Special | \$345.00 |
| | •7 mm Rem. Mag. •264 Win. Mag. •6.5 Rem. Mag. •350 Rem. Mag. •300 Win. Mag. | 4 4 4 4 | 9" 9" 9" 16" 10" | 24" 24" 24" 24" 24" | | 44½" 44½" 43¾" 43¾" 44½" | | 7½ 7½ 7½ 7½ 7½ 7½ | | 6074 | \$164.95 | 6098 6086 5924 5926 6104 | \$184.95 | | | Special Special Special Special Special | \$357.00 |
| | ●375 H&H Mag. ●458 Win. Mag. | 4 | 12** 14** | 24" 24" | | 44½" 44½" | | 9 | | | | 6106 6108 | \$344.95 | | | | |

eHas recoil pad.

Model 788 ORDER NUMBERS AND PRICES

| Calibers | Clip Mag. Cap. | Twist-R H,1 Turn in | Bbi, Lgth. | O.A. Lgth. | Av. Wt. Lbs. | Order Nos. | Retail Prices* |
|--|------------------------------------|-------------------------------|--|--|----------------------------------|--|---------------------------|
| Medel 788 | | | | | | | |
| 222 Rem. 22-250 Rem. 6mm Rem. 243 Win. 308 Win. 30-30 | 4 3 3 3 3 3 | 14" 14" 9" 9" 10" | 24" 24" 22" 22" 22" 22" | 43%" 43%" 42 42 42 42 41%" | 7½ 7½ 7¼ 7¼ 7¼ 7¼ | 9722 9736 9784 9782 9780 9738 | \$ 99.95 |
| Model 788 (Left Hand) 6mm Rem. 308 Win. | 3 3 | 9" 10" | 22" 22" | 42" 42" | 7½ 7½ | 9786 9788 | \$104.95 |
| Sling Strap & O Extra Clip (Spe | uick Release Swiv cify Caliber) | els (installed) | | | ** | 6426 | \$ 5.40 \$ 4.50 |



^{*}Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program. In other states, these are recommended minimum prices.

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK—American Walnut. BEIL and Varmint Models include sling strap and quick release swivels, black fore-end tip and white line spacers. 13¾" length of pull, 2¾" drop at heel, 1½" drop at comb (from open sight line) checkered. SIGHTS—Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear eight with windage adjustment screw. Rear sight removable for addition of the block without drilling or tapping. Varmint model has no sights. The live of has higher for scope mounts and receiver sights. BDL and has higher floor plate. Varmint model has 40XB type scope mounts. Acadel 700 ADL—Sling Strap & Quick Release Swivels (Installed) Order No. 1682—\$9.10

CUSTOM MODEL 700—Manufactured to customer specifications—choice of 10", 22" and 24" barrel—with or without floor plate—with hunting sights, or 1 min barrel with receiver drilled and tapped for 'scope mounts—length of pull 13%" up to 14" with recoil pad—extra charge for recoil pad, oil finished is and left hand cheek piece—orders non-cancellable—allow up to four this for delivery. Only ordnance steel barrels supplied.

Jodel 788

FICATIONS: STOCK—Walnut finished hardwood, Monte Carlo type, 13%" his of pull, 2%" drop at heel, 17%" drop at comb (from open sight line). LittiHTS—Blade front sight on ramp is detachable. U notch rear sight lock new adjustable for windage and elevation. Rear sight barrel holes correct target scope block. RECRIVER—Drilled and tapped for scope mounts and net eiver sight. Detachable clip magazine.

Model 742

SPECIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber. STAND-ARD STOCK DIMENSIONS—Stock and fore-end: American walnut. 13%" length if bull. 21%" drop at heel, 11%" drop at comb. Deluxe Model: 13%" length of bull. 21%" drop at heel, 11%" drop at comb. 11%" drop at Monte Carlo. RECEIVER—Drilled and tapped for scope mounts. Removable clip magazine. SIGHTS—Flat faced gold bead with ramp front sight. Step adjustable rear 15, 11, for elevation, with windage adjustment screw. WEIGHT—Approx. 7½ bs—Carbine 6% lbs.

Model 760

FECIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber. STAND-RID STOCK DIMENSIONS.—Stock and fore-end: American walnut. 13%" length ll, 21%" drop at heel, 11%" drop at comb. Deluxe Model: 13%" length ll, 21½" drop at heel, 11%" drop at comb, 11%" drop at Monte Carlo. SIGHTS—Flat faced gold bead with ramp front sight. Step adjustable rear light for elevation, with windage adjustment screw. WEIGHT—Approx. 7½ Carbine 6% lbs.

Model 742

ORDER NUMBERS AND PRICES

| | | | | | Retail Prices* | |
|---|---------------------------------|---|---|------------------------------------|--|--|
| 9" 9" 10" 10" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 9632 9634 9636 9638 9648 | • | 169.95 | |
| 10″ 10″ | 18½" 18½" | 38½" 38½" | 9670 9672 | Φ | 103.33 | |
| 10" 10" 10" 10" | 22" 22" 22" 22" | 42" 42" 42" 42" | 9666 9668 9640 9644 | \$ | 189.95 | |
| Grade | | | Spec. | \$ | 595.00 | |
| Model 742 F "Premier" Grade | | | | | | |
| Sling Strap & Quick Release Swivels (Installed) Extra 4-Shot Clip | | | | | | |
| | 9" 9" 10" 10" 10" 10" 10" Grade | 9" 22" 9" 22" 10" 22" 10" 18½" 10" 18½" 10" 22" 10" 22" 10" 22" 10" 22" 10" 22" 10" 22" 10" 22" 10" 22" | 9" 22" 42" 9" 22" 42" 10" 22" 42" 10" 22" 42" 10" 38½" 38½" 10" 18½" 38½" 10" 22" 42" 10" 22" 42" 10" 22" 42" 10" 22" 42" 10" 22" 42" 10" 22" 42" 10" 22" 42" 10" 22" 42" | 1 Turn in Length Length Nos. | 1 Turn in Length Length Nos. P | |

Deluxe models with left hand cheek piece have left hand safeties: both at no extra charge.

Model 760

ORDER NUMBERS AND PRICES

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nos. | Retail Prices* | | |
|--|--|--|--|--|-------------------|--|--|
| Model 760 6mm Rem. 270 Win. 30/06 308 Win. 243 Win. | 9" 10" 10" 10" 9" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 5900 9726 9730 9732 9678 | \$ 149.95 | | |
| Model 760 Carbine 30/06 308 Win. | 10" 10" | 18½" 18½" | 38½" 38½" | 9698 9714 | | | |
| Model 750 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand 270 Win. 270 Win. Left Hand | 10" 10" 10" 10" 10" 10" | 22" 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" 42" | 9692 9694 9706 9710 9708 9712 | \$ 169.95 | | |
| Model 760 D "Peerless" | ' Grade | | | Spec. | \$ 595.00 | | |
| Model 760 F "Premier" | Spec. | \$1,295.00 | | | | | |
| Sling Strap & Quick F Extra 4-Shot Clip | 6096 Specify Caliber | \$ 9.10 \$ 4.50 | | | | | |

Deluxe models with left hand cheek piece have left hand safeties—both at no extra charge.



Remington Models 5 1971 592 Chambered for The 5mm Rem. Rim Fire Magnum. Model 572 Pump Action 22 Caliber Rim Fire.

AODELS 591 and 592 Priced from \$69.95

Remington Models 591 clip repeater and tubular repeater bolt action rifles are hambered for thesensational 5mm Remington in fire magnum cartridge. Why sensational? In these reasons. It's the fastest rim fire attridge ever made (muzzle velocity 2100 to per second)—the most accurate rim fire tung cartridge and the only rim fire carting cartridge and the only rim fire carting that the accuracy of a center fire cartridge att has the accuracy of a center fire cartridge ereat for small game, varmint hunting, and formal target shooting. Other outstanding tures of the Models 591 and 592 are:

SIX EXTRA HEAVY ROTARY LUGS on bolt engage grooves in the solid steel recent logether they lock up tight, like a bank of the Here is extra strength to handle the exerful 5mm Remington rim fire magnum and get. UNIQUE TWO STAGE EXERACTOR permits the bolt to completely en-

close the cartridge head—assures utmost safety. FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch lock screw rear. ROUND RECEIVER means bedding into the stock can be more precise which, in turn, contributes to fine accuracy. The receiver is also grooved for tip-off scope mounts. ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle, polished and blued for good looks and long wear. NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety-forward for fire, rearward for safe. Marked "F" for fire; "S" for safe. MATCH TRIGGER QUALITY—A good trigger pull is an important asset to any rifle. The lock time of the Models 591 and 592 is the fastest of any rim fire made today. What's lock time? It's the length of time, measured in milliseconds, between the release of the trigger sear and instant ignition. This means better accuracy, no trigger movement to pull the gun off target.

MODEL 572 "FIELDMASTER" PUMP ACTION Priced from \$69.95

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best...action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" scope mounts. Capacity is large; tubular magazine holds 20 Short, 17 Long or 15 Long Rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced-rugged and dependable like Remington big game rifles and shotguns. BDI. deluxe models feature extra tough RK-W wood finish, custom checkering, grip cap, and big game type

REMINGTON MAGNUM

Table in both Remington and Peters brands, the 5mm Remington Magnum has a 38 grain rower-Lokt" hollow point bullet. Needle point accuracy with perfect expansion goes hand in sand. The fastest rim fire cartridge ever and the hardest hitting with more energy, less drift, reater accuracy, superior mushrooming.

| | | BULLET | VELOCITY— FT. PER SECOND | | | ENERGY— FOOT POUNDS | | | TRAJECTORY RIFLE SIGHTED IN AT 100 YDS. | |
|---------------------|--------------|------------------------------|-----------------------------|-------------|--------------|------------------------|-------------|-------------|---|--------------------|
| mm REMINGTON MAGNUM | Wgt. Grs. | Style | Muzzle | 100 YDS. | ,150 YDS. | Muzzle | 100 YDS. | 150 YDS. | 100 YDS. Inches | 150 YDS. Inches |
| | 38 | "Power-Lokt" Hollow Point | 2100 | 1605 | 1400 | 372 | 217 | 165 | 0 | -4.3 |



HIBPEED
RIMFIRE
MAGNUM

HIGH VELOCITY
RIM FIRE
MAGNUM



MODEL 591, Clip Repeater, 5mm Rim Fire Magnum, \$69.95



(Complete Specifications on Pages 28 and 29)

POEL 592, Tubular Repeater, 5mm Rim Fire Magnum, \$74.95



BARBER - PRESALE R 0124308

Remington Bolt Act: 1971 Caliber Rifles... Models 580, 581, And 582, Left Hand Model 581, New Model 580 "Boys' Rifle"-

Models 580 Single Shot, 581 Clip Repeater and 582 Tubular Repeater.

ese 22s have the look, feel and balance of game center fire rifles—plus the strongest, ist powerful bolt ever designed into a 22 liber hunting rifle.

The 580 series features an artillery type is with rear lock-up. What does that mean and It means brute strength. When the sclosed on the cartridge, six rotary lockings are engaged in a grooved receiver, they lock up tight—bank vault. That's more strength than you'll ever The pressure is on ordnance steel locked.

The pressure is on ordnance steel locked cordnance steel not on a bolt handle locked of a wooden stock. Try the action. It's silky-mooth, solid, secure and extra strong.

The new 580 "Boys' Rifle" has all the feaes of the standard model 580 but the stock 1" shorter for the young shooter.

A left hand Model 581, with the bolt tidle on the left side is available for souther shooters. It's the only left hand bolt action

rim fire rifle made in America and it's another first from Remington.

Other great features of this super strong rim fire series include:

HUNTING-TYPE TRIGGER that's wide and has a crisp, sharp, clean trigger pull without drag. That means when you pull the trigger, you hit what you aim at. Another plus feature is a big, sturdy trigger guard that's roomy enough to handle a gloved finger.

FULLSIZE MONTE CARLO STOCK with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheek-to-stock fit and that means more hits with or without a scope. The fore-end is long, tapered and man-size to prevent canting giving you a good secure urin

good secure grip.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. It gives you positive safety—forward for fire; rear-ward for safe.

DUAL EXTRACTORS give a two-handed grip on the cartridge to make sure ejection is fast and smooth without jamming.


SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch adjustable rear sight with lock screw.

ROUND STEEL RECEIVER makes stock bedding more precise and, in turn, contributes to fine accuracy. It's also grooved for "tip-off" scope mounts.

BOLT COVER keeps dirt, grit and bad weather out assuring smooth operation inside. It also gives the gun the streamlined look of a center fire big game rifle. FOR THE BEST in accuracy and depend-

FOR THE BEST in accuracy and dependability, use Remington-Peters 22 caliber cartridges...the same cartridges used to test these rifles at the factory.

Put all of the 580 series features together and you will know what competition is shooting for.



1 582, Tubular Repeater, \$59.95

2.



Remington Nylon 66, 197/10 177 and Model 552 Automatic 22 Caliber Rifles.

LON 66 AUTOMATIC aced from \$59.95

he "Lightweight"

Caliber Automatic
hat Set
World's Record.

rese are facts! In 12 years, this 22 automatic is built an outstanding record for consumer ceptance. It's tough because it's made of oper strong structural nylon that won't warp, _k, fade, chip or peel, and that's backed up

a guarantee for the life of the rifle. The Nylon 66 is an endurance and active champion too. It was used to establish world's record on hand thrown 2¾" wood ocks—100,000 of 'em and only six misses afront a malfunction. With a record like that mid it, hitting targets, tin cans, and small one will be easy.

The unique interior design of this 4 lb. itomatic combines steel and nylon for action-free operation. Lubrication is elimited because parts glide on greaseless nylon arings.

Distinctive functional checkering assures cure handling even in the roughest of con-

ditions and the convenient top-of-grip safety gives instant control for any type of quick shot.

The Nylon 66 also comes in a deluxe Apache Black model. The stock is made of DuPont Zytel black nylon and the receiver and barrel are chrome plated to give a striking appearance. In performance and reliability, it's the same as the Mohawk Brown model.

If you're looking for a 22 automatic that's accurate, tough, and dependable, the Nylon 66 is just the ticket.

NYLON 77 CLIP AUTOMATIC Priced at \$54.95

In direct response to the success of the Nylon 66, Remington introduced the clip-fed Nylon 77 automatic 22 rifle. It's designed for fast action shooting and is the perfect answer for a shooter who wants a gun that loads and unloads fast and easy.

Fast shooting and rugged handling was the basic idea, it had to be tough. The 77 has a tough nylon stock that won't crack, warp, chip, fade, or peel and that statement is backed by a "replacement free guarantee" for the life of the rifle.

With a weight of only 4 lbs. and removable clip magazine, the Nylon 77 is the perfect


answer for looks, feel, balance, and fast accurate shooting.

MODEL 552 "SPEEDMASTER" AUTOMATIC Priced from \$69.95

The Model 552 is the "all around gun" in the Remington line of automatic 22 rifles. This fast shooting, well balanced, highly accurate 22 automatic handles shorts, longs, and long rifles with no trouble or adjustments. It's one of the Remington "family" of guns because it's designed like another superior performer the Model 742 big game automatic rifle. Special features on the Model 552 include twenty shots as fast as you can squeeze the trigger, cross bolt safety, and grooved receiver for "tip-off" scope mounts. A short 21" barrel carbine version and a Gallery Special are also available. The BDL Deluxe version has custom checkering, RK-W wood finish, and big game type sights.


Askyour dealer to show you a Remington Model 552. It's the rifle that feels right because it's made right.

To make sure these trouble-free automatics remain that way, use the ammunition they were built and tested with—Remington-Peters 22's.



+ 66 MB, "Mohawk Brown", Automatic, \$59.95





Remington Models 4 Rangemaster," Angemaster," XB-BR Bench Rest Target Rifles... Wodel 540X 22 Caliber Match Target Rifle... International Free Rifle.

AODEL 40XB "RANGEMASTER" RIM FIRE MODEL) 'riced from \$199.95

xclusive loading platform provides straight ne feeding; no shaved bullets. High comb ves same sighting plane for iron and teleope sights. Comb is grooved for bolt reloval. Mershon White Line non-slip rubber att plate, adjustable sling swivel and handop are standard equipment. Other features extra strong bolt with double extractors, in frigger with positive adjustments for eight of pull, wide trigger for more uniform all and comfort, thumb operated safety. The cerver is drilled and tapped for all standard the mounts, telescope and metallic Redfield bropic front and rear sights optional. A sw long rail for the adjustable fore-end stop ad palm rest makes shooting good scores.

AODEL 40XB "RANGEMASTER" "NTER FIRE MODEL) d from \$249.95

available in repeating models for use in oural Match Courses, the 40XB is desect with clip slots for the conventional version clip. (Available in heavy barrel resides only). It loads from the top of the verver and the magazine has a hinged floor late. Repeating models are provided only in alberts equal to or shorter than the loaded on of the 308 cartridge.

The 40XB center fire repeating rifle is 15 at for the rapid fire events, especially in 15 62mm NATO (308) caliber, because of shorter bolt throw and extreme accuracy, 15 its optimum weight for "over the

As a single shot model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. The 40XB meets the National Bench Rest Association rules for the Heavy Varmint Class with most target telescopes. (Max. weight 13½ lbs.) Stainless steel barrels are supplied as standard on all magnum and varmint calibers except 222 Rem. 222 Rem. Mag., 223 Rem., 308 Win. and 30-06 Spfd. Stainless 40XB barrels are not blued. 40XB "Sporter" (22 long rifle version of Model 700 "Custom") available on special order.

MODEL 40XB-BR BENCH REST (CENTER FIRE) Priced at \$289.95

Built with all the features of the extremely accurate Model 40XB-CF but modified to give the competitive bench rest shooter a standardized rifle that provides the inherent accuracy advantages of a short (20") heavy, extremely stiff barrel. Wider, squared off fore-end gives a more stable rest on sand bags or other supports. In combination with the new Remington target—scope, the resulting package weighs just under 10½ lbs. and meets weight limitations for the sporter and light varmint classes of National Bench Rest Shooters Association competition. For shooters competing in the heavy varmint class, a 13½ lb. 26" barrel version is available.

REMINGTON 20 POWER TARGET SCOPE Priced at \$169.95

signed primarily for accuracy in critical bench rest shooting. Its relatively short length permits fore and aft receiver mounting, and eliminates the need of a forward mounting on the barrel. Produced in 20 power only, the target scope contains optics of the highest quality. Because of its lighter weight, shooters have greater flexibility in assembling rifle and scope combinations to meet National Bench Rest Shooters Association weight limitations.

MODEL 540X MATCH TARGET RIFLE Priced from \$99.95

The Model 540X has all the design features and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and junior shooter, the Model 540X is super accurate, well balanced, and loaded with extras. To continually punch holes in the X ring with any rifle, you need a gun with a good crisp trigger pull. The 540X has a fully adjustable trigger that does exactly that. The secret's in its fast lock time.

A unique feature of this rifle is its liveway adjustable butt plate. The stock can be adjusted with the same wreuch for length of pull, vertical, pitch or cant (left or right).

INTERNATIONAL FREE RIFLE (RIM FIRE AND CENTER FIRE) Priced at \$395.00

The International Free Rifle learnies the 40XB action, precision heavy barrel, a Rennigton designed adjustable butt plate and hook, adjustable palm rest, adjustable front sling swivel and 2-ounce trigger.



10BEL 540X, 22 Cal. Match Target Rifle, \$119.95

(Complete Specifications on Pages 28 and 29)

REMINGTON RIVER RIFLES



Order Numbers, Prices and Specifications USE NUMBERS FOR ACCURATE ORDERING

Models 591 and 592

SPECIFICATIONS: ACTION—All bolt action. M/591 clip repeater, M/592 tubular repeater. CALIBER—5mm Remington Rim Fire Magnum. CAPACITY—M/591, 4 in magazine, 1 in chamber; M/592, 10 in magazine, 1 in chamber. BARREL—24 inch ordnance steel, crowned at muzzle. STOCK—Walnut finish hardwood, Monte Carlo type, full size, butt plate and grip cap. SIGHTS—Front, bead, dovetail, adjustable; Rear—U notch type, lock-screw adjustable. BOLT—Rear lock-up, 6 locking lugs, two stage extraction permits bolt to enclose cartridge head. RECEIVER—Round, ordnance steel, grooved for scope mounts. SAFETY—Rotary thumb safety. OVER-ALL LENGTH—42%". WEIGHT—M/591, 5 lbs.; M/592, 5½ lbs.

Nylon 77

 $\ensuremath{\text{SPECIFICATIONS:}}$ Same as Nylon 66 except 5 shot clip magazine. Extra 5 and 10 shot clips available.

Nylon 66

SPECIFICATIONS: ACTION—Automatic. CALIBER—22 long rifle Rim Fire. CAPACITY—Tubular magazine thru butt stock. Holds 14 long rifle cartridges. BARREL 19%", precision rifled, Remington Ordnance Steel. STOCK—One piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. SIGHTS—Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY—Top-of-grip. RECEIVER—Grooved for "tip-off" scope mounts. OVER-ALL LENGTH—38½". COLOR—Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receiver cover. WEIGHT—4 lbs.

Models 580, 581 and 582

SPECIFICATIONS: ACTION—All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER—22 rim fire; short, long, or long rifle cartridges. CAPACITY—M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. BARREL—24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK—Walnut finish hardwood, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS—Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. BOLT—Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER—Round, ordnance steel, grooved for scope mounts. SAFETY—Positive, serrated thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH—42¾". 580 Boys Rifle 40". WEIGHT—M/580 5 lbs., M/581 5¼ lbs., M/582 5½ lbs.

Models 552 and 572

SPECIFICATIONS: MODEL 552: ACTION—Automatic. CALIBER—22 Rim Fire. CAPACITY—Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. SIGHTS—Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. STOCK—Models 552 and 572 rich American walnut, BDL has RK-W finish. SAFETY—Cross-bolt type. RECEIVER—Grooved for "tip-off" scope mounts. OVER-ALL LENGTH—42"; 40" (Carbine). WEIGHT—5½ ibs.

MODEL 572: Same as Model 552 except: ACTION-Pump, repeater.

ORDER NUMBERS AND PRICES

Models 591 and 592

| Bolt Action 5mm Rem. Rim Fire Magnum Rifles | Order Nos. | Retail Prices* |
|---|------------|----------------|
| Model 591 Clip Repeater | 9860 | \$69.95 |
| Model 592 Tubular Repeater | 9862 | \$74.95 |
| Model 591 — Extra 4-shot Clip | 6408 | \$ 3.50 |
| Model 591 Sling Strap & Swivels (Installed) | 6426 | \$ 5.40 |
| Model 592 Sling Strap & Swivels (Installed) | 6428 | \$ 5.40 |

Nylon 77

| 22 Caliber Clip Automatic | Order Nos. | Retail Prices* |
|-----------------------------------|------------|----------------|
| Nylon 77 | 5532 | \$54.95 |
| Extra 5-shot Clip | 4914 | \$ 2.75 |
| Extra 10-shot Clip | 9950 | \$ 3.50 |
| Sling Strap & Swivels (Installed) | 6418 | \$ 5.40 |

Nylon 66

| Nylon 22 Caliber Rifles | Order Nos. | Retail Pr |
|--|------------|-----------|
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | \$59.95 |
| Nylon 66 AB "Apache Black" Automatic | 5486 | \$64.95 |
| Nylon 66 GS "Gallery Special" (22 Shorts Only) | 5512 | \$69.95 |
| Sling Strap & Swivels (Installed) | 6418 | \$ 5.40 |

We guarantee that the stocks of the Nylon 77 and Nylon 66 will not warp, crack, chip, fade or peel for the life of the rifle—or we will replace it free.

Models 580, 581 and 582 | Order |

| Bolt Action 22 Caliber Rifles | Nos. | Prices * |
|---|------|----------|
| Model 580 Single Shot | 9852 | \$44.95 |
| Model 580 Single Shot, Smooth Bore | 9864 | \$49.95 |
| NEW Model 580 Boys Rifle | 5570 | \$44.95 |
| Model 581 Clip Repeater | 9854 | \$54.95 |
| Model 581 Clip Repeater (Left Hand) | 9838 | \$59.95 |
| Model 582 Tubular Repeater | 9856 | \$59.95 |
| Models 580, 581 Sling Strap & Swivels (Installed) | 6426 | \$ 5.40 |
| Model 582 Sling Strap & Swivels (Installed) | 6428 | \$ 5.40 |
| Model 581 — Extra 5-shot Clip | 4914 | \$ 2.75 |
| Model 581 — Extra 10-shot Clip | 9828 | \$ 3.50 |

Models 552 and 572

| Model 552 22 Caliber Automatic Rifle | Order Nos. | Retail Prices* |
|---|------------|----------------|
| 552 A Automatic | 5608 | \$69.95 |
| 552 C Carbine | 5612 | \$69.95 |
| 552 BDL Deluxe | 9830 | \$79.95 |
| 552 GS "Gallery Special" (22 Shorts Only) | 5610 | \$81.95 |
| Sling Strap and Swivels (Installed) | 6430 | \$ 7.5 |
| Model 572 22 Caliber Pump Action Rifle | | |
| 572 A | 5626 | \$69.95 |
| 572 BDL Deluxe | 9832 | \$79.95 |
| 572 SB Smooth Bore | 5628 | \$79.95 |
| Sling Strap and Swivels (Installed) | 6432 | \$ 7.50 |

REMINGTON TARC 1971 LIFLES

Order Numbers, Prices and Specifications USE NUMBERS FOR ACCURATE ORDERING

Wodel 540X Watch Target Rifle

Ps CIFICATIONS: ACTION—Bolt, single shot. CALIBER—22 cal. rim fire, Long utic only. CAPACITY—Single loading. SIGHTS—Redfield #63 front Redfield #15 rear (sights optional). SAFETY—Positive, serrated thumb type, forward or fire, rearward for safe. RECEIVER—Drilled and tapped for iron sights or cope mounts, rear sight bracket BARREL LENGTH—26". Over-all rifle length 31½" to 47½". LENGTH OF PULL—12¾" to 15½". STOCK—Walnut finished arriwood, length 30¾", thumb cuts, 5 way adjustable butt plate, rail. Front wivel block, sling and sling swivel optional. Common sight alignment with cope or iron sights. WEIGHT—with sights 8 lbs. 8 oz., without sights 8 lbs. 2 oz.

ORDER NUMBERS AND PRICES

Model 540X

| Model 540X | | Prices* |
|---|------|----------|
| 540X Match Rifle (without sights) | 9796 | \$ 99.95 |
| 540X Match Rifle (with sights) | 9794 | \$119.95 |
| Sling Strap with Front Swivel Block Assembly (optional) | 6420 | \$ 6.95 |

Model 40XB (Rim Fire)

PECIFICATIONS: ACTION—Bolt, Single Shot. CALIBER—22 rim fire, Long Rifle nly. CAPACITY—Single loading. SIGHTS—Redfield Olympic front & rear sights ptional. SAFETY—Thumb Safety, positive. RECEIVER—Drilled & tapped for ton sights or scope mounts. BARREL LENGTH—28". Over-all rifle length 47". FNGTH OF PULL—13½". (Trigger adjustable 1½ to 3½ (bs.) STOCK—Amerwalnut, front swivel block, adjustable on base. WEIGHT—With Redfield to the heavy barrel 12¾ lbs. Standard barrel, 10 lbs., 12 oz. Without sights, anss.

i ()

Model 40XB (Center Fire)

CIFICATIONS: ACTION—Bolt, Single Shot & Repeating. CALIBERS—Single 222 Rem., 222 Rem. Mag., 223 Rem., 25-06 Rem.,* 22-250 Rem.,* 6 mm (6 mm .222 Mag.), 6 mm Rem.* (244 chamber), 6 mm Int.,* 243 Win.,* mm Rem. Mag.,* 7 mm Rem. Mag.,* 7.62 mm Nato (308 Win.), 30-06, 338* (.30,7 mm Mag.) 300 Win. Mag.* Repeating—7.62 mm Nato (308 Win.), Rem., 222 Rem. Mag., 223 Rem., 243 Win.,* 6 mm x 47 mm,* 6 mm Rem.,* mm Int.,* 22-250 Rem.* 6.5 Rem. Mag.* Calibers whose over-all loaded (th is equal to or shorter than the 308. CAPACITY—Single loading and senter. (Loads from top of receiver). SAFETY—Thumb operated safety, posi-RECEIVER—Drilled and tapped for metallic sights and telescope mount es. Target type blocks furnished. BARREL LENGTH—2714" free floating. a rall length of rifle 47". LENGTH OF PULL—13½". Trigger adjustable 1 to 185. 2 ounce Trigger available at \$40.00 extra. STOCK—American Wainut. Tre-end stop and sling swivel adjustable on base. AVERAGE WEIGHT—Heavy carrel 11½ lbs., Standard Barrel 9½ lbs.

Stainless steel barrels only.

Model 40XB (Rim Fire)

| Model | 40 XB "Rangemaster"—Rim Fire | Order Nos. | Retail Prices* |
|-------|---|---------------|-------------------|
| \$1 | Std. Barrel with Sights, Rim Fire—22 Cal. | 5674 | \$234.95 |
| H1 | Heavy Barrel with Sights, Rim Fire—22 Cal. | 5670 | |
| H2 | Heavy Barrel without sights, Rim Fire—22 Cal. | 5672 | \$199.95 |
| \$2 | Std. Barrel without Sights, Rim Fire—22 Cal. | 5676 | |

Model 40XB (Center Fire)

| Model 40 XB "Rangemaster"—Center Fire | Nos. | Prices* |
|--|--------------------|----------|
| CF-S2 Std. Ordnance Barrel CF-H2 Heavy Ordnance Barrel | Special Special | \$249.95 |
| CF-S2 Std. Stainless Barrel CF-H2 Heavy Stainless Barrel | Special Special | \$269.95 |
| Repeating Center Fire Models (Heavy Barrel Only) | | \$ 20.00 |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (18 weeks or more for center fire models) | | \$ 40.00 |
| Model 40 XB Bench Rest Single Shot, Stainless Steel | Special | \$289.95 |
| Remington Target 'Scope | 5712 | \$169.95 |

I Order I Retail

International Free Rifle (Rim Fire • Center Fire)


SPECIFICATIONS: 40 XB type action, precision heavy barrel, a Remington deagned adjustable butt plate with interchangeable rubber plate and hook, admit plate with interchangeable rubber plate and hook, admit plate with sling swivel, 2-ounce trigger. Center Fire 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on special order.

International Free Rifle

| International Free Rifle | Order Nos. | Retail Prices* |
|--|---------------|-------------------|
| International Free Rifle, Rim Fire & Center Fire | Special | \$395.00 |


*Minimum Fair Trade retail prices in all states included in Remington's Fair Trade program. In other states, these are recommended minimum prices.

Gauges, Change and Barrels



GAUGES—Shotguns are made in several well-known gauges, 12, 16, 20, 28 and 410. Other gauges have been made in the past but are not at present in common use. These include 4, 8, 10, 14, 24 and 32 gauges.

The unit of gauge measurement is based on numbers of uniform lead balls weighing one pound. 12 gauge is approximately the diameter of a lead ball of which 12 weigh one pound, 16 gauge is the diameter of a lead ball of which 16 weigh one pound, etc. The one exception is 410 gauge, which is actually 410 caliber. In terms of gauge, it would be 67 gauge. Measurements of minimum bore diameters in thousandths of inches are as follows:



SHELL LENGTH is measured in inches, in terms of the overall length of fired shell, with the crimp open. A 2¼" shell measures about 2½" to 2-5/8" before it is fired, but 2¾" overall after firing. This method of measuring has been adopted to conform to standard chamber lengths of shotguns. A gun with a 2¾" chamber will thus handle shells of the proper gauge up to 2¾" length.

PATTERN – Pattern is the spread of shot pellets at any given yardage. All loads with the exception of 410 and skeet are tested for pattern at 40 yards. 410 and skeet foads are tested at 25 yards. The percentage of the total shot charge registering within a 30" circle (20" for 410) at these distances determines the quality of a pattern. No two patterns will be exactly the same. Average results should be taken from at least 25 patterns.

CHOKE—Choke is partial constriction of the bore of a shotgun barrel at the muzzle end. Its purpose is to control patterns. By using different degrees of choke boring, it is possible to control the spread of the shot charge for the best distribution of pellets at various ranges. For example, the bore diameter of a 12-gauge gum is 729° If the diameter at the muzzle end is reduced to 6.941 the constriction of .035° (difference) will control the shot sufficiently to give patterns averaging about 70% of the shot in

a 30" circle at 40 yards. This is known as full choke boring, and is intended for long range shooting. The following table shows the percentage of shot that can be expected in the various choke borings:

| CHOKES | % at 40 yards in 30" circle |
|-------------------|--------------------------------|
| Full Choke | 70 |
| Modified Choke | 60 |
| Improved Cylinder | 50 |
| Cylinder | 40 |

CHOKE USES —A shooter should select the degree of choke boring for his barrel according to the range at which most of his shots are taken. Some kinds of birds and small animals are usually shot at close range, others at long range. Also, some persons are inclined to shoot quickly, while others tend to "ride" their game or targets. Most hunters find the following borings give the best results, though much depends on shooting conditions and personal preferences.


| Full Choke | ducks, geese, pheasant, crows, turkey, |
|-------------------------------------|--|
| Modified Choke | fox, racoon, trap shootingrabbit, woodcock, doves, squirrels, also |
| | all-round usefulness including ducks, quail, etc. |
| Improved Cylinder, Special Skeet | quail, grouse, partridge, rail, skeet shooting. |

BARREL LENGTH – Shotgun barrels are usually supplied in 26, 28, and 30 inch lengths; also 20 and 26 inch lengths with rifle sights. The longer barrels are often preferred for long range shooting because the greater length gives a longer sighting radius, permitting more accurate pointing. Long barrels also unnimize discomfort of muzzle blast, and the added weight reduces recoil. Short barrels are often preferred for close range shooting because they are easier to handle for quick shots, especially in heavy brush.


It is not practical to cut off a shotgun barrel. To do so will change the shooting qualities of the gun because the choke constriction is within the last two inches at the muzzle end. It is also impractical to cut down the length of the barrel and then attempt to restore the original degree of choke boring because the metal necessary for this will already have been reamed out at the time of manufacture.

A barrel may be rebored from one degree of choke to a more open degree, full to modified, modified to improved cylinder, etc., as long as the barrel length is left unchanged.





"Premier" grade rifles and shotguns are the finest guns available from America's oldest gunmaker. Select American Walnut stocks and fore-ends are hand finished and beautifully checkered. The stock is fitted with a gold nameplate on which the owner's initials can be engraved. The receiver is extensively engraved with game scenes and scroll of the customer's choice. Gold inlays are available in premier grade guns at \$2000.00.










TABLE OF CONTENTS

| REMINGTON FIREARMS | Pages |
|---|----------------------------------|
| SHOTGUNS | |
| Automatic Model 1100 (New Left-Hand Version) Pump Action Model 870 "Wingmaster" (New 20 Ga. Lightweight) Trap and Skeet Model 1100 & Model 870 New 870 "All-American" Trap Model 1100 & Model 870 Extra Barrels | 6, 7 8, 9 8, 9 |
| SPECIAL COMBINATION OFFERS—RIFLES | |
| CENTER FIRE RIFLES | •• |
| Bolt Action Model 700 Automatic Model 742 "Woodsmaster" Pump Action Model 760 "Gamemaster" Bolt Action Model 788 Bolt Action Model XP-100 | 12, 13 16, 17 16, 17 |
| RIM FIRE RIFLES | |
| Bolt Action Models 591 and 592 New Model 5415 Custom Sporter Bolt Action Models 580, 581, 582 Automatic Nylon 66 Automatic Model 552 "Speedmaster" Pump Action Model 572 "Fieldmaster" | 20, 21 20, 21 |
| TARGET RIFLES | |
| Bolt Action Model 40X "Rangemaster" Bolt Action International Free Rifle Bolt Action Model 540X Target Scope Target Scope | 24, 25 24, 25 |
| LEFT-HAND RIFLES AND SHOTGUNS Models 1100 and 870 Shotguns | 26, 27 |
| PREMIER GRADE | |
| Shotguns and Center Fire Rifles | 2, 3 |
| REMINGTON-PETERS AMMUNITION | |
| Shotgun Shells Suggested Shot Sizes for Game Center Fire "Core-Lokt" & "Power-Lokt" Caliber Suggestions Interchangeability Chart | 29 34, 35 35 |
| Center Fire Rifle Cartridges Center Fire Pistol & Revolver Cartridges Pistol & Revolver Bullet Types Shotgun Shell Components Center Fire Components Rim Fire Cartridges | 36.41 42.43 43 32 46 |
| REMINGTON TRAPS | |
| Trap & Skeet Equipment | 33 |
| REMINGTON SPORTSMEN'S LIBRARY | |
| | |

temington Model 1100 Automatic Shotgun... 2, 16, 20, 28 & 410 Gauges. lew Left-Hand Models...12 & 20 Gauges.





ictaington has been making automatic shotin's since 1905. This makes us the oldest and lost experienced automatic shotgun manuacturer in America. In 67 years, one thing tands out in the Remington automatic shottunline—each gun was built for an individual shooter. It fit his needs and did what he wanted to do. Those needs have been watched and midded since 1905, and today a shooter can hoose from many variations and specificaions. When you buy a Remington Model 1100, on don't have to settle for something close to what you need, you get exactly what you want.

For 1972, Remington has added two new models to the long list of Model 1100 specifications. The new 12 and 20 gauge left-hand Model 1100's are true mirror-image guns. They're the perfect answer to the southpaw or left-master-eyed shooter who is bothered by ejecting hulls from right-hand automatic models. Regardless of what shoulder you shoot from, the Model 1100 will give you the dependability shooters have come to expect from Remington.

VERSATILITY—There's a Model 1100 made for all types of shotgun shooting. Whatever you hunt or shoot, an 1100 will "fill the bill". Models include: a 20 gauge lightweight, a 20 gauge lightweight magnum, 3-inch 12 and 20

gauge magnums, field grade models in 12, 20, 28 and 410 gauge, deer guns with rifled sights, trap and skeet, and new left-hand models.


DEPENDABILITY-In all kinds of weather, with all kinds of loads, the standard 1100 will give you superior performance. Its gas metering system is designed to operate with all types of shotgun shells making it possible for you to hunt a variety of game with the proper ammunition. This unique design enables the shooter to use all 23% standard velocity, "Express" and 23% magnum loads without any gun adjustments. Barrels, within gauge and similar chamber lengths, are interchangeable in seconds. No factory fitting is required. (Left-hand interchangeable barrels are not presently available.) This beefed-up, gas-operated shotgun has a greatly extended shooting life. It'll still be shooting long after less rugged automatics have worn out. For extra dependability, be sure to use Remington or Peters shotgun shells—the same ammunition used in developing and testing all Model 1100's at the factory.

RECOIL—There really isn't much. As a matter of fact, the correct word to use is "push." The 1100 gives less "kick" than any other shotgun action. Your shoulder feels a "push" rather than a "punch."

APPEARANCE—In order to be a best-selling product, it must look the part. The 1100 does ...and for many reasons. The solid steel ceiver features decorative scrollwork. Its drich blueing (outside and in) is improved our metal-smoothing "vibra-honed" finishing process. Du Pont-developed RK-W wood finish gives a gleam that is tough and scratch-resistant. White line spacers and a teardrop pistol-grip cap do not make the 1100 shoot any better, but they give you that "pride of ownership" feeling.

NEW LEFT-HAND MODELS IN 12 AND 20 GAUGES









MODEL 1100, 12 Ga., 28" Mod. Choke, \$209.95



MODEL 1100, 410 Ga., 25" Full Choke, \$219.95

(Lightweight), 26" Imp. Cyl. Choke; \$219.95

16 and 20 Gauges

IFICATIONS: STYLE—5 shot gas operated. 3 shot plug furnished. GAUGE to in 12, 16 and 20 gauge (Left Hand—12 and 20 gauges). BARREL—11 Remington ordnance steel. Extra barrel is interchangeable within ge (Left Hand extra barrels not available). 20 ga. lightweight barrels echangeable only within lightweight models. OVER-ALL LENGTH—48" (with Barrel). SAFETY—Convenient cross-boit type. RECEIVER—Made from solid is top matted, scroll work on chrome plated bolt and both sides of restrandard STOCK DIMENSIONS—Stock and fore-end: Rich American and (20 ga. Lightweight—Mahogany) 14" long, 2½" drop at heel, 1½" at comb. AVERAGE WEIGHT—12 ga.—7½ lbs., 16 ga.—7¼ lbs., 20 ga.—15. (20 ga. lightweight—6½ lbs.), 20 ga. Lightweight Magnum—634 lbs.).

28 and 410 Gauges

PECIFICATIONS: STYLE—Gas operated. 5 shot capacity with 28 ga. shells—shot capacity with 3" 410 ga. shells. 3 shot plug furnished. BARREL—cital Remington ordnance steel. Extra barrels interchangeable within gauge. HAMBER—2½" in 410 ga. skeet; 3" shells only in field grades; 2¾" in 28 i. held and skeet models. OVER-ALL LENGTH—45½". SAFETY—Convenient oss-bolt type. RECEIVER—Made from solid steel, top matted, scroll work on frome plated bolt and both sides of receiver. STOCK DIMENSIONS—Mahogiv in field grades, walnut in skeet grades—14" long, 2½" drop at heel, 1½" op at comb. AVERAGE WEIGHT.—28 ga. skeet - 6¾ lbs.; 410 ga. skeet - 7¼ adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel - ¼ lbs.; 410 ga. plain barrel - 6¾ lbs.; 28 ga. vent. rib - 6½ lbs.; 410 ga. nl. rib - 7 lbs.

JEW Left Hand

| 2 & 20 Ga uges | Orde 12 Ga. | Order Nos. 12 Ga. 20 Ga. | | |
|---|----------------|-------------------------------|----------|--|
| 1100 LH with Vent. Rib Barrel | 5540 | | | |
| 18" Full Chake I'm Mod. Chake I'm Cyl. Chake | 5542 5544 | 5556 5558 5546 | \$214.95 | |
| del 1100 Magnum LH with Vent. Rib Barrel Di Fuit Choke | 5548 | | \$234.95 | |

shown are suggested minimum prices, subject to change without notice.
 for extra interchangeable barrels it (See pages 8.8.9 for Trap and Seed mode).

| 12, 16 & 20 Gauges | | Order Nos | | | Retail |
|--|------------------------------|----------------------|----------------------|----|--------------------|
| 12, 10 & 20 Gauges | 12 Ga. | 16 Ga. | 20 Ga. | | Prices* |
| Model 1100 with Plain Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke | 5322 5320 5326 5328 | 5370 5374 5376 | 5390 5394 5396 | \$ | 184.95 |
| 22" Imp. Cyl. Deer Gun | 5308 | with Rifle Sights | 5260 | \$ | 204 9! |
| Model 1100 with Vent. Rib Barrel 30" Full Choke 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke | 5332 5330 5336 5338 | 5378 5382 5384 | 5398 5402 5404 | \$ | 209.95 |
| Model 1100 Magnum with Plain Barrel 30" Full Choke 30" Mod. Choke 28" Full Choke 28" Mod. Choke | 5344 5250 | | 5428 5254 | \$ | 204.95 |
| Model 1100 Magnum with Vent. Rib Barrel 30" Full Choke 30" Mod. Choke 28" Full Choke 28" Mod. Choke | 5348 5252 | | 5430 5256 | \$ | 229.95 |
| Model 1100 D "Tournament" with Vent. R | ib Barrel | | pecial | 5 | 595 00 |
| Model 1100 F "Premier" with Vent. Rib B: with Gold I | | | pecial pecial | | ,295.00 ,000.00 |

MODEL 1100, 20 Ga.,

28 & 410 Gauges also 20 Gauge

| 20 & 410 Gauges an | | | | | | | | |
|--|----------------------|-----------------------|----------------------|-------------------|--|--|--|--|
| Lightweight | 20 Ga. | Order Nos 28 Ga. | 410 Ga | Retail Prices* | | | | |
| Model 1100 with Plain Barrel 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 9596 9598 9600 | 5316 5406 5412 | 5460 5462 5464 | \$ 194.95 | | | | |
| Model 1100 with Vent. Rib Barrel 28" Full Choke 28" Mod. Choke 26" Imp. Cyl. Choke 25" Full Choke 25" Mod. Choke 25" Imp. Cyl. Choke | 9602 9604 9606 | 5414 5416 5426 | 5466 5468 5296 | \$ 219.95 | | | | |
| Model 1100 Magnum with Plain Barrel 28" Full Choke | 9656 | | | \$ 214.95 | | | | |
| Model 1100 Magnum with Vent. Rib Barrel 28" Full Choke | 9658 | | | - सदर्द | | | | |



The new Model 870 "Wingmaster" 20 gauge lightweight is Remington's answer to hunters who have continually asked for a solid steel receiver in a 20 gauge lightweight pump. This streamline beauty is built on a small streamline beauty is built on a lightweight mahogany fore-end and stock with rubber receiver and is

The 870, 20 gauge lightweight magnum model has all the above features plus a 3-inch chamber which enables the shooter to interchangeably use 3" and 234" magnums, plus regular high and low base 234" shotgun shells.

The Model 870 "Wingmaster" 20 gauge lightweight is designed for the sportsman who does a lot of walking when he goes afield. He's also the type who shoots a lot on these long hunts and he knows how weight can affect his performance. We've cut down on the weight, but not the performance. The 20" plain barrel model weighs only 534 lbs.

The Model 870 is presently being used by over a million sportsmen. It's built to take the rough use that often comes with hunting and shooting. The receiver is machined from a solid piece of ordnance steel to give the 870 extra strength—the strength to handle powerful magnum ammunition.

The Model 870 has double action bars (they're the two rails—one on each side of the fore-end). These double action bars let you pump the Model 870 smoothly, shot after shot without twisting or binding. That's double insurance that the 870 will feed and eject properly under all shooting conditions.

The Model 870 will also shoot all 230 standard velocity, "Express," and 250 magnum shells without adjustments. The 42 gampe 3-inch magnum can shoot all 42 gampe annual tion without problems, giving you a selection of different loads and a large selection of she sizes.

If you are planning to hunt different types of game, the Model 870 makes barrel changing fast and easy with instantly interchangeable barrels within gauge and chamber length. No factory or gunsmith fitting is necessary. In the 12 gauge alone, you can choose from 17 different choke and barrel length combinations.

The Remington Model 870 has a modern look, too. Remington uses a metal finishing treatment called "vibra-honing," which gives a

Remington Model 870
"Wingmaster" Pump Action
Shotgun... 12, 16, 20, 28 & 410 Gauges.
New 20 Gauge Lightweight.

deep, rich blue to all metal parts both inside and out. The inside parts glide smooth and easy, and the blueing bonds to the outside with a deep, rich luster. The quality of the metal finish is also carried to the wood with a Du Pont wood finish called RK-W. This finish, similar to the finish used on bowling pins, is tough, hard and scratch-resistant and will hold up for years of hard outdoor use. The shine of the wood and the luster of the metal are accented by white line spacers on the recoil pad, built plate a stipistol prip, making the 870 one of the instal attractive guns on the lucarius market too.

No matter what type game you ham the Model 870 has the right grade and specifications to suit your needs. Models include Field grades in 12, 16, 20, 28 and 410 gauge, deer models, trap and skeet left-hand models, 12 and 20 gauge magnitus and 20 gauge light weights (magnitus and regular).

1972

12, 16 & 20 Gauges

SPECIFICATIONS: STYLE—5 shot pump action. Take down. 3 shot plug furnished. GAUGES 12, 16 and 20 (Left Hand—12 and 20 gauges). BARREL—Special Remington ordnance steel. Extra barrel is interchangeable within gauge (20 ga. lightweight barrels interchangeable only within lightweight models). OVER-ALL LENGTH—48½" with 28" barrel. SAFETY—Convenient cross-bolt type. RECEIVER—Made from solid steel, top matted, bolt chrome plated. STANDARD STOCK DIMENSIONS—Stock and fore-end: Rich American walnut (Mahogany in 20 ga. lightweight). Recoil pad. 14" long, 2½" drop at heel, 15%" drop at comb. AVERACE WEIGHT—12 ga. 7 lbs.; 16 ga. 6 % lbs.; 20 ga. lightweight 5 ½ lbs. with 26" plain barrel.

28 & 410 Gauges

SPECIFICATIONS: STYLE—Pump Action. Take down. 5 shot capacity with 28 ga. and 2½" · 410 ga. shells—4 shot capacity with 3" · 410 ga. shells. 3 shot plug furnished. BARREL—Special Remington ordnance steel. Extra barrels interchangeable within gauge. CHAMBER—3" in 410 ga.; 2¾" in 28 ga. OVERALL LENGTH—45½". SAFETY—Convenient cross-bolt type. RECEIVER—Made from solid steel, top matted, bolt chrome plated. STOCK DIMENSIONS—Mahogany in field grades and walnut in skeet grades—14" long, 2½" drop at heel, 13 nd drop at comb. AVERAGE WEIGHT—28 ga. skeet · 6 lbs.; 410 ga. skeet is 1½ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain lattrel · 5½ lbs.; 410 ga. plain barrel · 6 lbs.; 28 ga. vent. rib · 5¾ lbs.; 410 gb. vent. rib · 6¼ lbs.


| Left Hand 12 & 20 Gauges Model 870 LH with Vent. Rib Barrel 30" Full Choke 28" Full Choke 26" Imp. Cyl. Model 870 LH Magnum with Vent. Rib Barrel 30" Full Choke | Orde 12 Ga. | Retail Prices* | | |
|--|----------------|-------------------|----------|--|
| | 5510 | | | |
| | 5510 | 5528 | \$159.95 | |
| | 5514 | 5530 | \$133.33 | |
| | 5516 | 5566 | | |
| with Vent. Rib Barrel | | | | |
| * 30" Full Choke | 5496 | | \$179.95 | |

TPILES Shown are suggested minimum prices, subject to change without notice.

| 12, 16 & 20 Gauges | | Retail | | |
|--|--------------|---------------------|--------|------------|
| , | 12 Ga. | 16 Ga. | 20 Ga. | Prices* |
| Model 870 with Plain Barrel | | | | |
| 30" Full Choke | 6900 |) | | |
| 28" Full Choke | 6902 | 6908 | 6914 | \$ 129.95 |
| 28" Mod. Choke | 6904 | 6910 | 6916 | |
| 26" Imp. Cyl. Choke | 6906 | 6912 | 6918 | |
| Model 870 Deer Gun "Brushmaster" | | with | | |
| 20" Imp. Cyl. Choke Deluxe | 6960 | Kiffe | 6962 | \$ 149.95 |
| 20" Imp. Cyl. Choke Standard | 5026 | Sugar. | | \$ 124.95 |
| Model 870 with Vent. Rib Barrel | | | | |
| 30" Full Choke | 6930 | | | • |
| 28" Full Choke | 6932 | 6938 | 6944 | \$ 154.95 |
| 28" Mod. Chake | 6934 | 6940 | 6946 | |
| 26" lmp. Cyl. Choke | 6936 | 6942 | 6948 | |
| Model 870 Magnum with Plain Barrel | | | | |
| 30" Full Chake | 6966 | | | |
| 30" Mod. Choke | 6968 | | | \$ 149.95 |
| 28" Full Choke | ļ | | 6970 | |
| 28" Mod. Choke | <u> </u> | Ĺ | 697.2 | |
| Model 870 Magnum with Vent. Rib Barrel | l | [| | |
| 30" Full Choke | 6976 | i l | | |
| 30" Mod. Choke | 6978 | | | \$ 174.95 |
| 28" Full Choke | Į. | | 6980 | |
| 28" Mod. Choke | | ļ | 698? | |
| Model 870 Police with Plain Barrel | |] | | |
| 20" Police Cyl. Choke | 5030 | ì | | \$ 114.95 |
| 18" Police Cyl. Choke | 5032 | | | |
| 20" Imp. Cyl. Choke, Rifle Sights | 5028 | <u> </u> | | 124.95 |
| Model 870 D with Vent. Rib Barrel | | Special | | \$ 595.00 |
| Model 870 F with Vent, Rib Barrel | | Special | | \$1,295.00 |

20 Gauge Lightweight

| 28 & 410 | | Order No | OS. | Retail |
|--|--------|----------|---------|----------|
| 20 & 410 | 20 Ga. | 28 Ga. | 410 Ga. | Prices* |
| Model 870 with Plain Barrel | | | | |
| NEW 28" Full Choke | 5176 | | | |
| NEW 28" Mod. Choke | 5178 | | | - |
| NEW 26" Imp. Cyl. Choke | 5180 | | | \$139.9! |
| 25" Full Choke | Ì | 4868 | 4948 | ; |
| 25" Mod. Chake | } | 4904 | 4950 | |
| 25" Imp. Cyl. Choke | | 4916 | 49/8 | |
| Model 870 with Vent. Rib Barrel | | | | |
| NEW 28" Full Choke | 5182 | | | |
| NEW 28" Mod. Choke | 5184 | i | | |
| NEW 26" Imp. Cyl. Choke | 5186 | | | \$164.95 |
| 25" Full Choke | | 4918 | 4986 | • |
| 25" Mod. Choke | | 4920 | 5036 | : |
| 25" Imp. Cyl. Choke | | 493? | 4990 | Í |
| Model 870 Magnum with Plain Barrel | | | | |
| NEW 28" Full Choke | 5188 | | | \$159.95 |
| Model 870 Magnum with Vent. Rib Barrel | | | | |
| NEW 28" Full Choke | 5190 | | | \$184.95 |



are page 10 for extra interchangeable barrels.)

we pages 8 & 9 for Trap and Skeet models.)

NEW 870 "ALL-AMERICAN" TRAP GUN

America's oldest gunmaker is pleased to introduce what we believe to be the finest pump action shotgun we've ever manufactured.

The 870 "All-American" trap gun includes many of the features found on \$1,000 and higher Remington "Premier" models. The receiver is engraved with a scroll design and accented by an elegant color medallion. The engraving is carried still further to the trigger guard, bolt and a portion of the barrel. A rich American walnut stock and fore-end features fine checkering in a unique high grade pattern. The gold oval grip can easily be engraved with the owner's name or initials. A Projecto" hard trunk-type carrying case is "standard equipment" with the 870 "All-American" and furnished with this model.

NEW LEFT-HAND MODEL 1100 TRAP AND SKEET GUNS

New for 1972 are true mirror-image left-hand Model 1100 trap and skeet guns. These models were designed and engineered for the left-hander or left-master-eyed clay target shooter who previously had shot a standard automatic and was bothered by ejecting hulls. We've eliminated this problem with our new left-hand 1100's

SKEET—The Remington Model 1100 skeet gun was used by more competitors than any other model in the 1971 World Skeet Championships.


In lact, Remington automatics were used by three of the four open champions in the 410, 28, 20 and 12 gauge events, plus the High Overall Championships. Our Model 1100 SA is the big skeet favorite. It doesn't have the lancy wood our Deluxe SB grade has, but it's not as expensive, either, and shoots just as well. The SA grade is available in 410, 28, 20 and 12 gauges, all with special "skeet"-bored

bar ceivers and built-in dependaoutty. The model 870 "Wingmaster" SA and SC skeet is just the ticket if you enjoy the feel of a pump action. The SA version is chambered for 410, 28, 20 and 12 gauge shotgun shells.

TRAP-It's not uncommon for a trapshooter to shoot four or five thousand shells a year through one gun. Clay target busters are quick to recognize that the 870 is built to withstand this type of use. Double action bars prevent twisting and binding and a solid steel receiver insures utmost safety and dependability. The 870 is available in a variety of barrel lengths. both full and modified chokes. The TB grade (our economy model) offers all of the features of our most expensive TC grade with the exception of fancy wood and hand checkering. Monte Carlo stocks are optional on both models. The Model 1100 TB trap grade is our gas-operated automatic you've heard so much about. In a little over eight years this gun has become the predominant favorite among trapshooters who prefer an automatic. Why do some prefer our automatic over other types of actions? RECOIL is one big reason. Actually the Model 1100 has less "kick" than any other shotgun action, and when you're shooting at 300 or so targets a day, body fatigue could mean the difference between winning or losing. DEPENDABILITY is another hig reason why so many shooters use and prefer the Model 1100. It works. And not only with factory loads, either. Many reloaders have won major championships with the Model 1100 shooting their "home-brewed" loads. Full and modified chokes are available in a variety of barrel lengths. Monte Carlo stocks are optional.

All Renungton Model 1100 and 870 trap and skeet guns are tested at the factory with Remington-Peterstarget load ammunition. For championship performances in clay target events, we recommend their use regardless of what make gun you shoot.






BARBER - PRESALE R 0124324


| Model 1100 | 12 Ga. | Orde 20 Ga. | er Nos. 28 Ga. | 4 / | 9 | 72 | 1 odel 870 | 12 Ga. | Order 20 Ga. | Nos. 28 Ga. | 410 Ga | | Retail Prices* |
|--|-----------------------|-------------------------------|--------------------------|-----------------|------|------------------|---|------------------------------|-----------------|----------------|--------|-----|-------------------|
| Model 1100 TB Trap with Vent. Rib Barrel "" Full Choke "" Mod. Trap Choke | 5350 5288 | | , | | \$ | 254.95 | Model 870 "All American" Trap Gun 30" Full Choke 30" Full Choke (with Monte Carlo Stock) | 5212 5214 | | | | \$ | 550.00 NE |
| 30" Full Choke (with Monte 30" Mod. Trap Choke Carlo Stock) | 5306 5290 | - | | | \$ | 264.95 | Model 870 TB Trap with Vent, Rib Barrel | | | | | | |
| W Model 1100 TB Trap Left Hand with Vent. Rib Barrel 30" Full Choke | 5562 | | | | \$ | 259.95 | 30" Full Choke 30" Mod. Trap Choke 30" Full Choke (with Monte | 4926 5006 4906 5034 | | | | | 194.95 204.95 |
| 30" Full Choke (with Monte Carlo Stock) | 5554 | | | | \$ | 269.95 | 30" Mod. Trap Choke Carlo Stock) Model 870 TB Left Hand with | 3034 | | | | - | |
| Model 1100 SA Skeet with Vent. Rib Barrel | | 5.00 | | | | 212.25 | Vent. Rib Barrel 30" Full Choke 30" Full Choke | 5518 | | ļ ļ | | \$ | 199.95 |
| 26" Skeet Choke 26" Skeet Choke with Cutts Comp. | 5356 5358 | 5408 5410 | | | ഥ'- | 219.95 244.95 | (with Monte Carlo Stock) | 5520 | | | | \$ | 209.95 |
| 25" Skeet Choke | | | 5432 | 5298 | \$ | 229.95 | Model 870 TC Trap with Vent. Rib Barrel | | | } | | | |
| Model 1100 SB Skeet (Fancy Wood) with Vent. Rib Barrel 26" Skeet Choke | 5302 | 5422 | | | | 244.95 | 30" Full Choke 30" Mod. Trap Choke | 4938 5036 | | | | \$ | 269.95 |
| W Model 1100 SA Skeet Left Hand with Vent. Rib Barrel | 3302 | 3422 | | | * | 244.33 | 30" Full Choke (with Monte 30" Mod. Trap Choke Carlo Stock) | 4912 5044 | | | | \$ | 279.95 |
| 26" Skeet Choke | 5564 | 5560 | <u> </u> | | \$ | 224.95 | Model 870 SA Skeet with Vent. Rib Barrel | | | | | | |
| Model 1100 D "Tournament" Grade (Trap or Skeet) | Sp | ecial | | | \$ | 595.00 | 26" Skeet Choke 26" Skeet Choke with Cutts Comp. | 6988 6990 | 6992 6994 | | | 1. | 159.95 184.95 |
| Model 1100 F "Premier" Grade | | | | | | | 25" Skeet Choke | 4330 | 1 | 4934 | 4996 | Ι'. | 169.95 |
| with Gold Inlay and Vent. Rib Barrel (Trap or Skeet) | Sr | ecial | | | \$2 | 2,000.00 | Model 870 SC Skeet with Vent. Rib Barrel | | | | | Г | |
| "Match-Weight" Skeet Cap for Small Gauge Model 1100 | | | 6338 | 6338 | \$ | 9.95 | 26" Skeet Choke | 5136 | 5140 | <u> </u> | L | \$ | 234 95 |
| MODEL 870-STOCK DIMENSIONS-RI | ch Ameri | can waln | | | | | Model 870 D "Tournament" Grade (Trap or Skeet) | Sn | ecial | | | s | 595.00 |
| 28 and 410 gauges), Trap reg. 14% 5. Monte Carlo, 14%" long, 1%" at M. C., Skeet—14" long, 2½" d | a" long, ' drop at | 1 %" dro; hee!, 1 ½ | p at heel, 'z" drop a | 1½" d t comb | lrop | at | Model 870 F "Premier" Grade (Trap or Skeet) | | ecial | | | İ | .295.00 |
| MODEL 1100—STOCK DIMENSIONS— pad. 14%" long, 1%" drop at heel, | Rich Am | erican wa | alnut. Tra | ip reg. | | | "Match-Weight" Skeet Cap for Small Gauge Model 870 | | | 6336 | 6336 | \$ | 9.95 |
| pad. 14%" long, 1%" drop at heel, | 13⁄8″ dr | op at cor | nb, 1¾s″ | | | C: | Prices shown are suggested minimum prices | es, subjec | t to chang | e without | nutice | | |

*Prices shown are suggested minimum prices, subject to change without notice




Skeet-14" long, 21/2" drop at heel, 11/2" drop at comb.

MODEL 870, "All-American", Trap Gun, \$550.00



Remington Extra Shotgun Barrels.




Model 1100 Extra Barrels

Model 870 Extra Barrels

| wiodei 1100 | | | Order | | | | | WIOGEI 870 EXTRA BATTEIS Order Nos. 20 Ga. | | | | | | | |
|---|--------------|--|--|--|--|--|-------------------|---|--------------|--------|------------------|--------------|--------|---------|------------------|
| | 12 Ga. | 16 Ga. | 20 Ga. Stand. | Light | 28 G a. | 410 Ga. | Retail Prices* | | 12 Ga. | 16 Ga. | 20 Ga. Stand. | | 28 Ga. | 410 Ga. | Retail Prices |
| Extra Barrels, Plain | | | | | | | | Plain Barrel | | | | | | | |
| 30" Full Choke | 9500 | | | | | | | 30" Full Choke | 6214 | | | | | | \$39.9 |
| 28" Full Choke | 9502 | 9530 | 9546 | | | | \$ 49.95 | 28" Full Choke | 6216 | 6252 | 6270 | 6296* | | | L' |
| 28" Full Choke | | | | 6578 | | | \$ 52.95 | 25" Full Choke | | | | | 6282 | 6236 | \$42.9 |
| 25" Full Choke | | | | ļ | 9588 | 9574 | \$ 52.95 | 28" Mod. Choke | 6218 | 6254 | 6272 | 6298* | | | \$ 39 9 |
| 28" Mod. Choke | 9504 | 9532 | 9548 | | | | \$ 49.95 | 25" Mod. Choke | | | | | 6284 | 6238 | \$42.9 |
| 28" Mod. Choke | | | | 6580 | | | \$ 52.95 | 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | 6300* | | | \$39.9 |
| 25" Mod. Choke | | | | | 9510 | 9576 | \$ 52.95 | 25" Imp. Cyl. Choke | | | | | 6286 | 6248 | \$42.95 |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | | | | \$ 49.95 | 20" Cyl. Choke | 6598 | | | | | | \$39.9 |
| 26" Imp. Cyl. Choke | | | 1 | 6582 | | | \$ 52.95 | 20" Imp. Cyl. Rifle Sights | 6544 | | 6230 | | | | \$50.9 |
| 25" Imp. Cyl. Choke | | 1 | | | 6584 | 9578 | \$ 52.95 | Vent. Rib Barrel | | | | | | | |
| 22" Imp. Cyl. Rille Sights | 9568 | | 9572 | | | | \$ 60.95 | 30" Full Choke | 6222 | | | | | 1 | |
| Extra Barrels, Vent. Rib | | | <u> </u> | | | | | 28" Full Choke | 6224 | 6258 | 6276 | 6322* | * | } | \$64.95 |
| 30" Full Choke | 9512 | 1 | 1 | 1 | | 1 | | 25" Full Choke | | | | i | 6288 | 6250 | \$67.99 |
| 28" Full Choke | 9514 | 9538 | 9554 | ĺ | | | \$ 74.95 | 28" Mod. Choke | 6226 | 6260 | 6278 | 6324** | • | 1 | \$64.9 |
| 28" Full Choke | | 1 | | 9590 | | | \$ 77.95 | 25" Mod. Choke | | | | †- ¦ | 6290 | 6264 | \$67.95 |
| 25" Full Choke | l — | | | | 6586 | 9580 | \$ 77.95 | 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | 6326* | | | \$64.99 |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | | | \$ 74.95 | 25" Imp. Cyl. Choke | | | | | 6292 | 6266 | \$67.9 |
| 28" Mod. Choke | | | | 9592 | | | \$ 77.95 | Trap & Skeet Grades | | | | | | | |
| 25" Mod. Choke | | | | | 6588 | 9582 | \$ 77.95 | Vent. Rib Barrels | | | | | ļ | | |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | | | | \$ 74.95 | 34" Full Choke | 6340 | | | | ! | l | \$79.99 |
| 26" Imp. Cyl. Choke | | | | 9594 | <u> </u> | | \$ 77.95 | 30" Full Choke | 6242 | | | | | | 1 |
| 25" Imp. Cyl. Choke | | | | 1 | 6590 | 9584 | \$ 77.95 | 28" Full Choke | 6244 | | | | | j | \$69.9 |
| | - | | | | 30,00 | - 355. | + 11.55 | 30" Mod. Trap Choke | 6232 | | | | | [| ***** |
| Extra Barrels, Vent. Rib Trap & Skeet Grades | | | | | | | | 28" Mod. Trap Choke 26" Skeet SA & SC Grades | 6246 6240 | | 6508 | | | } | |
| 26" Skeet Choke | 9522 | | 9562 | } | 1 | } | \$ 79.95 | 26" SA & SC with | 02.40 | | - 0300 | | } | 1 | } |
| 26" Skeet Cutts Comp. | 9524 | - | 9564 | | | | \$104.95 | Cutts Comp. | 6450 | | 6456 | j | | ĺ | \$94 9 |
| 25" Skeet Choke | 3324 | | 3304 | | 6592 | 9586 | \$ 82.95 | 25" Skeet Choke | 13.00 | | L | i | L | J | _ |
| 34" Full Choke | 6594 | | | | 3332 | 3300 | \$ 89.95 | | \vdash | | | | | - | <u>\$7</u> €1 |
| 30" Full Choke | 9526 | | | | | | ¥ 05.55 | Left Hand Vent. Rib Barrels | | | | | | | |
| 30" Mod Trap Choke | 9570 | 1 | | | 1 | | | 30" Full Choke Trap | 6206 | 1 | | | | | \$71.95 |
| 28" Full Choke | 9528 | 1 | | | | | \$ 79.95 | 30" Full Choke | 6200 | | | | - | | |
| 28" Mod. Trap Choke | 9566 | l | | | | | | 28" Full Choke | 0200 | | 6208 | | | | |
| *Prices shown are suggested | minimu | m prices. | subject | to change | wilhout | notice. | | 28" Mod. Choke | 6202 | | 6210 | | | | \$1,1, 94 |
| Extra 1100 left hand barrets | net ava | dable in | 1972. | | | | | 26" Imp. Cyl. Choke | 6204 | ļ | 6212 | | 1 | | 1 |


Special Pre ____ng Season Values.



Model 788 Rifle with Scope

Wallable in four popular calibers and supplied with the popular I power Universal Model UE 'scope, complete with mount and rings. A combination designed to satisfy and completely outfit the value-onscrous hunter. Easy to follow mounting instructions included. Our rifle is supplied with open sights, easily removable for 'scope mining.


| Calibers | Order Numbers | Price |
|------------------|---------------|-----------|
| 22-250 Remington | 9778 | |
| 6mm Remington | 9772 | £114.064 |
| 243 Win. | 9774 | \$114.95* |
| 308 Win. | 9776 | L |



Model 742 "Woodsmaster" Automatic Rifle with Hard Case

are Model 742 was designed to take the tough knocks expected from band hunt. Now with this durable foam litted luggage type case, it's to take tough travel conditions, too. The extra \$20.00 for this it case is a small price to pay for the assurance that your rifle acrive at camp still sighted in and ready for the hunt.

| Calibers | Order Numbers | Price |
|-------------------|---------------|-----------|
| 30-06 308 Win. | 9650 9652 | \$199.951 |
| | | |



Todel 760 "Gamemaster" Pump Action Rifle with Hard Case


able in 3 popular calibers with the same case described above, and carrying case at a price hard to beat for value

| Catibers | Order Numbers | Price | | | | |
|----------|---------------|----------|--|--|--|--|
| 270 Win. | 9680 | | | | | |
| 30-06 | 968? | \$174.95 | | | | |
| 308 Win. | 9684 | | | | | |









I MINGTON 742 "WOODSMASTER"

v. introduced the first automatic rifle in 1906, and Remington engineering is still giving sportsmen the ultimate in automatic shooting. The Model 742 is engineered for the ultimate in dependability. It's built for the outdoors and weather conditions nature offers.

**E MODEL 742 IS ENGINEERED FOR STRENGTH. When the actis closed, you get a lock-up as tight and strong as a bank vault.

**As strength comes from an artillery-type bolt with multiple locking are that lock bolt to barrel as tight as Remington engineering knowledge can make them.

We carry this strength even further. When the bolt is locked on



when the boil is locked on the cartridge head, it gives you three rings of steel strength—the bolt, the barrel and the receiver. The result is a cartridge head that's locked in tight and surrounded by triple steel strength.

THE MODEL 742 ALSO GIVES YOU DEPEND-

ABILITY AND TROUBLE-FREE FUNCTIONING. Its last, gasscrated action soaks up recoil and keeps you on target for extra shots
on need them) The interior working parts are coated with frictionoig Du Pont Tefflon "S" to give longer wear, self-lubrication, and
and oil resistance to make cleaning easier. For reliable functioning,
and to use Remington-Peters "Power-Lokt" or "Core-Lokt" ammunithe same ammunition used to develop and test all Model 742's.
HE MODEL 742 GIVES YOU DISTINCTIVE LOOKS AND VERSAHITY, TOO, Remington's "vibra-honing" metal-finishing process asares a deep, rich blue on all metal surfaces both inside and out; parts
the smooth and easy. The blueing bonds with a rich luster found only
13.11 more expensive firearms.

The gleam of a 742 stock and fore-end comes from Du Pont RK-W msh, which is similar to the finish used on bowling pins. It's tough, and and scratch-resistant and holds up in rough weather and hard sage.

For selection, the Model 742 offers you five great hunting calibers. Austrictive ADL standard grade, BDL "Custom Deluxe" grade with attitul basket weave checkering and Monte Carlo stock with full akpiece, BDL "Custom Deluxe" left-hand version with reversed dctv, 1802 barrel carbine version for hunting in brush and rough anatry are all available at popular prices. Special D "Peerless" and Famer" grades are available on special order. All models have discould be back fore-end and grip caps, fast-loading clip magazines, a ment bolt telease and are drilled and tapped for scope mounts. All of these features together and you'll know why its name is a master"

Model 742

SPECIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber. STAND-ARD STOCK DIMENSIONS—Stock and fore-end: American walnut. 13% length of pull, 2½" drop at heel, 15%" drop at comb. Deluxe Model: 13% length of pull, 2½" drop at heel, 15% drop at comb. 15% drop at Monte Carlo FECEIVER—Drilled and tapped for 'scope mounts. Removable clip magazine SIGHTS—Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. WEIGHT Approx / ½z" lbs.—Carbine 6¾ lbs.

| Calibers | Twist-R H 1 Turn in | | Overall Length | Order Nos. | Retail Prices | | | |
|--|------------------------------|---------------------------------|---------------------------------|--------------------------------------|------------------|--|--|--|
| Model 742 6mm Rem. 280 Rem. 30/06 308 Win. 243 Win. | 9" 9" 10" 10" 9" | 22" 22" 22" 22" 22" | 42" 42" 42" 42" 42" | 9632 9634 9636 9638 9648 | \$ 179.95 | | | |
| Model 742 Carbine 30/06 308 Win. | 10" 10" | 18½" 18½" | 38½″ 38½″ | 9670 9672 | V 173.30 | | | |
| Model 742 BDL Deluxe 30/06 30/06 Left Hand 308 Win. 308 Win. Left Hand | 9666 9668 9640 9644 | \$ 199.95 | | | | | | |
| Model 742 D "Peerless" | Grade | | | Spec. | \$ 595.00 | | | |
| Model 742 F "Premier" | Grade | | | Spec. | \$1,295.00 | | | |
| Sling Strap & Quick R Extra 4-Shot Clip | 6094 Specify Caliber | \$ 9.10 \$ 5.25 | | | | | | |

Defuse models with left hand cheek piece have left hand safeties—both at no extra charge.

Prices shown are suggested minimum prices, subject to change without notice

Remington Model 700 Center Fire Bolt Action Rifle. If you n rifle that's rugged, depend available in a dozen or more calibers...you want a Remington Model 700.

You can choose from 17 different ealibers, including the hottest, and the smallest commercially loaded center fire cartridge—the 17 Remington. This 4,000-plus-feet-per-second cartridge is just what the varmint-small-gameaccuracy shooter has been looking and waiting for.

The Model 700 offers a caliber selection unmatched in the industry. It has a caliber for every type of hunting from varmints to elephants—seven magnum calibers and seven varmint calibers. It's the ideal gun for the shooter looking for a large caliber selection in a bolt action rifle.



have proven the Model 700 action is one of the strongest bolt action center fires ever made. It's just the ticket for handloaders who want strength where strength belongs. The secret is in the three rings of solid steel that surround the cartridge head. There are no extractor cuts to weaken this critical area.

APPEARANCE—The Model 700 has the appearance of a far more expensive side. The disc

APPEARANCE—The Model 700 has the appearance of a far more expensive rifle. The distinctive ADL grade has a jeweled bolt and a shrouded bolt cover to help keep out dirt and grit, a restyled stock with attractive checkering to improve pointing, balance and grip, and a unique low profile safety that will not accidentally move on or off. White-line spacers at the burt plate, fore-end up and pistol grip, and "quick-adjust" sling strap with swivels and a hooded front sight are standard on BDL models.

Along with these features, the Model 700 offers the shooter the same list of extras that have made it the best-selling bolt action rifle. ACCURACY—Lake all Remington firearms, the Model 700 is built one at a time by the world's finest gunsmiths. Its design was used as the basis of our 40-XB Bench Rest competition model.

CRAFTSMANSHIP—The traditional beauty of line checkering is accented with a tough, hard, scratch-resistant Du Pont wood finish called RK-W.

EXTRA FEATURES All Model 700 rifles have Monte Carlo stocks with cheekpiece, checkered bolt knobs and detachable sights for 'scope users. The 700 receiver is drilled and tapped for 'scope mounts'.

To make sure you get the most from this highly accurate and well-built rifle, be sure to use Remnigton-Peters "Core-Lokt" or "Power-Lokt" center fire ammunition. It's the ammunition used to test all Model 700 rifles.



MODEL 700 BDL "VARMINT SPECIAL"

This beavy-barreled variant offers available in six great variant calibers including the 25-06 Remington. The Model 700 "Variant Special" is designed for small-targer, long-range precision shooting. Additional calibers include the 222 Remington, 223 Remington, 32, 250 Remington, 6mm Remington and 243 Wm. Its heavy barrel eliminates whipping and the result is superb accuracy—enough to put the Model 700 "Varmint Special" in a new accuracy class. It's equipped with 'scope bases hinged floor plate, quick release swivels and "quick-adjust" sling strap. Monte Carlo stock with checkpiece, RK Wwoodfinish and custom checkering.

MODEL 700 "CUSTOM" RIFLE

If you're interested in an "extra special" Model 700, the Model 700 "Custom" is the rille for you. Available on special order only, the Model 700 "Custom" offers you a choice of talk specifications. It's available in a variety calibers and leatines a select American walling took, hand checkering a highly polished barrely without without sighter, and highly polished receiver for the fuest bluering possible.



SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK—American Walnut. ADL and Varmint Models include sling strap and quick release swivels, black fore-end tip and white tine spacers, 13%" length of pull, 2%" drop at heel, 1%" drop at comb (from open sight line) checkered. SIGHTS—Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Rear sight removable for addition of cope block without drilling or tapping. Varmint model has no sights.

RECEIVER—Drilled and tapped for 'scope mounts and receiver sights, BDL model has hinged floor plate. Varmint model has 40XB type 'scope mounts. Model 700 ADL—Sling Strap & Quick Release Swivels (Installed) Order No 6382—\$9.10

CUSTOM MODEL 700:—Manufactured to customer specifications choice of 20", 22" and 24" barrel with or without floor plate with hording sights, or plain barrel with receiver drilled and tapped for 'scope mounts' length of pull from 13¾" up to 14" with recoil pad—extra charge for recoil pad, oil finished stocks and left hand cheek piece- orders non cancellable allow up to four months for delivery. Only ordnance steel barrels supplied.

| · | | u.m.g | | Length | Overall | Length | Weigh | | | O ADL | | O BDL | | nt Special | | n Model <u>*</u> |
|---|--------------------------------------|----------------------------|--|--|--|--|----------------------------|---------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|
| Calibers | Cap. | Twist-R H 1 Turn in | Reg. | Var. | Reg. | Var. | Reg. | Var. | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* | Order Nos. | Retail Prices* |
| 17 Rem. | 6 | 9″ | 24" | | 431/2" | | 7 | | | | 6046 | \$189.95 | | | | : |
| 22-250 Rem. 222 Rem. 223 Rem. 25-06 Rem. 6 mm Rem. 243 Win. 270 Win. 61 06 | 5 6 6 5 5 5 5 5 | 14" 12" 10" 9" 10" 10" 10" | 24" 24" 22" 22" 22" 22" 22" 22" | 24" 24" 24" 24" 24" 24" | 43 ½" 43 ½" 44 ½" 41 ½" 42 ½" 42 ½" 42 ½" 41 ½" | 43½" 43½" 43½" 44½" 43½" 43½" | 7 7 7 7 7 7 | 9 9 9 9 | 6054 6052 5954 6056 6058 6062 6078 6076 | \$154.95 | 6080 6038 5944 6082 6084 6088 6102 6100 | \$174.95 | 6118 6116 6120 6048 6122 6124 | \$189.95 | Special Special Special Special Special Special Special Special | \$345.00 |
| · om Rem. Mag. | 4 | 9″ | 24" | | 44 1/2" | | 71/2 | | 6074 | \$169.95 | 6098 | | | | Special | |
| • 154 Win. Mag. • 15 Rem. Mag. • 150 Rem. Mag. • 100 Win. Mag. | 4 4 4 4 | 9" 9" 16" 10" | 24" 24" 24" 24" | | 44 ½" 43 %" 43 %" 44 ½" | | 7½ 7½ 7½ 7½ 7½ | | | | 6086 5924 5926 6104 | \$189.95 | | | Special Special Special Special | \$357.00 |
| ●275 H&H Mag. ●158 Win Mag | 4 | 12" 14" | 24" 24" | | 441/2" | | 9 | | | | 6106 6108 | \$ 344.95 | | | | |



Remington Model 760 "Gamemaster" Center Fire Pump Action Rifle. Remington Model 788 Center Fire Bolt Action Rifle.

MODEL 760 "GAMEMASTER"

If you already own a pump shotgun, the Remington Model 760 will feel right the moment you pick it up.

Why? Let's start with the action bars. The Model 760 has two of them. When you pump the action, the fore-end doesn't twist or bind. It comes back straight and fast in a comfortable natural movement. Your finger never leaves the trigger as it does in a lever action letting you stay on target for fast additional shots, if they're needed.

Point two. The receiver and interior working parts are put through our exclusive "vibrahoning" process. They come out mirror smooth and shiny—free from metal burrs that cause sluggish operation. The friction-free parts operate with silky-smooth ease.

Point three. It looks distinctive. All Model 760 stocks and fore-ends have the gleam that comes from Du Pont RK-W wood finish. They also have distinctive black fore-end tips and grip caps, white line spacers, and streamlined beavertail fore-ends. Standard grades have skip line checkering and the BDL Deluxe grade features basket weave checkering and Monte Carlo stock with check piece (available in left hand version, too). An 18½" barrel carbine version for hunting in heavy brush is also available.

Point four. It's strong. The Model 760 is strong enough to handle the powerful 30-06 Springfield cartridge. The secret is in the 760's solid steel receiver and super-strong artillery type bolt.

Add up these four points plus fast, removable magazine clip and receivers that are drilled and tapped for scope mounts, optional left hand BDL models with reversed safety and cheek piece on left side for southpaw shooters, and you'll know why the Remington Model 760 is a favorite with big game hunters everywhere.

You can't beat Remington-Peters big game cartridges either. They're the cartridges used to test our guns at the factory. These rifles, combined with Remington-Peters big game cartridges are "Partners in Power and Accuracy."



THE REMINGTON MODEL 788 BOLT ACTION RIFLE— EXTREMELY ACCURATE, EXTRA STRONG, AND UNBELIEVABLY INEXPENSIVE.

These statements are all true. In just four years, the Model 788 has built up a tremendous reputation among hunters and shooters.

It was built for the sportsman who wanted a low price big game rifle in popular, modern cartridges. The 788 gave him that in both left and right hand models.

The Model 788 was also designed to give good accuracy. It delivered that plus. Take the outdated 30-30 for example. The 788 shot groups with this cartridge that could have put in the far more expensive target rifle class. Trythe Model 788 in 22-250 or 6min Remington and you'll see what pin-point accuracy is like.

The unusual accuracy of the Model 788 comes from its extremely fast lock time (the interval between pulling the trigger and primer ignition). The lock time is so fast that the bullet has left the 788's barrel before a comparative bullet in any one of ten competitive guns tested left the cartridge case.

To handle the potent 22 250 Remnigton, the Model 788 had to be strong. The secret of the 788's strength is in the nine locking his on the bolt and the grooved receiver. Toget they lock up tight and secure.

With terrific accuracy, extra strength, and alow price going for it, the Model 788 is a tough rifle to beat.

MINGTON MODEL XP-100 LONG RANGE PISTOL. Action • Single Shot • Center Fire

!EMINGTON"FIRE BALL" CALIBER

ting Thumb-Salety Ventilated Rib. Custom-Style Checkering. Internal 1 nd Cavities for Addition of Weights. Match Type Trigger. Scientifically a cel to give minimum whip, jump and recoil. One-Piece Stock of Du Pont 4" Nylon. Rille-Type Rear Sight. Universal Grip fits either left or right Weight 334 lbs. Order No. 5470



lodel 760

CIFICATIONS: CAPACITY -4 in clip magazine plus one in chamber. STAND-ISTOCK DIMENSIONS—Stock and fore-end: American walnut. 13%" length rull. 21%" drop at heel, 11%" drop at comb. Deluxe Model: 13%" length rull. 21%" drop at heel, 11%" drop at comb. 11%" drop at Monte Carlo. EIVER Drilled and tapped for 'scope mounts. Removable clip magazine. RTS—Flat faced gold bead with ramp front sight. Step adjustable rear it, for elevation, with windage adjustment screw. WEIGHT—Approx. 7½ Carbine 6% lbs.

lodel 788

CIFICATIONS: STOCK—Walnut finished hardwood, Monte Carlo type. 13%" (th of pull, 2%" drop at heel, 1%" drop at comb (from open sight line). HTS Blade front sight on ramp is detachable. U notch rear sight lock-wadjustable for windage and elevation. Rear sight barrel holes correct target scope block. RECEIVER—Drilled and tapped for 'scope mounts and aver sight. Detachable clip magazine.

iodel 788

| Calibers | Clip Mag. Cap. | Twist-R H I Turn in | _ | O.A. Lgtk. | Av. Wt. Lus. | Order Nos. | Retail Prices* |
|---|-----------------------|-------------------------------|--|---|--|--|--------------------|
| el 788 | | 1 | | | | | |
| ?2 Rem. ?-250 Rem. nm Rem. !3 Win. !8 Win. -30 | 4 3 3 3 3 | 14" 14" 9" 9" 10" | 24" 24" 22" 22" 22" 22" | 435/8" 435/8" 42" 42" 42" 415/8" | 7½ 7½ 7¼ 7¼ 7¼ 7¼ 7¼ | 9722 9736 9784 9782 9780 9738 | \$ 99.95 |
| 1 788 Hand) in Rem. Win. | 3 . 3 | 9" 10" | 22" 22" | 42" 42" | 7½ 7½ 7½ | 9786 9788 | \$104.95 |
| | Quick Relea | | (insta | lled) | | 6426 | \$ 5.40 \$ 4.50 |

Model 760

| Calibers | Twist-R H | | Overali Length | Order Nos. | | |
|---|-----------|--------|-------------------|---------------|-----|---------|
| Model 760 | | | | | | |
| 6mm Rem. | 9" | 22" | 42" | 5900 | | |
| 270 Win. | 10" | 22" | 42" | 9726 | | |
| 30/06 | 10" | 22" | 42" | 9730 | | |
| 308 Win. | 10" | 22" | 42" | 9732 | | |
| 243 Win. | 9″ | 22" | 42" | 9678 | \$ | 154.95 |
| Model 760 Carbine | | | | | | |
| 30/06 | 10" | 181/2" | 381/2" | 9698 | | |
| 308 Win. | 10" | 181/2" | 381/2" | 9714 | | |
| Model 760 BDL "Custom Deluxe" | | | | | | |
| 30/06 | 10" | 22" | 42" | 9692 | | |
| 30/06 Left Hand | 1 10" | 22" | 42" | 9694 | ŀ | |
| 308 Win. | 10" | 22" | 42" | 9706 | S | 174.95 |
| 308 Win, Left Hand |] 10" | 22" | 42" | 9710 | , | 179 3.1 |
| 270 Win. | 10" | 22" | 42" | 9708 | į | |
| 270 Win. Left Hand | 10" | 22" | 42" | 9712 | | |
| Model 760 D "Peerless" | ' Grade | | | Ѕрес. | \$ | 595.00 |
| Model 760 F "Premier" Grade | | | | Spec. | \$1 | .295 00 |
| Sling Strap & Quick Release Swivels (installed) | | | | 6096 | \$ | 9 10 |
| | Specify | | | | | |
| Extra 4-Shot Clip | • | | | Caliber | \$ | 4.50 |

Defuxe models with left hand check piece have left hand safety—both at no $\exp(i)$


*Prices shown are suggested minimum prices, subject to change without notice.



The Remington Models 591 chp repeater and 592 tubular repeater bolt action rifles are chambered for the sensational 5mm Remington Rim Fire Magninic cartridge. Why sensational? For these reasons. It's the fastest rim cartridge ever made (muzzle velocity altering executable) the most accurate rim fartridge made with the super accurate "Power-Lokt" bullet. It looks like a center fire cartridge and it has the accuracy of a center fire cartridge—great for small game, varinint hunting, and informal target shooting. Other outstanding features of the Models 591 and 592 are:

SIX EXTRA HEAVY ROTARY LUGS on the bolt engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Here is extra strength to handle the powerful 5mm Remington rim fire magnum cartridge. BOLT COVER at rear helps keep out dirt and grit. UNIQUE TWO STAGE EX-TRACTOR permits the bolt to completely enclose the cartridge head assures utmost safety, FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. SIGHTS are rugged, similar to those on big game rifles. Bead front sight and Unotchlock screw rear. ROUND RECEIVER means bedding into the stock can be more precise which, in turn, contributes to fine accuracy. The receiver is also grooved for "tip-off" scope mounts. ORDNANCE STEEL BARREL is precision rifled, crowned at the muzzle, polished and blued for pood looks and long wear NON-SLIP THUMB SAFETY is conveniently located at the right rear of the re-





BARBER - PRESALE R 0124334

er Positive salety "forward for fire, rearoffer sale Marked"F" for fire, "S" for sale.

MACH TRIGGER OUALITY - A good trigger
pull is an important asset to any rifle. The lock
c of the Models 591 and 592 is the fastest
y uy 17 models tested which include subantially all of the significant competitive rim
to rifles available in the United States market.
What's lock time? It's the length of time, measured in milliseconds, between the release of
the trigger sear and instant ignition. This means
befrer accuracy, no trigger movement to pull
the gun off target.

In experienced hands, a 22 rim fire rifle is an efficient small game and varmint getter. But the effective range of a 22 rim fire carridge is just about 100 yards. Beyond that, bullet drop is so severe that long-range hits memore a matter of luck than skill. (A 22 long afficient tidge, for example, zeroed in at 100 dr. can drop 10.7 melies at 150 yards!)

Remember, a varmint's range of vision is cer than 100 yards, especially in open or country So, unless you want to stay with borts ange situations, you have to pack more soccer into the field

Traditionally, variant hunters looking for cater accuracy have turned to specialized enter fire rifles and cartridges. But not everywants or can afford to give up the low e and econoinies of rim fire shooting. So impton-Peters developed a completely new are cartridge - the 5mm Remington Rim Magnum—and built the Models 591 and to handle it

(1972 ibers, Prices and Specifications


SPECIFICATIONS: ACTION—All bolt action. M/591 clip repeater, M 592 tubular repeater. CALIBER—5mm Remington Rim Fire Magnum. CAPACITY—M 591. 4 in magazine, 1 in chamber; M/592, 10 in magazine, 1 in chamber. BARREL—24 inch ordnance steel, crowned at muzzle. STOCK—Walnut finish hardwood. Monte Carlo type, full size, butt plate and grip cap. SIGHTS—Front, bead. dovetail, adjustable; Rear—U notch type, lock-screw adjustable. BOLT—Rear lock-up, 6 locking lugs, two stage extraction permits bolt to enclose cartridge head. RECEIVER—Round, ordnance steel, grooved for 'scope mounts. SAFETY—Rotary thumb safety. OVER-ALL LENGTH—42%". WEIGHT—M/591, 5 lbs.; M/592, 5½ lbs.

| Bolt Action 5mm Rem. Rim Fire Magnum Rifles | Order Nos. | Retail Prices |
|---|------------|---------------|
| Model 591 Clip Repeater | 9860 | \$74.95 |
| Model 592 Tubular Repeater | 9862 | \$79.95 |
| Model 591 — Extra 4-shot Clip | 6408 | \$ 3.50 |
| Model 591 Sling Strap & Swivels (Installed) | 6426 | \$ 5.40 |
| Model 592 Sting Strap & Swivels (Installed) | 6428 | \$ 5.40 |

•Prices shown are suggested minimum prices, subject to change without notice

5mm REMINGTON MAGNUM

| | BULLET | | | VELOCITY— FT. PER SECOND | | ENERGY— FOOT POUNDS | | TRAJECTORY RIFLE SIGHTED IN AT 100 YDS. | | |
|----------------------|--------------|------------------------------|--------|-----------------------------|-------------|------------------------|-------------|---|----------|--------------------|
| 5mm REMINGTON MAGNUM | Wgt. Grs. | Style | Muzzle | 100 YOS. | 150 YOS. | Muzzle | 100 YDS. | 150 YDS. | 100 YDS. | 150 YDS. Inches |
| | 38 | "Power-Lokt" Hallow Point | 2100 | 1605 | 1400 | 372 | 217 | 165 | 0 | 4.3 |



Remington Models 591 and 592 5mm Remington Rim Fire Magnum Rifles. Remington Bolt Action 22 Caliber Rifles. Models 580, 581, and 582. New Model 541-S"Custom Sporter."



Through the years of Remington gunmaking, reel and blanks of walnut have taken many angue and creative forms, but few end results have been so creative and distinctive as the all new Model 541-8 "Custom Sporter."

This new 22 caliber clip repeater boltaction rifle represents Remington in the "fine grade" of 22 caliber sporting rifles. From butt plate to muzzle, vou'll find features usually found on far more expensive rifles.

The rich figuration of the stock comes from American walnut covered with durable, fuster-building Du Pont RK-W wood finish

Examine the rosewood-finished fore-end tip, grip cap and butt plate. Notice the look and feel of finely cut checkering, the distinctively engraved receiver and trigger guard.

Beyond its eve-attracting features, the Model 544-S gives many extras you have come to expect from Reimington a match-type adjustable frigger, swept-back bolt handle, baried and receiver drilled and tapped for 'scope mounts or iron sights, a grooved low-profile safety, steel trigger guard and a highly polished bolt are all standard equipment.

The striking appearance of the Model

541-S is highlighted by a specially blued receiver and tapered barrel.

For the man who appreciates fine craftsmanship and dependability, the Model 54I-S "Custom Sporter" is his kind of gun.

Model 580 Single Shot, 581 Clip Repeater, 582 Tubular Repeater

These 22's have the look, feel and balance of big game center fire rifles—plus a strong powerful bolt.

The 580 series features an artillery-type bolt with rear lock-up. What does that mean to vou? It means extra strength. When the bolt is closed on the cartridge, six rotary locking lugs are engaged in a grooved receiver. Together, they lock up tight—bank-vault-tight. The pressure is on ordnance steel locked into ordnance steel. Try the action. It's silky-smooth, solid, secure and extra strong.

The 580 "Boys' Rifle" has all the features of the standard Model 580, but the stock is 1" shorter for the young shooter and a left-hand Model 581, with the bolt handle on the left side, is available for southpaw shooters.

Other great features of this super-strong, at the factory,

rim lire series include

HUNTING-TYPE TRIGGER that's wide and has a crisp, sharp, clean trigger pull. An other plus feature is a big, sturdy trigger guard that's roomy enough to handle a gloved furger

NON-SLIP THUMB SALETY is conveniently located at the right rear of the receiver It gives you positive safety—forward for fire, rearward for safe.

DUAL EXTRACTORS give a two-handed grip on the cartridge to make sure ejection is fast and smooth without jamming


SIGHTS are rugged, similar to those on big-game rifles. Bead front sight and Unorch adjustable rear sight with lock screw

ROUND STEEL RECEIVER makes stock bedding more precise and, in turn, contributes to fine accuracy. It's also grooved for "tip-off" 'scope mounts.

BOLT COVER helps keep dust grit at bad weather out assuring smooth operat inside. It also gives the guit the streamling look of a center fire big game tiffe

FOR FINE accuracy and dependability, use Remington-Peters 22 caliber carridges the same cartridges used to test these rifles at the factory.

MODEL 541-S, "Custom Sporter", Clip Repeater, \$134.95




| Model 541-S | Order | Retail | |
|---|-------|----------|--|
| "Custom Sporter" | Nas. | Prices* | |
| Model 541-S "Custom Sporter" 22 Cal. Bolt Action Clip Repeater | 9800 | \$134.95 | |
| Extra 5 shot clip | 4914 | \$ 2.75 | |
| Extra 10-shot clip | 9828 | \$ 3.50 | |
| Sling Strap & Quick Release Swivels (installed) | 6382 | \$ 9.10 | |

SPECIFICATIONS: ACTION—Bolt, clip repeater. CALIBER—22 rim fire. short, long or long rifle cartridges. CAPACITY -5 shot clip (10 shot clip available as accessory), checkered clip release. BARREL -24 inch tapered, deep rich blueing, ordnance steel, drilled and tapped for front and rear sights crowned at muzzle. STOCK—American walnut, checkered, RK-W wood finished butt plate and grip cap, rosewood finished butt plate and grip cap, rosewood finished for erect tip White line spacers at butt plate, grip cap and fore-end tip. SIGHIS None supplied, barrel and receiver drilled and tapped for scope mounts or receiver sights, receiver grooved for scope mounts. BOLT—Artillery style rear lock-up, six locking lugs, double extractors, highly polished. RECEIVER Round ord nance steel, grooved, drilled and tapped for scope mounts, deep rich blueing, engraving. TRIGGER—Adjustable match type, steel trigger guard engraved SAFETY—Positive, serrated thumb type, safety indicator markings, forward for fire, rearward for safe. OVER-ALL LENGTH—42%a". WEIGHT—5½ lbs.

| Models 580, 581 and 582 Bolt Action 22 Caliber Rifles | Order Nos. | Retail Prices * |
|---|---------------|--------------------|
| Model 580 Single Shot | 9852 | \$44.95 |
| Model 580 Single Shot, Smooth Bore | 9864 | \$49.95 |
| Model 580 Boys Rifle | 5570 | \$44.95 |
| Model 581 Clip Repeater | 9854 | \$57.95 |
| Model 581 Clip Repeater (Left Hand) | 9838 | \$62.95 |
| Model 582 Tubular Repeater | 9856 | \$64.95 |
| Voidels 580, 581 Sling Strap & Swivels (Installed) | 6426 | \$ 5.40 |
| Model 582 Sling Strap & Swivels (Installed) | 6428 | \$ 5.40 |
| Model 581 — Extra 5-shot Clip | 4914 | \$ 2.75 |
| Model 581 — Extra 10-shot Clip | 9828 | \$ 3.50 |

SPECIFICATIONS: ACTION -All bolt action. M. 580 single shot, M. 581 clip repeater, M. 582 tubular repeater. CALIBER 22 rim fire: short, long, or long rifle cartridges. CAPACITY—M. 580 single shot, M. 581. 5-shot, M. 582. 20 short, 15 long, 14 long rifle cartridges. BARREL -24 inch ordinance steel, precision rifled, crowned at muzzle. STOCK—Walnut finish hardwood, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS. Front: bead, dovetail adjustable. Rear: U. Notch type, lock-screw adjustable. BOLT—Artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER—Round, ordinance steel, grooved for scope mounts. SAFETY. Positive and thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH 4234", 580. Boys. Rifle. 40". WEIGHT—M. 580. 5. lbs., M. 581. 514. ibs. M. 582.5½ lbs.

*Prices shown are suggested minimum prices, subject to change without notice





Automatic and Pump Action 22 Caliber Rifles.

NYLON 66 AUTOMATIC

The "Lightweight" 22 Caliber Automatic That Set a World's Record.

These are facts! In 13 years, this 22 automatic has built an outstanding record for consumer acceptance. It's tough because it's made of super-strong structural nylon that won't warp, crack, fade, chip or peel.

The Nylon 66 is an endurance and accuracy champion, too. It was used to establish a world's record on hand-thrown 234" wood blocks = 100,000 of 'em and only six misses, not a single malfunction in 100,000 rounds. With a record like that behind it, hitting targets, tin cans and small game will be easy.

The unique interior design of this 4-lb, automatic combines steel and nylon for friction-free operation. Lubrication is eliminated because parts glide on greaseless nylon bearings.

Distinctive functional checkering assures secure handling even in the roughest of conditions, and the convenient top-of-grip safety gives instant control for any type of quick shot.

The Nylon 66 also comes in a deluxe "Apache Black" model. The stock is made of Du Pont "Zytel" black nylon, and the receiver and barrel are chrome-plated to give a striking appearance. In performance and reliability, it's the same as the "Mohawk Brown" model.

If you're looking for a 22 automatic that's accurate, tough and dependable, the Nylon 66 is just the ticket.

MODEL 552 "SPEEDMASTER" AUTOMATIC

The Model 552 is the "all-around gun" in Remington line of automatic 22 rifles. This is shooting, well-balanced, highly accurate 22 automatic handles shorts, longs and long rifles with no trouble or adjustments. It's one of the Remington family of guns because it's designed like another superior performer—the Model 742 big game automatic rifle. Special features on the Model 552 include twenty shots as fast as you can squeeze the trigger, cross-bolt safety and growed receiver for "tip-off" scope mounts. A short 21" barrel carbine version and a "Gallery Special" are also available. The BDI Deluxe version has custom checkering. RK W wood limsh and big game type sights.

To make sure these trouble-free automatics remain that way, use the ammunition they were built and tested with Reminpton Peters 22s.

MODEL 572 "FIELDMASTER" PUMP ACTION

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best...action is slick and smooth. Exclusive cartridge-feeding design prevents jamining, permits easy single loading. By simply removing the inner-magazine tube, parent or instructor can convert the "Fieldmaster" into a singleshot rifle. Receiver has dovetail grooves for "tip-off" scope mounts. Capacity is large: tubular magazine holds 20 short. 17 long, or 1 long rifle cartridges. It has a cross-bolt saf conveniently located at the rear of the trip guard where it can be snapped on or off with the index (inger-The Model 572 is beautifully streamlined and balanced rugged and dependable like Remington big game rifles and shotguns. BDL deluxe models feature extratough RK-W wood frush, custom checkering. grip cap and big game type sights





xylon 66

Models 552 and 572

-UFL 572: Same as Model 552 except: ACTION—Pump, repeater.

Nylon 66

| Nylon 22 Caliber Rifles | Order Nos. | Retail Prices* |
|--|------------|----------------|
| Nylon 66 MB "Mohawk Brown" Automatic | 5500 | \$59.95 |
| Nylon 66 AB "Apache Black" Automatic | 5486 | \$64.95 |
| Nylon 66 GS "Gallery Special" (22 Shorts Only) | 5512 | \$69.95 |
| Sling Strap & Swivels (Installed) | 6418 | \$ 5.40 |

Models 552 and 572

| Model 552 22 Caliber Automatic Rifle | Order Nos. | Retail Prices* |
|---|------------|----------------|
| 552 A Automatic | 5608 | \$72.95 |
| 552 C Carbine | 561? | \$72.95 |
| 552 BDL Deluxe | 9830 | \$82.95 |
| 552 GS "Gallery Special" (22 Shorts Only) | 5610 | \$84.95 |
| Sling Strap and Swivels (Installed) | 6430 | \$ 7.50 |
| Model 572 22 Caliber Pump Action Rifle | | · · |
| 572 A | 5626 | \$72.95 |
| 572 BDL Deluxe | 9832 | \$82.95 |
| 572 SB Smooth Bore | 5628 | \$82.95 |
| Sling Strap and Swivels (Installed) | 6432 | \$ 7 50 |

*Prices shown are suggested minimum prices, subject to change without native

MODEL 40-XB "RANGEMASTER" (RIM FIRE MODEL)

The loading platform of the 40-XB provides straight-line feeding, no shaved bullets. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon white-line, non-slip rubber butt plate, adjustable sling swivel and hand stop are standard equipment. Other features are: extra strong bolt with double extractors, crisp trigger with positive adjustments for weight of pull, wide trigger for more uniform pull and comfort, thumb-operated safety. The receiver is drilled and tapped for all standard sight mounts, telescope and metallic, Redfield Olympic front and rear sights optional. A new long rail for the adjustable fore-end stop makes shooting good scores easier.

MODEL 40-XB "RANGEMASTER" (CENTER FIRE MODEL)

Now available in repeating models for use in National Match Courses, the 40-XH is designed with clip slots for the conventional five-shot clip. (Available in heavy-barrel models only.) It loads from the top of the receiver, and the magazine has a hinged floor plate. Repeating models are provided only in calibers equal to or shorter than the loaded length of the 308 cartridge.

The 40-XB center fire repeating rifle is ideal for the rapid-fire events, especially in the 7.62mm NATO (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for over-the-course competition.

As a single shot model, the Remington Model 40-XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is handbedded, and the barrel is

free-floating.

MODEL 40XB-BR BENCH REST (CENTER FIRE)

Built with all the features of the extreme accurate Model 40XB-CF, but modified to give the competitive bench rest shooters a standardized rifle that provides the inherent accuracy advantages of a short (20") heavy, extremely stiff barrel. Wider, squared off foreend gives a more stable rest on sandbags or other supports. In combination with the new Remington target scope, the resulting package weighs just under 10½ lbs. and meets weight limitations for the sporter and light-variant classes of National Bench Rest Shooters Association competition. For shooters competing in the heavy-variant class, a 13½-bb 26"-barrel version is available.

REMINGTON 20-POWER TARGET SCOPE

Remington's 20-power title scope is designed primarily for accuracy in critical bench rest shooting. Its relatively short length permits fore and aft receiver mounting and eliminates the need of a forward mounting on the barrel Produced in 20 power only, the target scope contains optics of the highest quality. Because of its lighter weight, shooters have greater flexibility in assembling title and scope combinations to meet. National Bench Resa Shooters Association weight limitations.

MODEL 540X MATCH RIM FIRE TARGET RIFLE

The Model 540X has all the design feature and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and jumor shooter, the Model 540X is accurate, well balanced, and loaded with extras. To continually punch holes in the X-ring with any rifle, you need a gun with a

Remington Target Rifles.

The 40-XB meets the National Bench Rest Association rules for the Heavy Varmint Class with most target telescopes. (Max. weight 13½ lbs.) Stainless steel barrels are supplied as standard on all magnum and varmint calibers except 222 Rem., 222 Rem. Mag., 223 Rem., 308 Win. and 30-06 Spfd. Stainless 40-XB barrels are not blued. 40-XB "Sporter" (22 long rifle version of Model 700 "Custom") available on special order.

good, crisp trigger pull. The $540\mathrm{X}$ has a fully adjustable, crisp trigger.

A unique feature of this rifle is its five-way adjustable buttiplate. The stock can be adjusted with the same wrench for length of pull, vertical pitch or cant (left or right).

INTERNATIONAL FREE RIFLE (RIM FIRE AND CENTER FIRE)

The International Free Rifle features the 40XB action, precision heavy barrel, a Remington-designed adjustable butt plate and hook, adjustable palm rest, adjustable from sline swivel and 2-ounce trigger.

MODEL 540X

**PECIFICATIONS: ACTION Bolt, single shot. CALIBER--22 cal. rim fire, Long the only. CAPACITY Single loading. SIGHTS Redfield #63 front Redfield #75 rear (sights optional). SAFETY-Positive, serrated thumb type, forward for fire, rearward for safe. RECEIVER-Drilled and tapped for iron sights or \$1.00 pc. over-all rifle length \$43½" to \$47½". LENGTH OF PULL -12¾" to \$15½". STOCK-Walnut finished hardwood, length 30¾", thumb cuts, 5 way adjustable butt plate, rail. Front wivel block, sling and sling swivel optional. Common sight alignment with appear iron sights. WEIGHT with sights 8 lbs. 8 oz., without sights 8 lbs. 2 oz. MODEL 40XB "RANGEMASTER" (RIM FIRE)

PICIFICATIONS: ACTION -Bolt, Single Shot, CALIBER-22 rim fire, Long Rifle only CAPACITY Single loading, SIGHTS - Redfield Olympic front & rear sights optional. SAFETY-Thumb Safety, positive. RECEIVER-Drilled & tapped for non sights or scope mounts. BARREL LENGTH-28". Over-all rifle length 47". LENGTH OF PULL-13½". (Trigger adjustable 1½ to 3½ lbs.) STOCK-American walnut, front swivel block, adjustable on base. WEIGHT-With Redfield obts heavy barrel 12¾ lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 107, less.

MODEL 40XB "RANGEMASTER" (CENTER FIRE)

SPECIFICATIONS: ACTION-Bolt, Single Shot & Repeating. CALIBERS-Single Shot-222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 (6 mm 222 Mag.), 6 mm Int., 6 mm Rem., 243 Win., 25-06 Rem., 6.5 mm Rem. Mag., / mm Rem. Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338 (.30-7 mm Mag.), 300 Win. Mag. Repeating (Heavy Barrel Version Only)-222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 (6 mm .222 Mag.), 6 mm Int., 6 mm Rem., 243 Win., 7.62 mm Nato (308 Win.), Stainless Steel Barrels Only-22-250 Rem., 6 mm x 47 (6 mm .222 Mag.), 6 mm Int., 6 mm Rem., 243 Win., 25 06 Rem., 6.5 Rem. Mag., 7 mm Rem. Mag., 30-338 (.30-7 mm Rem. Mag.), 300 Win. Mag. CAPACITY Single loading and clip repeater (Magazine loads from top of receiver). SIGHTS-Redfield Olympic or International front and rear sights optional. SAFETY-Positive, thumb operated. No safety with 2 oz. trigger. RECEIVER—Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. TRIGGER-Match type. Fully adjustable 12 to 31/2 lbs. Weight of pull can be changed externally. Two ounce trigger optional on single shot at \$40,00 extra. BARREL LENGTH-271/4" free floating. LENGTH OF PULL - 131/2". STOCK-American Walnut. Non-slip target type butt and Adjustable combination hand stop and sting swivel base. AVERAGE WEIGHT Without sights: Heavy barrel, 111/4 lbs. Standard barrel, 93/4 lbs. With metallic sights, 12 oz. more.

MODEL 40XB-BR BENCH REST

SPECIFICATIONS: Calibers—Single Shot—222 Rem., 222 Rem. Mag., 223 Rem., 6 mm Int., 6 mm x 47 (6 mm 222 Mag.), 7.62 mm Nato (308 Win.). BARREL—26" or 20" (Stainless Steel). WEIGHT—26" Barrel Version—11 lbs. 8 oz. Average Weight). 20" Barrel Version—9 lbs. 4 oz. (Average Weight).


INTERNATIONAL FRE RIFLE (RIM FIRE . CENTER FIRE)

SPECIFICATIONS: 40 XB type action, precision heavy barret, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 mm, 30.06 and others on

| special order. Model 540X | Order Nos. | Retail Prices* |
|--|----------------------|---------------------------------|
| 540X Match Rifle (without sights) 540X Match Rifle (with sights) Sling Strap with Front Swivel Block Assembly (optional) | 9796 9794 6420 | \$104.95 \$124.95 \$-6.95 |
| Model 40 XB "Rangemaster"—Rim Fire | Order Nos. | Retail Prices |
| S1 Std. Barrel with Sights, Rim Fire—22 Cal. H1 Heavy Barrel with Sights, Rim Fire—22 Cal. | 5674 5670 | \$234.95 |
| H2 Heavy Barrel without sights, Rim Fire 22 Cal. S2 Std. Barrel without Sights, Rim Fire—22 Cal. | 5672 5676 | \$199.95 |
| Model 40 XB "Rangemaster"Center Fire | Order Nos. | Retail Prices* |
| CF-S2 Std. Ordnance Barrel CF-H2 Heavy Ordnance Barrel | Special Special | \$249.95 |
| CF-S2 Std. Stainless Barrel CF-H2 Heavy Stainless Barrel | Special Special | \$269.95 |
| Repeating Center Fire Models (Heavy Barrel Only) | | \$ 20 00 |
| Extra for 2 Oz. Trigger (Single Shot Model Only) (18 weeks or more for center fire models) | | \$ 40 00 |
| Model 40 XB Bench Rest Single Shot, Stainless Steel | Special | \$289.95 |
| Remington Target 'Scope | 5712 | \$169.95 |
| International Free Rifle | Order Nos. | Retail Prices* |
| International Free Rifle, Rim Fire & Center Fire | Special | \$395.00 |

^{*}Prices shown are suggested minimum prices, subject to change without notice.





Remington Left-Hand



MODEL 1100, 12 Ga., (Left-Hand), 28" Mod. Cheke, \$214.95

Model 1100 Left-Hand Automatic Shotgun

SPECIFICATIONS: STYLE—5 shot gas operated. 3 shot plug furnished. Left Hand ejection. GAUGE—Made in 12 and 20 gauge. BARREL—Special Remington ordnance steel. OVER-ALL LENGTH—48" (with 28" Barrel). SAFETY—Left Hand cross-bolt type positive. RECEIVER—Made from solid steel, top matted, scroll work on chrome plated bolt and both sides of receiver. STANDARD STOCK DIMENSIONS—Stock and fore-end: American walnut. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at heel, 1½" drop at comb. Monte Carlo; 14½" long, 1½" drop at heel, 1½" drop at comb. 1½" drop at comb. 1½" drop at heel, 1½" drop at comb. 1½" drop at heel, 1½" drop at comb. 1½" drop at comb. 1½" drop at heel, 1½" drop at comb. 1½" drop at comb. 1½" drop at heel, 1½" drop at comb. 1½" drop at comb. 1½" drop at heel, 1½" drop at comb. 1½" drop at com

| | (Order 12 Ga. | Numbers) 20 Ga. | Barrel Length | Type of Choke | Retail Prices* |
|--|----------------------|----------------------|--------------------------|-----------------------------------|-------------------|
| Left Hand Ventilated Rib Barrel | 5540 5542 5544 | 5556 5558 5546 | 30" 28" 28" 26" | Full Full Mod. Imp. Cyl. | \$214.95 |
| SA Skeet Left Hand Vent. Rib Barrel | 5564 | 5560 | 26" | Skeet | \$224.95 |
| Magnum Left Hand Vent. Rib Barrel | 5548 | | 30" | Full | \$234.95 |
| TB Trap Left Hand Vent, Rib Barrel | 5562 | | 30" | Full | \$259.95 |
| TB Trap Left Hand Vent. Rib Barrel with Monte Carlo Stock | 5554 | | 30" | Full | \$269.95 |




MODEL 742 BOL DELUXE, (Left-Hand), 30-06 Spfd., \$199.95

)

Model 742 BDL Left-Hand Automatic Center Fire Rifle

SPECIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber. STAND-ARD STOCK DIMENSIONS—Stock and fore-end: American walnut. Basket weave checkering. 13¾" length of pull, 2½" drop at heef. 1¾" drop at comb, 1¼" drop at Monte Carlo, Left Hand cheek piece. RECEIVER—Drilled and tapped for scope mounts. Right side ejection port. Removable clip magazine. SIGHTS—Flat faced gold bead ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. SAFETY—Left Hand cross-bolt type, positive. WEIGHT—Approx. 7½ lbs.

| | Order | Barrel | Overall | Retail |
|------------|-------|--------|---------|----------|
| | Nos. | Length | Length | Price* |
| 30-06 Spr. | 9668 | 22" | 42" | \$199.95 |
| 308 Win. | 9644 | 22" | 42" | |



Model 788 Left-Hand Bolt Action Center Fire Rifle

SPECIFICATIONS: STOCK—Walnut finished hardwood, Monte Carlo type. 13%" length of pull, 2%" drop at heel, 13%" drop at comb (from open sight line). SIGHTS—Blade front sight on ramp is detachable. U Notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. RECEIVER—Drilled and tapped for scope mounts and server sight. Detachable clip type magazine. BOLT—Left Hand, right side and the scope mounts.

| | Order | Barrel | Overail | Weight | Clip Mag. | Retail |
|----------|-------|--------|---------|--------|-----------|----------|
| | Nos. | Length | Length | Lbs. | Cap. | Price* |
| 6mm Rem. | 9786 | 22" | 42" | 7¼ | 3 | \$104.95 |
| 308 Win. | 9788 | 22" | 42" | 7¼ | 3 | |



to es shown are suggested minimum prices, subject to change without notice.

Rifles and Shotguns.

1972



Model 870 "Wingmaster" Left-Hand Pump Action Shotgun

SPECIFICATIONS: STYLE—5 shot pump action shotgun. Left Hand ejection. Take down. 3 shot plug furnished. GAUGES—12 and 20. BARREL—Special Remington ordnance steel interchangeable within gauge. OVER-ALL LENGTH—48½" with 28" barrel. SAFETY—Left Hand cross-bolt type, positive. RECEIVER—Made from solid steel, top matted. STANDARD STOCK DIMENSIONS—Stock and fore-end: American walnut. Beautiful checkering. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at heel, 1½" drop at comb. Trap reg., 14%" long, 1½" drop at heel, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at heel, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at heel, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at comb. Trap reg., 14½" long, 1½" drop at M.C. AVERAGE WEIGHT—12 ga. - 7 lbs.; 20 ga. - 6½ ibs.


| - | | | Barrel Length | Type of Chake | Retail Prices* |
|--|----------------------|----------------------|--------------------------|-----------------------------------|-------------------|
| Left Hand Ventilated Rib Barrel | 5510 5514 5516 | 5528 5530 5566 | 30″ 28″ 28″ 26″ | Full Full Mod. Imp. Cyl. | \$159.95 |
| Magnum Left Hand Vent. Rib Barrel | 5496 | | 30" | Full | \$179.95 |
| TB Trap Left Hand Vent. Rib Barrel | 5518 | | 30" | Full | \$199.95 |
| TB Trap Left Hand Vent. Rib Barrel with Monte Carlo Stock | 5520 | | 30″ | Full | \$209.95 |



Model 760 BDL Left-Hand Pump Action Center Fire Rifle

SPECIFICATIONS: CAPACITY—4 in clip magazine plus one in chamber. STAND-ARD STOCK DIMENSIONS—Stock and fore-end: American walnut. Basket weave checkering. 13%" length of pull, 2½" drop at heel. 1%" drop at comb, 12%" drop at Monte Carlo, Left Hand cheek piece. RECEIVER—Drilled and apped for scope mounts. Right side ejection port. Removable clip magazine. 1GHTS—Flat faced gold bead with ramp front sight. Step adjustable rear 10ght, for elevation, with windage adjustment screw. SAFETY—Left Hand cross-bolt type, positive. WEIGHT—Approx. 7½ lbs.

| | Order | Barre! | Overall | Retail |
|------------|-------|--------|---------|----------|
| | Nos. | Length | Length | Price* |
| 270 Win. | 9712 | 22" | 42" | \$174.95 |
| 30-06 Spr. | 9694 | 22" | 42" | |
| 308 Win. | 9710 | 22" | 42" | |



Model 581 Left-Hand Clip Repeater Bolt Action 22 Cal. Rim Fire Rifle

"EFT HAND BOLT, RIGHT SIDE EJECTION PORT)

gCIFICATIONS: ACTION—Bolt action, clip repeater. CALIBER—22 rim fire; Srt, long, or long rifle cartridges. CAPACITY—5-shot. BARREL—24 inch ordnance steel, precision rifled, crowned at muzzle. STOCK—Walnut finished hardwood. Monte Carlo type, full size, black butt plate. Single screw takedown. SIGHTS—Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. BOLT—Left hand, right side ejection, artillery style, lock-up at rear. 6 locking lugs, double extractors. RECEIVER—Round, ordance steel, g ooved for scope mounts. SAFETY—Positive, serrated thumb type, forward for fire, rearward for safe. OVER-ALL LENGTH—42½~. WEIGHT—5½ lbs.

| | Order Nos. | Barrel Length | Overall: Length | | Retail Price* |
|--------------------------------------|---------------|------------------|--------------------|------|------------------|
| 22 Cal. Short, Long or Long Rifle | 9838 | 24" | 423%" | 51/4 | \$ 62.95 |

Prices shown are suggested minimum prices, subject to change without notice.

BARBER - Reminigton High Grade Guns




Model 1100 F "Premier" Grade: 12 Ga., 28" \$2,000.00

ters and hunters everywhere know Remington ing firearms and ammunition as superior ting systems. These sportsmen recognize and ect Remington performance, dependability, tical advancement, and craftsmanship.

nier" Grade rifles and shotguns are the finest iples of Remington's gunmaking skill. Select rican Walnut stocks and fore-ends are handled and beautifully checkered. Custom-end game scenes and scrollwork decorate rests. Gold inlays are available at the customer's in. Stocks are fitted with gold nameplates.

rnament" Grade shotguns and "Peerless" e rifles feature scroll engraving on receivers, and trigger guards. Rich American Walnut is and fore-ends bear fine checkering in a je high grade pattern. The Model 870 "Allrican" Trap Gun includes these features and a distinctive color medallion to the receiver.

exceptional High Grade guns set the standor the continuing tradition of excellence by ington in 1973.




| TABLE OF CONTENTS | Pages |
|---|----------------------------|
| REMINGTON SHOTGUNS & SHOTGUN SHELLS | 4-17 |
| 1100 Automatic Shoteurs (Field) | 4,5 |
| 1100 Automatic Shotguns (Trap & Skeet) | ъ. ^Т |
| 1100 Extra Barrels | - |
| 870 "Wingmaster" Pump Action Shotguns (Field) | 8 4 |
| 870 "Wingmaster" Pump Action Shotguns (Trap & Skeet) | 10 13 |
| 870 Extra Barrels Shotgun Shells (Field Loads) | 12 13 |
| "RXP" Trap & Skeet Loads | 12 11 |
| Trap & Skeet Equipment | |
| Shotgun Shell Components | 16 |
| Shotgunning Suggestions | 1.5 |
| 3200 Over-and-Under Shotguns Insert/Center | Spread |
| REMINGTON CENTER FIRE RIFLES, | |
| RIFLE, REVOLVER & PISTOL AMMUNITION | |
| 700 Bolt Action Rifles | 18 19 |
| 742 "Woodsmaster" Automatic Rifles | 20, 21 |
| 760 "Gamemaster" Pump Action Rifles | 22, 23 |
| 788 Bolt Action Rifles | 22, 23 |
| Center Fire Rifle Cartridges "Core-Lokt" & "Power-Lokt" Bullets | 24, 25 |
| Center Fire Components | 24, 25 26 |
| Caliber Suggestion | 20 |
| Interchangeability Chart | 2- |
| "XP-100" Bolt Action Long Range Pistol | 27 |
| REMINCTON RIM FIRE RIFLES & AMMUNITION | 28-35 |
| "Nylon 66" Automatic Rifles | 28, 29 |
| 552 "Speedmaster" Automatic Rifles | 28, 29 |
| 572 "Fieldmaster" Pump Action Rifles | 30 |
| 541-S "Custom" Sporer Bolt Action Rifle | 31 12 31 |
| 591 & 592 Bolt Action5mm Rem. Rim Fire Magnum Ritles | 12 33 |
| Rim Fire Cartridges | 34, 35 |
| REMINGTON TARGEF RIFLES | 36.37 |
| 40-XB "Rangemaster" Bolt Action Rim Fire Rifle | ر بر برد "ز با د |
| 540X Bolt Action Rim Fire Rifle | 36, 37 |
| 40-XB "Rangemaser" Bolt Action Center Fire Rifle | 36, 37 |
| 40XB-BR Bench Rex Bolt Action Center Fire Rifle | 36 37 |
| International Free lolt Action Rifles | 36, 37 |
| Target Scope (24-Plwer) | 17 |
| REMINGTON BALLISTCS CHARTS | 38-45 |
| Center Fire Rifle Carridge Calibers | 38-43 |
| Center Fire Pistol & levolver Cartridge Calibers | 44, 45 |
| REMINGTON HUNTING SPECIALS | 46 |
| REMINGTON SPORTSMEN'S LIBRARY | 47 |

Model 870 "All-Amerian" Trap: 12 Ga., 30" \$550.00

Prices in this catalog includ:11% U.S. Excise Tax and are suggested minimum: prices, subject to change whout notice. Weights and stock dimensions variable.

1973.



Model 1100 Left Hand: 12 Ga., 28" \$219.95 This mirror-image automatic for southpaw shotgunners combines all of the 1100's exceptional features with left hand ejection and left hand cross-bolt safety. Left hand Model 1100s are also available in 12 gauge Magnum or 20 gauge standard. All with ventilated rib barrels.

Model 1100 Automatic Shotguns 12, 16, 20, 28 & 410 Gauges

Unified Shooting Systems for Optimum Performance

e Model 1100 Automatic Shotgun ids the field for dependability and rsatility. Experienced hunters oose the 1100 for its superior perrmance in any weather with all ids. The unique gas metering sysn is designed to operate with all standard velocity, "Express," a 23/4" Magnum loads without adstment. This "all-around" capaity permits the hunter to use the oper loads for a wide variety of me, all in one shotgun. For added rsatility, extra barrels are interangeable within gauge and chamr length. Special tools are not needto change pre-fitted barrels in the id in seconds.

(1)

ington makes the right Model for your game, gauge, and peril preference: field grade autois in 12, 16, 20, 28, and 410 ses; 20 gauge lightweight models standard or Magnum; 12 and 20 uge 3" Magnums; trap and skeet Model 1100 strength and dependability have become a tradition. These gas-operated automatics are designed for greatly extended shooting life. You'll still be hunting with your 1100 long after less solidly-built automatics are shot out.

The effect of recoil is milder with an 1100 than any other shotgun action. This lessening of recoil feels more like a push than a punch . . . taking the "kick" out of shotgunning.

The appearance of America's bestselling shotgun matches its performance. Scrollwork decorates the solid steel receiver and chrome-plated bolt. Deep, rich blueing is enhanced by an exclusive "vibra-honed" finishing process. The DuPont RK-W wood finish is lustrous, tough, and scratchresistant. White line spacers and teardrop pistol grip cap . . . all add up to a good-looking gun.

Remington is the oldest, most experi-

Remington Shotgun Shells are used in factory development and testing of Model 1100 shotguns. This testing and the resulting performance match-up pay off in truly unified, dependable shooting systems. "Express" and I "Shur Shot" loads with "Power Piston" one-piece wads give hunters more than a sporting chance. The "Power Piston" one-piece wad puts




more shot in a pattern than old-style wads without shot protective sleeves. It cushions the shot and keeps it round . . . for truer flight and denser



uns; left hand models in 12 and 20 uge; and a deer gun with rifle this. All but the deer gun in a variv of barrel lengths and chokes to

get any hunter's requirements.


enced manufacturer of automatic shotguns in America. Each Model 1100 is designed to help fit personalized needs and specifications . . . to make the gun fit the individual. patterns. These plastic shells have a special lubricant coating to help prevent chamber corrosion. And they chamber smoothly and consistently.



idel 1100: 20 Ga. Lightweight, 26" \$224.95 Light carrying at pounds. Functions with all 23/4" loads. Also available in the Magnum model with 3" chamber. Ventilated rib or

Model 1100: 12 Ga. Magnum, 30" \$234.95 Magnum power with smooth-shooting Model 1100 performance. Left or right hand models, Handles 3" Magnum and all 234" Magnum shell on

Model 1100: 12 Ga., 28" \$214.95



Model 1100 TB Trap: 12 Ga., 30" \$269.95 Trapshooters who prefer an automatic prefer Model 1100. Minimum recoil sensation and proven reliability. Available in full or modified trap chokes. Ventilated rib barrel. Monte Carlo stock is optional.

Model 1100 SA Skeet: 28 Ga., 25" \$234.95 Smaller gauge skeet shooters swing to this 1100 SA because they trust its constant performance. Special skeet-bored barrel, solid-steel receiver, and built-in dependability. Ivory bead front sight and metal rear bead.

MODEL 1100 SPECIFICATIONS

For all Remington Model 1100 Automatic Shotguns: STYLE: Gas-operated. BARREL: Special Remington Ordnance Steel. Extra barrels interchangeable within gauge. 20 ga. lightweight barrels interchangeable only within lightweight models, RECEIVER: Made from solid steel, top matted, scrollwork on chrome-plated bolt and both sides of receiver. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" drop at comb. SAFETY: Convenient cross-bolt type. SIGHTS: Motel bead front.

| ш | G | | |
|---|---|--|--|
| | | | |
| | | | |
| | | | |

| FIELD 6 | INAUL | Carlon C'- | | Detail |
|---|-------------|--|---------------|------------------|
| 12, 16 & 20 GAUGES | 12 62 | Order No: | i. i 20 £≤ | Retail Prices |
| Model 1100 with Plain Sarrel | 1 . 2 . 44. | 1444 | | |
| 30" Full Choke | 5322 | | 1 | Т |
| 28" Full Choke | 5320 | 5370 | 5390 | 1 |
| 28" Mod. Choke | 5326 | 5374 | 5394 | \$ 189.95 |
| 26" Imp. Cyl. Choke | 5328 | 5376 | 5396 | † |
| 22" Imp. Cyl. Deer Gun with Rifle Sights | 5308 | 1 30,0 | 5260 | \$ 209.95 |
| Medel 1100 with Yest, Rib Barrel | 1 3300 | | 3200 | 1 \$ 203.33 |
| 30" Full Choke | 5332 | T | | |
| 28" Full Choke | 5330 | 5378 | 5398 | 1 |
| 28" Mod. Choke | 5336 | 5382 | 5402 | - \$ 214.95 |
| 26" Imp. Cyl. Choke | 5338 | 5384 | 5404 | 1 |
| Model 1100 Magnum with Plain Barrel | 1 3335 | 1 0004 | | ٠ |
| 30" Full Choke | 5344 | T | 1 | Т — |
| 30" Mod. Choke | 5250 | | | 1 |
| 28" Fuli Choke | 1 | | 5428 | - \$ 209.95 |
| 28" Mod. Choke | | | 5254 | -1 |
| Model 1100 Magnum with Vent. Rib Barrel | | ــــــــــــــــــــــــــــــــــــــ | | |
| 30" Full Chake | 5348 | T - | (| Τ |
| 30" Mod. Choke | 5252 | + | | † |
| 28" Full Choke | + | 1 | 5430 | - \$ 234.95 |
| 28" Mod. Choke | + | | 5256 | - |
| Medel 1100 D "Tournament" with Vent. Rib | Barrel | | Special | \$ 595,00 |
| Medel 1100 F "Premier" with Vent Rib Berre | 1 | | Special | \$1,295.00 |
| with Gold Inlay | | | Special | \$2,000.00 |
| 20 GAUGE LIGHTWEIGHT | | | | |
| Model 1100 with Plain Barrel | | | | |
| .'8" Full Choke | 7 | T | 9596 | |
| 28" Mod. Choke | | 1 | 9598 | \$ 199.95 |
| 26" Imp. Cyl. Choke | | | 9600 | 7 |
| Model 1100 with Yent, Rib Barrel | | | <u> </u> | |
| 28" Full Choke | T | 1 | 9602 | 1 |
| 28" Mod. Choke | | \vdash | 9604 | \$ 224.95 |
| 26" Imp. Cyl. Choke | | | 9606 | 1 |
| Model 1100 Magnum with Plain Barral | | | | |
| 28" Full Choke | | 1 | 9656 | \$ 219.95 |
| Medal 1100 Magnum with Yest. Rib Barrel | | | | |
| 28" Full Choke | 7 | T | 9658 | \$ 244.95 |
| LEFT HAND 12 & 20 GAUGES Left hand ejection | on and safe | ty | | |
| Medel 1100 LH with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5540 | | | |
| 28" Full Choke | | | 555 6 | 7. 220.00 |
| 28" Mod. Choke | 5542 | 1 | 5558 | \$ 219.95 |
| 36" Imp. Cyl. Choke | 5544 | | 5546 | 1 |
| Model 1100 Magnum Lit with Yent, Rib Barrel | | | | |
| 12 Call Charles | T 55.40 | 7 | T | 2 200 05 |

5548

239.95

Fill Chake

12, 18 & 20 GAUGES — CHAMBER: 2¾" standard velocity, "Express," and 2¾" Megnum shells for 12, 16, and 20 ga. 3" Magnum and 2¾" Magnum shells only for 12 and 20 ga. Magnum models. CAPACITY: 5-shot. 3-shot plug furnished. STOCK & FORE-WIDE Rich American Walnut. Mahogany for 20 ga. Lightweight. OVER-ALL LENGTH: 48" with 28" barrel. AVERAGE WEIGHT: 12 ga. - 7½ lbs., 16 ga. - 7¾ lbs., 20 ga. - 7¼ lbs., 20 ga. Lightweight - 6½ lbs., 20 ga. Lightweight Magnum - 6¾ lbs.

| 28 & 410 GAUGES | Order Nos. 28 Ga. 410 Ga. | | Retail Prices |
|----------------------------------|--------------------------------|--------------|------------------|
| Model 1100 with Plain Barrel | | | |
| 25" Full Choke | 5316 | 5460 | |
| 25" Mod. Choke | 5406 | 5462 | \$ 19 |
| 25" Imp. Cyl. Choke | 5412 | 5464 | 1 【] |
| Model 1100 with Vent. Rib Barrel | | | |
| 25" Full Choke | 5414 | 546 6 | |
| 25" Mod. Choke | 5416 | 5468 | \$ 224.95 |
| 25" Imp. Cyl. Choke | 5426 | 5296 | 1 |

28 & 410 GAUGES — CHAMBER: 2¾" standard velocity and "Express" shells for 28 ga. 3" and 2½" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4-shot with 3" 410 shells. 3-shot plug furnished. STOCK DIMENSIONS: 13%" long. 2½" drop at heel, 1½" drop at comb. STOCK & FORE-END: Mahogany. OVERALL LENGTH: 45½". AVERAGE WEIGHT: 28 ga. plain barrel - 6¼ lbs., 28 ga. vent. rib - 6½ lbs., 410 plain barrel - 6¾ lbs., 410 ga. vent. rib - 7 lbs.

TRAP & SKEET

| · - | | Orde | r Nos. | | Retail |
|---|-----------|--------|--------|---------|----------|
| | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ga. | Prices |
| Model 1100 TB Trap with Vent. Rib Barre | 1 | | | | |
| 30" Full Choke | 5350 | | | | \$ 259.9 |
| 30" Mod. Trap Choke | 5288 | | | | 255.5 |
| 30" Full Choke Monte Carlo Stock | 5306 | | | | \$ 269.9 |
| 30" Mod. Trap Choke Monte Carlo Stock | 5290 | | | | \$ 203.3 |
| Model 1100 TB Trap Left Hand with Vent | . Rib Bar | rei | | | |
| 30" Full Choke | 5562 | | | | \$ 264.9 |
| 30" Full Choke Monte Carlo Stock | 5554 | | | | \$ 274.9 |
| Model 1100 SA Skeet with Vent, Rib Barr | el | | | | |
| 26" Skeet Choke | 5356 | 5408 | | | \$ 224.9 |
| 26" Skeet Choke with Cutts Comp. | 5358 | 5410 | | | \$ 249.9 |
| 25" Skeet Choke | | | 5432 | 5298 | \$ 234.9 |
| Model 1100 SB Skeet (Fancy Wood) with | Vent. Rit | Barrel | | | |
| 26" Skeet Choke | 5302 | 5422 | | | \$ 249.9 |
| Model 1100 SA Skeet Left Hand with Ven | t. Rib Ba | rrei | | | |
| 26" Skeet Choke | 5564 | 5560 | | | \$ 229 |
| Model 1100 D "Tournament" Grade | Spe | cıal | | | \$ 59 |
| Model 1100 F "Premier" Grade | Spe | cial | | | \$1,295. |
| "Match-Weight" Skeet Cap for Small Ga | uge 110 | 0 | 6338 | 6338 | \$ 9.95 |

All specifications are same as field Grade guns in appropriate gauges, except: STOCK & FORE-END: Rich American Walnut on 28 ga. and 410 ga. Skeet. STOCK DIMENSIONS: For regular Trap with recoil pad: 143% long, 13% drop at heel, 13% drop at comb. for Monte Carlo Trap with recoil pad: 143% long, 13% drop at heel, 13% drop at comb. 13% drop at M.C. For Skeet: 133% long, 23% drop at heel, 13% drop at comb. SIGHTS: Ivory bead front, metal bead rear. AVERAGE WEIGHT: 28 ga. Skeet - 63%, 410 Ga. Skeet - 71% bs. adjustable weight will and up to 12 to in Skeet guns:

Model 1100 Trap & Skeet Guns 12, 20, 28, & 410 Gauges

Automatic Shooting Systems for Better Scores in Clay Target Competition

Proven in competition and by sales, emington Model 1100s stand alone the most popular automatics for skeet and trap. In the 1971 and 1972 World Skeet Championships, Model 1100s were used to win the All-Gauge championships and successive High over-all Championships.

acially selected wood on the Model of Deluxe SB Skeet grade distinuishes it from the 1100 SA grade. oth deliver exceptional balance, well, and dependable performance. ine SA grade comes in 12, 20, 28, and 410 gauges; SB grade in 12 and or gauges. All with special skeet-pored barrels.

the Model 1100 TB trap grade has won more titles and won over more trapshooters in the past nine is than any other autocic. Its minimum recoil sensation reduces fatigue . . . an advantage during lengthy shoots. And competitors know they can count on it for reliability. Available in full or modified trap choke.

Also available for southpaw shooters are left hand versions of the Model 1100 SA skeet grade in 12 and 20 gauges and TB trap gun with full choke. These mirror-image automatic shotguns feature left hand ejection and safeties.



"RXP" Trap and Skeet Loads in 12 gauge team up perfectly with Model 1100 trap and skeet guns for top scores. "RXP" shells give the best practical balance in all factors.




MODEL 1100 EXTRA BARRELS

| | 12.6. | 16 Ga. | 20 Ga. | 20 Ga. Ltwt | 28 6- | 410 Ga. | Retail |
|-------------------------------|---------|---------|----------|----------------|--------|----------|----------|
| Extra Barrels, Pisio | 12 62 | 10 00. | ourue. | LUNC | 20 42. | 1710 04. | 111063 |
| 30" Full Choke | 9500 | | | | | | \$ 49.95 |
| 28" Full Choke | 9502 | 9530 | 9546 | | _ | | \$ 49.95 |
| 28" Full Choke | | | | 6578 | | 1 | \$ 52.95 |
| 25" Full Choke | | | | | 9588 | 9574 | \$ 52.95 |
| 28" Mod. Choke | 9504 | 9532 | 9548 | | | | \$ 49.95 |
| 28" Mod. Choke | | | | 6580 | | | \$ 52.95 |
| 25" Mod. Choke | | | | | 9510 | 9576 | \$ 52.95 |
| 26" imp. Cyl. Choke | 9508 | 9536 | 9552 | | | | \$ 49.95 |
| 26" Imp. Cyl. Choke | | | | 6582 | | | \$ 52,95 |
| 25" Imp. Cyl. Choke | | | | | 6584 | 9578 | \$ 52.95 |
| 22" imp. Cyl. Rifle Sights | 9568 | | 9572 | | | | \$ 60.95 |
| Extra Barrels, Vent. Ri | Ь | | | | | | |
| 34" Full Choke | 6576 | NEW | | | | | \$ 84.95 |
| 30" Full Choke | 9512 | | | | | | \$ 74.95 |
| 28" Full Choke | 9514 | 9538 | 9554 | <u> </u> | L | | \$ 74.95 |
| 28" Full Choke | | | | 9590 | | | \$ 77.95 |
| 25" Full Choke | | | | | 6586 | 9580 | \$ 77.95 |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | L | | \$ 74.95 |
| 28" Mod. Choke | | | | 9592 | | Ι | \$ 77.95 |
| 25" Mod. Choke | | | | | 6588 | 9582 | \$ 77.95 |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | | | | \$ 74.95 |
| 26" Imp. Cyl. Choke | | | I | 9594 | | Ι | \$ 77.95 |
| 25" Imp. Cyl. Choke | | | | | 6590 | 9584 | \$ 77.95 |
| Extra Barrels, Vent. R | b, Trap | & Skeet | Grades | | | | |
| 26" Skeet Choke | 9522 | | 9562 | | | | \$ 79.95 |
| 26" Skeet Cutts Comp. | 9524 | 1 | 9564 | | | | \$104.95 |
| 25" Skeet Choke | | | | | 6592 | 9586 | \$ 82.95 |
| 34" Full Choke | 6594 | | | | | | \$ 89.95 |
| 30" Full Choke | 9526 | | [| | | | \$ 79.95 |
| 30" Mod. Trap Choke | 9570 | | | | | | \$ 79.95 |
| 28" Full Choke | 9528 | | <u> </u> | l | | | \$ 79.95 |
| 28" Mod. Trap Choke | 9566 | | 1 | | | | \$ 79.95 |
| Left Hand Extra Barre | | Rib | | | | | |
| 30" Full Choke | 5682 | NEW | | | | | \$ 76.95 |
| 28" Full Choke | | | 5692 | NEW | | | \$ 76.95 |
| 28" Mod Choke | 5684 | HEW | 5694 | NEW | | | \$ 76.95 |
| 26" Imp. Cyl. Choke | 5686 | NEW | 5696 | NEW | 1 | <u> </u> | \$ 76.95 |
| 30" Full Choke Trap | 5690 | HEW | L | | ļ | <u> </u> | \$ 81.95 |
| 26" Skeet Choke | 5688 | HEW | 5698 | NEW | 1 | 1 | \$ 81.95 |



Model 1100 SA Skeet: 12 Ga., 26" \$224.95 The stand-out skeet gun in any competition. Shooters throughout the world recognize that high skeet scores and the 1100 go hand in hand. Cas-operated automatic action reduces recoil sensation. Lass-swinging hidrarco.





Model 870: 12 Ga., 28" \$159.95 The pump shotgunner's best buy. This 12 gauge 870 uses all 2¾" Magnum, "Express," and standard velocity shells without adjustment. Double action bars for smooth, sure ejection. Variety of intergrouphle barrels for different game.

Model 870: 20 Ga. Lightweight, 28" \$169.95 Ready for a long day in the field. Built on a small steel receiver, this lightweight "Wingmaster" shotgun weighs only about six pounds. Ventilated rib or plain barrel. Rubber recoil pad. Also is allable in Magnum model.

Model 870: 28 Ga., 25" \$169.95 Balanced pump action perfection. Mirror-like "vibra-honed" metal finish and gleaming, scratch-resistant RK-W wood finish. Plain barrel or ventilated rib, interchangeable barrels for increased versatility.

Model 870 "Wi—————" Pump Action Shotguns 12, 16, 20, 28 & 410 Gauges



Model 870: 12 Ga. Magnum, 30" \$179.95

Smooth Shooting Systems with Built-in Strength

More than a million Model 870 owners know the fine points of this proud pump action shotgun. It's built strong to take rough handling in the field. Receivers are machined from solid steel for extra strength. Double action bars... one on each side of the fore-end... assure smooth pumping without twisting or binding. Shot after shot, the Model 870 "Wingmaster" feeds and ejects positively under all shooting conditions.

Another advantage of the 870 is variety of selection. There are correct ges, grades, and specifications for game: field grades in 12, 16, 20, and 410 gauges, Magnums in 12 d 20 gauges, deer guns, 20 gauge lightweight models in Magnum and regular, and 12 or 20 gauge left hand models. Interchangeable barrels allow many choke and barrel length combinations for specific hunting situations. In 12 gauge, there are 21 different combinations. And no factory or gunsmith fitting is necessary.

or long cornfield or waterfowl hunting, choose the Model 870 in 20 or 12 gauge Magnum models. They hoot all 3" Magnum, 23/4" Magnum and high or low-base shells.

The "Wingmaster" 20 gauge Magnum lightweight offers this same capability. The 26" plain barrel light-


weight model weighs only 5% pounds. All lightweight 20 gauge models are designed for hunters who do a lot of walking and shooting.



Smooth looks complement the 870's smooth performance. Remington "vibra-honing" gives a lustrous blue to all metal parts... inside and outside. Inside parts glide smoothly and easily. The exclusive DuPont RK-W wood finish brings out the beauty of the wood and protects it for years of tough, outdoor use. White line spacers at grip and butt add dash.

The Model 870 puts it all together . . . looks, fast handling, and dependable pump action.

Remington "Express" and "Shur Shot" loads insure top performance from Model 870 field grade shotguns Since "Express" and "Shur Shot" loads are used extensively in testing and development of Remington shotguns, they are "made for each other." Together, they give the hunter a truly mated shooting system.



Remington shotgun shells can stand all weather conditions. Remington experience and know-how ... gained from manufacturing literally billions of shotgun shells ... make "Express" and "Shur Shot" as good or better than any in the field. Constant research and improvement promise a hunter a field load he can use to assure many successful hunts

Long-range "Express" loads are available in 12, 16, 20, 28, and 410 gauges . . . "Shur Shot" loads in 12, 16, and 20 gauges



Model 870 Left Hand: 12 Ga., 26" \$164.95 A mirror-image version of this dependable, fast-handling pump action for left handed hunters. Also available in 20 gauge or Magnum 12 gauge, all with ventilated rib barrels. Left hand safety and ejection.

11

Model 870 TB Trap: 12 Ga., 30" \$199.95 Top gun among trapshooting pumps for value and fine features. Crisp trigger pull and smooth, natural pump action. Right and left hand models. Ventilated rib barrel. Rich selected American Walnut stock with "fleur-de-lis" checkering pattern. Monte Carlo stock optional.

MODEL 870 SPECIFICATIONS

For all Remington Model 870 Pump Action Shotguns: STYLE: Manual pump action. BARREL: Special Remington Ordnance Steel. Extra barrels interchangeable within gauge. 20 ga. fight-weight barrels interchangeable only within lightweight models. RECEIVER: Made from solid steel, top matted, chrome-plated boll. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at bast, 1¾" drop at comb. SAFETY: Convenient cross-bolt type. SIGHTS: Metal bead front.

\$ 184.95

| FIELD GRA | DE. | | | | |
|---|----------|--|--------|----------|------------------|
| 12. 16 & 20 GARRES | 12 Ca | Order Nos. | 20.04 | | Retail Prices |
| Model 878 with Plain Barrel | 12 44. | 10 04. | 20 44. | ٠ | Litera |
| 30" Full Choke | 6900 | T | | Τ- | |
| 28" Full Choke | 6902 | 6908 | 6914 | 1 | |
| 28" Mod. Choke | 6904 | 6910 | 6916 | \$ | 134.9 |
| 26" Imp. Cyl. Choke | 6906 | 6912 | 6918 | 1 | |
| Medel 878 Boor Gun "Brushmaster" | 0000 | 1 00.2 | | | |
| 20" Imp. Cyl. Choke Deluxe with Rifle Sights | 6960 | , | 6962 | Ś | 154.9 |
| | 5026 | 1 | | | 129.9 |
| Medel 878 with Yest. Rib Barrel | | | | <u> </u> | |
| 30" Full Choke | 6930 | | | 1 | |
| 28" Full Choke | 6932 | 6938 | 6944 | ١. | |
| 28" Mod. Choke | 6934 | 6940 | 6946 | Į ¥ | 159.9 |
| 26" Imp. Cyl. Choke | 6936 | 6942 | 6948 | 1 | |
| Model 870 Magnum with Plain Sarrel | | لمتنتب | | | |
| 30" Full Choke | 6966 | | | T | |
| 30" Mod. Choke | 6968 | | | | 154.9 |
| 28" Full Choke | | 1 | 6970 | Ĺ | |
| 28" Mod. Choke | | | 6972 | | |
| Medel 876 Magnum with Yent. Rib Barrel | | | | | |
| 30" full Choke | 6976 | T 7 | | T | |
| 30" Mad. Choke | 6978 | | | | |
| 28" full Choke | | | 6980 | 2 | 179.9 |
| 28" Mod. Choke | | | 6982 | 1 | |
| Model 676 Police with Plain Barrel | | | | | |
| 20" Police Cyl. Choke | 5030 | | | | 119.9 |
| 18" Police Cyl. Choke | 5032 | | | 1 > | 119,5 |
| 20" Imp. Cyl. Choke, Rifle Sights | 5028 | | | \$ | 129.9 |
| Medel 870 9 "Tournament" with Vent. Rib Barr | 뻼 | Special | | \$ | 595.0 |
| Medel 879 F "Premier" with Vent. Rib Barrel | | Special | | \$1 | ,295.0 |
| with Gold Inlay | | Special | | \$2 | ,000.0 |
| 20 GAUGE LIGHTWEIGHT | | | | | |
| Medel 870 with Plain Barral | | | | | |
| 28" Full Choke | | 1 | 5176 | Ι | |
| 28" Mod. Choke | | | 5178 | \$ | 144.9 |
| 26" Imp. Cyt. Choke | | | 5180 | L | |
| Medel 870 with Yeat. Rib. Barrel | | | | | |
| 28" Full Choke | | | 5182 | Γ | |
| 28" Mod. Choke | | | 5184 | \$ | 169.9 |
| 26" imp. Cyl. Choke | | | 5186 | L | |
| Model 870 Magness with Plain Barrel | | | | | |
| 28" Full Choke | | | 5188 | \$ | 164.9 |
| Medel 870 Magnum with Vent. Rib Barral | | | | | |
| 28" Full Choke | | | 5190 | \$ | 189.9 |
| LEFT HAND 12 & 20 GAUGES Left hand ejection a | nd safet | у | | | |
| Medel 870 LH with Vent. Rib Barrel | | | | | |
| 30" Full Choke | 5510 | | | | |
| 28" Full Choke | | | 5528 |]. | 164.9 |
| 28" Mod. Choke | 5514 | | 5530 |] * | 104.3 |
| 26" Imp. Cyl. | 5516 | 1 | 5566 | 1 | |
| | | | | | |

12, 18 & 20 SAUGES — CHAMBER: 2¾" standard velocity, "Express", and 2¾" Magnum shells for 12, 16, and 20 ga. 3" Magnum and all 2¾" shells for 12 and 20 ga. Magnum models. CAPACITY: 5-shot. 3-shot plug furnished. STOCK & FORE-END: Rich American Walnut. Mahogany for 20 ga. Lightweight. OVER-ALL LENGTH: 48½" with 28" barrel. AVERAGE WEIGHT: 12 ga. - 7 lbs., 16 ga. - 6¾ lbs., 20 ga. - 6½ lbs., 20 ga. Lightweight - 5¾ lbs. (with 26" plain barrel), 20 ga. Lightweight Magnum - 6 lbs. (with 26" plain barrel).

| 28 & 410 GAUGES | | Order Nos. 28 Ga. 410 Ga. | | |
|---------------------------------|------|--------------------------------|-----------|--|
| Model 870 with Plain Barrel | | | · | |
| 25" Full Choke | 4868 | 4948 | | |
| 25" Mod. Choke | 4904 | 4950 | \$ 144.95 | |
| 25" tmp. Cyl. Choke | 4916 | 4978 | | |
| Model 870 with Vent. Rib Barrel | | | | |
| 25" Full Choke | 4918 | 4986 | | |
| 25" Mod. Choke | 4920 | 5086 | \$ 169.95 | |
| 25" Imp. Cyl. Choke | 4932 | 4990 | _ | |

28 & 410 GAUGES — CHAMBER: 2¼" standard velocity and "Express" shells fig., 3" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4 with 3" 410 ga. shells. 3-shot plug furnished. STOCK DIFFUSIONS: 13%" long. 2½" drop at lenel, 1½" drop at lenel, 1½" drop at lenel, 1½" drop at lenel, 1½" long application of the standard sta

TRAP & SKEET

| IRAF | # 2VF | E1 | | | | |
|--|-----------|---------|----------|---------|-----|------------------|
| | 12 Ga | | r Nos. | 410 Ga. | [| Retail Prices |
| Model 870 "All-American" Trap Gun | 12 02. | 120 02. | 1 20 02. | 710 00. | ٠. | 111000 |
| 30" Full Choke | 5212 | ī | | | 1 | |
| 30" Full Choke Monte Carlo Stock | 5214 | | | | 1 2 | 550.00 |
| Model 870 TB Trap with Yent. Rib Barrel | | | | | _ | |
| 30" Full Choke | 4926 | | | | | 100.00 |
| 30" Mod. Trap Choke | 5006 | | | | 1 > | 199.95 |
| 30" Full Choke Monte Carlo Stock | 4906 | | | | 1. | 200.05 |
| 30" Mod. Trap Choke Monte Carlo Stock | 5034 | | | | \$ | 209.9 |
| Madel 870 TB Left Hand with Vent. Rib Ba | rrel | | | | | |
| 30" Full Choke | 5518 | | | | \$ | 204.95 |
| 30" Full Choke Monte Carlo Stock | 5520 | | | | \$ | 214.95 |
| Model 879 TC Trap with Vent. Rib Barrel | | | | | | |
| 30" Full Choke | 4938 | | | | | 274 95 |
| 30" Mod. Trap Choke | 5036 | | | | 1 | 2/4.5 |
| 30" Full Choke Monte Carlo Stock | 4912 | | | | | 284.95 |
| 30" Mod. Trap Choke Monte Carlo Stock | 5044 | | | | 1 * | 204.5 |
| Model 870 SA Skeet with Vent. Rib Barrel | | | | | | |
| 26" Skeet Choke | 6988 | 6992 | | | \$ | 164.95 |
| 26" Skeet Choke with Cutts Comp. | 6990 | 6994 | | | \$ | 189.95 |
| 25" Skeet Choke | | | 4934 | 4996 | \$ | 174.95 |
| Model 870 SC Skeet (Fancy Wood) with Ver | t. Rib Ba | arrel | | | | |
| 26" Skeet Choke | 5136 | 5140 | | | \$ | 239 95 |
| Model 870 D "Tournament" Grade | Spe | ecial | | | \$ | E A |
| Model 870 F "Premier" Grade Special | | | | | \$1 | .2 |
| "Match-Weight" Skeet Cap for Small Gaug | e 870 | | 6336 | 6336 | \$ | 9.95 |

All specifications are same as Field Grade guns in appropriate gauges, except: STOCK & FORE-END: Rich American Walnut on 28 ga. and 410 ga. Skeet. STOCK DIMENSIONS: For regular Trap with recoil pad: 144% long, 11% drop at heel, 11½ drop at comb. For Monte Carlo Trap with recoil pad: 144% long, 11% drop at heel, 11½ drop at comb. 11½ drop at M.C. For Skeet: 13% long, 2½ drop at heel, 11½ drop at comb. SIGHTS: Ivory bead front, metal bead rear. AVERAGE WEIGHT: 28 ga. Skeet 6 lbs., 410 ga. Skeet - 6½ lbs. (adjustable weight will add up to 12 oz. in Skeet guns).

12, 20, 28 & 410 Gauges

Superior Shooting Systems for Higher Scores

Reliability in competition continues to be the 870's hallmark. Clay target shooters know they can trust the double action bars for faultless ejection. The solid steel receiver assures them of maximum strength. Balance and superb feel have made the Model 870 a championship performer for trap and skeet shooters for more than 20 years.

New last year, the 870 "All-American" trap gun has many "Premier" Grade features. Its distinctive color medallion and stylish appearance highlight superb 870 trapshooting qualities.

The TC grade features fancy wood and hand checkering. TB grade mod-

els cost a little less and provide the same flawless dependability. All come with ventilated rib barrels and rubber recoil pads. Monte Carlo stocks are optional. TB and TC grades are available in full or modified trap chokes. Left hand TB models with full chokes eject on the southpaw side of the receiver, helping left handers shoot more comfortably.

Pump action skeet shooters can pick a Model 870 SA skeet gun in all four gauges... or a deluxe SC grade with fancy hand-checkered wood in 12 or 20 gauges. Barrels for these guns are specially skeet-bored.

All Model 870 trap and skeet guns are finished to perfection . . . with exclusive "vibra-honed" metal finish inside and out . . . with the tough, gleaming DuPont RK-W wood finish. Each of these championship performers points at clay targets with ventilated rib barrel, metal rear bead, and ivory bead front sight. All make clay target shooting a positive, pump action pleasure.

Remington target loads for all gauges put high-performance features in your Model 870. These target loads take over where the 12 gauge "RXP" leaves off . . . in 16, 20, 28, and 410 gauge events. All score high with trap and skeet shooters.



MODEL 870 EXTRA BARRELS

| 1 | | | | r Nes. 20 Sa. | | | Retail |
|-------------------------|---------|--|--|--|--------|--|----------|
| · · | 12 Ga. | 16 Ga. | Stand. | Ltwt. | 28 Sa. | 410 Ga. | Prices |
| Extra Barrels, Plain | | | | | | | |
| 30" Full Choke | 6214 | | | | | ī | \$ 39.95 |
| 28" Full Choke | 6216 | 6252 | 6270 | | | | \$ 39.95 |
| 28" Full Choke | | | | 6296 | - | | \$ 42.95 |
| 25" Full Choke | | | | 02.30 | 6282 | 6236 | \$ 42.95 |
| 28" Mod. Choke | 6218 | 6254 | 6272 | | - | | \$ 39.95 |
| 28" Mod. Choke | 0210 | 1 4207 | 102/2 | 6298 | | 1 | \$ 42.95 |
| 25" Mod. Choke | | | | 0200 | 6284 | 6238 | \$ 42.95 |
| 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | + | 0204 | 0200 | \$ 39.95 |
| 26" imp. Cyl. Choke | 022.0 | 0200 | 0274 | 6300 | ├ | | \$ 42.95 |
| 25" Imp. Cyl. Choke | | | | 0000 | 6286 | 6248 | \$ 42.95 |
| 20" Cyl. Choke | 6598 | | | | 0200 | 02.40 | \$ 39.95 |
| 20" Imp. Cyl. Rifle | | | | | ├── | | 00.00 |
| Sights | 6544 | } | 6230 | Ì | } | } | \$ 50.95 |
| Extra Barrels, Vent. Ri | b | | | | | | |
| 34" Full Choke | 6304 | NEW | T | 1 | | | \$ 74.95 |
| 30" Full Choke | 6222 | 1 | | T | T | 1 | \$ 64.95 |
| 28" Full Chake | 6224 | 6258 | 6276 | T | 1 | T | \$ 64.95 |
| 28" Full Choke | | \vdash | | 6322 | | | \$ 67.95 |
| 25" Full Choke | | 1 | 1 | | 6288 | 6250 | \$ 67.95 |
| 28" Med. Choke | 6226 | 6260 | 6278 | | | - | \$ 64.95 |
| 28" Mod. Choke | | I | · · | 6324 | | 1 | \$ 67.95 |
| 25" Mod. Choke | | | | | 6290 | 6264 | \$ 67.95 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | | | | \$ 64.95 |
| 26" Imp. Cyl. Choke | | | | 6326 | | | \$ 67.95 |
| 25" Imp. Cyl. Choke | | L | L | | 6292 | 6266 | \$ 67.95 |
| Extra Barreis, Vent. Ri | b, Trap | & Skee | t Grades | | | | |
| 34" Full Choke | 6340 | | 1 | | T | | \$ 79.95 |
| 30" Full Choke | 6242 | | T | | | | \$ 69.95 |
| 28" Full Choke | 6244 | | | | | Ī | \$ 69.95 |
| 30" Mod. Trap Choke | 6232 | | | | | 1 | \$ 69.95 |
| 28" Mod. Trap Choke | 6246 | | | | Ī | Ţ.—— | \$ 69.95 |
| 26" Skeet Choke | 6240 | | 6508 | 1 | 1 | | \$ 69.95 |
| 26" Skeet Cutts Comp. | 6450 | Γ^{-} | 6456 | | | | \$ 94.95 |
| 25" Skeet Choke | | | | | 6294 | 6268 | \$ 72.95 |
| Lolt Hand Extra Barre | k, Vaal | | | | | | |
| 30" Full Choke | 6200 | T | T | | | | \$ 66.95 |
| 28" Full Choke | | \Box | 6208 | 1 | | | \$ 66.95 |
| 28" Mod. Choke | 5202 | 1 | 6210 | | | | \$ 66.95 |
| 26" Imp. Cyl. Choke | 6204 | | 6212 | 1 | 1 | | \$ 66.95 |
| 30" Full Choke Trap | 6206 | + | + | + | + | + | .95 |
| | | | | | | | _ |



1 870 "All-American" Trap: 12 Ga., 50.00 Exceptional scroll-design endecorates receiver, trigger guard, at portion of barrel breech. Finely-red stock and fore-end of fancy an Walnut. Gold oval pistol grip heral carrying case.

R 1973 n Trap & Skeet Equipment




"Blue Rock" Clay Targets


The streamlined design of famous Remington "Blue Rock" targets increases flight distance. Weight is balance-fixed. The dome is thin and the rim heavy for stability and spin. Strong rims also make "Blue Rock" targets easier to stack.

New luminous orange and standard bright yellow colors make these claybirds easy to pick up under all conditions. And they break readily when hit by only a few pellets. All of these features add up to greater shooting pleasure and higher scores. "Blue Rock" targets are packed 135 per carton.

Remington Target Thrower

This quality-made hand thrower lets you enjoy shotgunning practice any time and anywhere. The Remington target thrower easy to use. All that are needed are time Rock" targets, a willing arm, and safe location. A few practice throws permit beginners to establish distance and direction. Simulate game, trap, or set situations to improve your shootfor the hunting season. Great fun for family . . . and an excellent way to teach a youngster.





"Expert" Trap

age, or boat. Strong, lightweight, and hipact enough for weekend trips in boat or car. This "Expert" trap is easy to load and operate. It adjusts for throwing ets at various elevations and discrets to suit the shooter.

• the "Expert" trap is inexpensive and operate, many shooters utilize it

 $(x_1, x_2, \dots, x_n, x_n) = (x_1, x_2, \dots, x_n) = (x_1, \dots, x_n)$


for walk-around shooting courses and covey-rise trapshooting layouts. It gives perfect simulation of actual game shooting when used correctly in such instances. Shooting instructors find the "Expert" trap a valuable teaching aid.

Write for a free brochure on Remington Gun Club Traps.


"Blue Rock" Trap

This manually-operated trap is designed for straight trap or skeet shooting. It is especially well-suited for small clubs and private estates. The shovel-type carrier, similar to those used on more expensive traps, insures fast rotation, uniform direction and distance.

The trap is cocked manually by pulling the carrier back to the "ready" position. Releases high, low, and doubles by moving a simple control lever.



Remington Cent. Rifles Rifle, Revolver & Pistol





New Model 700 BDL Custom Deluxe Left Hand: 7mm Rem. Magnum \$194.95 High accuracy and strength designed specifically for lefties. Everything on this mirror-image 700 accommodates left handed big game hunters. Left handed bolt, safety, and cheekpiece. Left handed 700s are available only in BDL grade in 7mm Rem. Mag., 30-06, and 270 Win. calibers. All come with sling strap and swivels, hinged floor plate, hooded front sight, white line spacers, black fore-end tip.




Model 700 ADL Deluxe: 30-06 \$154.95 This low-priced version of the high-powered 700 has most of the important 700 BDL teatures: jeweled bolt, shrouded bolt cover, RK-W wood finish, and extreme accuracy. Monte Carlo stock with cheekpiece and flat-faced gold bead with ramp front sight.

Model 700 BDL "Varmint Special": 222 Rem. \$189.95 In Remington 25-06, 222, 223, 22-250, 6mm calibers and 243 Win. Heavy barrel for exceptional accuracy. Equipped for scope bases. Quick release swivels and "quick-adjust" sling strap. Custom-checkered Monte Carlo stock with cheekpiece.

Model:

1973 ter Fire Bolt Action Rifles



Model 700 BDL Custom Deluxe: 30-06 \$174.95

Ultimate Bolt Action Shooting Systems

1 nequalled variety of caliber selection sets the Model 700 apart from way other bolt action rifle. It comes in 17 calibers for every type of hunting . . . from varmints to elephants.

the Model 700 is a wise choice for ting-range work. It's designed and iilt for strength and accuracy. The sons for its strength are the three ags of solid steel . . . bolt head, sarrel, and receiver . . . that surround e cartridge head. No extractor cuts aken this critical area. This conaction forms one of the strongest inter fire bolt actions made.

· handsome appearance of the del 700 BDL Custom Deluxe outnoes many custom-made rifles. The tine American Walnut stock is deogned to improve balance, grip, and sighting . . . with deep, traditional I eckering. The DuPont RK-W finish toughens and highlights its wood fin-

· 中国创新的企业的公司,但是是有时间的公司的数据的数据的

ish, accented by white line spacers and black fore-end tip. "Quick-adjust" sling strap with swivels and hooded front sight are standard on BDL models. Both BDL and ADL Deluxe 700s are equipped with jeweled bolts and shrouded bolt covers to keep out grit. Unique low profile safeties will not accidentally move on or off. All have Monte Carlo stocks with cheekpiece, checkered bolt knobs, and detachable sights for scope mounting. Receivers are drilled and tapped for scope mounts.

The heavy-barreled Model 700 BDL "Varmint Special" is made in seven varmint calibers for small-target, long-range precision shooting. Available on special order only, the Model 700 "Custom" offers a choice of personalized specifications in a variety of calibers and features. Select American Walnut stocks are hand checkered. Highly polished receiver and barrel . . . with or without sights. The 700 "Custom" is personalized for the discriminating shooter.

"Core-Lokt" and "Power-Lokt" bullets meet the Model 700's versatility challenge. Used to test each 700. these center fire cartridges perform best in Remington rifles.



"Core-Lokt" bullets are loaded in 26 big game calibers. Broad selection in bullet weight and types let hunters totally coordinate their shooting system for highest efficiency. Most "Core-Lokt" bullets have built-in applications for specific game or situations. "Power-Lokt" bullets are super accurate for target shooters and varmint hunters.

MODEL 700 SPECIFICATIONS

STOCK: American Walnut, checkered. BDL and Varmint Models include sting strap and quick release swivels, black fore-end tip and white line spacers. STANDARD STOCK DIMENSIONS: 13½" length of pull, 2½" drop at heel, 1½" drop at comb (from open sight line). RECEIVER: One-piece ordinance steel with jeweled bolt. Drilled and tapped for scope mounts and receiver sights, BDL has hinged floor plate. Varmint model has 40XB type scope mounts. SIGHTS: Flat faced gold bead with ramp front sight. Hooded ramp on BDL flet adjustable rear sight with windage adjustment screw. Rear sight removable for addition of scope block without drilling or tapping. Varmint model without sights. SAFETY: Positive thumb type. BDL Models with left hand cheekpiece have left hand safety, bolt, and ejection. Model 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order No. 5:28.2 — \$9.10 extra. "CUSTOM" MODEL 700 — Manufactured to customer specifications, 20", 22", or 24" barrel; with or without floor plate; with hunting sights, or plain barrel with recoil pad. Extra charge for recoil pad, oil-finished stock, left hand cheekpiece. Only ordnance steel barrels supplied. Orders non-canceliable; sllow up to four months for delivery.

| | | 1 | Barrel | Length | Overali | Longth | Weigh | t Lbs. | 701 | DADŁ | 701 | BDL | "Yarmir | it Special" | "Custom | " Model |
|--------------------------|------------|-----------|--------|--------------|---------|---------------|-------|--|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|
| | | Twist-R H | | Var. | Reg. | Yar. | Reg. | Var. | Order Nos. | Retail Prices | Order Nos. | Retail Prices | Order Nos. | Retail Prices | Order Nos. | Retail Prices |
| Rem. | 6 | 9" | 24" | | 431/2" | | 7 | | | | 6046 | \$189.95 | | | | |
| -250 Rem. | 5 | 14" | 24" | 24" | 431/2" | 431/2" | 7 | 9 | 6054 | 6354.05 | 6080 | 6174.05 | 6118 | | Special | |
| 2 Rem. | 6 | . 14" | 24" | 24" | 431/4" | 431/2" | 7 | 9 | 6052 | \$154.95 | 6038 | \$174.95 | 6116 | } | Special | 1 |
| 3 Rem. | 6 | 12" | | 24~ | | 431/2" | | 9 | | | | | 6120 | | Special | |
| -06 Rem, | 5 | 10~ | 24~ | 24" | 443/2" | 441/2" | 7 | 9 | 5954 | | 5944 | • | 6048 | \$189.95 | Special | |
| nm Rem. | 5 | 9" | 22" | 24" | 411/2" | 431/2" | 7 | 9 | 6056 | 1 | 6082 | 1 | 6122 | 1 | Special | 1 |
| 13 Win. | 3 | 9" | 22" | 247 | 411/2" | 431/2" | 7 | 9 | 6058 | \$154.95 | 6084 | \$174.95 | 6124 | 1 | Special | \$345.0 |
| 0 Win. | 7 5 | 10" | 22" | | 421/2" | | 7 | | 6062 | 1 | 6088 | 1 | | | Special | 1 |
| 0 Win, Left Hand | 5 | 10" | 22" | <u> </u> | 421/2" | | 7 | | | NEW | 5746 | \$179.95 | T | | Special | 1 |
| -06 | 5 | 10" | 22" | | 421/2" | | 7 | | 6078 | \$154.95 | 6102 | \$174.95 | | | Special | 1 |
| -06 Left Hand | 5 | 10" | 22" | | 421/2" | | 7 | | T | NEW | 5748 | \$179.95 | | | Special | 1 |
| & Win. | 5 | 10" | 22" | | 411/2" | | 7 | | 6076 | \$154.95 | 6100 | \$174.95 | <u> </u> | | Special | 1 |
| m Rem, Mag. | 4 | 9" | 24" | | 441/2" | | 71/2 | t | 6074 | \$169.95 | 6098 | \$189.95 | | | Special | |
| ının Rem. Mag. Left Hand | 1 4 | 9" | 24" | 1 | 441/2" | | 71/2 | | · · · · · · · | NEW | 5752 | \$194.95 | | | Special | \$ 357. |
| 4 Win. Mag. | 4 | 9" | 24" | | 441/2" | | 71/2 | | | | 6086 | | | | Special | |
| Rem. Mag. | 4 | 9" | 24" | | 43% " | | 71/2 | | | | 5924 | 1 | | | Special | |
| Pem. Mag. | 4 | 16" | 24" | | 43%~ | - | 71/2 | | | | 5926 | \$189.95 | | | Special | \$357. |
| Win. Mag. | 4 | 10" | 24" | 1 | 441/2" | | 71/2 | 1 | | | 6104 | 1 | | | Special | |
| H&H Mag. | 14 | 12" | 24" | | 441/2" | | 9 | | | | 6106 | | | | | |
| | 1 | 10 100 | | - 15-0° I | | in the same | | | | ATTACA | | \$344.95 | | | | |





Model 742 BDL Custom Deluxe: 30-06 \$199.95 The modern automatic for to-day's hunters. Basket weave checkering and Monte Carlo stock with full cheek-piece. Fast-loading clip magazine. In 30-06 and 308 Win, calibers.

Model 742 BDL Custom Deluxe Left Hand: 30-06 \$199.95 Reversed left hand cheekpiece and left hand safety. Same accuracy and tight, safe lock-up. Receiver drilled and tapped for scope mounts. Available only in 30-06 and 308 Win.

Model 742 Carbine: 30-06 \$179.95 perfect brush gun. Short 18½" barrel icquick pointing. Ramp front sight and step adjustable rear sight. Tapered foreend with black tip. 30-06 and 308 Win. calibers only.

1973.

nter Fire Automatic Rifles



Model 742: 30-06 \$179.95

rouble-free Shooting Systems Engineered for Accuracy and Dependability

utomatic rifle accuracy depends teatly on its speed of operation. So emington designed the 742 for the otimum rate of operation. It is nough to maintain the advantage of sing an automatic . . . yet slow nough to let the hunter recover com recoil. These truly modern automatics permit a hunter to make the strong to the accuracy built into the Less recoil means greater concollingiving the hunter a better chance keeping his sight picture from not to shot.

Il-weather dependability is another odel 742 feature. It's built to meet ie outdoors head-on . . . to function lectly under most temperature adverse weather conditions. odel 742 automatics are engineered ir great strength. This strength origiites from an artillery-type bolt with ultiple locking lugs. When the acon is closed, the lugs lock bolt to irrel as tightly and securely as adinced Remington engineering can evise. Remington doubly insures 742 rength inside the action. When the ill locks, the cartridge head is suranded tightly by three rings of steel bolt, barrel, and receiver.

hove all, you want trouble-free opation from an automatic . . . and a 742 "Woodsmaster" functions reably to make every shot count. Inrior working parts are coated with uPont "TEFLON S." This frictionreducing substance gives longer wear, self-lubricates, resists dirt and oil, and makes cleaning easier.

The Model 742 rifle offers a choice of five popular hunting calibers. Easy-handling 742 carbines in 30-06 and 308 Win. calibers make great guns for brush or rough-country hunting. BDL Custom Deluxe left hand versions with reverse cheekpieces and safeties provide left handers the opportunity to hunt automatically in comfort. Special D "Peerless" and F "Premier" Grades are available on special order.

Shoulder the regular grade with its standard stock and gently tapered fore-end. Notice the fine cheek-towood feel. The BDL Custom Deluxe grade goes two better with its distinctive basket weave checkering and Monte Carlo stock with full cheekpiece. All models show off distinctive black fore-ends and grip caps, white line spacers, and fine wood. Every 742 has its own fast-loading removable clip magazine, convenient bolt release, ramp front sight and adjustable rear sight. Receivers are drilled and tapped for scope mounts. Safeties are positive cross-bolt type. Exclusive Remington wood and metal finishes maintain the 742's outer strength and give it a rich appearance. Remington introduced the first automatic rifle in 1906, and Remington is still the best in automatic action.

Remington center fire cartridges are favorites . . . because of Remington ballistics know-how and top-quality components. Advanced "Core-Lokt" and "Power-Lokt" bullet designs bond core and jacket. Highest-quality brass, selected progressive burning powder, and "Kleanbore" primers go into each.



Constant Remington testing and quality control assure the hunter of controlled expansion. For big game, "Core-Lokt" bullets in a wide variety of weights and types make their mark. "Power-Lokt" bullets are superaccurate for target shooters and varmint hunters. For best results, use Remington center fire ammunition in your Model 742 automatic.

MODEL 742 SPECIFICATIONS


STOCK & FORE-ENO: American Wainut. STANDARD STOCK DIMENSIONS: 1314" length of pul., 214" drop at heel, 114" drop at comb. Deluxe Model: 1314" length of pull, 214" drop at heel, 114" drop at comb. 114" drop at Monte Carlo. RECEIVER: Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine plus one in chamber. SIGNIS: Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. SAFETY: Positive cross-both Deluxe models with left hand cheekpieca have left hand safety, right side ejection with carlot carl

| Calibers | Twist-R II 1 Turn in | Barrel Length | Gverall Langth | Order Nes. | Retail Frices |
|------------|-------------------------|------------------|-------------------|---------------|------------------|
| k- 1ef 742 | _ | | | | |
| Pern. | 9* | 22~ | 42" | 9632 | T |
| titis | 9* | 22~ | 42~ | 9634 |] |
| 9 | 10~ | 22~ | 42" | 9636 | \$ 179.95 |
| ₩ın, | 10- | 22- | 42" | 9638 | 7 |
| , Win, | 9" | 22. | 427 | 9648 | 1 |

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overall Length | Order Nos. | Retail Prices |
|--------------------------|------------------------|------------------|-------------------|--------------------|------------------|
| Model 742 Carbine | | | | | |
| 30-06 | 10" | 181/2" | 381/2" | 9670 | \$ 179.95 |
| 308 Win. | 10" | 181/2" | 381/2" | 9672 | 3 1/3.33 |
| Model 742 BDL Deluxe | | | | | |
| 30-06 | 10" | 22" | 42" | 9666 | 1 |
| 30-06 Left Hand | 10" | 22" | 42" | 9668 | - 100.00 |
| 308 Win. | 10" | 22" | 42" | 9640 | \$ 199.95 |
| 308 Win. Left Hand | 10" | 22" | 42" | 9644 | 1 |
| Model 742 D "Peerless" | Grade | | | Special | \$ 595.00 |
| Model 742 F "Premier" G | rade | | | Special | \$1,295.00 |
| ACCESSORIES | | | | | |
| Sling Strap & Quick Rele | se Swivel (Install | ed) | | 6094 | \$ 9.10 |
| Extra 4-Shot Clip | | | | Specify Caliber | \$ 5.25 |

2





Model 788: 22-250 Rem. \$99.95 Astonishing for its high accuracy, strength, and low price. Monte Carlo stock. Ramped blade front sight and U-notch rear sight. Receiver drilled and tapped for scope mounts.


and the second of the second o

Model 788 Left Hand: 6mm Rem. \$104.95 The bolt handle and safety are reversed for left handed shooting ease. Super-fast lock time for unusual accuracy. Detachable clip magazine. Available in 6mm Rem. and 308 Win. calibers.

10del 760 "Gamemaste" Fire Pump Action Rifles

Model 788 Center Fire Bolt Action Rifles

Popular Shooting Systems for Big Game



Model 760: 6mm Rem. \$154.95

Model 760 "Gamemaster" pump tion in 30-06 is a fine deer rifle. fact, Remington experts recomand it for deer hunting ahead of popular 30-30 lever actions. In perienced hands, it's faster than a er action. Twin action bars elimte fore-end twisting or binding. e lore-end comes back straight and t in a natural movement. Your ger stays on the trigger while you ik the action for fast additional its, if necessary.

hther important design feature is fire-control mechanism. Unlike ist lever actions, the entire 760 ger assembly stays in the rifle dur-; operation . . . eliminating possible salignment, grit in the assembly, ! pinched fingers.

. 60 action is strong because of solid steel receiver, artillery-type

bolt, and multiple-lug locking system. It's the only pump action rifle available in 30-06. And it also comes in 6mm Rem., 308. Win., 270 Win., and 243 Win. The receiver and interior parts are "vibra-honed" to make them mirror smooth and shiny . . . burr-free for smooth-as-silk operating ease. Deep blueing and DuPont RK-W wood finish insure the 760's ability to handle the rough outdoors.

All 760 rifles and carbines feature black fore-end tips and grip caps and white line spacers. Standard grades favor skip-line checkering. BDL Custom Deluxe models have basket weave checkering and Monte Carlo stocks with full cheekpiece; left hand BDL grades with reversed cheekpiece and safety. A 760 carbine with 181/2" barrel is also available. Removable four-shot clips. Receiver drilled and tapped for scope mounts.

Model 788 Center Fire Bolt Action Rifles have achieved an enviable reputation for pinpoint accuracy, strength, and low cost. Built in left or right hand models to give hunters a low-priced center fire rifle in popular, modern calibers.

The unusual accuracy of the 788 stems from its extremely fast lock time. This interval between triggerpull and primer ignition is so fast that the bullet leaves the barrel before any of the other ten competitive models tested. Model 788 strength is in the nine locking lugs on the bolt and their fit to the grooved receiver. They lock up tight and secure to handle the potent 22-250 Remington cartridge. The 788 is also available in 222 and 6mm Rem., 243 and 308 Win. calibers. With its clean lines, superb accuracy, and strength, the Model 788 is a fine economy rifle.

MODEL 760 SPECIFICATIONS

JCK & FORE-END: American Wainut. STANDARD STOCK DIMENSIONS: 131/4" length pull, 21/4" drop at heel, 11/6" drop at comb. Deluxe Model: 131/4" length of pull, at drop at heel, 11/6" drop at comb. 11/6" drop at Monte Carlo. RECEIVER: Drilled 1 tipped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine is the in chamber. SIGHTS: Flet faced gold bead with ramp front sight. Step justable rear sight with windage adjustment screw. SAFETY: Positive cross-bolt type. luxe models with left hand cheekplece have left hand safety, right side ejection—no extra charge. WEIGHT: Approx. 73/2 lbs. Carbine weighs approx. 63/4 lbs.

| Calibers | Twist-It H 1 Turn in | Barrel Length | Oversii Length | Order Nos. | Retail Prices |
|---------------------------|-------------------------|------------------------|--|---------------|------------------|
| del 760 | | | · | | |
| m Rem. | 9* | 22" | 42" | 5900 | T |
|) Yfin. | 10~ | 22" | 42" | 9726 | 1 ' |
| 06 | 10~ | 22" | 42" | 9730 | \$ 154.95 |
| 3 Win. | 10~ | 22" | 42" | 9732 | 1 |
| 3 Win. | 9~ | 22** | 42" | 9678 | 1 |
| : 760 Carbins | | | • | | |
| U: | 10" | 181/2" | 381/2" | 9698 | 1 |
| £ +68 | 10* | 181/2" | 3844" | 9714 | \$ 154.95 |
| del 760 BDL Custom Deluxe | | | | | |
| Win. | 10" | 22‴ | 42" | 9708 | |
| Win. Left Hand | 10~ | 22" | 42" | 9712 | 1 |
| 06 | 10~ | 22~ | 42" | 9692 | 1 |
| ∂: Left Hand | 10" | 22~ | 42" | 9694 | \$ 174.95 |
| •. | 10~ | 22" | 42" | 9706 | 7 |
| Left Hand | 10~ | 22" | 42" | 9710 | 1 . |
| il D "Peerless" Grad | | | | Spec. | \$ 595.00 |
| ind F "Promier" Grad | San Sangara | and the second section | Alana da | Spec. | \$1,295.00 |

MODEL 788 SPECIFICATIONS


STOCK: Walnut finished hardwood, Monte Carlo type. STANDARD STOCK DIMENSIONS: 13%" length of pull, 2%" drop at heel, 1.%" drop at comb (from open sight line). RECEIVER: Drilled and tapped for scope mounts and receiver sight. Detachable clip magazine. SIGHTS: Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. SAFETY: Positive thumb type. Left hand models with left hand bolt and safety, right side ejection. WEIGHT: Approx. 7% lbs. For 222 Rem. and 22-250 Rem., 7% lbs.

| Calibers | Clip Mag. Cap. | Twist-R H 1 Turn in | 861. Lgth. | G.A. Lgth. | Av. Wt. Lbs. | Order Nos. | Retail Prices |
|--------------------|-------------------|------------------------|---------------|---------------|-----------------|---------------|------------------|
| Medel 788 | | | | | | | |
| 222 Rem. | 4 | 14" | 24" | 43%" | 71/4 | 9722 | \$ 99.95 |
| 22-250 Rem. | 3 | 14" | 24" | 435%" | 71/2 | 9736 | \$ 99.95 |
| 6mm Rem. | 3 | 9″ | 22" | 42" | 71/4 | 9784 | \$ 99.95 |
| 6mm Rem. Left Hand | 3 | 9" | 22" | 42" | 71/4 | 9786 | \$104.95 |
| 243 Win. | 3 | 9" | 22" | 42" | 71/4 | 9782 | \$ 99.95 |
| 308 Win. | 3 | 10" | 22" | 42" | 71/4 | 9780 | \$ 99.95 |
| 308 Win, Left Hand | 3 | 10" | 22" | 42" | 71/4 | 9788 | \$104.95 |

| Accessories for Model 760 | | | |
|--|------|----|------|
| Sling Strap & Quick Release Swivels (Installed) | 6096 | \$ | 9.10 |
| Extra 4-Shot Clip (Specify Caliber) | | \$ | 4.50 |
| Accessories for Medel 788 | | | |
| Sling Strap & Quick Release Swivels (Installed) 6426 | | | |
| Extra Clip (Specify Caliber) | | \$ | 4.50 |

Forty years ago, we made the best over-and-under shotgun in the world. Now, we're making it again. Only better:

Introducins Reminston 3200



Straight-line recoil—it reduces recoil sensation and helps keep you on target for the second shot. The 3200 was designed with a lower center of gravity in the bottom barrel. So recoil is straight back and is absorbed by your shoulder rather than your cheek. A shooter's face is more sensitive to recoil than his shoulder; therefore, a gun with less muzzle jump produces less recoil sensation and allows for faster recovery with the second shot.

In most shotguns, the line of recoil is above the top of the stock. This causes the muzzle to jump up after firing, and more recoil is felt in your cheek than your shoulder. This upward muzzle movement slows your swing and interferes with quick pointing for the next shot.

Separated barrels—the advantages are many, but primarily they help you shoot straighter, shot after shot. All over-and-under shotguns are subject to great heat and pressure. And as the heat builds up, the metal expands. So if one barrel gets hotter than the other—as often happens—it will expand and elongate. If the barrels are solidly attached to one another, the elongation of one barrel will act directly on the alignment of the second. When this occurs, the barrels' point of impact can change.

In the 3200, this problem is eliminated through the use of separated barrels. There's an air space between barrels. And where the barrels are joined at the muzzle, a barrel band spacer allows each barrel to elongate independently. So it doesn't matter how much hotter one

ing loose of a soft solder bond due to recoil). The rib on the Remington 3200 is silver brazed, rather than soft soldered, and that's a real tough bond.

The space between the barrels also helps keep them cooler by allowing air to circulate around them.

Od

Ιt

nt

1 0

fE


te

ħd

01

ce

'nŧ



barrel gets than the other-the point of impact won't drastically change.

This independent elongation of the barrels allows us to scientifically pre-set the optimum point of impact for each barrel, so that the shooter will always get the best possible point of impact.

The separated barrel construction also allows us to use more steel in the barrels at the breech and to provide stronger, more uniformly durable chambers.

We have also eliminated the problem of popping ribs (the break-

This gives you other advantages, too. For example, you don't get interfering heat waves which can blur your sight picture, there's less wind resistance when you're swinging your gun, and there's no chance for moisture to collect between the barrels. In short, we think it's the best possible design you can have in an over-and-under shotgun.

Super-fast lock time. The lock time in the 3200 is 1.4 to 1.8 milliseconds. We think it's the fastest lock time of any shotgun available





For years, shooters have been asking us, "When are you going to make the old Model 32 again?" Now we are. With extra features that make it an even better gun. Here's the story on the NEW REMINGTON 3200:

anywhere. We've tested a wide variety of models and haven't found pything faster. In fact, in the 3200, we shot is out of the barrel before it may be shot is out of the barrel before it shooters and hunters know what this can do to increase performance.

Unique, new barrel selector. The 3200 has a combination safety



and barrel selector. With one "fast" motion, you can select either the top or bottom barrel, and it's possible to lock trap and skeet guns in position for as long as you like. It can't be tampered with or "accidentally" switched.

Positive action mechanical fire control. Many over-and-under shot-guns have an inertia fire control system which requires recoil to cock the gun for the second shot. If, for some reason, the first barrel doesn't fire, the second won't, either.


The design of our 3200 mechanical fire control assembly allows the second barrel to shoot regardless of what happened in the first barrel. It's a more positive and reliable system.

Firing pins—an improvement. Although it's a problem for all other over-and-under shotguns, the firing pins on the 3200 will not break when dry firing. And, quite frankly, we'll be surprised if any break under actual use.

Remington engineers designed them so that the hammers never hit the firing pins in an empty chamber. It's a minor point — until you have to put in a new one.

In some over-and-unders, the firing pins are struck by unequal hammer blows, causing misfires. In the 3200, these light firing pin blows are eliminated through the use of special coil springs. These extremely durable springs deliver equal, positive hammer blows every time.

Balance and handling - by design, an easy, pleasurable gun to handle. Mechanically, the Remington 3200 is a fine-tuned shotgun. And it feels that way, too. Its balance is just right, directly over the barrel hinge points. So it's comfortable and easy to handle. Our



trigger is wide (5/16") and gives you a better feel.

Our lock-up design permits a thinner profile and better balance, thus making the gun easier to carry and easier to handle.



thir The rug the Add messlic a slic a slic giv-

are als

anc

Remington 3200 "Special" Trap

Durability—on top of everyhing else, this gun is made to last. The Remington 3200 is extremely tugged. The barrels are locked to he frame by extra strong side lugs. Adding to this increased metal-tonetal strength and durability is a sliding top lock, which also provides a shield-covered breech. This design gives the gun a trim, graceful profile.

Thicker, more uniform chamer walls eliminate potentially weak




also adds to the overall durability.

The American walnut stock and fore-end are distinctively check-

ered, 20 lines to the inch. And, as in all Remington shotguns, the wood is protected by our RK-W finish. It's tough, hard and scratch-resistant – and will hold up through years of rough outdoor use.

Designed and made in U.S.A. This is another unique feature of the 3200. It's made in America by many of the gunsmiths whose fathers and grandfathers produced our famous old Model 32 over-and-under. So you're assured of top American workmanship and service.

The Remington 3200: it's come a long way in 40 years.



Remington 3200 "Special" Trap. The 3200 "Special" Trap has all the features of our regular trap gun, but offers a selected American walnut stock and fore-end. It will satisfy the discriminating shooter who prefers choice walnut and distinctive cut checkering.

"One of 1,000" Trap. To commemorate Remington's reentry into the over-and-under shotgun field, we will build, in 1973 only, 1,000 high grade Remington 3200 trap guns.

These elaborately engrave models will bear the "one of 1,000" designation on the frame side, and the guns will be serial numbered from one to 1,000.

A special high grade American walnut stock and fore-end features a distinctive checkering pattern. A gold inlay grip cap accents the finely figured regular or optional Monte Carlo stock.

The frame, trigger guard and fore-end latch are engraved in an ornate floral design similar to guns in the thousands-of-dollars price range.

Model 3200 "one of 1,000" trap guns will be supplied in a quality luggage-type carrying case. Shipments of this model will begin in mid-1973.

Remington. IPIND

Great guns deserve great ammunition.
We make both.

"P


Targlook
fire
Loki
accu
an e
well
bull
into
able
varn
Loki
unif

• The ling b in this ma all ra ore unificent g

• Remispeca

 "Klea powe





Remington 3200 Specifications

GAUGE – 12 Ga., 2¾" chambered barrels. **FRAME** – Machined steel, shield-covered breech and top lock, ham-

mers cock on breech opening, pointing dogs.

AUTOMATIC EJECTORS—Empty hulls eject on breech opening.

Unfired shells raised to above chamber level on breech

opening for easy extraction.

SAFETY & BARREL SELECTOR—Combination top tang manual safety and barrel selector, left for bottom barrel, right for top, middle for safe. Trap and skeet models can be locked off on barrel choice.

off on barrel choice.

SIGHTS – Ivory bead front, metal rear on trap and skeet grades.
Metal front on field models.

TRIGGER – Single, selective. 5/16" wide, extra fast and crisp.

AVERAGE WEIGHTS – Trap, 30" barrels, 8¼ lbs. Skeet and field grades with 26" barrels, 7¼ lbs.

OVERALL LENGTH – 43", skeet and field grades, 26" barrels. 47%", trap, 30" barrels.

trap. 30" barrels.

EXTRA BARREL SETS – Not available in 1973.

STOCK & FORE-END – Fine American walnut (Select on "Special" Trap Grade), RK-W wood finish. Distinctive 20 lines to the inch cut checkering. Rosewood-toned checkered grip cap, recoil pad on trap guns, rosewood-toned checkered butt plate on skeet and field models, full beavertail fore-end on trap and skeet guns, modified beavertail fore-end on field grades.

| 12 GA. REMINGTON 3200 ORDER NUMBERS AND RETAIL PRICES | | | | | |
|---|------------------------------|----------------|--|--|--|
| | Order Nos. | Retail Prices: | | | |
| FIELD 30" Vent. ModFull 28" Vent. ModFull 26" Vent. Imp. CylMod. | 3201 3203 3205 | \$ 450.00° | | | |
| SKEET 28" Vent. Skeet-Skeet 26" Vent. Skeet-Skeet | 3209 3211 | \$ 470.00* | | | |
| TRAP 30" Vent. Full-Full 30" Vent. Imp. ModFull 30" Vent. Full-Full (Monte Carlo Stock) 30" Vent. Imp. ModFull (Monte Carlo Stock) | 3215 3217 3221 3223 | \$ 490.00° | | | |
| "SPECIAL" TRAP 30" Vent. Full-Full 30" Vent. Imp. ModFull 30" Vent. Full-Full (Monte Carlo Stock) 30" Vent. Imp. ModFull (Monte Carlo Stock) | 3227 3229 3233 3235 | \$ 540.00° | | | |
| "ONE OF 1,000" TRAP 30" Vent. Full-Full 30" Vent. Imp. ModFull 30" Vent. Full-Full (Monte Carlo Stock) 30" Vent. Imp. ModFull (Monte Carlo Stock) | 3251 3253 3255 3257 | \$1,050.00° | | | |

| Average Stock Dimensions | field | Skeet | Тгар | Trap Monte Carlo |
|--|---------------------|--|---|---------------------|
| Drop at Comb Drop at Heel Length of Pull | 1 ½" 2 ½" 14" | 1½" 2½" 14" | 1 ½" 1 ¾" 14 ¾" | 1 ½" 2" 14 ¾" |
| Barrel Lengths & Chokes | | 28" VentTop-Skeet/Bottom-Skeet 26" VentTop-Skeet/Bottom-Skeet | 30" VentTop-Full/Bottom-Full 30" VentTop-Full/Bottom-Imp. Mod. | |

^{*}Prices shown are suggested minimum prices. Subject to change without notice.



Great guns deserve great ammunition. We make both.

AA-3200-1973

PRINTED IN U.S.A.

Caliber Suggestions

1973.

FOR SMALLER CAME Woodchuck, fox, bobcat, coyote, wolf.

ANOTHER GOOD SELECTION For deer, mountain lion, black bear, jaguar.

FOR HARD TO REACH GAME Antelope, mountain goat, mountain sheep.

FOR BIGGER GAME Moose, elk, grizzly and brown bear, caribou.

| 17 Caliber: | 25 grain H.P.P.L. |
|------------------|---|
| 222 Rem.: | 50 grain Ptd. S.P. 50 grain H.P.P.L. |
| 222 Rem, Mag. | 55 grain Ptd. S.P. 55 grain H.P.P.L. |
| 22-250 Rest.: | 55 grain Ptd. S.P. 55 grain H.P.P.L. |
| 223 Rem.; | 55 grain Ptd. S.P. 55 grain H.P.P.L. |
| 243 Win.: | 80 grain Ptd. S.P. 80 grain H.P.P.L. |
| Smm Rem. | 80 grain Ptd. S.P. 80 grain H.P.P.L. |
| 25-06 Rem.: | 87 grain H.P.P.L. |
| 8.5mm Ross, Mag. | : 100 grain P.S.P.C.L. |
| 270 Wia. | 100 grain Ptd. S.P. |
| 200 Rem.: | 125 grain P.S.P.C.L. |
| 38-06 Sp()4. | 110 grain Ptd. S.P. |
| : . | |

| 8mm Rem.: | 100 grain P.S.P.C.L. |
|------------------|--|
| 243 Wir.: | 100 grain P.S.P.C.L. |
| 25-08 Rem.: | 120 grain P.S.P.C.L. |
| 6.5mm Rem. Mag.; | 120 grain P.S.P.C.L. |
| 264 Win, Mag.: | 100 grain P.S.P.C.L. 140 grain P.S.P.C.L. |
| 270 Win.: | 150 grain S.P.C.L. 130 grain P.S.P.C.L. |
| 280 Rem.: | 165 grain S.P.C.L. 150 grain P.S.P.C.L. |
| 7mm Rom. Mag.: | 125 grain P.S.P.C.L. 150 grain P.S.P.C.L. 175 grain P.S.P.C.L. |
| 30-30 Win.: | 170 grain S.P.C.L. |
| 30-06 Spfid.: | 180 grain S.P.C.L. 180 grain P.S.P.C.L. 150 grain B.P. |
| | 150 grain P.S.P.C.L. |
| 308 Win.: | 150 grain P.S.P.C.L. |
| 35 Rem.: | 200 grain S.P.C.L. 150 grain P.S.P.C.L. |

| 6mm Rem.: | 100 grain P.S.P.C.L. |
|------------------|--|
| 25-06 Rem.: | 100 grain P.S.P.C.L. |
| 6.5mm Rem. Mag.: | 120 grain P.S.P.C.L. 100 grain P.S.P.C.L. |
| 264 Win. Mag.: | 140 grain P.S.P.C.L. |
| 270 Wip.: | 130 grain P.S.P.C.L. 130 grain B.P. |
| 280 Rem.: | 150 grain P.S.P.C.L. 125 grain P.S.P.C.L. |
| 7mm Rem. Mag.: | 125 grain P.S.P.C.L. 150 grain P.S.P.C.L. |
| 30-08 Spfid.: | 150 grain P.S.P.C.L. 150 grain B.P. |
| 300 H&H Mag.: | 180 grain P.S.P.C.L. |
| 300 Win. Mag.: | 150 grain P.S.P.C.L. 180 grain P.S.P.C.L. |
| HANGE MANAGEMENT | in the second second second |

- Hollow Point "Power-Lokt" H.P.P.L. — Hollow Point "Power-Lokt"
Ptd. S.P. — Pointed Soft Point
P.S.P.C.L. — Pointed Soft Point "Core-Lokt"

| 280 Rem.: | 165 grain S.P.C.L. |
|----------------|----------------------|
| | 150 grain P.S.P.C.L. |
| 7mm Rem. Mag.: | 175 grain P.S.P.C.L. |
| - | 150 grain P.S.P.C.L. |
| 30-08 Spfld,: | 220 grain S.P.C.L. |
| • | 180 grain P.S.P.C.L. |
| 300 H&H Mag.: | 180 grain P.S.P.C.L. |
| 300 Win. Mag.: | 150 grain P.S.P.C.L. |
| | 180 grain P.S.P.C.L. |
| 308 Win.: | 150 grain P.S.P.C.L. |
| | 180 grain P.S.P.C.L. |
| 350 Rem. Mag.: | 200 grain P.S.P.C.L. |
| • | 250 grain P.S.P.C.L. |
| Elephant/Rhino | = |
| 458 Win. Mag.: | 510 grain S.P. |
| - | 500 grain M.C. |
| | |
| | |

B.P. — Bronze Point M.C. — Metal Case

Interchangeability Chart

Cartridges in groups shown below will interchange

| RIM FRE 22 W.R.F. 22 Remington Special 22 Win. M/1890 in a 22 Win. Magnum Ri but not conversely | n Fire | : |
|--|--------|-----|
| CENTER FIRE 25-20 Remington 25-20 W.C.F. 25-20 Win. | * | |
| 25-20 Wis. "Hi-Speed" 25-20 Martin 25 W.C.F. | * . | |
| Green Renn, (80 & 90 grail 244 Renn. | in) : | · . |
| 25 Automatic 25 Automatic Colt Pistol 25 (6.35mm) Automatic 6.35mm Browning | | |
| 30-30 Sav. 30-30 Win. | • | |

| 30-30 Mariin 30-30 Win. "Hi-Speed" 30 W.C.F. | • • • |
|--|-------------|
| 32 Colt Automatic 32 Automatic Colt Pistol U 32 (7.65mm) Automatic Pis 7.65mm Automatic Pistol 7.65mm Browning (not into changeable with 7.65mm i | itol hr- |
| 32 Short Colt in 32 Long Colt but not convi SEE NOTE A | ersely |
| 32 S. & W. in 32 S. & W. Long but not co | enversely |
| 32 S. & W. Long 32 Colt New Police 32 Colt Police Positive | |
| 32 W.C.F.* 32 Win.* 32-20 Win. "Hi-Speed"* | |

| 32-20 Colt L.M.R.* | |
|---|---|
| 32-20 W.C.F.* | |
| 32-20 Win, and Martin* | |
| SEE NOTE E | |
| 38 S. & W. | _ |
| 38 Colt New Police | |
| 380 Webiey | |
| | _ |
| 38 Colt Special | |
| 38 S. & W. Special | |
| 38 Targetmaster | |
| 38 S. & W. Special Mid-Range 38 Special "Hi-Speed" (+) | |
| SEE NOTE B | |
| 38-44 Special (•) | |
| 38 Special | |
| 38 Special Flat Point | |
| | |
| 38 Short Colt in | |
| 38 Long Colt but not conversely | |
| Both can be used in 38 Special | |
| 38 Marlin* | |
| 38 Win.* | |
| | |

| 38 Remington* | |
|---|----------------------|
| 38-40 Win.* | |
| 38 W.C.F.* | |
| 38 Super but not | conversely |
| 380 Automatic 9mm Browning St | nort (Carto, Kurz) |
| 9mm Luger 9mm Parabellum SEE NOTE C | |
| 44 S. & W. Specia SEE NOTE D | i but not conversely |
| 44 Marlin | |
| 44 Win. 44 Remington | |
| 44-40 Win.* 44 W.C.F. | |
| | |
| 45-70 Governmen 45-70 Marlin, Wir | |
| 45-70-405 | • |

NOTE A: Not for use in revelvers chambered for 32 S. & W. or 32 S. & W. Long.
NOTE R: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.
NOTE C: Smm sub-macking gan cartridge should not be used in hand guns.

NOTE C: Some sub-machine gue cartridge should not be used in hand gue
NOTE B: 44 Russian and 44 S. & W. Special can be used in 44 Remingto


Model "XP-100" Long Range Pistol **Bolt Action Single-Shot Center Fire Pistol \$119.95**

This unique hand gun was developed by Remington experts in special 221 Remington "Fireball" caliber. Designed pr long-distance accuracy, it's scientifically balanced to give minimum whip, jump, and recoil.


One-piece stock of DuPont "Zytel" Nylon with universal grip Fit left or right hand. Custom-style checkering, Internal foreand cavities for addition of weights. Ventilated rib. Drilled and apped for scope mounts. Match-type trigger. Rifle-type rear aght and ramped blade front sight. Positive thumb-safety. Veighs 3¼ pounds. Zippered carrying case. Order No. 5470.



Remington Rim F... 1973 les



"Nylon 66" AB: "Apache Black," Automatic \$64.95 Lustrous, durable black "Zytel" stock and forearm with white diamond inlays and white spacers. Distinctive, functional checkering for secure handling. Chrome-plated barrel and receiver. Grooved for tip-off scope mounts. Convenient top-of-grip safety.



Model 552 A "Speedmaster": Automatic \$74.95 A quick-handling, fast-shooting 22 with clean lines and looks. Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. Adjustable rear sight, bead front sight.

Model 552 BDL Deluxe "Speedmaster": Automatic \$84.95 This BDL Deluxe adds deep, fine checkering and DuPont RK-W wood finish to the 552's capacity and capabilities. Big game type sights, Black pistol grip cap.

"N, 1973 J" Automatic Rim Fire Rifles

Model 552 "Speedmaster" Automatic Rim Fire Rifles



"Nylon 66" MB: "Mohawk Brown," Automatic \$59.95

Action-Designed Shooting Systems

The "Nylon 66" automatic is a record-setter for endurance, consistent performance, and accuracy. Remington test engineers fired 75,000 rounds from the same "Nylon 66" without malfunction . . . and it remained in good firing condition. The "Nylon 66" was used to establish a world's record on hand-thrown 2¾" wooden blocks . . . with only 6 misses in 100,010 and not a single malfunction. That's proof positive of this remarkable 22 caliber automatic's toughness and performance.

It's durable because of its extra-tough structural nylon stock and fore-end ... and lightweight at four pounds. The stock's distinctive, functional checkering assures secure handling. The DuPont "Zytel" material will not warp, crack, chip, peel, or fade for the life of the gun. The action never needs lubrication because metal parts glide on greaseless nylon bearings. "Nylon 66" accuracy lies in the same barrel-bedding principle used on the most expensive target rifles. The "Nylon 66" is available in Apache Black" with chrome-plated parrel and receiver or "Mohawk Brown" with blued barrel and receiver. Both are tube fed and have a capacity of 14 Long Rifle 22 cartridges.

The Model 552 "Speedmaster" offers rim fire shooters an all-around automatic. These 22s are well-balanced for fast, accurate firing. The tube-fed Model 552 handles Shorts, Longs, and Long Rifles with no trouble or adjustment . . . and it shoots as fast as you can pull the trigger.

Styled after Remington's big-game 742, the 552 BDL Deluxe attracts attention with an American Walnut stock, custom checkering, RK-W wood finish, and black grip cap. Crisp looks go together with fast-shooting and fine features. Blade ramp front sight and step adjustable rear sight with windage screw.

The Model 552 A "Speedmaster" has a smooth American Walnut stock, tapered fore-end, adjustable rear sights, and bead front sights. Model 552 automatics are also available in carbine version with short 21" barrel and in a "Gallery Special" version. All of these Model 552 "Speedmaster" rifles have convenient, positive crossbolt safeties. Receivers are grooved for tip-off scope mounts.

Fast, trouble-free action makes them hunting and plinking favorites. Remington experience makes them automatically a top value. Hard-hitting Remington "Hi-Speed" 22s with "golden" bullets mesh perfectly with barrel rifling of "Nylon 66" and 552 "Speedmaster" rifles. Each bullet is coated with a special lubricant to stay clean in pockets or under dirty conditions . . . and to prevent leading or fouling in barrels "Hi-Speed" 22 cartridges come in specific sizes for specific ranges. Short, Long, or Long Rifle 22s and hollow point or solid bullets.



The best way to buy Long Rifle "Hi-Speed" 22s is in convenient "Power-Pak" plastic boxes. The re-usable plastic case holds 100 cartridges. It keeps moisture and dust out and cartridges securely in place. The "Power-Pak" package dispenses bullets quickly and easily in the field. Fits readily in a shooter's pocket.

"NYLON 66" SPECIFICATIONS

ACTION: Automatic. CALIBER: 22 Long Rifle rim fire. CAPACITY: Tubular magazine thru buttstock. Holds 14 Long Rifle cartridges. BARREL: 1934", precision rifled, Remington 3rdnance Steel. STOCK: One piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. COLORS: Mohawk Brown" with blued barrel and receiver. "Apache Black" with chrome-plated parrel and receiver cover. SIGHTS: Adjustable rear sight, blade front, common sight open for iron sights and scope. SAFETY: Top-of-grip. RECEIVER: Grooved for "tip-off" cope mounts. GVER-ALL LENGTH: 381/2". WEIGHT: 4 lbs.

| | Order Nes. | Retail Prices |
|---|------------|---------------|
| Nylon 66" | | |
| 'cylon 66" MB "Mohawk Brown" Automatic | 5500 | \$59.95 |
| "ylon 66" AB "Apache Black" Automatic | 5486 | \$64.95 |
| Nylon 66" GS "Gallery Special" (22 Shorts Only) | 5512 | \$69.95 |
| Sling Strap & Swivels (Installed) | 6418 | \$ 5.40 |

MODEL 552 SPECIFICATIONS

ACTION: Automatic. CALIBER: 22 rim fire. CAPACITY: Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. BARREL: 23", Carbine 21", precision rifled, Remington Ordnance Steel. STOCK: American Walnut, BDL has RK-W finish. SIGHTS: Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. SAFETY: Cross-bolt type. RECEIVER: Grooved for "tip-off" scope mounts. OVER-ALL LENGTH: 42", 40" (Carbine). WEIGHT: 534 lbs.

| | Order Nos. | Retail Prices |
|---|------------|---------------|
| Model 552 | | |
| 552 A Automatic | 5608 | \$74.95 |
| 552 C Carbine | 5612 | \$74.95 |
| 552 BDL Deluxe | 9830 | \$84.95 |
| 552 GS "Gallery Special" (22 Shorts Only) | 5610 | \$86.95 |
| Sling Strap and Swivels (Installed) | 6430 | \$ 7.50 |

20

Model 572 "Fieldmaster" Pump Action Rim Fire Rifles

Slick Pump Action 22 Shooting Systems

Pump action preferences carry all the way through the Remington line to this 22 caliber "Fieldmaster." Its exclusive cartridge-feeding design prevents jamming and permits easy single loading. Simply remove the innermagazine tube to convert this 572 pump into a single-shot rifle. This makes the "Fieldmaster" a fine choice for a boy to learn and stay with.



The Model 572 "Fieldmaster" is rugged and dependable. Streamlined design and fine balance make it good-looking and easy-handling. The action is slick and smooth. The receiver has dovetail grooves for tip-off scope mounts. Cross-bolt safety at rear of trigger guard snaps on or off with the index finger. The tubular magazine holds 20 Short, 17 Long, or 14 Long Rifle cartridges.

It comes in three versions: 572 A with sure-grip ribbed fore-end, 22 caliber smooth bore, and BDL Deluxe. The BDL adds custom checkering and RK-W wood finish, big-game type sights, and black grip cap. All make 22 pump shooting a pleasure.

Remington Standard Velocity 22s are made for shorter-range hunting, informal target shooting, or plinking. Though not as powerful as "Hi-Speed" cartridges, they're extremely accurate within their range. Standard Velocity is available in 22 Long Rifle or Short sizes with solid lead bullets. The short-range accuracy of Standard Velocity "Target" Long Rifle cartridges makes them favorites for target-shooting practice. Rifle tournament competitors use these "Target" Long Rifle cartridges in practice sessions . . . to try to equal scores they achieved with Remington Rifle Match ammunition in actual tournaments.

Standard Velocity Short and "Target" Long Rifle 22 cartridges are available in new 100 Paks. Remington Standard



Velocity cartridges and "Hi-Speed" 22s with "golden" bullets provide the rim fire shooter a complete and versatile ammunition selection. Both utilize "Kleanbore" priming for fast ignition without causing rust or corrosion in the barrel. "Hi-Speed" or Standard Velocity 22s get the most out of your Remington rim fire rifle.

Model 572 A "Fieldmaster": Pump A tion \$74.95 Tubular magazine holds 2 Shorts, 17 Longs, 14 Long Rifles.

Model 572 BDL Deluxe "Fieldmaster": Pump Action \$84.95 Extra-tough RK-W finish, custom checkering, ramped blade front sight.

MODEL 572 SPECIFICATIONS

ACTION: Pump, repeater. CALIBER: 22 rim fire. CAPACITY: Tubular magazine holds 20 Short, 17 Long, 14 Long Riffe Cartridges. BARREL: 23", precision rifled, Remington Ordnance Steel. STOCK: American Walnut, BDL has RK-W finish. SIGHTS: Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. SAFETY: Cross-bolt type. RECEIVER: Grooved for "tip-off" scope mounts. OVER-ALL LENGTH: 42". WEIGHT: 5½ lbs.

| Model 572 | Order Nos. | Retail Prices |
|-------------------------------------|------------|---------------|
| 572 A | 5626 | \$74.95 |
| 572 BDL Deluxe | 9832 | \$84.95 |
| 5/2 SB Smooth Bore | 5628 | \$84.95 |
| Sling Strap and Swivels (Installed) | 6432 | \$ 7.50 |

Model 541-S "Custom sporter Bolt Action Rim Fire Rifle



\$134.95 Fires Short, Long, or Long cartridges from a five-shot clip. ockered clip release. Artillery style with six locking lugs, double extractions. Positive, serrated thumb-type safety.

Distinctive 22 Caliber Shooting System

The Model 541-S "Custom" Sporter is the gun you can't afford not to own. Created by Remington gunmakers for two purposes: to give the shooter a high-grade 22 sporting rifle with the precision accuracy and rugged dependability of the 540X



target rifle . . . and to sell at a price anyone can afford.

This clip repeater bolt action "Custom" Sporter is Remington's most recent entry into the fine grade of 22 caliber sporting rifles. The one-piece stock configuration is gracefully shaped with a thin pistol grip and streamlined fore-end. Finely cut checkering feels as good as it looks. The American Walnut stock is protected by a durable, shining DuPont RK-W wood finish. Rosewood-finished fore-end tip, grip cap, and butt plate are accented by contoured white line spacers. Receiver and trigger guard bear distinctive engraving.


The striking appearance of the 541-S is further enhanced by its specially blued receiver and tapered barrel. This all-American-made 22 caliber rifle achieves the look of elegance every gunmaker seeks.

Remington takes the "Custom" Sporter's features beyond good looks. The Model 541-S has a match-type adjustable trigger, swept-back bolt handle, highly polished bolt. Additional features include the low profile safety, steel trigger guard and floor

plate. Receiver and barrel drilled and tapped for scope mounts, open iron sights, or grooved for tip-offs. All are standard equipment.



An artillery-style bolt and rear lockup give the Model 541-5 "Custom" Sporter extra strength. Six locking lugs engage in the grooved receiver when the bolt is closed on the cartridge. Double extractors assure fast, positive ejection.



The 541-5 "Custom" Sporter has it all . . . handsome appearance, exceptional features, strength, dependability, and target rifle accuracy. Anyone who appreciates fine guns will recognize the "Custom" Sporter as a magnificent example of Remington craftsmanship.

MODEL 541-S SPECIFICATIONS


ACTION: Bolt, clip repeater. CALIBER: 22 rim fire, Short, Long, or Long Rifle cartridges. CAPACITY: 5 shot clip (10 shot clip available as accessory), checkered clip release. BARREL: 24", tapered, deep cho blueing, ordnance steel, drilled and tapped for front and rear sights, crowned at muzzle. STDCK: American Walnut, Monte Carlo, checkered, RK-W wood finish, checkered rosewood finished butt plate and grip cap, rosewood finished fore-end tip. White line spacers at butt plate, grip cap and fore-end tip. SIGHTS: None supplied, barrel and receiver drilled and tapped for scope mounts or receiver sights; receiver grooved for scope mounts. SAFETY: Positive, serrated thumb type, safety indicator markings, forward for fire, rearward for safe. BOLT: Artillery style rear lock-up, six locking lugs, double extractors, highly polished. RCEUVER: Round ordnance steel, grooved, drilled and tapped for scope mounts or receiver sights, deep rich blueing, engraving. TRIGGER: Adjustable match type, steel trigger guard engraved. OVER-ALL LENGTH: 42%". WEIGHT: 5½ lbs.

| Madel 541-S "Custom" Sporter | Order Nos. | Retail Prices |
|---|------------|---------------|
| 22 Cal. Bolt Action Clip Repeater | 9800 | \$134.95 |
| Extra 5-shot clip | 4914 | \$ 2.75 |
| Extra 10-shot clip | 9828 | \$ 3.50 |
| Sling Strap & Quick Release Swivels (Installed) | 6382 | \$ 9.10 |



Model 580: Bolt Action Single Shot \$44.95 Picked by parents and instructors as a fine 22 for new shooters. Bead front sight. Full-size Monte Carlo stock.

Model 581: Bolt Action Clip Repeater \$57.95 A repeater to grow on. Available with left handed bolt for port-side plinkers. Holds 5 cartridges.



Model 591 5mm Rem. Rim Fire Magnum: Bolt Action Clip Repeater \$74.95 The strongest rim fire bolt action for the fastest, most accurate long range rim fire cartridge. Bolt cover keeps out dirt. Bead front and U-notch lock screw rear sights.

Model 592 5mm Rem. Rim Fire Magnum: Bolt Action Tubular Repeater \$79.95 The same strength in a tubular rifle. Full-sized Monte Carlo stock. Rotary thumb safety. Holds 10 "Power-Lokt" cartridges in magazine, one in the chamber

Model 580, 58' A Bolt Action Rim Fire Rifles



Model 582: Bolt Action Tubular Repeater \$64.95

Model 591 & 592 Bolt Action 5mm Remington **Rim Fire Magnum Rifles**

Versatile Rim Fire Shooting Systems

Remington's Model 580 Series help develop good shooting habits. All feature artillery-type bolts with rear lock-up for incredible strength. Close the bolt on a cartridge and six rotary ocking bolts engage in the grooved receiver. This lock-up design makes the actions solid, secure, and extra strong. For all their strength, these bolt actions are silky smooth and easy to operate. Trigger pull is crisp and clean.

Features fit a young shooter's needs: extra-large trigger guards, non-slip thumb safeties, dual extractors, bolt vers, bead front and U-notch ad-Istable rear sights. Round steel receivers permit more precise stock bedding . . . which contributes to greater accuracy. Receivers are grooved for tip-off scope mounts.


The 580 "Boys' Rifle" has a shorter stock for better fit. It and the 580 are both single-shot models. As a begineer matures, he can choose the 581 sup repeater in right or left hand versions . . . or the 582 tubular repeater. A youngster's first 22 should be a rifle he can be proud of. The Remington 580 Series have the proud look and feel of big game rifles.

Model 591 and 592 Magnums have the fastest lock time of any present rim fire rifles tested by Remington. Both are chambered for the powerful and accurate 5mm Remington Rim Fire Magnum cartridge. The 591 clip repeater and 592 tubular repeater bolt action rifles deliver center fire power and performance in the fastest rim fire hunting caliber made.

The 5mm Remington Rim Fire Magnum cartridge proved so powerful that Remington engineered these new bolt actions specifically to handle it. Six extra heavy rotary lugs on the bolt form a tight lock-up with grooves in the one-piece steel receiver . . . the same as the most powerful center fire rifles. Unique two-stage extractors assure safety by completely enclosing the cartridge head.

Fast lock time, match trigger quality, and precision-bored barrel assure accuracy. Features speak for themselves: full-size Monte Carlo stocks, positive thumb safeties, round receivers grooved for scope mounts. Precision-rifled 24" ordnance steel barrels are crowned at the muzzle and finely blued. Bead front sight and U-notch lock screw rear sight.

5mm Remington Rim Fire Magnums with "Power-Lokt" bullets are capable of accurate, clean varmint wallop at 150 yards. They are the fastest rim fire cartridges made (muzzle velocity of 2,100 feet per second), the most accurate long range rim fires for hunting, and the only rim fires made with super-accurate "Power-Lokt" bullets. Larger than a Long Rifle cartridge (comparison illustrated in photo below). Great for long-range varmint and small game or informal target shooting.



MODELS 580, 581 & 582 SPECIFICATIONS

MUDELS 388, 381 & 382 SPECIFICATIONS
ACTION: All bolt action, M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER: 22 rim fire, Short, Long, or Long Rifle cartridges. CAPACITY: M/580 single shot, M/581 6-shot, M/582 20 Short, 15 Long, 14 Long Rifle cartridges. BARREL: 24", ordnance steel, precision rifled, crowned at muzzle. STOCK: Walnut finish hardwood, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS: Front, bead, dovetail adjustable. Rear, U notch type, lock-screw adjustable. SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe. BOLT: Artillery style, lock-up at rear. 6 locking lugs, double extractors. Left hand Model 581 with left hand loit and safety, right side ejection. RECEIVER: Round, ordnance steel, grooved for scope mounts. OVER-ALL LENGTH: 42%", 580 Boys' Rifle 41%". WEIGHT: M/580 4% lbs., M/581 4% lbs.; M/582 5 lbs.


| olt Action 22 Calibor Rifles | Order Nes. | Retail Prices |
|---|---------------|------------------|
| Model 580 Singla Shot | 9852 | \$44.95 |
| Model 580 Single Shot, Smooth Bore | 9864 | \$49.95 |
| todel 580 Boys' Rifle | 5570 | \$44.95 |
| Sodel 581 Clip Repeater | 9854 | \$57.95 |
| Andel 581 Clip Repeater Left Hand | 9838 | \$62.95 |
| Apidel 582 Tubular Repeater | 9856 | \$64.95 |
| fodels 580, 581 Sling Strap & Swirels (Installed) | 6426 | \$ 5.40 |

| Bait Action 22 Caliber Rifles | Order Nos. | Retail Prices |
|---|---------------|------------------|
| Model 582 Sling Strap & Swivels (Installed) | 6428 | \$ 5.40 |
| Model 581 — Extra 5-shot Clip | 4914 | \$ 2.75 |
| Model 581 — Extra 10-shot Clip | 9828 | \$ 3.50 |

MODELS 591 & 592 SPECIFICATIONS

ACTION: All bott action. M/591 clip repeater, M/592 ubular repeater. CALIBER: 5mm Remington Rim Fire Magnum. CAPACITY: M/591, 4 in clip magazine, 1 in chamber; M/592, 10 in magazine. BARREL: 24", ordnance steel, crowned at muzzle. STOCK: Walnut finish hardwood. Monte Carlo type, full size, butt plate and grip cap. STOKTS: front, bead, dovetail, adjustable, detachable; Rear U notch type, lock-screw adjustable. SAFETY: Positive thumb safety. BOLT: Rear lock-up, 6 locking lugs, two stage extraction permits bolt to enclose cartridge head. RECEIVER: Round ordnance steel, grooved for scope mounts. OVER-ALL LENGTH: 42%". WEIGHT: M/591, 5 lbs.; M/592, 5½ lbs.


| Belt Action 5mm Rem. Rim Fire Magnum Rifles Model 591 Clip Repeater | Nos. | Retail Prices | |
|--|-------------------------|------------------|-------------|
| | Model 591 Clip Repeater | 9860 | 9860 \$74.9 |
| Model 592 Tubular Repeater | 9862 | \$79.95 | |
| Model 591 - Extra 4-shot Clip | 6408 | \$ 3.50 | |
| Model 591 Sling Strap & Swivels (Installed) | 6426 | \$ 5.40 | |
| Model 592 Sling Strap & Swivels (Installed) | 6428 | \$ 5.40 | |




Model 40-X8 "Rangemaster": 7.62 NATO Center Fire Target \$269.95 Ideal for rapid-fire events with five-shot clip. Loads from top of receiver. Magazine has hinged floor plate. Stainless steel barrel, standard or heavy weight.

Model 40XB-BR Bench Rest: 222 Rem. Center Fire Target \$289.95 All the features of the 40-XB, modified for bench rest use. With target scope, weighs just under 10½ pounds. Scope not included in price.







CENTER FIRE TARGET RIFLE SPECIFICATIONS

MODEL 40XB "RANGEMASTER" (CENTER FIRE) ACTION: Boit, Single Shot, and Repeating. SCALIBERS: Single Shat — 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 (6 mm 222 Mag.), 6 mm Int., 6 mm Rem., 243 Win., 25-06 Rem., 65 mm Rem. Mag., 7 mm Rem. Mag., 7.62 mm NATO (308 Win.), 30-06, 30-338 (.30-7 mm Mag.), 300 Win. Mag. Repeating (Heavy Barrel Version Only) — 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 (6 mm ,222 Mag.), 6 mm Int., 6 mm Rem., 243 Win., 7.62 mm NATO (308 Win.) CAPACITY: Single loading and clip repeater (Magazine loads from top of receiver). SIGHTS: None supplied. Target scope block installed. SAFETY. Positive, thumb operated. No safety with 2 oz. trigger. RECEIVER: Dield and tapped for metallic sights and telescope mount bases. Target type blocks furnished. TRIGGER: Match type, Fully adjustable 2 to 4 lbs. Weight of pull can be changed externally. Two ounce trigger optional on single shot at \$40.00 extra. BAREL: Stainless steel. BARREL LENGTH: 2744" free floating. LENGTH OF PULL: 1314". STOCK: American Walnut. Non-slip target type butt pad. Adjustable combination hand stop and aling swivel base. AVERAGE WEIGHT: Heavy barrel, 1114 lbs. Standard barrel, 94 lbs.

| <u> </u> | Order Nes. | Retali Prices |
|---|---------------|------------------|
| Medel 40XB "Rangemaster" — Center Fire | | |
| CF-S2 Std. Stainless Steel Barrel | Special | #2CD 2E |
| CF-H2 Heavy Stainless Steel Barrel | Special | \$269.95 |
| Extra for Repeating Center Fire Models with Heavy Barrel | | \$ 20.00 |
| Extra for 2 cz. Trigger (Single Shot Model Only) U.S. weeks or more for contax fire modelet | | \$ 40.00 |

MODEL 40XB-BR BENCH REST (CENTER FIRE) ACTION: Bolt, Single Shot, CALIBERS: 222 Rem., 222 Rem. Mag., 223 Rem., 6 mm x 47 (6 mm 222 Mag.), 7.62 mm NATO (308 Win.), BARREL: 26" or 20" Stainless Steel, WEIGHT: 26" Barrel Version—12 lbs. (Average Weight), 20" Barrel Version—9 lbs. 4 oz. (Average Weight).

| <u> </u> | Order Nos. | Retail Prices |
|---|---------------|------------------|
| Model 40XB Bench Rest Single Shot, Stainless Steel Barrel | Special | \$289.95 |

INTERNATIONAL FREE RIFLE (RIM FIRE - CENTER FIRE) CALIBERS: 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06, and others on special order. 40XB type action, heavy barrel, Remington designed adjustable butt plate and hook; adjustable palm rest, adjustable from siing swivel, 2-ounce trigger. WEIGHT: Approx. 15 lbs.

| | Order Nes. | Retail Prices |
|--|---------------|------------------|
| international Free Rifle | | |
| International Free Rifle, Rim Fire & Center Fire | Special | \$395.00 |
| | Order Nes. | Retail Prices |
| Remington Target Scope (24X) | 5712 | \$169.95 |

Superbly Accurate Shooting Systems for Championship Performance

Model 40-XB "Rangemaster" Center tire is available as a repeater for use a National Match Courses or as a rigle shot. Heavy-barrel models are lip-slotted for conventional five-shot clips. Repeating models come only in calibers equal to or shorter than the loaded length of the 308 artridge. They load from the top of the receiver. Magazine has a hinged thoor plate. Extreme accuracy, short bolt throw, and optimum weight make the 40-XB center fire repeating ritle ideal for rapid-fire events.

The action is hand-bedded, and the stainless steel barrel is free-floating. The single shot model is offered in a variety of center fire calibers. See center fire target rifle specifications for a complete listing of features, calibers, and specific versions.


Model 40-XB "Rangemaster" Rim Fire features a loading platform that provides straight-line feeding. The high comb is grooved for bolt removal. Mershon non-slip rubber butt plate, adjustable sling swivel, and hand stop are standard equipment. Crisp, wide trigger is adjustable. Thumb operated safety. Extra-strong bolt with double extractors. Receiver drilled and tapped for all standard sight mounts. Long rail for adjustable fore-end stop. Redfield Olympic sights are optional.

Model 540X Match Rim Fire is designed for Intermediate and Junior shooters. This target rifle has a unique five-way adjustable butt plate. The stock can be adjusted with the same wrench for length of pull and vertical pitch or cant (left or right). Fully adjustable, crisp trigger.

Remington Match Long Rifle 22s and Match-Quality Center Fire Components make the finest scores when used in these target rifles.







Model 40XB-BR Bench Rest Center Fire provides the inherent accuracy advantages of a short 20", heavy, stiff barrel. Built with all the features at the 40-XB center fire model, but modified for competitive bench rest mooting. Wide, squared fore-end for extra stability. With the Remington triget scope, this rifle weighs just inder 10½ pounds and meets weight imitations for sporter and light-variant classes of NBRSA competition. V 13½ pound, 26" barrel version is scallable for heavy-varmint class.

International Free Rifles, center fire or rim fire, feature a 40-XB action, precision heavy barrel, two-ounce trigger, adjustable palm rest, front sling swivel, butt plate and hook.

Remington 24-Power Target Scope contains optics of the highest quality. Relatively short length permits fore and aft receiver mounting. Light weight permits greater flexibility in assembling rifle and scope combinations to meet NBRSA requirements. Designed for bench rest accuracy.

Nowhere is the qualitative matching of gun and ammunition more critical than in target shooting. Improved ballistics and precision production make Remington bullets exceptionally accurate. Uniform primers and brass cases help assure high accuracy.

Remington Match ammunition and target rifles work together to help the target shooter get as close as possible to a one-hole group. Count on Remington quality, consistency, and system compatibility for superior results.

RIM FIRE TARGET RIFLE SPECIFICATIONS

MODEL 540X (RIM FIRE) ACTION: Bolt, single shot, CALIBER: 22 cal. rim fire, Long Rifle my. CAPACITY: Single loading, SIGHTS: Redfield #63 front, Redfield #75 rear (sights attonal). SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe, RECEIVER: Drilled and tapped for iron sights or scope mounts, rear sight bracket. BAR-REL LENGTH: 26". Over-all rifle length 43½" to 47½". LENGTH 0F PULL: 12¾" to 16". STOCK: Walnut finished hardwood, length 30%", thumb cuts, 5 way adjustable butt leate, rail. Front swivel block, sling and sling swivel optional. Common sight alignment with scope or iron sights, WEIGHT: With sights 8 lbs. 8 oz., without sights 8 lbs.


| | Order Nes. | Retail Prices |
|--|---------------|------------------|
| Medel 540X — Rim Fire | | |
| 10X Match Rifle (without sights) | 9796 | \$104.95 |
| +OX Match Rifle (with sights) | 9794 | \$124.95 |
| sing Strap with Front Swivel Block Assembly (optional) | 6420 | \$ 6.95 |

MODEL 40XB "RANGEMASTER" (RIM FIRE) ACTION: Bolt, Single Shot. CALIBER: 22 rim fire, Long Rifle only. CAPACITY: Single loading. SIBMTS: Redfield Olympic front & rear sights optional. SAFETY: Thumb safety, positive. RECEIVER: Drilled & tapped for iron sights or scope mounts. BARREL LENGTH: 28". Over-all rifle length 47". LENGTH OF UELL: 13/2 ("Irigger adjustable 1½ to 3½ lbs.) STOCK: American Walnut, front swivel block, adjustable on guide rail. WEIGHT: With Redfield sights heavy barrel 12 lbs. Standard barrel, 10 lbs. 12 oz. Without sights, 12 oz. less.

| | Order Nos. | Retail Prices | |
|--|---------------|------------------|--|
| Model 40XB "Rangemaster" — Rim Fire | | | |
| S1 Std. Barrel with Sights, Rim Fire - 22 Cal. | 5674 | \$234.95 | |
| HI Heavy Barrel with Sights, Rim Fire — 22 Cal. | 5670 | 7 \$234.95 | |
| H2 Heavy Barrel without sights, Rim Fire - 22 Cal. | 5672 | 2 5100.05 | |
| S2 Std. Barrel without Sights, Rim Fire - 22 Cal. | 5676 | \$199.95 | |



Remington Shotgun Shells



Remington sporting firearms and ammunition for 1974 continue a tradition of excellence that has endured for 158 years. These modern shooting systems are known and respected throughout the world of shooting and hunting.

Remington Model 1100 Automatic Shotguns meet the many challenges of the outdoors with proven dependability and exceptional versatility. The 1100 is designed for superior performance in any weather with all types of loads. Its unique gas metering system requires no adjustment to operate with all 23/4" standard velocity, "Express", and 23/4" Magnum shotgun shells. This capability allows the hunter to use the proper loads for a wide variety of game, all in the same shotgun.

For even greater all-around capability, extra barrels, interchangeable within gauge and chamber length, are available. To handle different shooting conditions, hunters simply change pre-fitted barrels in the field in seconds without special tools.

Barrels chambered for 234" should not be interchanged with 3 Magnum-chambered barrels. Magnum barrels should not be interchanged on standard receivers. 20 gauge lightweight barrels interchange only on 20 gauge lightweight receivers. Left hand barrels interchange only on left hand receivers.



Remington shotgun shells and Remaington shotguns combine to for unified shooting systems. "Express, and "Shur Shot" field loads now come in new packages color-coded by load and shell type for convenient identification yellow for "Express" and red for "Shur Shot".

Shotgun Shell Components

PISTOL AMMUNITION 18-29

700 Bolt Action Rifles 18, 19

742 "Woodsmaster" Automatic Rifles . 20, 21

760 "Gamemaster" Pump Action Rifles 22, 23

788 Bolt Action Rifles 24, 25

Center Fire Cartridges 26, 27

RIFLES & AMMUNITION 30-37

"Nylon 66" Automatic Rifles 30, 31 552 "Speedmaster" Automatic Rifles . 32, 33

572 "Fieldmaster" Pump Action Rifles 32, 33

541-S Custom Sporter Bolt Action Rifle 34, 35

580, 581 & 582 Bolt Action Rifles 34, 35

Rim Fire Cartridges 36, 37

REMINGTON TARGET RIFLES 38, 39 340-XR Rim Fire Position Rifle 38, 39

540-XRJR Rim Fire Position Rifle 38, 39

40-XR Rim Fire Position Rifle 38, 39

Center Fire Rifle Cartridge Calibers .. 40-45

REMINGTON BALLISTICS CHARTS

Center Fire Pistol & Revolver

27

29

"Core-Lokt" Bullets

"Power-Lokt" Bullets

Interchangeability Chart


"XP-100" Bolt Action Long Range Pistol

REMINGTON RIM FIRE

REMINGTON CENTER FIRE RIFLES,

RIFLE, REVOLVER &

1100 Automatic Shotguns 12, 16, 20, 28 & 410 Gauges



Model 1100: 12 Ga., 28" \$219.95


Remington automatic shotguns are available in a wide range of specifications to fit individual requirements. There's a Model 1100 to match any hunter's game, gauge, and personal preference. Field grade models are available in 12, 16, 20, 28, and 410 gauges. 20 gauge lightweight models in standard or Magnum are easy-carrying, but have a high-strength receiver machined from a single steel unit. There are 12 and 20 gauge 3" Magnums; left hand models in 12 and 20 gauges; trap and skeet guns; and a deer gun with rifle sights. All models except the deer gun come in a variety of barrel lengths and chokes.

The Model 1100 is America's bestselling shotgun because it has everything experienced hunters look for in an automatic... shooting ease, great performance, dependability, strength, and handsome appearance.


Effect of recoil is less with the 1100 than any other shotgun. The unique gas-operated action reduces recoil to a push instead of the kick usually associated with shotgunning. Remington design strength and craftsmanship pay off in greatly extended shooting life. The Model 1100 remains ready for use long after many other automatics are shot out.

Model 1100 appearance makes this shotgun a pleasure to own and display. Decorative scrollwork enhances the solid steel receiver and chromeplated bolt. Exclusive vibra-honed finishing results in deep, rich blueing. The DuPont RK-W wood finish is lustrous, tough, and scratch-resistant. Deep, sure checkering, white line spacers, and tear-drop pistol grip cap add the right style touches.

All of these features plus Remington know-how and experience . . . as the oldest manufacturer of shotguns in America . . . keep the 1100 in a class by itself.




Model 1100 Left Hand: 12 Ga., 28" \$224.95 Reversed ejection port and safety for left-handed shotgunning comfort and efficiency. Left hand Model 1100s are also available in a 12 gauge 3" Magnum. All with ventilated rib barrels.



Model 1100: 20 Ga. Lightweight, 26" \$229.95 Carries light during a full day's hunting. 6½ pounds. Handles all 2¾" loads. Also available in lightweight Magnum model with 3" chamber. Yentilated rib or plain barrel. Mahogany stock and fore-end.

Model 1100: 12 Ga. Magnum, 30" \$239.95 Available in left or right hand models. Handles 3" Magnum and all 2\%" Magnum shells only. Ventilated rib or plain barrel. Magnum models also in 20 gauge.



Model 1100 TBMC Trap: 12 Ga., 30" \$274.95 Competition-proven reliability. Minimum recoil sensation. Rubber recoil pad. Available in full or modified trap chokes. Ventilated rib barrel. Monte Carlo stock optional.

Model 1100 Left Hand TB Trap: 12 Ga., 30" \$269.95 Eliminates "wrong-side ejection" for southpaw trapshooters. Ivory front and metal rear sights. Full trap choke only. Optional Monte Carlo stock

MODEL 1100 SPECIFICATIONS

For all Remington Model 1100 Automatic Shotguns: STYLE: Gas-operated. BARREL: Special Remington Ordnance Steel. Extra barrels interchangeable within gauge. 20 ga. lightweight barrels interchangeable only within lightweight models. RECEIVER: Made from solid steel, top matted, scrollwork on chrome-plated bolt and both sides of receiver. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" drop at comb. SAFETY: Convenient cross-bolt type. SIGHTS: Metal bead front.

| FIELD (| num shells for 12, 16, and 2 20 ga. Magnum models, CA | | | | |
|--|--|--|--|------------------|--|
| 12, 16 4 20 GAUGES | 12.64 | Order Hei 16 Gz. | | Retail Prices | Rich American Walnut, Mahoga 28" barrel, AVERAGE WEIGHT: |
| Medel 1100 with Plain Barrel | 1 12 44. | 10 02. | 1 20 42. | 111068 | ga. Lightweight - 6½ lbs., 20 g |
| 30" Full Choke | 5322 | · | | Γ | |
| 28" Full Choke | 5320 | 5370 | 5390 | i | 28 & 410 GAUGES |
| 28" Mod. Chake | 5326 | 5374 | 5394 | \$ 194.95 | Model 1100 with Plain Barrel |
| 26" Imp. Cyl. Choke | 5328 | 5376 | 5396 | 1 | 25" Full Choke |
| 22" Imp. Cyl. Deer Gun with Rifle Sights | 5308 | | 5260 | \$ 214.95 | 25" Mod. Choke |
| Model 1100 with Yest. Rib Berral | | <u> </u> | 1 0200 | 1 4 614.55 | 25" Imp. Cyl. Choke |
| 30" Full Choke | 5332 | | <u> </u> | 1 | Medel 1100 with Vent. Rib Barr |
| 28" Fuli Choke | 5330 | 5378 | 5398 | 1 | 25" Full Choke |
| 28" Mod. Choke | 5336 | 5382 | 5402 | \$ 219.95 | 25" Mod. Choke |
| 26" Imp. Cyl. Chake | 5338 | 5384 | 5404 | 1 | 25" Imp. Cyl. Choke |
| Medel 1100 Magnum with Plain Barrel | | | | · | 28 & 410 GAUGES - CHAMBER |
| 30" Full Choke | 5344 | · | T | | 3" and 21/2" shells for 410 ga |
| 30" Mad. Chake | 5250 | | | 1 . | 4-shot with 3" 410 shells, 3-sh drop at heel, 1½" drop at c |
| 28" Full Choke | | | 5428 | \$ 214.95 | 45½". AVERAGE WEIGHT: 28 g |
| 28" Mod. Choke | | | 5254 | ì | plain barrel - 634 lbs., 410 ga. |
| Model 1100 Magnum with Yort. Rib Barrel | | <u> </u> | | | |
| 30" Full Choke | 5348 | | · | | the Les of Literatures in the state of the |
| 30" Mod. Choke | 5252 | | | 1 . | 2 2 3 3 |
| 28" Full Choke | | | 5430 | \$ 239.95 | |
| 28" Mad. Choke | + | | 5256 | 1 | |
| Medel 1100 D Tournement with Yout, Rib Barri | <u> </u> | | Special | \$ 660.00 | Medel 1100 TB Trap with Yent. |
| Medel 1100 F Fremier with Yeat, Rib Barrel | | ··········· | Special | \$1,350.00 | 30" Full Choke |
| with Gold Inlay | | | Special | \$2,100.00 | 30" Mod. Trap Choke |
| 20 GAUGE LIGHTWEIGHT | | | | 1 44,100.00 | 30" Full Chake Monte Carlo Si |
| Model 1100 with Plain Barrel | | | | | 30" Mod. Trap Choke Monte Ca |
| 28" Full Choke | 1 | Г | 9596 | T | Medel 1100 TB Trap Left Hand |
| 28" Mod. Choke | | | 9598 | \$ 204.95 | 30" Full Choke |
| 26" Imp. Cyl. Choke | | | 9600 | 1 | 30" Full Choke Monte Carlo St |
| Medal 1100 with Vent. Rib Barrel | | | | | Medel 1100 SA Skeet with Vent |
| 28" Full Choke | | T | 9602 | T | 26" Skeet Choke |
| 28" Mod. Choke | | | 9604 | \$ 229.95 | 26" Skeet Choke with Cutts Co |
| 26" Imp. Cyl. Choke | + | | 9606 | 1 | 25" Skeet Choke |
| Model 1100 Magnum with Plain Barrel | | | | 1 | Medel 1100 SB Skeet (Fancy W |
| 28" Full Choke | | 1 | 9656 | \$ 224.95 | 26" Skeet Choke |
| Medel 1108 Magnum with Yest, Rib Barrel | | | | , , | Medel 1100 SA Skeet Left Hand |
| 28" Full Choke | | Г | 9658 | \$ 249.95 | 26" Skeet Choke |
| LEFT MANU 12 & 28 GAUGES Left hand ejecti | on and safe | ty . | | | Medel 1100 0 Tournament Grad |
| Model 1100 Lif with Yest. Rib Barral | | | | · | , Medel 1100 F Premier Grade |
| 30" Full Choke | 5540 | Τ | Τ | Τ | Match-Weight Skeet Cap for S |
| 28" Full Choke | | T | 5556 | 1 | All specifications are same as |
| 28" Mod. Chake | 5542 | | 5558 | \$ 224.95 | & FORE-END: Rich American W |
| 26" Imp. Cyt. Choke | 5544 | 1 | 5546 | 1 | For regular Trap with recoil page |
| Model 1106 Magnum LH with Yest, Rib Barro | | | | | For Monte Carlo Trap with re- comb, 11/4" drop at M.C. For |
| 30" Full Choke | CE 40 | 1 | 1 | \$ 244.95 | comb. SIGHTS: Ivory bead from |
| | | | بنسيل | 1 | 410 Ga. Skeet - 7¼ lbs. (adju |

12, 16 & 20 GAUGES — CHAMBER: 2¼" standard velocity, "Express", and 2¼" Magnum shells for 12, 16, and 20 ga. 3" Magnum and 2½" Magnum shells only for 12 and 20 ga. Magnum models. CAPACITY: 5-shot. 3-shot plug furnished. STOCK & FORE-END: Rich American Walnut. Mahogany for 20 ga. Lightweight. OVER-ALL LENGTH: 48" with 28" barrel. AVERAGE WEIGHT: 12 ga. - 7½ lbs., 16 ga. - 7½ lbs., 20 ga. - 7½ lbs., 20 ga. Lightweight Magnum - 6½ lbs.

| 28 & 410 GAUGES | | r Mes. 410 Ga. | Retail Prices |
|----------------------------------|------|---------------------|------------------|
| Model 1100 with Plain Barrel | | | |
| 25" Full Choke | 5316 | 5460 | |
| 25" Mod. Choke | 5406 | 5462 | \$ 204.95 |
| 25" Imp. Cyl. Choke | 5412 | 5464 | 1 ' |
| Medel 1100 with Vent. Rib Barrel | | | |
| 25" Full Choke | 5414 | 5466 | Γ |
| 25" Mod. Choke | 5416 | 5468 | \$ 229.95 |
| 25" Imp. Cyl. Choke | 5426 | 5296 | Ì |

28 & 410 GAUGES — CHAMBER: 2%" standard velocity and "Express" shells for 28 ga. 3" and 2½" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4-shot with 3" 410 shells. 3-shot plug furnished. STOCK DIMENSIONS: 13%" long, 2½" drop at heel, 1½" drop at comb. STOCK & FORE-END: Mahogany. OVERALL LENGTH. 45½". AVERAGE WEIGHT: 28 ga. plain barrel - 6½ lbs., 28 ga. vent. rib - 6½ lbs., 410 plain barrel - 6¾ lbs., 410 ga. vent. rib - 7 lbs.


TRAP & SKEET

| | | | r Nes. | | Retail | |
|---|-----------|--------|--------|---------|-----------|--|
| | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ca. | Prices | |
| Medel 1100 TB Trap with Yent. Rib Barre | i | | | | | |
| 30" Full Choke | 5350 | | | | \$ 264.95 | |
| 30" Mod. Trap Choke | 5288 | | | | \$ 204.55 | |
| 30" Full Chake Monte Carlo Stock | 5306 | | | | \$ 274.95 | |
| 30" Mod. Trap Choke Monte Carlo Stock | 5290 | | | | \$ 274.33 | |
| Medel 1100 TB Trap Left Hand with Vent | Rib Bar | rel | | | | |
| 30" Full Choke | 5562 | | | | \$ 269.95 | |
| 30" Full Choke Monte Carlo Stock | 5554 | | | | \$ 279.95 | |
| Medel 1100 SA Skeet with Vent. Rib Barr | el | | | | | |
| 26" Skeet Choke | 5356 | 5408 | | | \$ 229.95 | |
| 26" Skeet Choke with Cutts Camp. | 5358 | 5410 | | I | \$ 254.95 | |
| 25" Skeet Choke | | | 5432 | 5298 | \$ 239.95 | |
| Medel 1100 SB Skeet (Fancy Weed) with | Vent. Ril | Barrel | | | | |
| 26" Skeet Chake | 5302 | 5422 | | | \$ 254.95 | |
| Medel 1100 SA Skeet Left Hand with Yes | t. Rib Ba | errel | | | | |
| 26" Skeet Choke | 5564 | 5560 | | | \$ 234.95 | |
| Medel 1100 0 Tournament Grade | Spe | cial | | | \$ 660.0 | |
| Medel 1100 F Premier Grade | Spe | cial | | | \$1,350. | |
| Match-Weight Skeet Cap for Small Gaug | e 1100 | | 6338 | 6338 | \$ 9.95 | |

All specifications are same as field Grade guns in appropriate gauges, except: STOCK & FORE-END: Rich American Walnut on 28 ga. and 410 ga. Skeet. STOCK DIMENSIONS: For regular Trap with recoil pad: 14%" long, 13%" drop at heel, 13%" drop at comb. For Monte Carlo Trap with recoil pad: 14%" long, 13%" drop at heel, 13%" drop at comb. 13%" drop at M.C. For Skeet: 133%" long, 24%" drop at heel, 14%" drop at comb. SIGHTS: Ivory bead front, metal bead rear. AVERAGE WEIGHT: 28 ga. Skeet - 63%, 410 Ga. Skeet - 73% lbs. (adjustable weight will add up to 12 oz. in Skeet guns).

1974

viouel 1100 Trap & Skeet Guns 12, 20, 28, & 410 Gauges



Model 1100 SA Skeet: 12 Ga., 26" \$229.95 A smooth-swinging competitor. Ivory front, metal rear sights. Checkered composition butt plate. Also available in ft hand model or with Cutts ompensator.

Model 1100 SA Skeet: 20 Ga., 26" \$229.95 "The class" of 20 gauge skeet events. Ventilated rib barrel is specially skeet-bored. Left or right hand models.

Model 1100 SA Skeet: 28 Ga., 25" \$239.95 All of the same 1100 features and performance in a smaller gauge. Perfect balance at 634 pounds.

Model 1100 SA Skeet: 410 Ga., 25" \$239.95 Reliable gas-operated action. Weighs in at 71/4 pounds. Match-weight skeet caps, optional for 28 and 410 gauge guns, will add up to 12 ounces.


The Model 1100 stands alone as the most popular automatic shotgun for trap and skeet. At the 1973 World Skeet Championships, there were more Model 1100s on the line than all other brands and models combined. Model 1100 SA grade skeet guns come in 12, 20, 28, and 410 gauges with left hand versions in 12 and 20 gauge. SB grade skeet guns with specially selected wood are available in 12 and 20 gauge. All have special skeet-bored barrels.

Model 1100 TB trap grade guns have won more championships at the Grand American, state, and zone shoots in the last ten years than any other automatic. Their minimum recoil sensation reduces fatigue during long shoots, and their reliability makes every shot count. TB grade 1100s are available with regular or Monte Carlo stocks in full or modified trap chokes. Left hand models in full choke only.

MODEL 1100 EXTRA BARRELS


Order Nes.

| | | | 1 20 62 | 1 20 Ga | ı | 1 1 | Retail |
|---------------------------------------|----------|----------|---------------|--|----------|----------|----------|
| | 12 Ga. | 16 Ca. | Stand. | Ltwt. | 28 Ga. | 410 Ga. | Prices |
| Extra Barrels, Plain | | | | | | | |
| 30" Full Choke | 9500 | | | I | Γ | | \$ 49.95 |
| 28" Full Choke | 9502 | 9530 | 9546 | · · | | | \$ 49.95 |
| 28" Full Choke | | | | 6578 | i — — | | \$ 52.95 |
| 25" Full Choke | | | | | 9588 | 9574 | \$ 52.95 |
| 28" Mod. Choke | 9504 | 9532 | 9548 | | | | \$ 49.95 |
| 28" Mod. Choke | | | | 6580 | | | \$ 52.95 |
| 25" Mod. Choke | | | | | 9510 | 9576 | \$ 52.95 |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | | | | \$ 49.95 |
| 26" Imp. Cyl. Choke | | | | 6582 | | | \$ 52.95 |
| 25" Imp. Cyl. Choke | | | | | 6584 | 9578 | \$ 52.95 |
| 22" Imp. Cyl. Rifle Sights | 9568 | | 9572 | | | | \$ 50.95 |
| Extra Barrels, Vent. R | ib | | | • | * | | |
| 34" Full Choke | 6576 | F . | | | r | ſ | \$ 84.95 |
| 30" Full Choke | 9512 | | | | | | \$ 74.95 |
| 28" Full Choke | 9514 | 9538 | 9554 | | | | \$ 74.95 |
| 28" Full Choke | | | | 9590 | | | \$ 77.95 |
| 25" Full Choke | | | | | 6586 | 9580 | \$ 77.95 |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | | | \$ 74.95 |
| 28" Mod. Choke | Ì | | | 9592 | | | \$ 77.95 |
| 25" Mod. Choke | | | | | 6588 | 9582 | \$ 77.95 |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | | | | \$ 74.95 |
| 26" Imp. Cyl. Choke | | | | 9594 | | | \$ 77.95 |
| 25" Imp. Cyl. Choke | | | $\overline{}$ | 1 | 9590 | 9584 | \$ 77.95 |
| Extra Barrels, Vent. R | ib, Trap | & Skeet | Grades | | | | |
| 26" Skeet Choke | 9522 | | 9562 | | | | \$ 79.95 |
| 26" Skeet Cutts | | | | | | | |
| Comp. | 9524 | | 9564 | | | | \$104.95 |
| 25" Skeet Choke | | <u> </u> | | | 6592 | 9586 | \$ 82.95 |
| 34" Full Choke | 6594 | <u> </u> | ļ | ļ | | \Box | \$ 89.95 |
| 30" Full Choke | 9526 | | <u> </u> | | Ь— | | \$ 79.95 |
| 30" Mod. Trap Choke | 9570 | | ļ | | <u> </u> | | \$ 79.95 |
| 28" Full Choke | 9528 | | | | | | \$ 79.95 |
| 28" Mod. Trap Choke | 9566 | L | <u> </u> | <u>. </u> | <u> </u> | | \$ 79.95 |
| Left Hand Extra Barre | | . KID | | | | | A 30 05 |
| 30" Full Choke | 5682 | | 6500 | | | | \$ 76.95 |
| 28" Full Choke | 5504 | | 5692 | <u> </u> | | | \$ 76.95 |
| 28" Mod. Choke 26" Imp. Cyl. Choke | 5684 | <u> </u> | 5694 | — | | | \$ 76.95 |
| 30" Full Choke Trap | 5686 | | 5696 | | | | \$ 76.95 |
| 26" Skeet Choke | 5690 | | 5000 | <u> </u> | | <u> </u> | \$ 81.95 |
| 40 SREEL CHUKE | 5688 | L | 5698 | L | 1 | ı I | \$ 81.95 |



Model 870 Left Hand: 12 Ga., 26" \$169.95 Pump-action shooting comfort for left-handed hunters. This mirror-image 870 has the safety and ejection port on the left side. Also available in 20 gauge or Magnum 12 gauge, all with ventilated rib barrels. Metal front bead and convenient cross-bolt safety.

Model 870 "W| 1979 er" Pump Action Shotguns 12, 16, 20, 28 & 410 Gauges



Model 870: 12 Ga. Magnum, 30" \$184.95

Remington makes pump action shotgunning a pleasure with the smoothhandling Model 870. Double action bars prevent twisting or binding. The 870 feeds and ejects positively under all hunting conditions.

Variety of selection in gauge, grade, and specifications permit the hunter to match the correct model to his personal preferences. Field grade 870s go after game in 12, 16, 20, 28, and 410 gauges. Left-handers can select 12 or 20 gauge left hand models with reversed ejection ports and safeties. Pump action deer guns with rifle sights come in 12 or 20 gauge.

For the long shots necessary in waterfowl or western cornfield hunting, mington offers the Model 870 agnum in 12 or 20 gauge.

"Wingmaster" 20 gauge lightweight shotguns are designed for hunters who spend a full day walking and shooting. Lightweight steel receivers provide super-strength and secure lock-up, yet help reduce over-all weight. The 26" plain barrel lightweight weighs only 5¾ pounds. All 870 Magnum and lightweight Magnum models are chambered for 3" Magnum, 2¾" Magnum and high or low-base shells.


Interchangeable barrels give the hunter different choke and barrel length combinations for the same receiver. In 12 gauge, the 870 offers 21 barrel combinations. Remington interchangeable barrels require no factory or gunsmith fitting. Magnum and lightweight barrels should only be interchanged on matching Magnum and lightweight receivers.

Model 870 appearance matches its smooth performance. Fine wood is enriched and protected by the Du-Pont RK-W wood finish. All metal parts . . . inside and out . . . are "vibra-honed" for a lustrous blue finish and a smooth, gliding action.

Fast, dependable perforance, shooting ease, and top-gun appearance are the reasons why more than two million sportsmen own Model 870 shotguns.




"Express" and "Shur Shot" shells have the "Power Piston" one-piece wad that cushions shot and keeps it round for true flight and denser patterns.



Model 870: 12 Ga., 28" \$164.95 Uses all 234" Magnum, "Express", and standard velocity shells without adjustment. Double action bars for smooth, sure ejection. Interchangeable barrels for different game are available at additional cost.

Model 870: 20 Ga. Lightweight, 26" \$174.95 Light weight makes this gun a welcome hunting companion. Small, extra-strong steel receiver. Weighs only about six pounds. Ventilated rib or plain barrel. Also available in Magnum model.

Model 870: 28 Ga., 25" \$174.95 The right gun for the hunter who seeks the challenge of a smaller gauge. Plain barrel or ventilated rib, interchangeable barrels for increased versatility. Proven 870 dependability.



Model 870 TB Trap: 12 Ga., 30" \$204.95 Still trapshooting's proudest pump-action performer after many years and many championship titles. Right and left hand models. Ventilated rib barrel. American Walnut stock with fleur-de-lis checkering pattern. Monte Carlo stock optional. Rubber recoil pad.

MODEL 870 SPECIFICATIONS

For all Remington Model 870 Pump Action Shotguns: STYLE: Manual pump action. BARREL: Special Remington Ordnance Steel, Extra barrels interchangeable within lightweight models. RECEIVER: Made from solid steel, top matted, chrome-plated bolt. STAMBARD STOCK DIMENSIONS: 14" long, 2½" drop at heet, 1½" drop at comb. SAFETY: Convenient cross-bolt type. SIGHTS: Metal bead front.

| CICI | n | CD | ANS |
|------|---|----|-----|

| FIELD GRADE | | | | | | |
|--|-----------|------------------------|--|------------------|--|--|
| 12, 18 & 20 SAUCES | | order Nos. 16 Ba. | | Retail Prices | | |
| Medel 870 with Piala Barrol | | | | | | |
| 30" Full Choke | 6900 | | | | | |
| 28" Full Choke | 6902 | 6908 | 6914 | | | |
| 28" Mod. Choke | 6904 | 6910 | 6916 | \$ 139.95 | | |
| 26" Imp. Cyl. Choke | 6906 | 6912 | 6918 | L | | |
| Medel 870 "Brushmaster" Deer Gun | | | | | | |
| 20" Imp. Cyl. Choke Deluxe with Rifle Sights | 6960 | | 6962 | \$ 159.95 | | |
| 20" Imp. Cyl. Choke Standard with Rifle Sights | 5026 | | | \$ 134.95 | | |
| Medel 878 with Yest. Rib Barrel | | | | | | |
| 30" Full Choke | 6930 | | | | | |
| 28" Full Choke | 6932 | 6938 | 6944 | \$ 164.95 | | |
| 28" Mod. Choke | 6934 | 6940 | 6946 | 3 104.33 | | |
| 26" Imp. Cyl. Choke | 6936 | 6942 | 6948 | 1 | | |
| Medel 870 Magnum with Plain Barrel | | | | | | |
| 30" Full Choke | 6966 | T | | | | |
| 30" Mod. Choke | 5968 | | | \$ 159.95 | | |
| 28" Full Choke | | | 6970 | 1 105.55 | | |
| 28" Mod. Choke | | T | 6972 | 1. | | |
| Medel 870 Magnum with Vent. Rib Barrel | | | | | | |
| 30" Full Choke | 6976 | ľ | | | | |
| 30" Mod. Choke | 6978 | | | 1 | | |
| 28" Full Choke | | | 6980 | \$ 184.95 | | |
| 28" Mod. Choke | | | 6982 | 1 | | |
| Medel 670 Police with Plain Barrel | | | | | | |
| 20" Police Cyl. Choke | 5030 | T . | | \$ 124,95 | | |
| 18" Police Cyl. Choke | 5032 | | Γ | 124.33 | | |
| 20" Imp. Cyl. Choke, Rifle Sights | 5028 | | | \$ 134.95 | | |
| Medel 876 D Tournament with Vent. Rib Barrel | | Special | | \$ 660.00 | | |
| Medel 870 F Premier with Yent, Rib Barrel | | Special | | \$1,350.00 | | |
| with Gold Inlay | | Special | | \$2,100.00 | | |
| 20 GAUGE LIGHTWEIGHT | | <u> </u> | | | | |
| Medel 870 with Plais Barrel | | | | | | |
| 28" Full Choke | | <u> </u> | 5176 | 1 | | |
| 28" Mod. Choke | | | 5178 | \$ 149.95 | | |
| 26" Imp. Cyl. Choke | <u> </u> | <u> </u> | 5180 | <u> </u> | | |
| Model 870 with Vent. Rib. Barrel | | | , | | | |
| 28" Full Choke | <u> </u> | _ | 5182 | 1 | | |
| 28" Mod. Choke | | <u> </u> | 5184 | \$ 174.95 | | |
| 26" Imp. Cyl. Choke | | | 5186 | <u> </u> | | |
| Model 876 Magnum with Plain Barrel | | | | | | |
| 28" Full Choke | | | 5188 | \$ 169.95 | | |
| Medel 870 Magnum with Vest. Rib Sarrel | | | | | | |
| 28" Full Choke | <u> </u> | 1 | 5190 | \$ 194.95 | | |
| LEFT HAND 12 & 20 GAUGES Left hand ejection | and safet | 1 | | | | |
| Medel 879 LH with Yest. Bib Barrel | | | | | | |
| 30" Full Choke | 5510 | 1 | | 1 | | |
| 28" Full Choke | 1 | 1 | 5528 | \$ 169.95 | | |
| 28" Mod. Choke | 5514 | ↓ | 5530 | 1 | | |
| 26" Imp. Cyl. | 5516 | 1 | 5566 | <u> </u> | | |
| Model 870 LH Magnes with York. Rib Sarrel | | | <u>. </u> | | | |
| 30" Full Choke | 5496 | 1 | 1 | \$ 189.95 | | |

12, 16 & 20 GAUGES — CHAMBER: 2%" standard velocity, "Express", and 23%" Magnum shells for 12, 16, and 20 ga. 3" Magnum and all 2%" shells for 12 and 20 ga. Magnum models. CAPACITY: 5-shot, 3-shot plug furnished. STOCK & FORE-ENG: Rich American Walnut. Mahogany for 20 ga. Lightweight. 0VER-ALL LENGTH: 48½" with 28" barrel. AVERABE WEIGHT: 12 ga. - 7 lbs., 16 ga. - 6% lbs., 20 ga. - 6½ lbs., 20 ga. Lightweight - 5% lbs. with 26" plain barrel), 20 ga. Lightweight Magnum - 6 lbs. (with 26" plain barrel).

| 28 & 410 GAUGES | Orde 28 Ga. | r Nes. 410 Ga. | Retail Prices |
|---------------------------------|----------------|---------------------|------------------|
| Medel 870 with Plain Barrel | | · | <u> </u> |
| 25" Full Chake | 4868 | 4948 | |
| 25" Mod. Choke | 4904 | 4950 | \$ 149.95 |
| 25" Imp. Cyl. Choke | 4916 | 4978 | |
| Model 870 with Vent. Rib Barrel | | | |
| 25" Full Choke | 4918 | 4986 | |
| 25" Mod. Choke | 4920 | 5086 | \$ 174.95 |
| 25" Imp. Cyl. Choke | 4932 | 4990 | I |

28 & 410 GAUGES — CHAMBER: 2¾" standard velocity and "Express" shells for 2f ga., 3" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4-sho. with 3" 410 ga. shells. 3-shot plug furnished. STOCK DIMENSIONS: 13%" long, 2½" drop at theel, 1½" drop at comb. STOCK & FORE-END: Mahogany. OVER-ALL LENGTH: 45½". AVERAGE WEIGHT: 28 ga. plain barrel - 5½ lbs., 410 ga. plain barrel - 6 lbs., 28 ga. vent. rib - 5¾ lbs., 410 ga. vent. rib - 6¼ lbs.


TRAP & SKEET

| 12.00 | | r Nes. | 1410 0. | Retail Prices |
|------------|---|---|--------------|------------------|
| 12 44. | 20 02. | 20 04. | 1410 48. | THUES |
| 6212 | Γ | | | ı ——— |
| | | | | \$ 555.00 |
| 1 3214 | L | <u> </u> | Щ | l |
| 1 4926 | T | Υ | | |
| 1 | | ├ | | \$ 204.95 |
| | | | · · · — | |
| | ├ | } | ∤ | \$ 214.95 |
| | ! | <u> </u> | <u> </u> | l |
| | , | | | 1 - 000 01 |
| | |] | | \$ 209.95 |
| 5520 | | L | <u> </u> | \$ 219.95 |
| | | | | |
| 4938 | | L | l | \$ 279.95 |
| 5036 | | | | 2,3.33 |
| 4912 | | | | \$ 289.95 |
| 5044 | Ī - | T | | 203.33 |
| | | | | |
| 6988 | 6992 | | | \$ 169.95 |
| 6990 | 6994 | | | \$ 194.95 |
| T | | 4934 | 4996 | \$ 179.95 |
| nt. Rib B: | arrel | | | |
| 5136 | 5140 | | | \$ 244.95 |
| Spe | ecial | | | \$ 660.00 |
| Spe | ecial | | | \$1,350./ |
| 870 | | 6336 | 6336 | \$ 9.9. |
| | 5212 5214 4926 5006 4906 5034 5518 5520 4938 5036 4912 5044 6988 6990 nt. Rib B: Sp. Sp. | 5212 5214 4926 5006 4906 5034 17rel 5518 5520 4938 5036 4912 5044 6988 6992 6990 6994 5136 5140 Special | 5212 | 4926 |

All specifications are same as field Grade guns in appropriate gauges, except: STOCK & FORE-END: Rich American Walnut on 28 ga. and 410 ga. Skeet. STOCK DIMENSIONS: For regular Trap with recoil pad: 14% long, 1% drop at heel, 1½ drop at comb. for Monte Carlo Trap with recoil pad: 14% long, 1% drop at heel, 1½ drop at comb. SIGHTS: lvory bead front, metal bead rear. AVERAGE WEIGHT: 28 ga. Skeet 6 lbs., 410 ga. Skeet - 6½ lbs. (-justable weight will add up to 12 oz. in Skeet guns).

1974

12, 20, 28 & 410 Gauges



The 870 "All-American" trap gun leads the team with Premier Grade features, distinctive medallion, and championship appearance to match its shooting abilities. TC grade guns carry select fancy wood and hand checkering. TB grade trap models give trapshooters an option for the same superb performance at slightly lower costs. Both TB and TC grades are available in full or modified trap

chokes. Left hand TB grade models offer left-side ejection to south-paw shooters in full choke only. All give the option of regular or Monte Carlo stocks.

Skeet shooters who prefer pump actions can select the deluxe SC grade Model 870 with fancy hand-checkered wood in 12 or 20 gauges. SA grade skeet guns come in all four gauges.

Every one of these trap and skeet 870s features a ventilated rib barrel with metal rear bead and ivory front sight. All are sure-handling, smooth-shooting, reliable competitors.




"RXP" shotgun shells in 12 gauge loads for trap and skeet and 20 gauge loads for skeet deliver superior performance and reloadability. In new green and blue boxes.




New 20 gauge "RXP" shotgun shells give skeet shooters advanced shell construction and great patterning performance.

MODEL 870 EXTRA BARRELS

| | 12 Ga. | 16 Ga. | Stand. | | 28 Ga. | 410 Ga. | Retail Prices |
|------------------------|----------|---------------|----------|----------|----------|----------|------------------|
| Extra Barrels, Plain | | | | | | | |
| 30" Full Choke | 6214 | | | | | | \$ 39.95 |
| 28" Full Choke | 6216 | 6252 | 6270 | | | | \$ 39.95 |
| 28" Full Choke | | | | 6296 | | | \$ 42.95 |
| 25" Full Choke | | | F | | 6282 | 6236 | \$ 42.95 |
| 28" Mod. Choke | 6218 | 6254 | 6272 | | | | \$ 39.95 |
| 28" Mod. Choke | | | | 6298 | | | \$ 42.95 |
| 25" Mod. Choke | | l — | l | l — | 6284 | 6238 | \$ 42.95 |
| 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | | | | \$ 39.95 |
| 26" Imp. Cyl. Choke | | | | 6300 | | | \$ 42.95 |
| 25" Imp. Cyl. Choke | | | | | 6286 | 6248 | \$ 42.95 |
| 20" Cył. Choke | 6598 | | | | | | \$ 39 95 |
| 20" Imp. Cyl. Rifle | | | | | | | |
| Sights | 6544 | <u> </u> | 6230 | | <u> </u> | L | \$ 50.95 |
| Extra Barrels, Yent. R | | | | | | | |
| 34" Full Choke | 6304 | | | <u> </u> | | <u> </u> | \$ 74.95 |
| 30" Full Choke | 6222 | L | <u> </u> | | | ŀ | \$ 64.95 |
| 28" Full Choke | 6224 | 6258 | 6276 | L | [| L | \$ 64.95 |
| 28" Full Choke | | | | 6322 | | | \$ 67.95 |
| 25" Full Choke | | | L | | 6288 | 6250 | \$ 67 95 |
| 28" Mod. Choke | 6226 | 6260 | 5278 | | | | \$ 54 95 |
| 28" Mod. Choke | | | | 6324 | | | \$ 67.95 |
| 25" Mod. Choke | | | | I | 6290 | 6264 | \$ 67.95 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | I | | | \$ 64.95 |
| 26" Imp. Cyl. Choke | | | | 6326 | | | \$ 67.95 |
| 25" Imp. Cyl. Choke | | | | | 6292 | 6266 | \$ 67.95 |
| Extra Barrels, Vent. A | ib, Trap | & Skee | t Grades | , | | | |
| 34" Full Choke | 6340 | 1 | 1 | | | | \$ 79.95 |
| 30" Full Choke | 6242 | | | | | | \$ 69.95 |
| 28" Full Choke | 6244 | | | | | T | \$ 69.95 |
| 30" Mod. Trap Choke | 6232 | | | 1 | | | \$ 69.95 |
| 28" Mod. Trap Choke | 6246 | | 1 | | 1 | | \$ 69.95 |
| 26" Skeet Chake | 6240 | $\overline{}$ | 6508 | | T | | \$ 69.95 |
| 26" Skeet Cutts Com | p. 6450 | | 6456 | | | | \$ 94.95 |
| 25" Skeet Choke | | | | | 6294 | 6268 | \$ 72.95 |
| Loft Hand Extra Barr | els, Ven | L Rib | | | | - | |
| 30" Full Choke | 6200 | T - | | T | | Ī | \$ 65.95 |
| 28" Full Choke | | | 6208 | | | | \$ 66.95 |
| 28" Mod. Choke | 6202 | | 6210 | T | | | \$ 66.95 |
| 26" Imp. Cyl. Choke | 6204 | | 6212 | T | Γ | | \$ 66 95 |
| 30" Full Choke Trap | 6206 | | Ι. | 1 | | | \$ 71 95 |
| | | | | | | | |





This 12 gauge over-and-under shotgun was completely designed and manufactured in the U.S.A. The assurance of highest-quality American workmanship and service makes the 3200 unique among current overand-unders.


Remington virtually redesigned the over-and-under shotgun to incorporate every desirable feature in the 3200. These guns are super-strong and extremely rugged . . . made to last for generations. Design strengths are evident throughout the entire gun. Barrels lock to the frame by extra-strong side lugs. The sliding top lock increases metal-to-metal trength and provides a shield-covered breech. This design also results in a trim, graceful profile. Thicker, more uniform chamber walls eliminate potentially weak areas . . . and the machined steel frame adds to overall strength and durability.

Wood-to-metal fit is an outstanding display of gunmaking craftsmanship.

American walnut stocks and foreends are checkered at 20 lines to the inch. And the wood is protected by DuPont RK-W finish . . . tough and scratch-resistant against years of rough handling.



Super-fast lock time is another advantage of the 3200. At 1.4 to 1.8 milliseconds, the shot leaves the



3200's barrel before it leaves the shell in most guns.

Straight-line recoil reduces recoil sensation and helps keep the shooteon-target for the second shot. TI 3200 has a lower center of gravity in the bottom barrel. This design permits the shoulder to absorb recoil, reduces upward muzzle jump, and allows faster recovery for the second shot.

3200 Over-and-Under Shotguns

12 Gauge

improved firing pin design means firing pins will not break when dry firing. Remington engineers positioned them so that the hammers never hit a firing pin in an empty chamber. And light firing pin blows are eliminated with the use of special coil springs. These durable springs deliver equal, positive hammer blows every time ... eliminating a major cause of misfires in many other over-and-under shotguns.



The positive-action mechanical fire control assembly insures that the second barrel will shoot, even if the first barrel fails to fire for any reason. This reliable system solves the failure problems of many over-and-under shotguns which require recoil to cock the gun for the second shot. The 3200's second barrel is designed to fire independently.




3200: 12 Ga., 28" \$485.00

Separated barrels. After prolonged firing, heat can cause barrel expansion and a subsequent change in barrel alignment. Separated barrels eliminate this problem by the air space between them. The barrel band pacer at the muzzle allows each barel to expand or elongate independently so point of impact will not be drastically affected. This permits scientific pre-setting of each barrel for optimum point of impact and helps maintain proper barrel alignment.

The separated barrel design also allows the use of more steel in the barrels at the breech to provide stronger and more uniformly durable chambers. The space between barrels cools by allowing air to circulate... eliminating heat waves that can blur sight picture. There's less wind resistance when swinging the 3200 and no chance for moisture collection between barrels. The ventilated rib is silver brazed, rather than soft soldered, for the strongest possible bond.



The unique barrel selector is combined with the safety on the 3200. A single, fast motion selects top or bottom barrel. Trap and skeet models can be locked in position tamper-proof for as long as the shooter wishes. Automatic ejectors eject empty hulls on breech opening; unfired shells raise above chamber level for easy extraction.




Mechanically, the Remington 3200 is a finely-tuned shotgun. Designed for great balance and easy shooting comfort. Its balance point is directly over the barrel hinge points. Thinner-profile from improved lock-up design makes the 3200 easier to carry and handle. Unique design strongpoints make it one of the best all-around and most modern over-and-unders ever manufactured.

Remington 3200 field guns are available with 26", 28", and 30" barrels in 12 gauge only. All have decorative scrollwork on receivers, wide triggers and modified beavertail foreends. The 3200 is Remington's modern version of a classic over-and-under.

A special "One of 1,000" Remington 3200 Skeet Gun will be available on a limited basis during 1974. The designation "One of 1,000" appears on the frame side, and these guns are serial numbered to 1,000. Frame, trigger guard, and fore-end latch are engraved in an elaborate floral design. The special high grade American walnut stock and fore-end carries distinctive checkering. Gold inlay grip cap. Option of 26" or 28" skeet bored barrels. Supplied in a luggage-type carrying case.

3200 Trap & Skeet Guns 12 Gauge



3200 Monte Carlo Trap: 12 Ga., 30" \$550.00 The new over-andunder favorite of trapshooters. With rear metal bead and ivory front bead. Full beavertail fore-end. Recoil pad. Ventilated rib barrels in Full and Full or Improved Modified and Full chokes. **3200 Skeet: 12 Ga., 26" \$530.00** Available with 26" or 28" Skeet and Skeet barrels. Metal rear and ivory front sights. Automatic ejectors. Fine American Walnut and tough DuPont RK-W wood finish. Recoil pad. This 3200 hits doubles with easy confidence.

3200 SPECIFICATIONS

For all Remington 3200 Over-and-Under Shotguns: STYLE: Over-and-Under. GAUGE: 12 Ga. CMAMBER: 24" standard velocity, "Express", and 24" Magnum shells. CAPACITY: 2-shot. BARRCLS: Ventilated Rib. Special Remington Ordnance Steel. Separated design. Extra barrels not available in 1974. FRAME: Machined steel. Shield-covered breech and top lock. Hammers cock on breech opening. Decorative pointing dog roll-engraving STOCK & FORE-END: Rich American Walnut with DuPont RK-W wood finish. Distinctive checkering cut 20 lines to the inch. Checkered butt plate and grip cap. Modified beavertail fore-end. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" barrels. AVERAGE WERGHT: 74 ibs. with 26" barrels. AUTOMATIC EJECTORS: Empty hulls eject on opening of breech. Unfired shells raised to above chamber level for easy extraction. SAFETY & BARREL SELECTOR. Combination top tang manual safety and barrel selector. Left for bottom barrel; right for top barrel; middle for safety on. TRIGGER: Single, selective. 5/16" wide. Extrafast, crisp. SIGNTS: Metal front.

FIELD GRADE

| 12 GAUGE | Order Nes. | Retail Prices |
|-------------------------------|------------|------------------|
| 3200 | | |
| 30" Top-Full/Bottom-Mod. | 3201 | |
| 28" Top-Full/Bottom-Mod. | 3203 | \$485.00 |
| 26" Top-Mod./Bottom-Imp. Cyl. | 3205 | |

TOAD # CKECT

| \$530.00 | |
|-----------|--|
| \$330.00 | |
| | |
| | |
| \$550.00 | |
| | |
| | |
| \$600.00 | |
| \$600.00 | |
| 1 | |
| | |
| 51.050 00 | |
| ,1,030 00 | |
| | |

All specifications are same as Field Grade guns, except: STOCK & FORE-END: Select fancy wood on Special Trap and "One of 1,000" Skeet grades. Full beavertail fore-end on Trap and Skeet guns. Recoil pad on Trap and Skeet guns. STOCK DIMENSIONS: For regular Trap with recoil pad: 14½" long, 1½" drop at heel, 1½" drop at comb. For Monte Carlo Trap with recoil pad: 14½" long, 2" drop at heel, 1½" drop at comb. OVER-ALL LENGTM: 47¾" with 30" Trap barrels and recoil pad. AVERAGE WEIGHT: 8¼ lbs. for Trap with 30" barrels. BARREL SELECTOR: Trap and Skeet models can be locked on desired barrel selection. SIGHTS: Ivory bead front, metal rear.

Remington Sportsmen's Library

Otters a dozen fine books to match an outdoorsman's reading habits. Ideal gifts for hunters, shooters, and sportsmen. Simply fill out the order form below and send it with your check or money order to Remington Sportsmen's Library, as indicated.



Outdoor Tips
—\$2.95



Skeet Shooting with D. Lee Braun— \$2.95



The Remington Historical Treasury of American Guns---\$2.95



Wild Game Cookbook— \$2.95 N

| Remington Sportsmen's Library | copies of "Catch and Feast" @ \$20.00 each. | | Ī |
|---|--|-------------|---|
| P.O. Box 432 | copies of "Bird Dog" @ \$5.95 each. | Name | 1 |
| Bridgeport, Conn. 06601 | copies of "Remington Arms" @ \$6.50 each. | | i |
| Please send me the following: | copies of "Historical Guns" @ \$2.95 each. | Address | ı |
| copies of "Grouse Shooting" @ \$12.50 each. | copies of "Shotguns & Shooting" @ \$5.95 each. | | • |
| copies of "Parker" @ \$2.95 each. | copies of "Remington Handguns" @ \$2.95 each. | | |
| copies of "Outdoor Tips" @ \$2.95 each. | copies of "Trapshooting" @ \$2.95 each. | City | |
| copies of "Skeet Shooting" @ \$2.95 each. | copies of "Wild Game Cookbook" @ \$2.95 each. | J., | _ |
| Enclosed is check or money order payable to Remington | Sportsmen's Library for \$ | State Zip | Í |
| <u></u> | | | 1 |


Remington Trap & Skeet Equipment



New Model 4100 Trap autoloading, autoangling

Remington's new electrically-operated target-throwing system throws clay targets with improved spin, consistent flight angle, and greater in-flight stability under all wind conditions. Adjustable carrier clears platform on every release. Horizontal autoloading magazine controls trap breakage of targets under one per cent, loads 154 targets in less than one minute, handles all target brands. Random autoangling makes this trap nonreadable. Angle settings up to 90° spread. Safer manual feeding features. Throws stable, consistent doubles. (not illustrated)





"Blue Rock" Clay Targets

Fluorescent orange and standard bright yellow colors give these clay targets excellent visibility under all conditions. "Blue Rock" targets feature a streamlined design to increase flight distance. Weight is balance-fixed . . . with thin dome and heavy rim for optimum stability and spin. And they break readily by a hit from only a few pellets. "Blue Rock" targets are packed 135 per carton.

Remington Target Thrower

This easy-to-use hand thrower puts shotgunning practice within reach . . . anywhere at any time. "Blue Rock" targets, a safe place, and a willing arm are all that is necessary. Simulate game, trap, or skeet situations to improve your shooting. Beginners need only a few practice throws to gauge distance and direction. A quality American-made Remington hand thrower provides hours of family fun . . . and an excellent teaching device.


"Expert" Trap

Take this manual "Expert" trap along on vacations or weekend trips. It's strong, lightweight, and compact enough to transport easily in boat or car. Easy to load and operate. Adjustable for elevation and distance. Ideal for walk-around shooting courses and covey-rise trapshooting layouts . . . and a valuable shooting instruction aid.

"Blue Rock" Trap

The manually-operated "Blue-Rock" frap releases high, low, or doubles by a simple control lever. The shovel-type carrier, similar to types used on more expensive traps, assures fast spin, consistent direction and distance. Designed for straight trap or skeet shooting, this trap is appropriate for small clubs and private estates.

Write for a free brochure on Remington Gun Club Traps to Remington Arms Company, Inc., Bridgeport, Conn. 06602.



ct American Walnut stock and forect American Walnut stock and fore-... Available with regular or Monte c...lo stock. Rubber recoil pad. Handme 20 lines to the inch checkering. ivery innovative Remington feature in a special trap grade for the trapshooter who wants a special shotgun.



Remington Shotgun Shells with "Power Piston" Wads

Remington shotgun shells contain advanced features and technology that pay off in high performance:

Plastic hulls are tough and smooth-chambering. They lock out moisture and completely seal in gases for fullest power. The inner hull wall is designed for best practical wad sealing and seating to keep power behind the shot. Hulls will not scuff, swell, or split under normal conditions. Remington hulls have a special coating to help prevent chamber corrosion.

Powder is specifically blended to match the load . . . for clean burning, light recoil, and best pattern performance.

"Kleanbore" priming provides fast, sure ignition and freedom from worry over barrel rust. Primers match the individual load and provide ballistics uniformity in all weather. Shot is truly round . . . hardened to prevent deformation. Made in Remington shot towers. Reloadability stems from the strength of the special plastic formula used to make Remington hulls. They give as many or more reloads than any shell . . . and they reload on any standard press.

Reloadability, reliability, and the right components make Remington shotgun shells a shooter's first choice. In a versatile range of loads and shell types for any game.





12 Gauge "Express" Shell: 2¼", 1¼ ounce, high base with "Power Piston" wad.



16 Gauge "Express" Shell: 234", 11% ounce; high base with "Power Piston" wad.



20 Gauge "Express" Shell: 23/4", 1 ounce, high base in four different loads.



28 Gauge "Express" Shell: 234", 34 ounce, high base with "Power Piston" wad.



410 Gauge "Express" Shell: 2½" or 3" maximum power with special shot container.

"Power Piston" One-Piece Wads give "Express" and "Shur Shot" shotgun shells an extra effective advantage. This exclusive plastic shot container cushions the shot throughout firing and down the barrel. The speciallydesigned shock absorber section reduces initial shock and minimizes shot-to-shot deformation. The base acts as a seal to help prevent gas from pushing past the shot column. The one-piece plastic wad protects the shot from the inside of the barrel. It all adds up to rounder shot shape, truer flight, and more perfect patterns without barrel leading . . . v up to 10% more effective and eve distributed shot in a uniform pattern.



BARBER - PRESALE R 0124389

#Express" Shotgun Shells in 10, 12, 16, 20, 28 & 410 Gauges "Shur Shot" Shotgun Shells in 12, 16 & 20 Gauges 23/4" Magnum Shotgun Shells in 12, 16 & 20 Gauges

Standard Length 2 3/4" Magnum Loads in 12, 16 & 20 Gauges



Remington 23/4" Magnum shotgun shells hold approximately 20% more shot than comparable standard 23/4" shells. Fire a 23/4" Magnum load and you put more pellets in denser patterns at longer ranges. Magnum performance increases effective range by at least 10 yards . . . and the denser pattern delivers more knockdown power. These 23/4" Magnums contain a maximum charge of special powder to drive their heavier loads.

Most Baby Magnum shells feature one-piece "Power Piston" wads. For maximum pellet weight and count, a special plastic shot protector is used in 16 and 20 gauge Baby Magnum shells. High-strength plastic hulls are specially coated . . . for extra protection against wet conditions and for smooth feeding and chambering. Give Remington Standard Length 23/4" Magnums a shot for extrapower hunting action.

This comparison chart shows approximate pellet counts and weights for standard 2%" and 2¾" Magnum loads. Remington Baby Magnum shells contain approximately 20% more pellets.

| 12 Ga. Shot Size | Ne. Pellets per Gunce | Standard 2¾" 1¼ Ounces | Baby Magnum 2¾~ 1½ Ounces | Pellet Increase |
|---------------------|--------------------------|---------------------------|---------------------------------|--------------------|
| #2 | 87 | 109 | 130 | 21 |
| #4 | 134 | 168 | 201 | 33 |
| #6 | 221 | 276 | 331 | 55 |

Any modern shotgun in good condition will shoot these 2¾" Standard Length Magnum shotgun shells. They're recommended for waterfowl, pheasant, grouse, and wild turkey . . . and are excellent for shooting in heavy foliage. Available in 12, 16, and 20 gauges, in a variety

SHOTGUNNING SUGGESTIONS

| V | | | alla la autuma angara i | MAS |
|------------------------|-----------------------------|--------------------------------|---|---|
| SUGCESTED S | HOT SIZE | | · | |
| RAME | SMELL | SMOT SIZE | SUGRESTED CHOKES | WHAT EXPERIENCED HUNTERS SAY |
| DUCKS | "Express" | 4, 5, 6 | Full — For Pass Shooting Modified — Over Decoys | Use No. 4 shot for long range and pass shooting. For normal range — No. 5 or No. 6 shot while some hunters use No. 7½ shot for closer range shooting over decoys. |
| BEESE | "Express" | 88, 2, 4 | Fall | Goose hunters need wallop to fold up their birds so they use the big loads with large shot. Many hunters prefer No. 4 shot for a denser pattern at shorter ranges over decoys. |
| PHEASANTS | "Express" | 5, 6 | Improved Cylinder — Close Cover Meditled or Full — For Long Cornfield Shots | For cornfield shooting where long shots are usual — better use No. 5. On a normal rise over dogs and for all around use, No. 6 is the favorite. Bigger shot may be dangerous when hunting in large groups. |
| GROUSE OR PARTRIBGE | "Express" or "Shur Shot" | 5, 6, 714, 8 | Improved Cylinder or Modified — For Brush Work Fall — For Open Ranges | On the smaller birds such as ruffed grouse or Hungarian Partridge use the smaller shot. The big western grouse (sage, sooty, and blue) call for heavier loads and larger shot. |
| GUAIL | "Shur Shot" | 7%, 8, 9 | Improved Cylinder or Medified | For early season shooting on bob-whites when feathers are light some hunters use No. 9 shot. Later they switch to No. 7½ or No. 8. On the running and wild flushing type of quail, such as the Gambel's, larger shot is sometimes used. |
| DOVES & PIGEONS | "Express" or "Shur Shot" | 8, 7½, 9 | Modified | You can do a good job on mourning doves at normal ranges with the lighter loads and No. 7½ or No. 8 shot — but for longer ranges use the heavy loads and No. 6 or No. 7½. Use the same load on band-tailed pigeons and white wings. |
| MOODCOCK | "Shur Shot" | 732, 8, 9 | Improved Cylinder or Modified | Your choice of shot size here will depend on ranges at which your game is shot. For fast shooting in the alder thickets, No. 8 shot is a good choice. |
| RABBITS | "Express" or "Shur Shot" | 4, 8, 6 | Improved Cylinder or Medified — For Brush Fall — For Long Open Shots | For cottontail rabbits at normal range, the lighter loads are suitable, but for larger game such as jack rabbits and snow shoe rabbits use heavy loads. |
| SAUMRELS | "Express" | 5, 6 | Modified | Most hunters use 5s or 6s and prefer the heavy loads particularly in the tall timber. |
| RAIL | "Shur Shot" | 742, 8, 8 | Improved Cylinder | for the little sora rail No. 8 or No. 9 does the job while many hunters use No. 7½ on the marsh hen or clapper rail. |
| TURKEY | "Express" | 88, 2, 4, 5, 8, 7½ | Full | Choice of shot size depends on your range. If you're a good caller, No. 6 or No. 7½ shot makes a clean kill. BBs, No. 2s, 4s, and 5s are best for long shots. |
| FBX | "Express" | 88, 2 | Felt | It's a toss-up between BBs and No. 2 shot. But remember — the smaller the shot, the denser the pattern. |
| DEER & BLACK BEAR | "Express" | Bifled Sing and Buckshet | For rifled slugs and buckshot any choke may be used. Best results are obtained with improved Cylinder | For deer and black bear 12 and 16 gauge slugs are the best 0 and 00 Buckshot are the most popular sizes for deer hunters who use buckshot. |
| | | | | |

"RXP" Shotgun Shells in 12 Gauge for Trap & Skeet Loads and 20 Gauge for Skeet Loads



Remington "RXP" shotgun shells have made a name for themselves among trap and skeet shooters. These competitors look for the new green and blue box for superior patterning performance and exceptional reloadability. "RXP" shotgun shells are designed for ideal component balance . . . and consistent championship results. Available in 12 gauge trap or skeet loads . . . and in a brand new 20 gauge skeet load . . . all with winning ways.


Super-strong uni-body design makes the "RXP" shotgun shell tough and extremely reloadable. One-piece body and base-wad construction are made of high-density polyethylene . . . strength-proven in special lab tests. The exclusive plastic forging process adds dimensional stability, reducing resizing requirements in reloading.

Reliable "Kleanbore" priming pays off in consistently excellent ignition. Dimensional stability permits extra-tight primer seal. "Kleanbore" 97° or 209 Target primers fit precisely to pocket and head, optimizing ignition reliability.

Remington target loads in 16, 28, and 410 gauges . . . and 12 gauge International Target Loads . . . are also available. All score high for quality, reliability, and performance on the field of competition.

One-piece "Power Piston" wad protects shot and helps keep it round. The light green wad also acts as a gas seal in the barrel for greater power. "RXP" shotgun shells are the only one-piece target shells factory loaded with "Power Piston" wads.

No. 8½ trap loads for 16-yards and doubles hold approximately 80 more pellets than No. 8s. These exclusive Remington 8½ loads put more hard shot in the pattern. Light or heavy loads are available for trap in No. 7½ or No. 8. Skeet shooters prefer No. 9 loads . . . now in the new 20 gauge skeet "RXP" shotgun shell.



Remington Shotgun Shell Specifications

| TYPE OF LOAD | REMINETON ORDER NO. | CAUCE | LENGTH SHELL | POWDER EQUIV. DRAMS | OUNCES OF SHOT | | SHOT SIZES | | |
|--|--|--|---|---|---|--|---|---|---|
| "EXPRESS" LONG RANGE LOADS | RX10P SP10 SP12 SP16 SP20 SP28 SP410 SP4103 | * 10 * 10 12 16 20 28 410 410 | 2% 2% 2% 2% 2% 2% 2% 2% 2% 3 | 8 4¾ 3¾ 3¼ 2¾ 2¼ Max. Max. | 1% 1% 1% 1 1 1 1 1 1 1 | | Yacht Gun Blank 4 .BB, 2, 4, 5, 6, 7½, 9 4, 5, 6, 7½, 9 4, 5, 6, 7½, 9 6, 7½, 9 4, 6, 7½, 9 4, 5, 6, 7½, 9 4, 5, 6, 7½, 9 5, 7½, 9† | | |
| "EXPRESS" MAGNUM LOADS | SP10 Mag. SP12S Mag. SP12 Mag. SP12H Mag. SP16C Mag. SP20S Mag. SP20S Mag. | • 10 12 12 12 16 20 20 | 3½ 2¾ 3 3 2¾ 2¾ 3 | Max. Max. Max. 4 Max. Max. Max. | 2 1½ 1½ 1½ 1¼ 1¼ | | 2 (Mag.) 2, 4, 5, 6 (Mag.) 2, 4, 6 (Mag.) BB, 2, 4 (Mag.) 2, 4, 6 (Mag.) 4, 6, 7½ (Mag.) 4, 6, 7½ (Mag.) | | |
| POWER-PAKT" "EXPRESS" - BUCKSHOT LOADS | SP12BK SP12BK SP12BK SP12BK SP16BK (5-Pack of SP20BK | 12 12 12 12 12 only) 16 20 | 2¾ 2¼ 2¼ 2¼ 2¾ 2¾ 2¾ | 3¾ 3¼ 3¾ 3¾ 3 3 2¾ | | · | 00 Buck- 9 Peliets 0 Buck-12 Peliets 1 Buck-16 Peliets 4 Buck-27 Peliets 1 Buck-12 Peliets 3 Buck-20 Peliets | | |
| POWER-PAKT" "EXPRESS" • MAGNUM BUCKSHOT LOADS | SP12S Mag. BK SP12S Mag. BK SP12H Mag. BK SP12H Mag. BK | 12 12 12 12 | 2¾ 2¾ 3 3 | 4 4 4½ 4½ | - - - | | 00 Buck-12 Pellets 1 Buck-20 Pellets 00 Buck-15 Pellets 4 Buck-41 Pellets | | |
| RIFLED SLUG LOADS | SP12RS* SP16RS (5-Pack of SP20RS* SP410RS (5-Pack | 20 | 2% 2% 2% 2% 2% | 3% 3 2% Max. | % % % % | Rifled Slug Rifled Slug Rifled Slug Rifled Slug | Velecity Muz. 50 Yds. 1600 1175 1600 1175 1600 1175 1830 1335 | Energy Muz. 2175 1990 1555 650 | y — F.P. 50 Yds. 1175 1075 840 345 |
| "TOH2 RUH2" | R12L R12H RP12H | 12 12 12 | 2% 2% 2% | 3¼ 3¼ 3¼ May also be used | 1 11/4 1 11/4 where heavi | er trap loads are p | 4, 5, 6, 8 4, 5, 6, 7½, 8, 9 7½, 8 ermissible. | | |
| FIELD LOADS | R16 R16H R20 R20M | 16 16 20 20 | 2 1/4 2 1/4 2 1/4 2 1/4 | 21/2 21/4 21/2 21/2 | 111/6 | | 6, 8 4, 5, 6, 7½, 8, 9 6, 8 4, 5, 6, 7½, 8, 9 | | |
| SCATTER LOADS | RSL12 | **12 | 234 | 3 | 11/4 | | 8 | | |

Remington Shotgun Shell Components



The complete line for the handloader.

Reload "RXP" shotgun shells with all the Remington components that make these factory loads outstanding. Trap and skeet shooters look for two things from a shotgun shell . . . top reliability and lots of easy reloads. These 12 and new 20 gauge hulls and components for "RXP" shotgun shells give reloaders everything they seek in a shell . . . and more.

Uni-body construction provides the basic strength for continuing reloads. The one-piece body and base section form a hull that remains intact and usable again and again. A rugged high-density polyethylene and Remington's exclusive body-forging process make an extremely tough and dimensionally stable shell. Reloaders get many reloads with little need for resizing. Wads insert easily and fit precisely. The mouth and crimp are specially formed in the factory load to make later recrimping easier and more secure with many loads in any standard reloading press. No shell presently available can beat its reloadability.

"Kleanbore" 97* and 209 Target primers in plastic bodies of "RXP" shotgun shells form an extra-tight primer seal. The hull's dimensional stability and the precise primer-to-base fit means excellent reliability, particularly in guns with off-center or weak-spring firing pins. In addition, "Kleanbore" priming won't attack brass or leave corrosive residues in barrels.


"Power Piston" wads help protect shot against deformation through the entire firing process and down the barrel. They also act as a gas seal behind the shot in the barrel for greater power. The bridge-section design of the "Power Piston" wad compensates for compression. This permits the handloader to vary powder-charge weights and still obtain a perfect crimp. The RXP12 "Power Piston" wad is specially designed for "RXP" shotgun shells; its distinguishing light green color identifies it for reloaders.

Special hard shot is available to reloaders in a premium hardness grade ... the hardest Remington has ever sold as a component. New 8½ shot gives you 80 more pellets in a 12 gauge target load than No. 8 size. This new load gets more hard shot in the 16-yard pattern to give shooters a better chance of breaking targets. Remington shot also comes in 7½ and 8 for trap and No. 9 for skeet.


Top-quality Remington components are available in all gauges. Plastic hulls provide slick operation. "Kleanbore" primers are non-corrosive and give fast ignition. "Power Piston" one-piece wads pay off in rounder shot and improved patterns. Remington makes a primer (97-4) specially designed for 410 gauge shells. The unique 410 plastic wad doesn't collapse in the reloading process. The flared wad helps prevent folded petals and keeps shot within the wad cup. There's a complete line of Remington shot for the handloader . . . from 00 buck to dust.

Send for a free Remington Ammunition Components Catalog or the booklet "Remington's Tips on Better Reloading" to Remington Arms Company, Inc., Bridgeport, Conn. 06602.






New Model 700 BDL Custom Deluxe Left Hand: 7mm Rem. Magnum \$209.95 All the new Model 700 features in a mirror-image big-game rifle for left-handed hunters. New fore-end and pistol grip design. A solid rubber presentation-type recoil pad. New 20 lines to-the-inch cut checkering. Anti-bind bolt and redesigned bolt handle. Left handed bolt, safety, and cheekpiece. Left handed 700s are available only in BDL grade in 7mm Rem. Mag., 30-06, and 270 Win. calibers.



Model 700 ADL Deluxe: 30-06 \$164.95 Choose this lower-priced 700 ADL for hunting value. New rear sight and stainless steel magazine follower. Skip-line checkering. Monte Carlo stock with cheekpiece and flat-faced gold bead with ramp front sight. New solid rubber recoil pads on Magnum models.

Model 700 BDL "Varmint Special": 222 Rem. \$204.95 In Remington 25-06, 222, 223, 22-250, 6mm calibers and 243 Win. Heavy barrel for exceptional accuracy. Equipped for scope bases. Quick release swivels, quick-adjust sling strap, hinged floor plate. Monte Carlo stock with cheekpiece and new wrap-around cut checkering.

Model 700 Center Fire Bolt Action Rifles



inproved features and styling give ne Model 700 a striking new look nd better-handling performance in great variety of caliber selections. eart with new BDL checkering . . .

ich . . . wraps around the fore-end or a firmer grip and better hold. our new anti-bind bolt assures swept-back grip cap. The Model 700 has one of the strong-

noother operation. A section of ne bolt lug is slotted and rides on matching receiver rail. The bolt tides easily . . . without any bind r drag. A new stainless steel magane follower adds to strong, smooth peration. The redesigned bolt hanle puts 1/8" more clearance between agger finger and trigger . . . to help went banged fingers on recoil. The rw rear sight is easier to set and isier to remove for scope installaon. BDL versions feature a hinged our plate, a hooded front sight, sling rap and swivels.

eep and sharp - cut 20 lines to the

The Model 700 appearance is more handsome than ever. The BDL Custom Deluxe rivals expensive custom-made rifles. The design of the American Walnut stock improves appearance, balance, grip, and handling. The tough DuPont RK-W finish protects and highlights the wood.

The new fore-end is squared-off and fuller for a better palm-sized fit. The new pistol grip is slimmer for greater comfort and control . . . with a

est bolt actions ever designed. Three rings of solid steel surround the cartridge head. The steel bolt face, barrel, and receiver prevent rupturing of center fire cases. No extractor cuts weaken this critical area.

Mirror-image left hand Model 700 BDL rifles put cheekpiece, safety, bolt, and ejection on the correct side for lefties. The new ADL Deluxe 700s have solid styling with sawed-off fore-end and skip-line checkering.

Both ADL and BDL models have leweled bolts, shrouded bolt covers, and low-profile safeties. All Model 700 rifles have Monte Carlo stocks with cheekpiece, checkered bolt knobs, and detachable sights. Receivers are drilled and tapped for scope mounts.


For small-target, long-range precision work, there's the new heavy-barreled 700 BDL "Varmint Special" with all the features incorporated in the standard BDL version. The Model 700 Custom is available with personalized specifications . . . by special order only. The 700 Custom sports a hand- i some checkered select American Walnut stock, highly polished receiver and barrel.

The new Model 700 stands out as another example of Remington's constant effort to improve and update shooting systems . . . through research, testing, and continuing shooter interviews.


MODEL 700 SPECIFICATIONS

| | | | Barrel | Length | Overall | Length | Weight | Lbs. | 70 | ABL | 76 | BDL | "Varmit | nt Special" | Custo | m Model |
|-------------------|------|------------------------|--------|--------|---------|--------|--------|--------|---------------|------------------|---------------|------------------|---------------|------------------|---------------|------------------|
| Calibers | Cap. | Twist-R H 1 Turn in | Reg. | Var. | Reg. | Var. | Reg. | Var. | Order Nos. | Retail Prices | Order Nos. | Retail Prices | Order Nos. | Retail Prices | Order Nos. | Retail Prices |
| l 'Rem. | 6 | 9" | 24" | | 431/2" | | 7 | | | | 6046 | \$189.95 | | | | |
| 50 Rem. | 5 | 14" | 24" | 24~ | 431/2" | 431/2" | 7 | 9 | 5762 | \$104.05 | 5782 | #100.0E | 5822 | | Special | |
| ∵2 Rem. | 6 | 14" | 24" | 24" | 431/2" | 431/2" | 7 | 9 | 5760 | \$164.95 | 5780 | \$189.95 | 5820 | } | Special | 1 |
| '2'3 Rem. | 6 | 12" | | 24" | | 431/2" | | 9 | | | | | 5824 | ***** | Special | 1 |
| 25-06 Rem. | 5 | 10" | 24" | 24" | 441/2" | 441/2" | 7 | 9 | 5768 | | 5788 | | 5830 | \$204.95 | Special | 1 |
| ınm Rem. | 5 | 9" | 22" | 24" | 411/2" | 431/2" | . 7 | 9 | 5764 | \$164.95 | 5784 | e100.05 | 5826 | 1 | Special | 1 |
| 43 Win. | 5 | 9 | 22" | 24" | 411/2" | 431/2" | 1.7 | 9 | 5766 | \$104.95 | 5786 | \$189.95 | 5828 |] | Special | \$360.00 |
| '70 Win. | 5 | 10" | 22 | | 421/2" | | . 7 | | 5770 | L | 5790 | 1 | | | Special | 1 |
| 70 Win, Left Hand | 5 | 10" | 22" | | 421/2" | | 7 | | | | 5810 | \$194.95 | | _ | Special | 1 |
| 30-06 | 5 | 10" | 22" | | 421/2" | | 7 | \Box | 5772 | \$164.95 | 5792 | \$189.95 | | | Special | 1 |
| 1-06 Left Hand | 5 | 10" | 22" | | 421/2" | | 7 | |] | | 5812 | \$194.95 | | | Special |] |
| of Win → | 5 | 10" | 22'' | | 411/2" | | 7 | | 5774 | \$164.95 | 5794 | \$189.95 | | | Special | 1 |
| n Rem. Mag. | 4 | 9., | 24" | | 441/2" | | 71/2 | | 5776 | \$179.95 | 5802 | \$204.95 | | | Special | 2222.00 |
| Rem Mag.Left Hand | 4 | 9 | 24" | | 441/2" | | 71/2 | | | | 5814 | \$209.95 | | | Special | \$372 00 |
| Ain Mag. | 4 | 9 | 24" | 1 | 441/2" | | 71/2 | | | | 5804 | 6204.05 | | | Special | *272.00 |
| Win Mag. | 4 | 10" | 24" | 1 | 441/2" | | 71/2 | | | | 5806 | \$204.95 | | | Special | \$372.00 |
| H&H Mag. | 4 | 12" | 24" | 1 | 441/2" | | 9 | \Box | | | 5836 | *250.00 | 1 | | | |
| Win, Mag. | 4 | 14" | 24" | | 441/2" | | 9 | | 1 | | 5838 | \$360.00 | | | | |

"Available in 1973 BDL version only




Model 742 Woodsmaster" Center Fire Automatic Rifles




Model 742 BDL Custom Deluxe: 30-06 \$209.95 An exceptionally popular automatic rifle. Fast and accurate. Basket weave checkering and Monte Carlo stock with full cheekpiece. Cross-bolt safety. Quick-loading clip holds four cartridges. In 30-06 and 308 Win, calibers. Model 742 BDL Custom Deluxe Left Hand: 30-06 \$209.95 Reversed left hand cheekpiece and left hand safety. Less recoil for greater control on the second shot. Tough DuPont RK-W wood finish. Automatic dependability. Available in 30-06 and 308 Win.

Model 742 Carbine: 30-06 \$189.95 The short 18½" barrel pays off in brush country. Ramp front sight and step adjustable rear sight. Convenient bolt release. 30-06 and 308 Win. calibers. Built to take rough handling.



Model 742: 30-06 \$189.95




Remington "High Velocity" center fire cartridges in a wide selection of bullet types and weights help shooters coordinate ammunition and rifle to form the complete hooting system. Used exclusively in factory testing of mington center fire rifles, "High Velocity" ammunition selivers optimum efficiency and performance. Advanced Core-Lokt" and "Power-Lokt" bullet designs bond are and jacket. Constant Remington testing and qual-control assure controlled expansion. New green and reflow color-coded packaging sets Remington center recartridges apart.

MODEL 742 SPECIFICATIONS

STOCK & FORE-END: American Walnut. STANDARD STOCK DIMENSIONS: 13½" length of pull, 2½" drop at heel, 1½" drop at comb. Deluxe Model: 13¼" length of pull, 2½" drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo. RECELVER: Drilled and tapped for scope mounts. Removable clip magazine. EAPACITY: 4 in clip magazine plus one in chamber, SIGNTS: Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. SAFETY: Positive cross-bolt. Deluxe models with left hand cheekpiece have left hand safety. right side ejection—at no extra charge. WEIBHT: Approx. 7½ lbs. Carbine weighs approx. 6¾ lbs.

| at no extra charge. WEIS | | | | | |
|---------------------------|------------------------|------------------|-------------------|--------------------|------------------|
| Calibers | Twist-R H 1 Turn in | Barrel Length | Overall Length | Order Nos. | Retail Prices |
| Model 742 | | | | | |
| 6mm Rem. | 9" | 22" | 42" | 9632 | |
| 280 Rem. | 9" | 22" | 42" | 9634 |] |
| 30-06 | 10" | 22" | 42" | 9636 | \$ 189.95 |
| 308 Win. | 10" | 22" | 42" | 9638 |] |
| 243 Win. | 9" | 22" | 42" | 9648 | l |
| Model 742 Carbine | | | | | |
| 30-06 | 10" | 181/2" | 381/2" | 9670 | \$ 189.95 |
| 308 Win. | 10" | 181/2" | 381/2" | 9672 | \$ 189.95 |
| Model 742 BDL Deluxe | | | | | |
| 30-06 | 10" | 22" | 42" | 9666 | |
| 308 Win. | 10" | 22" | 42" | 9640 | |
| 30-06 Left Hand | 10" | 22" | 42" | 9668 | \$ 209.95 |
| 308 Win. Left Hand | 10" | 22" | 42" | 9644 |] |
| Medel 742 D Peerless Grad | le | | | Special | \$ 660.00 |
| Model 742 F Premier Grad | e | | | Special | \$1.350.00 |
| ACCESSORIES | | | | | |
| Sling Strap & Quick Relea | se Swivel (Install | ed) | | 6094 | \$ 9.10 |
| Extra 4-Shot Clip | | | | Specity Caliber | \$ 5.25 |



Model 760 Carbine: 30-06 \$164.95 Ready to take on tough country. In:30-06 or 308 Win. calibers. 18½" barrel, 38½" overall length. Ramp front sight, step-adjustable rear sight. Removable four-shot clip magazine.

Model 760 BDL Custom Deluxe: 308 Win. \$184.95 Pump-action hunting supremacy. Black fore-end tip and grip cap, white line spacers. Monte Carlo stock with full cheekpiece. Left or right hand models in 308 Win., 30-06, or 270 Win.

Model 760 "Gamemaster" Center Fire Pump Action Rifles



When it comes to deer, the Model 760 "Gamemaster" rifle comes into its own. This is the only pump action rifle available in 30-06 . . . and many hunting experts rate it ahead of the popular 30-30 lever actions as a superb deer rifle. In the hands of an experienced pump action shooter, the 760 is faster to operate, surer, and more natural than a lever action.

Twin action bars . . . one on each side of the fore-end . . . eliminate twisting or binding. The fore-end pumps straight back in a fast natural movement. The hunter's finger stays on the rigger as he works the action for adtional shots. The entire 760 trigger assembly stays in the rifle during operation . . . unlike the more cumbersome lever actions. This eliminates the possibilities of misalignment, grit in the mechanism, and painful pinched fingers.

Along with the 30-06 version, caliber selection includes 6mm Rem., 308 Win., 270 Win., and 243 Win. The Model 760 carbine comes with 181/2" barrel in 30-06 or 308 Win. . . . for fast, sure handling in brush or rough country.

Strength in action stems from the solid steel receiver and an artillervstyle bolt with multiple locking lugs. When the action is closed, these lugs lock bolt to barrel as securely as advanced engineering techniques have been able to devise. And, as in all Remington center fire rifles, the closed action surrounds the cartridge head with a triple ring of steel.

Every Model 760 rifle and carbine matches smooth pumping action with smooth styling. All have black foreend tips and grip caps, white line spacers, and rich American Walnut stocks and fore-ends. BDL Custom Deluxe models stand out with decorative basketweave checkering and Monte Carlo stocks with full cheekpiece. Left hand BDL grades feature a reversed cheekpiece and safety. Standard 760s hold their own in appearance . . . with a regular stock and skip-line checkering.

Receivers and internal parts are vibra-honed to give them a mirrorsmooth, shiny finish . . . burr-free for super smooth operation. Every 760 "Gamemaster" rifle is handsomely finished in the Remington grand manner with deep blueing and Du-Pont RK-W wood finish. Inside and out, the Model 760 is built to take the toughest weather and handling. Each rifle is furnished with its own removable four-shot clip. Receivers are drilled and tapped for scope mounts. Step-adjustable rear sight and ramped front sight supplied.

If you're a pump action shooter, you'll go for the Remington 760 for its outstanding performance as an allaround hunting rifle.


MODEL 760 SPECIFICATIONS

STOCK & FORE-END: American Walnut. STANDARD STOCK DIMENSIONS: 13¼" length of pull, 2½" drop at heel, 1½" drop at comb. Deluxe Model: 13½" length of pull, 2½" drop at heel, 1½" drop at comb. 1½" drop at Monte Carlo. RECEIVER: Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine. plus one in chamber. SIGHTS: Flat faced gold bead with ramp front sight. Step adjustable rear sight with windage adjustment screw. SAFETY: Positive cross-bolt type. Deluxe models with left hand cheekpiece have left hand safety, right side ejection — at no extra charge. WEIGHT: Approx. 7½ lbs. Carbine weighs approx. 63/ lbs.

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overali Length | Order Nos. | Retail Prices |
|----------------------------------|------------------------|------------------|-------------------|---------------|------------------|
| Model 760 | | | | | |
| 6mm Rem. | 9" | 22" | 42" | 5900 | |
| 270 Win. | 10" | 22" | 42" | 9726 | 1 |
| 30-06 | 10" | 22" | 42" | 9730 | \$ 164.95 |
| 308 Win. | 10" | 22" | 42" | 9732 | 1 |
| 243 Win. | 9" | 22" | 42" | 9678 | 1 |
| Model 760 Carbine | | | | | |
| 30-06 | 10" | 181/2" | 381/2" | 9698 | 4 164.05 |
| 308 Win. | 10" | 181/2" | 381/2" | 9714 | \$ 164.95 |
| Model 760 BBL Custom Deluxe | | | | | |
| 270 Win. | 10" | 22" | 42" | 9708 | Ī |
| 270 Win. Left Hand | 10" | 22" | 42" | 9/12 | 1 |
| 30-06 | 10" | 22" | 42" | 9692 | |
| 30-06 Left Hand | 10" | 22" | 42" | 9694 | \$ 184.95 |
| 308 Win. | 10" | 22" | 42" | 9706 | 1 |
| 308 Win. Left Hand | 10" | 22" | 42" | 9710 | 1 |
| Model 760 D Peerless Grade | | | | Spec. | \$ 660 00 |
| Model 760 F Premier Grade | | | | Spec | \$1,350 00 |
| Accessories for Model 760 | | | | | |
| Sling Strap & Quick Release S | wivels (Install | ed) | | 6096 | 3 910 |
| Extra 4-Shot Clip (Specify Calib | | | | • | \$ 450 |



Model 760 receivers are vibra-honed for mirror-smooth finish. Cross-bolt safety. Easily-removable four-shot clip.



fwin action bars guide fore-end to eliminate twisting or binding.



Ramp front sight with flat-faced gold bead.



Remington seeks to give every hunter highest quality and performance at a price he can afford. The Model 788 bolt action rifle more than meets this goal. Originally designed and built for sportsmen who wanted a lower-priced big game rifle in popular, modern calibers . . . the 788 has achieved a fine reputation for accuracy and strength.

The 788 delivers pinpoint accuracy . . . with performance worthy of a much more expensive target rifle.

This exceptional accuracy is a direct result of the Model 788's extremely fast lock time... the interval between trigger-pull and primer ignition. Lock time is so fast that the bullet leaves the barrel of the 788 before a comparative bullet in any of ten competitive rifles tested leaves the cartridge case.


A proof of 788 strength is its ability to handle the powerful 22-250 Remington cartridge. The reason for its strength is the nine locking lugs on the bolt. These lugs fit into the grooved receiver with bank-vault security and tightness.

Standard models are available in 222 Rem., 22-250 Rem., 6mm Rem., 243 Win., and 308 Win. With left hand versions in 6mm Rem. and 308 Win. All are equipped with Monte Carlo stocks, positive thumb-type safeties, blade front sights and U-notch rear sights. Receivers are drilled and tapped for scope mounts. Rear sight barrel holes are correct for target scope block. Each rifle comes with detachable clip magazine. Option accessories include sling strap wing quick-release swivels and extra clip.

The Model 788 affords the hunter extreme accuracy and strength at a price he can afford.

Model 788 Center Fire Bolt Action Rifles





Model 788 Left Hand: 6mm Rem. \$109.95 A price-conscious, accurate big game rifle for left handers. Bolt handle and safety are reversed for southpaw shooters. Detachable clip magazine. Receiver drilled and tapped for scope mounts. Blade front sight on ramp is removable. In 6mm Rem. and 308 Win. calibers.

Model 788 with 4X Scope: 222 Rem. \$124.95 A special combination for the value-hunter. Also available in 22-250 Rem., 6mm Rem., 243 Win., and 308 Win. Supplied with four-power Universal Model UE scope, mount, rings, and instructions. Riflé supplied with open sights, removable for scope mounting.



Model 788: 22-250 Rem. \$104.95



Core-Lokt" and "Power-Lokt" bullets feature adinced designs that bond core and jacket. "Core-Lokt" lets, loaded in 26 big game calibers, have built-in dications for specific big game situations. "Powerst bullets give target shooters and varmint hunters as exceptional accuracy demanded for their sport.

MODEL 788 SPECIFICATIONS

MUDEL 768 SPECIFICATIONS

STOCK: Walnut finished hardwood, Monte Carlo type. STANDARO STOCK DIMENSIONS:
13%" length of pull, 25%" drop at heel, 1%" drop at comb (from open sight line).

RECEIVER: Drilled and tapped for scope mounts and receiver sight. Detachable clip magazine. SIGHTS: Blade front sight on ramp is detachable. U-notch rear sight lockscrew adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. SAFETY: Positive thumb type. Left hand models with left hand bolt and safety, right side ejection. WEIGHT: Approx. 7½ lbs. For 222 Rem. and 22-250 Rem., 7½ lbs. SCOPE: 4-power Universal Model UE with mount and rings.

| Calibers | Clip Mag. Cap. | Twist-R H 1 Turn in | Bbi. Lgth. | O.A. Lgth. | Av. Wt. Lbs. | Order Nos. | Retail Prices | |
|-----------------------|-------------------|------------------------|---------------|---------------|-----------------|---------------|------------------|--|
| Medel 788 | | | | | | <u> </u> | | |
| 222 Rem. | 4_ | 14" | 24" | 435e" | 71/2 | 9722 | \$104.95 | |
| 22-250 Rem. | 3 | 14" | 24" | 43%" | 71/2 | 9736 | \$104.95 | |
| 6mm Rem. | 3 | 9" | 22" | 42" | 71/4 | 9784 | \$104.95 | |
| 6mm Rem. Left Han | d 3 | 9" | 22" | 42" | 754 | 9786 | \$109.95 | |
| 243 Win. | 3 | 9" | 22" | 42" | 71/4 | 9782 | \$104.95 | |
| 308 Win. | 3_ | 10" | 22" | 42" | 71/4 | 9780 | \$104.95 | |
| 308 Win. Left Hand | 3 | 10" | 22" | 42" | 714 | 9788 | \$109.95 | |
| 222 Rem. w/4X Scop | e | | | | | 9790 | | |
| 22-250 Rem. w/ 4X Sc | оре | | | | | 9778 | | |
| 6mm Rem. w/ 4X Sco | pe | | | | | 9772 | \$124 95 | |
| 243 Win. w/ 4X Scope | ; | | | | | 9774 | | |
| 308 Win. w/ 4X Scope | ; | | | | | 9776 | | |
| Accessories for Made | 1 788 | | | | | | | |
| Sling Strap & Quick | Release Sv | vivels (Insta | lled) | | | 6426 | \$ 540 | |
| Extra Clip (Specify C | aliber) | _ | | | | L | \$ 450 | |

Caliber Suggestions

| | Woodchuc | ALLER GAME k, fox, bobcat, yote. | Deer, i | SOOD SELECTION mountain lion, ack bear. | FOR Ant |
|-------|------------|---|----------------|--|-------------|
| 17 C | aliber: | 25 grain H.P.P.L. | 6mm Rem.: | 100 grain P.S.P.C.L. | Smm Rem.: |
| 222 | Rem.: | 50 grain Ptd. S.P. | 243 Win.: | 100 grain P.S.P.C.L. | 25-06 Rem.: |
| | | 50 grain H.P.P.L. | 25-06 Rem.: | 120 grain P.S.P.C.L. | 6.5mm Rem |
| 222 (| Rom. Mag.: | 55 grain Ptd. S.P. | | 120 grain P.S.P.C.L. | |
| | | 55 grain H.P.P.L. | 264 Win, Mag.: | 100 grain P.S.P.C.L. | 264 Win. Ma |
| 22-2 | 50 Rem.: | 55 grain Ptd. S.P. | | 140 grain P.S.P.C.L. | 270 Win.: |
| | _ | 55 grain H.P.P.L. | 270 Win.: | 150 grain S.P.C.L. | , |
| 223 (| Rom.: | 55 grain Ptd. S.P. | | 130 grain P.S.P.C.L. | 280 Rem.: |
| 949 | Win.: | 55 grain H.P.P.L. | 280 Rem.: | 165 grain S.P.C.L. | |
| 243 | W##.: | 80 grain Ptd. S.P. 80 grain H.P.P.L. | | 150 grain P.S.P.C.L. | 7mm Rem. A |
| 2 | Rem.: | 80 grain Ptd. S.P. | 7mm Rom. Mag.: | 125 grain P.S.P.C.L. | 40.00.0 |
| | - Newsta | 80 grain H.P.P.L | | 150 grain P.S.P.C.L. | 30-08 Spfid |
| 25-0 | 6 Rem.: | 87 grain H.P.P.L. | 30-30 Win.: | 175 grain P.S.P.C.L. | 300 H&H Ma |
| | | 100 grain P.S.P.C.L. | | 170 grain S.P.C.L. | |
| | Wie.: | 100 grain Ptd. S.P. | 30-06 Spfld.: | 180 grain S.P.C.L. | 300 Win, Ma |
| 2/4 | Wom'! | too from Life 9'L' | | 180 grain P.S.P.C.L. 150 grain B.P. | |
| | | | | 150 grain BS BC I | |

| FOR HARD TO REACH GAME Antelope, mountain goat, mountain sheep. |
|---|
| |

FOR BIGGER GAME Moose, elk, grizzly and brown bear, caribou.

| Smm Rem.: | 100 grain P.S.P.C.L. | 280 Rem.: | 165 grain S.P.C.L. |
|------------------|--|----------------|--|
| 25-08 Rem.: | 100 grain P.S.P.C.L. | | 150 grain P.S.P.C.L. |
| 6.5mm Rem. Mag.: | 120 grain P.S.P.C.L. 100 grain P.S.P.C.L. | 7mm Rem. Mag.: | 175 grain P.S.P.C.L. 150 grain P.S.P.C.L. |
| 264 Win, Mag.: | 140 grain P.S.P.C.L. | 30-06 Spfld.: | 220 grain S.P.C.L. |
| 270 Win.: | 130 grain P.S.P.C.L. | • | 180 grain P.S.P.C.L. |
| 2/4 WIR. | 130 grain B.P. | 300 HEH Mag.: | 180 grain P.S.P.C.L. |
| 280 Rem.: | 150 grain P.S.P.C.L. | 300 Win. Mag.: | 150 grain P.S.P.C.L. |
| 290 Nem.: | 130 Right L'O'L'O'T' | | 180 grain P.S.P.C.L. |
| 7mm Rem. Mag.: | 125 grain P.S.P.C.L. | 308 Win.: | 150 grain P.S.P.C.L. |
| /mm nam. mag.: | 150 grain P.S.P.C.L. | •••• | 180 grain P.S.P.C.L. |
| 30-06 Spfid.: | 150 grain P.S.P.C.L. | 350 Rem. Mag.: | 200 grain P.S.P.C.L. |
| 30-00 Shiin': | 150 grain B.P. | | 250 grain P.S.P.C.L. |
| 300 H&H Mag.: | 180 grain P.S.P.C.L. | 375 H&H Mag.: | 270 grain S.P. |
| | | Elephant/Rhine | 2.0 g . 2 0 , |
| 300 Win, Mag.: | 150 grain P.S.P.C.L. | 458 Win, Mag.: | 510 grain S.P. |
| | 180 grain P.S.P.C.L. | 400 mm teref | 500 grain M.C. |
| | | | out & am mor |
| H.P.P.L | Hallow Paint "Power-Lak | at" S.P. | - Soft Point |
| | Pointed Soft Point | | - Bronze Point |
| | Pointed Soft Point "Cor | | Metal Case |
| | | | |

Interchangeability Chart

Cartridges in groups shown below will interchange

| RIM FURE 22 W.R.F. 22 Remington Special 22 Win. M/ 1890 in a 22 Win. Magnum Rim Fire but not conversely | 30-30 Martin 30-30 Win. High Speed 30 W.C.F. 32 Colt Automatic 32 Automatic Colt Pistol (ACP) 32 (7.65mm) Automatic Pistol | 32-20 Cott L.M.R. 32-20 W.C.F. 32-20 Win, and Marlin SEE NOTE G 38 S. & W. 38 Cott New Police | 38 Remington* 38-40 Win. 38 W.C.F.* SEE NOTE A 38 Automatic in 38 Super but not conversely |
|---|---|---|--|
| CENTER FIRE 25-20 Remington 25-20 W.G.F. 25-20 Win. 25-20 Win. High Speed 25-20 Martin | 7.65mm Automatic Pistol 7.65mm Browning (not inter- changeable with 7.65mm Luger) 32 Short Colt in 32 Long Colt but not conversely SEE NOTE C | 380 Webley 38 Colt Special 38 S. & W. Special 38 Targetmaster 38 S. & W. Special Mid-Range 38 Special Migh Speed (++ P) | 380 Automatic 9mm Browning Short (Corto, Kurz) 9mm Lyer 9mm Parabellum SEE NOTE E |
| 25 W.C.F. 6mm Rem. (80 & 90 grain) 244 Rem. | 32 S. & W. in 32 S. & W. Long but not conversely | - 38-44 Special (+ P) 38 Special 38 Special Flat Point | 44 S. & W. Special but not conversely SEE NOTE F 44 Marlin |
| 25 Automatic 25 Automatic Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 6.35mm Browning | 32 S. & W. Long 32 Colt New Police 32 Colt Police Positive 32 W.C.F.* | SEE NOTES B & D 38 Short Colt in 38 Long Colt but not conversely Both can be used in 38 Special | 44 Win. 44 Remington 44-40 Win. 44 W.C.F. |
| 30-30 Sav. 30-30 Win. | 32 Win.* 32-20 Win. High Speed* SEE NOTE A | 38 Mariin* 38 Win.* SEE NOTE A | 45-70 Government 45-70 Marlin, Win. 45-70-405 |

150 grain P.S.P.C.L. 150 grain P.S.P.C.L.

200 grain S.P.C.L 150 grain P.S.P.C.L.

NOTE A: +High Speed Cartridges must not be used in Revolvers. They should be used only in rifles made especially for them

NOTE B: Ammunition with (+ P) on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

NOTE 8: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely. NOTE 8: 9mm sub-machine gun cartridge should not be used in hand guns.

NOTE F: 44 Russian and 44 S. & W. Special can be

MSTE S: Not to be used in Win. M/66 and M/73.

"XP-100" Long Range Pistol

alt Action Single-Shot Center Fire Pistol \$124.95

he "XP-100" pistol is designed for extreme accuracy at ong distances. Ultramodern design and perfected balance mentifically reduce whip, jump, and recoil to a minimum. Failable only for 221 Remington "Fireball" ammunition.

me-piece stock of DuPont "Zytel" Nylon with universal grip to t left or right hand. Custom-style checkering. Internal fore-end wities for addition of weights. Ventilated rib. Drilled and ped for scope mounts. Match-type trigger. Rifle-type rear and ramped blade front sight. Positive thumb-safety. eighs 3% pounds. Zippered carrying case. Order No. 5470.



Remington Rim Fire Rimes





"Nylon 66" AB Rifle: Apache Black, Automatic \$69.95 Extra-tough and lightweight 22 fun. Chrome-plated barrel and receiver. Lustrous, durable black DuPont "Zytel" nylon stock and forearm with white diamond inlays and white spacers. Convenient top-of-grip safety. Tubular magazine holds 14 Long Rifle cartridges.

"Nylon 66" Automatic Rim Fire Rifles



"Nylon 66" MB Rifle: Mohawk Brown, Automatic \$64.95

"Nylon 66" automatic rim fire rifles increase the fun of owning and shooting a 22. These tough, lightweight automatics set the standards for consistent performance, accuracy, and endurance. The "Nylon 66" rifle is more than just a 22 plinker. Remarkable performance records prove its superior reliability and accuracy. A "Nylon 66" rifle was used to set the world's record on hand-thrown 23/4" wooden blocks . . . 100,004 hits out of 100,010 shots . . . without a malfunction. In addition, Remington test engineers fired 75,000 rounds from a single "Nylon 66" rifle without a single malfunction.


The durability of this 22 caliber autoatic stems from superior Remingn design and construction. The extra-tough stock and fore-end are made of DuPont "Zytel" structural nylon. Besides keeping the "Nylon 66" rifle's total weight at four pounds, this material will not warp, crack. chip, or fade. The automatic action never requires lubrication . . . metal parts glide on greaseless nylon bearings. To assure accuracy, the "Nylon 66" rifle employs the same barrelbedding technique used on the most expensive target rifles.

All of these 22 automatics have blade front and adjustable rear sights, topof-grip safety, and receiver grooved for tip-off scope mounts. The "Nylon 66" rifle is available in Apache Black with chrome-plated barrel and receiver or in Mohawk Brown with blued barrel and receiver. Both models have tubular magazines with a capacity of 14 Long Rifle cartridges. A Gallery Special model handles 22 Shorts only. The "Nylon 66" MB rifle


is also available with a four-power Universal Model UA scope . . . a compatible, accuracy-tested shooting system to make 22 caliber automatic shooting even more enjoyable.



Convenient "Power-Pak" plastic boxes hold 100 Long Rifle "High Velocity" 22s. The re-usable case dispenses cartridges quickly and easily, keeps moisture and grit out.



"Nylon 66" MB Rifle with 4X Scope: \$69.95 Special combination value with the Mohawk Brown model. Rifle supplied with four-power Universal UA scope, complete with mounts. Forms an accurate, modernistic shooting system.





"NYLON 66" RIFLE SPECIFICATIONS

ACTION: Automatic. CALIBER: 22 Long Rifle rim fire. CAPACITY: Tubular magazine thru buttstock. Holds 14 Long Rifle cartridges. BARREL: 194", precision rifled, Remington Ordnance Steel. STOCK: One piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. COLORS: Mohawk Brown with blued barrel and receiver. Apache Black with chrome-plated barrel and receiver cover. SIGHTS: Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY: Top-of-grip. RECEIVER: Grooved for tip-off scope mounts. OVER-ALL LENGTH: 38½". WEIGHT: 4 lbs. SCOPE: 4-power Universal Model UA.

| | Order Res. | RECAU PTICES |
|--|------------|--------------|
| "Nylen 68" Rifle | | |
| "Nylon 66" MB Mohawk Brown Automatic Rifle | 5500 | \$64.95 |
| "Nylon 66" AB Apache Black Automatic Rifle | 5486 | \$69.95 |
| "Nylon 66" GS Gallery Special (22 Shorts Only) | 5512 | \$74.95 |
| "Nylon 66" MB Mohawk Brown w/ 4X Scope | 5498 | \$69.95 |
| Sling Strap & Swivels (Installed) | 6418 | \$ 5.40 |

Model 552 "Speedmaster" Automatic Rim Fire Rifles





Model 552 A "Speedmaster" Automatic Rifle: \$77.95 This is the 22 for fast firing plinking or hunting. With styling for shooters of all ages. Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. Also available in a carbine version.


Remington puts big-game-rifle styling and balanced, quick-handling performance into 552 "Speedmaster" automatic rifles. These tubular magazine 22s handle Shorts, Longs, and Long Rifle cartridges without adjustment. With the same fast, trouble-free action and accuracy inherent in all Remington automatics. The "Speedmaster" rifle presents a choice of four models. The 552A with smooth American Walnut stock, bead front and adjustable rear eights. The BDL Deluxe with custom checkering, RK-W bod finish, black grip cap, blade ramp front sight, and step-adjustable rear sight with windage screw. A carbine version with 21" barrel and a Gallery Special model. All have crossbolt safeties and receivers grooved for tip-off scope mounts.

MODEL 552 SPECIFICATIONS

ACTION: Automatic. CALIBER: 22 rim fire. CAPACITY: Tubular magazine holds 20 Short, 17 Long, 15 Long Riffe cartridges. BARREL: 23", Carbine 21", precision rifled, Remington Ordnance Steel. STOCK: American Walnut, BOL has RK-W finish. SIGHTS: Adjustable rear sight, bead front, Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. SAFETY: Cross-bolt type. RECEIVER: Grooved for tip-off scope mounts, OVER-ALL LENGTH: 42", 40" (Carbine). WEIGHT: 5% lbs.

| | Order Nos. | Retail Prices |
|---|------------|---------------|
| Model 552 | | |
| 552 A Automatic | 5608 | \$77.95 |
| 552 C Carbine | 5612 | \$77.95 |
| 552 BDL Deluxe | 9830 | \$87.95 |
| 552 GS Gallery Special (22 Shorts Only) | 5610 | \$89.95 |
| Sling Strap and Swivels (Installed) | 6430 | \$ 7.50 |

Model 572 "Fieldmaster" Pump Action Rim Fire Rifles





Pick one of these pump action "Fieldmaster" rifles to start a boy off right . . . and give him a 22 he can treasure for years to come. The 572's exclusive cartridge-feeding design permits easy single loading and helps prevent jamming. Removal of the magazine tube converts it into a single-shot rifle. Fine balance means easy handling. The pump action is slick, quick, and smooth. The cross-bolt safety is located at the rear of the trigger guard. The tubumagazine holds 20 Short, 17 Long, or 14 Long Rifle carkidges. Three versions make pump action shooting a father-and-son sport: the 572 A with ribbed fore-end, a 22 caliber smooth bore, and the 572 BDL Deluxe with custom checkering, RK-W wood finish, and big-game type sights. The rugged, dependable 572 is the perfect 22 to pump up a boy's pride.

MODEL 572 SPECIFICATIONS

ACTION: Pump, repeater. CALIBER: 22 rim fire. CAPACITY: Tubular magazine holds 20 Short, 17 Long, 14 Long Rifle cartridges. BARREL: 23", precision rifled, Remington Ordnance Steel. STOCK: American Walnut, BOL has RK-W finish. SIGHTS: Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. SAFETY: Cross-bolt type. RECEIVER: Grooved for tip-off scope mounts. OYER-ALL LENGTH: 42". WEIGHT: 5½ lbs.

| Model 572 | urger Nes. | Prices | | |
|-------------------------------------|---------------|----------|--|--|
| 572 A | 5626 | \$ 79.95 | | |
| 572 BDL Deluxe | 9832 | \$ 89 95 | | |
| 572 SB Smooth Bore | 5628 | \$ 89 95 | | |
| Sling Strap and Swivels (Installed) | 6432 | \$ 750 | | |





Model 580: Bolt Action Single Shot \$47.95 Designed for the beginning shooter. Full-size Monte Carlo stock, Also available in smooth bore and Boys' modof with one-inch shorter stock.

Model 581: Bolt Action Clip Repeater \$60.95 Available with left handed bolt for port-side plinkers. Holds 5 cartridges. Receiver grooved for tip-off scope mounts. Extra clips available.

Model 582: Bolt Action Tubular Repeater \$69.95 A 22 to learn on and grow with. Handles 20 Short, 15 Long, or 14 Long Rifle cartridges. Positive, serrated thumbtype safety.

Model 541-S "Custom" Sporter Bolt Action Rim Fire Rifle

everything they're looking for in the Model 541-S Custom Sporter . . . graceful handsomeness, strength, dependability, every desirable feature . . and target rifle accuracy. This exceptional bolt action 22 was designed by Remington to give sportsmen a high-grade 22 sporting rifle at a popular price.

The striking appearance of this completely American made 22 sets it off as a singular firearm. Gracefully-shaped, one-piece stock of American

Walnut. Deep, fine checkering. Thin pistol grip and streamlined fore-end. Durable, gleaming RK-W wood finish. Rosewood-finished fore-end tip, grip cap, and butt plate. Contoured white line spacers. Decorative scrollwork engraving on specially-blued receiver and trigger guard. Tapered barrel. 541-S features and appearance add up to great gunmaking style.

The 541-S shows off features to match its appearance: match-type adjustable trigger, swept-back bolt handle, polished bolt, steel trigger

guard and floor plate, low profile safety. Receiver and barrel are drilled and tapped for scope mounts, open iron sights, or grooved for tip-offs; sights are not supplied. The artillerystyle bolt and rear lock-up provide extra strength. Bolt closure engages six locking lugs in the grooved receiver. Double extractors make sure of fast, positive ejection.

Remington offers the 541-S Custom Sporter proudly . . . to those who recognize outstanding examples of the gunmaker's art.



Model 541-S Custom Sporter: Bolt Action \$144.95



Remington "High Velocity" 22 cartridges with "golden" bullets come in Short, Long, or Long Rifle . . . in new green and yellow packages.

MODEL 541-S SPECIFICATIONS

ACTION: Bolt, clip repeater. CALIBER: 22 rim fire, Short, Long, or Long Rifle cartridges. CAPACITY: 5 shot clip (10 shot clip available as accessory), checkered clip release. BARREL: 24", tapered, deep rich blueing, ordnance steel, drilled and tapped for front and rear sights, crowned at muzzle. STOCK: American Walnut, Monte Carlo, checkered, RK-W wood finish, checkered rosewood finished butt plate and grip cap, rosewood finished fore-end tip. White line spacers at butt plate, grip cap and fore-end tip. SHORTS: None supplied, barrel and receiver drilled and tapped for scope mounts or receiver sights; receiver grooved for scope mounts. SAFETY: Positive, serrated thumb type, safety indicator markings, forward for fire, rearward for safe. BOLT: Artillery style rear lock-up, six locking lugs, double extractors, highly polished. RECEIVER: Round ordnance steel, grooved, drilled and tapped for scope mounts or receiver sights, deep rich blueing, engraving. TRIGGER: Adjustable match type, steel trigger guard engraved. OVER-ALL LENGTH: 42%". WEIGHT: 5½ lbs.

| Medel 541-S Custom Sporter | Order Nos. | Retail Prices | | |
|---|------------|---------------|--|--|
| 22 Cal. Bolt Action Clip Repeater | 9800 | \$144.95 | | |
| Extra 5-shot clip | 4914 | \$ 2.75 | | |
| Extra 10-shot clip | 9828 | \$ 3.50 | | |
| Sling Strap & Quick Release Swivels (Installed) | 6382 | \$ 9.10 | | |

Model 580, 581 & 582 Bolt Action Rim Fire Rifles

Here are bolt action 22s for young shooters to start and grow with. Easy-operating . . . incredibly strong ... with fit and features for youngsters. Actions are artillery-type bolt with rear lock-up of six rotary locking lugs in a grooved steel receiver. Extra-large trigger guards, non-slip thumb safeties, dual extractors, bolt covers, bead front and adjustable U-notch rear sights. Round steel revers for precise stock bedding and eat accuracy. Take the 580 or the 580 Boys' Rifle . . . both single-shot models. There's a 581 clip repeater in right or left hand version . . . and the 582 tubular repeater. Each is designed to match a young shooter's stage of development.

MODELS 580, 581 & 582 SPECIFICATIONS


ACTION: All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER: 22 rim fire, Short, Long, or Long Rifle cartridges. CAPACITY: M/580 single shot, M/581 6-shot, M-582 20 Short, 15 Long, 14 Long Rifle cartridges. BARREL: 24", ordnance steel, precision rifled, crowned at muzzle. STOCK: Walnut finish hardwood, Monte Carlo type, full size, black butt plate. Single screw take-down. SIGHTS: Front, bead, dovetail adjustable. Rear, U-notch type, lock-screw adjustable. SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe. BOLT: Artillary style, lock-up at rear. 6 locking lugs, double extractors. Left hand Model 581 with left hand bolt and safety, right side ejection. RECEIVER: Round, ordnance steel, grooved for scope mounts. OYER-ALL LENGTH: 42%", 580 Boys' Rifle 41%". WEIGHT: M/580 4% lbs., M/581 4% lbs., M/582 5 lbs.

| Belt Action 22 Caliber Rifles | Order Nes. | Retali Prices |
|---|---------------|------------------|
| Model 580 Single Shot | 9852 | \$47.95 |
| Model 580 Single Shot, Smooth Bare | 9864 | \$52.95 |
| Model 580 Boys' Rifle | 5570 | \$47.95 |
| Model 581 Clip Repeater | 9854 | \$60.95 |
| Model 581 Clip Repeater Left Hand | 9838 | \$65.95 |
| Model 582 Tubular Repeater | 9856 | \$69.95 |
| Models 580, 581 Sling Strap & Swivels (Installed) | 6426 | \$ 5.40 |
| Model 582 Sling Strap & Swivels (Installed) | 6428 | \$ 5.40 |
| Model 581 Extra 5-shot Clip | 4914 | \$ 2.75 |
| Model 581 — Extra 10-shot Clip | 9828 | \$ 3.50 |





New Model 40-XR Rim Fire Position Rifle: 22 Cal. Target \$240.00 Redesigned stock, fore-end, and pistol grip with proven-reliable 40-XB action. Front swivel block adjustable on guide rail.



Model 40-XB Rangemaster: 22-250 Rem. Center Fire Target \$279.95 Target scope block installed. Option of standard or heavy stainless steel barrel. Match-type trigger.

Model 40-XBBR Bench Rest: 222 Rem. Center Fire Target \$299.95 40-XB features modified for bench rest. With target scope, weighs just under 10½ pounds. Scope not included in price

RIM FIRE TARGET RIFLE SPECIFICATIONS


MODEL 540-XR & 540-XRJR (RIM FIRE) POSITION RIFLES: ACTION: Bolt, Single Shot. CALIBER: 22 Caliber. rim fire Long Rifle only. CAPACITY: Single loading. SIGHTS: Redfield #63 Front, Redfield #75 Rear (sights optional). SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe. BARREL LENGTH: 26". OVERALL LENGTH: 43½" to 45%. Ur. Model 41½" to 45%. LENGTH OF PULL: 12¾" to 16" Ur. Model 11" to 14¼".). STOCK: Thumb groove, 5-way adjustable butt plate, rail, (front swivel block, sling and sting swivel optional). Common sight alignment with scope or iron sights. AVERAGE WEIGHT: 8 lbs., 13 oz. without sights (approximately 9 oz. more with sights).

Order Medel 540-XR Position - Rim Fire Prices 540-XR Position Rifle 9802 \$124.95 540-XRJR Position Rifle 9804 \$124.95 Redfield #63 Front and #75 Rear Sights 6552 \$ 29.95 Sling Strap with Front Swivel Block Assembly 6.95

MODEL 40-XR (RIM FIRE) POSITION RIFLE: ACTION: Bolt, Single Shot. CALIBER: 22 Caliber, rim fire Long Rifle only, CAPACITY: Single loading SIGHTS: Redfield Olympic Front and Rear (optional). SAFETY: Thumb safety positive. RECEIVER: Drilled and tapped for iron sights or scope mounts, target scope blocks installed. BARREL LENGTH: 245". UNITED STATES OF MAINTENANCE OF MILE 1345" (Trigger adjustable 2 to 4 lbs.). STOCK: Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plate. AVERAGE WEIGHT: 10 lbs. 2 oz., without sights (app. apple) 12 oz. more with cights. mately 12 oz. more with sights).

| Model 40-XR Position — Rim Fire | Order Nos. | Retail Prices |
|--|---------------|------------------|
| 40-XR Position Rifle | 5668 | \$240.00 |
| Redfield Olympic Front and Rear Sights | 6554 | \$ 47.95 |

Remington Target Rifles



New Model 540-XR Rim Fire Position Rifle: 22 Cal. Target \$124.95

New Model 540-XR and 540-XRJR Rim Fire Position Rifles

for Intermediates and Junior shooters. A completely redesigned stock gives greater fore-end depth. The new pistol grip eliminates wrist-twisting and allows the rifle to be easily pulled back to the shoulder for added comfort and control; also permits nearly straight-back trigger pull. Five-way adjustable butt plate. A new bolt detent pin eliminates bolt-rotation, permits bolt insertion into rifle without adjustment. Fully justable, crisp trigger. Same 540-X in accuracy, and fast lock time.

New Model 40-XR Rim Fire Position Rifle

Boasts the same improved stock and pistol grip as the 540-XR. Features a loading platform for straight-line feeding. Front swivel block is adjustable on guide rail. Crisp, wide trigger adjustable from two to four pounds. Extra-strong bolt with double extractors. Two-way vertically adjustable

butt plate. Adjustable combination sling swivel and hand stop. Same, dependable. 40-XR action. Redfield Olympic sights optional. Meets International Shooting Union requirements for standard rifle.

Model 40-XB Rangemaster Center Fire Rifle

For use as a repeater or as a single shot. Heavy-barrel models are clipslotted for conventional five-shot clips. Repeating models come only in calibers equal to or shorter than the loaded length of the 308 cartridge. They load from the top of the receiver. Magazine has a hinged floor plate. Extreme accuracy, short bolt throw, and optimum weight make the 40-XB center fire repeating rifle ideal for over-course firing. Target scope block installed. Receiver is drilled and tapped for metallic sights and scope mount bases. Target type blocks furnished. Trigger is fully adjustable from two to four pounds. Two-ounce trigger is optional on single shot for extra charge.

The action is hand-bedded, and the stainless steel barrel is free-floating. The single shot model is offered in a variety of center fire calibers. See center fire target rifle specifications

for a complete listing of features, calibers, and specific versions.

New Model 40-XC National Match Course Rifle — 308 Win. (7.62 NATO)

For use in National Match Courses. New stock configuration has greater fore-end depth for improved position shooting comfort. Redesigned pistol grip provides better gripping and trigger control. Receiver clip-slotted for five-shot clips. Loads from top of receiver. Anti-bind, short-throw bolt for rapid-fire events. Hand-bedded action and free-floating stainless steel barrel. Trigger pull is adjustable from two to four pounds. Adjustable combination hand stop and sling swivel. Two-way adjustable butt plate. Meets International Shooting Union rules for the Army rifle.

Model 40-XBBR Bench Rest Center Fire Rifle

Designed with all the features of the 40-XB, but modified for competitive bench rest shooting. Wide, squared fore-end for stability. For sporter and light-varmint classes' competition, there's a 40-XBBR with 20" heavy stainless steel barrel; for heavy-varmint class, Remington offers a 13½ pound, 26" version. Both meet NBRSA specifications.

CENTER FIRE TARGET RIFLE SPECIFICATIONS

MODEL 40-XB RANGEMASTER (CENTER FIRE): ACTION: Bolt, Single Shot, and Repeating. CALIBERS: Single Shat — 222 Rem., 222 Rem., 2243 Rem., 22-250 Rem., 6 mm x 47 (6 mm 222 Mag.), 6 mm int., 6 mm Rem., 243 Win., 25-06 Rem., 7 mm Rem. Mag., 7.62 mm NATO (308 Win.), 30-06, 30-338 (.30-7 mm Mag.), 300 Win. Mag. Repeating (Meavy Barrel Version Only) — 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 5 mm x 47 (6 mm .222 Mag.), 6 mm int., 6 mm Rem., 243 Win., 7.62 mm NATO (308 Win.). CAPACITY: Single loading and clip repeater (Magazine loads from top of receiver). SIGNITS: None supplied. Target scope block installed. SAFETY: Positive, thumb operated. No safety with 2 oz. trigger. Effectives. Dilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. TRIGGER: Match type. Fully adjustable 2 to 4 lbs. Weight of pull can be changed externally. Two ounce trigger optional on single shot at \$40.00 extra BARREL Stainless steel. BARREL LENGTH: 27½" free floating. LENGTH OF PULL: 13½". STOCK: American Walnut. Non-slip target type butt pad. Adjustable combination hand stop and sting swivel base. AVEANE WEIGHT: Heavy barret, 11½ lbs. Standard barret, 9¾ lbs.

| - | Hes. | Prices | |
|--|------------------|----------|--|
| Model 40-XB Rangemaster Center Fire (allow 18 weeks or | more for deliver | y) | |
| CF-S2 Std. Stainless Steel Barrel | Special | #270.0C | |
| CF-H2 Heavy Stainless Steel Barrel | Special | \$279.95 | |
| Extra for Repeating Center Fire Models with Heavy Barrel | | \$ 20.00 | |
| Extra for 2 oz. Trigger (Single Shot Models Only) | Special | \$ 40.00 | |

MODEL 40-XBBR BENCH REST (CENTER FIRE): ACTION: Bolt, Single Shot. CALIBERS: 222 Rem., 222 Rem. Mag., 223 Rem., 6 mm x 47 (6 mm 222 Mag.), 7.62 mm NATO (308 Win.) BARREL: 26" or 20" Stainless Steel. WEIGHT: 26" Barrel Version—12 lbs. (Average Weight). 20" Barrel Version—9 lbs. 4 oz. (Average Weight).


| | Order Ne. | Retail Price |
|--|--------------|-----------------|
| Medel 40-XBBR Bench Rost Single Shet, Stainless Steel Barrel | Special | \$299.95 |

MODEL 40-XC NATIONAL MATCH COURSE (CENTER FIRE) RIFLE: ACTION: Bolt, Repeating, CALIBER: 308 Win. (7.62 NATO), CAPACITY: 5-shot magazine loads from top of receiver. Cilp slot in receiver, SAFETY: Positive, thumb-operated, RECEIVER: Drilled and tapped for metallic sights. Scope mount bases installed. **BARREL LENGTH: 23½" stainless steel. OverALL LENGTH: 42½". LENGTH 67 PULL: 13½" (Trigger adjustable 2 to 4 lbs.). STOCK: Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plate. WEIGHT: 10 lbs. without sights.

| Medel 40-XC National Match Course — Conter Fire | Order No. | Retail Price |
|---|--------------|-----------------|
| 40-XC National Match | 6002 | \$400.00 |
| | Order Ka. | Rotail Price |
| Remington Target Scope (24X) | 5712 | \$169.95 |



Remington Shotgu 1975



Match Long Rifle 22 Cartridges

Caliber Suggestions

Center Fire Cartridges 36-39

Center Fire Pistol & Revolver Cartridge Calibers . 46, 47



Remington, Wingmaster, Woodsmaster, Gamemaster, Speedmaster, Rangemaster, Fieldmaster, Power Piston, Power-Lokt, Hi-Speed, Shur Shot, Core-Lokt, Fire Ball, Blue Rock, Expert, Kleanbore, Targetmaster, Brushmaster, Jet, Power-Pakt, Wonder are trademarks registered in the United States Patent Office by Remington Arms Company, Inc.

XP-100, Nylon 66, Golden, Express, Ali-American, Varmint Special, Target, High Velocity, R-P, Custom are trademarks of Remington Arms Company, Inc.

35

38

39

"Zytel" is a registered trademark of E. I. du Pont de Nemours & Co., Inc. for nylon resins, as are "Lucite" for acrylic resins and "Teflon" for tetrafluoroethylene res'ns.

Weights and stock dimensions vary according to the individual firearm.

Great guns and great ammunition have made Remington a preferred name among hunters and shooters throughout the world. Exceptional craftsmanship, continuing technological advancement, and integrity of product are Remington traditions. Rem ington sporting firearms ar. ammunition for 1975 combine to form superior shooting systems . . . and continue to give sportsmen ultimate performance, dependability, and value.

Mc 1975 1100 Automatic Shotguns Field Grade in 12, 16 & 20 Gauges



Model 1100: 12, 16, 20 Gauge

Proven dependability and all-around versatility make Remington Model 1100 Automatic Shotguns an automatic first choice in the field. These factors combined with shooting ease, great performance, strength, and graceful appearance have made the Model 1100 America's best-selling automatic shotgun.

Your Model 1100 will give you top performance under any weather conditions with all types of loads. Its unique gas metering system is designed to operate with all 234" standard velocity, "Express", and 234" Magnum shotgun shells. This permits the hunter to use different loads the same shotgun for a wide vaty of game.

The 1100 operates with less effect of recoil than any other shotgun. The gas-operated action reduces recoil to a push, not a kick.

Field grade Model 1100s in 12, 16 and 20 gauges offer a wide range of specifications to fit the individual hunter's requirements. Left hand 12 and 20 gauge models offer reversed ejection and safety for shooting comfort. There are deer guns with rifle sights and 3" Magnum models in 12 and 20 gauges. Availability in plain or ventilated rib barrels and a wide selection of barrel lengths and chokes add variety of choice for the 1100 owner.

Extra barrels, interchangeable within gauge and chamber length, make the


Model 1100 more versatile. Simply change prefitted barrels in the field in seconds without special tools.

Barrels chambered for 234" shells should not be interchanged with barrels chambered for 3" Magnum. 3" Magnum barrels should not be interchanged on standard receivers. Left hand barrels interchange only on left hand receivers.

Model 1100 good looks match performance. The DuPont RK-W wood finish is tough, scratch-resistant, and lustrous. The exclusive vibra-honed finish gives receiver and metal parts a custom look and aids in smoother functioning. Deep, sure checkering, decorative scrollwork on receiver and chrome-plated bolt, fluted comb cuts, white line spacers.



Model 1100 Left Hand: 12, 20 Gauge This mirror-image 1100 features left-side ejection port and safety for comfortable, more efficient left-handed shotgunning. A left hand version is also available in 3" Magnum, 12 gauge. All with ventilated rib barrel.




Model 1100 Deer Gun: 12, 20 Gauge Short 22" barrel for easy carrying. Rifle sights are adjustable for windage and elevation. Improved Cylinder choke for rifled slugs and buck shot. Recoil pad with white line spacer.

Model 1100 3" Magnum: 12, 20 Gauge Designed to get high flyers. Chambers 3" Magnum and 2 4" Magnum shells only. Ventilated rib or plain barrel. Recoil pad. Left hand version in 12 gauge only.

Model 1100 Automatic \$ 1975 uns

Field Grade in 20 Gauge Lightweight, 28 & 410 Gauges



Remington makes smaller gauge Model 1100s to match any hunter's game and personal preferences. All hold the dependability, handsome appearance, and performance features you expect from America's oldest, most experienced manufacturer of automatic shotguns.

Model 1100 field grade guns in 20 gauge Lightweight versions give hunters less weight to carry. Built on a special weight-saving design with high-strength receiver, they point fast and smooth. A 3" Magnum model handles 20 gauge $2\frac{3}{4}$ " or 3" Magnum loads only . . . as effective as a 12 gauge gun shooting standard field loads. At $6\frac{1}{2}$ pounds, these lightweights really pay off in all-day carrying ease in the field.

The 28 and 410 gauge 1100s are available in a wide selection of chokes with plain or ventilated rib barrels. Exceptionally fine handling and pointing qualities put these Model 1100 automatics in a class by themselves. Remington extra barrels give all of these 1100s extra versatility. 20 gauge Lightweight barrels interchange only on 20 gauge Lightweight receivers.

Model 1100: 20 Gauge Lightweight Special weight-saving design with maximum strength and dependability. Handles all 2¾" loads. Ventilated rib or plain barrel. Mahogany stock and fore-end.

Model 1100 3" Magnum: 20 Gauge Lightweight At 63/4 pounds, this 1100 weighs less, but delivers maximum power and performance. Chambered for 23/4" or 3" 20 gauge Magnum loads only. Rubber recoil pad.

Model 1100: 28 Gauge Classic 1100 styling and performance on a smaller frame and receiver. Plain or ventilated rib barrel is 25" long. A sporting gun for smaller, faster gamebirds . . . and fine first shotgun for younger hunters.

Model 1100: 410 Gauge The automatic that all other 410s are gauged by. Full, Modified, or Improved Cylinder choke. Chambers $2\frac{1}{2}$ " or 3" shells.

THE PARTY OF THE P

1975

MODEL 1100 SPECIFICATIONS — FIELD GRADE

STYLE: Gas-operated low-recoil automatic shotgun. GAUGES: Right hand versions in 12, 16, 20, 28, and 410. Left hand versions in 12 and 20. BARREL: Special Remington proof steel. Extra barrels are interchangeable within version (right or left hand), gauge, and chamber length without fitting. 20 ga. Lightweight extra barrels are interchangeable within chamber lengths only within Lightweight models. RECEIVER: Made from solid steel, top matted, scrollwork on chrome-plated bolt and both sides of receiver. SAFETY: Convenient positive cross-bolt type. Reversed on left hand models. SIGHTS: Metal bead from: STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" drop at comb.

12, 18 & 29 GAUGES — CHAMBER: 2¼" standard velocity, "Express", and 2¾" Magnum shells only for 12 and 2¾" Magnum shells only for 12 and 20 ga. Magnum models. CAPACITY: 5-shot, 3-shot plug furnished. STOCK & FORE-END: Rich American Walnut. Mahogany for 20 ga. Lightweight. OVER-ALL LENGTH: 48" with 28" barrel. 20 ga. Lightweight is 48½" with 28" barrel. AVERABE WEIGHT: 12 ga. — 7½ lbs., 18 ga. — 7½ lbs., 20 ga. — 7¼ lbs., 20 ga. Lightweight Magnum — 5¾ lbs.

28 & 410 GAUGES — CHAMBER: 2¾" standard velocity and "Express" shells for 28 ga. 3" and 2½" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4-shot with 3" 410 shells. 3-shot plug furnished. STOCK DIMENSIONS: 13¾" long. 2½" drop at heel, 1½" drop at comb. STOCK & FORE-END: Mahogany. OVERALL LENGTH: 45½". AVERAGE WEIGHT: 28 ga. plain barrel — 6¼ lbs., 28 ga. vent. rib — 6½ lbs., 410 ga. plain barrel — 6¾ lbs., 410 ga. vent. rib — 7 lbs.

| 12, 16 & 20 GAUGES | | Order Nos. 16 Ga. | 20 Ba |
|--|----------------|--|---------|
| Model 1100 with Plaja Barrel | | 1 10 00. | |
| 30" Full Choke | 5322 | | |
| 28" Full Choke | 5320 | 5370 | 5390 |
| 28" Mod. Choke | 5326 | 5374 | 5394 |
| 26" Imp. Cyl. Choke | 5328 | 5376 | 5396 |
| Rodel 1100 Deer Gun | | 1 30.0 | - |
| 2" Imp. Cyl. with Rifle Sights | 5308 | | 5260 |
| Hodel 1100 with Vent. Rib Barrel | | | |
| 0" Full Choke | 5332 | | |
| 8" Full Choke | 5330 | 5378 | 5398 |
| 8" Mod. Choke | 5336 | 5382 | 5402 |
| 26" Imp. Cyl. Choke | 5338 | 5384 | 5404 |
| Nodel 1100 3" Magaum with Plain Barrel | | | |
| 10" Full Choke | 5344 | | |
| 30" Mod. Choke | 5250 | | |
| 8" Full Choke | | · · · · · | 5428 |
| 8" Mod. Choke | 2.50 | | 5254 |
| fiedel 1100 3" Magnum with Vent. Rib Barr | <u> </u> | | - |
| 10" Full Choke | 5348 | 1 | |
| O" Mod. Choke | 5252 | | |
| 8" Full Choke | | 1 | 5430 |
| 8" Mod. Choke | | 1 | 5256 |
| Addel 1100 D Tournament with Vent. Rib B | srrei | 1 | Special |
| Hodel 1100 F Premier with Vent, Rib Barrel | | | Specia |
| Model 1100 F Premier with Gold Inlay | 5.55 | | Specia |
| | | | |
| EFT HAND 12 & 20 GAUGES Left hand ejer | | ety | |
| Andel 1100 Left Hand with Yent, Rib Barrel | | , | |
| 0" Full Choke | 5540 | | |
| 8" Full Choke | - | 1,10,20 | 5556 |
| 8" Mod. Choke | 5542 | | 5558 |
| 6" Imp. Cyl. Choke | 5544 | | 5546 |
| fodel 1100 3" Magnum Left Hand with Ven IO" Full Choke | | <u> </u> | |
| or, Lair Cuoke | 5548 | | L., |
| O BAUSE LIGHTWEIGHT | | i de la companya di santa di s | |
| Model 1100 with Plain Barrel | 1000 | | |
| 28" Full Choke | | | 9596 |
| 28" Mod. Choke | | 12 1 | 9598 |
| 26" Imp. Cyl. Choke | | | 9600 |
| Rodel 1100 with Vent, Rib Barrel | · 17 | | |
| 28" Full Choke | | | 9602 |
| 8" Mod. Choke | | | 9604 |
| 6" Imp. Cyl. Choke | | 1.7 | 9606 |
| | | | |
| #VS## : [C] 3" MEMORE WITH FLAM SELLS! | | | |
| | · | | 9656 |
| 8" Fulf Choke | | | 9656 |
| fodel 1189 3" Magnum with Plain Berret 18" Full Choke Rodel 1100 3" Magnum with Vent. Rib Barr 18" Full Choke | | | 9656 |

| | Order Nos. | | | | |
|----------------------------------|-----------------|--|--|--|--|
| 28 & 410 GAUGES | 28 Ga. 410 Ga | | | | |
| Model 1100 with Plain Barrel | | | | | |
| 25" Full Choke | 5316 5460 | | | | |
| 25" Mod. Choke | 5406 5462 | | | | |
| 25" Imp. Cyl. Choke | 5412 5464 | | | | |
| Model 1100 with Vent, Rib Barrel | | | | | |
| 25" Full Choke | 5414 5466 | | | | |
| 25" Mod. Choke | 5416 5468 | | | | |
| 25" imp. Cyl. Choke | 5426 5296 | | | | |

MODEL 1100 EXTRA BARRELS - FIELD GRADE

| Order Nos. | | | | | | |
|--------------------------|--|--|------------------|---|--------------|-------------|
| | 12 Ga. | 16 Ga. | 20 Ga. Stand. | 20 Ga. Liwi. | 28.62 | 410 Ga |
| Extra Barrels, Plain | 112 44. | 10 44. | Stand. | - LIWE | 20 00. | 710 40 |
| 30" Full Choke | 9500 | | | Γ | | |
| 28" Full Choke | 9502 | 9530 | 9546 | | | |
| 28" Full Choke | 1 | | | 6578 | | |
| 25" Full Choke | | | | 1 | 9588 | 9574 |
| 28" Mod. Choke | 9504 | 9532 | 9548 | | | 1 |
| 28" Mod. Choke | 1 | | | 6580 | | |
| 25" Mod. Choke | | | | | 9510 | 9576 |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | | | |
| 26" Imp. Cyl. Choke | 1 | <u> </u> | T | 6582 | | |
| 25" Imp. Cyl. Choke | | | | <u> </u> | 6584 | 9578 |
| Extra Barrels, Rifle Sig | hts, Deer | | <u> </u> | | | |
| 22" Imp. Cyl. | 9568 | | 9572 | 1 | T | 1 |
| Extra Barrels, Vent. Ri | b, Duck/ | Goose | | | | • |
| 34" Full Choke | 6576 | ľ | | T | | 1 |
| Extra Barrels, Vent. Ri | b | | | | | |
| 30" Full Choke | 9512 | | | | | |
| 28" Full Choke | 9514 | 9538 | 9554 | | | |
| 28" Full Choke | | | | 9590 | | |
| 25" Full Choke | | | | | 6586 | 9580 |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | | |
| 28" Mod. Choke | 1 | | | 9592 | | |
| 25" Mod. Choke | | L | | L | 6588 | 9582 |
| 26" imp. Cyl. Choke | 9520 | 9544 | 9560 | | | |
| 26" Imp. Cyl. Choke | | | | 9594 | <u> </u> | L |
| 25" Imp. Cyl. Choke | | | | <u> </u> | 6590 | 9584 |
| Left Hand Extra Barrel | | lib | | <u>, </u> | | |
| 30" Full Choke | 5682 | ļ | | <u> </u> | <u> </u> | <u> </u> |
| 28" Full Choke | | <u> </u> | 5692 | <u> </u> | | |
| 28" Mod. Choke | 5684 | <u> </u> | 5694 | 1 | <u> </u> | <u> </u> |
| 26" Imp. Cyl. Choke | 5686 | <u> </u> | 5696 | <u> </u> | <u> </u> | <u> </u> |
| Extra Barrels, High Gr | | | | | | |
| D Tournament, Vent. R | ib | | Spec | | | _ |
| F Premier, Vent. Rib | | | Spec | ial | - | |

5



Model 870 "Brushmaster" Deer Gun delivers smashing power and accurate shooting with rifled slugs or buckshot loads in 12 and 20 gauge.


Model 870 "Wing 1975 er" Pump Action Shotguns Field Grade in 12, 16 & 20 Gauges

Model 870 3" Magnum: 12, 20 Gauge


Interchangeable extra barrels make the Model 870 "Wingmaster" one of the most versatile, all-purpose shotguns in the hunting world. Barrels with different lengths and chokes are instantly interchangeable on the same receiver within gauge and chamber length. In 12, 16, and 20 gauge, over 30 different Model 870 extra barrel choices are available.

Remington interchangeable barrels do not require factory or gunsmith fitting . . . or special tools. 3" Magnum barrels should not be interchanged on standard receivers. Lefthand barrels interchange only on left hand receivers.

Model 870 stocks and fore-ends are enriched and protected by the scratch-resistant DuPont RK-W wood finish. All metal parts inside and out are vibra-honed to achieve a lustrous finish and a silk-smooth action. Functional checkering, full beavertail fore-end, chrome-plated bolt, and white line spacers . . . every feature contributes to stand-out styling.



Model 870 Left Hand: 12, 20 Gauge A mirror-image 870 with left-side safety, feeding, and ejection. Also available in 12 gauge Magnum. All with ventilated rib barrel only. Ultimate pump action shooting comfort for lefties.



Model 870: 20 Gauge Wide selection of barrel lengths and chokes. Ventilated rib or plain barrel. Metal front bead and convenient cross-bolt safety. Available in left hand and Magnum versions.

Model 870: 12, 16 Gauge Handles all 23/4" Magnum, "Express", and standard velocity shells without adjustment. Double action bars prevent binding. Wide selection of extra barrels, including 12 gauge 34" duck and goose barrels.

Model 870 "Brushmaster" Deluxe Deer Gun: 12, 20 Gauge Available in Deluxe and Standard models. Rifle-type sights and 20" barrel. Standard model in 12 gauge only has plain stock, grooved fore-end.


Model 870 "Wingmaste." Jamp Action Shotguns Field Grade in 20 Gauge Lightweight, 28 & 410 Gauges

Fast-handling Model 870 shotguns in 28 and 410 gauges make pump action shotgunning a real pleasure. These smaller gauge 870s have all the features of their larger relatives... and the same dependability and strength.

Easy-carrying "Wingmaster" 20 gauge Lightweight field guns are ideal for a full day in the field. Weighing only 5¾ pounds in the plain barrel version, they feature a solid steel receiver. 20 gauge Lightweight 3" Magnums handle all 20 gauge loads . . . and deliver 12 gauge stan-

dard load performance. Remington Model 870s in 20 gauge Lightweight handle and point effortlessly. Their reduced weight means reduction of fatigue during a long day's hunting.

Remington interchangeable barrels for all of these 870s provide a whole new dimension in all-around utility. Lightweight and Magnum lightweight barrels should only be interchanged on matching lightweight and Magnum lightweight receivers.



Model 870: 20 Gauge Lightweight This 870 swings and carries easily. Small, extra-strong steel receiver. Ventilated rib or plain barrel. Weighs about six pounds and handles 2¾" Magnum, standard velocity, and "Express" loads.

Model 870 3" Magnum: 20 Gauge Lightweight Combines Magnum power and light weight. Plain or ventilated rib 28" barrel with Full choke. Shoots 3" Magnum and all 2¾" shells. Rubber recoil pad.

Model 870: 28 Gauge Quick-shucking, quick-pointing pumaction. Plain or ventilated rib 25" barrel and choice of Fu Modified, or Improved Cylinder chokes. Interchange extra barrels in the field in seconds.

Model 870: 410 Gauge The pump gun for the hunter who seeks the challenge of small gauge shotgunning. Plain barrel or ventilated rib. Five-shot capacity with 2½" shells and four-shot capacity with 3" shells.

MODEL 870 SPECIFICATIONS - FIELD GRADE

**STYLE: Pump action shotgun, GAUGES; Right hand versions in 12, 16, 20, 28, and 410. Left hand versions in 12 and 20. BARREL: Special Remington proof steel. Extra barrels are interchangeable within version (right or left hand), gauge, and chamber length without fitting. 20 ga. Lightweight extra barrels are interchangeable within chamber lengths only within Lightweight models. All 410 ga. models have 3" chambered barrels. RECEIVER: Made from solid steel, top matted. SAFETY: Convenient positive cross-bolt type. Reversed on left hand models. SIGHTS: Metal bead front. STANDARD STOCK DIMENSIONS: 14" long including record pad, 2½" drop at heel, 1½" drop at comb.

12, 16 & 20 GAUGES — CHAMBER: 2¾" standard velocity, "Express", and 2¼" Magnum shelis. 3" Magnum and all 2¾" shells for 12 and 20 ga. Magnum models. CAPACITY: 5-shot, 3-shot plug furnished. 8TOCK & FORE-END: Walnut finished hardwood. OVERALL LENGTH: 48½" with 28" barrel. AVERABE WEIGHT: 12 ga. — 7 lbs., 16 ga. — 6¾ lbs., 20 ga. — 6½ lbs., 20 ga. Lightweight — 5¾ lbs. with 28" plain barrel, 20 ga. Lightweight Magnum — 6 lbs. with 28" plain barrel.

28 & 410 GAUGES — CHAMBER: 2¾" standard velocity and "Express" shells for 28 ga., 2½" or 3" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4-shot with 3" 410 ga. shells. 3-shot plug furnished. STOCK DIMENSIONS: 13¾" long, 2½" drop at heet, 1½" drop at comb. STOCK & FORE-END: Mahogany. OVERALL LENGTH: 45½". AVERAGE WEIGHT: 28 ga. plain barrel — 5½ lbs., 410 ga. plain barrel — 6 lbs., 28 ga.l vent. rib — 5¾ lbs., 410 ga. vent. rib — 6¼ lbs.

| 12, 16 & 20 GAUGES | 12 88. | Order Nes | |
|--|--------|-----------|---------|
| Model 870 with Plain Berrel | | | |
| 30" Full Choke | 6900 | | |
| 28" Full Choke | 6902 | 6908 | 6914 |
| 28" Mod. Choke | 6904 | 6910 | 6916 |
| 26" Imp. Cyt. Choke | 6906 | 6912 | 6918 |
| Medel 870 "Brushmaster" Deer Gun | | | |
| 20" Imp. Cyl. Choke Deluxe with Rifle Sights | 6960 | T | 6962 |
| 20" Imp. Cyl. Choke Standard with Rifle Sights | 5026 | | |
| Medel 870 with Yest, Rib Barrel | | | |
| 30" Full Choke | 6930 | T | |
| 28" Full Choke | 6932 | 6938 | 6944 |
| 28" Mod. Choke | 6934 | 6940 | 6946 |
| 26" imp. Cyl. Choke | 6936 | 6942 | 6948 |
| Model 870 3" Magaum with Plain Barrol | | , | |
| 30" Fuli Choke | 6966 | T | |
| 30" Mod. Choke | 6988 | | |
| 28" Full Choke | | | 6970 |
| 28" Mod. Choke | | | 6972 |
| Model 870 3" Magnum with Vent. Rib Barrel | | | |
| 30" Full Choke | 6976 | T | T |
| 30" Mod. Choke | 6978 | T | |
| 28" Fuli Choke | | T | 6980 |
| 28" Mod. Choke | | | 6982 |
| Model 870 Police with Plain Barrel | | | |
| 20" Police Cyl. Choke | 5030 | T | T |
| 18" Police Cyl. Chake | 5032 | 1 | T T |
| 20" Imp. Cyl. Choke, Rifle Sights | 5028 | 7 | |
| Model 870 D Tournament with Vent. Rib Barre | el . | | Special |
| Model 870 F Premier with Vent. Rib Barrel | | | Special |
| Model 870 F Premier with Gold Inley | | | Special |

| 28 & 410 GAUGES | Order No 28 Ga. 41 | s. 0 G: |
|---------------------------------|-------------------------|------------|
| Model 870 with Plain Barrel | | |
| 25" Full Choke | 4868 4 | 948 |
| 25" Mod. Choke | 4904 4 | 950 |
| 25" Imp. Cyl. Choke | 4916 4 | 978 |
| Model 870 with Vent. Rib Barrel | | |
| 25" Full Choke | 4918 4 | 986 |
| 25" Mod. Choke | 4920 5 | 086 |
| 25" Imp. Cyl. Choke | 4932 4 | 990 |

LEFT HAND 12 & 20 GAUGES Left hand ejection and safety

| Model 870 Left Hand with Vent | . Rib Barrel | |
|-------------------------------|--------------------------|------|
| 30" Full Choke | 5510 | |
| 28" Full Choke | | 5528 |
| 28" Mod. Choke | 5514 | 5530 |
| 26" Imp. Cyl. | 5516 | 5566 |
| Model 870 3" Magnum Left Ha | nd with Yout, Rib Barrel | |
| 30" Full Choke | 5496 | |


MODEL 870 EXTRA BARRELS — FIELD GRADE

| Model 870 3" Magnum Left Hand with Yent, Rib Barrel | | | | |
|--|----------------------------------|---|--|--|
| 30" Full Choke | 5496 | _ | | |
| 20 GAUSE LIGHTWEIGHT | | | | |
| Model 870 with Plain Barrel | | | | |
| 28" Full Choke | 517 | 6 | | |
| 28" Mod. Choke | 517 | 8 | | |
| 6" Imp. Cyl. Choke | 518 | 0 | | |
| Model 870 with Yest. Rib Barrel | | _ | | |
| 28" Full Choke | 518 | 2 | | |
| 28" Mod. Choke | 518 | 4 | | |
| 26" Imp. Cyl. Choke | 518 | 6 | | |
| Model 878 3" Magaum with Plai | in Barrel | _ | | |
| 28" Full Choke | 518 | 8 | | |
| Model 870 3" Magnum with Ven | t. Rib Barrel | _ | | |
| 28" Full Choke | 519 | 0 | | |
| The Children of the Control of the C | CHARLES THE SECOND OF THE SECOND | | | |

| | Order Nos. | | | | | |
|--|--|---|------------------|-------------------|----------|----------|
| | 12 Ga. | 16 Ga. | 20 Ga. Stand. | 2D Ga. Ltwt. | 28.65 | 410 Ga. |
| Evim Barrela Main | 12 92. | 10 04. | Stattu. | LIUL | 20 04. | 710 02. |
| Extra Barrels, Plain 30" Full Choke | 6214 | т | | | т — | |
| 28" Full Choke | 6216 | 6252 | 6270 | | | |
| 28" Full Choke | 0210 | 0202 | 0270 | 6296 | | |
| 25" Full Choke | | - | | 0230 | 6282 | 6236 |
| 28" Mod. Choke | 6218 | 6254 | 6272 | | 0202 | 0230 |
| 28" Mod. Choke | 0210 | 0234 | UZIZ | 6298 | | |
| 25" Mod. Choke | · · · · · · · · · · · · · · · · · · · | | | V230 | 6284 | 6238 |
| 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | | 02.04 | 0230 |
| 26" imp. Cyl. Choke | UZZU | 0230 | 0274 | 6300 | | |
| 25" Imp. Cyl. Choke | _ | \vdash | - | 0000 | 6286 | 6248 |
| 20" Police Cyl. Choke | 6598 | | | | 0200 | UL 10 |
| Extra Barrels, Rifle Sig | | <u> </u> | <u> </u> | | Ь | <u> </u> |
| 20" Imp. Cyl. | 6544 | Γ | 6230 | ı | 1 1 | 1 |
| Extra Barrels, Vent. Ril | | Goss | | | <u> </u> | |
| 34" Full Choke | 6304 | T | Γ | | T | Γ |
| Extra Barrels, Vent. Ril | | | | | | <u></u> |
| 30" Full Choke | 6222 | T | | T | | |
| 28" Full Choke | 6224 | 6258 | 6276 | 1 | † | |
| 28" Full Choke | T | — | | 6322 | t – | |
| 25" Full Choke | | | | | 6288 | 6250 |
| 28" Mod. Choke | 6226 | 6260 | 6278 | 1 | | |
| 28" Mod. Choke | | | | 6324 | 1 | |
| 25" Mod. Choke | | | | | 6290 | 6264 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | | | Ī |
| 26" Imp. Cyl. Choke | L | | | 6326 | | |
| 25" Imp. Cyl. Choke | | | | | 6292 | 6266 |
| Left Hand Extra Barrel | s, Vent. R | ib | | | | |
| 30" Full Choke | 6200 | | <u> </u> | | \Box | |
| 28" Full Choke | <u> </u> | L | 6208 | | | |
| 28" Mod. Choke | 6202 | $oldsymbol{ol}}}}}}}}}}}}}}}}}$ | 6210 | | <u> </u> | |
| 26" Imp. Cyl. Choke | 6204 | | 6212 | | | |
| Extra Barrels, High Gra | | | | | | |
| D Tournament, Vent. R | ib | | Spec | ial | | |
| F Premier, Vent. Rib | | | Spec | | | |

1.0





Remington 3200 3" Magnum: 12 Gauge The over-and-under for ducks and geese. Chambers 3" Magnum and all 23/4" shells. Available with 30" barrels only. Designed to handle lead or steel shot. Comes with rubber recoil pad installed.

Remington 3 / 975 Over-and-Under Shotguns Field Grade in 12 Gauge

Advanced design and technology make the Remington 3200 the most modern over-and-under shotgun manufactured today. The 3200 is the only over-and-under completely designed and manufactured in the United States. Remington's totally American craftsmanship and service assure the 3200's unique quality and reliability.


The Remington 3200 is a "finely-tuned" shotgun, superbly engineered for great balance and shooting ease. Its point of balance is directly over the barrel hinge locations.

The unique design strongpoints of the 3200 result in exceptional strength and rugged durability . . . for generations of shooting use. Barrels lock to the machined steel frame with super-strong side lugs. The slidThe 3200's positive-action fire control assembly assures second barrel firing independently of the first barrel. The 3200 system does not require recoil to cock the gun for the second shot. Straight-line recoil reduces sensation of recoil and helps keep the 3200 shooter on-target for that second shot.

Barrel selector and safety are combined in a simple, fast, easy-to-operate indicator on upper tang: left (B) for bottom barrel; middle (S) for safety on; right (T) for top barrel. After firing, empty hulls are automatically ejected on opening of the breech. Unfired shells are raised above chamber level for easy manual extraction. Super-fast lock time . . . at 1.4 to 1.8 milliseconds . . . means that the shot leaves the 3200's barrel before it leaves the shell in many other guns.







Remington 3200: 12 Gauge

ing top lock improves lock-up strength and permits the thinner profile. Chamber walls are thicker and more uniform to eliminate any potentially weak area.

Refined and innovative mechanical features add up to superior performance and reliability. Separated barrels virtually eliminate heat-caused barrel expansion and subsequent change of alignment. Barrels are scientifically pre-set for optimum point of impact. Space between barrels cuts wind resistance when swinging, prevents moisture from collecting, and eliminates heat waves that distort sight picture. The ventilated rib is silver brazed to the barrel for the strongest possible bond.

Remington engineers have improved firing pin design so that hammers never strike a firing pin in an empty chamber . . . preventing breakage due to dry firing. Special coil springs deliver sure, equal hammer blows every time . . . eliminating a major cause of misfires in many other overand-unders.

Remington 3200 field guns are available in 12 gauge only with 26", 28", and 30" barrels. New 3200 3" Magnum models come with 30" barrels. . . perfect for waterfowl hunters who prefer an over-and-under. Remington 3200 Magnums offer duck and goose hunters an important bonus . . . these are the only current over-and-under shotguns designed to accommodate steel shot. This is another example of Remington's constant ability to meet new hunting requirements.

The 3200 has the finely-crafted look of a superb sporting firearm. All show off decorative receiver scrollwork, graceful trigger guard, and modified beavertail fore-end. Wide, crisp trigger and metal bead front sight. American walnut stock and fore-end are deep-checkered 20 lines to the inch. The DuPont RK-W wood finish affords lustrous protection against scratches and marring over years of rough use. All-American craftsmanship results in a beautifully tailored wood-to-metal fit.

REMINGTON 3200 SPECIFICATIONS — FIELD GRADE


STYLE: Over-and-Under Shotgun. BAUGE: 12. CHAMBER: 2¾" standard velocity, "Express", and 2¾" Magnum shells. 3" Magnum model chambers 3" Magnum and all 2¾" shells. CAPACITY: 2-shot. BARRELS: Ventilated rib. Special Remington proof steel. Separated design. Tapered barrels on Magnum models. Extra barrel sets not available. FRAME: Machined steel with sliding top lock. Shield-covered breech. Hammers cock on breech opening. Sides embellished with pointing dogs. EJECTORS: Automatic. Fired shells eject on opening. Unfired shells remain in chamber but are raised above chamber level for easy manual extraction. SAFETY & BARREL SELECTOR: Combination manual safety and barrel selector mounted on top tang. Left for bottom barrel; right for top barrel; middle position for safety on. TRIGGER: Single selective, ¾, "wide. Crisp with extra fast lock time. SIGHTS: Metal bead front. STOCK & FORE-END: American Walnut with DuPont RK-W wood finish. Checkering cut 20 lines to the inch. Rosewood toned grip cap and checkered butt plate. Magnum models fitted with recoil pad. Semi-beavertail fore-end. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" drop at comb. OVERALL LENGTH: 43" with 26" barrels. AVERAGE WEIGHT: 7¾ lbs. with 26" barrels.


| 12 GAUGE | Order Nos. | | |
|--------------------|------------|--|--|
| Remington 3200 | | | |
| 30" Mod./Full | 3201 | | |
| 28" Mod./Full | 3203 | | |
| 26" Imp. Cyl./Mod. | 3205 | | |

| 12 GAUGE | Order Nos |
|--------------------------|-----------|
| Remington 3200 3" Magnum | |
| 30" Full/Full | *3241 |
| 30" Mod./Full | *3243 |
| *Available June 1, 1975 | |

Remington Trap Guns 1975


Remington 3200, Model 1100 & Model 870





Model 1100 TBMC Trap: 12 Gauge Automatic performance you can count on. Monte Carlo stock; also available with regular stock. Selected American walnut, rubber recoil pad. Ventilated rib barrel only and interchangeable extra barrels.

Model 1100 TB Left Hand Trap: 12 Gauge Feeds and ejects on the left hand side for trapshooting lefties. Ivory front bead, metal middle bead sights. Full choke only. Also available with Monte Carlo stock. Weighs about 81/4 pounds.



Model 870 TB Trap: 12 Gauge Available in right or left hand models. Regular or Monte Carlo stock. 30" ventilated rib barrel, rubber recoil pad. Fleur-de-lis checkering and special pistol grip with cap. Full or Modified Trap chokes. Trapshooting's proudest and smoothest pump action performer.

Model 870 "All-American" Trap: 12 Gauge Pump action perfection. Specially selected American walnut stock and fore-end cut checkered with raised diamond pattern. Full scroll engraving and special medallion. Supplied with deluxe, luggage-type, foam-lined case.

Remington 3200 Over-and-Under Trap Guns in 12 Gaut 1975

Trapshooters who prefer over-and-unders have estal lished the 3200 as a favorite because of its design prengths and performance advantages. Remington 3200 up models are available with standard or Monte Carlo locks, 30" barrels, and Full/Full or Improved Modified Trap/Full chokes. A brand new 3200 with 32" barrels adds to shooters' options this year. Barrel selectors can be locked in position for tamper-proof protection. Every 1200 trap gun features full beavertail fore-end, recoil pad, ivory bead front and metal bead middle sights. Remington 3200 Special Trap guns are fitted with specially selected American walnut stocks and fore-ends.



Remington 3200 Special Trap: 12 Gauge

. Model 1100 Automatic Trap Guns in 12 Gauge

More Grand American, state, and zone championships have been won with Model 1100 TB Trap guns in the past decade than with any other automatic. TB grade 1100s are available with regular or Monte Carlo stocks and 30" ventilated rib barrels in Full or Modified Trap chokes. Mirror-image left hand models . . . with left-side feeding and ejection . . . come in Full choke only. Each 1100 TB trap gun features an ivory bead front sight, white metal middle sight, and recoil pad. Extra trap barrels in 28", 30", and 34" lengths are interchangeable.

odel 870 Pump Action Trap Guns in 12 Gauge

Three trap grades offer the 870 trapshooter unsurpassed selection and sure shooting performance. The 870 "All-American" trap gun captains the squad with Premier grade features and appearance. TB grade 870 trap guns provide the same top-gun performance and functional features at lower cost. Left hand 870 TB grade guns are designed for southpaw shooting convenience with lefthand feeding and ejection. Rich, highly figured, handrubbed walnut stocks and fore-ends with hand-checkering and special hand-polished parts for ultra-smooth operation are 870 TC grade extras. All of these 870s are equipped with ivory bead front and metal middle bead sights; recoil pad; special target grade hammer, sear, and trigger assembly; 30" ventilated rib barrels; regular or Monte Carlo stocks. Remington interchangeable barrels come in 28", 30", and 34" lengths.

MODELS 1100 & 870 EXTRA BARRELS - TRAP

| | MODEL 1100 | MODEL 870 |
|--|---------------|--------------------|
| Extra Barrels, Vent. Rib, Trap | 0rd | r Nos. I 12 Ga. |
| 34" Full Choke | 6594 | 6340 |
| | | |
| 30" Full Choke | 9526 | 6242 |
| 28" Full Choke | 9528 | 6244 |
| 30" Mod. Trap Choke | 9570 | 6232 |
| 28" Mod. Trap Choke | 9566 | 6246 |
| Left Hand Extra Barrels, Vent. Rib, Trap | | <u> </u> |
| 0" Full Choke Trap | 5690 | 6206 |
| Extra Barrels, High Grade | | |
| ਹ Tournament, Vent. Rib | Special | Special |
| F Premier, Vent. Rib | Special | Special |

REMINGTON 3200 SPECIFICATIONS—TRAP

All specifications are same as Remington 3200 Field Grade guns, except: STOCK & FORE-END: Select fancy wood on Special Trap Grade. Full beavertail fore-end. Recoil pad on Trap guns. STOCK DIMENSIONS: For regular Trap with recoil pad: 14%" long, 13%" drop at heel, 1½" drop at comb. For Monte Carlo Trap with recoil pad: 14%" long, 2" drop at heel, 1½" drop at Monte Carlo. BARREL SELECTOR: Trap models can be locked on desired barrel selection. SIGHTS: Ivory bead front, white metal middle. OVERALL LENGTH: 47%" with 30" Trap barrels and recoil pad. AVERAGE WEIGHT: 81% lbs. for Trap gun with 30" barrels.

| 12 GAUGE | Order Nos | |
|--------------------------------------|-----------|--|
| Remington 3200 Trap | | |
| 32" Imp. Mod./Full | *3213 | |
| 32" Imp. Mod./Full/Monte Carlo Stock | *3219 | |
| 30" Full/Full | 3215 | |
| 30" Imp. Mod./Full | 3217 | |
| 30" Full/Full/Monte Carlo Stock | 3221 | |
| 30" Imp. Mod./Full/Monte Carlo Stock | 3223 | |
| Remington 3200 Special Trap | | |
| 32" Imp. Mod./Full | *3225 | |
| 32" Imp. Mod./Full/Monte Carlo Stock | *3231 | |
| 30" Full/Full | 3227 | |
| 30" Imp. Mod./Full | 3229 | |
| 30" Full/Full/Monte Carlo Stock | 3233 | |
| 30" Imp. Mod./Full/Monte Carlo Stock | 3235 | |

^{*}Available April 1, 1975

MODEL 1100 SPECIFICATIONS --- TRAP

All specifications are same as Model 1100 Field Grade guns in 12 ga., except: STOCK DIMENSIONS: For regular Trap with recoil pad: 14%" long, 1%" drop at comb. For Monte Carlo Trap with recoil pad: 14%" long, 1%" drop at teel, 1%" drop at comb, 1%" drop at Monte Carlo BARREL: Ventilated rlb only. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 8% lbs.

| MODEL 1100 TRAP | Grder Nos. 12 Ga. |
|--|----------------------|
| Model 1100 TB Trap with Vent. Rib Barrel | |
| 30" Full Choke | 5350 |
| 30" Mod. Trap Choke | 5288 |
| 30" Full Choke/Monte Carlo Stock | 5306 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5290 |
| Model 1100 TB Trap Left Hand with Vent. Rib Barrel | |
| 30" Full Choke | 5562 |
| 30" Full Choke/Monte Carlo Stock | 5554 |
| Model 1100 D Tournament Grade | Special |
| Model 1100 F Premier Grade | Special |


MODEL 870 SPECIFICATIONS — TRAP

All specifications are same as Model 870 Field Grade guns in 12 ga., except: STOCK DIMENSIONS: For regular Trap with recoil pad: 14% "long, 1%" drop at heel, 1½" drop at comb. For Monte Carlo Trap with recoil pad: 14% "long, 1% "drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo. BARREL: Ventilated rib only. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 7% lbs.

| MODEL 870 TRAP | Order Nos. 12 Ga. |
|--|----------------------|
| Model 870 "All-American" Trap Gun | |
| 30" Full Choke | 5212 |
| 30" Full Choke/Monte Carlo Stock | 5214 |
| Model 870 TB Trap with Vent. Rib Barrel | |
| 30" Full Choke | 4926 |
| 30" Mod. Trap Choke | 5006 |
| 30" Full Choke/Monte Carlo Stock | 4906 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5034 |
| Model 870 TB Left Hand with Vent. Rib Barrel | |
| 30" Full Choke | 5518 |
| 30" Full Choke/Monte Carlo Stock | 5520 |
| Model 870 TC Trap with Vent. Rib Barrel | |
| 30" Full Choke | 4938 |
| 30" Mod. Trap Choke | 5036 |
| 30" Full Choke/Monte Carlo Stock | 4912 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5044 |
| Model 870 D Tournament Grade | Special |
| Model 870 F Premier Grade | Special |


Remington Skeet Gui 1975

Remington 3200, Model 1100 & Model 870





Remington 3200 Skeet: 12 Gauge The most advanced over-and-under skeet gun on the field. Fitted with comfortable full beavertail fore-end. Rubber recoil pad. Automatic ejectors. Choice of 26" or 28" barrels. Barrel selector can be locked on desired barrel.




Model 1100 SA Skeet: 20 Gauge Smooth-swinging automatic skeet preference. Checkered butt plate. Also available in left hand model or SB grade (right hand only).

Model 1100 SA Skeet: 28, 410 Gauges Perfect balance and reliable gas-operated action on a smaller frame. 410 gauge skeet guns are chambered exclusively for 21/2" plastic shells.

Model 870 SA Skeet: 12, 20, 28, 410 Gauges The pump gun for any gauge competition. SC grade with select fancy wood in 12 and 20 gauges only. Ivory bead front sight.

BARBER - PRESALE R 0124423

Whether you compete with over-and-under, automat 7.775 or pump . . . these Remington skeet guns live up to t toughest demands of serious skeet shooting. Fail-safe performance during constant prolonged competition is e of their most important traits. Easy handling and



Model 1100 SA Skeet: 12, 20, 28, 410 Gauges

smooth swinging balance mark them as the guns to beat in any event and any gauge. All of these guns have several features in common: ventilated rib barrels with Remington Skeet choke, ivory bead front sights, and white metal middle bead sights.

Remington 3200 Over-and-Under Skeet Guns in 12 Gauge

Skeet shooters everywhere are realizing the advantages if the 3200's advanced over-and-under design strongpoints. Positive-action fire control ensures second barrel reliability. Low profile and low center of gravity of the bottom barrel minimize recoil sensation and muzzle jump . . . help keep you on that important second bird in doubles. The unique barrel selector can be locked on desired barrel. 3200 skeet guns handle and carry with exceptional balance. Separated barrel design pays off in casier swinging and elimination of sight picture distortion due to heat waves.

odel 1100 Automatic Skeet Guns in 12, 20, 28, and 410 Gauges

When it comes to skeet shooting popularity with an automatic, the Model 1100 is in a class by itself. World Skeet Championships in recent years have seen more 1100s competing than all other brands and models combined. Great balance, excellent pointing, and fast-swinging qualities add up to bird-powdering performance. Minimal effect of recoil means less fatigue and increased personal efficiency over long periods. Model 1100 SA Skeet guns enter all events in 12, 20, 28, and 410 gauges. Left hand versions in 12 and 20 gauge are mirror-image with left-side feeding and ejection. SB grade 1100s with specially selected American walnut stocks and fore-ends come in 12 and 20 gauge models. All 12 and 20 gauge Model 1100 Skeet guns have 26" barrels, some with Cutts Compensator. 28 and 410 gauge 1100s have 25" barrels. Remington extra barrel interchangeability gives every one of these 1100s extra utility and versatility.

Model 870 Pump Action Skeet Guns in 12, 20, 28, and 410 Gauges

The skeet shooter who prefers dependable pump action can choose a Model 870 in any gauge. SA grades in 12 and 20 gauge feature 26" barrels and the option of a Cutts Compensator. Model 870 SA 28 and 410 gauge skeet guns go after clay birds with 25" ventilated rib arrels. SC grade 870 skeet guns hold the handsome dvantage of select American walnut and hand-checkering. All 12 and 20 gauge SA and SC grade skeet Model 870s are equipped with soft rubber recoil pads. Left hand SA versions accommodate southpaws with mirrorimage ejection and feeding in 12 and 20 gauges. Extra barrels are available for all of these guns within gauge and original chamber length.

REMINGTON 3200 SPECIFICATIONS — SKEET

pecifications are same as Remington 3200 Field Grade guns, except: STUCK & FORE-END: Full beavertail fore-end. Recoil pad on Skeet guns. BARREL SELECTOR: Skeet models can be locked on desired barrel selec tion. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 7% lbs. with 26" barrels.

| 12 GAUGE | Order Nos. |
|----------------------|------------|
| Remington 3200 Skeet | |
| 28" Skeet/Skeet | 3209 |
| 26" Skeet/Skeet | 3211 |

MODEL 1100 SPECIFICATIONS — SKEET

All specifications are same as Model 1100 Field Grade guns in appropriate All spectrications are same as Model 1100 Field Grade guns in appropriate gauges, except: CHAMBER: 2½" shells for 410 ga. SA Skeet. STOCK & FORE-END: Rich American Walnut on 28 ga. and 410 ga. Skeet models. STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" drop at comb. BARREL: Ventilated rib only. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 7½ lbs. in 12 gauge, 7¼ lbs. in 20 gauge, 6¾ lbs. in 28 gauge, and 7½ lbs. in 410 gauge. (Adjustable weight will add up to 12 or in 28 gauge and 410 gauge keet gurs.) 12 oz. in 28 gauge and 410 gauge skeet guns.)

| | Order Nos. | | | |
|--------------------------------------|---------------|---------|--------|--------|
| MODEL 1100 SKEET | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ga |
| Model 1100 SA Skeet with Vent. Rib B | arrel | | | |
| 26" Skeet Choke | 5356 | 5408 | | |
| 26" Skeet Choke with Cutts Comp. | 5358 | 5410 | | |
| 25" Skeet Choke | | | 5432 | 5298 |
| Model 1100 SB Skeet (Fancy Wood) w | ith Vent. Rit | Barrel | | |
| 26" Skeet Choke | 5302 | 5422 | | |
| Model 1100 SA Skeet Left Hand with V | ent. Rib Ba | rrei | | |
| 26" Skeet Choke | 5564 | 5560 | | |
| Model 1100 D Tournament Grade | | Spe | ecial | |
| Model 1100 F Premier Grade | | Special | | |
| Match-Weight Skeet Cap for Small Gai | uge 1100 | - | 6338 | 6338 |

MODEL 1100 EXTRA BARRELS - SKEET

| | | Order Nos. | | | | | | |
|------------------------------------|---------|------------|--------|--------|--|--|--|--|
| | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ga | | | | |
| Extra Barrels, Vent. Rib, Skeet | | | | | | | | |
| 26" Skeet Choke | 9522 | 9562 | | | | | | |
| 26" Skeet Cutts Comp. | 9524 | 9564 | | | | | | |
| 25" Skeet Choke | | | 6592 | 9586 | | | | |
| Left Hand Extra Barrels, Vent. Rib | , Skeet | | | | | | | |
| 26" Skeet Choke | 5688 | 5698 | | | | | | |
| Extra Barrels, High Grade | | | | | | | | |
| D Tournament, Vent. Rib | 7 | Special | | | | | | |
| F Premier, Vent. Rib | | Special | | | | | | |

MODEL 870 SPECIFICATIONS — SKEET

All specifications are same as Model 870 Field Grade guns in appropriate gauges, except: STOCK & FORE-END: Rich American Walnut on 28 ga. and 410 ga. Skeet models. STOCK DIMENSIONS: 14" long, 2½" drop at heel, 15%" drop at comb. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 28 ga. Skeet — 6 lbs., 410 ga. Skeet — 6½ lbs. (Adjustable weight will odd up 112 ga. 12 ga. Skeet — 6. weight will add up to 12 oz. in Skeet guns).


| | Order Nos. | | | | | | |
|---------------------------------------|-------------|---------|--------|--------|--|--|--|
| MODEL 870 SKEET | 12 Ga. | 20 Ga. | 28 Ga. | 418 Ga | | | |
| Model 870 SA Skeet with Vent. Rib Bar | rei | | | | | | |
| 26" Skeet Choke | 6988 | 6992 | | | | | |
| 26" Skeet Choke with Cutts Comp. | 6990 | 6994 | | | | | |
| 25" Skeet Choke | | | 4934 | 4996 | | | |
| Model 870 SC Skeet (Fancy Wood) with | Vent. Rib B | arrel | | | | | |
| 26" Skeet Choke | 5136 | 5140 | | | | | |
| Model 870 D Tournament Grade |]. " | Special | | | | | |
| Model 870 F Premier Grade | | Spe | ecial | | | | |
| Match-Weight Skeet Cap for Small Gau | qe 870 | | 6336 | 6336 | | | |

MODEL 870 EXTRA BARRELS - SKEET

| | Order Nos. 12 Ga. 20 Ga. 28 Ga. 410 Ga. | | | | | |
|---------------------------------|--|--------|--------|--------|--|--|
| | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ga | | |
| Extra Barrels, Vent. Rib, Skeet | | | | | | |
| 26" Skeet Choke | 6240 | 6508 | | 1 | | |
| 26" Skeet Cutts Comp. | 6450 | 6456 | | | | |
| 25" Skeet Choke | | | 6294 | 6268 | | |
| Extra Barrels, High Grade | | | | | | |
| D Tournament, Vent. Rib | | Sp | ecial | | | |
| F Premier, Vent. Rib | | Sp | ecial | | | |

15

Remington Centclassire Rifles



The Model 700 has become the standard of excellence by which other big game bolt action rifles are measured. The 700 combines accuracy and sleek, graceful styling with optimized handling and performance features in an exceptional variety of caliber selections.

In big game hunting, dependable performance is of primary importance. The 700's anti-bind bolt and stainless steel magazine follower assure smooth operation without bind or drag. The action is one of the strongest ever designed. Bolt face, barrel, and receiver surround the cartridge head with three rings of solid steel to prevent any rupturing of the center fire case. The bolt handle was redesigned to put plenty of clearance between it and your hand, helping prevent hit fingers on recoil. The rear sight has a sliding ramp for precise elevation or adjustment and is easily removed for scope mounting.

Model 700 BDL Custom Deluxe rifles compete with more expensive custom-made rifles in every aspect. The graceful, tapered stock of rich American walnut is designed for improved appearance, handling, balance, and grip. The fore-end is fuller and squared-off; the pistol grip is slimmer and has a swept-back grip cap. White line spacers. Deep, sure checkering is cut 20 lines per inch. BDL versions have a jeweled antibind bolt, hinged floor plate, hooded front sight, sling strap and quick release swivels.

Mirror-image Model 700 left hand BDL rifles reverse the cheekpiece with safety, bolt, and ejection on the left side for left-handed shooters.

Model 700 ADL Deluxe rifles deliver high accuracy and reliability at lower cost. ADL models present a handsome, functional appearance with skip-line checkering. Both ADL and BDL versions have a jeweled antibind bolt, shrouded bolt cover, and low-profile positive thumb-type safety. All Model 700s include Monte Carlo stock with cheekpiece, checkered bolt knob, detachable sights, and receiver drilled and tapped for

scope mounts.

The 700 BDL "Varmint Special" is designed specifically for long-range, small-target accuracy. It has a heavy barrel without sights and carries all the features of other BDL rifles. Safari grade BDL 700s in 375 Holland & Holland Magnum and 458 Win. Magnum calibers meet the biggest game hunting requirements.

Model 700 C Custom, D Peerless, and F Premier rifles offer three grades of custom-made, highly personalized specifications to discriminating sportsmer

Model 700 Liter Fire Bolt Action Rifles



Model 700 ADL Deluxe In 22-250 Rem., 222 Rem., 25-06 Rem., 6mm Rem., 243 Win., 270 Win., 30-06, 308 Win., and 7mm Rem. Mag. calibers. Monte Carlo stock with cheekpiece.

Model 700 BDL "Varmint Special" In 22-250 Rem., 222 Rem., 223 Rem., 25-06 Rem., 6mm Rem., and 243 Win. calibers. Heavy-barreled accuracy. Equipped for scope bases. Hinged floor plate. Sling and quick-release swivels.

MODEL 700 SPECIFICATIONS


STOCK: American Walnut. BDL and "Varmint Special" models have cut checkering 20 lines to the inch that extends around entire fore-end. Safari and C Custom models are hand-checkered. ADL has skip-line checkering. Solid rubber presentation-type recoil pads on Magnum models. BDL and "Varmint Special" models include sling strap and quick release swivels installed, black fore-end tip and white line spacers. STANDARD STOCK DIMENSIONS: 13%" length of pull, 2%" drop at comb. (measured from easured from open sight line). "Varmint Special" stock: 13%" length of pull, 1%" drop at heel, ½" drop at comb. (measured from center line of bore). RECEIVER: One-piece ordnance steel with anti-bind bolt. Drilled and tapped for scope mounts and receiver sights. Fixed magazine with statnless steel magazine follower. BDL, "Varmint Special", and Safari grade have hinged floor plate. SIGHTS: Ramp front sights with flat-flaced gold bead. BDL and Safari grade front sights are hooded. Rear sight has sliding ramp for precise elevation adjustment, also adjustable for windage. Both sights are removable for scope block mounting without drilling or tapping. "Varmint Special" is furnished without sights, but with front and rear 40-XB type scope bases installed. SAFETY: Fast positive thumb type. Left hand models have left hand a Safety, bolt, and ejection.

CUSTOM MODEL 708 C — Manufactured to customer specifications. Left hand C Custom models available in 25-06 Rem., 270 Win., 30-06, 7 mm. Rem. Mag., 264 Win. Mag., and 300 Win. Mag. Choice of 20", 22", or 24" barrel in high proof ordnance steel only. With or without hinged floor plate. With hunting lights or plain barrel. Sling strap and quick release swivels installed. Length of pull from 13%" to 14" without recoil pad. Extra charge for recoil pad (on all except Magnum models), oil-finished stock, left hand cheekplece. Orders non-cancellable. Allow up to four months for delivery.

| | - | | | | | | | | 700 | 700 | 700 BDL | Varmint | 700 C |
|------------------------|-------------|------------------------|---------------|--------------------|---------|----------------------|------|----------------------|---------------|---------------|---------------|---------------|---------------|
| | | | Barrel | Longth | Overall | Length | Welg | jirt Libs. | ADL | BDL | LH. | Special" | Custom |
| Calibers | Cap. | Twist-R H 1 Turn in | | Yarmint Special | | "Varmint Special" | Reg. | "Varmint Special" | Order Nes. | Order Nes. | Order Nes. | Order Nos. | Order Nos. |
| 17 Rem. | 6 | 9" | 24" | | 431/2" | | 7 | | | 5800 | | | |
| 22-250 Rem. | 5 | 14" | 24" | 24" | 431/2" | 431/2" | 7 | 9 | 5762 | 5782 | | 5822 | Special |
| 222 Rem. | 6 | 14" | 24" | 24" | 431/2" | 431/2" | 7 | 9 | 5760 | 5780 | | 5820 | Special |
| 223 Rem. | 6 | 12" | | 24" | | 431/2" | | 9 | | | | 5824 | Special |
| 25-06 Rem. | 5 | 10" | 24" | 24" | 4472" | 441/2" | 7 | 9 | 5768 | 5788 | | 5830 | Special |
| 6mm Rem. | 5 | 9" | 22" | 24" | 41 1/z" | 431/2" | 7 | 9 | 5764 | 5784 | | 5826 | Special |
| 243 Win. | 5 | 9" | 22" | 24" | 41 1/2" | 431/2" | 7 | 9 | 5766 | 5786 | | 5828 | Special |
| 270 Win. | 5 | 10" | 22" | | 421/2" | | 7 | | 5770 | 5790 | 5810 | | Special |
| 30-06 | 5 | 10" | 22" | | 421/2" | | 7 | | 5772 | 5792 | 5812 | | Special |
| 308 Win. | 5 | 10" | 22" | | 411/2" | | 7 | | 5774 | 5794 | | | Special |
| 7mm Rem. Mag. | 4 | 9" | 24" | 1 | 441/2" | | 71/2 | | 5776 | 5802 | 5814 | | Special |
| -264 Win. Mag. | 4 | 9" | 24" | | 4472" | | 71/2 | | | 5804 | | | Special |
| -300 Win. Mag. | 4 | 10" | 24" | 1 | 4472" | | 71/2 | T | | 5806 | | | Special |
| -375 H&H Mag. | 4 | 12" | 24" | | 441/2" | | 9 | | | *5836 | | | |
| -158 Win. Mag. | 4 | 14" | 24" | | 441/2" | 1 | 9 | | | *5838 | | | |
| Sling Strap & Quick Re | lease Swive | is (installed) | ar consession | - Koni K | N | | | • | 6382 | | | | |

^{*}Recoil pad included.

[&]quot;Safari Grade.



Here is the hunting world's most popular automatic big game rifle. The Model 742 "Woodsmaster" combines accuracy, speed, and reliability for ideal automatic performance.


Remington designed the 742 for optimum speed of operation . . . fast enough to realize all the advantages of automatic shooting, but at a rate slow enough to assure recovery from recoil. Reduction in the effect of recoil pays off in improved control and ability to maintain sight picture during fast, successive shots.

These truly modern automatics not only help the hunter make the most of built-in accuracy . . . they also function reliably to make every shot count. Trouble-free performance is a hallmark of the 742. All-weather dependability is another important characteristic of these automatics. They're built and tested to withstand the most adverse conditions of weather and temperature. Interior working parts are coated with DuPont "TEFLON" S resin. This friction-reducing coating self-lubricates, resists dirt and oil, makes cleaning easier, and provides longer wear.

Model 742 BDL Custom Deluxe rifles carry automatic styling to perfection with luxurious basketweave checkering and Monte Carlo stock with full cheekpiece. BDL left hand versions put cheekpiece and safety on the left hander's side for automatic shooting comfort. All 742s have a fast-loading removable clip mag zine, convenient bolt release, al positive cross-bolt safety. Receivers are drilled and tapped for scope mounts. Ramp front sight with flatfaced gold bead and adjustable rear sight. All models have black foreend tips and white line spacers.


Model 742 "Woodsmaster

nter Fire Automatic Rifles



Model 742 BDL Custom Deluxe In 30-06 or 308 Win, Quick mading removable clip magazine holds four cartridges. Bastetweave checkering and Monte Carlo stock with full cheekpiece. Tast operation and high accuracy.

Model 742 Carbine In 30-06 and 308 Wm. The 1812 Thairef and shorter overall length mean easy handling in tough country. Ramp front sight with flat-faced gold bead. Available in standard version only.



Model 742 BDL Custom Deluxe Left Hand For southpass shooters in 30-06 and 308 Win. calibbras only in BDL models. Reversed left-hand safety and cheekpiece. Right side ejection. Less recoil for greater control shot after shot.



Model 742

the standard version, the Model 42 rifle offers a choice of five popular hunting calibers. Straight stock and tapered fore-end are distinctively checkered. The tough, enriching RK-W wood tinish protects against the effects of rough handling and long outdoor exposure. Remington's exclusive vibra-honed finish

enhances blueing and protects metal. Model 742 carbines hold the fast-handling qualities needed in dense brush or rough-country hunting.


Model 742 "Woodsmaster" rifles are Remington-engineered for maximum strength. Their strength originates from an artillery-type bolt with multiple locking lugs. When the action is closed, these lugs lock bolt to barrel tightly and securely Inside the action, the cartridge head is encircled tightly by bolt, barrel, and receiver... three rings of solid steel with no extractor cuts to weal en this critical area.

MODEL 742 SPECIFICATIONS

STOCK & FORE-END: American Walnut. STANDARD STOCK DIMENSIONS: 1314 length of pull, 214 drop at heel, 134 drop at comb. BDL Monte Carlo stock: 1334 rength of pull, 212 drop at heel, 136 drop at comb. 134 drop at heel, 136 drop at comb. 134 drop at heel, 136 drop at comb. 134 drop at heel, 136 drop at comb. 136 drop at honte Carlo. RECEIVER: Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine plus one in chamber. SIGHTS: Ramp front sight with flat-faced gold bead. Rear sight has sliding ramp for precise elevation adjustment; also adjustable for windage. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive cross-bolt type. BDL models with left hand cheekpiece have left hand safety, right side ejection. WEIGHT: Approx. 7½ lbs. Carbine weighs approx. 6% lbs.

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overall Length | Order Nos. | |
|-----------|------------------------|------------------|-------------------|---------------|--|
| Model 742 | | | | | |
| ömm Rem, | 9" | 22" | 42" | 9632 | |
| 180 Rem. | 9" | 22" | 42" | 9634 | |
| 06 | 10" | .22" | 42" | 9636 | |
| ≅ Win, | 10" | 22" | 42" | 9638 | |
| +3 Win | 9" | 22" | 42" | 9648 | |

| Calibers | Overall Length | Order Nos. | | |
|--------------------------|---------------------|---------------|--------|------------|
| Model 742 Carbine (Not | available in BDL G | rades) | | |
| 30-06 | 10" | 181/2" | 381/2" | 9670 |
| 308 Win. | 10" | 181/2" | 381/2" | 9672 |
| Model 742 BDL Deluxe | | | | |
| 30-06 | 10" | 22" | 42" | 9666 |
| 30-06 Left Hand | 10" | 22" | 42" | 9668 |
| 308 Win. | 10" | 22" | 42" | 9640 |
| 308 Win. Left Hand | 10" | 22" | 42" | 9644 |
| Model 742 D Peerless Gr | rade | | | Special |
| Model 742 F Premier Gra | ade | | | Special |
| Model 742 F Premier Gra | ade with Gold Inlay | у | | Special |
| Accessories for Model 7 | 42 | • | | |
| Sling Strap & Quick Rele | ease Swivels (Inst | (alled) | | 6094 |
| Extra 4-Shot Clip | | | Speci | fy Caliber |
| | | | | , |



Model 760 Carbine In 30-06 or 308 Win. calibers. Shorter, easier handling with 18½" barrel and 38½" overall length. Positive cross-bolt safety. Removable four-shot clip magazine. Composition checkered butt plate. Available in standard version only.

Model 760 BDL Custom Deluxe In 270 Win., 30-06, or 308 Win. Basketweave checkering, Monte Carlo stock with full cheekpiece. Also available in left hand models with reversed safety and cheekpiece as shown. Holds every pump action feature and advantage.

Model 760 "Gamemaster" 1975 ter Fire Pump Action Rifles

For hunters who prefer the dependility and feel of a pump action, the liodel 760 "Gamemaster" is a superb big game rifle. In the hands of a practiced pump action shooter, the 760 is faster, surer, and more natural to operate than a lever action. Because of these qualities . . . and because it is the only pump action rifle available in 30-06 caliber . . . many hunting authorities prefer the 760 as a deer rifle over the popular 30-30 lever actions. In addition, the natural pumping motion of the "Gamemaster" actually aids the shooter in staying on-target during second and third-shot situations.

win action bars eliminate twisting or binding. The shooter pumps the tore-end straight back in a fast, comtortable move. His finger stays on the trigger as he works the pump action tor additional shots. Unlike the more cumbersome lever actions, the

of its action comes from the solid steel receiver and an artillery-style bolt with multiple locking lugs. When the action is closed, the lugs lock bolt to barrel tightly and surely. The closed action surrounds the cartridge head with a triple ring of steel ... bolt, receiver, and barrel.

These proud pump actions are designed to take tough use for many years. Moreover, there's a style and popular hunting caliber to meet most situations or preferences. Standard Model 760 rifles come in five calibers, including the 30-06 version ideal for deer. The 760 carbine goes after game in tough terrain. The carbine has standard styling features, a shorter 181/2" barrel and comes in 30-06 or 308 Win. Both standard rifle and carbine display a functional, trim look with regular stock, streamlined beavertail fore-end, and skipline checkering.

ture for pump action owners who desire totally individualized specifications and Remington customized decorative work. 760°D Peerless or F Premier grades can accommodate the most discriminating gun tastes.

All of these Model 760s show off handsome appearance accents. All have black fore-end tips and grip caps, white line spacers, exclusive Remington wood and metal finishes. Receivers and internal parts are vibra-honed to a mirror-smooth, highly-blued finish . . . burr-free to assure smooth operation. The DuPont RK-W wood finish brings out wood quality and provides long-lasting protection against scratches and weather. Receivers are drilled and tapped for scope mounts.

Every 760 rifle and carbine is equipped with ramp front sight with flat-faced gold bead and rear sight



Model 760

Nodel 760's entire trigger assembly stays in the rifle during operation. Fixed positioning of the fire control mechanism eliminates the possibilities of misalignment, grit in the assembly, and painful pinched fingers.

The Model 760 handles high-powered center fire cartridges with great strength and security. The strength Model 760 BDL Custom Deluxe rifles add decorative basketweave checkering and Monte Carlo stock with full cheekpiece. Left hand BDL versions give southpaws the convenience of a left-side safety and reversed cheekpiece. Both right and left hand BDL grades are available in 270 Win., 30-06, and 308 Win. Model 760 high grade custom rifles complete the pic-

adjustable for precise windage and elevation settings. Each is furnished with its own removable four-shot clip magazine. Extra clips, sling strap and quick release swivels are available as accessories at additional cost.

The accuracy of the Model 760 matches its superior performance and design.

MODEL 760 SPECIFICATIONS

STOCK & FORE-END: American Walnut. STANDARD STOCK DIMENSIONS: 131/4" length of pull, 21/4" drop at heel, 11/4" drop at comb. Monte Carlo stock: 131/4" length of pull, 21/4" drop at heel, 11/4" drop at comb. 11/4" drop at Monte Carlo. RECEIVER: Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine plus one in chamber. BIGHTS: Ramp front sight with flat-faced gold bead. Rear sight has sliding ramp for precise elevation adjustment; also adjustable for windage. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive crossion both type. BDL models with left hand cheekpiece have left hand, safety, right side ejection. WEIGHT: Approx. 71/2 lbs. Carbine weighs approx. 71/4 lbs.

| Calibora | 1 | Twist-R H 1 Turn in | Barrel Length | Overall Length | Order Nos. |
|-----------|------------------------------|------------------------|------------------|-------------------|---------------|
| Model 760 | 100 | | | | |
| 6mm Rem. | | 9" | 22" | 42" | 5900 |
| 270 Win. | | 10" | 22" | 42" | 9726 |
| 30-06 | | 10" | 22" | 42" | 9730 |
| 308 Win. | | 10" | 22" | 42" | 9732 |
| 243 Win | Contractor of the Contractor | 4. #10+ C ### | -> 22° | 42" | 9678 |

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overall Length | Order Nos. | | | |
|--------------------------|------------------------|------------------|-------------------|---------------|--|--|--|
| Model 760 Carbine (Not | available in BDL G | rades) | | | | | |
| 30-06 | 10" | 181/2" | 38½" | 9698 | | | |
| 308 Win. 10" 18½" 38½" | | | | | | | |
| Model 760 BDL Custom | Beluxe | | | | | | |
| 270 Win. | 10" | 22" | 42" | 9708 | | | |
| 270 Win. Left Hand | 10" | 22" | 42" | 9712 | | | |
| 30-06 | 10" | 22" | 42" | 9692 | | | |
| 30-06 Left Hand | 10" | 22" | 42" | 9694 | | | |
| 308 Win. | 10" | 22" | 42" | 9706 | | | |
| 308 Win. Left Hand | 10" | 22" | 42" | 9710 | | | |
| Model 760 D Peerless Gr | ade | | | Special | | | |
| Model 760 F Premier Gra | ade | | | Special | | | |
| Model 760 F Premier Gr | ade with Gold Inla | y | | Special | | | |
| Accessories for Model 7 | 60 | | | | | | |
| Sling Strap & Quick Rele | ase Swivels (Inst | alled) | | 6096 | | | |
| Extra 4-Shot Clip | | | ^pecif | y Caliber | | | |

21




If you're hunting for great rifle value, take aim on the Model 788. Remington designed and built this bolt action to fill the need for a lower-priced big game rifle in popular, modern calibers. The 788 has come to represent highest quality and performance at a price every hunter can afford. At the same time, it has gained a proven reputation for utmost strength and pinpoint accuracy.


The supreme accuracy of the 788 results from extremely fast lock time. The interval between trigger pull and primer ignition is so fast that the bul-22

let leaves the 788's barrel before comparative bullets in ten competitive rifles tested leave their cartridge cases. Unique trigger design provides fast lock time and a crisp, sharp pull on every shot. This rifle's strength stems from the nine locking lugs on the bolt . . . and the super-tight, secure engagement of these lugs into matching grooves in the receiver.

Right-handed models are available in six popular hunting and varmint calibers: 222 Rem., 223 Rem., 22-250 Rem., 6mm Rem., 243 Win., and 308 Win. Left hand 788 versions are chambered for 6mm Rem. or 308 Win. Every Model 788 is equipped with Monte Carlo stock, serrated thumb-type safety, and detachable clip magazine. Blade front sight and adjustable U-notch rear sight. Receivers are drilled and tapped for scope mounts; rear sight barrel, holes are correct for target scope blocks. Right-handed 788s furnished with four-power scopes are available in all six calibers. Optional accessories include sling strap with quick release swivels and extra clip magazines in specified calibers.


Model 788 1975 ter Fire Bolt Action Rifles





Model 788 Left Hand In 6mm. Rem. and 308 Win. Bolt handle and safety are reversed for left-handed shooters. Right side ejection. Composition butt plate. Removable sights. Exceptional accuracy, dependability, and price consciousness.

Model 788 with 4X Scope A combination value for the inflation-conscious sportsman. Supplied with four-power scope, mount, rings, and instructions. Rifle comes with open sights installed. Available in same six calibers as regular right-handed model.



Model 788

"XP-100" Long Range Pistol Single-Shot Center Fire Bolt Action Pistol

Available only in 221 Remington "Fire Ball" caliber. The "XP-100" pistol is extremely accurate at long distances. Ultramodern design reduces whip, jump, and recoil to a minimum.

One-piece stock of DuPont "ZYTEL" Nylon. Universal grip fits left or right hand. Internal fore-end cavities for addition of weights. Match-type grooved trigger. Ventilated rib. Rifle-type rear and ramped blade front sights. Two-position thumb safety. Receiver drilled and tapped for scope mounts. 10½" barrel, 16¾" overall length. Weighs 3¾ lbs. Furnished with zippered carrying case. Rem. Order No. 5470.



MODEL 788 SPECIFICATIONS

STOCK: Walnut finished hardwood, Monte Carlo. STANDARD STOCK DIMENSIONS: 13%" length of pull, 2%" drop at heel, 1%" drop at comb (measured from open sight line). RECEIVER: Drilled and tapped for scope mounts and receiver sight. Detachable clip magazine. SIGHTS: Blade front sight on ramp is detachable. U-notch rear sight lock-screw adjustable for windage and elevation. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive fast-action thumb type. Left hand models with left hand bolt and safety, right side ejection. WEIGHT: Approx. 7½ lbs. For 222 Rem., 223 Rem., and 22-250 Rem.: 7½ lbs. SCOPE: 4-power model with mount and rings.


| • | | • | | | | • |
|-----------------------|--|------------------------|------|----------------|------------------|---------------|
| Calibors | | Twist-R H 1 Turn in | | Ovri. Lyth. | Av. Wt. List. | Order Nos. |
| Model 788 | | | | | | |
| 222 Rem. | 4 | 14" | 24" | 435%" | 71/2 | 9722 |
| 22-250 Rem. | 3 | 14" | 24" | 43%" | 71/2 | 973€ |
| 223 Rem. | 4 | 12" | 24" | 435/9" | 71/2 | 9734 |
| 6mm Rem. | 3 | 9" | 22" | 42" | 71/4 | 9784 |
| 6mm Rem. Left Hand | 3 | 9" | 22" | 42" | 744 | 9786 |
| 243 Win. | 3 | 8" | 22" | 42" | 71/4 | 9782 |
| 308 Win. | 3 | 10" | 22" | 42" | 71/4 | 9780 |
| 308 Win. Left Hand | 3 | 10" | 22" | 42" | 71/4 | 9788 |
| 222 Rem. with 4X Sco | pe | | | | | 9790 |
| 22-250 Rem. with 4X | Scope | | | | | 9771 |
| 223 Rem. with 4X Sco | pe | | | | | 979 |
| 6mm Rem. with 4X Sc | оре | | | · | | 977 |
| 243 Win. with 4X Sco | pe | | | | | 977 |
| 308 Win, with 4X Sco | pe | | | | | 977 |
| Accesseries for Meda | 1788 | | | | | |
| Sling Strap & Quick F | elease Swi | vels (Instal | led) | | | 642 |
| Extra Clip | | | | | Specify | Calibe |
| | A STATE OF THE STA | أعظاف تالماندن أحم | 4.5 | | | |

2.7

Remington Rim 17975 Rifles



"Nylon 66" AB Rifle: Apache Black Tubular magazine holds 14 Long Rifle cartridges. High-strength, durable DuPont "ZYTEL" nylon stock is jet black. Chrome-plated barrel and receiver. Lightweight 22 fun at four pounds.





Effective: January 2, 1975

Prices in this price list include 11% U. S. Excise Tax and are suggested minimum prices, subject to change without notice. Weights and stock dimensions vary according to the individual figure. vidual firearm.

MODEL 1100 AUTOMATIC SHOTGUNS
Complete Model 1100 Field Grade Specifications are contained on page 5 of the 1975 Remington Catalog.

| MODEL | 400 FIELD OF | ADE | | | 400 EVTO | the 1975 Rer | | | |
|---|---|--|---|--|--|--|--|--|---|
| | 100 FIELD GF 6 & 20 Gauges | IADE | | NODEL 1 | 100 EXTRA | | LS — FIEL | U GRADE | |
| Order | | Retell* | | | Order i 20 Ga. i | Nos. 20 Ga. | ı | | Retail* |
| 12 Ga. 16 G | | Prices | 12 Ga. | 16 Ga. | Stand. | Ltwt. | 28 Gg. | 410 Ga. | Prices |
| Model 1100 with P | | 1, | Extra Barrel | s, Plain | | | | | |
| 5322 | | , | 9500 | | | | 特學後便 | | \$ 54.95 |
| 5320 537 | 70 5390 |] | 9502 | 9530 | 9546 | | | el a calbala a - | |
| 5326 537 | 74 5394 | \$ 219.95 | | | | 6578 | 9588 | 9574 | \$ 57.95 |
| 5328 537 | 76 5396 | | 9504 | 9532 | 9548 | | | 1 1/3/11 | \$ 54.95 |
| Model 1100 Deer | Gun | | | 0000 | 0550 | 6580 | 9510 | 9576 | \$ 57.95 |
| 6308 | 5260 | \$ 239.95 | 9508 | 9536 | 9552 | CEOO. | CEDA | 0570 | \$ 54.95 |
| Model 1100 with V | ent. Rib Barrei | , | Extra Barrel | a Dilla Cla | Me Deer | 6582 | 6584 | 9578 | \$ 57.95 |
| 5332 | | 1. 1 | 9568 | s, Rille Sig | 9572 | | | | \$ 65.95 |
| 5330 537 | | \$ 244.95 | | e Vent Dit | , Duck/Goose | | | | \$ 65.85 |
| 5336 536 | | 1 1 | 6576 | e, vent nit | , Duck/ Goose | | | 6,5 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | \$ 89.95 |
| 5338 538 | | | Extra Barrel | s. Vent. Rit | | · | | | 9 03.33 |
| | gnum with Plain B | arren | 9512 | , | | 8/ 55/08 | Water Fillian | 1.45.285 | |
| 5344 5250 | 5428 5254 | \$ 239.95 | 9514 | 9538 | 9554 | | | A TOTAL CONTRACTOR | \$ 79.95 |
| Model 1100 3" Ma | | ib Barrel | | | | 9590 | 6586 | 9580 | \$ 82.95 |
| 5348 | 5430 | | 9516 | 9540 | 9556 | | | 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | \$ 79.95 |
| 5252 | 5256 | \$ 264.95 | | | | 9592 | 6588 | 9582 | \$ 82.95 |
| Model 1100 D Tou | | . Rib Barrel | 9520 | 9544 | 9560 | | | | \$ 79.95 |
| | Special | \$ 800.00 | | | | 9594 | 6590 | 9584 | \$ 82.95 |
| Model 1100 F Pres | | | Left Hand E | | | | | | |
| | Special | \$1,550.00 | 5682 | a la | 5692 | Janes J. All | 2.1.11 10.00 | 建工程 等。 | |
| Model 1100 F Pres | nier with Gold Inle | ıy. | 5684 | 4. 医阴囊的 | 5694 | | | | \$ 81.95 |
| | Special | \$2,400.00 | 5686 | a Mant Dil | 5696 | | | 1.000 | |
| LEFT HAND 12 | £ 20 GAUGES | | D Tourname | | , High Grade | Spec | vial. | | \$104.95 |
| Model 1100 Left H | and with Vent. Rit | Barrel | F Premier | 7111 | | Spec | | | \$159.95 |
| 5540 | 5556 | | 1 7 10111101 | | | | ,101 | | \$100.00 |
| 5542 | 5558 | \$ 249.95 | MODI | EL 1100 | TRAP | | | 1100 SKE | |
| 5544 | 5546 | | | ete Model 11 | 00 Trap ined on page | | | 0 Skeet Specif page 15 of the | |
| | gnum LH with Ver | | | 975 Remingt | | | Reming | ton Catalog. | 1975 |
| 5548 | · | \$ 269.95 | 12 Gauge | | Retail* | | Order No | | |
| 20 GAUGE LIGH | TWEIGHT | | Order Nos. | | | | | | Retail* |
| | | | | TO T 1/ | Prices | 12 Ga. | | Ga. 410 Ga. | Retail* Prices |
| Model 1100 with F | lain Barrel | | Model 1100 | TB Trap, V | | | 20 Ga. 28 | Ga. 410 Ga. et with Vent. F | Prices |
| 15 A | 9596 | | Model 1100 5350 | TB Trap, V | | Model 5356 | 20 Ga. 28 1100 SA Sked 5408 | Ga. 410 Ga. et with Vent. F | Prices |
| Model 1100 with F | 9596 9598 | \$ 229.95 | Model 1100 5350 5288 | TB Trap, V | ent. Rib | Model | 20 Ga. 28 1100 SA Sket 5408 5410 | Ga. 410 Ga. It with Vent. F | Prices |
| | 9596 9598 9600 | \$ 229.95 | Model 1100 5350 5288 5306 | TB Trap, V | ent. Rib | Model 5356 5358 | 20 Ga. 28 1100 SA Ske 5408 5410 | Ga. 410 Ga. ot with Vent. F | Prices S 254.95 \$ 279.95 \$ 264.95 |
| Model 1100 with | 9596 9598 9600 /ent. Rib Barrel | \$ 229.95 | Model 1100 5350 5288 5306 5290 | | \$ 289.95 \$ 299.95 | Model 5356 5358 Model | 20 Ga. 28 1100 SA Sked 5408 5410 54 1100 SB Sked | Ga. 410 Ga. et with Vent. F 32 5298 et with Vent. F | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel |
| Model 1100 with \ | 9596 9598 9600 /ent. Rib Barrel 9602 | | Model 1100 5350 5288 5306 | | \$ 289.95 \$ 299.95 | Model 5356 5358 Model 5302 | 20 Ga. 28 1100 SA Ske 5408 5410 54 1100 SB Ske 5422 | Ga. 410 Ga. et with Vent. F | Prices Barrel \$ 254.95 \$ 279.95 \$ 264.95 \$ 279.95 |
| Model 1100 with | 9596 9598 9600 /ent. Rib Barrel 9602 9604 | \$ 229.95 \$ 254.95 | Model 1100 5350 5288 5308 5290 Model 1100 | | \$ 289.95 \$ 299.95 i, Vent. Rib | Model 5358 Model 5302 Model | 20 Ga. 28 1100 SA Ske 5408 5410 54 1100 SB Ske 5422 1100 SA Ske | Ga. 410 Ga. et with Vent. F 32 5298 et with Vent. F | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 nt. Rib Barre |
| Model 1100 with | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 | \$ 254.95 | Model 1100 5350 5288 5308 5290 Model 1100 5562 | TB Trap Li | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 | Model 5358 Model 5302 Model 5564 | 20 Ga. 28 1100 SA Ske 5408 5410 54 1100 SB Ske 5422 1100 SA Ske 5560 | Ga. 410 Ga. et with Vent. F 32 5298 et with Vent. F et LH with Vent. | Prices Barrel \$ 254.95 \$ 279.95 \$ 264.95 \$ 279.95 |
| Model 1100 with | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 gnum with Plain B | \$ 254.95 | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special | TB Trap Li | \$ 289.95 \$ 299.95 1, Vent. RID \$ 294.95 \$ 304.95 tent Grade \$ 800.00 | Model 5358 Model 5302 Model 5564 | 20 Ga. 28 1100 SA Ske 5408 5410 54 1100 SB Ske 5422 1100 SA Ske 5560 | Ga. 410 Ga. et with Vent. F 32 5298 et with Vent. F at LH with Vent. F | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 Rt. Rib Barre \$ 259.95 |
| Model 1100 with \ | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 | \$ 254.95 sarrel \$ 249.95 | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 | TB Trap Li | \$ 289.95 \$ 299.95 1, Vent. RID \$ 294.95 \$ 304.95 tent Grade \$ 800.00 Grade | Model 5356 5358 Model 5302 Model 5564 Model | 20 Ga. 28 1100 SA Ske 5408 5410 54 1100 SB Ske 5422 1100 SA Ske 5560 | Ga. 410 Ga. et with Vent. F 32 S298 et with Vent. F ament Grade Special | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 ht. Rib Barrel \$ 259.95 |
| Model 1100 with \ | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 agnum with Plain B | \$ 254.95 sarrel \$ 249.95 | Model 1100 5350 5288 5306 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special | TB Trap Li D Tournam | \$ 289.95 \$ 299.95 \$ 294.95 \$ 304.95 \$ 304.95 ent Grade \$ 800.00 Grade \$ 1,550.00 | Model 5356 5358 Model 5302 Model 5564 Model | 20 Ge. 28 1100 SA Sket 5408 5410 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourn | Ga. 410 Ga. et with Vent. F 32 S298 et with Vent. F ament Grade Special | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 th. Rib Barre \$ 259.95 \$ 800.00 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 agnum with Plain B 9656 gnum with Vent. F | \$ 254.95 Sarrel | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 | TB Trap Li D Tournam | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 tent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inley | Model 5356 5358 Model 5302 Model 5564 Model | 20 Ge. 28 1100 SA Skee 5408 5408 5410 54 1100 SB Skee 5422 1100 SA Skee 5560 1100 D Tourn | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F at LH with Vent. F ament Grade Special er Grade | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 Rib Barrel \$ 279.95 \$ 800.00 \$ 1,550.00 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 Ignum with Plain B 9656 Ignum with Vent. F 9658 | \$ 254.95 arrel \$ 249.95 Rib Barrel \$ 274.95 | Model 1100 5350 5288 5306 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special | TB Trap Li D Tournam | \$ 289.95 \$ 299.95 \$ 294.95 \$ 304.95 \$ 304.95 ent Grade \$ 800.00 Grade \$ 1,550.00 | Model 5356 5358 Model 5302 Model 5564 Model Model | 20 Ge. 28 1100 SA Sker 5408 5410 5410 5422 1100 SA Sker 5560 1100 D Tourn 1100 F Premi | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F with Vent. F ament Grade Special er Grade with Special | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 Rib Barrel \$ 279.95 \$ 800.00 \$ 1,550.00 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 agnum with Plain B 9656 gnum with Vent. F | \$ 254.95 Sarrel | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special Model 1100 Special | TB Trap Li D Tournam F Premier | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 \$ 304.95 ent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 | Model 5356 5358 Model 5302 Model 5564 Model Model | 20 Ge. 28 1100 SA Sket 5408 5410 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourn 1100 F Premi | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F 44 44 44 44 44 44 44 44 44 44 44 44 44 | Prices S 254.95 \$ 254.95 \$ 279.95 \$ 264.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 259.95 \$ 800.00 \$ 1,550.00 \$ 2,400.00 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma 28 6 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 gnum with Plain B 9656 gnum with Vent. F 9658 4 410 Gauges | \$ 254.95 \$ 249.95 Retail* | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special Model 1100 Special | TB Trap Li D Tournan F Premier F Premier, | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 ent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inley \$ 2,400.00 \$ 7RAP | Model 5356 5358 Model 5302 Model 5564 Model Model | 20 Ge. 28 1100 SA Sket 5408 5410 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourn 1100 F Premi | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F with Vent. F ament Grade Special er Grade with Special | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 Rib Barrel \$ 279.95 \$ 800.00 \$ 1,550.00 Gold Inlay |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma 28 6 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 gnum with Plain B 9656 gnum with Vent. F 9658 4 410 Gauges | \$ 254.95 \$ 249.95 Retail* | Model 1100 | TB Trap Li D Tournan F Premier F Premier, | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 sent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 7RAP D, Trap | Model 5356 5358 Model 5302 Model 5564 Model Model Model | 20 Ge. 28 1100 SA Skee 5408 5410 S Skee 5422 1100 SA Skee 5560 1100 F Premi | da. 410 Ga. at with Vent. F 22 298 at with Vent. F ament Grade Special er Grade with Special 1 Cap 38 6338 | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 Rib Barrel \$ 279.95 \$ 800.00 \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 11.50 |
| Model 1100 with Model 1100 3" Ma Model 1100 3" Ma 286 28 Ga. Model 1100 with F | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 9606 gnum with Plain B 9656 gnum with Vent. F 9658 4 410 Gauges 410 Ga. | \$ 254.95 \$ 249.95 Retail* | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special Model 1100 Special | TB Trap Li D Tournan F Premier F Premier, | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 sent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 7RAP D, Trap | Model 5356 5358 Model 5302 Model 5564 Model Model Model | 20 Ge. 28 1100 SA Sket 5408 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 F Premi 1100 F Premi 1100 F Premi 1100 F Premi 1100 F Remi 1100 F Remi 1100 F Remi | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 Rib Barrel \$ 279.95 \$ 800.00 \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 11.50 |
| Model 1100 with Nodel 1100 3" Ma Model 1100 3" Ma 28 Ga. Model 1100 with F 5316 5406 6412 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 agnum with Plain B 9658 410 Gauges ar Nos. 410 Ga. Plain Barrel 5460 5462 | \$ 254.95 sarrel \$ 249.95 Retail* Prices | Model 1100 | TB Trap Li D Tournan F Premier F Premier, | \$ 289.95 \$ 299.95 1. Vent. Rib \$ 294.95 \$ 304.95 sent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 7 TAP \$ 94.95 | Model 5356 5358 Model 5302 Model 5564 Model Model Model Extra 8 | 20 Ge. 28 1100 SA Sket 5408 54 5410 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourn 1100 F Premi 1100 F Premi Weight Skee 63 (TRA BAF | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F ament Grade Special er Grade with Special t Cap 38 6338 RELS S Rib, Skeet | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 th. Rib Barrel \$ 259.95 \$ 800.00 \$1,550.00 Gold Inlay \$2,400.00 \$ 11.50 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma 28 Ga. Model 1100 with F 5316 5406 5412 Model 1100 with \ | 9596 9598 9600 /ent. Rib Barrel 9600 9604 9606 9606 gnum with Plain B 9656 gnum with Vent. F 9658 4 410 Gauges er Nos. 410 Ga. 1410 Ga. 15460 5462 5464 /ent. Rib Barrel | \$ 254.95 sarrel \$ 249.95 Retail* Prices | Model 1100 | TB Trap Li D Tournan F Premier F Premier, | \$ 289.95 \$ 299.95 1, Vent. Rib \$ 294.95 \$ 304.95 sent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 7RAP D, Trap | Model 5356 5358 Model 5302 Model 5564 Model Model Model | 20 Ge. 28 1100 SA Sket 5408 54 5410 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourn 1100 F Premi 1100 F Premi Weight Skee 63 (TRA BAF | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | Prices Rib Barrel \$ 254.95 \$ 279.95 \$ 264.95 Rib Barrel \$ 279.95 th. Rib Barrel \$ 259.95 \$ 800.00 \$1,550.00 Gold Inlay \$2,400.00 \$ 11.50 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma 28 Ga. Model 1100 with F 5316 5406 5412 Model 1100 with \ Model 1100 with \ 6414 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 gnum with Plain B 9656 gnum with Vent. F 9658 410 Gauges er Nos. 410 Ga. Plain Barrel 5460 5462 5464 | \$ 254.95 \$ 249.95 \$ 249.95 \$ 274.95 Retail* Prices \$ 229.95 | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special Model 1100 Special EXTRA E Extra Barre 6594 9528 | TB Trap Li D Tournan F Premier F Premier, | \$ 289.95 \$ 299.95 1. Vent. Rib \$ 294.95 \$ 304.95 sent Grade \$ 800.00 Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ 7 TAP \$ 94.95 | Model 5356 5358 Model 5302 Model 5564 Model Model Model Extra B 9522 | 20 Ge. 28 1100 SA Sket 5408 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourn 1100 F Premi 1100 F Premi Weight Skee 63 CTRA BAF arrele, Vent. 9562 9564 | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F ament Grade Special er Grade with Special t Cap 38 6338 RELS S Rib, Skeet | Prices S 254.95 \$ 279.95 \$ 264.95 \$ 279.95 \$ 264.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 800.00 \$ 1,550.00 \$ 1,550.00 \$ 2,400.00 \$ 11.50 KEET |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma 28 Ga. Model 1100 with F 5316 5406 6412 Model 1100 with \ 5414 5418 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9604 9606 9608 9608 9656 Ignum with Plain B 9656 Ignum with Vent. F 9658 & 410 Gauges ar Nos. 410 Ga. 5460 5462 5464 /ent. Rib Barrel 5466 5468 | \$ 254.95 sarrel \$ 249.95 Retail* Prices | Model 1100 5350 5288 5308 5290 Model 1100 5562 5554 Model 1100 Special Model 1100 Special Model 1100 Special EXTRA E Extra Barre 6594 9528 9570 | D Tournam F Premier F Premier, BARRELS | \$ 289.95 \$ 299.95 4. Vent. Rib \$ 294.95 \$ 304.95 sent Grade \$ 1,550.00 Gold Inlay \$ 2,400.00 \$ TRAP D, Trap \$ 94.95 | Model 5356 5358 Model 5302 Model 5564 Model Model Model Extra B 9522 9524 | 20 Ge. 28 1100 SA Sket 5408 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 F Premi 1100 F P | Ga. 410 Ga. at with Vent. Fi 32 5298 at with Vent. Fi 44 44 45 ament Grade Special er Grade with Special 1 Cap 38 6338 IRELS S Rib, Skeet 92 9586 rels, Vent. Rit | Prices \$ 254.95 \$ 254.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 800.00 \$ 11.550.00 \$ 11.50 \$ 11.50 \$ 84.95 \$ 84.95 \$ 87.95 \$ 87.95 \$ 87.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 |
| Model 1100 with \ Model 1100 3" Ma Model 1100 3" Ma 28 Ga. Model 1100 with F 5316 5406 5412 Model 1100 with \ Model 1100 with \ 6414 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 gnum with Plain B 9656 gnum with Vent. F 9658 410 Gauges er Nos. 410 Ga. Plain Barrel 5460 5462 5464 | \$ 254.95 \$ 249.95 \$ 249.95 \$ 274.95 Retail* Prices \$ 229.95 | Model 1100 | D Tournam F Premier F Premier, BARRELS is, Vent. Rit | \$ 289.95 \$ 299.95 \$ 299.95 \$ 294.95 \$ 304.95 \$ 800.00 Grade \$1,550.00 Gold Inlay \$ 2,400.00 \$ TRAP \$ 7,Trap \$ 94.95 \$ 84.95 Rib, Trap \$ 86.95 | Model 5356 5358 Model 5302 Model 5564 Model Model Model Extra B 9522 9524 | 20 Ge. 28 1100 SA Sket 5408 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 F Premi 1100 F P | 32 5298 32 5298 33 With Vent. F sament Grade Special er Grade with Special 1 Cap 1 Cap 1 Rib, Skeet | Prices \$ 254.95 \$ 254.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 800.00 \$ 11.550.00 \$ 11.50 \$ 11.50 \$ 84.95 \$ 84.95 \$ 87.95 \$ 87.95 \$ 87.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 \$ 88.95 |
| Model 1100 with N Model 1100 3" Ma Model 1100 3" Ma 28 Ga. Model 1100 with F 5316 5406 5412 Model 1100 with N 5414 | 9596 9598 9600 /ent. Rib Barrel 9602 9604 9606 9608 9608 9656 gnum with Plain B 9656 gnum with Vent. F 9658 4 10 Gauges ar Nos. 1410 Ga. Plain Barrel 5460 5462 5464 /ent. Rib Barrel 5466 5468 5468 | \$ 254.95 \$ 249.95 \$ 249.95 \$ 274.95 Retail* Prices \$ 229.95 | Model 1100 | TB Trap Li D Tournam F Premier F Premier, SARRELS is, Vent. Rii | \$ 289.95 \$ 299.95 \$ 299.95 \$ 294.95 \$ 304.95 ent Grade \$ 800.00 Grade \$ 1,550.00 Gold inlay \$ 2,400.00 \$ TRAP 7, Trap \$ 94.95 \$ 84.95 | Model 5356 5358 Model 5302 Model 5564 Model Model Match- Extra B 9522 9524 Left Ha 5688 Extra B | 20 Ge. 28 1100 SA Sket 5408 54 1100 SB Sket 5422 1100 SA Sket 5560 1100 D Tourr 1100 F Premi 1100 F Premi Weight Skee 63 (TRA BAF arrele, Vent. 9562 9564 65 66 67 68 68 68 68 68 | Ga. 410 Ga. at with Vent. F 32 5298 at with Vent. F with Vent. F ament Grade | Prices \$ 254.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 279.95 \$ 800.00 \$ 11.550.00 \$ 11.50 \$ 84.95 \$ 84.95 \$ 87.95 \$ 86.95 |

Special \$ 159.95

F Premier

MODEL 870 "WINGN / 9"> PUMP ACTION SHOTGUNS

| , , , , , , , , , , , , , , , , , , , | C | omplete Mod | el 870 Field Gra | ide Spec | ontair | ned on page 9 of | the 1975 Rer | nington Catalo | og. | | |
|---------------------------------------|----------------|----------------|------------------|------------|----------------|------------------|--------------|----------------|----------|----------|--------|
| MO | DEL 870 F | | ADE | | MODEL | 870 EXTRA | BARRE | LS FIEL | D GRADE | | |
| | 12, 16 & 2 | 0 Gauges | ſ | | | Order | Nos. | | | | |
| | Order Nos. | | Retail* | 12 Ga. | 16 Ga. | 20 Ga. | 20 Ga. | 00.00 | 440.0- | | etail* |
| 12 Ga. | 16 Ga. | 20 Ga. | Prices | Extra Barr | | Stand. | Ltwt. | 28 Ga. | 410 Ga. | | rices |
| | with Plain Ba | rrel | | 6214 | eis, Piain | | | | | _ | |
| 6900 | | , | | 6216 | COEO | 6070 | | | | \$ | 44.95 |
| 6902 | 6908 | 6914 | \$ 159.95 | 0216 | 6252 | 6270 | 6296 | COOO | COOC | | 47.00 |
| 6904 | 6910 | 6916 | 1 .00.00 | 6010 | COFA | 6070 | 6296 | 6282 | 6236 | \$ | 47.95 |
| 6906 | 6912 | 6918 | | 6218 | 6254 | 6272 | 0000 | 2004 | 0000 | \$ | 44.95 |
| Model 870 | "Brushmaste | r" Deer Gun | | 0000 | | | 6298 | 6284 | 6238 | \$ | 47.95 |
| 6960 | | 6962 | \$ 179.95 | 6220 | 6256 | 6274 | | | | \$ | 44.95 |
| 5026 | | | \$ 154.95 | 2500 | -, | | 6300 | 6286 | 6248 | \$ | 47.95 |
| | with Vent. Rit | Barrel | | 6598 | B'# 0' | | | | | \$ | 44.95 |
| 6930 | | | | | eis, Riffe Sig | | | | | | |
| 6932 | 6938 | 6944 | \$ 184.95 | 6544 | | 6230 | | | | \$ | 55.95 |
| 6934 | 6940 | 6946 | 4 104.33 | | els, Vent. Ri | b, Duck/Goos | e | | | | |
| 6936 | 6942 | 6948 | | 6304 | | | | | | \$ | 79.95 |
| Model 870 | 3" Magnum w | ith Plain Ba | rrel | | els, Vent. Ri | b | | | | | |
| 6966 | | 6970 | \$ 179.95 | 6222 | | | | | | s | 69.95 |
| 6968 | | 6972 | 1/9.95 | 6224 | 6258 | 6276 | | | | | |
| Model 870 | 3" Magnum v | vith Vent. Rit | Barrel | | | | 6322 | 6288 | 6250 | <u> </u> | |
| 6976 | | 6980 | 1 | 6226 | 6260 | 6278 | | | | \$ | 69.95 |
| 6978 | | 6982 | \$ 204.95 | | | | 6324 | 6290 | 6264 | _\$_ | 72.95 |
| 12 GAUG | E POLICE | • | | 6228 | 6262 | 6280 | | | | \$_ | 69.95 |
| Model 870 | Police with P | tain Barrel | | | | | 6326 | 6292 | 6266 | \$ | 72.95 |
| 5030 | | | | Left Hand | Extra Barret | ls, Vent. Rib | | | | | |
| 5032 | | | \$ 144.95 | 6200 | | 6208 | | | | | |
| 5028 | - | | \$ 154.95 | 6202 | | 6210 | | | , ± | \$ | 71.95 |
| | D Tournamer | t with Vent. | | 6204 | | 6212 | | | | | |
| | | Special | \$ 800.00 | Extra Bari | rels, Vent. Ri | b, High Grade | | | | | |
| Model 870 | F Premier wit | | | D Tournar | nent | | Sp | ecial | | \$ | 94.95 |
| | | Special | \$1,550.00 | F Premier | | | Sp | ecial | | \$ | 149.95 |
| Model 870 | F Premier wit | | | | | | | - | | | |
| 1110001070 | | Special | \$2,400.00 | - | 070 | TDAD | | MODEL | 870 SKEE | т. | |
| | | Special | WZ,4UU,UU | i MO | DEL 870 | IKAP | l | MODEL | 010 9VF | : 1 | |

| | | Special | \$2 | ,400.00 | | | | | |
|---|----------------|---------|-----|---------|--|--|--|--|--|
| LEFT HAND | 12 & 20 0 | AUGES | | | | | | | |
| Model 870 Left Hand with Vent. Rib Barrel | | | | | | | | | |
| 5510 | | 5528 | | | | | | | |
| 5514 | | 5530 | S | 189.95 | | | | | |
| 5516 | | 5566 | ļ. | | | | | | |
| Model 870 3" Magnum L H with Vent. Rib Barrel | | | | | | | | | |
| 5496 | | | 55 | 209.95 | | | | | |
| 20 GAUGE | LIGHTWEIG | HT | | | | | | | |
| Model 870 w | rith Plain Bar | rrel | - | | | | | | |
| | | 5176 | | | | | | | |
| | | 5178 | \$ | 169.95 | | | | | |
| | | 5180 | | | | | | | |
| Model 870 v | vith Vent. Rib | Barrel | | | | | | | |

| MICHEL OLD MILLI | | | | |
|------------------|-----------|--------------|---------|--------|
| | | 5176 | | |
| | | 5178 | \$ | 169.95 |
| | | 5180 | 1 | |
| Model 870 with | Vent. Rib | Barrel | | |
| | | 5182 | T^{-} | |
| | | 5184 | \$ | 194.95 |
| | | 5186 | 1 | |
| Model 870 3" N | Aagnum w | ith Plain Ba | ırrel | |
| | | 5188 | \$ | 189.95 |
| Model 870 3" N | dagnum w | ith Vent. RI | ь Ва | rrel |
| | | 5190 | \$ | 214.95 |
| , | 28 & 410 | Gauges | • | |

| Retall* | Nos. | Order |
|-----------|------------------|----------------|
| Prices | 410 Ga. | 28 Ga. |
| | h Plain Barrel | Model 870 with |
| | 4948 | 4868 |
| \$ 169.95 | 4950 | 4904 |
| 7 | 4978 | 4916 |
| | Vent. Rib Barrel | Model 870 with |
| | 4986 | 4918 |
| \$ 194.95 | 5086 | 4920 |
| 7 | 4990 | 4932 |

| F Premier | |
|----------------------------|--------------|
| | |
| MODEL 870 1 | |
| Complete Model 87 | 0 Trap |
| Specifications are contain | ned on page |
| 13 of the 1975 Remingle | |
| 12 Gauge | Retail* |
| Order Nos. | Prices |
| Model 870 "All-America | in" Trap Gun |
| 5212 | 0 575 00 |
| 5214 | \$ 575.00 |
| Model 870 TB Trap, Ver | it. Rib |
| 4926 | \$ 224.95 |
| 5006 | \$ 224.95 |
| 4906 | \$ 234.95 |
| 5034 | \$ 234.93 |
| Model 870 TB Trap LH, | Vent. Rib |
| 5518 | \$ 229.95 |
| 5520 | \$ 239.95 |
| Model 870 TC Trap, Ver | nt. Rib |
| 4938 | \$ 299.95 |
| 5036 | \$ 299.93 |
| 4912 | \$ 309.95 |
| 5044 | |
| Model 870 D Tourname | |
| Special | \$ 800.00 |
| Model 870 F Premier G | |
| Special | \$1,550.00 |

| EXTRA BA | RRELS | _ | TRAP |
|------------------|-------------|------|---------|
| Extra Barrels, \ | ent. Rib, | Tra | P |
| 6340 | | \$ | 84.95 |
| 6242 | | | |
| 6244 | | s | 74.95 |
| 6232 | | • | 74.95 |
| 6246 | | | |
| LH Extra Barre | ls, Vent. I | Rib, | Trap |
| 6206 | | \$ | 76.95 |
| Extra Barrels, V | | | h Grade |
| D Tournament | Special | \$ | 94.95 |
| F Premier | Special | \$ | 149.95 |

Model 870 F Premier, Gold Inlay

| MODEL | 870 | SKEET |
|---|--------|-------|
| mplete Model 870 contained on pa Reming | age 15 | |

| 12 Ga. | | r Nos. 28 Ga. | 410 Ga. | | Retail* Prices |
|--------|-----------|------------------|-------------|------|-------------------|
| Model | 870 SA S | keet wit | n Vent. Ril | B | arrel |
| 6988 | 6992 | | | \$ | 189.95 |
| 6990 | 6994 | | | \$ | 214.95 |
| | | 4934 | 4996 | \$ | 199.95 |
| Model | 870 SC S | keet wit | n Vent. Ril | B | arrel |
| 5136 | 5140 | | | \$ | 264.95 |
| Model | 870 D To | urname | nt Grade | | |
| | | | Special | \$ | 800.00 |
| Model | 870 F Pre | emier Gr | ade | | |
| | | | Special | \$1 | .550.00 |
| Model | 870 F Pre | emier Gr | ade with C | iolo | Ilniay |
| - | • | | C | 100 | 1 400 00 |

| | Opecial | \$1,330.00 |
|---------------------|---------|------------|
| Model 870 F Premier | | |
| | Special | \$2,400.00 |
| Match-Weight Skeet | Сар | |

| | | 6336 | 6336 | \$ | 11.50 |
|-----|------|-------|--------|------|-------|
| EXT | RA I | BARRE | LS — S | SKEE | ET |

| Extra E | arrels, V | ent. Rib. | Skeet | | |
|---------|-----------|-----------|----------|----|--------|
| 6240 | 6508 | | | \$ | 74.95 |
| 6450 | 6456 | | | \$ | 99.95 |
| | | 6294 | 6268 | \$ | 77.95 |
| Extra E | arreis, V | ent. Rib. | High Gra | de | |
| D Tour | nament | | Special | \$ | 94.95 |
| F Prem | ier | | Special | \$ | 149.95 |

^{*}Includes 11% U.S. Excise Tax. Prices are suggested minimum prices and subject to change without notice.

BARBER - PRESALE R 0124435

REMINGTON 3200 1975 ID-UNDER SHOTGUNS

| Complete Remington 320 | ON 3200 FIELD GRADE 0 Field Grade Specifications are contained on I the 1975 Remington Catalog. |
|------------------------|---|
| 12 Gauge Order Nos. | Retail* Prices |
| Remington 3200 | · · · · · · · · · · · · · · · · · · · |
| 3201 | |
| 3203 | \$ 595.00 |
| 3205 | |
| Remington 3200 3" Magr | num |
| 3241 | \$ 620.00 |
| 3243 | \$ 620.00 |

| | ap Specifications are contained on 75 Remington Catalog. |
|-----------------------------|---|
| 12 Gauge Order Nos. | Retail* Prices |
| Remington 3200 Trap | |
| 3213 | |
| 3219 |] ! |
| 3215 | \$ 675.00 |
| 3217 | 3 6/5.00 |
| 3221 | 7 1 |
| 3223 | 7 |
| Remington 3200 Special Trap | |

REMINGTON 3200 TRAP

| Complete Remington 3 | IGTON 3200 SKEET 1200 Skeet Specifications are contained on the 1975 Remington Catalog. |
|----------------------|---|
| Remington 3200 Skeet | |
| 3209 | 0.050.00 |
| 3211 | \$ 650.00 |

| 3223 | L |
|-----------------------------|-----------|
| Remington 3200 Special Trap | |
| 3225 | |
| 3231 |] |
| 3227 | \$ 740.00 |
| 3229 | \$ 740.00 |
| 3233 |] |
| 3235 | |

REMINGTON CENTER FIRE RIFLES MODEL 700 CENTER FIRE BOLT ACTION RIFLES Complete Model 700 Specifications are contained on page 17 of the 1975 Remington Catalog.

| | 700 | ADL | 700 | BOL | 700 B | DL L.H. | "Varmint | Special" | 700 C | Custom | 700 D P | eerless | 700 F | Premier |
|------------------|---------------|-----------------------|---------------|-------------------|---------------|-------------------|---------------|-------------------|---------------|--------------------|---------------|-------------------|---------------|-------------------|
| Calibers | Order Nos. | Retail* Prices | Order Nos. | Retail* Prices | Order Nos. | Retail* Prices | Order Nos. | Retail* Prices | Order Nos. | Retait* | Order Nos. | Retail* Prices | Order Nos. | Retail* Prices |
| 17 Rem. | | | 5800 | \$234.95 | | | | ., | | | Special | | Special | |
| 22-250 Rem. | 5762 | \$189.95 | 5782 | \$219.95 | | | 5822 | | Special | 1 | Special | } | Special | |
| 222 Rem. | 5760 | \$109.90 | 5780 | \$219.95 | | | 5820 | | Special | } | Special | | Special | |
| 223 Rem. | | | | | | | 5824 | | Special | | Special | ! | Special | |
| 25-06 Rem. | 5768 | | 5788 | | | | 5830 | \$234.95 | Special | | Special | | Special | |
| 6mm Rem. | 5764 | | 5784 | | | | 5826 | | Special | \$425.00 | Special | Į I | Special | |
| 243 Win. | 5766 | **** | 5786 | #040 DE | | | 5828 | | Special | | Special | | Special | |
| 270 Win. | 5770 | \$189.95 | 5790 | \$219.95 | 5810 | 6004.05 | 7 | 100 | Special | 1 | Special | \$725.00 | Special | \$1.425.00 |
| 30-06 | 5772 | 1 | 5792 | | 5812 | \$224.95 | | N. | Special | | Special | Ì | Special | |
| 308 Win. | 5774 | Ì | 5794 | | | | | | Special | 1 | Special | } | Special | |
| •7mm Rem. Mag. | 5776 | \$204.95 | 5802 | | 5814 | \$239.95 | | | Special | | Special | 1 | Special | |
| •264 Win. Mag. | | | 5804 | \$234.95 | | | | 7. 7.9 | Special | \$440.00 | Special | 1 | Special | |
| •300 Win. Mag. | | | 5806 | | | | | 100 | Special | | Special | | Special | |
| •375 H&H Mag. | | | *5836 | £440.00 | | | | | | SECTION TO SECTION | Special | | Special | |
| •458 Win. Mag. | | | *5838 | \$410.00 | | | | | | | Special | | Special | |
| Sling Strap & Qu | | ase Swive \$ 10.50 | els (Inst | ailed) | | | | | | | | | | |

[·]Recoil pad included.

MODEL 742 "WOODSMASTER" CENTER FIRE AUTOMATIC RIFLES

Complete Model 742 Specifications are contained on page 19 of the 1975 Remington Catalog.

| | Order | Retail* |
|-----------------------|--------------------|------------|
| Calibera | Nos. | Prices |
| Model 742 | | |
| 6mm Rem. | 9632 | |
| 280 Rem. | 9634 | |
| 30-06 | 9636 | \$ 214.95 |
| 308 Win. | 9638 | Ì |
| 243 Win. | 9648 | |
| Model 742 Carbine (N | lot avail. in | BDL) |
| 30-06 | 9670 | \$ 214.95 |
| 308 Win. | 9672 | 3 214.95 |
| Model 742 BDL Delux | .0 | |
| 30-06 | 9666 | |
| 30-06 Left Hand | 9668 | |
| 308 Win. | 9640 | \$ 234.95 |
| 308 Win. Left Hand | 9644 | |
| Model 742 D Peerless | Grade | |
| | Special | \$ 800.00 |
| Model 742 F Premier | Grade | |
| | | \$1.550.00 |
| Model 742 F Premier | with Gold | nlay |
| | Special | |
| Accessories for Mode | 1742 | |
| Sling Strap & Quick R | | |
| (Installed) | 6094 | \$ 10.50 |
| Extra 4-Shot Clip | Specify Caliber | \$ 6.00 |

^{*}Includes 11% U.S. Excise Tax. Prices are suggested minimum prices and subject to change without notice.

MODEL 760 "GAMEMASTER" CENTER FIRE

PUMP ACTION RIFLES
Complete Model 760 Specifications are contained on page 21 of the 1975
Remington Catalog.

| Hemington Catalog. | | | | | | |
|-----------------------|--------------------|-------------------|--|--|--|--|
| Calibers | Order Nos. | Retail* Prices | | | | |
| Model 760 | | | | | | |
| 6mm Rem. | 5900 | | | | | |
| 270 Win. | 9726 | | | | | |
| 30-06 | 9730 | \$ 184.95 | | | | |
| 308 Win. | 9732 | | | | | |
| 243 Win. | 9678 | | | | | |
| Model 760 Carbine (N | ot avail. in | BDL) | | | | |
| 30-06 | 9698 | \$ 184.95 | | | | |
| 308 Win. | 9714 | \$ 104.55 | | | | |
| Model 760 BDL Custo | m Deluxe | | | | | |
| 270 Win. | 9708 | | | | | |
| 270 Win. Left Hand | 9712 | l | | | | |
| 30-06 | 9692 | \$ 204.95 | | | | |
| 30-06 Left Hand | 9694 | \$ 204.55 | | | | |
| 308 Win, | 9706 |) | | | | |
| 308 Win. Left Hand | 9710 | | | | | |
| Model 760 D Peerless | Grade | | | | | |
| | Special | \$ 800.00 | | | | |
| Model 760 F Premier (| Grade | | | | | |
| | Special | \$1,550.00 | | | | |
| Model 760 F Premier | | | | | | |
| | Special | \$2,400.00 | | | | |
| Accessories for Mode | 1760 | | | | | |
| Sling Strap & Quick R | | ivels | | | | |
| (installed) | 6096 | \$ 10.50 | | | | |
| Extra 4-Shot Clip | Specify Caliber | \$ 5.25 | | | | |

MODEL 788 CENTER FIRE

BOLT ACTION RIFLES
Complete Model 788 Specifications are contained on page 23 of the 1975
Remington Catalog.

| Calibers | Order Nos. | Retail* Prices | | | |
|-------------------------------------|---------------|-------------------|--|--|--|
| Model 788 | | | | | |
| 222 Rem. | 9722 | | | | |
| 22-250 Rem. | 9736 | | | | |
| 223 Rem. | 9734 | \$124 95 | | | |
| 6mm Rem. | 9784 | f | | | |
| 6mm Rem. Left Hand | 9786 | \$129.95 | | | |
| 243 Win. | 9782 | \$124.95 | | | |
| 308 Win. | 9780 | \$124.95 | | | |
| 308 Win, Left Hand | 9788 | \$129.95 | | | |
| 222 Rem. w/4X Scope | 9790 | Ţ., | | | |
| 22-250 Rem. w/4X Scope | 9778 | Į | | | |
| 223 Rem. w/4X Scope | 9798 | \$149.95 | | | |
| 6mm Rem. w/4X Scope | 9772 | | | | |
| 243 Win. w/4X Scope | 9774 | | | | |
| 308 Win. w/4X Scope | 9776 | | | | |
| Accessories for Model 788 | | | | | |
| Sting Strap & Quick Belease Swivels | | | | | |

(Installed) 6426 \$ 6.25 Extra Clip Specify Caliber \$ 5.25

"XP-100" LONG RANGE PISTOL Complete "XP-100" Specifications are contained on page 23 of the 1975 Remington Catalog.

| Caliber | Order No. | Retail* Price |
|---|-----------------|------------------|
| "XP-100" Long Range P 221 Rem, "Fire Bail" | istol 1 5470 | \$144.95 |

^{*}Seferi Grade

"NYLON 66" AUTOMATIC RIM FIRE RIFLES

Complete "Nylon 68" Specifications are contained on page 25 of the 1975 Remington Catalog.

| "Nylon 66" Rifle | Order Nos. | | tetail* Prices |
|-----------------------------------|------------|----|-------------------|
| "Nylon 66" MB Mohawk Brown | 5500 | \$ | 74.95 |
| "Nylon 66" AB Apache Black | 5486 | \$ | 79.95 |
| "Nylon 66" GS Gallery Special | 5512 | \$ | 84.95 |
| "Nylon 66" MB w/4X Scope | 5498 | \$ | 79.95 |
| Sling Strap & Swivels (Installed) | 6418 | \$ | 6.25 |

MODEL 552 "SPEEDMASTER" AUTOMATIC RIM FIRE RIFLES Complete Model 552 Specifications are contained on page 27 of the 1975 Remington Catalog.

| Model 552 | Order Nos. | Retail* Prices |
|-------------------------------------|------------|-------------------|
| 552 A Automatic | 5608 | \$ 89.95 |
| 552 C Carbine | 5612 | \$ 68.85 |
| 552 BDL Deluxe | 9830 | \$ 99.95 |
| 552 GS Gallery Special | 5610 | \$ 101.95 |
| Sling Strap and Swivels (Installed) | 6430 | \$ 8.75 |

MODEL 572 "FIELDMASTER"

PUMP ACTION RIM FIRE RIFLES
Complete Model 572 Specifications are contained on page 27 of the 1975 Remington Catalog.

| Model 572 | Order Nos. | Retall* Prices |
|-------------------------------------|------------|-------------------|
| 572 A | 5626 | \$ 94.95 |
| 572 BDL Deluxe | 9832 | \$ 104.95 |
| 572 SB Smooth Bore | 5628 | \$ 104.95 |
| Sling Strap and Swivels (Installed) | 6432 | \$ 8.75 |

MODEL 541-S "CUSTOM" SPORTER BOLT ACTION RIM FIRE RIFLE

Complete Model 541-8 Specifications are contained on page 27 of the 1975 Remington Catalog.

| Model 541-S "Custom" Sporter | Order Nos. | Retail* Prices |
|--|------------|-------------------|
| 22 Cal. Bolt Action Clip Repeater | 9800 | \$ 159.95 |
| Extra 5-Shot Clip | 4914 | \$ 3.25 |
| Extra 10-Shot Clip | 9828 | \$ 4.00 |
| Sling Strap & Quick Release Swivels (Installed) | 6382 | \$ 10.50 |

MODEL 580, 581 & 582
BOLT ACTION RIM FIRE RIFLES
Complete Model 580, 581 & 582 Specifications are contained on page 28
of the 1975 Remington Catalog.

| Bolt Action 22 Caliber Rifles | Order Nos. | Retail* Prices | | |
|--|------------|-------------------|-------|--|
| Model 580 Single Shot | 9852 | \$ | 59.95 | |
| Model 580 SB Single Shot, Smooth Bore | 9864 | \$ | 64.95 | |
| Model 580 BR Boys' Rifle | 5570 | . \$ | 59.95 | |
| Model 581 Clip Repeater | 9854 | \$ | 69.95 | |
| Model 581 Clip Repeater Left Hand | 9838 | \$ | 74.95 | |
| Model 582 Tubular Repeater | 9856 | \$ | 79.95 | |
| Models 580, 581 Sling Strap & Swivels (Installed) | 6426 | \$ | 6.25 | |
| Model 582 Sling Strap & Swivels (Installed) | 6428 | 3 | 0.25 | |
| Model 581 — Extra 5-Shot Clip | 4914 | \$ | 3.25 | |
| Model 581 Extra 10-Shot Clip | 9828 | \$ | 4.00 | |

REMINGTON TARGET RIFLES

Complete Specifications for Models 540-XR, 540-XRJR, 40-XR, 40-XB, 40-XBBR, and 40-XC are contained on page 29 of the 1975 Remington Catalog.

| Model 540-XR & 540-XRJR Position — Rim Fire | Order Nos. | Retail* Prices | | |
|---|------------|-------------------|--|--|
| 540-XR Position Rifle | 9802 | A 404.05 | | |
| 540-XRJR Position Rifle | 9804 | \$ 134.95 | | |
| Redfield #63 Front and #75 Rear Sights | 6552 | \$ 34.50 | | |
| Sling Strep with Front Swivel Block Assembly | 6420 | \$ 8.00 | | |
| Model 40-XR Position Rifle Rim Fire | 5668 | \$ 250.00 | | |
| Redfleld Olympic Front and Rear Sights | 6554 | \$ 55.25 | | |
| Sporter (22 Long Rifle version of Model 700 C Custom) | Special | \$ 425.00 | | |

| Model 40-XB "Rangemaster" — Center Fire | Order Nos. | Retail* Prices | |
|---|------------|-------------------|--|
| CF-S2 Std. Stainless Steel Barrel | Special | \$ 325.00 | |
| CF-H2 Heavy Stainless Steel Barrel | Special | \$ 325.00 | |
| Extra for Heavy Barrel Repeating Models | Special | \$ 25.00 | |
| Extra for 2 oz. Trigger (Single Shot Models) | Special | \$ 45.00 | |
| Model 40-XBBR Bench Rest Single Shot, Stainless Steel Barrel — Center Fire | Special | \$ 345.00 | |
| Extra for 2 oz. Trigger | Special | \$ 45.00 | |
| Model 40-XC National Match Course — Center Fire | 6002 | \$ 415.00 | |

SPECIAL EQUIPMENT FOR REMINGTON SHOTGUNS & RIFLES

| Following is a list of special equipment that can be furnished on new Remington guns. Special work of this kind entails some delay, usualty varying from one to twelve weeks depending on the nature of the work required. These prices apply on orders for new guns only. | Order Nos. | Retali* Prices |
|--|---------------|-------------------|
| Soft rubber recoil pad installed | 6374 | \$ 15.00 |
| Reversing safety for left-handed shooters on new Models 1100, 870, 760, 742, 572, 552 only | 6510 | No Extra Charge |
| White metal bead rear sight on ventilated rib shotguns | 6448 | \$ 2.45 |
| Ivory bead front sight on shotgurs | 6454 | \$ 3.50 |
| Ivory bead rear sight on ventilated rib shotguns | 6462 | \$ 2.50 |
| Shortening wooden stocks up to 1" within manufacturing limits | Special | \$ 25.00 |
| Refit face of stock at receiver for up to %" difference in drop at heel, within manufacturing limits | Special | \$ 35.00 |
| Greater length wooden stocks to 1" and/or special drop within manufacturing limits, handmade | Special | \$ 100.00 |
| Complete handmade stock — any special dimensions within manufacturing limits — shortening or lengthening, special drop, cheekpiece, Monte Carlo, offset, straight grip, etc. | Special | \$ 125.00 |
| REMINGTON TARGET THROWER | 6090 | \$ 5.95 |

[&]quot;Includes 11% U.S. Excise Tax. Prices are suggested minimum prices and subject to change without notice.



Remington Arms Company, Inc., Bridgeport, Connecticut 06602

Remington, Wingmaster, Woodsmaster, Gamemaster, Speedmaster, Rangemaster, Fieldmaster, Fire Bail: Brushmaster are trademarks registered in the United States Patent Office by Remington Arms Company, Inc.

XP-100, Nylon 66, All-American, Varmint Special, Custom are trademarks of Remington Arms Company, Inc.

SA-75R Printed in U.S.A.



"Nylon 1975" Automatic Rim Fire Rifles

Whether you're an experienced shooter or just learning, the "Nylon 66" automatic rim fire rifle promises accurate, reliable shooting enjoyment. While perfect for plinking or training purposes, "Nylon 66" rifles are designed for the highest standards of performance, accuracy, and endurance. Amazing performance records reinforce the superiority of this 22. It was used to set the world's record for shooting hand-thrown 234" wooden blocks . . . 100,004 hits out of 100,010 shots without a malfunction. In verified testing by Remington engineers, a single "Nylon 66" fired 75,000 rounds, also without any malfunction.

Choose from two models . . . the "Nylon 66" MB in Mohawk Brown with blued barrel and receiver or the presentation grade AB in Apache Black with chrome-plated barrel


and receiver. Both have stocks and fore-ends made from super-tough DuPont "ZYTEL" structural nylon. This fantastic gunstock material approximates the feel of wood, but weighs less and outwears wood. This advanced material keeps the "Nylon 66" rifle's total weight at four pounds. Also, it will not fade, chip, warp, or crack for the life of the gun. Fine-line checkering on stock and fore-end provides a functional, nonslip gripping surface. White diamond inlays and white line spacers on butt plate, grip cap, and fore-end tip complement appearance.

The "Nylon 66" automatic action never requires lubrication. Metal parts glide smoothly on long-lasting nylon bearings. The result of this innovative design concept is fast, trouble-free operation with minimal maintenance. The exceptional accuracy of this rifle originates from the bedding of its Remington Proof-Steel barrel, on the same principle used in the most expensive target rifles.


Both MB and AB models have tubular magazines with a capacity of 14 Long Rifle cartridges. The Gallery Special version fires 22 Shorts only. The MB Mohawk Brown rifle is available with four-power scope.

All "Nylon 66" automatics feature top-of-grip positive safeties, blade front and adjustable rear sights. Receivers are grooved for tip-off scope mounts. Loading is accomplished through the buttstock.

The "Nylon 66" is the most advanced automatic rim fire rifle made today. It is also the 22 caliber shooting system to own for long-term use and enjoyment in the future.



"Nylon 66" MB Rifle with 4X Scope Mohawk Brown automatic supplied with four-power scope and mounts. This combination value forms a modernistic, accurate shooting system.




"NYLON 66" RIFLE SPECIFICATIONS

ACTION: Automatic. CALIBER: 22 Long Rifle rim fire. CAPACITY: Tubular magazine thru buttstock. Holds 14 Long Rifle cartridges. BARREL: 19\(^4\vert^2\), precision rifled, ordnance steel. STOCK: One piece DuPont "ZYTEL" nylon, checkered grip and fore-end with white diamond Inlays, white line spacers on butt plate, grip cap, and fore-end. Black fore-end tip. COLORS: Mohawk Brown with blued barrel and receiver. Apache Black with chrome-plated barrel and receiver cover. SIGHTS: Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY: Top-of-grip, positive. RECEIVER: Grooved for tip-off scope mounts. Double extractors. OVERALL LENGTH: 38\(^1\)2". WEIGHT: 4 lbs. SCOPE: 4-power model.

| ٠. | "Nylon 66" Rifle | Order Nos. |
|----|--|------------|
| _ | "Nylon 66" MB Mohawk Brown Automatic Rifle | 5500 |
| _ | "Nylon 66" AB Apache Black Automatic Rifle | 5486 |
| _ | "Nylon 66" GS Gallery Special (22 Shorts Only) | 5512 |
| _ | "Nylon 66" MB Mohawk Brown w/4X Scope | 5498 |
| - | Sting Stran & Swivels (Installed) | |


25

Model 552 "Speedmast." Jutomatic Rim Fire Rifles



Model 552A Tubular magazine holds 20 Short, 17 Long, or 15 Long Rifle cartridges. Styled for shooters of all ages and abilities. Rifle has 23" barrel. Also available in carbine version with 21" barrel.

Model 572 "Fieldmaster" Pump Action Rim Fire Rifles



The Model 572's exclusive cartridge-feeding design prevents jamming and allows easy single loading. By removing the inner magazine tube, parent or instructor can convert this pump action 22 into a single shot rifle for the beginning shooter. Simply replacing the inner tube makes it a repeater again. This factor makes the "Fieldmaster" ideal as a first rifle for youngsters and gives it lasting value as they become more expert.

dling. The positive cross-bolt safety at rear of trigger guard snaps on or off with the index finger.

Model 572 "Fieldmaster" pumps give fathers a choice of three versions. The 572A has a ribbed fore-end, plain stock, bead front and adjustable rear sights. The BDL Deluxe gives him custom checkering, DuPont RK-W wood finish, and big game type sights. And the 572 SB offers BDL features with a smooth bore barrel for shooting shot cartridges.



Model 572A Tubular magazine holds 20 Shorts, 17 Longs, 14 Long Rifle cartridges. Receiver grooved for tip-off scope mounts.

1975

MODEL 552 SPECIFICATIONS



Fast automatic action and big-game styling come together in the Model 552 "Speedmaster". This rim fire automatic has everything a 22 shooter looks for . . . accuracy, balance, trouble-free operation, and more. The 552 fires 20 Shorts as fast as you can pull the trigger. It handles Short, Long, and Long Rifle cartridges without adjustment, loading through the tubular magazine.

Four different Model 552 versions cover most automatic rim fire requirements. The 552A rifle presents a smooth stock and tapered fore-end, bead front and adjustable rear sights. The 552C carbine offers the same features with a shorter 21" barrel. The BDL Deluxe version includes custom impressed checkering on stock and fore-end, protective DuPont RK-W wood finish, black grip cap, blade ramp front sight, and big game type stepadjustable rear sight with windage screw. A Gallery Special model fires 22 caliber Short cartridges only. All have cross-bolt safeties, receivers grooved for tip-off scope mounts, and shielded actions.

The Model 552 is an ideal 22 for the whole family . . . for fast-action hunting or plinking.

PACITY: Tubular magazine holds 20 Short, Long, and Long Rifle rim fire. CA-PACITY: Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. BARREL: 23", Carbine 21", precision rifled, ordnance steel. \$TOCK: American Walnut. BDL has DuPont RK-W finish and fine-line custom checkering. SIGHTS: Adjustable rear sight, bead front. BDL has blade ramp front sight, step adjustable rear sight with windage adjustment screw. \$AFETY: Positive cross-bolt type. RECEIVER: Grooved for tip-off scope mounts. OVERALL LENGTH: 42", 40" (Carbine). WEIGHT: 5¾ ibs.

| Model 552 | Order Nos. |
|---|------------|
| 552 A Automatic | 5608 |
| 552 C Carbine | 5612 |
| 552 BDL Deluxe | 9830 |
| 552 GS Gallery Special (22 Shorts Only) | 5610 |
| Sling Strap and Swivels (Installed) | 6430 |

MODEL 572 SPECIFICATIONS

ACTION: Pump repeater. CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: Tubular magazine holds 20 Short, 17 Long, 14 Long Rifle cartridges. BARREL: 24", precision rifled, ordnance steel. STOCK: American: Wainut. BDL has DuPont RK-W finish and fine-line custom checkering. SIGHTS: Adjustable rear sight, bead front. BDL has blade ramp front sight step adjustable rear sight with windage adjustment screw. SAFETY: Positive cross-bolt type. RECEIVER: Grooved for tip-off scope mounts. OVERALL LENGTH: 42". WEIGHT: 5½ lbs.

| Model 572 | Order Nes. |
|-------------------------------------|------------|
| 572 A | 5626 |
| 572 BDL Deluxe | 9832 |
| 572 SB Smooth Bore | 5628 |
| Sling Strap and Swivels (Installed) | 6432 |



Model 541-S "Custom" Sporter Bolt Action Rim Fire Rifle

An outstanding example of Remington gunmaking craftsmanship and value. The 541-S "Custom" Sporter combines match rifle accuracy with custom features. The graceful, one-piece stock of American walnut bears fine-line cut checkering, thin pistol grip, and streamlined fore-end.

Matching rosewood-colored foreend tip, grip cap, and checkered butt plate. Gleaming DuPont RK-W wood finish. Decorative scrollwork engraving on specially-blued receiver and bowed trigger guard. Tapered barrel. Crisp, adjustable match-type trigger, low profile safety. Artillery-style polished bolt with six locking lugs. Double extractors. Receiver and barrel drilled and tapped for scope mounts or open sights; receiver grooved for tip-off scopes. Every feature is designed to make this superb bolt action 22 the high-grade sporting rifle value of a lifetime.



Model 541-5 "Custom" Sporter Five-shot removable clip magazine handles Short, Long, or Long Rifle cartridges. Swept-back bolt handle. Contoured white line spacers. Sights not furnished.


MODEL 541-S SPECIFICATIONS

ACTION: Bolt, clip magazine repeater. CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: 6-shot with 5-shot clip (10-shot clip available as accessory), checkered clip release. BARREL: 24", tapered, deep rich blueing, ordnance steel, drilled and tapped for front and rear sights. Countersunk at muzzle. STOCK: American Walnut, Monte Carlo, DuPont RK-W wood finish, fine-line cut checkering at pistol grip and fore-end. Checkered rosewood finished butt plate and grip cap, rosewood finished fore-end tip. White line spacers at butt plate, grip cap, and fore-end tip. SIGHTS: None supplied, barrel and receiver drilled and tapped for scope mounts or receiver sights, receiver grooved for scope mounts. SAFETY: Positive, serrated thumb type, safety indicator markings, forward for fire, rearward for safe. BOLT: Artillery style near lack-up, six locking lang, double, adractors, highly poliched. RE-

CEIVER: Round, ordnance steel; grooved, drilled and tapped for scope mounts or receiver sights. Deep rich blueing, engraved in scroll pattern. TRIGGER: Adjustable match type, steel trigger guard engraved. OVERALL LENGTH: 42%". WEIGHT: 5½ lbs.

| Model 541-S"Custom" Sporter | Order Nos. |
|---|------------|
| 22 Cal. Bolt Action Clip Repeater | 9800 |
| Extra 5-Shot Clip | 4914 |
| Extra 10-Shot Clip | 9828 |
| Sling Strap & Quick Release Swivels (Installed) | 6382 |

Model 580, 581 & 582 7975 Action Rim Fire Rifles



Model 580: Single Shot Handles Short, Long, or Long Rifle cartridges. Boys' model has one-inch shorter stock. Also available in smooth bore version.

These easy-to-handle bolt action

22s are youth-oriented. Incredible

Model 581: Clip Repeater Fires Shorts, Longs, or Long Rifles. Five-shot removable clip magazine. Available with left hand bolt for lefties.

Model 582: Tubular Repeater Holds 20 Short, 15 Long, or 14 Long Rifle, cartridges. Precision-rifled 24" barrel of ordnance steel, crowned at muzzle.

strength of action comes from the artillery-type bolt with rear lock-up of its six rotary locking lugs in the grooved steel receiver. Precision accuracy is derived from extra-fast lock time and precise stock bedding of round steel receivers. Wide, crisp triggers. Monte Carlo stocks with pistol grip. Extra-large trigger guards, non-slip thumb safeties, dual extractors, bolt covers, bead front and adjustable U-notch rear sights...all are features in common for each model. Choose the 580 Single Shot

in regular, smooth bore, or Boys' Rifle. Get the 581 clip repeater in right or left hand version. Or take the

582 tubular repeater.

MODELS 580, 581 & 582 SPECIFICATIONS

ACTION: All bott action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: M/580 single shot, M/581 6-shot, M/582 20 Short, 15 Long, 14 Long Rifle cartridges. BARREL: 24", ordnance steel, precision rifled, crowned at muzzle. STOCK: Walnut finished hardwood with Monte Carlo, full size, black butt plate. Single screw take-down. M/580 Boys' Rifle stock 1" shorter. SIGHTS: Front: bead, dovetail adjustable. Rear: U-notch type, lock-screw adjustable 4 SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe. BOLT: Artillery style, lock-up a rear. 8 locking tugs, double extractors. Left hand Model 581 with left hand bolt and safety, right side ejection. RECEIVER: Round, ordnance steel, grooved for scope mounts. OVERALL LENGTH: 42%", 580 Boys' Rifle 41%". WEIGHT: M/580 — 4% lbs., M/581 — 4% lbs., M/582 — 5 lbs.

| Beit Action 22 Caliber Rifles | Order Nos. |
|--|------------|
| Model 580 Single Shot | 9852 |
| Model 580 SB Single Shot, Smooth Bore | 9864 |
| Model 580 BR Boys' Rifle | 5570_ |
| Model 581 Clip Repeater | 9854 |
| Model 581 Clip Repeater Left Hand | 9838 |
| Model 582 Tubular Repeater | 9856 |
| Models 580, 581 Sling Strap & Swivels (Installed) | 6426 |
| Model 582 Sling Strap & Swivels (Installed) | 6428 |
| Model 581 — Extra 5-Shot Clip | 4914 |
| Model 581 — Extra 10-Shot Clip | 9828 |
| the state of the s | |

Remington Target Rifles

Model 540-XR and 540-XRJR Rim Fire Position Rifles The single-shot rim fire match rifle for Intermediates and Junior shooters. Specially designed stock has deep fore-end and five-way adjustable butt plate. Pistol grip design eliminates wrist-twisting and assures straight-back trigger pull. Junior model 540-XRJR has same features with 1¾" shorter stock.

Model 40-XR Rim Fire Position Rifle Same improved stock and pistol grip as the 540-XR. Two-way vertically adjustable butt plate. Exclusive loading platform provides straight-line 28 feeding with no shaved bullets. Meets International Shooting Union requirement for standard rifle.

Model 40-XB "Rangemaster" Center Fire Rifle Favorite of many top shooters for its unsurpassed accuracy. Single shot in standard or heavy barrel versions; repeater in heavy barrel only. Hand-bedded action and free-floating stainless steel barrel. Repeater heavy-barrel models are clip-slotted for conventional five-shot clips and load from top of receiver.

Model 40-XC National Match Course Center Fire Rifle Chambered for 308 Win. (7.62mm NATO) cartridge only. For use in National Match Course Competition. Improved position-style stock. Receiver clip-slotted for five-shot clips. Anti-bind short-throw bolt for rapid fire events. Hand-bedded action and free-floating stainless steel barrel. Meets all International Shooting Union Army Rifle specifications.

Model 40-XBBR Bench Rest Center Fire Rifle Wide, squared fore-end for stability. Available with 20" or 26" stainless steel barrel to meet I.B.S. and N.B.R.S.A. 10½ pound and 13½ pound class specifications.



Model 540-XR Rim Fire Position Rifle: 22 Caliber

Model 40-XR Rim Fire Position Rifle: 22 Caliber

RIM FIRE TARGET RIFLE SPECIFICATIONS

MODEL 546-XR & 540-XRJR (RIM FIRE) POSITION RIFLES: ACTION: Bolt, single shot. GALIBER: 22 Long Rifle rim fire only. CAPACITY: Single loading. RECEIVER: Drilled and tapped for receiver sight. BOLT: Artillery style with lock-up at rear. 6 locking lugs, double extractors. TRIBBER: Adjustable from 1 to 5 lbs. SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe. SIGHTS: Optional accessory at extra charge. Redfield #63 Globe front sight with 7 inserts. Redfield #75 rear sight with ¼ minute clicks. BARREL: 26" medium weight target barrel countersunk at muzzle. Drilled and tapped for target scope blocks. Fitted with front sight base. STOCK: Position style with Monte Carlo, cheekplece, and thumb groove. 5-way adjustable but plate and fulli-length guide rail (front swivel block, sling, and sling swivel optional at extra charge). Common sight alignment with scope or iron sights. LENGTH OF PULL: 540-XR: Adjustable from 12%4" to 16". 540-XRJR: Adjustable from 12%4" to 16". 540-XRJ

| Model 540-XR & 540-XRJR Position — Rim Fire | Order Nos. |
|--|------------|
| 540-XR Position Rifle | 9802 |
| 540-XRJR Position Rifle | 9804 |
| Redfield #63 Front and #75 Rear Sights | 6552 |
| Sling Strep with Front Swivel Block Assembly | 6420 |

able from 11" to 14\%". OVERALL LENGTH: 540-XR: Adjustable from 43\%" to 46\%". 540-XRJR: Adjustable from 41\%" to 45". AVERAGE WEIGHT: 8 lbs. 13 oz. without sights. Add approximately 9 oz. for sights.

MODEL 40-XR (RIM FIRE) POSITION RIFLE: ACTION: Bolt, single shot. CALIBER: 22 Long Rifle rim fire only. CAPACITY: Single loading. RECEIVER: Drilled and tapped for receiver sight or target scope blocks. Target scope blocks installed. BOLT: Heavy, oversized locking lugs and double extractors. TRIGGER: Adjustable from 2 to 4 lbs. SAFETY: Positive thumb type. SIGHTS: Optional accessory at extra charge. Redfield Olympic front and rear with 10 inserts. BARREL: 24" heavy barrel. STOCK: Position style with front swivel block on fore-end guide rail. Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plate. LENGTH OF PULL: 13½". OVERALL LENGTH: 42½" AVERAGE WEIGHT: 10 lbs. 2 oz. without sights. Add approximately 12 oz. for sights.

| Model 40-XR Position — Rim Fire | Order Nos. |
|---|------------|
| 40-XR Position Rifle | 5668 |
| Redfield Olympic Front and Rear Sights | 6554 |
| Sporter (22 Long Rifle version of Model 700 C Custom) | Special |



Model 40-XB "Rangemaster" Center Fire Rifle

Model 40-XBBR Bench Rest Center Fire Rifle

CENTER FIRE TARGET RIFLE SPECIFICATIONS

MODEL 40-X8 "RANGEMASTER" (CENTER FIRE): ACTIOM: Bolt. Single shot in standard or heavy barrel versions. Repeater in heavy barrel only. CALIBERS: Single shot — 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6mm x 47 (6mm. 222 Mag.), 6mm Int., 6mm Rem., 243 Win., 25-08 Rem., 7mm Rem. Mag., 7.62mm NATO (308 Win.), 30-06, 30-338 (.30-7mm Mag.), 300 Win. Mag. Repeating (Heavy Barrel Versies Only) — 222 Rem., 222 Rem., 222 Rem., 22-250 Rem., 6mm x 47 (6mm. 222 Mag.), 6mm Int., 6mm Rem., 243 Win., 7.62mm NATO (308 Win.). CAPACITY: Single loading and clip repeater (magazine loads from top of receiver). RECEIVER: Drilled and tapped for scope block and receiver sights. Target scope blocks installed. Receiver bedded to stock. TRIGGER: Match type. Adjustable from 2 to 4 lbs. weight of pull can be changed externally. Special 2 oz. trigger available on single shot models only at extra charge. \$16NTS: None supplied. Target scope blocks installed. BARREL: 271/4" length. Unblued stainless steel only. Free floating. Drilled and tapped for scope block and front target fron sight. Muzzle diameter: S2: Approx. 1/4", H2: Approx. 7/4", \$10CK: American Walnut. Non-slip rubber target type butt pad. Adjustable combination hand stop and sling svivel. Front swivel block on fore-end guide rail. LENGTH OF PULL: 131/4". DVERALL LENGTH: Approx. 47". AVERAGE WEIGHT: S2: 91/4 lbs. H2: 111/4 lbs.

| Model 40-XB "Rangemester" — Center Fire (Allow 18 weeks or more for delivery) | Order Nes. |
|---|---------------|
| CF-S2 Std. Stainless Steel Barrel | Special |
| CF-H2 Heavy Stainless Steel Barrel | Special |
| Extra for Repeating Center Fire Models with Heavy Barrel | Special |
| Extra for 2 az. Trigger (Single Shot Mediale Orbit | Special |

MODEL 40-XBBR BENCH REST (CENTER FIRE): ACTION: Bolt, single shot. CALIBERS: 222 Rem., 222 Rem. Mag., 223 Rem., 6mm x 47 (6mm .222 Mag.), 7.62mm NATO (308 Win.). TRIGGER: Adjustable from 1½ to 3½ lbs. Special 2 oz. trigger available at extra charge. BARREL: Unblued stainless steel only. 20" length for Light Varmint Class. 26" length for Heavy Varmint Class. STOCK: Selected American Walnut. LENGTH OF PULL: 12". OVERALL LENGTH: 38" with 20" barrel. 44" with 26" barrel. AVERAGE WEIGHT: 9½ lbs. with 20" barrel. 12 lbs. with 26" barrel.


| | Order Nos. |
|--|------------|
| Model 40-XBBR Bench Rest Single Shot, Stainless Steel Barrel | Special |
| Extra for 2 oz. Trigger | Special |

MODEL 40-XC NATIONAL MATCH COURSE (CENTER FIRE) RIFLE: ACTION: Bolt, repeating. CALIBER: 308 Win. (7.62 NATO). CAPACITY: 5-shot magazine loads from top of receiver. Clip slot in receiver. SAFETY: Positive, thumb-operated. RECEIVER: Drilled and tapped for metallic sights. Scope mount bases installed. BARREL LENGTH: 23¼" stainless steel. OVERALL LENGTH: 42½". LENGTH OF PULL: 13½" (Trigger adjustable 2 to 4 lbs.). STOCK: Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plate. WEIGHT: 10 lbs. without sights.

| Model 40-XC National Match Course — Center Fire | Order Nos. |
|---|------------|
| AO_YC National Match | 6002 |

29





Contents

Remington Sporting Firearms.

| Sholguns | . 4-15 |
|---|---------|
| Model 1100 Automatic Shotgins Field Grade | 4-7 |
| Model 1100 Automatic Shotguas—Trap & Skeet | |
| Model 1100 Extra Barrels | |
| Model 870 "Wingmaster" Pume Action Shotouns | . 10-13 |
| Model 870 Extra Barrels | 13 |
| Remington 3200 Over-and Under Shotguns | 14.15 |
| Center Fire Rifles | . 16-23 |
| Model 700 Bolt Action Rifles | |
| Model 742 "Woodsmaster" Automatic Rifles | |
| Model 760 "Gamemaster" Pump Action Rifles | |
| Model 788 Bolt Action Rifles | |
| "XP-100" Long Range Pistol | 23 |
| Rim Fire Rifles | 24-29 |
| Rim Fire Rifles "Nylon 66" Automatic Rifles | 24 25 |
| Model 552 "Speedmaster" Automatic Rifles | 26 |
| Model 572 "Fieldmaster" Pump Action Rifles | |
| Model 541-S "Custom" Sporter Bolt Action Rifles . | |
| | |
| Models 580, 581 and 582 Bolt Action Rifles | 29 |
| | |
| Models 540-XR and 540-XRJR Rim Fire Position Rifles | |
| Model 40-XR Rim Fire Position Rifle | |
| Model 40-XB "Rangemaster" Center Fire Rifle | |
| Model 40-XBBR Bench Rest Center Fire Rifle | |
| Model 40-XC Natt. Match Course Center Fire Rifle | 29 |
| | |

Remington Ammunition


| Shotgun Shells |
|---|
| "Express" Shotgun Shells—Field Loads30&31 |
| 23/4" and 3" Magnum |
| "Shur Shot" Shotgun Shells—Field Loads30&31 |
| "RXP" Shotgun Shells—Trap & Skeet Loads 32 |
| Shotgunning Suggestions |
| Rim Fire Cartridges 34-35 |
| "High Velocity" 22 Cartridges 34 |
| "Target" Standard Velocity 22 Cartridges 35 |
| Match Long Rifle Cartridges |
| Center Fire Cartridges 36-37 |
| "Core-Lokt" Bullets |
| "Power-Lokt" Bullets |
| Pistol and Revolver Cartridges |
| Components 38-39 |
| Center Fire Components |
| Interchangeability Chart |
| Caliber Suggestions |
| Shotgun Shell Components |
| Remington Trap & Skeet Equipment |
| Remington Ballistics |
| Center Fire Rifle Cartridges |
| Center Fire Pistol and Revolver Cartridges 46, 47 |
| Center Fire Pistol and Revolver Cartridge Calibers 46, 47 |

Remington, Wingmaster, Woodsmaster, Gamemaster, Speedmaster, Rangemaster, Fieldmaster, Power Piston, Power-Lokt, Shur Shot, Core-Lokt, Fire Ball, Blue Rock, Kleanbore, Targetmaster, Brushmaster, Jet, Power-Pakt, RXP. Power-Pak are trademarks registered in the United States Patent and Trademark Office by Remington Arms Company, Inc.

XP-100, Nylon 68, Golden, Express, All-American, Varmint Special, Target, High Velocity, R-P, Custom are trademarks of Remington Arms Company, Inc.

"Zytel" is a registered trademark of E. I. du Pont de Nemours & Co., Inc., for nylon resins, as is "Teflon-s" for tetrafluoroethylene resins.

Weights and stock dimensions vary according to the individual firearm. All prices in this catalog are suggested retail prices. These prices are subject to change without notice and include applicable U.S. excise tax.



The kind of quality you expect from the leader in sporting firearms is yours from the moment you take any Remington firearm out of the box . . . dollar for dollar, the best value you can get today.

America's Oldest Gunmaker... and Still Made in the U.S.A.

It all started back in 1816. From his first handmade flintlock, Eliphalet Remington started a gunmaking heritage that still lives, 160 years later, on the site of his first forge. Every Remington firearm is still totally American made and assembled. With the same ingenuity and craftsmanship that made Remington America's premier gunmaker.

Today there are machine operations, of course. Many using the latest numerically controlled equipment. There is computer verification before and after the manufacturing process as a means of double checking everything. But there is nothing to replace the careful eyes and hands of the Remington eople as they test fire and inspect each gun before it's shipped.

What this means to you is that when you buy Remington, you can be confident that the product will do what you expect, and more. Just as it comes from the box.

BEST QUALITY AND VALUE... "RIGHT OUT OF THE BOX"




Our Hunting Heritage

1776.1076



MODEL 1100 AUTOMATIC SHOTGUNS





Proven dependability, quality and value have made Remington Model 1100 automatic shotguns an automatic first choice with almost two million shotgun shooters. These factors, combined with shooting ease, superb perfor-

igth and graceful mance, g. -... appearance, make the Model 1100. America's best selling automatic shotaun.

However, Reminaton engineers are not content to rest on their laurels. They are constantly working to improve the sporting arms in the present Remington line as well as developing such exciting new guns as the 3200. They have, since its introduction, worked to improve the already

dependable Model 1100. As a result, the Model 1100 for 1976 is the same on the outside, but better on

the inside.

Your Model 1100 will deliver top performance under any weather conditions. Its unique gas metering system is designed to operate with all 234" shotgun shells without adjustment. This enables you to use different loads in the same shotgun for a wide variety of game.

The 1100 operates with an extremely light recoil effect. The gasoperated action reduces recoil to a push, not a kick. This is especially important to the target shooter.

The Model 1100's good looks match its performance. The Du Pont RK-W wood finish is tough, scratch-resistant and lustrous. The exclusive vibra-honed finish gives receiver and metal parts a custom look and aids in smoother functioning. Deep, sure checkering, decorative scrollwork on receiver and chrome plated bolt, fluted comb cuts, white line spacers also enhance overall appearance.

Field grade Model 1100s are offered as follows: 12, 16 and 20 gauges; left hand 12 and 20 gauges; deer guns with rifle sights: 1 20 gauge lightweight; 28 gauge and 410 gauge. A wide selection of barrel lengths and chokes, and a choice of plain or ventilated rib 2%" chambered barrels add variety. These barrels are also easily interchangeable within

gauge and original chamber length.

3" magnum versions are offered in 12 and 20 gauges; and 20 gauge lightweight.

More Grand American, state and zone championships have been won with Model 1100 TB trap guns in the past decade than with any other automatic. TB grade 1100s are available with regular or Monte Carlo stocks and 30' ventilated rib barrels in Full or Modified Trap chokes. Mirrorimage left hand models come in Full choke only. All have ivory bead front sights, white metal middle sight and recoil pad. Extra trap barrels in 28", 30" and 34" are interchangeable.

For the skeet shooter, the Model 1100 automatic is in a class by itself as evidenced by its dominance at all skeet shooting

levels...from the World Skeet Championships to your local gunclub. Great balance, excellent pointing and fast swinging qualities add up to championship performance. Light recoil means less fatigue and better scores over long periods of shooting. Model 1100 SA skeet guns enter all events in 12, 20, 28 and 410 gauges. Left hand mirror-image 12 and 20 gauges available. SB grade 1100s, in 12 and 20 gauges, are fitted with specially selected American walnut stocks and fore-ends. All 12 and 20 gauge Model 1100 skeet guns have 26" barrels, 28 and 410 gauge 1100s have 25" barrels. Extra barrels, interchangeable within gauge and chamber length, easily convert the Model 1100 skeet gun to a hunting gun.

197.6



MODEL 1100 FIELD GRADE Remington Model 1100— The only automatic shotgun offered in all five popular gauges for all types of shotgun shooting.

Model 1100:

12, 16, 20 gauge.

America's most popular automatic.

Model 1100 Left Hand: 12, 20 gauge.

Features left-side loading, ejection, and safety for comfortable, more efficient left-handed shot-gunning. Also available in 3" magnum, 12 gauge. All with ventilated rib barrel.

Model 1100

3" Magnum: 12, 20 gauge. Specially designed for maximum performance with 3" magnum and 2¾" magnum shells only. Ventilated rib or plain barrel. Recoil pad. Left hand version in 12 gauge ventilated rib barrel only.

Model 1100 Deer Gun: 12, 20 gauge.

Shorter 22-inch barrel for easy carrying. Rifle sights. Rear sight adjustable for windage and elevation. Improved Cylinder choke for rifled slugs and buckshot. Recoil pad and white line spacer.

Model 1100 20 gauge Lightweight and 3" Magnum Lightweight. Special weight-saving

Special weight-saving design with steel receivers for maximum strength.

Handles all 2¾" loads. The 3" magnum model is designed to function with 2¾" and 3" magnum loads only. These lightweights pay off in carrying ease.

Model 1100: 28 and 410 gauge.

1100 styling, value and performance in small gauge receivers. Available in a wide selection of chokes in plain or ventilated rib barrels.

Note: Barrels chambered for 2¾" shells should not be interchanged with barrels for 3" magnum. 3" magnum barrels should not be interchanged on standard receivers. Left hand barrels interchange only on left hand receivers.



MODEL 1100 BARBERATRRESAEE BOOGRA448

STYLE: Gas-operated low-recoil automatic shotgun. GAUGES: Right hand versions in 12, 16, 20, 28, and 410. Left hand versions in 12 and 20. BARREL: Special Remington proof steel. Extra barrels are interchangeable within version (right or left hand), gauge and chamber length without fitting, 20 ga. Lightweight extra barrels are interchangeable within chamber lengths only within Lightweight models. RECEIVER: Made from solid steel, top matted. Scrollwork on chrome-plated bolt and both sides of receiver. SAFETY: Convenient positive cross-bolt type. Reversed on left hand models. SIGHTS: Metal bead front. STANDARD STOCK DIMENSIONS: 14" long, 2%" drop at heel, 1%" drop at comb.

12. 16 & 20 GAUGES—CHAMBER: 2¼" standard velocity, "Express", and 2¾" Magnum shells, 3" Magnum and 2¾" Magnum shells only for 12 and 20 ga. Magnum models. 3" Magnum extra barrels not available. CAPACITY: 5 shot. 3-shot plug furnished. STOCK & FORE-END: Rich American walnut. Mahogany for 20 ga. Lightweight. OVERALL LENGTH: 48" with 28" barrel. 20 ga. Lightweight is 48%" with 28" barrel. AVERAGE WEIGHT: 12 ga.—7½ lbs., 16 ga.—7¾ lbs., 20 ga.—7½ lbs., 20 ga. Lightweight—6½ lbs., 20 ga. Lightweight Magnum—6¾ lbs.

28 & 410 GAUGES—CHAMBER: 2¾" standard velocity and "Express" shells for 28 ga. 3" and 2½" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 2½" 410 ga. shells. 4-shot with 3" 410 shells. 3-shot plug furnished. STOCK DIMENSIONS: 13¾" long. 2½" drop at heel. 1½" drop at comb. STOCK & FORE-ENO: Mahogany. OVER-ALL LENGTH: 45%". AVERAGE WEIGHT: 28 ga. plain barrel—6¼ lbs., 28 ga. vent. rib—6½ lbs., 410 ga. plain barrel—6½ lbs., 410 ga. vent. rib—7 lbs.


| | Order Nos. | | | Suggested |
|---|-------------|-------------|--------|--------------|
| 12, 18 & 20 GAUGES | 12 6a. | 16 Ga. | 20 Ga. | Retail Price |
| Model 1100 with Plain Barrel | | | | |
| 30" Full Choke | 5322 | | | \$ 244.95 |
| 28" Full Choke | 5320 | 5370 | 5390 | 244.95 |
| 28" Mod. Chake | 5326 | 5374 | 5394 | 244.95 |
| 26" Imp. Cyl. Choke | 5328 | 5376 | 5396 | 244.95 |
| Model 1100 Deer Gun | | | | |
| 22" Imp. Cyl. with Rifle Sights | 5308 | | 5260 | 264.95 |
| Model 1100 with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5332 | | | 269.95 |
| 28" Full Choke | 5330 | 5378 | 5398 | 269.95 |
| 28" Mod. Chake | 5336 | 5382 | 5402 | 269.95 |
| 26" Imp. Cyl. Choke | 5338 | 5384 | 5404 | 269.95 |
| Model 1100 3" Magnum with Plain Barrel | | | | |
| 30" Full Choke | 5344 | | | 264.95 |
| 30" Mod. Choke | 5250 | | | 264.95 |
| 28" Full Choke | | | 5428 | 264.95 |
| 28" Mod. Choke | | | 5254 | 264.95 |
| Model 1100 3" Magnum with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5348 | | | 289.95 |
| 30" Mod. Choke | 5252 | | | 289.95 |
| 28" Full Choke | | | 5430 | 289.95 |
| 28" Mod. Choke | | | 5256 | 289.95 |
| Model 1100 D Tournament with Vent. Bib Barrel | | Specia | | 1000.00 |
| Model 1100 F Premier with Vent. Rib Barrel | | Specia | | 2000.00 |
| Model 1100 F Premier with Gold Inlay | | Specia | | 3000.00 |
| | | | | 0000.00 |
| LEFT HAND 12 & 20 GAUGES (LEFT HAND LOAD | JING AN | D EJECT | (NOI | |
| Model 1100 Left Hand with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5540 | | | \$274.95 |
| 28" Full Choke | | | 5556 | 274.95 |
| 28" Mod. Choke | 5542 | | 5558 | 274.95 |
| 26" Imp. Cyl. Choke | 5544 | | 5546 | 274.95 |
| Model 1100 3" Magnum Lett Hand with Vent. Ri | b Barre | 1 | | |
| 30" Full Choke | 5548 | | | 294.95 |
| | | | | |
| 20 GAUGE LIGHTWEIGHT | | | | |
| Model 1100 with Plain Barrel | | | | |
| '8' Full Chake | | | 9596 | \$254.95 |
| 28" Mod. Choke | | | 9598 | 254.95 |
| 26" Imp. Cyl. Choke | | | 9600 | 254.95 |
| Model 1100 with Vent. Rib Barrel | | | | |
| 28" Full Choke | | | 9602 | 279 95 |
| .'8" Mod. Choke | | | 9604 | 279.95 |
| . 6" Imp. Cyl. Choke | | | 9606 | 279.95 |
| Model 1100 3" Magnum with Plain Barrel | | | | |
| 28" Full Choke | | | 9656 | 274 95 |
| Model 1100 3" Magnum with Vent. Rib Barrel | | | | |
| 28" Full Choke | | | 9658 | 299 95 |
| | | | | |

| | | Order Nos. | | |
|----------------------------------|--------|------------|--------------|--|
| 28 & 410 GAUGES | 28 Ga. | 410 Ga. | Retail Price | |
| Model 1100 with Plain Barrel | | | | |
| 25" Full Choke | 5316 | 5460 | \$254 95 | |
| 25" Mod. Choke | 5406 | 5462 | 254.95 | |
| 25" Imp. Cyl. Choke | 5412 | 5464 | 254.95 | |
| Model 1100 with Vent. Rib Barrel | | | | |
| 25" Full Choke | 5414 | 5466 | 279.95 | |
| 25" Mod. Choke | 5416 | 5468 | 279.95 | |
| 25" Imp. Cyl. Choke | 5426 | 5296 | 279.95 | |


MODEL 1100 EXTRA BARRELS—FIELD GRADE

| | | | | r Nos. | | | Suggested |
|--------------------------|----------|--------|------------------|-----------------|--------|---------|--------------|
| | 19 Ca | 16 Ga. | 20 Ga. Stand. | 20 Ga. Liwi. | 28 62 | 410 Ga. | Retail Price |
| Extra Barrels, Plain | (E UZ. | (U ua. | otane. | | žu va. | 410 ua. | |
| 30" Full Choke | 9500 | | | | | | S 63.95 |
| 28" Full Choke | 9502 | 9530 | 9546 | | | | 63.95 |
| 28" Full Choke | | | | 6578 | | | 66 95 |
| 25" Full Choke | | | | | 9588 | 9574 | 66 95 |
| 28" Mod. Choke | 9504 | 9532 | 9548 | | | | 63.95 |
| 28" Mod. Choke | | | | 6580 | | | 66.95 |
| 25" Mod. Choke | | | | | 9510 | 9576 | 66 95 |
| 26" Imp. Cyl. Choke | 9508 | 9536 | 9552 | | | | 63 95 |
| 26" Imp. Cyl Choke | | | | 6582 | | | 66.95 |
| 25" Imp. Cyl. Choke | | | | | 6584 | 9578 | 66.95 |
| Extra Barrels, Rifle Sig | hts. Dec | 1 | | | | | |
| 22" Imp. Cyl. | 9568 | | 9572 | | | • | 74 95 |
| Extra Barrels, Vent. Rib | . Ouck/ | Goose | | | | | |
| 34" Full Choke | 6576 | | | | | | 98.95 |
| Extra Barrels, Vent. Rit |) | | | | | | |
| 30" Full Choke | 9512 | | | | | | 88 95 |
| 28" Full Choke | 9514 | 9538 | 9554 | | | | 88 95 |
| 28" Full Choke | | | | 9590 | | | 91 95 |
| 25" Full Choke | | | | | 6586 | 9580 | 91.95 |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | | | 88.95 |
| 28" Mod. Choke | | | | 9592 | | | 91 95 |
| 25" Mod. Choke | | | | | 6588 | 9582 | 91 95 |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | | | | 88 95 |
| 26" Imp. Cyl. Choke | | | | 9594 | | | 91 95 |
| 25" imp. Cyl. Choke | | | | | 6590 | 9584 | 91 95 |
| Left Hand Extra Barrets | | Aib | | | | | |
| 30" Full Choke | 5682 | | | | | | 90 95 |
| 28" Full Choke | | | 5692 | | | | 90 95 |
| 28" Mod. Choke | 5684 | | 5694 | | | | 90 95 |
| 26" Imp. Cyl. Choke | 5686 | | 5696 | | | | 90,95 |
| Extra Barrels, High Gra | | | | | | | |
| D Tournament, Vent. | Rib | | Speci | | | | 135 00 |
| F Premier, Vent. Rib | | | Speci | ai | | | 215 00 |

147.6



Model 1100 TB, Left Hand Trap with Monte Carlo Stock: 12 gauge



MODEL 1100 TRAP& SKEET

Improvements in all Model 1100 shotguns mean that 1100 target guns stand up under the heaviest usage, while yielding minimum recoil. It's the ideal target gun for men, ladies and junior shooters.

Model 1100 TB Trap: 12 gauge.

Automatic performance you can count on. Select American walnut available in regular Trap or Monte Carlo stock. Rubber recoil pad. New ventilated rib barrel immediately puts your eye and the bead sights in perfect alignment. New interchangeable extra trap

barrels will fit all Model 1100 trap guns.

Model 1100 TB Left Hand Trap with Monte Carlo Stock: 12 gauge.

Loads and ejects on the teft side. Also available with regular trap stock. Weighs about 8\(\frac{1}{2}\) lbs.





Model 1100 SB Skeet: 12, 20 gauge.

In a class by itself. Model 1100 performance and durability plus specially selected American walnut stock and fore-end.

Model 1100 SA Skeet: 28, 410 gauge.

Perfect balance and ·hable gas-operated action, 410 gauge chambered exclusively for 21/2" plastic shells.

Model 1100 SA Skeet: 12, 20 gauge.

Winner of more World Skeet Championships than any other gun. Also available in left hand models.

MODEL 1100 SPECIFICATIONS—TRAP

All specifications are same as Model 1100 Field Grade guns in 12 ga., except: STOCK DIMENSIONS: For regular Trap with recoi! pad: 14½" long, 1½" drop at heel, 1½" drop at comb. For Monte Carlo Trap with recoi! pad: 14½" long, 1½" drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo. BARREL: Ventilated rib only. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 81/4 lbs.

| MODEL 1190 TRAP | Order Nos. 12 Ga. | Suggested Retail Price |
|--|----------------------|---------------------------|
| Model 1100 TB Trap with Vent. Rib Barrel | | |
| 30" Full Choke | 5572 | \$ 314.95 |
| 30" Mod. Trap Choke | 5574 | 314.95 |
| 30" Full Choke/Monte Carlo Stock | 5576 | 324.95 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5578 | 324.95 |
| Model 1100 TB Trap Left Hand with Vent. Rib Barrel | | |
| 30" Full Choke | 5580 | 319.95 |
| 30" Full Choke/Monte Carlo Stock | 5582 | 329.95 |
| Model 1100 D Tournament Grade | Special | 1000.00 |
| Model 1100 F Premier Grade | Special | 2000.00 |
| MODEL 1100 TB TRAP BICENTENNIAL MODEL | | |
| 30" Full Choke | 7602 | 319.95 |
| 30" Full Choke/Monte Carlo Stock | 7604 | 329.95 |

MODEL 1100 EXTRA BARRELS—TRAP


| | urder nos. 12 Ga. | Retail Price |
|--|----------------------|--------------|
| Extra Barrels, Vent. Rib. Trap | | |
| 34" Full Choke | 9610 | \$103.95 |
| 30" Full Choke | 9612 | 93.95 |
| 28" Full Choke | 9616 | 93.95 |
| 30" Mod. Trap Choke | 9614 | 93.95 |
| 28" Mod. Trap Choke_ | 9618 | 93.95 |
| Left Hand Extra Barrels, Vent. Rib, Trap | | |
| 30" Full Choke Trap | 9620 | 95.95 |
| Extra Barrels. High Grade | | |
| D Tournament, Vent Rib | Special | 135.00 |
| F Premier, Vent Rib | Special | 215.00 |


MODEL 1100 SPECIFICATIONS—SKEET
All specifications are same as Model 1100 Field Grade guns in appropriate gauges, except: CHAMBER: 21/5" shells for 410 ga. SA Skeet. STOCK & FORE-END: Rich American walnut on 28 ga. and 410 ga. Skeet models. STOCK DIMENSIONS: 14" long, 2%" drop at heel, 1%" drop at comb. BARREL: Ventilated rib only. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 71. lbs. in 12 gauge, 7% lbs. in 20 gauge, 6% lbs in 28 gauge, and 71. lbs. in 410 gauge. (Adjustable weight will add up to 12 oz. in 28 gauge and 410 gauge skeet guns.)

| MODEL 1100 SKEET | 12 Ga. | | Nos. 28 Ga. | | Suggested Retail Price |
|---------------------------------------|----------|-----------|----------------|------|---------------------------|
| Model 1100 SA Skeet with Vent. Rib Ba | arrei | | | | _ |
| 26" Skeet Choke | 5356 | 5408 | | | \$ 279.95 |
| 26" Skeet Choke with Cutts Comp. | 5358 | 5410 | | | 304.95 |
| 25" Skeet Choke | | | 5432 | 5298 | 289.95 |
| Model 1100 SB Skeet (Fancy Wood) wi | th Vent. | Rib Barre | el | | |
| 26" Skeet Choke | 5302 | 5422 | | | 304.95 |
| Model 1100 SA Skeet Left Hand with V | ent. Rib | Barrel | | | |
| 26" Skeet Choke | 5564 | 5560 | | | 284.95 |
| Model 1100 D Tournament Grade | | Sper | cial | | 1000.00 |
| Model 1100 F Premier Grade | | Spec | cial | | 2000.00 |
| Model 1100 SA Skeet Bicentennial Mod | | | | | |
| 26" Skeet Choke, Vent. Rib | 7600 | | | | 284.95 |
| Match-Weight Skeet Cap for Small Gau | ge 1100 | | 6338 | 6338 | 11.50 |

MODEL 1100 EXTRA BARRELS—SKEET

| 12 Ga. 20 Ga. 28 Ga. 410 Ga. R | Retail Price |
|---|--------------|
| | |
| Extra Barrels, Vent. Rib, Skeet | |
| 26" Skeet Choke 9522 9562 | \$ 93.95 |
| 26" Skeet Cutts Comp. 9524 9564 | 118.95 |
| 25" Skeet Choke 6592 9586 | 96.95 |
| Left Hand Extra Barrels, Vent. Rib, Skeet | |
| 26" Skeet Chake 5688 5698 | 95.95 |
| Extra Barrels. High Grade | |
| D Tournament, Vent. Rib Special | 135.00 |
| F Premier, Vent. Rib Special | 215.00 |





The rich appearance helped them select the Model 870, too. Stocks and fore-ends are enriched and protected by the scratch resistant DuPont RK-W wood finish. Metal parts vibra-honed to achieve a more lustrous finish and smoother action. Functional checkering, full

beavertail fore-end, chrome plated bolt and white line spacers enhance the overall styling.

Field grade Model 870s are offered as follows: 12, 16 and 20 gauges; left hand 12 and 20 gauges; deer guns with rifle sights; 20 gauge lightweight; 28 and 410 gauge. A wide selection of barrel lengths,

chokes, and a choice of plain or ventilated rib 23/4" chambered barrels add variety. These barrels are also easily interchangeable within gauge and original chamber length.

3" magnum versions are offered in 12 and 20 gauges; and 20 gauge lightweight.

Model 870:

12, 16 and 20 gauge. Handles all 2¾" shotgun shells: Wide selection of extra barrels, including a long-range 12 gauge 34inch duck/goose barrel. Model 870, Left Hand:

12, 20 gauge.

Ventilated rib barrel. Leftside feeding and ejection. Also available in 12 gauge magnum. Really comfortable shooting for southpaws.

Model 870 "Brushmaster" Deluxe Deer Gun: 12, 20 gauge.

Rifle sights and 20-inch barrel. Deluxe and standard models. Standard model in 12 gauge only has plain stock, grooved fore-end.

Model 870 3" Magnum: 12, 20 gauge.

Handles all 3" and 2\%" shotgun shells. Plain or ventilated rib barrel.

MODEL 870 SPECIFICATIONS—FIELD GRADE


STYLE: Pump action shotgun. GAUGES: Right hand versions in 12, 16, 20, 28, and 410. Left hand versions in 12 and 20. BARREL: Special Remington proof steel. Extra barrels are interchangeable within version (right or left hand), gauge, and chamber length without litting 20 ga. Lightweight extra barrels are interchangeable within chamber lengths only within Lightweight models. All 410 ga. models have 3° chambered barrels. RECHER: Made from solid steel, top matted. SAFETY: Convenient positive cross-bolt type. Reversed on left hand models. SIGHTS: Metal bead front. STANDARD STOCK DIMENSIONS: 14" long including recoil pad, 21st drop at heel, 1%" drop at comb.

12. 16 & 20 GAUGES—CHAMBER: 2¼" standard velocity, "Express"; and 2¼" Magnum shells 3" Magnum and all 2¾" shells for 12 and 20 ga. Magnum models CAPACITY: 5-shot, 3-shot plug furnished. STOCK & FORE-END: Walnut timished hardwood, OVERALL LENGTH: 48½" with 28" barrel, AVERAGE WEIGHT: 12 ga.—7 lbs.. 16 ga.—6¼ lbs.. 20 ga.—6½ lbs.. 20 ga. Lightweight—5½ lbs. with 26" plain barrel, 20 ga. Lightweight Magnum—6 lbs. with 28" plain barrel.


| | (| Suggested | | |
|-----------------------------|--------|-----------|--------|--------------|
| 12. 16 & 20 GAUGES | 12 Ga. | 16 Ga. | 20 Ga. | Retail Price |
| Model 870 with Plain Barrel | | | | |
| 30" Full Choke | 6900 | | | \$184.95 |
| 28" Full Choke | 6902 | 6908 | 6914 | 184.95 |
| 28" Med Choke | 6904 | 6910 | 6916 | 184.95 |
| 26" Imp. Cyl. Choke | 6906 | 6912 | 6918 | 184.95 |

| 12, 16 & 20 GAUGES | 12 Ga | Order Nos | 20 Ga | Suggested Retail Price |
|--|---------|-----------|---------|---------------------------|
| Model 870 "Brushmaster" Deer Gun | | | 20 00. | |
| 20" Imp. Cyl. Choke Deluxe with Rifle Sights | 6960 | | 6962 | \$ 194.95 |
| 20" Imp. Cyl. Choke Standard with Rifle Sights | | | | 179.95 |
| Model 870 with Vent, Rib Barrel | | | | - |
| 30" Full Choke | 6930 | | | 209.95 |
| 28" Full Choke | 6932 | | 6944 | 209.95 |
| 28" Mod. Choke | 6934 | 6940 | 6946 | 209.95 |
| 20 mip. Cyt. Choke | 6936 | 6942 | 6948 | 209.95 |
| Model 870 3" Magnum with Plain Barcel | | | | |
| | 6966 | | | 204.95 |
| 30" Mad. Chake | 6968 | | | 204.95 |
| 28" Full Choke | | | 6970 | 204.95 |
| 28" Mod. Choke | | | 6977 | 204.95 |
| Model 870 3" Magnum with Vent, Rib Barret | | | | |
| 30" Full Choke | 6976 | | | 229 95 |
| | 6978 | | | 229.95 |
| 28 Full Choke | _ | | 6980 | 229.95 |
| 28" Mod. Choke | | | 6982 | 229.95 |
| 28" Mod. Choke Model 870 Police with Plain Barrel 20" Police Cyl. Choke | | | | |
| 20 T Brice Cyr, Grioko | 0.00 | | | 169.95 |
| 18" Police Cyl. Choke | 5032 | | | 169.95 |
| 20" Imp. Cyl. Choke, Rille Sights | 5028 | | | 179.95 |
| Model 870 D Tournament with Vent. Rib Barrel | | Special | | 1000.00 |
| Model 870 F Premier with Vent. Rib Barrel Model 870 F Premier with Gold Inlay | , | Special | | 2000 00 |
| Model 870 F Premier with Gold Inlay | | Special | | 3000.00 |
| LEFT HAND 12 & 20 GAUGES (LEFT HAND LOAD) | ING, EJ | ECTION. | IND SAI | FETYJ |
| Model 870 Left Hand with Vent. Rib Barrel | | | | |
| 30" Full Choke | 5510 | | | 214 95 |
| 28" Full Choke | | | 5528 | |
| 28" Mod. Choke | 5514 | | 5530 | |
| 26" Imp. Cyl. | 5516 | | 5566 | 214 95 |
| Model 870 3" Magnum Left Hand with Vent. Rib | Barrel | | | |
| 30" Full Choke | | | | 234.95 |

MODEL 870 LIGHTWEIGHTS & SMALL GAUGES



MODEL 870 TRAP & SKEET



Model 870: 20 gauge Lightweight and 3" Magnum Lightweight.

Ideal for a full day in the field. Small, extra strong steel receiver scaled to 20 gauge. Ventilated rib or plain barrel. Weighs about 6 lbs. and handles 23/4" shotgun shells. Also, lightweight 3" magnum version handles all 3" and 234" shotgun shells.

Model 870: 28, 410 gauge. Lighter weight, small gauges with smooth, quick pointing pump action.

Model 870 TB Trap: 12 gauge.

Trapshooting's "old reliable" pump action performer. Right or left hand models. Regular or Monte Carlo stock. Also in TC Trap Grade with highly figured hand-checkered walnut stock and fore-end.

Model 870 SA Skeet: 12, 20, 28, 410 gauge

Model 870 TB Left Hand Trap with Monte Carlo stock: 12 gauge. Also offered with regular trap stock.

Model 870 "All-American" Trap: 12 gauge.

A "custom" trap gun. Engraved receiver, trigger guard and barrel. Fancy American walnut stock and fore-end with special high grade cut checkering. Full scroll engraving and special medallion fitted to left side of receiver. Comes with deluxe luggage-type foamlined case. Pistol-grip cap fitted with gold name plate. Choice of regular or Monte Carlo stock.

Model 870 SA Skeet.

A family of skeet guns made to the exacting standards of the discriminating shooter in four skeet gauges. SC grade skeet guns in 12 and 20 gauges with cut checkered, select American walnut stock and fore-end.

MUDEL BARBER FIPRESASE R 0124454

28 & 410 GAUGES—CHAMBER: 24" standard velocity and "Express" s 28 ga. 24" or 3" shells for 410 ga. CAPACITY: 5-shot with 28 ga. and 410 ga. shells. 4-shot with 3" 410 ga. shells. 3-shot plug furnished. STOCK DIMENSIONS: 13%" long. 24" drop at heel, 11%" drop at comb. STOCK & FOREEND: Mahogany. OVERALL LENGTH: 45%". AVERAGE WEIGHT: 28 ga. plain barrel—5% lbs., 410 ga. plain barrel—6 lbs., 28 ga. vent. rib—5% lbs., 410 ga. vent. rib—6% lbs.

| 20 GAUGE LIGHTWEIGHT | Order Nos. | Suggested Retail Price |
|---|---------------|---------------------------|
| Model 870 with Plain Barrel | | |
| 28" Full Choke | 5176 | \$194.95 |
| 28" Mod. Choke | 5178 | 194.95 |
| 26" Imp. Cyl. Choke | 5180 | 194.95 |
| Model 870 with Vent. Rib Barrel | | |
| 28" Full Choke | 5182 | 219.95 |
| 28" Mod Choke . | 5184 | 219.95 |
| 26" Imp. Cyl. Choke | 5186 | 219.95 |
| Model 870 3" Magnum with Plain Barrel | | |
| 28" Full Choke | 5188 | 214.95 |
| Model 870 3" Magnum with Vent. Rib Barrel | | |
| 28" Full Choke | 5190 | 239.95 |

| | Orde | Suggested | |
|---------------------------------|--------|-----------|--------------|
| 28 & 410 GAUGES | 28 Ga. | 410 Ga. | Retail Price |
| Model 870 with Plain Barrel | | | |
| 25" Full Choke | 4868 | 4948 | \$194.95 |
| 25" Mod. Choke | 4904 | 4950 | 194.95 |
| 25" (mp. Cyl. Chake | 4916 | 4978 | 194.95 |
| Model 870 with Vent. Rib Barrel | | | |
| .'5" Full Choke | 4918 | 4986 | 219.95 |
| 25" Mod. Choke | 4920 | 5086 | 219.95 |
| 25" Imp. Cyl. Choke | 4932 | 4990 | 219.95 |

MODEL 870 EXTRA BARRELS—FIELD GRADE

| | 12 Ga. | 16 Ga. | 20 Ga. | Nos. 20 Ga. Liwi. | 28 Ga. | 410 Ga. | Suggested Retail Price |
|--------------------------|----------------|--------|--------|-------------------------|--------|---------|---------------------------|
| Extra Barrels, Plain | | | | | | | |
| 30" Full Choke | 6214 | | | | | | \$ 53.95 |
| 28" Full Choke | 6216 | 6252 | 6270 | | | | 53.95 |
| 28" Full Choke | | | | 6296 | | | 56.95 |
| 25" Full Choke | | | | | 6282 | 6236 | 56.95 |
| 28" Mod. Choke | 6218 | 6254 | 6272 | | | | 53.95 |
| 28" Mod. Choke | | | | 6298 | | | 56.95 |
| 25" Mod. Choke | | | | | 6284 | 6238 | 56.95 |
| .'6" Imp Cyl. Choke | 6220 | 6256 | 6274 | | | | 53.95 |
| 6" Imp Cyl Choke | | | | 6300 | | | 56.95 |
| Imp Cyl Choke | | | | | 6286 | 6248 | 56.95 |
| · Police Cyl. Choke | e 65 98 | | | | | | 53.95 |
| i xtra Barreis. Rille Si | ghts. Dee | Ir | | | | | |
| 20" Imp Cyl. | 6544 | | 6230 | | | | 64.95 |
| Extra Barrels, Vent. Ri | b. Duck/ | Goose | | | | | |
| 34" Full Choke | 6304 | | | | | | 88.95 |
| Lxtra Barrels. Vent. Ri | ib | | | | | | |
| 30' Lull Choke | 6222 | | | | | = | 78.95 |
| Lult Choke | 6224 | 6258 | 6276 | | | | 78.95 |
| Full Choke | | | | 6322 | | | 81.95 |
| → Full Choke | | | | | 6288 | 6250 | 81.95 |
| 8 Mod Choke | 6226 | 6260 | 6278 | | | | 78.95 |
| 16 Mod Choke | | | | 6324 | | | 81.95 |
| Mod Choke | | | | | 6290 | 6264 | 81.95 |
| 11 Imp Cyl Choke | 6228 | 6262 | 6280 | | | | 78.95 |
| to Imp. Cyl. Choke | | | | 6326 | | | 81.95 |
| 🕒 Anp Cyl Choke | | | | | 6292 | 6266 | 81.95 |
| Helt Hand Extra Barre | ls, Vent. | Rib. | | | | | |
| 38 Full Choke | 6200 | | | | | | 80.95 |
| . 8" Full Choke | | | 6208 | | | | 80.95 |
| 8" Mod. Choke | 6202 | | 6210 | | | | 80.95 |
| .'6" Imp. Cyl. Choke | 6204 | | 6212 | | | | 80.95 |
| Extra Barrels, High Gi | ade | | | | | | |
| a Tournament, Vent | Rib | | Speci | al | | | 125.00 |
| Premier, Vent. Rib | | | Speci | al | | | 205.00 |

MODEL 870 SPECIFICATIONS—TRAP

All specifications are same as Model 870 Field Grade guns in 12 ga., except: STOCK DIMENSIONS: For regular Trap with recoil pad: 14½" long, 1½" drop at heel, 1½" drop at comb. For Monte Carlo Trap with recoil pad: 14½" long, 1¼" drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo. BARREL: Ventilated rib only. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT. 7½ lbs WEIGHT: 7% lbs.

| MODEL 870 TRAP | Order Nos. 12 Ga. | Suggested Retail Price |
|--|----------------------|---------------------------|
| Model 870 "All-American" Trap Gun | | |
| 30" Full Choke | 5212 | \$ 600.00 |
| 30" Full Choke/Monte Carlo Stock | 5214 | 600.00 |
| Model 870 TB Trap with Vent. Rib Barrel | | |
| 30" Full Choke | 4926 | 249.95 |
| 30" Mod. Trap Choke | 5006 | 249.95 |
| 30" Full Choke/Monte Carlo Stock | 4906 | 259.95 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5034 | 259.95 |
| Model 870 TB Left Hand with Vent. Rib Barrel | | • • |
| 30" Full Choke | 5518 | 254.95 |
| 30" Full Choke/Monte Carlo Stock | 5520 | 264.95 |
| Model 870 TC Trap with Vent. Rib Barrel | | |
| 30" Full Choke | 4938 | 324.95 |
| 30" Mod. Trap Choke | 5036 | 324.95 |
| 30" Full Choke/Monte Carlo Stock | 4912 | 334 95 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5044 | 334 95 |
| Model 870 D Tournament Grade | Special | 1000 00 |
| Model 870 F Premier Grade | Special | 2000.00 |
| Model 870 TB Trap Bicentennial Model | | |
| 30" Full Choke/Vent. Rib | 7608 | 254.95 |
| 30" Full Choke/Vent. Rib/Monte Carlo Stock | 7610 | 264.95 |
| <u>.</u> | | |

MODEL 870 EXTRA BARRELS—TRAP

| | urder nos. 12 Ga. | Retail Price |
|--|----------------------|--------------|
| Extra Barrels, Vent. Rib. Trap | | |
| 34" Full Choke | 6340 | \$ 93.95 |
| 30" Full Choke | 6242 | 83.95 |
| 28" Full Choke | 6244 | 83.95 |
| 30" Mod. Trap Choke | 6232 | 83.95 |
| 28" Mod. Trap Choke | 6246 | 83 95 |
| Left Hand Extra Barrels, Vent. Alb, Trap | | |
| 30" Full Choke Trap | 6206 | 85.95 |
| Extra Barrels, High Grade | | |
| D Tournament, Vent. Rib. | Special | 125.00 |
| F Premier, Vent. Rib. | Special | 205.00 |

MODEL 870 SPECIFICATIONS—SKEET


All specifications are same as Model 870 Field Grade guns in appropriate gauges, except: \$TOCK & FORE-END: Rich American walnut on 28 ga. and 410 ga. Skeet models. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 28 ga. Skeet—6 lbs., 410 ga. Skeet—6 l

| | | Orde | r Nos. | | Suggested |
|---------------------------------------|-----------|-----------|--------|---------|--------------|
| MODEL 870 SKEET | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ga. | Retail Price |
| Model 870 SA Skeet with Vent. Rib Bar | rel | | | | |
| 26" Skeet Choke | 6988 | 6992 | | | \$ 214.95 |
| 26" Skeet Choke with Cutts Comp. | 6990 | 6994 | | | 239 95 |
| 25" Skeet Choke | | | 4934 | 4996 | 224.95 |
| Model 870 SC Skeet (Fancy Wood) with | h Vent. R | ib. Barre | :I | | |
| 26" Skeet Choke | 5136 | 5140 | | | 289.95 |
| Model 870 D Tournament Grade | | | | Special | 1000 00 |
| Model 870 F Premier Grade | | | | Special | 2000.00 |
| Model 870 SA Skeet Bicentennial Mode | el | | | | |
| 26" Skeet Chake, Vent. Rib | 7606 | | | | 219.95 |
| Match-Weight Skeet Cap for Small Gau | ge 870 | | 6336 | 6336 | 11.50 |

MODEL 870 EXTRA BARRELS—SKEET

| | | Order | Suggested | | |
|---------------------------------|--------|---------|-----------|---------|--------------|
| MODEL 870 SKEET | 12 Ga. | 20 Ga. | 28 Ga. | 410 Ga. | Retail Price |
| Extra Barrels, Vent. Rib. Skeet | | | | | |
| 26" Skeet Choke | 6240 | 6508 | | | \$ 83.95 |
| 26" Skeet Cutts Comp. | 6450 | 6456 | | | 108.95 |
| 25" Skeet Choke | | | 6294 | 6268 | 86.95 |
| Extra Barrels, High Grade | | | | | |
| D Tournament, Vent. Rib | | Special | l | _ | 125 00 |
| F Premier, Vent. Rib | | Special | ! | | 205 00 |





REMINGTON 3200 SPECIFICATIONS—FIELD GRADE

REMINGTON 3200 SPECIFICATIONS—FIELD GHADE

STYLE: Over-and-Under Shotgun. GAUGE: 12. CHAMBER: 2% standard velocity,
Express", and 2% Magnum shells. 3" Magnum model chambers. 3" Magnum and
all 2% shells. CAPACITY: 2-shot. BARRELS: Ventilated rib. Special Remington proof
steel. Separated design. Tapered barrels on Magnum models. Extra barrel sets not
available. FRAME: Machined steel with sliding top lock. Shield-covered breech.
Hammers cook on breech opening. Sides embellished with pointing dogs. EJECTORS: Automalic. Fired shells eject on opening. Unfired shells remain in chamber
but are raised above chamber level for easy manual extraction. SAFETY & BARREL
SELECTOR: Combination manual safety and barrel selector mounted on top tang.
Left for bottom barrel, right for top barrel: middle position for safety on. TRIGGER
Single selective. 7. "wide. Grisp with extra fast lock time. SIGMTS: Metal bead front.
STOCK & FORE-END: American Walnut with Du Pont RK-W wood finish. Checkering
cut 20 lines to the inch. Rosewood toned grip cap and checkered butt plate. Magcut 20 lines to the inch. Rosewood toned grip cap and checkered butt plate. Magnum models litted with recoil pad. Semi-beavertail fore-end. STANDARD STOCK DIMENSIONS: 14" long. 2"." drop at heel. 11" drop at comb. 9VERALL LENGTH: 43" with 26" barrels. AVERAGE WEIGHT: 7" los. with 26" barrels. AVERAGE WEIGHT: 7" los. with 26" barrels.

REMINGTON 3200 SPECIFICATIONS—SKEET

All specifications are same as Remington 3200 Field Grade guns, except. BARREL SELECTOR: Skeet models can be locked on desired barrel selection. SIGHTS: Ivory bead front, white metal middle STOCK & FORE-END: Full beavertail fore-end. Recoil pad STOCK DIMENSIONS: 14" long. 2"-" drop at heel. 15." drop at comb. OVERALL LENGTH: 445.4" with 26" barrels. AVERAGE WEIGHT: 7% lbs. with 26" harrels. barrels


REMINGTON 3200 SPECIFICATIONS—TRAP


All specifications are same as Remington 3200 Field Grade guns, except: BARREL SELECTOR: Trap models can be locked on desired barrel selection. SIGHTS: Ivory bead front, white metal middle STOCK & FORE-END: Full beavertail fore-end. Recoil pad STOCK DIMENSIONS: 144% long, 134 drop at heel, 14% drop at comb. Monte Carlo 144% long, 2% drop at heel, 14% drop at comb. 14% drop at Monte Carlo DYERALL LENGTH: 474% with 30% barrels and recoil pad. AVERAGE WEIGHT: 8 - lbs for gun with 30" barrels.

REMINGTON 3200 SPECIFICATIONS—COMPETITION SKEET AND TRAP

All specifications are same as Remiligton 3200 Standard Skeet and Standard Frage except. FRAME: Sides embellished with gilded "Competition" designation and scrollwork. TRIGGER: Engraved guard. STOCK & FORE-END: Optional Satin or RK-W trush Select lancy wood with out checkering on stock, side panels and fore-end Theckered contoured pistol grip. Engraved fore-end latch plate. Presentation style


| 12 GAUGE | Stack Finish | Order Nas | Suggested Retail Price |
|--------------------------------------|--------------|----------------|---------------------------|
| Remington 3200 | Older Limit | Organ Hos. | 1101011 11100 |
| 30" Mod./Full | RK-W | 3201 | S695 00 |
| 28" Mod./Full | RK-W | 3203 | 695.00 |
| 26" Imp. Cyl./Mod. | RK-W | 3205 | 695.00 |
| Remington 3200 3" Magnum | | 0200 | * |
| 30" Full/Full | RK W | 3241 | 720.00 |
| 30" Mod./Full | RK W | 3243 | 720.00 |
| Remington 3200 Skeet | - | | |
| 28" Skeet/Skeet | RK-W | 3209 | 735.00 |
| 26" Skeet/Skeet | RK-W | 3211 | 735.00 |
| Remington 3200 Trap | | | |
| 32" Imp. Mod./Full | RK-W | 3213 | 765.00 |
| 32" Imp. Mod./Full/Monte Carlo Stock | RK-W | 3219 | 765 00 |
| 30" Full/Full | ~ RK-W | 3215 | 765 00 |
| 30" Imp. Mod./Full | RK-W | 3217 | 765 00 |
| 30" Full/Full/Monte Carlo Stock | RK-W | 3221 | 765 00 |
| 30" Imp. Mod./Full/Monte Carlo Stock | RK-W | 3223 | 765 00 |
| Remington 3200 Competition Skeet | | | |
| 28" Skeet/Skeet | Satın | 3237 | 835 00 |
| 26" Skeet/Skeet | Satin | 3239 | 835.00 |
| 28" Skeet/Skeet | RK-W | 3247 | 835.00 |
| 26" Skeet/Skeet | RK-W | 3249 | 835.00 |
| Remington 3200 Competition Trap | | | |
| 32" Imp. Mod./Full | RK-W | 3271 | 865 00 |
| 30" Fulf/Full | RK-W | 3273 | 865 00 |
| 30" Imp. Mod./Full | RK-W | 3275 | 865 00 |
| 32" Imp. Mod./Full/Monte Carlo Stock | RK-W | 3577 | 865 00 |
| 30" Full/Full/Monte Carlo Stock | RK-W | 3279 | 865 00 |
| 30" Imp. Mod./Full/Monte Carlo Stock | RK-W | 3281 | 865.00 |
| 32" lmp. Mod./Full | Satin | 3 .2 83 | 865 00 |
| 30° Full/Full | Satm | 3285 | 865 00 |
| 30" Imp. Mod./Fulf | Satin | 3287 | 865 00 |
| 32" Imp. Mod./Full/Monte Carlo Stock | Satm | 3,789 | 865 00 |
| 30" Full/Full/Monte Carlo Stock | Satur | 3291 | 865 00 |
| 30" Imp. Mod./Full/Monte Carlo Stock | Satin | 3293 | 865.00 |





calibers...it is America's best selling bolt action center fire rifle. In big game hunting, dependable performance is of primary importance. The 700's antibind bolt and stainless steel magazine follower assure smooth operation without bind or drag. The action is one of the strongest ever designed. Bolt face, barrel and re-

ceiver surround the cartridge head



MODEL 700 CENTER FIRE BOLT ACTION RIFLES

Model 700 ADL Deluxe
Superlative features
include a jeweled antibind
bott, shrouded bolt cover,
low-profile positive thumbtype safety, skip-line
checkering, Monte Carlo
stock with cheekpiece,
checkered bolt knob,
detachable sights and a

receiver drilled and tapped for scope mounts.

Model 700 BDL Custom Deluxe


Incorporates all of the features found in the ADL, plus distinctive deep cut, functional checkering 20 lines per inch, which extends around the fore-end. BDL version also has a hinged floor plate, hooded front sight, sling strap and quick release swivels,

white line spacers, black fore-end tip.


Model 700 BDL "Varmint Special."
New in 1976 is the popular 308 Win. Also chambered for 22-250 Rem., 222 Rem., 223 Rem., 6mm Rem., 25-06 Rem, and 243 Win. calibers. All the features of the BDL, but heavy barreled to provide extreme accuracy at all ranges. Equipped with scope bases (no sights).

Model 700 BDL, Left Hand. Mirror image of the Model 700. Cheekpiece is on the right side; safety, bolt and ejection are on the left side

| Calibers | Cap. | Twist F 1 Turn |
|-----------------------|----------|-------------------|
| 17 Rem | 6 | 9. |
| 22-250 Rem | 5 | 14 |
| 222 Rem | 6 | 14 |
| 223 Rem | b | 1.2 |
| 25-06 Rem | 5 | 10 |
| 6mm Rem | 5 | 9" |
| 243 Win | 5 | 9. |
| 270 Witt | 5 | 10" |
| 30 06 | 5 | 10" |
| 308 Win | 5 | <i>"</i> |
| (Zmm Rem Mag | 4 | 4 |
| 1264 Win Mag | 4 ~ | |
| 1300 Win Mag | 4 | 10 |
| 1375 H&H Maq | - 4 | 12" |
| (45a Win Mag | 4 | 14 |
| Simo Strap & Ourcl | k Beleas | e |
| Swivels dustalled | | |
| (Record just un hated | • 5, | alan Sco |



odel 700 ADL Deluxe



edel 700 BDL Custom Deluxe




→ 1 700 BDL "Varmint Special"

MODEL 700 SPECIFICATIONS

STOCK: American walnut BDL and "Varmint Special" models have cut checkering 20 lines to the inch that extends around entire fore-end. Safari and C Custom models are hand-checkered. ADL has skip-line checkering Solid rubber presentation-type recoil pads on Magnum models. BDL and "Varmint Special" models include sling strap and quick release swivels installed, black fore-end tip and white line spacers. STANDARD STOCK DIMENSIONS: 13% length of pull, 2%" drop at heel, 1%" drop at comb (measured from open sight line). "Varmint Special" stock: 13% length of pull, 1%" drop at heel, %" drop at comb (measured from center line of bore). RECENTE: One-piece ordnance steel with antibind bolt. Drilled and tapped for scope mounts and receiver sights. Fixed magazine with stainless steel magazine follower. BDL. "Varmint Special". and Safari grade have hinged floor plate, SIGHTS: Ramp front sight with flat-faced gold bead. BDL and Safari grade front sights are hooded. Rear sight has sliding ramp for precise elevation adjustment, also adjustable for windage. Both sights are removable for scope block mounting without drilling or tapping. "Varmint Special" is furnished without sights, but with front and rear 40-XB type scope bases installed SAFETY: Fast positive thumb type. Left hand models have left hand safety, bolt, and ejection.


MODEL 700 C CUSTOM—Manufactured to customer specifications. Left hand C Custom models available in 25-06 Rem., 270 Win., 30-06, 7mm. Rem. Mag., 264 Win Mag, and 300 Win. Mag. Choice of 20°, 22°, or 24° barrel in high proof ordnance steel only. With or without hinged floor plate. With hunting sights or plain barrel. Sling strap and quick release swivels installed. Length of pull from 13% to 14" without recoil pad. Extra charge for recoil pad (on all except Magnum models), oil-finished stock, left hand cheekpiece. Orders non-cancellable. Allow at least six months for delivery of these custom guns.



| i ength | Overa | ii Lengih | Wei | pht lbs. | 700 AUL | | 700 BDL | | 700 BDL L.H. | | Varmii Special | | 700 C Custom | |
|---------------------|--------|----------------------|------|----------------------|---------------|---------------------|---------------|---------------------|--------------------|---------------------|-------------------|---------------------|-----------------|-------------------|
| Varmint Special" | Reg. | "Varmint Special" | Reg. | "Varmint Special" | Order Nos. | Sugg. Rtl. Price | Order Nos. | Sugg. Rtl. Price | Order Nos. | Sugg. Rtf. Price | Order Nos. | Sugg. Rtl. Price | Order Nos. | Sugg. Ru Price |
| | 431.7 | | 7 | | | | 5800 | \$259.95 | | | | | | |
| 34" | 43 ." | 43 - /" | 7 | 9 | 5762 | \$214.95 | 5782 | 244.95 | | | 5822 | \$259.95 | Special | \$500.00 |
| 24" | 431/:" | 431/2" | 7 | 9 | 5760 | 214.95 | 5780 | 244.95 | | | 5820 | 259.95 | Special | 500.00 |
| 24 | | 43 . " | | 9 | | | | | | | 5824 | 259.95 | Special | 500.00 |
| 24" | 441/7 | 44 1/2" | 7 | 9 | 5768 | 214.95 | 5788 | 244.95 | | | 5830 | 259.95 | Special | 500.00 |
| 24" | 4115" | 43'," | 7 | · 9 | 5764 | 214.95 | 5784 | 244.95 | | | 5826 | 259.95 | Special | 500.00 |
| 24" | 41%" | 43 17 | 7 | 9 | 5766 | 214.95 | 5786 | 244.95 | | | 5828 | 259.95 | Special | 500.00 |
| | 42 | | 7 | | 5770 | 214.95 | 5790 | 244.95 | 5810 | \$249.95 | | | Special | 500.00 |
| | 42 | | 7 | | 5772 | 214.95 | 5792 | 244.95 | 5812 | 249.95 | | | Special | 500.00 |
| 24" | 41 / | 431/2" | 7 | 9 | 5774 | 214.95 | 5794 | 244.95 | | | 5832 | 259.95 | Special | 500.00 |
| | 441/2" | | 71% | | 5776 | 229.95 | 5802 | 259.95 | 5814 | 264.95 | | | Special | 515.00 |
| | 44% | | 712 | | | | 5804 | 259.95 | | | | | Special | 515 00 |
| | 44 . " | | 7% | | | | 5806 | 259.95 | | | | | Special | 515.00 |
| | 44 " | | 9 | | | | •5836 | 435.00 | | | | | | |
| | 44 | | 9 | | | | 5838 | 435.00 | | | | | • | |
| | | | | | 6382 | 10.50 | | | | | | | | |

available in all calibers on Special order. Peerless D Grade Suggested Retail Price \$800.00. Premier F Grade Suggested No. 3





Model 742.

The Model 742 "Woods-master" standard version is available in five popular hunting calibers. Sights are removable. Receiver drilled and tapped for scope mounting.

Model 742 Carbine.

All of the features of the standard 742 in this shorter version. An 18½-inch barrel and shorter overall length make for the

fast handling qualities needed in dense brush or rough country hunting. In 30-06 and 308 Win. calibers.

Model 742 BDL Custom Deluxe.

Deluxe basketweave checkering and Monte Carlo stock with full cheekpiece. Available in a left hand version with cheekpiece on the right side of the stock and left hand safety. In 30-06 and 308 Win. calibers.

MODEL 742 SPECIFICATIONS

STOCK & FORE-END: American walnut. STANDARO STOCK DIMENSIONS: 13% length of pull, 2½ drop at heel. 1½ drop at comb. BDL Monte Carlo stock: 13½ length of pull, 2½ drop at heel. 1½ drop at comb. 1½ drop at Monte Carlo RECEIVER: Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine plus one in chamber. SIGHTS: Ramp front sight with tlat-faced gold bead. Rear sight has sliding ramp for precise elevation adjustment, also adjustable for windage. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive cross-bolt type, BDL models with left hand cheekpiece have left hand safety, right side ejection. WEIGHT: Approx. 7 lbs. Carbine weighs approx. 6¼ lbs.

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overali Length | | Suggested Retail Price |
|-------------------------|------------------------|------------------|-------------------|-----------|---------------------------|
| Model 742 | | | | ** | |
| 6mm Rem. | 9″ | 22" | 42" | 9632 | \$ 239.95 |
| 280 Rem. | 9" | 22" | 42" | 9634 | 239.95 |
| 30-06 | 10" | 22" | 42" | 9636 | 239.95 |
| 308 Win. | 10" | 22" | 42" | 9638 | 239.95 |
| 243 Win. | 9" | 22" | 42" | 9648 | 239 95 |
| Model 742 Carbine (No | t available in | BDL Grades) | | | |
| 30-06 | 10" | 181-7 | 38 " | 9670 | 239 95 |
| 308 Win. | 10" | 18'-" | 38 " | 9672 | 239 95 |
| Model 742 BDL Deluxe | | | | | |
| 30-06 | 10" | 22" | 42" | 9666 | 259 95 |
| 30-06 Left Hand | 10" | 22" | 42" | 9668 | 259 95 |
| 308 Win. | 10" | 22" | 42" | 9640 | 259 95 |
| 308 Win. Left Hand | 10" | 22" | 4.2" | 9644 | 259 95 |
| Model 742 D Peerless (| Grade | | | Special | 1000 00 |
| Model 742 F Premier G | rade | | | Special | 2000 00 |
| Model 742 F Premier G | rade with Gold | Inlay | | Special | 3000 00 |
| Model 742 Bicentennial | Model | | | | |
| 30-06 | 10" | 22" | 4 2" | 7612 | 244 95 |
| Accessories for Model 7 | 42 | | | | |
| Sling Strap & Quick F | Release Swivel | s (Installed) | | 6094 | 10.50 |
| Extra 4-Shot Clip | | | Specif | y Caliber | 6 00 |
| | | | | | |

MODEL 760 "GAMEMASTER" CENTER FIRE PUMP ACTION RIFLES

The smooth, dependable pump action of the 760 "Gamemaster" allows you to keep the rifle in a natural shooting position while operating the action. Styled for fast handling, the 760 operates more surely and naturally than a lever action.

The strength of the "Gamemaster" action comes from the solid steel receiver and an artillery-style bolt with multiple locking lugs. The smoothness is the result of twin action bars which eliminate twisting or binding. The fixed trigger assembly

means that your finger never leaves the trigger as you work the pump action. No awkward motions, no pinched fingers.

Receivers and internal parts are vibra-honed to a mirror smooth, highly blued finish... burr-free to assure smooth operation. The Du Pont RK-W wood finish brings out wood quality and provides long-lasting protection against scratches and weather.

Model 760.

The only pump action rifle available in 30-06. Also in 6mm Rem., 243 Win., 270 Win. and 308 Win. calibers.

Model 760 Carbine. A good rifle for brush country. Has an 18½-inch barrel and the features of the standard Model 760. In 30-06 and 308 Win.calibers. Model 760 BDL Custom Deluxe.


Special basketweave checkering and Monte Carlo stock with full cheekpiece, plus all of the per-


formance features of the standard 760. Chambered for 270 Win., 30-06 and 308 Win. calibers. In right and left hand versions.

MODEL 760 SPECIFICATIONS

STOCK & FORE-END: American walnut. STANDARD STOCK DIMENSIONS: 13157 length of pull, 2167 drop at heel, 1167 drop at comb. Monte Carlo stock. 131767 length of pull, 2167 drop at heel, 1167 drop at comb. 1167 drop at Monte Carlo stock. 131767 drop at Development of pull, 2167 drop at monte Carlo stock. 131767 drop at Monte Carlo RECERVER: Drilled and tappied for scope mounts. Removable clip magazine plus one in chamber. SIGHTS: Ramp front sight with flat-faced gold bead. Rear sight has sliding ramp for precise elevation adjustment; also adjustable for windage. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive cross-bolt type. BDL models with left hand cheekpiece have left hand safety, right side ejection. WEIGHT: Approx 716 lbs. Carbine weighs approx. 716 lbs.

| Calibers | Twist-R H 1 Turn in | Barrel Length | Overall Length | | Suggested Retail Price |
|------------------------|------------------------|------------------|-------------------|-----------|---------------------------|
| Model 760 | | | | | |
| 6mm Rem. | 9" | 22" | 42" | 5900 | \$ 209.95 |
| 270 Win. | 10" | 22" | 42" | 9726 | 209.95 |
| 30-06 | 10" | 22″ | 42" | 9730 | 209 95 |
| 308 Win. | 10" | 55 | 42" | 9732 | 209 95 |
| 243 Win. | 9" | 22" | 42" | 9678 | 209 95 |
| Model 760 Carbine (No | l available in | BDL Grades) | | | |
| 30-06 | 10" | 18'-" | 38' -" | 9698 | 209.95 |
| 308 Win. | 10" | 1815" | 38' ." | 9714 | 209.95 |
| Model 760 BOL Custom | Deluxe | | | | |
| 270 Win. | 10" | 22" | 42" | 9708 | 229.95 |
| 270 Win. Left Hand | 10" | 22" | 42" | 9712 | 229.95 |
| 30-06 | 10" | - 22" | 42" | 9692 | 229.95 |
| 30-06 Left Hand | 10" | 22" | 42" | 9694 | 229.95 |
| 308 Win. | 10" | 22" | 42" | 9706 | 229.95 |
| 308 Win. Left Hand | 10" | 22" | 42" | 9710 | 229.95 |
| Model 760 D Peerless (| irade | | | Special | 1000.00 |
| Model 760 F Premier G | rade | | | Special | 2000.00 |
| Model 760 F Premier G | rade with Gold | Inlay | | Special | 3000.00 |
| Model 760 Bicentennial | Model | | | | |
| 30-06 | 10" | 22" | 42" | 7614 | 214 95 |
| Accessories for Model | 760 | | | | |
| Sling Strap & Quick I | elease Swive | ls (Installed) | | 6096 | 10 50 |
| Extra 4-Shot Clip | | | Specif | y Caliber | 5.25 |





MODEL 788 CENTER FIRE BOLT ACTION RIFLES

The Model 788 center fire, bolt action rifle is priced to put a top-performance biggame rifle within the range of any hunter's wallet. The

high quality and superb accuracy built into the Model 788 make it an excellent value.

An incredibly fast lock time is one reason for the accuracy. In tests against ten competitive rifles, the bullet left the barrel of the 788 before it had left the cartridge case of the others. Nine locking lugs on the

bolt lock into matching grooves in the receiver, for a supertight fit.


The Model 788 is equipped with Monte Carlo stock, serrated thumb-type safety and detachable clip magazine, blade front sight and fully adjustable Unotch rear sight. Receiver drilled and tapped for scope mounts. Left hand versions

available in 6mm Rem or 308 Win. Right hand 788s are offered with four-power scopes, available in all six calibers in which the Model 788 is made—a great combination for the value conscious hunter... "right out of the box."

MODEL 788 SPECIFICATIONS

STOCK: Walnut finished hardwood, Monte Carlo, STANDARD STOCK DIMENSIONS: 13%" length of pull, 25%" drop at heel, 11%" drop at comb (measured from open sight line). REGIVER: Drilled and tapped for scope mounts and receiver sight, Detachable clip magazine. SIGHTS: Blade front sight on ramp is detachable. D-notch rear sight lock-screw adjustable for windage and elevation. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive fast-action thumb type. Left hand models with left hand bolt and safety, right side ejection. WEIGHT: Approx. 7½ lbs. For 222 Rem., 223 Rem., and 22-250 Rem.: lbs. SCOPE: 4-power model with mount and rings.

| Calibers | Clip Mag. Cap. | Twist-R H 1 Turn in | 861. Lgth. | Ovrl. Lgth. | Av. Wt. Lbs. | Order Nos. | Suggested Retail Price |
|----------------------|-------------------|------------------------|---------------|----------------|-----------------|---------------|---------------------------|
| Model 788 | | | | | | | |
| 222 Rem | 4 | 14" | 24" | 43'%" | 71/2 | 9722 | \$144.95 |
| 22 250 Rem | 3 | 14" | 24" | 43"" | 7% | 9736 | 144.95 |
| 223 Rem | 4 | 12" | 24" | 43%" | 71/2 | 9734 | 144.95 |
| timm Rem | 3 | 9" | 22" | 42" | 71/4 | 9784 | 144.95 |
| 6mm Rem Left Hand | 3 | 9" | 22" | 42" | 71/4 | 9786 | 149.95 |
| 113 Win | 3 | 9" | 22" | 42" | 71/4 | 9782 | 144.95 |
| 108 Win | 3 | 10" | 22" | 42" | 71/4 | 9780 | 144.95 |
| 308 Win Left Hand | 3 | 10" | 22" | 42" | 7.1/4 | 9788 | 149.95 |
| 222 Rem with | h 4X Scope | | | | | 9790 | 169.95 |
| 22 250 Rem | with 4X Sco | ре | | | | 9778 | 169.95 |
| .23 Rem. wit | h 4X Scope | | | | | 9798 | 169.95 |
| omm Rem w | iin 4X Scor | oe . | | | | 9772 | 169.95 |
| 243 Win. with | 1 4X Scope | | | | | 9774 | 169.95 |
| 398 Win. with | 1 4X Scope | | | | | 9776 | 169.95 |
| Accessories to | r Model 788 | ! | | | | | |
| Sing Strap 8 | Quick Rele | ease Swivel | s (Insta | lled) | | 6426 | 6.25 |
| Extra Clip | | | | | Specify (| aliber | 5.25 |



MODEL "XP-100" LONG RANGE PISTOL

A unique single-shot, center fire, bolt action pistol available in the 221 Remington "Fire Ball" caliber. Designed to reduce whip, jump and recoil. Extremely accurate.

One-piece stock of DuPont "Zytel" nylon. Universal grip fits left or right handed shooters. Internal fore-end cavities for addition of weights. Match-type grooved trigger. Ventilated rib. Rifle-type rear sight and ramped blade front sight. Two-position thumb safety. Receiver drilled and tapped for scope mounts. 10½-inch barrel. 16¾-inch overall length. Weighs 3¾ lbs. Furnished with zippered carrying case. Rem Order No. 5470 Suggested Retail Price \$169.95

BARBER - PRESALE R 0124465


The "Nylon 66" is another perfect example of Remington reliability "right out of the box." Amazing performance records have established the superiority of this 22. It was used to set the world record for / / / and-thrown 2¾-inch wouden blocks—100,004 hits out of 100,010 shots without a malfunction. In verified testing by Remington engineers, a single "Nylon 66" fired 75,000 rounds, also without any malfunctions.

All "Nylon 66" rifles have a tubular magazine which feeds through the buttstock for easy loading.

This is the 22 for experienced shooters and beginners alike. While perfect for plinking or training purposes, "Nylon 66" rifles are designed to meet the highest







racy and endurance.

Choose from two modelsthe "Nylon 66" MB, in Mohawk Brown with blued barrel and receiver, or the AB, in Apache Black with all-weather chrome-plated barrel and receiver. Both have stocks and fore-ends made of extremely durable, supertough Du Pont "Zytel" structural nylon.



"Nylon 66" Bicentennial Commemorative Edition. A special edition of the "Nylon 66"

MB will be produced during 1976 to honor the 200th anniversary of our great nation.

The receiver is specially marked with an eagle and shield, flanked with scrollwork and underlined with the date 1776-1976. This special mark is gilded to enhance its appearance.

You will be proud to have this "Nylon 66" in your collection, or to use it in the field and on the range.

"Nylon 66" MB Rifle.

The "Nylon 66" automatic action never needs lubrication. Metal parts glide smoothly on greaseless nylon bearing surfaces. The exceptional accuracy of this rifle originates from the bedding of its Remington proof steel barrel, and is based on the same principle used in the most expensive target rifles. Tubular magazine feeds through buttstock and has a capacity of 14 long rifle cartridges. Lightweight 22 fun at a mere four pounds.

"Nvlon 66" AB.

Same features as the MB. but with all-weather chrome-plated barrel and receiver, and jet black "Zytel" nylon stock.


"Nylon 66" MB with 4X Scope

in Mohawk Brown, Supplied with four-power scope and mount. This extra-value combination gives you a durable, accurate shooting system.

"NYLON 66" RIFLE SPECIFICATIONS

ACTION: Automatic. CALIBER: 22 Long Rifle rim fire. CAPACITY: Tubular magazine thru buttstock. Holds 14 Long Rifle cartridges. BARREL: 19°%, precision rifled, ordnance steel. STOCK: One piece Du Pont "ZYTEL" nylon. checkered grip and fore-end with white diamond inlays, white line spacers on butt plate, grip cap, and fore-end. Black fore-end tip. COLORS: Mohawk Brown with blued barrel and receiver. Apache Black with chrome-plated barrel and receiver cover SIGHTS. Adjustable rear sight, blade frost company sight line for user sights and SIGHTS: Adjustable rear sight, blade front, common sight line for iron sights and scope. SAFETY: Top-of-grip, positive. RECEIVER: Grooved for tip-off scope mounts. Double extractors. OVERALL LENGTH: 38½". WEIGHT: 4 lbs. SCOPE: 4-power model.

| "Nylon 66" Riffe | Order Nos. | Suggested Retail Price |
|--|------------|---------------------------|
| "Nylon 66" MB Mohawk Brown Automatic Rifle | 5500 | \$79.95 |
| "Nylon 66" AB Apache Black Automatic Rifle | 5486 | 84.95 |
| "Nylon 66" GS Gallery Special (22 Shorts Only) | 5512 | 89.95 |
| "Nylon 66" MB Mohawk Brown w/4X Scope | 5498 | 84.95 |
| Sling Strap & Swivels (Installed) "Nylon 66" Bicentennial Rilles | 6118 | 6.25 |
| "Nylon 66" MB Mehawk Brown Bicentennial | 7616 | 84 95 |
| "Nylon 66" MB Mohawk Brown Bicentennial w/4X Scope | 7618 | 89.95 |



Model 552A

Model 552 BDL Deluxe

MODEL 552 SPECIFICATIONS

Model 552A. Tubular magazine holds 20 short, 17 long or 15 long rifle cartridges; rifle has 23-inch barrel; also available in carbine version with 21-inch barrel.

Model 552 BDL Deluxe. Custom-impressed checkering on stock and foreend; protective Du Pont RK-W wood finish. Gallery Special model for 22

shorts only.

RIM FIRE RI

ACTION: Automatic. CALIBER: 22 Short, Long, and Long Rifle run fire. CAPACITY-Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. BARREL 13 Carbine 21*, precision rifled, ordinance steel. STOCK: American walnut. BDL: has Du Pont RK-W limsh and tine-line custom checkering. SIGHTS: Adjustable rean sight, bead front. BDL: Blade ramp front sight, sliding ramp rear sight. SAFETY: Positive cross-bolt type. RECEIVER: Grooved for tip-off scope mounts. OVERALL LENGTH: 42*, 40* (Carbine). WEIGHT: 51-1bs.

scope mounts and shielded actions.

| Model 552 | Order Nos. | Retail Price |
|---|------------|--------------|
| 552 A Automatic | 5608 | \$ 94 95 |
| 552 C Carbine | 5612 | 94 95 |
| 552 BOL Deluxe | 9830 | 104 95 |
| 552 GS Gallery Special (22 Shorts Only) | 5610 | 106 95 |
| Sling Strap and Swivels (Installed) | 6430 | 8 75 |



MODEL 572 SPECIFICATIONS

LENGTH: 42", WEIGHT: 5% lbs

Model 572

572 BOL Deluxe

572 SB Smooth Bore

Sling Strap and Swivels (Installed)

572 A

ACTION: Pump repeater. CALIBER: 22 Short, Long, and Long Rifle run fire. CAPAC-

ITY: Tubular magazine holds 20 Short, 17 Long, 14 Long Rifle cartridges BARREL: 24", precision rifled, ordnance steel. STOCK: American walnut. BDL has DuPont RK-W finish and fine-line custom checkering. SIGHTS: Adjustable rear

sight, bead front, BDL: Blade ramp front sight, sliding ramp rear sight. SAFETY: Positive cross-bolt type, RECEIVER: Grooved for tip-off scope mounts. OVERALL

Model 572 "Fieldmaster"

Ribbed fore-end, plain stock,

Custom checkering, Du Pont

RK-W wood finish and big-

bead front and adjustable

Model 572 BDL Deluxe

game type sights.

rifles are offered in two

versions:
Model 572A

rear sights.

Suggested

\$ 99 95

109.95 109.95

Order Nos. Retail Price

5626

9832

5628



MODEL 541-S "CUSTOM" SPORTER BOLT ACTION 22 RIM FIRE RIFLE

An outstanding example of Remington gunmaking craftsmanship and value. Check these features: Classic American walnut stock; thin pistol grip; fineline cut checkering; matching rosewood-colored fore-end tip, grip cap and checkered butt plate; Du Pont RK-W wood finish. Decorative scroll-

work engraving on specially blued receiver and bowed trigger guard. Adjustable match type trigger; low-profile safety; artillery-style bolt with six locking lugs; double extractors. Receiver and barrel drilled and tapped for scope mounts or open sights; receiver grooved for tip-off scopes.

MODEL 580, 581 & 582 BOLT ACTION RIM FIRE RIFLES

The popular choice for the 22 rim fire shooter who prefers a bolt action. Practical and economical, these rifles have strong, safe, dependable actions. Extra-fast lock time increases accuracy. Full-size Monte Carlo stocks, 24inch precision rifled steel barrels. Model 580 (Single Shot): Handles short, long or long rifle cartridges. Also available in smooth-bore version. Boy's Rifle has oneinch shorter stock.

Model 581 (Clip Repeater): Shoots shorts, longs or long rifles. Five-shot removable clip magazine. Extra five and ten shot clip magazines available. Optional left hand version.

Model 582 (Tubular Repeater): Holds 20 short, 15 long or 14 long rifle cartridges.

MODEL 541-S SPECIFICATIONS

ACTION: Bolt, clip magazine repeater. CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: 6-shot with 5-shot clip (10-shot clip available as accessory), checkered clip release. BARREL: 24", tapered, deep rich blueing, ordnance steel, drilled and tapped for front and rear sights. Countersunk at muzzle. STOCK: American walnut, Monte Carlo. Du Pont RK-W wood finish, fine-line cut checkering at pistol grip and fore-end. Checkered rosewood finished butt plate and grip cap, rosewood linished fore-end tip. White line spacers at butt plate, grip cap, and fore-end tip. SIGHTS: None supplied, barrel and receiver drilled and tapped for scope mounts or receiver sights: receiver grooved for scope mounts. SAFETY: Positive. serrated thumb type, safety indicator markings, forward for fire, rearward for sate. BOLT: Artillery style rear lock-up, six locking lugs, double extractors, highly polished. RECEIVER: Round, ordnance steel; grooved, drilled and tapped for scope mounts or receiver sights. Deep rich blueing, engraved in scroll pattern. TRIBGER: Aduptable match type, steel trigger guard engraved. OVER-ALL LENGTH: 42%". WEIGHT: 57: lbs.

| Model 541-S "Custom" Sporter | Order Nos. | Suggested Retail Price |
|---|------------|---------------------------|
| 22 Cal. Bolt Action Clip Repeater | 9800 | \$169.95 |
| Extra 5-Shot Clip | 4914 | 3.25 |
| Extra 10-Shot Clip | 9828 | 4.00 |
| Sling Strap & Quick Release Swivels (Installed) | 6382 | 10.50 |

MODELS 580, 581 & 582 SPECIFICATIONS

ACTION: All bolt action. M/580 single shot, M/581 clip repeater. M/582 tubular repeater. CALIBER: 22 Short, Long, and Long Rille rim fire. CAPACITY: M/580 single shot, M/581 6-shot, M/582 20 Short, 15 Long, 14 Long Rifle cartridges. BARREL: 24*, ordnance steel, precision rifled, crowned at muzzle. STOCK: Walnut finished hardwood with Monte Carlo, full size, black butt plate. Single screw take-down. M/580 Boys' Rifle stock: 1" shorter. SIGHTS: Front: bead. dovetail adjustable. Rear: U-notch type, lock-screw adjustable. SAFETY: Positive, serrated thumb type, forward for fire, rearward for safe. BOLT: Artillery style, lock-up at rear. 6 locking lugs, double extractors. Left hand Model 581 with left hand bolt and safety. right side ejection. RECEIVER: Round, ordnance steel, grooved for scope mounts. OVER-ALL LENGTH: 42½", 580 Boys' Rifle, 41½". WEIGHT: M/580—4½ lbs., M/581—4½ lbs., M/581—

| Boit Action 22 Caliber Rifles | Order Nos. | Suggested Retail Price |
|---|------------|---------------------------|
| Model 580 Single Shot | 9852 | \$64.95 |
| Model 580 SB Single Shot, Smooth Bore | 9864 | 69.95 |
| Model 580 BR Boys' Rifle | 5570 | 64.95 |
| Model 581 Clip Repeater | 9854 | 74 95 |
| Model 581 Clip Repeater Left Hand | 9838 | 79 95 |
| Model 582 Tubular Repeater | 9856 | 84 95 |
| Models 580, 581 Sling Strap & Swivels (Installed) | 6426 | 6.25 |
| Model 582 Sling Strap & Swivels (Installed) | 6458 | 6 25 |
| Model 581—Extra 5-Shot Clip | 4914 | 3.25 |
| Model 581Extra 10-Shot Clip | 9828 | 4 00 |

REMINGTON RIM FIRE TARGET RIFLES

Model 540-XR and 540-XRJR Rim Fire Position Rifles. The single-shot match rifle for intermediate and junior shooters. Specially designed stock with deep fore-end and five-way adjustable butt plate improve shooter efficiency in all positions. Pistol-grip design eliminates wrist twisting and assures straight-back trigger pull. Junior model 540-XRJR has the same features with 13/2-inch shorter stock

Model 40-XR Rim Fire Position Rifle.

For the serious competitor who wants the finest in a rim fire position rifle. Two-way vertically adjustable butt plate. Exclusive loading platform provides straight-line feeding with no shaved bullets. Meets International Shooting Union requirements for standard rifle.

Model 40-XB "Rangemaster" Center Fire Rifle.

Favorite of shooters for its unsurpassed accuracy. Single shot in standard or heavy barrel versions; repeater in heavy barrel only.

RIM FIRE TARGET RIFLE SPECIFICATIONS

MOBEL 540-XR & 540-XRJR (RIM FIRE) POSITION RIFLES: ACTION: Bolt, single shot. CALIBER: 22 Long Rifle rim fire only. CAPACITY: Single loading. RECEIVER: Drilled and tapped for receiver sight. BOLT: Artillery style with lock-up at rear. 6 locking lugs, double extractors. TRIGGER: Adjustable from 1 to 5 lbs. SAFETY: Positive, servated thumb type, forward for fire, rearward for safe. SIGHTS: Optional accessory at extra charge. Redfield #63 Globe front sight with 7 inserts. Redfield #75 rear sight with ½ minute clicks. BARREL: 26" medium weight target barrel countersunk at muzzle. Drilled and tapped for target scope blocks. Fitted with front sight base. STOCK: Position style with Monte Carlo, cheekpiece, and thumb groove, 5-way adjustable butt plate and full-length guide rail (front swivel block, sling, and sling swivel optional at extra charge). Common sight alignment with scope or iron sights. LENGTH &P PULL: 540-XR: Adjustable from 12%" to 16". 540-XRJR: Adjustable from 41%" to 45". AVERAGE WEIGHT: 8 lbs. 13 oz. without sights. Add approximately 9 oz. for sights.

MODEL 40-XR (RIM FIRE) POSITION RIFLE: ACTION: Bolt, single shot. CALIBER: 22 Long Rifle rim fire only. CAPACITY: Single loading. RECEIVER: Drilled and tapped for receiver sight or target scope blocks. Target scope blocks installed. BOLT: Heavy, oversized locking lugs and double extractors. TRIGGER: Adjustable from 2 to 4 lbs. SAFETY: Positive thumb type. SIGMTS: Optional accessory at extra charge. Redfield Olympic front and rear with 10 inserts. BARREL: 24" heavy barrel. STOCK: Position style with front swivel block on fore-end guide rail. Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plate. LENGTH OF PULL: 13". OVERALL LENGTH: 42". AVERAGE WEIGHT: 10 lbs. 2 oz. without sights. Add approximately 12 oz. tor sights.

| Order Nos. | Suggested Retail Price |
|------------|--|
| 9802 | \$154.95 |
| 9804 | 154.95 |
| 6552 | 34.50 |
| 6420 | 8.00 |
| | |
| 5668 | 275.00 |
| 6554 | 55.25 |
| Special | 500.00 |
| | 9802 9804 6552 6420 5668 6554 |

REMINGTON Center fire TARGET RIFLES

Model 40-XBBR Bench Rest Center Fire Rifle. Wide, squared fore-end for stability. Available with 20inch or 26-inch stainless steel barrel to meet I.B.S. and N.B.R.S.A. 10½-lb. and 13½-lb. class specifications.

Model 40-XC National Match Course Center Fire Rifle. Chambered for 308 Win. (7.62mm NATO) cartridge only. For use in National Match Course competition Improved position-style stock

CENTER FIRE TARGET RIFLE SPECIFICATIONS

CENTER FIRE TARGET RIFLE SPECIFICATIONS
M00EL 40-XB "RANGEMASTER" (CENTER FIRE): ACTION: Bolt Single shot in standard or heavy barrel versions. Repeater in heavy barrel only. CALIBERS: Single shot—222 Rem., 222 Rem., Mag., 223 Rem., 22-250 Rem., 6mm x 47 (6mm 222 Mag.), 6mm Rem., 243 Win., 25-06 Rem., 7mm Rem. Mag., 7 62mm NATO (308 Win.), 30-06, 30-338 (30-7mm Mag.), 300 Win Mag. Repeating [Heavy Barrel Version Only]—222 Rem., 222 Rem., Mag., 223 Rem., 22 250 Rem., 6mm x 47 (6mm 222 Mag.), 6mm Rem., 243 Win., 7.62mm NATO (308 Win.) CAPACITY: Single loading and clip repeater (magazine loads from top of receiver). RECEIVER: Drilled and tapped for scope block and receiver sights. Target scope blocks installed Receiver bedded to stock. TRIGGER: Match type. Adjustable from 2 to 4 lbs. Weight of pull can be changed externally. Special 2 oz. trigger available on single shot models only at extra charge. SIGHTS: None supplied Target scope blocks installed BARREL: 27'/" length. Unblued stainless steel only free floating. Drilled and tapped for scope block and front target non sight. Muzzle drameter \$2 Approx. //" STOCK: American walnut. Non-slip rubber target type butt pad Adjustable combination hand stop and sling swivel. Front swivel block on force end guide rail. LENGTH OF PULL: 13'/" OVERALL LENGTH: Approx. 47" AVERAGE WEIGHT: \$2: 9'4 lbs. H2: 11'4 lbs.

Model 40-X8 "Rangemaster"—Center Fire

| WEIGHT, OZ. 9 4 105. 112. 11 4 105. | _ | |
|--|------------|---------------------------|
| Model 40-XB "Rangemaster"—Center Fire (Allow 18 weeks or more for delivery) | Order Nos. | Suggested Retail Price |
| CF-S2 Std. Stainless Steel Barrel | Special | \$395.00 |
| CF-H2 Heavy Stainless Steel Barrel | Special | 395.00 |
| Extra for Repeating Center Fire Models with Heavy Barrel | Special | 25.00 |
| Extra for 2 oz. Trigger (Single Shot Models Only) | Special | 45.00 |

MODEL 40-XBBR BENCH REST ICENTER FIRE: ACTION: Bolt. single shot. CALIBERS: 222 Rem., 222 Rem. Mag., 223 Rem., 6mm x 47 (6mm. 222 Mag.), 7.62mm NATO (308 Win.), TRIGGER: Adjustable from 1½ to 3½ lbs. Special 2 oz. trigger available at extra charge. BARREL: Unblued stainless steel only. 20" length for Light Varmint Class. 26" length for Heavy Varmint Class. STOCK: Selected American walnut. LENGTH OF PULL: 12". OVERALL LENGTH: 38" with 20" barrel. 44" with 26" barrel. AVERAGE WEIGHT: 9½ lbs. with 20" barrel. 12 lbs. with 26" barrel.

| | Order No. | Sugg. Retail Price |
|---|-----------|--------------------|
| Model 40-XBBR Bench Rest Single Shot. Stainless Steel Barre | l Special | \$425.00 |
| Extra for 2 oz. Trigger | Special | 45.00 |

MODEL 40-XC NATIONAL MATCH COURSE (CENTER FIRE) RIFLE: ACTION: Bolt, repeating, CALIBER: 308 Win. (7.62 NATO). CAPACITY: 5-shot magazine loads from top of receiver. Clip slot in receiver. SAFETY: Positive, thumb-operated RECEIVER: Drilled and tapped for metallic sights. Scope mount bases installed BARREL LENGTH: 24" stanless steel. OVERALL LENGTH: 42". LENGTH OF PULL: 13" (Trigger adjustable 2 to 4 lbs.). \$70CK: Thumb groove, adjustable combination hand stop and sting swivel. 2-way vertically adjustable butt plate. WEIGHT: 11 lbs. with out sights.

| Model 40-XC National Match | CourseCenter Fire | Order No. | Retail Price |
|----------------------------|-------------------|-----------|--------------|
| 40-XC National Match | | 6003 | \$450 00 |

Sugnested



infents

| MINOTO | |
|---------|-----|
| DALLING | ARM |

| otjuns | ا الإيارية الإيارية الم | | 2-13 |
|-----------------------|----------------------------|-------------|-------|
| inloading. | | | 47 |
| ⊩ p-Action | | | 811 |
| / and-Unde | ٤.,., | | |
| ester Fire Rif | | | |
| ri-Action . | | 16, 17 | € 21 |
| i bloading . | | ·, 1 | 8, 19 |
| i 12-Action | | | ∵ 20 |
| > ¿Range Pi | stol | | . 21 |
| Fire Rifle | | | |
| ${\it Lin}$ loading . | | 2 | |
| imp-Action | | | . 25 |
| olt-Action . | | المراج وأنا | 1. 26 |
| uget Rifles | | | . 27. |
| m Fire | | | . 27 |
| enter Fire | (e) (e) e (e) | م میم مثل | , 27 |
| | | | |
| EMINGTON | 1.5 1.6 | ,4, | |


| MAUNITION | 28-38 |
|----------------------------|---------------|
| holgun Shells | 28, 29 |
| EW "Accelerator" Cartri | dge30 |
| enter Fire Rifle Cartridge | |
| and Ballistics | |
| enter Fire Platol and Rev | |
| Cartridges and Ballistic | |
| im Fire Certridges | 38 |
| Components for Reloading | 4 , 39 |

strington, Wingmaster, Woodsmaster, lastemaster, Speedmaster, Rangomaster, Islamaster, Power Platon, PowerLoid, Jul Shot, Core-Loid, Fire Ball, Blue byck, (Genbore, Targetmaster, trushmaster, Jet, Power-Pald, ROP, R.P., the an-Pale are trademarks registered in the Bill of States Rivert and Targetmark Bill of System Rivert and Targetmark Bill of by Remington Army Sphpany, Inc. 49(00, hylon 66, Golden). Express, this invercen, Vernint Special, Target, figh Welocky, Accelerator, Custom are

"by tel" is a registered trademark of E. L. dul'ont de l'emours 6 Co., inc., for sylon resins, as la "Telone" for tet offuoresthylers resins.

Weights and stock dimensions vary $\mathbf{a} + \mathbf{ording}$ to the individual finance.

All prices in this catalog are suggested acts if prices. These prices are subject to change without notice and include applicable (J.S. excise tax.





"I remember my first shotgun very well.

"That's because I still have it, and I even use it now and then. It's a Remington Model 11 and my grandfather gave it to me. He bought it back in the twenties. He used it a lot, but he took good care of it, so it doesn't show too much wear. Oh, there are a couple of nicks in it, but each one had a story connected with it that granddad loved to tell.

"Then came that great day when he handed me that old shotgun and said, 'It's yours now, son. If you take care of it like I did, it'll last you a lifetime.' I got so choked up, I could hardly say thanks.

"That was a few years

"That was a few years back, and I own more Remington guns now. My latest is a Model 1100 20 gauge Lightweight. It delivers . . . just like granddad's. What I like about it most is the easy way it handles. Because it's so light . . . only weighs 6½ pounds . . . it swings smooth and points quick. It's a great shotgun for carrying all day long. It's also a great shotgun to start off a youngster with; has all the feel and features of a grown-up's shotgun without the extra weight and recoil. My wife likes it, too.

"I take good care of my guns, but my Remington guns just seem to have the kind of quality built right in that makes them a better value. Right out of the box. And granddad's old Remington Model 11 proves that it's a lasting value, too.

"You know, I'm looking forward to the day when I hand this 1100 Lightweight down to my grandson and say, 'It's yours now, son.'"

Model 1100 Field Grade

The Model 1100 is the choice of more shooters than any other autoloading shotgun.

Your Model 1100 will deliver top performance year after year, under any weather conditions. Its unique gas-metering system is designed to operate with all 2%" shotgun shells without adjustment. This enables you to use different loads, including the 2%" magnum, for a wide, variety of game.

The only autoloading shotgun offered in all five popular gauges for all types of shotgun shooting.

Model 1100:

12, 16, 20 gauge.

Extremely light recoil effect for shooting ease. A wide selection of barrel lengths and chokes in plain and ventilated rib styles add variety. And 2%" chambered barrels are interchangeable within gauge. Left-hand 22 and 20 gauge models are available in

2%" chamber, ventilated rib barrel.

Model 1100

3" Magnum: 12, 20 gauge.

Specially designed for 3" magnum and 2%" magnum shells only. Ventileted rib or plain barrel. Recoil pad. Left-hand version available in 12 gauge; ventilated rib barrel only.

Model 1100 Deer Gun: 12, 20 gauge.

Shorter 22-inch barrel for easy carrying, especially in brushy areas. Improved Cylinder choke for rifled slugs and buckshot. Rifle sights. Reer sight adjustable for windage and elevation. Recoil pad.


MODEL 1100 SPECIFICATIONS-FIELD GRADE

STYLE: Cas-operated low-recoil autoloading shotgun, GAKGES: Right-hand versions in 12, 16, 20, 28, and 410; Left-hand versions in 12 and 20. BARREL: Special Remington proof steel. Extra barrels are interchangeable within gauge and chamber length without fitting. 20 ga. right- or left-hand barrels fit only right- or left-hand receivers. Lightweight extra barrels are interchangeable within chamber lengths only within Lightweight models. *RECEIVER: Made from solid steel, top matted. Scrollwork on chrome-plated bolt and both sides of receiver. SAFETY: Convenient positive cross-bot type. Reversed on left-hand models. SIGHTS: Metal bead from. STANDARD STOCK DIMENSIONS: 14" long, 2½" drop at heel, 1½" drop at comb.

12. 16 6 20 GAUGES—CHAMBER: 2%" standard velocity, "Express," and 2%" Magnum shells, 3" Magnum and 2%" Magnum shells only for 12 and 20 ga. Magnum models. 3" Magnum entra berrels not available. CAPACITY: 5-shot, 3-shot plug furnished. STOCK & PORE END: Rich American walnut. Managary for 20 ga. Lightweight. OVERALL LENGTH: 48" with 28" berrel. 20 ga. Lightweight is 48%" with 26" barrel, AVERAGE WEIGHT: 12 ga.—7% lbs., 16 ga.—7% lbs., 20 ga.—7% lbs., 20 ga. Lightweight—6% lbs., 20 ga. Lightweight Magnum—6% lbs.


28 QAKIGE 5.410—CHAMBER: 2%" standard velocity and "Express" shells for 28 gs. 3" and 2%" shells for .410. CAPACITY: 5-shot with 28 gs. and 2½" .410 shells. 4-shot with 3" .410 shells. 3-shot ping furnished. STOCK DIMENSIONS: 13%" long. 2½" drop at heel, 1½" drop at comb. STOCK 6 FORE-END! Mehogeny. OVERALL LENGTH: 45½". AVERAGE WEIGHT: 28 gs. plain barrel—6½ lbs., 28 gs. vent nb—6½ lbs., .410 plain barrel—6½ lbs., .410 vent rb—7 lbs.

| _ | Order Nos. | | | Suggested |
|--------------------|------------|-----------------------------------|---|--|
| 12, 16 & 20 Gauges | 12 Oa. | 16 Ga. | 20 Ca. | Retail Price |
| lerrel | | | | _ |
| | 5322 | | | \$257.95 |
| | 5320 | 5370 | 5390 | 257.95 |
| | 5326 | 5374 | 5394 | 257.95 |
| | 5328 | 5376 | 5396 | 257.95 |
| | | | | |
| Sights | 5308 | | 5260 | 278.95 |
| | | 12 Cs. Sarrel 5322 5320 5326 5328 | 12 Qs. 16 Gs. Servel 5322 5320 5326 5326 5376 | 12 Qs. 16 Gs. 20 Qs. Sarrel 5322 5320 5326 5326 5326 5374 5396 |



| 10. 16 E 20 Courses | Order Nos. | Suggested | |
|--|--------------|-----------|--------------|
| 12, 16 & 20 Gauges 12 Gs. | 16 Ga. | 20 Ga. | Retail Price |
| Model 1100 with Vent. Rib Barrel | | | |
| 30" Full Choke 5332 | | | \$ 287.95 |
| 28" Full Choke • 5330 | 5378 | 5398 | 287.95 |
| 28" Mod. Choke 5336 | 5382 | 5402 | 287.95 |
| 26" Imp. Cyl. Choke 5338 | 5384 | 5404 | 287.95 |
| Model 1100 3" Magnum with Plain Barrel | | | |
| 30" Full Choke 5344 | | ** | 277.95 |
| 30" Mod. Choke 5250 | | | 277.95 |
| 28" Full Choke | | 5428 | 277.95 |
| 28" Mod. Choke | | 5254 | 277.95 |
| Model 1100 3" Magnum with Vent. Rib Berre | <u> </u> | | |
| 30" Full Choke 5348 | | | 307.95 |
| 30" Mod. Choke 5252 | | | 307.95 |
| 28" Full Choke | | 5430 | 307.95 |
| 28" Mod. Choke | | 5256 | 307.95 |
| Model 1100 D Tournament with Vent. Rib Ba | rrel Special | | 1,200.00 |
| Model 1100 F Premier with Vent. Rib Barrel | Special | | 2,400.00 |
| Model 1100 F Premier with Gold Inlay | Special | | 3,600.00 |

| 20 Gauge Lightweight | | |
|--|------|--------|
| Model 1100 with Plain Barrel | | |
| 28" Full Choke | 5228 | 267.95 |
| 28" Mod. Choke | 5230 | 267.95 |
| 26" Imp. Cyl. Choke_ | 5232 | 267.95 |
| Model 1100 with Vent, Rib Barrel | | |
| 28" Fuli Choke | 5234 | 297.95 |
| 28" Mod. Choke | 5236 | 297.95 |
| 26" Imp. Cyl. Choke | 5238 | 297.95 |
| Model 1100 3" Magnum with Plain Barrel | | |
| 28" Full Choke | 5240 | 287.95 |
| Model 1100 3" Magnum with Vent. Rib Barrel | | |
| 28" Full Choke | 5242 | 317.95 |



A SECURE OF THE PROPERTY OF THE PARTY OF THE

| 28 Gauge & .410 | | Ord | er Nos. | Suggested |
|------------------------------|-------------------|--------|------------|---------------------------|
| 28 Gauge & 2410 | | 28 Ca. | | Suggested Retail Price |
| Model 1100 with Plain Berral | The second second | - 10 | | |
| 25" Full Choke | , e de la company | 5316 | 5460 | \$267.95 |
| 25" Mod. Choke | er er er er av | 5406 | 5462 | 267.95 |
| 25" Imp, Cyl. Choke: | 5 494 G | 5412 | 5464 | 267.95 |
| Model 1100 with Vent. Rib B | errei | A | are to the | |
| 25" Full Choke 2 18 18 18 18 | r 182 | 5414 | 5466 | 297.95 |
| 25" Mod. Choke | | 5416 | 5468 | 297.95 |
| 25" Imp. Cyl. Choke | i ves | 5426 | 5296 | 297.95 |

MODEL 1100 EXTRA BARRELS-FIELD GRADE

| | 12 Qa. 16 Qa. | | Order Nos. | Cummented | | |
|--------------------------|---------------|--------|--------------------------------|-----------|------|---------------------------|
| | | | 20 Ca. 20 Ca. Stand. Livit. | | A10 | Suggested Retail Price |
| Extre Berreis, Plain | n Silver | 92 F | n graffin | 1000 | | |
| 30" Full Choice | 9500 | * | | | | \$ 66.95 |
| 28" Full Choke | 9502 | 9530 | 9546 | A 8 m. | | 66.95 |
| 28" Full Choice | | S1 . | 4440 | * | | 69.95 |
| 25" Full Choke | | | 71.50 | 9588 | 9574 | 69.95 |
| 28" Mod. Choke | 9504 | 9532 | 9548 | Jan St. 3 | | 66.95 |
| 28" Mod. Choke | S. 7 | | - 4442 | • | 7. | 69.95 |
| 25" Mod. Choke | | | 11.5 (1.25) | 9510 | 9576 | 69.95 |
| 26" Imp. Cyt. Choke | 9508 | 9536 | 9552 | Age 8 | | 66.95 |
| 26" Imp. Cyt. Choke | | | 4444 | 4 | | 69.95 |
| 25" Imp. Cyt. Chake | | | | 6584 | 9578 | 69.95 |
| Extra Berreis, Rifle Sig | hts, Dec | * | | | | |
| 22" Imp. Cyl. | 9568 | | 9572 | | | 78.95 |
| Extra Barrels, Vent. Rit | , Duck/ | (Goose | | | | |
| 34" Full Choke | 6576 | | | | | 106.95 |

^{*}Note: New 20 gauge Lightweight berrels (4000 Series) will not fit pre-1977 20 gauge Lightweight or Regular 33 gauge Model 1100 shotguns. (Refer to parts list for pre-1977 berrels.)

Model 1100 Lightweights & Small Gauges.

IMPROVED for 1977!
The Model 1100 20 gauge Lightweight and 3" Magnum 20 gauge Lightweight.
Take the quality, reliability and proven performance of the Model 1100 shotgun, scale down its size, pare down its weight, and you have the Model 1100 20 gauge Lightweight shotgun. It's 20 gauge-sized throughout. And at 6½ lbs., or 6½ lbs. in the Magnum model, it's the sweetest, fastest-handling 20 gauge shotgun around.

Choose from two. One chambered for 2%" loads . . . great for dove, quail and small game; or the 3" chamber Magnum model, which handles 2%" and 3" magnum loads for longer range shooting. Either way, the Model 1100 20 gauge Lightweight shotgun is a great value . . . a great shotgun!

Model 1100:

28 gauge and .410.

Model 1100 autoloading action and longlasting performance in small-gauge shotguns. Available in a wide selection of chokes in plain or ventilated rib barrels.

Note: barrels chambered for 2¼" shells are interchangeable within gauge on standard receivers only. 3" magnum barrels should only be interchanged on magnum receivers. Left-hand barrels interchange only on left-hand receivers, within gauge. See page 28 for description of 2¾" and 3" magnum shotgun shells.

| | Order Nos. | | | | | | Q | |
|--------------------------|------------|--------|------------------|-----------------|--------|------|---------------------------|--|
| | 12 Qa. | 16 Ca. | 20 Ca. Stand. | 20 Ga. Ltwt. | 28 Ga. | .410 | Suggested Retall Price | |
| Extra Barrels, Vent. Ril | . | | • | | | | | |
| 30" Full Choke | 9512 | | | | | | \$ 96.95 | |
| 28" Full Choke | 9514 | 9538 | 9554 | | | | 96.95 | |
| 28" Full Choke | | | | 4446* | | | 99.95 | |
| 25" Full Choke | | | | | 6586 | 9580 | 99.95 | |
| 28" Mod. Choke | 9516 | 9540 | 9556 | | | | 96.95 | |
| 28" Mod. Choke | | | | 4448* | | | 99.95 | |
| 25" Mod. Choke | | | | | 6588 | 9582 | 99.95 | |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 9560 | | | | 96.95 | |
| 26" Imp. Cyl. Choke | | | | 4450* | | | 99.95 | |
| 25" Imp. Cyl. Choke | | | | | 6590 | 9584 | 99.95 | |
| Extra Barrels, High Gr | ade | | | | | | | |
| D Tournament, Vent. R | 1b | | | Special | | | 160.00 | |
| F Premier, Vent. Rib | | | | Special | | | 250.00 | |

MODEL 1100: LEFT-HAND MODELS

| 12 & 20 Gauge Left-Hand Loading | Orde | r Nos. | Suggested |
|---|-----------------|--------|--------------|
| and Ejection | 12 Ca. | 20 Ga. | Retail Price |
| Model 1100 Left-Hand with Vent. Rib Bar | rel | | |
| 30" Full Choke | 5540 | | \$292.95 |
| 28" Full Choke | | 5556 | 292.95 |
| 28" Mod. Choke | 5542 | 5558 | 292.95 |
| 26" imp. Cyl. Choke | 5544 | 5546 | 292.95 |
| Model 1100 3" Magnum Left-Hand with | Vent. Rib Barre | I | |
| 30" Full Choke | 5548 | | 312.95 |
| LEFTHAND EXTRA BARRELS, VENT. R | (B | | |
| 30" Full Choke | 5682 | | 98.95 |
| 28" Full Choke | | 5692 | 98.95 |
| 28" Mod. Choke | 5684 | 5694 | 98.95 |
| 26" Imp. Cyl. Choke | 5686 | 5696 | 98.95 |

Model 1100 Trap & Skeet


Winners all! More Grand American, state and zone trapshooting championships have been won with the Model 1100 TB trap guns in the past decade than with any other. autoloader. Model 1100 skeet guns dominate skeet shooting in 12, 20, 28 gauge and .410 events. They were the Number 1 choice of all shooters who competed in the 1976 World Skeet Shooting Championships Performance and durability to stand up to the heaviest usage, while yielding minimum recoil The ideal target guns for men, ladies and junior shooters.

Model 1100 TB Trap:

Autoloading performance you can count on. Select American walnut stocks available in regular or Monte Carlo versions. Rubber recoil pad. Advanced-design ventilated rib barrel immediately gives you a perfect sighting plane. Interchangeable extra trap barrels will fit all Model 1100 TB Trap available with choice of regular trap or Monte Carlo stock.

residence of the second

Military A




All features are same as Model 1100 Field Grade guns in 12 ga., except: STOCK DIMENSIONS: For regular Trap with recoil pad: 14%" long, 1%" drop at heel, 1%" drop at comb, 16" drop at heel, 1%" drop at comb, 1%" drop at Monte Carlo Trap with recoil pad: 14%" long, 1%" drop at heel, 1%" drop at comb, 1%" drop at Monte Carlo, BARREL: Ventilated rib only. SIGHTS: lvory bead front, white metal middle. AVERAGE WEIGHT: 8% lbs.

| Model 1100 Trap | Order Nos. | Suggested Retail Price |
|--|------------|---------------------------|
| | 12 Ga. | Retail Price |
| Model 1100 TB Trap with Vent. Rib Barrel | | |
| 30" Full Choke | 5572 | \$ 332.95 |
| 30" Mod. Trap Choke | 5574 | 332.95 |
| 30" Full Choke/Monte Carlo Stock | 5576 | 342.95 |
| 30" Mod. Trap Choke/Monte Carlo Stock | 5578 | 342.95 |
| Model 1100 D Tournament Grade | Special | 1,200.00 |
| Model 1100 F Premier Grade | Special | 2,400.00 |

MODEL 1100 EXTRA BARRELS-TRAP

| | Order Nos. | Suggested | |
|-------------------------------|------------|--------------|--|
| | 12 Ga. | Retail Price | |
| Extra Barrels, Vent. Rib Trap | | | |
| 34" Full Choke | 9610 | \$111.95 | |
| 30" Fuli Choke | 9612 | 101.95 | |
| 28" Full Choke | 9616 | 101.95 | |
| 30" Mod. Trap Choke | 9614 | 101.95 | |
| 28" Mod. Trap Choke | 9618 | 101.95 | |
| Extra Barrels, High Grade | | | |
| D Tournament, Vent. Rib | Special | 160.00 | |
| F Premier, Vent. Rib | Special | 250.00 | |

3. 975



Model 1100 SB Skeet:
12, 20 gauge.
Specially selected American walnut stock and fore-end enhance the appearance of this durable Model 1100. Highly styled looks combined with outstanding performance.

New in 1977 is the Model 1100 SB skeet in 20 gauge Lightweight.

Model 1100 SA Skeet:
12, 20 gauge.
Undisputed champ!
Winner of more World Skeet
Championships than any other
gun. Available in left-hand
models; left-hand loading and
ejection. Convert your Model
1100 skeet gun to a hunting gun
with available extra barrels,
interchangeable within gauge
and chamber length.

New in 1977 is the Model 1100 SA skeet in 20 gauge Lightweight.

Model 1100 SA Skeet: 28 gauge and .410. For bigger action in smaller gauges. Perfect balance, long-life reliability. .410 chambered exclusively for 2½" plastic shells.

MODEL 1100 SPECIFICATIONS-SKEET

All features are same as Model 1100 Field Grade guns in appropriate gauges, except: CHAMBER: 2½" shells for .410 SA Skeet. STOCK & FORE-END: Rich American walnut on 20 ga. Lightweight, 28 ga. and .410 Skeet models. STOCK DIMENSIONS: 14"long, 2½" drop at heal. 1½" drop at comb. BARREL: Ventilated rib only. SIGHTS: tvory bead front, white metal middle. AVERAGE WEIGHT: 7½ lbs. in 12 gauge. 7½ lbs. in 20 gauge, 6% lbs. in 20 ga. Lightweight, 6% lbs. in 28 gauge, and 7½ lbs. in .410. (Adjustable weight will add up to 12 or. in 28 gauge and .410 skeet guns.)

| (12 × 1) | | | | | | | |
|-------------------------|--------------|--|----------|----------------|------------|---------------------------|--|
| Model 1100 Sizeet | 12 ga. | 20 ga. 12 ga. 20 ga. Lint. 28 ga410 | | | AlO | Suggested Retail Price | |
| Model 1100 SA Skeet wit | h Vent. Ri | b Berrel | | | 25 | 7. | |
| 26" Skeet Choke | 5356 | 5408 | | 20.5 | | \$ 297.95 | |
| 26" Skeet Choke | 17 19 | 1, m | 5244 | | 7 | 307.95 | |
| 25" Skeet Choke | | . , | | 5432 | 5298 | 307.95 | |
| Model 1100 SB Skeet (F | ncy Wood |) with V | ant. Rib | Berrel | | | |
| 26" Skeet Choke | 5302 | 5422 | S. Sant | 11.77. | 34 | 322.95 | |
| 26" Skeet Choke | | | 5246 | | | 332.95 | |
| Model 1100 D Tourname | nt Grade | | Special | * - G | mojekana i | 1,200.00 | |
| Model 1100 F Premier Gr | acte | | Special | الإركاء والأرا | | 2,400.00 | |
| Match-Weight Sheet Cap | for firmal (| Jauge 1 | 100 | 6338 | 6338 | 11.50 | |
| | -31 | | | * (15 S | or and | | |

MODEL 1100 EXTRA BARRELS-SKEET

| h | 100 | A | Andrew Control of the | | | | | |
|--|----------------|--------------|--|---------|----------------|---------------------------|----------|--|
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | | Order Nos. | | | | | |
| | | 20 🚓 | 20 ga. ps. Unit. : 28 ga. : .410 | | | Buggested Retail Price | | |
| Care 5 | lerrels, Vent | . Rib Street | | | | | | |
| 26" S | teet Choke | 9522 | 9562 | | | | \$101.95 | |
| 26" SH | ceet Choke | | | 4452 | | | 104.95 | |
| 25" Sk | eet Choke | | | | 6592 | 9586 | 104.95 | |
| Extra E | erreis, High | Grade | | | | | | |
|) Tour | nement, Ven | t. Rib | | Special | | | 160.00 | |
| Prem | ier, Vent. Rib |) | | Special | . . | المستحقيق | 250.00 | |
| | | | | | | 4 | 3.00 | |

MODEL 1100 TRAP & SKEET LEFT-HAND MODELS

| # | Orde | Suggested Retail Price | |
|--|--------|---------------------------|--------------|
| Model 1100 TB Trap | 12 Ca. | | Retail Price |
| Left-Hand with Vent. Rib Barrel | | | |
| 30" Full Choke | 5580 | | \$337.95 |
| 30" Full Choke/Monte Carlo Stock | 5582 | | 347.95 |
| Model 1100 SA Skeet Left-Hand with Vent. Rib Barrel | 12 Ga. | 20 Ga. | |
| 26" Skeet Choke | 5564 | 5560 | 302.95 |
| Left-Hand Extra Barrels, Vent. Rib | | | |
| 30" Full Choke Trap | 9620 | | 103.95 |
| 26" Skeet Choke | 5688 | 5698 | 103.95 |

, *Note: New 20 gauge Lightweight barrels (4000 Series) will not fit pre-1977 20 gauge Lightweight or Regular 20 gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

"Wingmaster" Pump-Action Shotguns !

Rich appearance, perfect belance and superdependable lightning fast pump action have helped make the "Wingmaster" shotgun the most popular pump-action in the world. More than 21/2 million Model 870 shotguns sold since 1950 prove it.

Stocks and fore ends are enriched and protected by the scratch-resistant Du Pont RKW wood finish. Metal parts are vibrahoned to achieve a more lustrous finish and smoother action. Functional checkering, full beavertall fore-end, chromeplated bolt and white line spacers enhance the overall styling.

But most important is the way the double action bars prevent twisting or binding guaranteeing straight-line pumping for smooth feeding and positive ejection, no matter what the weather or field conditions.

~ X************




MODEL 870 SPECIFICATIONS—FIELD GRADE

STYLE: Pump-action shotgun. GAUGES: Right-hand versions in 12, 16, 20, 28, and .410. Left-hand versions in 12 and 20. BARRELI Special Remington proof steel. Extra barrels are interchangeable within version (right or left hand), gauge, and chamber-length without fitting. 20 ga. Lightweight extra barrels are interchangeable within chamber lengths only within Lightweight models. All .410 models have 3" chambered barrels. RECEIVER: Made from solid steel, top matted. SAFETY: Convenient positive cross-bolt type. Reversed on left-hand models. SIGHTS: Metal bead from STANDARD STOCK DIMENSIONS: 14" long including recoil pad, 21/4" drop at heel, 11/4" drop at

12, 16 & 20 CACICES—CHAMBER. 24" standard velocity. "Express," and 24" Magnum shells. 3" Magnum and all 24" shells for 12 and 20 ga. Magnum models. CAPACITY: 5-shot; 3-shot plug furnished. STOCK & FORE-END: Rich American walnut. Mahogany for 20 gauge Lightweight. OVERALL, LENGTH: 48½" with 28" barrel. AVERAGE WEIGHT: 12 ga.-7 lbs., 16 ga.-6½ lbs., 20 ga.-6½ lbs., 20 ga. Lightweight-5% lbs. with 26" plain barrel, 20 ga. Lightweight Magnum-6 lbs. 28" plain barrel.

| 12 16 6 20 Courses | | Order Nos | Suggested | | |
|--|----------|-----------|-----------|--------------|-----|
| 12, 16 & 20 Gauges | 12 Ga. | 16 Ga. | 20 Ge. | Retail Price | |
| Model 870 with Plain Barrel | | | | | |
| 30" Full Choke | 6900 | | | \$197.95 | |
| 28" Full Choke | 6902 | 6908 | 6914 | 197.95 | |
| 28" Mod. Choke | 6904 | 6910 | 6916 | 197.95 | |
| 26" Imp. Cyl. Choke | 6906 | 6912 | 6918 | 197.95 | |
| Model 870 "Brushmaster" Deer Gun | | | | | |
| 20 ^{r1} Imp. Cyl. Choke Deluxe with Rifle Sights | 6960 | | 6962 | 208.95 | |
| 20" Imp. Cyl. Choke Standard with Rifle Sights | 5026 | | - | 193.95 | _ |
| Model 870 with Vent. Rlb Barrel | | | | | |
| 30" Full Choke | 6930 | | | 227.95 | |
| 28" Full Choke | 6932 | 6938 | 6944 | 227.95 | |
| 28" Mod. Choke | 6934 | 6940 | 6946 | 227.95 | |
| 26" Imp. Cyl. Choke | 6936 | 6942 | 6948 | 227.95 | |
| Model 870 3" Magnum with Plain Ba | rrei | | | | |
| 30" Full Choke | 6966 | | | 217.95 | |
| 30" Mod. Choke | 6968 | | | 217.95 | |
| 28" Full Choke | | | 6970 | 217.95 | |
| 28" Mod. Choke | | | 6972 | 217.95 | |
| Model 870 3" Magnum with Vent. Ri | b Barrel | | | | |
| 30" Full Choke | 6976 | | | 247.95 | |
| 30" Mod. Choke | 6978 | | | 247.95 | |
| 28" Full Choke | | | 6980 | 247.95 | 181 |
| 28" Mod. Choke | | | 6982 | 247.95 | |
| Model 870 Police with Plain Barrel | | | | | |
| 20" Police Cyl. Choke | 5030 | | | 182.95 | _ |
| 18" Police Cyl. Choke | 5032 | | | 182.95 | |
| 20" Imp. Cyl. Choke, Rifle Sights | 5028 | | | 193.95 | |
| | | | | | |



Model 870: 12, 16, and 20 gauge. This popular pump-action shotgun handles all 2¾" shotgun shells to meet all your shooting needs. Wide selection of extra barrels including a 12 gauge 34-inch duck/ goose barrel. Left-hand 12 and 20 gauge, 2¾" chamber models and 12 gauge 3" magnum available. Ventilated rib barrels standard.

Model 870 "Brushmaster" Deluxe Deer Gun: 12, 20 gauge. Deluxe and standard models with rifle sights and 20-inch barrel. Standard model in 12 gauge only has plain stock, grooved fore-end.

Model 870 3" Magnum: 12, 20 gauge. Handles all 3" and 24" shotgun shells. Plain or ventilated rib barrel. Available in 12 gauge left-hand model with ventilated rib barrel standard.

| 12, 16 6 20 Cenous | (1) (1) (1) | Order Nos | <u> </u> | Suggested |
|----------------------------------|---|---------------------------------------|----------------|--------------|
| | 12 Qa. | 16 Ce. | 20 Ca. | Ratial Price |
| Model 870 D Tournament with \ | | Special | A Transport | 1,200.00 |
| Model 870 F Premier with Vent. | | Special | 관측하는 | 2,400.00 |
| Model 870 F Premier with Gold | inlay | Special | | 3,600.00 |
| Left-Hand 12 & 20 Gauges (Lef | titland Loading | Ejection, ar | nd Selety) | 1000 |
| Model 870 Laft Hand with Vent. | Rib Berrel | | £: | . 4 |
| 30" Full Choice | 5510 | 3 3 3 5 | | 232.95 |
| 28" Full Choice | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5528 | 232.95 |
| 28" Mod. Choice | 5514 | - Western | 5530 | 232.95 |
| 26" imp. Cyl. | 5516 | | 5566 | 232.95 |
| Model 870 3" Magnum Left He | nd with Vent. R | b Barrel | Association | 100 |
| 30" Full Choice | 5496 | | | 252.95 |
| Left-Hand Extra Berrels, Vent. F | čib. | 200 | 40 124 14 | |
| 30" Full Choice | 6200 | | 8.5 | 68.95 |
| 28" Full Choice | 1. A. | 1 54,444 | 6208 | 88.95 |
| 28" Mod. Choise | 6202 | | 6210 | 88.95 |
| 26" Imp. Cyl. Choice | 6204 | | 6212 | 88.95 |
| * | 16. 劉倫太正 | Seat 14 - 12 | rate tree land | |

MODEL 870 EXTRA BARRELS—FIELD GRADE

| 3 - S | | | Orde | r Nos. | | | - Conservation of | |
|--------------------|-------------|--------|-----------|--------|--------|-------|---------------------------|--|
| | 12 Qa. | 16 Qs. | 20 Ca. | 20 Ca. | 28 Ca. | .410 | Suggested Retali Price | |
| Potre Berrels, Pla | n | er i | | | | | | |
| 0" Pull Choice | 6214 | | | | | . , , | \$ 56.95 | |
| 28" Pull Choke | 6216 | 6252 | 6270 | | | | 56.95 | |
| 28" Full Choice | 1 64 /10. 3 | | 18 | 6296 | | | 59.95 | |
| 75" Full Choke | | | | | 6282 | 6236 | 59.95 | |
| " Mod. Choke | 6218 | 6254 | 6272 | | | | 56.95 | |
| Mod. Choke | | | | 6298 | | | 59.95 | |
| Mod. Choke | | | | | 6284 | 6238 | 59.95 | |

MODEL 870 EXTRA BARRELS-FIELD GRADE

| | Order Nos. | | | | | | |
|--------------------------|------------|---------|------------------|-----------------|--------|-------|---------------------------|
| | 12 Ga. | 16-Qa. | 20 Ga. Stand. | 20 Ga. Liwi. | 26 Ca. | .410 | Suggested Retail Price |
| 26" imp. Cyl. Choke | 6220 | 6256 | 6274 | | | | \$ 56.95 |
| 26" Imp. Cyl. Choke | | | | 6300 | | | 59.95 |
| 25" Imp. Cyl. Choke | | | | | 6286 | 6248_ | 59.95 |
| 20" Police Cyl. Choke | 6598 | | | | | | 56.95 |
| Extra Barrels, Rifle | Sights, | Deer | | | | | |
| 20" Imp. Cyl. | 6544 | | 6230 | | | | 58.95 |
| Extra Barrels, Vent | . Rib, Du | ick/God | 286 | | | | |
| 34" Full Choke | 6304 | | | | | | 96.95 |
| Extra Barrels, Vent | . Rib | | | | | | |
| 30" Full Choke | 6222 | | | | | | 86.95 |
| 28" Full Choke | 6224 | 6258 | 6276 | | | | 86.95 |
| 28" Full Choke | | | | 6322 | | | 89.95 |
| 25" Full Choke | | | | | 6288 | 6250 | 89.95 |
| 28" Mod. Choke | 6226 | 6260 | 6278 | | | | 86.95 |
| 28" Mod. Choke | | | | 6324 | | | 89.95 |
| 25" Mod. Choke | | | | | 6290 | 6264 | 89.95 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | | | | 86.95 |
| 26" imp. Cyl. Choke | | | | 6326 | | | 89.95 |
| 25" Imp. Cyl. Choke | | | | | 6292 | 6266 | 89.95 |
| Extra Berrels, High | Grade | | | | | | |
| D Tournement, Ver | nt. Rib | | Special | | | | 150.00 |
| F Premier, Vent. R | b | | Special | | | | 240.00 |


& Small Gauges

Small, extra strong receiver scaled to 20 gauge. Weighs about 6 lbs. and handles all 2%" shotgun shells. Also lightweight 3" magnum version handles all 3" and 24" whotgun shalls including magnum vertilated the or plain barrel. Great shotgun for long days in the field. Model 870r-28 gauge and .410. Lighter weight, small gauges with all of the Model 870 features. Cuickpointing shotgure with smooth pump action.

Model 870 Trap & Skeet

Model 870 TB Treps 12 gauge.

hapshooting's "old reliable" pump-action performer. Regular trap or Monte Carlo stock-select grade wainut. <u>Left-hand</u> models evoliable. Also in TC Trap Grade with highly figured out-checkered welnut stock and fore and.



| | 28 CAMBE & 410—CHAMBER: 2%" for 410. CAPACITY: 5-shot with 28 g shells. 3-shot plug furnished. STOCK I 11/4" drop at comb. STOCK & FOREA AVERAGE WEIGHT: 28 gs. plain barr vent. rlb—5% ibs., .410 vent. rlb—5% | a. and 2½" DIMENSIONS END: Mahoga el-5½ lbs. | .410 shells. 4 3: 13%" long any. OVERAL | 4-shot with 3".4 , 2½" drop at h LLENGTH: 45 | 410 reel, 1/2". |
|--|---|---|---|--|-----------------------|
| The second secon | 20 Gauge Lightweight | *** | Order Nos. | Suggested Retail Price | _ |
| | Model 870 with Plain Barrel | | | | |
| | 28" Full Choke | | 5176 | \$207.95 | |
| | 28" Mod. Choke | | 5178 | 207.95 | |
| | 26" Imp. Cyl. Choke | | 5180 | 207.95 | _ |
| | Model 870 with Vent. Rib Barrel | | | | _ |
| | 28" Full Choke | | 5182 | 237.95 | |
| | 28" Mod. Choke | | 5184 | 237.95 | |
| | 26" Imp. Cyl. Choke | | 5186 | 237.95 | |
| | Model 870 3" Magnum with Plain Barrel | | | | |
| | 28" Full Choke | | 5188 | 227.95 | |
| | Model 870 3" Magnum with Vent. Rib Ba | rrel | | | |
| | 28" Full Choke | | 5190 | 257.95 | |
| | | | | | _ |
| | 28 Gauge & .410 | | r Nos. | Suggested Retail Price | |
| | | 28 Ga. | .410 | PORTAL PTICE | -4 |
| | Model 870 with Plain Barrel | 1050 | 40.40 | *00m.or | — |
| | 25" Full Choke | 4868 | 4948 | \$207.95 | — |
| | 25" Mod. Choke | 4904 | 4950 | 207.95 | |
| ear this and the market are the tribute higher than the | 25" Imp. Cyl. Choke | 4916 | 4978 | 207.95 | |
| | Model 870 with Vent. Rib Barrel | 1010 | | | _ |
| 그는 그 수 없는 그 그는 그는 그는 그를 가는 것을 수 있습니다. | 25" Full Choke | 4918 | 4986 | 237.95 | _ |

| 20.0 | Orde | Suggested Retail Price | | |
|---------------------------------|--------|---------------------------|--------------|-----|
| 28 Gauge 6 .410 | 28 Ga. | .410 | Retail Price | 4 |
| Model 870 with Plain Barrel | | | | Je. |
| 25" Full Choke | 4868 | 4948 | \$207.95 | |
| 25" Mod. Choke | 4904 | 4950 | 207.95 | |
| 25" Imp. Cyl. Choke | 4916 | 4978 | 207.95 | |
| Model 870 with Vent. Rib Barrel | | | | |
| 25" Full Choke | 4918 | 4986 | 237.95 | |
| 25" Mod. Choke | 4920 | 5086 | 237.95 | _ |
| 25" Imp. Cyl. Choke | 4932 | 4990 | 237.95 | |



Model 870 "ALL-American" Trap: 12 gauge.

A truly "custom" trap gun. Engraved receiver, trigger guard and barrel. Full scroll engraving and special medallion fitted to left side of receiver. Fancy American walnut stock and fore-end with special high-grade cut checkering. Regular or Monte Carlo stock. Pistol-grip cap fitted with gold nameplate. Comes with deluxe juggage-type foam-lined case.

A family of skeet guns in four gauges. Made to suit any skeet shooter, from Deginner to suit any skeet shooter, from Deginner See specifications for to suit any skeet shooter, from beginner to complete listing.

MODEL 870 SPECIFICATIONS-TRAP

All specifications are same as Model 870 Field Grade guns in 12 gs., except: STOCK DIMERSIGNER for regular Trap with recoil pad: 14%" long, 1%" drop at heel, 1%" drop at comb. For Monte Carlo Trap with recoil pad: 14%" long, 1%" drop at heel, 1%" drop at comb. 1%" drop at Monte Carlo. BARREL: Ventilated rib only. SIGHTS: Ivory bead front, white metal middle. AFERAGE WEIGHT: 7% lbs.

| Model 670 Trap | Order Nee Supposted |
|-------------------|-------------------------------------|
| Model 870 "All- | mericae" Trop Gun |
| | 5212 625.00 |
| | Monte Carlo Stock 5214 625.00 |
| Model 870 TB Tr | o with Vent. Rds Barrel |
| 30" Full Choice | 4926 267.95 |
| 30" Mod, The C | |
| 30" Full Choke/ | Monte Carlo Stock 4906 277,95 |
| 30" Mod. Theo C | holes/Monte Carlo Stock 5034 277.95 |
| | to with Vent, Rib Berrel |
| 30" Pull Choke | 4938 425.00 |
| 30" Mod Theo C | |
| 30" Pull Choke | Monte Carlo Stock 4912 425.00 |
| 4.30" Mod. They C | hoke/Monte Carlo Stock 5044 425.00 |
| Rodel 870 D Tes | mement Grade 1,200.00 |
| Model 870 F Pre | roler Grede 2.400.00 |
| | Manufacture Victory Comment |

MODEL 870 EXTRA BARRELS-TRAP

| Artre Berreis, Vied. 18th Tree | Order Nos. | Suggested Retail Price |
|--------------------------------|------------|---------------------------|
| 4" Pul Choles | 6340 | 101.95 |
| 10" Full Choice | 6242 | 91.95 |
| 38" Full Choice | 6244 | 91.95 |
| 30" Mod. Trep Choke | 6232 | 91.95 |
| 28" Mod. Trap Choke | 6246 | 91.95 |
| Patra Barrels, High Grade | Section 1 | |
| 7 Tournament, Vent. Rib | Special | 150.00 |
| F Premier, Vent. Rib | Special | 240.00 |
| | | |

MODEL 870 SPECIFICATIONS—SKEET

All specifications are same as Model 870 Field Grade guns in appropriate guages, except: 8TOCK & FORE-END: Rich American walnut on 28 ga. and .410 Skeet models. SIGHTS: Ivory bead front, white metal middle. AVERAGE WEIGHT: 28 ga. Skeet—6 lbs., .410 Skeet—6½ lbs. (Adjustable weight will add up to 12 oz. in skeet

| Model 870 Skeet | | Suggested | | | |
|-------------------------|--------------|-------------|------------|---------|---------------------------|
| Mude 670 Stock | 12 Ca. | 20 Ca. | 28 Ga. | A10 | Suggested Retail Price |
| Model 870 8A Skeet with | Vent. Rib B | errei | | | |
| 26" Skeet Choke | 6988 | 6992 | | | * 232.95 |
| 25" Skeet Choke | | | 4934 | 4996 | 242.95 |
| Model 870 8C Skeet (Fa | ncy Wood) w | ith Vent. R | ib. Berrel | | |
| 26" Skeet Choke | 5136 | 5140 | | | 400.00 |
| Model 870 D Tournamen | t Grade | | | Special | 1.200.00 |
| Model 870 F Premier On | nde | | | Special | 2,400,00 |
| Match-Weight Skeet Cap | for Small Ca | wae 870 | 6336 | 6336 | 11.50 |

MODEL 870 EXTRA BARRELS—SKEET

Left-Hand Extra Barrels, Vent. Rib. Trap

30" Full Choke Tre

| | | Suggested | | | |
|-------------------------------|------------|-----------|--------|----------|---------------------------|
| Model 870 Skeet | 12 Ca. | 20 Ca. | 28 Ca. | .410 | Retail Price |
| Extra Berrels, Vent. Rib. Siv | bet | | | | |
| 26" Skeet Choke | 6240 | 6508 | | | 91.95 |
| 25" Skeet Choke | 1. 1. 1. | | 6294 | 6268 | 94.95 |
| Extra Barrels, High Grade | | | | | |
| D Tournament, Vent. Rib | | Special | | | 150.00 |
| F Premier, Vent. Rib | | Special | | | 240.00 |
| Model 870: Left-Hand Models | | | | r Nos. | Suggested Retail Price |
| Model 670 TB Left Hand with | h Vent. R | ib Barrel | | <u> </u> | |
| 30" Full Choke | | | 5: | 518 | \$272.95 |
| 30" Full Choke/Monte Carlo | Stock | | 5 | 520 | 282.95 |

11

93.95

Remington 3200 Over & Under Shotguns

The first thing a shooter notices when he handles a Remington 3200 is its natural pointing ability, which is the result of superb weight distribution and balance. Shooting the Remington 3200 is a unique experience. For example, straight line recoil reduces recoil sensation. Separated barrel construction not only allows us to use more steel at the breach. but also yields less wind resistance and fester berrel cooling ... resulting in less heat induced barrel distortion.


First impressions aside, the key to the value of the Remington 3200 is the reliability engineered into it by Remington

The Remington 3200 lock time is a superfast 1.4 to 1.8 milliseconds. The shot is out of the barrel before it leaves the shell in most guns.

Barrel selector and safety are combined in an easy-to-operate indicator on the upper tang. A unique firing pin system eliminates breakage of pins in actual shooting or dry firing.

American walnut stock and fore-end are deep checkered 20 lines to the inch, and enriched and protected by the tough, scratch-resistant Du Pont RK-W wood finish. Optional satin finish is offered on Competition guns.

it's the finest overand-under you can shoot, and it's made and serviced in America.



REMINGTON 3200 SPECIFICATIONS—FIELD GRADE

STYLE: Over-and-Linder Shotgun, GAGGE: 12: CHAMBER: 2%", CAPACITY: 2-shot. BARRELS: Ventilated rib. Special Remington proof steel: Separated design. FRAME: Machined steel with sliding top lock. Shield-covered breech. Hammers cock on breech opening. Sides embellished with pointing dogs. EJECTION: Automatic. Fired shells eject on opening. Unfired shells remain in chamber but are raised above chamber level for easy manual extraction. SAFETY & BARREL SELECTOR: Combination manual safety and barrel selector mounted on top tang. Left for bottom barrel right for too barrel; middle position for safety on. TRIGGER: Single selective. 5% wide. Crisp with extra fast lock time. SIGHTS: Metal bead front. STOCK & FORE-END: American wainst with Du Pork RK-W wood finish. Checkering cut 20 lines to the inch. Rosewood toned grip cap and checkered butt plate. Semi-beavertall fore-end. STANDONS: 14" long. 2%" drop at heel. 1%" drop at comb. OVERALL LENGTH: 43" with 26" barrels. AVERAGE WEIGHT: 7% lbs. with 26" barrels.

REMINGTON 3200 SPECIFICATION—FIELD GRADE MAGNUM

All specifications are same as Remington 3200 Field Grade guns, except: CHAMBERS: 3" magnum model chambers 3" magnum and all 2%" shells. BARRELS: Tapered berrels. Extra berrel sets not available. STOCK: Magnum model fitted with recoil pad.

REMINGTON 3200 SPECIFICATIONS—SKEET

All specifications are same as Remington 3200 Field Grade guns, except: BARREL SELECTOR: Skeet models can be locked on desired barrel selection. SIGHTS: Ivory bead front, white metal middle. STOCK & FORE-END: Full beavertail fore-end. Recoil pad. STOCK DIMENSIONS: 14" long. 2%" drop at heel. 1%" drop at comb. OVERALL LENGTH: 44%" with 26" barrels. AVERAGE WEIGHT: 7% lbs. with 26" barrels.

REMINGTON 3200 SPECIFICATIONS—COMPETITION SKEET

All specifications same as Remington 3200 regular Skeet, except: FRAME: Sides embellished with gilded "Competition" designation and scrollwork. STOCK & FORE-END: Select fancy American walnut with cut checkening, 20 lines to the inch, on stock, side panels and fore-end. Checkend, contoured pistol grip. Satin finish. Engraved fore-end latch plate and trigger guard. Presentation-style recoil pad. OVERALL LENGTH: 43" with 26" barrels.

REMINGTON 3200 SPECIFICATIONS—TRAP

All specifications same as Remington 3200 Skeet guns, except: STOCK DIMEN-SIONS: 14%" long. 2" drop at heel. 1%" drop at comb. Monte Carlo: 14%" long. 2" drop at heel. 1%" drop at comb. 1%" drop at Monte Carlo. OVERALL LENGTH: 47%" with 30" barrels and recoil pad. AVERAGE WEIGHT: 8% lbs. for guns with 30" barrels.


REMINGTON 3200 SPECIFICATIONS—COMPETITION TRAP

All specifications are same as Remington 3200 Competition Skeet guns, except: STOCK DIMENSIONS: 14%" long, 2" drop at heel. 1½" drop at comb. 1½" drop at Monte Carlo. OVERALL LENGTH: 48" with 30" barrels and recoil pad. AVERAGE WEIGHT: 8½ lbs. for guns with 30" barrels.

REMINGTON 3200 SPECIFICATIONS-SPECIAL TRAP

All specifications are same as Remington 3200 Competition Trap, except: FRAME: Sides embellished with pointing dogs. TRIGGER: Plain guard. STOCK & FORE-END: American walnut, specially selected, with Du Pont RK-W wood finish. Cut checkering, 20 lines to the Inch. Rosewood toned grip cap. Recoil pad.

12



Remington 3200 Competition Trap and Skeet: 12 gauge. Classics in their own time. The Remington Competition guns have all the superlative features that make them a standout. The wood is selected for figure and grain and is offered in a choice of a subdued satin finish or Du Pont RK-W high gloss wood finish. Stock, side panels, grip, and fore-end are cut-checkered in a distinctive design. Contoured pistol grip and presentation-style recoil pad. Gilded "Competition" scroll on frame. The trigger guard and fore-end latch plate are engraved. Monte Carlo Trap and standard Trap stocks are offered with 30" and 32" barrels. Skeet guns are offered with 26" or 28" barrels.


Remington 3200 Special Trap: 12 gauge.

Trapshooters who prefer over-andunders have established the 3200 as a favorite because of its design strengths and performance advantages. Remington 3200 Special Trap models are available with standard or Monte Carlo stocks, 30" and 32" barrels, and Full/ Full or Improved Modified Trap/ Full chokes (32" available in Improved Modified Trap/Full only). Barrel selectors can be locked in position for tamperproof protection. Every 3200 Special Trap gun features full beavertail fore-end, recoil pad, ivory bead front and metal bead middle sights. Remington 3200 Special Trap guns are fitted with specially selected American walnut stocks and fore-ends.

| 2 Gauge | Block Order | Suggested Retail Price |
|---|------------------|---------------------------|
| lamington 3200 Competition Tree | \$1,80 A. M. | |
| 2" Imp: Mod. /Pull | 3283 | \$950.00 |
| 2" Imp. Mod./NJ 包括文本的证明 | RICW 3271 | 950.00 |
| O" PA/PA | Settn 3285 | 950.00 |
| o" Pul/Pul | RKW 3273 | 950.00 |
| 10" imp. Mod./Rull | Settin 3287 | 950.00 |
| IO" Imp. Mod./Pull 中央中央的 | RKW 3275 | 950.00 |
| 12" Imp. Mod./Pull/Monte Carlo Stock | Settn 3289 | 950.00 |
| 3" Imp. Mod./Full/Monte Carlo Stock | RKW 3277 | 950.00 |
| 10" Full/Full/Monte Carlo Stock | Settn 3291 | 950.00 |
| 10" Full/Full/Monte Carlo Stock (1995) | # 60 RKW 11 3279 | 950.00 |
| 10" Imp.: Mod. / Pull / Monte Carlo Stock | Settin 3293 | 950.00 |
| 10" Imp. Mod./Full/Monte Carlo Stock | 786W 3281 | 950.00 |
| lendington 3200 Special Trep | And I have been | |
| 2" Imp. Mod./Full | F RKW 3225 | 650.00 |
| 2" Imp. Mod. /Full/Monte Carlo Stock | RKW 3231 | 850.00 |
| 10° Full/Pull | ** RKW 3227 | 850.00 |
| 10" Imp. Mod./Pull | 100W 3229 | 850.00 |
| " Full/Full/Monte Carlo Stock | 3233 | 850.00 |
| Imp. Mod./Full/Monte Carlo Stock | RKW 3235 | 850.00 |

| 12 Gauge | Stock Finish | Order Nos. | Suggested Retail Price |
|--------------------------------------|-----------------|---------------|---------------------------|
| Remington 3200 Competition Skeet | | | |
| 28" Skeet/Skeet | Satin | 3237 | \$950.00 |
| 28" Skeet/Skeet | RK-W | 3247 | 950.00 |
| 26" Skeet/Skeet | Satin | 3239 | 950.00 |
| 26" Skeet/Skeet | RK-W | 3249 | 950.00 |
| Remington 3200 Skeet | | | |
| 28" Skeet/Skeet | RKW | 3209 | 795.00 |
| 26" Skeet/Skeet | RK-W | 3211 | 795.00 |
| Remington 3200 Field | | | |
| 30" Mod./Full | RK-W | 3201 | 750.00 |
| 28" Mod./Fuli | RK-W | 3203 | 750.00 |
| 26" kmp. Cyl./Mod. | RK-W | 3205 | 750.00 |
| Remington 3200 3" Magnum Pield | | | |
| 30" Full/Full | RK-W_ | 3241 | 775.00 |
| 30" Mod./Full | RK-W | 3243 | 775.00 |
| Remington 3200 Trap | | | |
| 32" imp. Mod./Full | RK-W | 3213 | 795.00 |
| 32" imp. Mod./Fuli/Monte Carlo Stock | RK-W | 3219 | 795.00 |
| 30" Full/Full | RK-W | 3215 | 795.00 |
| 30" Imp. Mod./Full | RK-W | 3217 | 795.00 |
| 30" Full/Full/Monte Carlo Stock | RK-W | 3221 | 795.00 |
| 30" Imp. Mod./Full/Monte Carlo Stock | RK-W | 3223 | 795.00 |
| | | | |





"Every time I shoot this 700, I remember the day I bought it.

"I shot one of the tightest groups I ever fired with this 700, just as it came from the box. And it seems to improve with age.

with age.
"I think that's typical of all of the Remington line, from what I've seen. They may change a part here and there, but the same performance and reliability are always there.


"I own five Remingtons, and each one of them has dependability built right in . . . the same today as when I bought them. That's another thing. My Remington guns are among the few things I've bought that haven't lost their value. As a matter of fact, they seem to appreciate in value.

"When Remington says
"Best value, just as it comes
from the box, I'll add... and
best value through the years.
"This Model 700 will make

"This Model 700 will make a great hand-me-down someday."

Model 700 Center Fire Bolt-Action Rifles

The Model 700 combines superb accuracy and sleek, inceful styling with optimum hindling and performance features in a choice of sixteen culibers including the Bram Remington Magnum new for 1977. Excellent quality and lesting value have made the Model 700 America's best-selling built-action center fire rifle. The design and workmanship of the Model 700 have become the standard of excellence by which standard of excellence by which other big-game rifles are measured. The action is one of the strongest ever designed. Sole face, barrel and received the strongest ever designed. Sole face, barrel and received the strongest sold self-barrel from six solid self-barrel. informance and value that last periative features include a eled anti-bind bolt, shrouded it head, low-profile positive hiumbaype sefety, skip-line checkering, Monte Carlo stock with chesiplece, checkered bolt knob, easily detachable sights and a receiver drilled and tapped



MODEL 700 SPECIFICATIONS

STOCIC American weinut BDL and "Varmint Special" snodels have cut checkering 20 lines to the inch that estands around entire fore-and Safati snid C Qustom models are cut-checkered. ADL has stip-line checkering. Solid nubbiri presentation-type recoil peds on Magnum models. BDL and "Varmint Special" models include sting strap and quick-transe swivels installed, black fore-and tip and white line solicions. STANDARD STOCK DaneNSONS: 13 %" length of pult, 2 %" drop at heal, 2 %" drop at comb (measured from open sight line). "Varmint Special" stock: 13 %" length of pult, 1 %" drop at heal, 4 %" drop at comb (measured from open sight line). "Varmint Special" stock: 13 %" length of pult, 1 %" drop at heal, 4 %" drop at comb (measured from center line of lights). RECEIVER: One-piece orchance steel with anti-bind bolt. Drilled and tapped for scope mounts and receiver sights. Fload magazine with stainless steel magazine follower. BDL: "Varmint Special," and Safati grade have hinged floor plate, SIGHTIS: Ramp front sight with flat-faced gold built. BDL and Safati grade front sights are hooded. Rear sight has sliding remp for psycles elevation adjustment, also adjustable for windage. Both sights are removable for scope-block mounting without drilling or tapping: "Varmint Special" is furnished without sights, but with front and rear 40-XB typs scope bases installed. SAPETY: Fast positive thumb typs. Laft-hand models have infilined safety, bott, and ejection.

The state of the s

| Cap. | Twist R-H 1 Turn in | | "Vacmint |
|----------------|---------------------------------|--|--|
| | 2 50441 141 | Reg. | Speciel" |
| 6 | 9" | 24" | |
| 5 | 14" | 24" | 24" |
| 6 | 14" | 24" | 24" |
| 6 | 12" | | 24" |
| 5 | 10" | 24" | 24" |
| 5 | 9'' | 22" | 24" |
| 5 | 9" | 22" | 24" |
| 5 | 10" | 22" | |
| 5 | 10" | 22" | |
| 5 | 10" (Varmint 12") | 22" | 24" |
| 4 | 10" | 24" | |
| 4 | 9" | 24" | |
| - 4 | 9" | 24" | |
| 4 | 10" | 24" | |
| 4 | 12" | 24" | |
| 4 | 14" | 24" | |
| | 6 6 5 5 5 5 5 | 6 14" 6 12" 5 10" 5 9" 5 9" 5 10" 5 10" 5 10" 4 10" 4 9" 4 10" 4 10" 4 12" 4 14" | 6 14" 24" 6 12" 5 10" 24" 5 9" 22" 5 9" 22" 5 10" 22" 5 10" 22" 5 10" 22" 4 10" 24" 4 9" 24" 4 10" 24" 4 10" 24" 4 11" 24" |


*Recoil ped included.

†Safart Grade.

High Grade Model 700 rifles available in all calibers on Special Order. Peerless D. Grade suggested retail price: \$1,900.00.


See pages 32 and 34 for ballistics on above cartridges.





Model 700 BDL Custom Deluxe Incorporates all of the lasting-value features found in the ADL, plus distinctive deep-cut functional 20-line-per-inch checkering which wraps around the fore-end. BDL version also has a hinged floor-plate, hooded front sight, sling strap and quick-release swivels, white line spacers, black fore-end tip.

Model 700 BDL
"Varmint Special"
Chambered in seven popular
varmint calibers. Combines all
of the performance of the BDL
with a heavy barrel for extreme
accuracy at all ranges. Equipped
with scope bases (no sights).
The 700 BDL Varmint rifle
chambered for 308 Winchester
cartridge makes an excellent
metallic silhouette rifle and
meets the required
specifications.



| Over | al Longia | | Lbs. | 700 ADL | | 700 BDL | | 700 BDL LH. | | "Varmint Special" | | 700 C Custom | |
|--------|---|-------------------|---------------------------------------|---|--------------|---------------|---------------------|-------------------|---------------------|----------------------|---------------------|-----------------|---------------------|
| Reg. | | | "Vermint Operated" | Order (| Pugg. Ril. | Order Nos. | Bugg. Rtt. Price | Order Nos. | Bugg. Rtt. Prict | Order Nos. | Sugg. Rtt. Price | Order Nos. | Sugg. Rti. Price |
| 34" | N. W. B. A. | 新疆 地名西 | ····································· | A CHARLES | 14 - 14 m | 5800 | \$274.95 | | | | | | |
| 34" | A)W | 海 四 中国 | 149 | 5762 | 229.95 | 5782 | 259,95 | 2.82 | | 5822 | \$274.95 | Special | \$525.00 |
| 36" | 4344 | A STATE OF | 0 | 3760 | 229.95 | 5780 | 259.95 | | | 5820 | 274,95 | Special | 525.00 |
| | 4344 | कियार (पर्वे क्री | 9 aniete | 1.50 | 使物料 | K-x50. | | | | 5824 | 274.95 | | |
| 44" | 4414" | Orași 🖢 e e e e | 9 | 5768 | 229.95 | 5788 | 259.95 | | | 5830 | 274.95 | Special | 525,00 |
| 14" | 43%" | | 9 | 5764 | 229.95 | 5784 | 259.95 | | | 5826 | 274,95 | Special | 525.00 |
| N" | 43%" | は後に大きるなど | 9 | 5766 | 229.95 | 5786 | 259.95 | | | 5828 | 274.95 | Special | 525.00 |
| 244" | 3 0 × 0 | March 1986 | Maria Salah | 5770 | 229.95 | 5790 | 259.95 | 5810 | \$264.95 | | | Special | 525.00 |
| 15/4,, | ce to | | 14. | 5772 | £ 229.95 | 5792 | 259.95 | 5812 | 264.95 | | | Special | 525.00 |
| 114" | 43142 | 7 44 | 8% | 5774 | 229.95 | 5794 | 259.95 | | | 5832 | 274.95 | Special | 525.00 |
| 1/1" | - 7/4~ 3/4/180's | 76 | 1980 July 20 | | April 6 | 5808 | 274.95 | | | | | | |
| . ''2" | 12 2 62 | 74 A | | 5776 | 244.95 | 5802 | 274.95 | 5814 | 279.95 | | | Special | 525.00 |
| 144" | | | 10 张明1999 | | | 5804 | 274.95 | | | | | | |
| 141/4" | | 74 | 3.16.15人145 | Take (| | 5806 | 274.95 | | | | | Special | 525.00 |
| 14%H | or planty there's | 9 K | | The state of the state of | iki miserye. | 58361 | 450.00 | | | | | | |
| HK" | \$ 10 miles | 100 | Barry Sales | \$ 10 P. S. | | 58381 | 450.00 | | | | | | |

Model 742 "Woodsmaster" Center Fire Autoloading Rifles

Model 742 "Woodsmaster" rifles are Remington engineered for anadmum strength, consistent reliability and lifetime durability. These qualities have made the "Woodsmaster" the world's most popular extologisting big-game affe.

The strength of the "Woodsmaster" rifle is derived from such features as an artillery type bolt with multiple locking lugs. When the action is closed, these locking lugs lock the bolt to the barrel tightly and securely. Inside the action, the cartridge head is encircled tightly by bolt, barrel and receiver—three rings of solid steel with no extractor cuts to weaken this critical area.

Reliability is the result of a dependable gas operating system. And it has all weather reliability, because the interior working parts are coated with Du Pont "Teffon-S" resin. This friction-reducing coating lubricates, resists dirt and grime, and makes cleaning easier.


Other value features include a fast-loading, 4-shot removable clip magazine; convenient bolt release; positive cross-bolt safety; receiver drilled and



MODEL 742 SPECIFICATIONS

STOCK & FORE-END: American wainut. STANDARD STOCK DIMENSIONS: 13%" length of pull, 2½" drop at heel. 1½" drop at comb. BDL Monte Carlo stock: 13½" length of pull, 2½" drop at heel, 1½" drop at comb. 1½" drop at Monte Carlo. RECEIVER: Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine plus one in chamber. SIGHTS: Ramp front sight with flat-faced gold bead. Rear sight has sliding ramp for precise elevation adjustment; also adjustable for windage. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive cross-bolt type. BDL models with left-hand cheekpiece have left-hand safety, right side ejection. WEIGHT: Approx. 7½ ibs. Carbine weighs approx. 7½ lbs.

BARBER - PRESALE R 0124489



tapped for scope mounts; ramp front sight with flat-faced gold bead and adjustable rear sight; Remington's exclusive vibrahoned finish on metal parts to enhance blueing and smooth out the action.

The tough Du Pont RK-W finish enriches and protects the wood for long-lasting beauty, even under hard use.


When you put it all together, the Model 742 "Woodsmaster" rifle has the kind of quality and durability that makes it a great hand-me-down.

Model 742

The Model 742 "Woodsmaster" rifle standard version is available in five popular hunting calibers. Stock and tapered fore-end are distinctively checkered. White-line spacers enhance appearance. Sights are removable. Receiver drilled and tapped for scope mounts.

Model 742 Carbine
All of the features of the standard 742 in a shorter version. An 18½-inch barrel and shorter overall length make for fast handling qualities in dense brush or for use as a saddle gun.

Model 742 BDL Custom Deluxe All of the performance features of the 742 "Woodsmaster" rifle plus deluxe basketweave checkering and Monte Carlo stock with full cheekpiece.



Model 760 "Gamemaster" Center Fire Pump-Action Rifles

When the situation calls for a fast second shot, the smooth pump action of the 760 allows you to operate the action while keeping the rifle in a natural shooting position. Styled for fast handling, the 760 operates more surely and naturally than a lever action.

The amoothness is the result of twin action bars which eliminate twisting or binding. A swift backsand-forth motion of the hand, with the rifle to your shoulder and you're ready for your next shot. The fixed trigger assembly means that your finger never leaves the trigger as you work the pump action. No awkward motions, no pinched fingers.

The 760 action is strong as well as smooth, its strength comes from a receiver mechined

from a block of solid steel and an artillery style bolt with multiple locking lugs.

Removable clip magazine makes for fast and easy loading and unloading. Extra clip magazines are available.

Receivers and internal parts are vibra-honed to a mirrorlike finish, burr-free to assure smooth operation. The final touch is the Du Porit RK-W finish on the wood to bring out the quality and impart long-lesting protection against scratches and weather.

Model 760

The only pump-action rifle systleble in 3006, Also systleble in 6mm Rem., 243 Win., 270 Win, and 308 Win, calibers.

Model 760 Carbine

A good rifle for brush country or use as a saddle gun. Has an 181/2-inch barrel and the features of the standard Model 760. In 30-06 and 308 Win, calibers.

Model 760 BDL Custom Deluxe All of the smoothness of the standard Model 760 plus a special basketweave-checkered Monte Carlo stock with full checkpiece. Chambered for 270 Win., 30-06 and 308 Win. calibers.


MODEL 760 SPECIFICATIONS

STOCK & FORE-END: American walnut, STANDARD STOCK DIMENSIONS: 131/4" length of pull, 21/4" drop at heel, 11/4" drop at comb. Monte Carlo stock: 131/4" length of pull, 21/4" drop at heel, 11/4" drop at comb, 11/4" drop at Monte Carlo. RECEIVERS Drilled and tapped for scope mounts. Removable clip magazine. CAPACITY: 4 in clip magazine plus one in chamber. SIGHTS: Ramp front sight with flat-faced gold bead. Rear sight has sliding ramp for precise elevation adjustment; also adjustable for windage. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive cross-bolt type. BDL models with left-hand cheekplece have left-hand safety, right side ejection. WEIGHT: Approx. 71/2 lbs. Carbine weights approx. 71/4 lbs.

| Calibers | Twist—R H 1 Turn in | Berrei Length | Overall Length | Order Nos. | Suggested Retail Price |
|-----------------------|------------------------|------------------|-------------------|-----------------|---------------------------|
| Model 760 | | | | | |
| 6mm Rem. | 9'' | 22" | 42" | 5900 | 224.95 |
| 270 Win. | 10" | 22" | 42" | 9726 | 224.95 |
| 30-06 | 10" | 22" | 42" | 9730 | 224.95 |
| 308 Win. | 10" | 22" | 42" | 9732 | 224.95 |
| 243 Win. | 9" | 22" | 42" | 9678 | 224.95 |
| Model 760 Carbine (n | ot available in E | OL Grades) | | | |
| 30-06 | 10" | 18%" | 38%" | 9698 | 224.95 |
| 308 Win. | 10" | 181/2" | 38%" | 9714 | 224.95 |
| Model 760 BDL Custo | om Deluxe | | | | |
| 270 Win. | 10" | 22" | 42" | 9708 | 244.95 |
| 30-06 | 10" | 22" | 42" | 9692 | 244.95 |
| 308 Win. | 10" | 22" | 42" | 9705 | 244.95 |
| Model 760 BDL Custo | om Deluxe-Le | t-hand Stock | and Safety | | |
| 270 Win. Left Hand | 10" | 22" | 42" | 9712 | 244.95 |
| 30-06 Left Hand | 10" | 22" | 42" | 9694 | 244.95 |
| 308 Win. Left Hand | 10" | 22" | 42" | 9710 | 244.95 |
| Model 760 D Peerless | Grade | | | Special | 1,200.00 |
| Model 760 F Premier | Grade | | | Special | 2,400.00 |
| Model 760 F Premier | Grade with Go | id inley | | Special | 3,600.00 |
| Accessories for Mode | 보 760 | | | | |
| Sling strap & Quick-R | elease Swivels (| Installed) | | 6096 | 13.75 |
| Extra 4-shot Clip | | | | Specify Caliber | 7.25 |

See pages 32 and 34 for ballistics on cartridges chambered for M/760.





Model 788 Center Fire Bolt-Action Rifles

A no-nonsense big game rifle at a no-nonsense price. We've left off the frills to give you top performance and high quality with superlative accuracy in a center fire bolt-action rifle.

And well within the range of any hunter's wallet

An incredibly fast lock time is one reason for the accuracy. In tests against ten competitive rifles, the bullet left the barrel of the 786 before it had left the cartridge case of the others.

A good value to start with, and lasting value in the long run, make the Model 788 one of the great hand-me-downs.

Model 788

The Model 788 is equipped with Monte Carlo stock, serrated thumb-type safety, easily removable clip magazine, blade front sight and fully adjustable. Unotch reer sight. Receiver drilled and tapped for scope mounts. Left-hand versions evallable in 6mm ferm, and 308 Win. Extra clip snigatines are liable.

Model "XP-100" Long-Range Pistol

A unique single-shot, center fire, bolt-action pistol chambered for the 221 Remington."Fire Ball" cartridge. Designed to reduce ship, jump and recoil, Extremely accurate.

One-piece stock of Du Pont
"Zytel" mylon. Universal grip fits
left: or right-handed shooters.
Internal fore-end cavities for
addition of weights. Match-type
grooved trigger. Ventilated rib.
Rifle-type rear sight and ramped
blade front sight. Two-position
thumb safety. Receiver drilled
and tapped for scope mounts.
10%-inch barrel. 16%-inch
overall length. Weighs 3% lbs.
Furnished with zippered carrying
case. See page 36 for 221 Rem.
ballistics. Rem. Order No. 5470.
Suggested retail price \$184.95.

MODEL 788 SPECIFICATIONS

STOCK: Walnut finished hardwood, Monte Carlo. STANDARD STOCK DIMEN-SIONS: 13%" length of puil, 2%" drop at heel, 1%" drop at comb (measured from open sight line). RECEIVER: Drilled and tapped for scope mounts and receiver sight. Detachable clip magazine. SIGHTS: Blade front sight on ramp is detachable. U-notch rear sight lockscrew adjustment for windage and elevation. Both sights removable for scope mounting without drilling or tapping. SAFETY: Positive fast-action thumb type. Left-hand models with left-hand bolt handle, right side ejection. WEIGHT: Approx. 7½ ibs. For 222 Rem., 223 Rem., and 22-250 Rem., 7½ ibs. SCOPE: 4-power model with mount and rings.

| Calibers 3.77 | Ctip Mag. Cap. | Twist—R H 1 Turn in | Bbl. Lgth. | Ovrl. Leth. | As. Wt. Lbs. | Order Nos. | Suggested Retail Price |
|-----------------------|-------------------|------------------------|---------------|----------------|-----------------|---------------|---------------------------|
| Model 788 | | | | | | | |
| 222 Rem. | 4 | 14" | 24" | 43%" | 71/2 | 9722 | \$159.95 |
| 22-250 Rem. | 3 | 14" | 24" | 43%" | 71/2 | 9736 | 159.95 |
| 223 Rem. | 4 | 12" | 24" | 43%" | 71/2 | 9734 | 159.95 |
| 6mm Rem. | 3 | 9" | 22" | 42" | 71/4 | 9784 | 159.95 |
| 243 Win. | 3 | 9" | 22" | 42" | 71/4 | 9782 | 159.95 |
| 308 Win. | 3 | 10" | 22" | 42" | 71/4 | 9780 | 159.95 |
| 222 Rem, with | 4X Scope | • | | | | 9790 | 184.95 |
| 22-250 Rem. w | th 4X Scor | × | | | | 9778 | 184.95 |
| 223 Rem. with | | | | | | 9798 | 184.95 |
| 6mm Rem. with | 4X Scope | | | | | 9772 | 184.95 |
| 243 Win. with 4 | X Scope | | | | | 9774 | 184.95 |
| 308 Win. with 4 | X Scope | | | | | 9776 | 184.95 |
| Model 788-Let | t Hend | | | | | | |
| 6mm Rem. Left Hand | 3 | 9" | 22" | 42" | 71/4 | 9786 | 164.95 |
| 308 Win. Left Hand | 3 | 10" | 22" | 42" | 71/4 | 9788 | 164.95 |
| Accessories for | Model 78 | , | | | | | |
| Sling Strep & C | ulcie Relea | se Swivels (| (Installe | d) | | 6426 | 8.25 |
| Extra Clip | | | | ···· | Si | ectfy Cal | |

See pages 32 and 34 for ballistics on cartridges chambered for M/788.






"It's a great feeling to be able to hand down knowledge you've gained to a youngster who is eager to learn.

"And to see him get started off right. That's why I feel good about starting him off with a Remington 'Nylon 66' rifle, and a lot of practice on the range.

"Of course, any of the Remington 22's are great rim fire rifles, but the 'Nylon 66' Autoloader is kind of special to me ever since I read the book The Modern Rifle. The author, Jim Carmichel, said, 'If I had to survive in the wildemess for a lifetime, this is the rifle I'd choose.'

"That's probably because the 'Nylon 66' action doesn't need lubrication, and the stock and fore-end are made of a structural nylon material that is virtually indestructible. That's part of the story. The rest is super accuracy. The 'Nvlon 66' rifle was used to set a world record . . . 100,004 hits of hand-thrown wooden blocks out of 100,010 shots. And you can add reliability, because Remington engineers fired a single 'Nylon 66' rifle 75,000 times without any malfunctions.

"This boy knows that the range is no place for smart alecks, and he pretty well knows the rules. So with what know-how I can hand down and with his 'Nylon 66' rifle, we ought to have a lot of enjoyable hours shooting together."



Remington "Nylon 66" Autoloading Rim Fire Rifles

Exceptional! The one word which best describes the Remington "Nylon 66" Autoloader. There is no other rifle like it. The innovative features of this 22 set it apart from the rest. The stock and foreend of Du Pont "Zytel" structural rylon withstand treatment far rougher than that encountered in normal use.

Metal parts glide smoothly on nylon bearing surfaces which reduce friction and wear to the point of being negligible. This also means that the autoloading action never needs lubrication. It stays cleaner, because there is no oil or grease in the action to pick up dirt.

Accuracy and performance are inherent in the "Nylon 66" rifle. The exceptional accuracy of this rifle originates from the bedding of its Remington proofsteel herrel, and is based on the

same principle used in the most expensive target rifles. A world record for performance was set with 100,004 hits of hand-thrown wooden blocks out of 100,010 shots without a single malfunction. In verified testing by Remington engineers, a single "hylon 66" rifle fired 75,000 rounds without any malfunctions.

The "Nylon 66" rifle is bound to become another great handme down.

"Tylon 66" MB Rife
Stock and fore-end of durable,
supertough Du Pont "Zytel"
structural nylon in Mohawk
Brown. Blued barrel and receiver
cover. Tubular magazine feeds
through buttstock and has a
capacity of 14 long rifle
cartridges. Weighs only four
pounds.

"Nylon 66" AB Rifle
Same features as the MB, but
with all-weather chrome-plated
barrel and receiver cover and jetblack "Zytel" nylon stock.

Mylon 66" MB with 4X Scope
Mohawk Brown stock and foreand. Supplied with four-power
scope and mount. This extravalue combination gives you a
durable, accurate shooting
system.

"NYLON 66" RIFLE SPECIFICATIONS

ACTION: Autoloading, CALIBER: 22 Long Rifle rim fire, CAPACITY: Tubular magazine thru buttstock. Holds 14 Long Rifle cartridges. BARREL: 19%", precision rifled ordnance steel. STOCK: One-piece Du Pont "Zytel" nylon, checkered grip and fore-end with white diamond Inlays, white line spacers on butt plate, grip cap, and fore-end. Black fore-end tip. COLORS: Mohawk Brown with blued barrel and receiver. Apache Black with chrome-plated barrel and receiver cover. SIGHTS: Adjustable rear sight, blade front; common sight line for iron sights and scope. SAFETY: Top-of-grip, positive. RECEIVER: Grooved for tip-off scope mounts. Double entractors. OVERALL LENGTH: 38½". WEIGHT: 4 lbs. SCOPE: 4-power model.

| "Nylon 66" Rifle | Order Nos. | Suggested Retail Price |
|--|---------------|---------------------------|
| "Nylon 66" MB Mohawk Brown Autoloading Rifle | 5500 | \$84.95 |
| "Nylon 66" AB Apache Black Autoloading Rifle | 5486 | 89.95 |
| "Nylon 66" GS Gallery Special (22 Shorts Only) | 5512 | 94.95 |
| "Nylon 66" MB Mohawk Brown w/4X Scope | 5498 | 89.95 |
| Sling Strep & Swivels (Installed) | 6418 | 8.00 |



Model 552 "Speedmaster" Autoloading Rim Fire Rifles

rour different Model 352
versions cover most sutoloading
rim fire requirements. All have
positive cross-bolt safettes,
adjustable rifle sights, receivers
grooved for tip-off scope
mounts, shielded actions

Model 552A

Tubular magazine holds 20 short, 17 long or 15 long rifle cartridges; rifle has 23-inch barrel, also svallable in carbine version with 21-inch barrel.

Model 552 BDL Deluxe
Custom checkering on stock
and fore end; protective Du Pont
RKAW wood finish

Qallery Special model for 22, shorts only Special oil finish on plain stock.

MODEL 552 SPECIFICATIONS

ACTION: Autoloading. CALBER: 22 Short, Long, and Long Rifle rim fire. CAPAC-ITY: Rubular magazine holds 20 Short, 17 Long. 15 Long Rifle cartridges. BARREL: 23", Carbine 21", precision rifled ordnenos steel. \$TOCIG Wainut finished hardwood (American seinut in BDL Greds). BDL has Du Port Rf-W finish and fine-line custom checkering. \$GHTS; Adjustable rear sight, beed front. BDL: Blade ramp front sight, sliding ramp rear sight. \$APETY: Positive cross-bolt type. RECEIVER: Grooved for tip-off acops: prounts. OVERALL JENGTHS 42". 40" (Carbine). WEIGHT: 51 [be.

| | Model 5 | 52 | | 1 | TAX. | 经护 | 通影 | Order Nos. | Suggested Retail Price | |
|---|----------|---------|-----------------|-----------------|---------|----------|--|---------------|---------------------------|-----|
| - | .552 A A | utoloe | ing fee | (5 8 713 | Sec. | | | 5608 | \$ 99.95 | · " |
| | 352 C C | Carbine | | | 7. | | ·~ '\; \. | 5612 | 99.95 | _ |
| | 552 BD | L Delus | Sec. 2 1. 15.00 | 요구 :: | | egy stra | 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1 | 9830 | 109.95 | |
| | 552 QS | Callery | Special | (22 Sho | ts Only | 1.47 | 100 | 5610 | 111.95 | |
| | | | Sutrals | | | 1.50.47 | * M. W. W. | 6430 | 11.50 | _ |
| | | | | _ | | | | | | |

Model 572 "Fieldmaster" Pump-Action Rim Fire Rifles

America's favorite pump-action 22. The pump action works easily with speed and smoothness. By removing the inner magazine tube, the pump action converts to a single-shot rifle. Replacing the tube makes it a repeater again.

Model 572A

Smooth pump action. Ribbed fore-end, plain stock, bead front and adjustable rear sights.

Model 572 BDL Deluxe Custom checkering. Du Pont RK-W wood finish and big-game type sights. Trim design and fine balance.

MODEL 572 SPECIFICATIONS

ACTION: Pump repeater. CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: Tubular magazine holds 20 Short, 17 Long, 14 Long Rifle cartridges. BARREL: 23", precision rifled ordnance steel. STOCK: Walnut finished hardwood (American walnut in BDL Grade), BDL has Du Pont RKW finish and fine-line custom checkering. SIGHTS: Adjustable rear sight, bead front. BDL: Blade ramp front sight, sliding remp rear sight. BAFETY: Positive cross-bolt type. RECEIVER: Grooved for the off scope mounts. OVERALL LENGTH: 42". WEIGHT: 5½ ibs.

| Model 572 | Order Nos. | Suggested Retail Price |
|-------------------------------------|---------------|---------------------------|
| 572 A | 5626 | 104.95 |
| 572 BOL Deluxe | 9832 | 114.95 |
| 572 SB Smooth Bore | 5628 | 114.95 |
| Sling Strep and Swivels (Installed) | 6432 | 11.50 |



Model 541-S "Custom" Sporter **Bolt-Action 22** Rim Fire Rifles

The Remington Model 541-S is a classic 22 rifle, sure to become a great hand-me-down. It is designed along the lines of its big-game cousins, with similar features and outstanding value. Features include American walnut stock; thin pistol grip;

fine-line cut checkering; matching rosewood-colored foreend tip, grip cap and checkered butt plate; Du Pont RK-W wood finish. Decorative scrollwork engraving enhances appearance of specially blued receiver and bowed trigger guard. Adjustable match-type trigger, low-profile safety; artillery style bolt with six locking lugs; double extractors. Receiver grooved for tip-off scopes,

MODEL 541-8 SPECIFICATIONS

ACTION: Bolt, clip magazine repeater, CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: 6-shot with 5-shot clip (10-shot clip available as accessory), checkered clip release. BARREL: 24", tapered, deep rich blueing, ordnance steel, drilled and tapped for front and rear sights. Countersunk at muzzle. STOCK: American walnut, Monte Carlo. Du Pont RKW wood finish, fine-line cut checkering at pistol grip and fore-end. Checkered resewood-finished butti-plate and grip cap, pistol grip and fore-end. Checkered resewood-finished buts plate and grip cap, resewood-finished fore-end tip. White line spacers at buts plate, grip cap, and fore-end tip. BiGHT& None supplied, barrel and receiver drilled and tapped for scope mounts or receiver sights: receiver grooved for scope mounts. SAPETY: Positive, serrated thumb type, safety indicator markings (forward for fire, reseward for safe). BOLT: Artillerystyle rear lock-up, six locking, lugs, double extractors, highly polished. RECEIVER: Round, ordnance steel; grooved, drilled and tapped for scope mounts or receiver sights. Deep rich blueing, engraved in scroll pattern. TRIGGER: Adjustable match type, sixel trigger guard engraved. OVERALL LENGTH: 42%". WEIGHT: 5½ lbs.

| Model 541-5 " | "Custom" 8 | porter | 4.7 | Order Nos. | Suggested Retail Price |
|----------------|--------------|---------------|-------------------------|--------------------|---------------------------|
| 22 Cal. Bolt A | ction Clip R | peater | | 9800 | \$199.95 |
| Extra 5-Shot C | lip . | | | 4914 | 4.00 |
| Extra 10-Shot | Clip | | 10 May 19 | 9828 | 4.75 |
| Sling Strap & | Quick Releas | e Swivels (in | stelled) | 6382 | 12.00 |
| | | Sugar a | | | |
| | | | ं के फिल्हें हैं। इस के | er General (gr. 1) | |

Model 580. 581 & 582 **Bolt-Action** Rim Fire Rifles

Practical and economical boltaction 22 rlm fire rifles with strong, safe, dependable actions. Extra-fast lock time increases accuracy. Full-size Monte Carlo stocks; 24-inch precision rifled steel barrels.

Model 580 (Single Shot) Handles short, long or long rifle cartridges. Also available in a smooth-bore version for shot cartridges. Boy's Rifle has oneinch shorter stock.

Model 581 (Clip Repeater) Five-shot removable clip magazine handles short, long or long rifle cartridges. Extra fiveand ten-shot clip magazines available. Also available in lefthand version.


Model 582 (Tubular Repeater) Holds 20 short, 15 long or 14 long rifle cartridges.



MODELS 580, 581 & 582 SPECIFICATIONS

ACTION: All bolt action, M/580 single shot, M/581 clip repeater, M/582 tubular ACTION: All bott action, M/580 single shot, M/581 clip repeater, M/582 tubular repeater. CALIBER: 22 Short, Long, and Long Rifle rim fire. CAPACITY: M/580 single shot, M/581 6-shot; M/582 20 Short, 15 Long, 14 Long Rifle cartridges. BARREL: 24", ordnance steel, precision rifled, crowned at muzzle. STOCK: Walnut finished handwood with Monte Carlo, full size, black but; plate. Single-screw takedown, M/580 Boy's Rifle stock 1" shorter. SIGHTS: Front: bead, dovetail adjustable. Rear: U-notch type, lock-screw adjustable. SAFETY: Positive, serrated thumb type (forward for fire, rearward for safe). BOLT: Artillery style, lock-up at rear. Six locking lugs, double extractors. Left-hand Model 581 with left-hand bott, right side ejection. RECEIVER: Round, ordnance steel, grooved for scope mounts. OVERALL LENGTH: 42%". 580 Boy's Rifle, 41%". WEIGHT: M/580-4% lbs., M/581-4% lbs., M/582-5 lbs.

| Bolt Action 22 Caliber Rifles | Order Nos. | Suggested Retail Price |
|---|---------------|---------------------------|
| Model 580 Single Shot | 9852 | \$69.95 |
| Model 580 SB Single Shot, Smooth Bore | 9864 | 74.95 |
| Model 580 BR Boy's Rifle | 5570 | 69.95 |
| Model 581 Clip Repeater | 9854 | 79.95 |
| Model 581 Clip Repeater, Left Hand | 9838 | 84.95 |
| Model 582 Tubular Repeater | 9856 | 89.95 |
| Models 580, 581 Sling Strap & Swivels (Installed) | 6426 | 8.25 |
| Model 582 Sling Strap & Swivels (Installed) | 6428 | 8.25 |
| Model 581 - Extra 5-Shot Clip | 4914 | 4.00 |
| Model 581—Extra 10-Shot Clip | 9828 | 4,75 |



Residention Rim Fire larger Rifler

Model 540-XR and 540-XR-IR Rim Pire Position Rifles The single-shot match rifle for intermediate and junior shooters. Specially designed stock with deep fore-end and five-way adjustable butt plate improve shooter efficiency in all positions: Pistolgrip design eliminates wrist twisting and assures straight back trigger pull. Junior model 5403/R.R has the same features with 1 % such shorter stock.

Model 40-XR Rim Fire ion Rifle

For the serious competitor who wants the finest in a rim fire position rifle. Two-way vertically adjustable butt plate. Exclusive loading platform provides straightline feeding with no shaved bullets. Meets International Shooting Union requirements for standard rifle.

Model 40-XB "Rangemaster". Center Fire Rifle

Favorite of shooters for its unsurpassed accuracy. Single shot in standard or heavy barrel versions; repeater in heavy barrel only.

RIM FIRE TARGET RIFLE SPECIFICATIONS

RIM FIRE TARGET RIFLE SPECIFICATIONS

MODEL 540-XR 6 540-XR-IR (RIM FIRE) POSITION RIFLES:

ACTION: Bok, single shot. CALIBER: 22 Long Rifle rim fire only. CAPACITY: Single looding, RECEIVER: Drilled and tapped for receiver sight. BOLT: Artillery style with lockup at rear. Six locking lugs, double extractors. TRIGGERI Adjustable from 1 to 5 fbs. SAPETY: Positive, serreted thumb type (forward for fire, rearward for safe). SIGHTS: Optional accessory at extra charge. Redfield "63 Clobe front sight with 7 inserts. Redfield "75 rear sight with 4-minute clicks. BARREL: 26" medium-weight target berrel: countersumlik at muzzle. Drilled and tapped for target scope blocks. Fitted with front-sight base. STOCK: Position style with Monte Carlo, cheelplece, and thumb groove, 5-way adjustable but plate and full-length guide rail (front swivel block, sling, and sling swivel optional at extra charge). Common sight alignment with scope or iron sights. LENGTH: 00 PULL: 540-XR: Adjustable from 12%" to 16". 540-XR: Adjustable from 11" to 14%". OverALL LENGTH: 540-XR: Adjustable from 42%" to 45". NVERAGE WEIGHT: Black Files. POSITION RIFLE:

MODEL 4008 (RIM FIRE) POSITION RIFLE: ACTION: Boll, single shot. CALIBER: 22 Long Rifle rim fire only, CAPACITY: Single the India son, amount of the Collection of the India son guide rail. Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plats. LENGTH OF PULL: 131/6". OVERALL LENGTH: 421/4". AVERAGE WEIGHT: 16 fis. 2 be, without sights. Add approximately 12 oz. for sights.

| Model 540-XR & 540-XR-IR President Ries Fire Nos. | Suggested Retail Price |
|---|---------------------------|
| 540-XR Position Rifle 9802 | \$174.95 |
| 540 XRJR Position Rifle 9804 | 174.95 |
| Redfield *63 Front and *75 Rear Sights *** 6552 | 34.50 |
| Sling Strep with Front Swivel Block Assembly 6420 | 10.50 |
| Model 40-XIR Position—Rim Fire | · _ |
| 40-XR Position Rifle 5668 | 325.00 |
| Redfield International Front and Rear Sights 6554 | 90.00 |
| Sporter (22 Long Rifle version of Model 700 C Custom) Special | 525.00 |

Remington Center Fire Target Rifles

Model 40-XBBR Bench-Rest Center Fire Rifles

Wide, squared fore-end for stability. Available with 20-inch or 26-inch stainless steel barrel to meet I.B.S.

and N.B.R.S.A. 101/2-16. and 131/2-lb. class specifications.

Model 40-XC National Match Course Center Fire Rifle Chambered for 308 Win. (7,62mm NATO) cartridge only. For use in National Match Course competition. Improved positionstyle stock.

CENTER FIRE TARGET-RIFLE SPECIFICATIONS

MODEL 40-XB "RANGEMASTER" (CENTER FIRE):

ACTION: Bolt, Single shot in standard or heavy-barrel versions. Repeater in heavy-barrel only, CALIBERS: Single shot—222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6mm x 47 (6mm 222 Mag.), 6mm Rem., 243 Win., 25-06 Rem., 7mm Rem. Mag., 7.62mm NATO (308 Win.), 30-06, 30-338 (30-7mm Mag.), 300 Win. Mag. Repeating (Heavy-Barrel Version Only)—222 Rem., 222 Rem., 223 Rem., 22-250 Rem., 66mm x 47 (6mm .222 Mag.), 6mm Rem., 243 Win., 7.62mm NATO (308 Win.), CAPACITY: Single loading and clip repeater (magazine loads from top of receiver), RECEIVER: Drilled and tapped for scope block and receiver sights. Target scope blocks installed. Receiver bedded to stock. TRIGGER: Match type. Adjustable from 2 to 4 lbs. Weight of pull can be changed externally. Special 2-oz. trigger available on single-shot models only at extra charge. SiGHTS: None supplied. Target scope blocks installed. BARREL: 271/4" length. Unblued stainless steel only. Free-floating. Drilled and tapped for scope block and front target fron sight. Muzzlediameter: S2:approximately %".H2:approximately %".STOCK: American wainut. Non-slip rubber target-type butt pad. Adjustable combination hand stop and sling swivel. Front swivel block on fore-end guide rail. LENGTH OF PUILL: 13½". OVERALLLENGTH: Approximately 47". AVERAGE WEIGHT: S2:9 /k bs. H2: 11 /k lbs. MODEL 40-XB "RANGEMASTER" (CENTER FIRE):


| Model 40-XB "Rangemaster"—Center Fire | | |
|--|------------|--------------------|
| (Allow 18 months or more for delivery) | Order Nos. | Sugg. Retail Price |
| CF-S2 Std. Stainless Steel Barrel | Special | \$450.00 |
| CFH2 Heavy Stainless Steel Barrel | Special | 450.00 |
| Extra for Repeating Center Fire Models with Heavy Barrel | Special | 32.00 |
| Extra for 2 oz. Trigger (Single Shot Models Only) | Special | 55.00 |

MODEL 40-XBBR BENCH REST (CENTER FIRE):
ACTION: Bolt, single shot. CALIBERS: 222 Rem., 222 Rem. Mag., 223 Rem., 6mm x 47 (6mm .222 Mag.), 7.62mm NATO (308 Win.). TRIGGER: Adjustable from 1½ to 3½ lbs. Special 2-oz. trigger available at extra charge. BARREL: (Inblued stainless steel only. 20" length for Light Varmint Class. 26" length for Heavy Varmint Class. STOCK: Selected American walnut. LENGTH OF PULL: 12". OVERALL LENGTH: 38" with 20" barrel. 44" with 26" barrel. AVERAGE WEIGHT: 9½ lbs. with 20" barrel. 12 lbs. with 26" barrel.

| § _ | | • | | | | | Order Nos. | Sugg. Retail Price |
|-----|--------------|-----------|---------------|---------|-----------|-----------|-------------|--------------------|
| | Aodel 40-XB | BR Benc | h Rest Single | e Shot, | Stainless | Steel Bar | rel Special | \$480.00 |
| E | otra for 2 o | z. Trigge | <u> </u> | | | | Special | 55.00 |

MODEL 40-XC NATIONAL MATCH COURSE (CENTER FIRE) RIFLE ACTION: Bolt, repeating, CALIBER: 308 Win. (7.62 NATO). CAPACITY: 5-shot magazine loads from top of receiver. Clip slot in receiver. SAFETY: Positive, thumb-operated. RECEIVER: Drilled and tapped for metallic sights. Scope-mount bases installed. BARREL LENGTH: 24% 'stainless steel. OVERALL LENGTH: 42%'. LENGTH OF PULL: 131/2" (trigger adjustable 2 to 4 lbs.). STOCK: Thumb groove, adjustable combination hand stop and sling swivel. 2-way vertically adjustable butt plate. WEIGHT: 11 lbs. without sights.

| Model 40-XC National Match Course—Center Fire | Order Nos. | Sugg. Retail Price |
|---|------------|--------------------|
| 40-XC National Match | 6002 | \$500.00 |



CONTENTS

| SPORTING ARMS 2-25 |
|--------------------------------|
| SHOTGUNS, HUNTING . 4-5, 16-17 |
| Autoloading 4-5, 16-13 |
| Pump Action 4 5, 16 13 |
| Over and Under 4 5, 16-13 |
| SHOTGUNS, TRAP & |
| SKEET |
| - Autoloading 6 7, 18 19 |
| Pump Action 6 7, 18 19 |
| Over and Under 6 7, 18 19 |
| Shotgun Extra Barrels 38 |
| CENTER FIRE RIFLES 8 11, 20 23 |
| Bolt Action 8 9, 20 23 |
| Autoloading 10 11, 20 2 |
| Pump Action 10 11 . 20 2 |
| Long Range Pistol 24 |
| RIM FIRE RIFLES 12 13, 22 2 |
| Autoloading 12 13, 22 2 |
| Pump Action |
| Bolt Action 24 29 |
| TARGET RIFLES 24 2 |

| AMMUNITION | 14-15, 26-37 |
|------------------------------|-------------------|
| SHOTGUN SHELLS | S 26-27 |
| CENTER FIRE RIF | LE |
| Cartridges and | |
| Ballistics | 27 28, 30-35 |
| CENTER FIRE PIST | OL& REVOLVER |
| Cartridges and Ball RIM FIRE | listics 28, 36-37 |
| Cartridges | 2 9 |
| REMINGTON POST | FERS 39 |

Remington, Wingmaster, Woodsmaster, Gamemaster, Speedmaster, Rangemaster, Fieldmaster, Power Piston, Power-Lokt, Shur Shot, Core-Lokt, Fire Ball, Kleanbore, Targetmaster, Brushmaster, Jet. Power-Pakt, RXP, R-P. Power-Pak are trademarks registered in the United States Patent and Trademark Office by Remington Arms Company, Inc.

XP-100, Nylon 66, Golden, Express, Classic, Varmint Special, Target, High Velocity, Accelerator, Nitro Mag, Custom are trademarks of Remington Arms Company, Inc.

"Zytel" is a registered trademark of E.f. duPont de Nemours & Co., Inc., for nylon resins, as is "Teflon S" for tetrafluoroethylene resins.

Weights and stock dimensions vary according to the individual firearm.

All prices in this catalog are suggested retail prices. These prices are subject to change without notice and include applicable U.S. excise tax.

REMINGTON MODEL 1100 AUTOLOADER

Everybody likes a winner, and the Model 1100 has been a winner since its introduction in 1963. More sharplyrs own 1100s than any other histoloading shotgun, and for good reasons. They like the low recoil sensation; smooth, reliable perform-

ance, plus the ea /9 excellent balance

Pick the gauge—12, 16, 20, 28 or 410 bore. Pick the chamber length—the 2%" handles all 2%" loads, including "baby magnums" without adjustments, and the 3" Magnum, which handles all 2%" magnum and 3" magnum loads. Choose barrel length, style and choke from the widest selection offered by any manufacturer. There are

12 gauge left-hand versions in both chamber lengths, too. And extra barrels add versatility and value to any Model 1100. For instance, you can start with an 1100 for upland game and buy a barrel that converts it to a deer gun. Changing barrels is accomplished quickly and easily without tools. (See page 38.)

The Model 1100 LT-20, 20

The Model 1100 LT-20, 20 gauge Lightweight is a significant introduction for 1978.


The gun is tailored to the smaller proportions of the 20 gauge

shell, with the proven performance of two million 1100s behind it. The LT-20, with American walnut stock and fore-end, will replace our standard 20 gauge shotgun

gauge shotgun.

The Magnum model with inch 20 gauge shells delivers are power and pattern of a 12 gauge shotgun. And because the LT-20 has the size, weight and balance a 20 gauge should have, it is fast handling, quick pointing, and it's a dream to carry in the field all day.

SHOTGUNS



mique gas-metering system of the Model 1100 combine to retuxe the recoil sensation to a Trule push against your shoulies a comfortable shotgun shooter, in any gauge

MODEL 870 WINGMASTER PUMP ACTION

that the quality for getting you authors with the best. More

should is have chosen die 870 than any other pump

shotgun...over 2½ n /9 7 fact. They have found was you just can't beat the Model 870 for reliability.

reliability.
This reliability is a direct result of how the 870 is made. The receiver and action parts are vibra-honed after machining to assure a perfect fit and finish, and to minimize friction. Double action bars prevent twisting and binding for positive straight-line pumping. Lightning-fast, silky-

smooth action means sure leed (and crisp ejection, no matter at the weather or field

conditions.

The Model 870 is as rich-looking as it is functional. Handsomely checkered American wainut stock and full beavertail fore-end (mahogany in 28 gauge and .410 bore) are protected with the durable Du Pont RK-W wood finish.

This popular pump action shotgun handles all 2¾" shells, including 2¾" magnums, and a

wide range of extra Darreis are available (see page 38), including a 12 gauge 34-inch full-choke duck/goose barrel. For waterfowl and turkey hunters, there are the 12 and 20 gauge 3" Magnum models. The Model 870 forged steel barrels will handle factory steel shot loads. And for left-hand shooters, 12 and 20 gauge 2¾" chamber models and a 12 gauge 3" Magnum model with ventilated rib barrels are standard.



makes the competition tough for all others. The Remington 3200 brings home the silver ... and the bacon.

Superb weight distribution and balance give the Remington

milliseconds.

The separated 1978 struction is function in appearance. It helps eliminate sight plane heat waves and also reduces wind resis-

nates pin breakage in actual shooting or dry firing.

shooting or dry firing.

The American walnut stock and fore-end are selected for figure and grain. Deep checkering, 20 lines to the inch, enhances the stock, side panel and fore-end. Competition

wood limsii. Competition 1 guns will have optional Model Carlo, 1%" or 1½" drop dimensions.

From the first time you pick up a Remington 3200, you'll know it's a natural for you, and the only thing you might have to get used to is having your name on the winners' board.

TRAP& SKEET SHOTGLINS



MODEL 1100 TRAP & SKEET

The long list of wins and the puber of trap and skeet livers who prefer to shoot winded 1100 speak for the performance and durability of these fine target shooting to the skeeting to the ske

these line larget shorguns.

Target shooting is tough on gons. The average target alsooter fires as many shells in a year as the average hunter does in a lifetime. It takes more


stand up to this gru shment...It takes a 1978

Now—there's a Model 1100
SA and SB skeet in 20 gauge
Lightweight. Scaled down in
size and weight to what a 20
gauge should be, but not scaled
down in quality or performance.
If you shoot in 20 gauge events,
this is the Model 1100 you've
been waiting for.

"IODEL 870 "RAP GRADE SHOTGUNS

Two new grades of the trapshooters' favorite pump action shotgun will be offered in 1978 —the new TC grade and the new TA grade. Both feature new 1\%" drop Monte Carlo stock dimensions. The TC has the famous smooth 870 action plus a distinctive new appearance. The American walnut stock and foreend have high-grade cut checkering usually found only on custom guns. The Model 870 TC grade has a custom look and feel without the custom price. In the medium price range, the proven, reliable 870 TB is still a favorite among the trapshooting fraternity.

For the trapshooter who wants value and dependability at a very moderate price, there's the new Model 870 TA grade. No extras—just a basic and reliable pump action trap gun.



REMINGTON MODEL 700 BOLT ACTION

The NEW Model 700 "Classic" is the center fire rifle for every hunter who wants bolt action accuracy and precision with the subtle elegance of classical styling. Take the Model 700 barreled action, known worldwide for its accuracy and dependability, fit it

to a satin-finish American walnut stock with cristyling and you had 1978. The action is one or the strongest ever designed. Bolt face, barrel and receiver surround the cartridge head with three rings of solid steel... no weakening extractor cuts.

The Model 700 "Classic" has functional, full pattern checkering, contoured pistol grip and rounded fore end tip to enhance

the purity of its design. It is chambered for six popular calibers, including the 7mm Remington Magnum. Stock is fitted with rubber butt pad on all calibers except magnum, which has a full recoil pad. Sling swivel studs installed.

Now, handsome skip-line cut checkering with diamond highlights, usually found only on the most expensive custom guns, is featured on the Model 700 BDL. This extra styling touch, along with its other high-quality features, makes the Model 700 BDL the outstanding value for riflemen who also want superb performance and appearance. Choose from fourteen caliberinght-hand models, three calibers in left-hand models and six calibers in the heavy-barrel "Varmint Special."

The Model 700 ADL rounds

The Model 700 ADL rounds out the line. It combines the strength and accuracy of the

CONTERIORIEURS

For specifications, see pages 20-28.

ded to a handsome walnut stock with custom styled checkering. You get all of the world-famous Remington Model 700 accuracy performance at a competitive. Add the ADL to the "Classic" and BDL, and you now have the widest variety of high-quality bolt action center fire rifles from which to choose.


MODEL 788 BOLT ACTION

No need to sacrifice quality when you're looking for a lower-priced rifle. The Model 788 is every inch a Remington and delivers varmint-hunter accuracy and big game punch. It has an incredibly fast lock time—faster than that of ten competitive rifles tested.

A CONTRACTOR OF THE PARTY OF TH

Chambered for six popular calibers with or without 4X scope. Left-handed shooters can

select a 6mm Rem. or a 308 Win. Monte Carlo stock is standard. Other features include serrated thumb-type safety, easily removable clip magazine (convenient extra clip magazines are available), blade ramp front sight and fully adjustable rear sight. Receiver drilled and tapped for scope mounts.



"WOODSMASTER" AUTOLOADER

You may never need a second shot; but if you do, it's there on target... up to five shots, with the fast autoloading Model 742 "Woodsmaster." The "Woodsmaster" is fast, reliable, accurate, strong. When you fire the 742, the next shell is in the chamber

before you can say "The Remington 197

The Remington autoloading action coil to a push instead of a shove so the Model 742 stays on target ready for the next shot—fast.

The "Woodsmaster" has a

The "Woodsmaster" has a strong artillery-type bolt with multiple locking lugs to handle big game calibers like the 30-06. Three rings of solid steel—bolt, barrel and receiver—surround the cartridge head. And there

are no extractor cuts to weaken this critical area.

Basketweave checkering complements the smooth lines of the BDL custom grade rifle. American walnut stock and fore-end are protected by the Du Pont RK-W wood finish that resists scratches. Monte Carlo stock with full cheekpiece is standard in the BDL custom grade.

The interior working parts are coated with friction-reducing, dirt-resisting Du Pont "Teflon-S" resin. This assures all-weather

reliability, makes cleaning easier and acts as a lubricant for smoother operation.

Other standard features in both the ADL and BDL, grades include convenient bolt release positive cross-bolt safety: recordilled and tapped for scope mounts; fully adjustable rear sights; blade ramp front sight with flat-faced gold bead. Both the 742 and 760 rifles feature a fast-loading versatile 4-shot clip magazine (shown below) for quick reloading or choice of bullet weights.

CENTER FIRE RIFLES

For specifications, see pages 20-21.



JDEL 760 JAMEMASTER" JMP ACTION

s todel 760 "Gamemaster" bu shoot as fast as you can up the action and pull the ger.

his is especially important en you need a fast second a. You keep the rifle in a natushooting position while workthe action. There are no unural movements and, because fixed, your finger does not the trigger or get pinche 19 lever. It's a smooth action gives you pump action reliability in all temperatures and weather conditions.

This smoothness is the result of twin action bars which eliminate twisting or binding. Internal working parts are vibra-honed to reduce friction and assure crisp, easy functioning of the action.

Strength is another attribute

er is machined from a of solid steel. The bolt is an pry-style bolt with multiple y locking lugs.


The stock and fore-end are

The stock and fore-end are American walnut with functional checkering and white line spacers accenting the butt plate, pistol grip and fore-end tip. The BDL custom grade has basketweave checkering on a Monte Carlo stock with a full cheekpiece.

Chambered for all popular big

only pump action rifle chambered in 30-06. The ADL grade has a standard-length barrel or an 18½-inch carbine barrel for brush country. The BDL custom grade is offered in a version with left-hand stock and safety in the 270 Win., 30-06 and 308 Win. calibers.

Receiver is drilled and tapped for scope mounts and the scope can be mounted on top of the receiver, instead of being offset as on some lever action rifles.



"NYLON 66" AUTOLOADER

There is no other rifle like it!

The durability of the "Nylon 66" is really something special. The stock is Du Pont structural nylon and is virtually indestructible. In fact, it carries a life-of-the-rifle warranty against warping, cracking, chipping, fading or peeling.

bearing surfaces which friction to the polinegligible. They notion and so resist dirt and grit which can slow down its action and cause wear. All of this adds up to the kind of performance that prompted Jim Carmichel, author of The Modern Rifle, to say. "If I had to survive in the wilderness for a lifetime, this is the rifle I'd choose."

working, long-lasting, reliable 22 with the sporty lines of an expensive big game rifle, the handling ease of a carbine and the incredible accuracy of a specialized target rifle. It will perform in jungle heat and humidity or in arctic cold. And it will last and last.

A tubular magazine feeds through the buttstock and has a capacity of 14 Long Rifle cartridges.

When you add up all of the features and performance of the

all the 22 you'll ever need.

MODEL 5S2 "SPEEDMASTER" AUTOLOADER

It's a new look for the "Speed-master" in both the BDL and standard grades. The completely restyled stock is fitted with a 21" barrel for an over-all length of 40", making the new Model 552 easier to handle, more comfortable to shoot and smoother

RIM FIRE RIFLES

or specifications, see pages 22-25.



center lire rile look and leel to a rim fire favorite. The standard grade has a new rear sight, adjustable for both elevation and

lage (the same sight as used)
he "Speedmaster" shoots 22
Short, Long and Long Rifle carmidges. The "Speedmaster" is
one of the few 22 autoloaders to
function properly with 22 Shorts.
Other features include tubular

Other features include tubular magazine with a capacity of 20 Short, 17 Long or 15 Long Rifle cartridges; positive cross-bolt

off scope mounts; and blade ramp front sight. T 1978 has custom checke

and fore-end and the durable
Du Pont RK-W wood finish, plus
center fire rifle rear and blade
ramp front sights.

MODEL 572 "FIELDMASTER" PUMPACTION

The Model 572 has the same new styling as the Model 552

the new length and restyled took make the 572 feel and andle like a carbine. The new rear sight on the standard model (the one used on the Model 788), plus the standard features including the super-smooth pump action, make it a trim and well-

balanced repeater.

A tubular magazine holds 20
Short, 17 Long and 14 Long Rifle
cartridges. Removal of the magazine tube converts the pump
action to a single-shot. Replacing

agam.

Other leatures include positive cross-bolt safety and receiver grooved for tip-off scope mounts. The BDL grade has custom checkering on stock and foreend and the durable Du Pont RK-W wood finish, plus center fire rifle rear and blade ramp front sights.



FEATURES BARBER - PRESALE R 0124511

Stock and Fore-end. American walnut with durable Dullwood finish in 12. 16 and LT-20. 20 gauge Lightweight. 1. 28 gauge and .410 bore.

coelver. Machined from solid steel. Matte-finish top. Deep blue lish, scrollwork on both sides and on chrome-plated boit.

ish, scrollwork on both sides and on chrome-plated boit.

Arrel. Special Remington proof steel. Deep blue finish. Extra barrels are interchangeable within versions (right- or left-hand), gauge and chamber length. Lightweight barrels interchangeable on Lightweight models.

Bights. Metal bead front sight

Befety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2%" standard-velocity." Express" (12, 16, 20, 28 gauges) and 2%" magnum shells (12, 16, 20 gauges): 3" and 2%" magnum shells in Magnum models only (12, 20 gauge Magnum); 3" and 2%" shells. A10 bore.

Capacity. 5-shot; 3-shot plug furnished for all. 4-shot capacity for 3" shells in .410 bore.

New 20 gauge Lightweight barrels [4400 Series] will not fit pre-1977 20 gauge Lightweight or Regular 20 gauge Model 1100 specimus (Refer to parts list for pre-1977 barrels.)

ORDER NOS. & SPECIFICATIONS-MODEL 1100

| | 24" Chamber | Magnum (| hamber |
|-------------|---|--|--------------|
| 2 : 3: | Barrel Vent Vent Length & Choles Barrel Rib (R-H) Rib (L-H) | Plein Barrel | Vent. Rib |
| 0,500 | 30" Full 5322 5332 5540 | 5344 | 5348+ |
| 1) | 30" Mod | 5250 | 5252 |
| 12. | 28" Full 5320 - 5330 ** | | |
| - | 28" Mod. 5326 5336 5542 " | ्र' <u>—</u> | |
| | 26" Imp. Cyt. 5328 5338 5544 | _ ** | - |
| | 22" Imp. Cyl. 1997:5308 Deer barrel with rifle at | ghts | |
| 10 | 26" Full 5370 5376 — | · · · · · · | |
| 16 | 28" Mod. 5374 5382 - | —, · : | |
| | 26" lmp. Cyl. 5376 5384 — | _ | |
| | 28" Full 5228 5234 - | 5240 | 5242 |
| LT-20 | 28" Mod. 5230 5236 | _ | |
| 20 1 | 26" imp. Cyl. 5232 5238 - | | - |
| ga. | New 20" Imp. Cyl. 5248 Deer barrel with rifle s | ights | |
| ~~ | 25" Full 5316 5414 | · _: * * * * * * * * * * * * * * * * * * | · - · |
| 28 | 25" Mod. 5406 5416 | - 7.5 | _ |
| ge. | 25" Imp. Cyl. 5412 5426 | ₹, | _ |
| 4 - 6 | 25" Pull — — — | 5460 | 5466 |
| 410 | 25" Mod. | 5462 | 5468 |
| bore. | 25" Imp. Cyl. | 5464 | 5296 |
| O Toun | nament Grade-Special 81200.90 | 5-9 | |
| Premi | er Grade-Special 82400.00 | re de la | |
| | er Grade with gold inlay-Special - / 83600.00 | | · · · |

Nominal Stock Dimensions: 14" long. 2½" drop at heel, 1½" drop at comb.

Over-all Langth: 48" with 28" barrel, 48½" in LT-20, 20 ga., 45½" with 25" barrel in 28 ga. and .410 bore.

Average Weight: 12 ga.—7½ lbs., 16 ga.—7½ lbs., LT-20, 20 ga.—6½ lbs., LT-20, 20 ga. Magnum—6½ lbs., 28 ga. plain barrel—6½ lbs., 28 ga. vent. rib—6½ lbs., 410 bore plain barrel—6½ lbs., 410 bore went. rib—7 lbs.

tlett-hand model No. 5548

Extra Barrele: See page 38.

FEATURES

ktock and Fore-end. American wainut with durable Du Pont RK-W rood finish. Mahogany stock in smaller gauges.

Receiver. Machined from solid steel; matte-finish top. Vibra-honed for smoother operation and finish.

Barrel. Special Remington proof steel. Extra barrels are interchangeable within versions (right- or left-hand), gauge and chamber length. Lightweight barrels interchangeable only on Lightweight models.

:Sights. Metal bead front sight.

Sefety. Positive cross-bolt type. Reversed on left-hand models.

Chamber: 2%" standard-velocity. "Express" and 2%" magnum shells (12, 16, 20 gauges): all 3" and 2%" shells in Magnum models (12, 20 gauge Magnum), 3" and 2%" shells in .410 bore.

Capacity. 5-shot; 3-shot plug furnished for all. 4-shot capacity for 3" shells in .410 bore.

ORDER NOS. & SPECIFICATIONS—MODEL 870

| Barrel Cength & Choice Plain Barrel Rib (R-H) Rib (L-H) Barrel Rib (R-H) Rib (R-H | | 2¼" Chamber | | r | 3" Magnum Chamber | | |
|--|---------------|---------------|---------------|-------------|-------------------|--------------|-------------|
| 30" Mod. | | | | | Rib (L-H) | | |
| 12 28" Full 6902 6932 | | 30" Fuli | 6900 | 6930 | 5510 | 6966 | 6976+ |
| 12 28" Mod. 6904 6934 5514 | | 30" Mod. | _ | _ | | 6968 | 6978 |
| ## 26" Imp. Cyl. 6906 6936 5516 — — #Brushmaster" Deer Gun 20" Imp. Cyl. 6960 Deluxe with rifle sights | 5.0 | 28" Full | 6902 | 6932 | _ | - | |
| ## 26" Imp. Cyl. 6906 6936 5516 — Brushmaster" Deer Gun 20" Imp. Cyl. 6960 Deluxe with rifle sights | 12 | 28" Mod. | 6904 | 6934 | 5514 | | |
| 20" imp. Cyl. 6960 Deluxe with rifle sights 5026 Standard with rifle sights 6908 6938 | <i>p</i> . | 26" Imp. Cyl. | 6906 | 6936 | 5516 | _ | - |
| Source Standard with rifle sights Source Standard with rifle sights | rieti a | | "Brush | master" De | er Gun | | |
| Solid | | 20" Imp. Cyl. | 6960 | Deluxe wit | h rifle sigt | nts | |
| 16 | | | 5026 | Standard v | vith rifle s | ights | |
| 16 | | 28" Full | | | | | |
| 26" imp. Cyl. 6912 6942 | | | 6910 | 6940 | | | |
| Std. 28" Full 6914 6944 5528 6970 6980 | | 26" Imp. Cvl. | | 6942 | | - | |
| 28" Mod. 6916 6946 5530 6972 6982 26" Imp. Cyl. 6918 6948 5566 — — 20" Imp. Cyl. 6962 "Brushmaster" Deer Gun with rifle sights 28" Full 5176 5182 — 5188 5190 28" Mod. 5178 5184 — — — 20" Imp. Cyl. 5180 5186 — — — — 20" Imp. Cyl. 5192 "Brushmaster" Deer Gun with rifle sights 28" Full 4868 4918 — — — — — — — — — — — — — — — — — — — | - | | 6914 | 6944 | 5528 | 6970 | 6980 |
| 26" Imp. Cyl. 6918 6948 5566 — ——————————————————————————————— | | | | · 6946 | 5530 | 6972 | 6982 |
| 20" Imp. Cyl. 6962 "Brushmaster" Deer Gun with rifle sights 28" Full 5176 5182 - 5188 5190 20 26" Imp. Cyl. 5180 5186 New 20" Imp. Cyl. 5192 "Brushmaster" Deer Gun with rifle sights 28 25" Full 4868 4918 25" Imp. Cyl. 4916 4932 25" Imp. Cyl. 4916 7932 25" Imp. Cyl. 5030 20" Police Cyl. 5030 20" Imp. Cyl. 5038 Rifle sights D Tournament Grade—Special 81200.00 F Premier Grade—Special 82400.00 F Premier Grade with gold inlay—Special 83600.00 | | | | 6948 | 5566 | | |
| 28" Full 5176 5182 | go. | | | "Brushma | ster" Deer | Gun with r | ifle sight |
| 28" Mod. 5178 5184 | | | 5176 | 5182 | | 5188 | 5190 |
| 20 26" Imp. Cyl. 5180 5186 — — — — — — — — — — — — — — — — — — — | LTWT. | | | | | | |
| New 20" Imp. Cyl. 5192 "Brushmaster" Deer Gun with rifle sight 25" Full 4868 4918 | 20 | | | | | | |
| 28 25" Full 4868 4918 - | | New | | | ster" Deer | Gun with | rifle sight |
| 25" Mod. 4904 4920 — — — — — — — — — — — — — — — — — — — | | | | | | | |
| 12 20" Police Cyl. 5030 - | 28 | | | | | | |
| .410 25" Full 4948 4986 25" Mod. 4950 5086 25" Imp. Cyl. 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4990 4978 4978 4990 4978 | | | | | | | |
| .410 bore 25" Mod. | | | 4910 | 4932 | | 4048 | 4086 |
| Model 870 Police Model 870 Police | .410 | | | | | | |
| Model 870 Police 12 20" Police Cyl. 5030 — — — — — — — — — — — — — — — — — — | | | | | | | |
| 12 20" Police Cyl. 5030 — — — — — — — — — — — — — — — — — — | } | 25" Imp. Cyl. | _ | | | 4970 | 4950 |
| 18" Police Cyl. 5032 | | 00" 7 1: 0.1 | · F000 | Model 870 | Ponce | | |
| 20" Imp. Cyl. 5028 Rifle sights D Tournament Grade—Special 81200.00 F Premier Grade—Special 82400.00 F Premier Grade with gold inlay—Special 83600.00 | 12 | | | | | | |
| D Tournament Grade—Special 81200.00 F Premier Grade—Special 82400.00 F Premier Grade with gold inlay—Special 83600.00 | ga. | | | | | | |
| F Premier Grade—Special 82400.00 F Premier Grade with gold inlay—Special 83600.00 | | | | | <u>s</u> | | |
| F Premier Grade with gold inlay—Special 83600.00 | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Nominal Stock Dimensions: 14" long including recoil pad. 2\%" drop at heel: 1\%" drop at comb.

Over-all Length: 48½" with 28" barrel, 46½" with 26" plain barrel and 45¾" with 26" vent. rib barrel in 20 gauge Lightweight, 45½" with 25" barrel in 28 gauge and 410 bore.

Average Weight: 12 ga.—7 lbs., 16 ga.—64 lbs., 20 ga.—64 lbs., 20 ga. Lightweight—54 lbs., 20 ga. Lightweight Magnum—6 lbs., 20 ga. Lightweight plain barrel—54 lbs., 28 ga. vent. rib—54 lbs., 410 bore plain barrel—6 lbs., 410 bore vent. rib—64 lbs.

tLeft-hand model No. 5496

Extra Barrels: See page 38.

Stock and Fore-end, Rich American walnut with dura RK-W wood finish.

Receiver. Machined from solid steel Matte-finish top. Deep blue bish, scrollwork on both sides and on chrome-plated bolt.

rei. Ventilated rib only. Special Remington proof steel. Deep blue mish. Extra barrels are interchangeable within versions (right- or left-hand), gauge and chamber lengths. Lightweight barrels interchangeable only in Lightweight models.

Sights. Ivory bead front, white-metal middle.

Safety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 24" standard-velocity. 24" 410 shells only.

*LT-20, 20 gauge Lightweight barrels (4000 series) will not fit pre-1977 20 gauge Lightweight or regular 20 gauge Model 1100 shotguns. [Refer to parts list for pre-1977 barrels]

ORDER NUMBERS & SPECIFICATIONS—MODEL 1100 TB TRAP

| | Berrei Length & Choke | | ight-Hand | Left-Hand | fonte Carlo Stock |
|--------|--------------------------|---------------|-----------|--|----------------------|
| 12 | 30" Pull | | 5572 | 5580 | 5576 5582 (LH) |
| - | 30" Mod. Trap | | 5574 | i significant di | 5578 |
| D Tour | nament Grade- | -Special \$12 | 00.00 | | 19 |
| T Down | er Cardo - Sper | 44) 60400.00 | 2.50 | Contraction of the Contraction o | |

Nominal Stock Dimensions (with recoil pad): Regular stock—14%" long 134" drop at heet. 136" drop at comb. Monte Carlo—14%" long, 136" drop at heet. 136" drop at drop at Monte Carlo—Average Weight 334.

ORDER NUMBERS & SPECIFICATIONS—MODEL 1100 SKEET

| - | | | X , | B. | erut & Chate | | AA. | d la | 6A B Fleod | SB | |
|---|----|-----|--|-----|-----------------|------|------|-----------|------------------------------|------|-------|
| - | 3 | 12 | ودسا | 26" | Skort | 40.0 | 5356 | | 584 | 5302 | |
| | | 20 | | 26" | Street | | 5408 | 41.04 | | 5422 | 10.83 |
| | - | 20 | | 26" | Skeet | | 5244 | 3 | | 5246 | . · · |
| ` | \ | 28 | } - \(\frac{\frac}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fir}}}}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fir}}}}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}}}}}}}{\frac{\ | 25" | Slocet | | 5432 | Park Sale | anii). }, anii | | |
| | Γ. | 41(| 0 | 25″ | Skeet | | 5298 | | | | |

| | | | _ |
|-----------------------|---------|------------|-----|
| D Tournament Grade | Connect | \$1000 no. | |
| | | | |
| F Premier Grade-Socci | A . 404 | 00.00 | |
| r ricinier unabe-cueu | . 044 | | 2 a |

Match-Weight Skeet Cap for 28 ga. and .410 bore 813.25

Nominal Stock Dimensions: 14" long, 21/4" drop at heel, 11/4" drop at comb.

Average Weight: 12 ga, 7 % first Std. 20 ga. 7% first 12-20, 20 ga. 6% lbs.:

28 ga. 6% lbs.: 410 bore 7% lbs. Adjustable weight will add up to 12 oz. in

28 ga. and 410 bore skeet gums.

Extra Barrels: See page 38

MODEL 870 TRAP & SKEET SHOTGUNS

Stock & Fore-end. Rich American walnut with the durable Du Pont RK-W wood finish. Full beavertail fore-end

Receiver. Machined from solid steel. Matte-finish top. Deep blue finish: Chrome-plated bolt.

Barrel. Ventilated rib only. Special Remington proof steel. Extra barrels are interchangeable within versions (left- or right-hand), gauge and chamber lengths.

Sights, Ivory bead front, white metal middle

Salety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2%" standard-velocity. 2½" 410 shells only.

ORDER NUMBERS & SPECIFICATIONS—MODEL 870 TRAP

| | Barrel Length & Choke Right-Hand Left-Hand | Monte Carlo Stock |
|--------|---|----------------------|
| 12 | 30" Full 5046 | 5050 |
| - fa | 30" Mod. Trap 5048 | 5052 |
| 12 | 30" Full 4926 5518 | 4906 5520 (L-H) |
| 后 | 30" Mod. Trap 5006 — | 5034 |
| 12 | 30" Full 5080 | 5064 |
| fc : | 30" Mod. Trap 5062 — | 5066 |
| D Tou | rnament Grade-Special 81200.00 | |
| F Prem | nier Grade—Special 82400.00 | |

Nominal Stock Dimensions (with recoil pad): Regular Stock—14%" long, 1%" drop at heel. 1%" drop at comb. Monte Carlo—14%" long, 1%" drop at heel, 1%" drop at comb. 1%" drop at Monte Carlo. Average Weight: 7% lbs.

| | Barrel Length & Choke | SA | SC (Fincy Wood) | |
|---------|--------------------------|----------------------|-----------------|--|
| 12 | 26" Skeet | 6988 | 5136 | |
| 20 | 26" Skeet | 6992 | 5140 | |
| 28 | 25" Skeet | 4934 | _ | |
| .410 | 25" Skeet | 4996 | | |
| | ament Grade-S | Special 81200.00 | | |
| F Přemi | er Grade-Specia | al 82400.00 | | |
| Match-v | veight cap for an | ali gauge Model 870- | 6336 \$13.25 | |

Nominal Stock Dimensions (with recoil pad): 14" long, 24" drop at heel, 14" drop at comb.

Average Weight: 12 gauge—7 ibs., 20 gauge—6½ ibs.; 28 gauge—6 ibs., 410 bore—6½ ibs. (Adjustable weight will add up to 12 oz. in skeet guns.)

Extra Barrels: See page 38.

REMINGTON 3200 OVER-AND-UNDER SHOTGUNS FEATURES

Stock and Fore-end. Specially selected fancy walnut stock and fore-end. (Special Trap select but not fancy grade.) Cut checkering, 20 lines to the inch. Full beavertail fore-end. Satin finish standard on Competition grade guns. Optional 1%" or 1½" drop on Monte Carlo stocks in Competition grade guns. All with recoil pad.

Frame. Machined steel with sliding top lock. Shield-covered breech. Hammers cock on opening. Sides richly embellished.

Ejection. Automatic. Fired shells eject on opening. Unfired shells remain in chamber but are raised above chamber level for easy manual extraction.

Safety and Barrel Selector. Combination manual safety and barrel selector mounted on top tang. Left for bottom barrel; right for top barrel; middle position for safety on.

Trigger, Single selective, % " wide. Crisp with extra-fast lock time. Sights. Ivory bead front, white-metal middle.

ORDER NUMBERS & SPECIFICATIONS-3200 TRAP

| g 1,42 4 | 2.40 | Special Trap | | Competition Trap | |
|----------|------------------------------------|---------------|----------------|------------------|----------------|
| | Barrel Length & Choke | Reg. Stock | Monte Carlo | Reg. Stock | Monte Carlo |
| | 32" imp. Mod./Full RK-W Finish | 3225 | 3231 | - | - |
| | 32" Imp. Mod./Full Satin Finish | _ | _ | 3283 | 3289 3297* |
| 12 | 30" Full/Full Satin Finish | | | 3285 | 3291 |
| | 30" Imp. Mod./Full RK-W Finish | 3229 | 3235 | | |
| | 30" Imp. Mod./Full Satin Finish | _ | - | 3287 | 3293 3295 |

Nominal Stock Dimensions: 14%" long, 2" drop at heel, 1½" drop at comb.

1%" drop at comb.

Over-all Length: 48" with 30" barrels and recoil pad.
Average Weight: 81/4 ibs. for guns with 30" barrels.

ORDER NUMBERS & SPECIFICATIONS—SKEET

| | Barrel Length & Choke | Competition Skeet Skeet | |
|----|---------------------------------|----------------------------|--|
| 1 | 28" Skeet/Skeet RK-W Finish | 3209 — | |
| 12 | 28" Skeet/Skeet Satin Finish | – 3237 | |
| ga | 26" Skeet/Skeet RK-W Finish | 3211 | |
| 7. | 26" Skeet/Skeet Satin Finish | - 3239 | |

Nominal Stock Dimensions: 14" long, 2\%" drop at heel, 1\%" drop at comb.

Over-all Length: Skeet—44\%" with 26" barrels. Competition Skeet—43" with 26" barrels.

Average Weight: 7% lbs. with 26" barrels.

rius. A totally new styling for the world famous Model 700 barreled action. \$279.95 (except 7mm Rem. Mag. \$294.95).

Carlo store NEW dismond pages 1860

Performance and page superiors valual Monte Carlo stock Costons and theoreting Superioraccuracy 8044.86 (content of the following Superioraccuracy 8044.86 (content of the

inse. Chambered in five popular calibers including 30-06. 4-shot removable clip magazine. \$278.05.

different fast handling Split-second autoliff incare fast handling Split-second autoliff action gives you a fast according to the shable in BDL grades 1827835

for and one and full challenge of the control of th

760

center fire pump action protein trigger assembly means no awkward motions, no pinched fingers, 6244.95.

has handling. Superb saddle gun. (Not swallliefe in EDL grades.) 8244.95.

Party Management of the Carlo with full checkpiece. Available with left hand stock and safety, 8267.95.

REATURES BARBER - PRESALE R 0124515

Stock & Fore-end. American walnut. Safari grade, C Cui "Classic" models have full pattern cut checkering: BDL, c checkering: ADL, custom skip-line checkering. ADL, BDL, Safari grade and C Custom models have Du Pont RK-W wood finish: saste" model has satin finish. Monte Carlo stock on all models pet "Classic." Magnum models have presentation-style recoil pads. Classic has %" brown rubber butt pad. Sling strap and quick-release swivels are installed on BDL models. "Classic" model has quick-release swivel stude.

Receiver. Machined from solid ordnance-steel billet, vibra-honed for amooth finish and functioning, Jeweled anti-bind bolt. Drilled and tapped for scope mounts and receiver sigists. Fixed magazine with stainless steel follower. BDL Safart grade and "Classic" models have hinged floor plate.

Signts. Blade-ramp front signt with flat-faced gold bead, hooded on BDL, Safari grade and "Classic." Rear sight adjustable for elevation and windage. Both sights are removable. "Varmint Special." furnished without sights, has front and rear Remington target rifle type scope bases installed.

Safety. Fast, positive thumb-type. Left-hand safety on left-hand models.

ORDER NUMBERS & SPECIFICATIONS-MODEL 700

| Cag | Twist B-H Class | 700 ke" ADL | 700 BDL Right Left | "Vermint Special" | 700 C Custom |
|-------------------|-------------------|------------------------|-------------------------------|----------------------|----------------------|
| 7 Rem | | | 5601 829495 | 9 - Vot (2) 14 | |
| 2-250 Rem. 5 | 8279 | | # 5763 8279.95 | 5823 8294.85 | * Special 9550.00 |
| 22 Rem. 6 | 141 | \$780 8244.95 | 5781 8279.95 | 5821 6294.95 | Special 6550.00 |
| 23 Rem | -12* | · 中。 | 有数数数数数 | 5825 8294.95 | |
| 1-06 Rem 55 | 10" | 5768 \$244.95 | 6789 8279.95 | 5831 6294.95 | Special 8550.00 |
| man Regt. 5 | 97 565 9279 | 8 ° 5764 95 8244.95 | 6765 8279.95 | 5827 8294.95 | Special 8550.00 |
| 48 Win | 97 846 9279 | | 5787 8279.95 | 5829 8294.95 | Special 8550.00 |
| 70 Win. 🤾 🦻 | 104 686 8279 | | # 5791 5811 6279.95 8284.9 | 5 | Special 8550.00 |
| 6 Accelerator | 10% 580 8979 | | 5793 5813 8279.95 8284.9 | | Special 9550.00 |
| Win. | Vermint 12" | 5774 8244.95 | 6279.95 | 5833 8294.95 | Special 8550.00 |
| mm Rem. | 105 | | 5809 8294.95 | Service Service | j. |
| mm Rem | 9" 567 9294 | | 5803 5815 \$294,95 \$299.9 | | Special 8550.00 |
| 00 Win. | 104 | | 5807 \$294.95 | g Sun | Special 8550.00 |
| 175 H&H . 4 | 12 | 18 | 58364 9470.00 | | |
| Jag. 4 | 14** | | 5838* 8470.00 | | |
| ting Strap & Quic | k Reicase Swivels | Çoğ e | 6382 814.00 | | |

High-grade Model 700 rifles are available in all calibers on special order. Perfess D grade suggested retail price, 8950.00. Premier F grade suggested retail price, 81900.00. See pages 30 through 35 for ballistics on above carridges.

Standard Stock Dimensions: 13%" length of pull. 2%" drop at heel, 1%" drop at comb. "Classic"—2" drop at heel, 1,4" drop at comb (measured from open sight line).

"Varmint Special" Stock: 13%" length of pull, 1%" drop at heci, 1/2" drop at comb (measured from center line of bore)."

Over-all Length: 431/2" with 24" barrel, except 441/2" in Magnum models. "Classic: "411/2"—243 Win., 6mm Rem.; 421/2"—270 Win., 30-06; 431/2"—22-250 Rem.; 441/2"—7mm Rem. Mag.

Average Weight: 7 lbs. regular: 71/2 lbs. "Classic" 22-250: 71/2 lbs. Magnum, 375 H8:H, 458 Win., 7mm Rem. Magnum; and "Varmint Special." 9 lbs.

*Recoil pad included.

Safari grade.

大大 の 水水では

MODEL 742 FEATURES

3tock & Fore-end. American walnut. Distinctive checkering— Sustom Deluxe model has deluxe basketweave checkering and Monte Carlo stock with full checkpiece. Du Pont RK-W wood finish, white line spacers and black fore-end tip.

Receiver. Machined from solid ordnance-steel billet: interior parts are vibra-honed and coated with Du Pont "Teflon-S" resin for dependable performance. Artillery-type bolt with multiple locking lugs. Drilled and tapped for scope mounts.

Magazine Capacity. Removable 4-shot clip. 5-shot capacity (4 in clip. 1 in chamber).

Sights. Blade-ramp front sight with flat-faced, gold bead. Sliding-ramp rear sight adjustable for elevation and windage. Both sights removable for scope mounting.

Safety. Positive cross-bolt type.

ORDER NUMBERS & SPECIFICATIONS-MODEL 742

| | Twist R-H | | 742 | 742 | BDL |
|-------------|-----------------|-------------|-----------------|---------|-----------|
| Caliber | 1 Turn in | 742 | Carbine | Right- | Left-Hand |
| 6mm Rem. | 9″ - | 9632 | | | |
| 280 Rem. | 9″ | 9634 | | | |
| 30-06 | 10" | 9636 | 9670 | 9666 | 9668 |
| 308 Win. | 10" | 9638 | 9672 | 9640 | 9644 |
| 243 Win. | 9" | 9648 | | | |
| Model 742 D | Peeriess Grade | -Special | 81200.00 | | |
| Model 742 F | Premier Grade- | -Special | 82400.00 | | |
| Model 752 F | Premier Grade | with Gold | Inlay-Special | 83600.0 | 0 |
| Sling Strap | & Quick-Release | Swivels (i | nstalled) 6094- | -815.75 | |
| Extra 4-Sho | t Clip Magazine | (specify ca | liber) 88.95 | | |

See pages 30 through 35 for ballistics on above cartridges.

Standard Stock Dimensions: 13%" length of pull. 2%" drop at heel, 1%" drop at comb. BDL Monte Carlo stock: 13%" length of pull. 2%" drop at heel, 1%" drop at comb, 1%" drop at Monte Carlo.

Over-all Length: 42" with 22" barrel. Carbine: 38½" with 18½" barrel. Average Weight: 7½ lbs. Carbine: 7½ lbs.

MODEL 760

FEATURES

Stock & Fore-end. American walnut. Deluxe basketweave checkering and Monte Carlo stock on BDL Custom Deluxe model. Du Pont RK-W wood finish.

Receiver. Machined from solid-steel billet. Artillery-type bolt with multiple locking lugs. Drilled and tapped for scope mounts.

Magazine Capacity. Removable 4-shot clip magazine. 5-shot capacity (4 in clip. 1 in chamber).

sights. Blade-ramp front sight. Rear sight adjustable for elevation and windage. Both sights removable for scope mounting.

Safety. Positive cross-bolt type. Left-hand safety on BDL with left-hand stock.

ORDER NUMBERS & SPECIFICATIONS-MODEL 760

| | Twist R-H | | 760 | 760 | BDL |
|-------------|-----------------|-------------|-----------------|----------|-----------|
| Caliber | I Turn in | 760 | Carbine | Right- | Left-Hand |
| 6mm Rem. | 9" | 5900 | | | |
| 270 Win. | 10" | 9726 | | 9708 | 9712 |
| 30-06 | 10" | 9730 | 9698 | 9692 | 9694 |
| 308 Win. | 10" | 9732 | *9714 | 9706 | 9710 |
| 243 Wln. | 9″ | 9678 | | | |
| Model 760 D | Peerless Grade- | -Special | 81200.00 | | |
| Model 760 F | Premier Grade | -Special | 82400.00 | | |
| Model 760 F | Premier Grade | with Gold | Inlay—Special | \$3600.0 | 0 |
| Sling Strap | & Quick-Release | Swivels (i | nstalled) 6096- | -815.75 | |
| Extra 4-Sho | t Clip Magazine | (specify ca | liber) \$8.25 | | |

See pages 30 through 35 for ballistics on above cartridges.

Standard Stock Dimensions: 131/4" length of pull, 21/4" drop at heel, 11/4" drop at comb.

Monte Carlo Stock: 13%" length of pull, 2\%" drop at heel, 1\%" drop at comb, 1\%" drop at Monte Carlo.

Average Weight: 71/2 lbs. Carbine: 71/4 lbs.

*Left-hand versions have Left-hand stocks and safeties.

HATURES BARBER - PRESALE R'0124517

Stock & Fore-end. Walnut-finished hardwood with Monte

etyling. Receiver. Machined from solid ordnance steel billet. Drilled and pped for scope mounts and receiver sight

hts. Blade-ramp front sight with detachable blade. U-notch rear Int, lock screw adjustment for elevation and windage. Sight removable for scope mounting.

Bullety. Positive, fast-action thumb type Left hand safety on models Brefety, Positive, rast-screen unusually states with left-hand stock.

Scope. 4-power model with mount and rings.

ORDER NUMBERS & SPECIFICATIONS MODEL 788

| (aliber | A SECTION | CHIP | Twist R H | 788 Right / Left | 788 w/Scope |
|-------------|-----------|--------------|-----------|---------------------|----------------|
| 272 Rem. | | | | 9722 | 9790 |
| 22 250 | | | | 9736 | 9778 |
| 223 Rem. | 2 | 4 | 124 | × 9734 | 9798 |
| 60am Rem. | | 3 . \ | . 9× | 9784 9786 | 9772 |
| 243 Win. | | 3 | | 9782 | 9774 |
| 308 Wm. | *** | 3 ^25 | 10" | 9780 9783 | 9776 |
| Sling Strap | & Swivels | (installed | 6426 | 950 | |

Extra Clip Magazine (specify eaither) 86.95

standard Stock Dimensions: 13%" length of pull 2%" drop at heel, 11%" drop at comb (measured from open sight line).

NYLON 66*

Stock & Fore-end: One plees Du Pont structural nylon with lifetime, warranty (see warranty below for full details), checkered grip and fore-end with white diamond-shape inlays, white line spacers. Black fore-end tip. Black Diamond, has black stock with black diamond-shape inlay.

Receiver. Nylon bearing action surfaces eliminate need for lubrica n. Grooved for tip-off scope mounts.

Agasine Capacity. Dibulit magazine through buttstocks holds 14

Sight. Adjustable rear sight blade ramp front common sight line for iron sights and scope.

Fron sights and scope.

Calors. Choice of Mohawk Brown with blued barrel and receiver.

Filack Diamond with blued barrel or Apache Black with chromeplated barrel and receiver does.

Sufety. Top-of-grip, positive thumb-type.

ORDER NUMBERS & SPECIFICATIONS—NYLON 66

| O WEST TOTAL BIO & DI DON INCIDENTATION OF |
|---|
| "Nylon 66" BD "Black Diamond" 5700 |
| "Nylon 68" MB Mohawk Brown |
| "Nylon 66" AB Apache Black |
| "Nylon 66" GS Gallery Special (22 Shorts Only) 5512 |
| "Nylon 66" BD "Black Diamond" w/4X Scope 5702 |
| "Nylon 66" MB Mohawk Brown W/4X Scope 5498 |
| Sling Strap & Swivels (installed). 89.25 |
| |

il Leagth 36%" with 16% barret

arrenty sticker "Nyles 66"

Rimington is the only company at can offer this and of warranty. bucause the "Nylon 66" the only rim

rifle in the orld that has a tough, durable stock made of Zytel structural nvion-an ideal material for a gun stock.

de of tough Du Pont structural nylon this stock is so much stronger and more durable than one made of wood that we guarantee it will not warp, crack, chip, lade or peel for the life of the rifle or we will replace it free. The gun should be sent Collect to ARMS SERVICE DIVISION: CREMINISTON ARMS COMPANY, INC., ILION. NEW YORK 13357.

Remington 🖚

FUATURES

xck & Fore-end. Walnut-finished hardwood. American walnut in L grade. BDL grade has fine-line custom checkering and Du Pont RK-W wood finish.

Receiver. Grooved for tip-off scope mounts.

Magazine Capacity. Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges.

Sights. New rear sight, adjustable for elevation and windage, bead front. BDL: Blade-ramp front sight, sliding-ramp rear sight.

Safety. Positive, cross-bolt type.

ORDER NUMBERS & SPECIFICATIONS-MODEL 552

| 552A | 5602 | |
|--------------------------------------|------|--------|
| 552 BDL Deluxe | 5604 | |
| Sling Strap & Swivels (installed)? | 6430 | 813.25 |
| D 10 -1 104 -11 0141 1 1 77 1 0 1 10 | | |

MODEL 572 "FIELDMASTER"

Stock & Fore-end. Walnut-finished hardwood. American walnut in BDL grade, BDL grade has fine-line custom checkering and Du Pont RK-W wood finish. New, slimmer grip.

Receiver. Grooved for tip-off scope mounts.

Magazine Capacity. Tubular magazine holds 20 Short. 17 Long. 14 Long Rifle cartridges. Remove magazine for single-shot capacity.

Sights. New rear sight adjustable for elevation and windage; bead front. BDL: blade-ramp front sight, sliding-ramp rear sight.

Safety. Positive cross-bolt type.

ORDER NUMBERS & SPECIFICATIONS—MODEL 572

| 572A | 5620 | |
|-----------------------------------|--------|----------|
| 572 BDL Deluxe | . 5622 | |
| 572 SB Smooth Bore | 5624 | 8114.95. |
| Sling Strap & Swivels (installed) | 6432 | 813.25 |

Over-all Length: 40" with 21" barrel. Weight: 51/2 lbs.

1978

artillery-style bolt with six locking lugs and double extractors. 8225.00.

Deluxe features include decorative scrollwork engraving specially blued receiver, adjustable match-type trigger

Custom Sporter bolt action rim fire rifle

1 ode 580 bolt action rim fire rifle. A single-shot rifle that handles 22 Short, Long or Long Rifle rim fire cartridges. Boy's Rifle version has one-inch shorter stock. 882.95.

The control of the first rise. A clip repeater with a unique single-shot adapter. Can be used as a single-shot rise for a beginner, then converted to a repeater by removing the adapter. Right-hand, 887.95; left-hand 892.95.

Model 582 bult action rifle, A tubular magazine repeater for small game hunting or target shooting, 899.95.

TARGETERIES

Rodel 540-XR and 540-XRJR rim fire position rifles. The single-shot match for intermediates and junior shooters. Specially designed stock, fore-end and pistol grip assure accuracy in all positions. Five-way adjustable butt plate. 8199.95.

Model 40-XR rim fire position rifle. Meets
International Shooting Union requirements for
standard rifle. Exclusive loading platform provides
straight-line feeding. Two-way, vertically adjustable
butt plate. 6375.00.

Model 40-XB Rangemaster center fire rifle.

The shot center fire rifle in standard- or heavy-barrel versions; repeater in heavy-barrel only, 8500.00.

Mote 40-TBBR bench-rest center fire rifle, Available with 20-inch or 24-inch stainless steel barrel to meet IBS, and NBRSA. 10½-ib. and 13½-ib. class specifications, 8530.00. Model 40-XC National Match Course center fire rifle. Chambered in 308 Win. (7.62mm NATO) cartridge only. For use in National Match Course, 8550.00.

CENTER FIRE TARGET PISTOL

Model "TP-100" Long Range Pistol. A unique single-sicenter fire, bolt action pistol chambered for the 221 Remington "Fire Ball" cartridge. One-piece Du Pont "Zytel" stock with universal grip. Match-type grooved trigger. Ventilated rib. Rifle-type rear sight and ramped blade front sight. Two-position thumb safety. Receiver drilled and tapped for scope mounts. 10½-inch barrel. 16¾-inch overall length. Weighs 3¾ ibs. Furnished with zippered carrying case. See page 36 for 221 Rem. ballistics. Order No. 5740, 8209.9"

如何是一种 one ---

BARBER - PRESALE R 0124519 **EATURES**

tock & Fore-end. American walnut, Monte Carlo. Du Ponti .:: sord finish. Fine-line, 20 lines to the inch can checkering. osewood-finished butt plate and grip cap, resewood-finished fore tip. White line accent spacers

eiver. Round, ordnance steel, grooved, drilled and tapped for ope mounts or receiver sights. Rich, deep blueing. Engraved scroll

apacity. 6-shot with 5-shot clip magazine (10-shot clip available) in the Short, Long and Long Rifle 22 rim fire cartridges.

lights. None furnished.

lafety. Positive, serrated thumb-type.

ROPER NUMBERS & SPECIFICATIONS 541-5

| 24 al. Bolt Action Clip Repeater 9800 8225 | 5.00 |
|--|------|
| atira 5-shot Clip Magazine 4914 84 | 4.50 |
| xtra 10-Shot Clip Magazine 9828 85 | 5.50 |
| ling Strap & Swivels (installed) 6362 914 | 4.00 |

iver-all Length: 42%". Weight: 5% It

40DEL 581 & MODEL 562 **EATURES**

Hock & Fore-end. Walnut-finished hardwood with Monte Carlo, full tar. black butt plate. Single screw takedown.

coceiver. Round, ordnance steel, grooved for scope mounts.

apacity, M/581 6 anot clip repeater with single shot adapter. M/582 to Short, 15 Long, 14 Long Rills cartridges.

lights. Front: bead dovetail adjustable Rear: U-notch type locka rew adjustable.

infety. Positive, serrated thumb type Left hand safety on left-hand model.

DRDER NUMBERS & SPECIFICATIONS M/580, M/581 & M/582

| 80 Single Shot | 9582 | 882.95 |
|-----------------------------------|--------------|---------|
| 80-BR Boy's Rule | 5570 | 882.95 |
| 81 Clip Repeater | 9584 | 887.95 |
| 61 Clip Repeater, Left-Hand | 983 8 | 89295 |
| gle-Shot Adapter (for older guns) | 9826 | 84.00 |
| Tubular Repeater | 9856 | 899.95 |
| i81 Extra 5-Shot Clip | 4914 | 84.50 |
| 21 Extra 10-Shot Clip | 9828 | . 85.50 |

Perg-all Length: 42% Weight M/561-4% lbs. M/562-5.1bs.

MODELS 540-XR & 540-XRJR

FEATURES -

Caliber, 22 Long Rifle only.

Strick. Position style with Monte Carlo, checkpiece and thumb groove. 5-way adjustable butt plate and full-length guide rail (front swivel block, sling and sling swivel optional at extra charge). ommon sight alignment with scope or fron sights

Receiver. Drilled and tapped for receiver sights. Trigger adjustable from I to 5 lbs. Capacity. Single loading

Barrel. 26" medium-weight target barrel, countersunk at muzzle. Drilled and tapped for target scope blocks. Fitted with front-sight base.

Slights. Optional at extra cost. Redfield #75 Rear Globe Front Match Sight Set.

Safety. Positive, serrrated thumb-type.

THE NUMBERS & SPECIFICATIONS-540-XR & 540-XRJR

| 540 XR Position Rifle | ું જેવું કરે | | | 9802 | 8199.95 |
|-----------------------------|---------------|---------|-------|------|---------|
| 540-XRJR Position Rifle | - 112. | | | 9804 | 8199.95 |
| sedfield #75 Rear Globe Fro | ont Match Si | ght Set | | 6552 | 840.00 |
| Sling Strap with Front Swi | vel Block Ass | embly | 15/22 | 6420 | 812.00 |

1 eagth of Pull: 540-XR adjustable from 1244" to 16". 540-XRJR adjustable from

Iver-all Length: 540-XR adjustable from 421/4" to 481/4", 540-XRJR adjustable from 413/4" to 45".

The state of the s

ight: 8 lbs. 13 oz. without sights. Add approximately 9 oz. for sights.

14.00

MUDEL 40-AR

TURES ber. 22 Long Rifle only.

Stock. Position style with front swivel block on fore-end guide rail. Thumb groove, adjustable combination hand stop and sling swivel: 2 way vertically adjustable butt plate.

Receiver. Drilled and tapped for receiver sight or target scope blocks. Target scope blocks installed. Trigger adjustable from 2 to 4 lbs.

Capacity. Single loading.

Barrel. 24" heavy barrel.

Safety. Positive, thumb-type.

ORDER NUMBERS & SPECIFICATIONS-40-XR

40-XR Position Rifle 5668 8375.00

Length of Pull: 131/2". Over-all Length: 421/2".

Average Weight: 10 lbs. 2 oz. without sights. Add approximately 12 oz. for sights.

MODEL 40-XB

FEATURES -

Stock. American walnut. Non-slip rubber target-type butt pad. Adjustable combination hand stop and sling swivel. Front swivel block on fore-end guide rail.

Capacity & Calibers. Single loading and clip repeater (magazine loads from top of receiver). Single shot: 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6mm x 47 (6mm 222 Mag.), 6mm Rem., Win., 7.62mm NATO (308 Win.), 30-06, 30-338 (30-7mm Mag.), 300 Win. Mag. Repeating (heavy-barrel version only): 222 Rem., 222 Rem., Mag., 223 Rem., 22-250 Rem., 6mm x 47 (6mm. 222 Mag.), 6mm Rem., 243 Win., 7.62mm NATO (308 Win.).

Receiver. Drilled and tapped for scope blocks and receiver sights. Target scope blocks installed. Receiver bedded to stock. Trigger: match type. Adjustable from 2 to 4 lbs. Weight of pull can be changed externally. Special 2-oz. trigger available on single-shot models only at extra charge.

Barrel. 271/4" length. Unblued stainless steel only. Free-floating. Drilled and tapped for scope block and iron front target sight.

Sights. None supplied. Target scope blocks installed. ORDER NUMBERS & SPECIFICATIONS-MODEL 40-XB

| CF-S2 Std. Stainless Steel Barrel | Special | 8500.00 |
|--|---------|---------|
| CF-H2 Heavy Stainless Steel Barrel | Special | 8500.00 |
| Extra for Repeating Center Fire Models with Heavy Barrel | Special | 837.00 |
| Extra for 2-oz. Trigger (Single-Shot Models only) | Special | 863.00 |

Length of Pull: 131/2". Over-all Length: approximately 47".

Mussle Diameter: S2-approximately %". H2-approximately %".

Average Weight: S2-94 lbs., H2-114 lbs.

MODEL 40-XBBR

FEATURES

Stock. Specially selected American walnut.

Capacity & Calibers. Single shot. 22 Rem. Bench Rest, 222 Rem., 222 Rem. Mag., 223 Rem., 6mm x 47 (6mm .222 Mag.), 7.62mm NATO (308 Win.).

Receiver. Same as Model 40-XB. Trigger adjustable from 11/2 to 31/2 lbs. Special 2-oz. trigger available at extra charge.

Barrel. Unblued stainless steel only. 20" length for Light Varmint class. 24" for Heavy Varmint class.

Sights. Same as Model 40-XB.

ORDER NUMBERS & SPECIFICATIONS-MODEL 40-XBBR

| 40-XBBR Stainless Steel Barrel | Special | 8530.00 |
|--------------------------------|---------|---------|
| Extra for 2-oz. Trigger | Special | 963.00 |

Length of Pull: 12". Over-all Length: 38" with 20" barrel. 42" with 24" barrel. Average Weight: 91/4 lbs. with 20" barrel. 12 lbs. with 24" barrel.

MODEL 40-XC NATIONAL MATCH COURSE CENTER FIRE RIFLE

FEATURES

Stock. Thumb groove, adjustable combination hand stop and sling swivel; 2-way, vertically adjustable butt plate.

Capacity & Caliber. 5-shot bolt action repeater. 308 Win. (7.62 NATO).

Receiver. Drilled and tapped for metallic sights. Scope-mount bases installed. Trigger adjustable 2 to 4 lbs.

Safety. Positive, thumb-type.

ORDER NUMBERS & SPECIFICATIONS-MODEL 40-XC

40-XC National Match (7.62mm NATO only.) 8550.00

Length of Pull: 131/2". Over-all Length: 421/4" with 24" stainless steel barrel. Weight: 11 lbs. without sights.

Model 870 12 ga. 20" deer barrel with rifle sights.

You can add to the usefulness and versatility of your Model 1100 or 870 with any of the available extra barrels. Use yo target shotgun in the field, and vice versa, by simply changing the barrel. It's easy to do and there are many from which to choose. There are left-hand extra barrels for the left-hand versions of these fine shotguns, too. However, you must match the barrel to the correct receiver-left to left, right to right-and within gauge and chamber length.

MODEL 1100 EXTRA BARRELS

| | 12 Ga. | 16 Ca. | 20 Ga. Liwi. | 28 Ca. | .410 | Suggested Retail Price |
|--------------------------|-----------|--------|------------------|--|-------------|---------------------------|
| Extra Barrels, Pisin | | | Order Nos. | | | |
| 30" Full Choke | 9500 | | | | | 8 68.95 |
| 28" Full Choke | 9502 | 9530 | | | | 68.95 |
| 28" Full Choke | | | 4440° | | | 68.95 |
| 25" Full Choke | | | | 9588 | 9574 | 71.95 |
| 28" Mod. Choke | 9504 | 9532 | | | | 68.95 |
| 28" Mod. Choke | | | 4442* | | | 68.95 |
| 5" Mod. Choke | | | | 9510 | 9576 | 71.95 |
| 26" Imp. Cyl. Choke | 9508 | 9536 | | | | 68.95 |
| 26" Imp. Cyl. Choke | | | 4444* | | | 68.95 |
| 25" Imp. Cyl. Choke | | | | 6584 | 9578 | 71.95 |
| extra Barrels, Rifle Sig | hts, Deer | | | | | |
| 22" imp. Cyl. | 9568 | | | | | 81.95 |
| 20" imp. Cyl. | | | 4438* | | | 81.95 |
| Extra Barrels, Vent. Ril | b. Duck/C | loone | | | | |
| 14" Full Choke | 6576 | | | | | 111.95 |
| Extra Barrels, Vent Rib | | | | | | |
| 10" Full Choke | 9512 | | | | | 101.95 |
| 28" Full Choke | 9514 | 9538 | | | | 101.95 |
| 28" Full Choke | | | 4446* | | | 101.95 |
| 25" Full Choke | | | | 6586 | 9580 | 104.95 |
| 28" Mod. Choke | 9516 | 9540 | | | | 101.98 |
| 28" Mod. Choke | | | 4448* | | | 101.95 |
| 25" Mod. Choke | | | | 6588 | 9582 | 104.95 |
| 6" Imp. Cyl. Choke | 9520 | 9544 | | | | 101.95 |
| 26" Imp. Cyl. Choke | | | 4450° | | | 101.95 |
| 35" imp. Cyl. Choke | | | | 6590 | 9584 | 104.95 |
| LEFT-HAND Extre Berr | eis Vent | NAP. | | | 3001 | 104.50 |
| 30" Full Choke | 5682 | | | | | 103.95 |
| 28" Mod. Choke | 5684 | | | | | 103.95 |
| 26" Imp. Cyl. Choke | 5666 | | | | | 103.96 |
| Extra Barrele, High Gr | | | | | | 100.80 |
| D Tournament, Vent Rib | | | | | | 165.00 |
| Premier, Vent. Rib | Special | | | | | 250.00 |
| TRAP | - Space | | | | | 200.00 |
| | | | | 12 Ga. | | |
| Extra Barrels, Vent Rit | , Trap | | | | | |
| 34" Full Choke | | | | 9610 | | 8116.95 |
| 90" Pull Choke | | | | 9612 | | 106.98 |
| 28" Full Choke | | | | 9616 | | 106.95 |
| 30" Mod. Trap Choke | <u> </u> | | | 9614 | | 106.9 |
| 28" Mod. Trap Choke | | | | 9618 | | 106.95 |
| Extra Berrela, High On | | | | | · | |
| D Tournament, Vent. Re | <u> </u> | | eria ingka i | Special | | 165.00 |
| F Premier, Vent. Rib | | | · | Special | | 250.0 |
| SKEET | 12 Ga. | 20 Ga. | 20 Ga. Ltut. | 26 Ca. | .410 | |
| Extra Barrela, Vent Rit | , Shoot | | | A4.4 () | | |
| 26" Skeet Choice | 9522 | 9562 | 4452 | _ | | 8106.9 |
| 25" Skeet Choke | | . 4 | | 6592 | 9586 | 109.9 |
| Extra Barrelo, High Gr | wie | | - | | | |
| D Tournament, Vent Re | | 47 | Special | J = 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | · · | 165.0 |
| Fremier, Vent. Rib. | | | Special | | | 250.0 |
| LEFT-HAND-Trap & 8 | lecet | | | | | |
| WY Full Choke Trap | | | · | 9620 | | \$108.95 |
| 26" Skeet Choke | | | | 5688 | | 108.95 |
| | | | O Series) will n | | | |

MODEL 870 EXTRA BARRELS

| FIELD GRADE | 12 00 | 16 Ca | 20 Co Std | 20 Ga, Ltwt. | 28 Ca | 410 | Suggested Retail Price |
|------------------------|------------|----------|-------------|--------------|-------------|--------|---------------------------|
| Extra Barrels, Plain | 15 (52. | IU CIE. | Order Nos. | A) CH. LAWL | 20 02 | 410 | Reute Fisc |
| 30" Full Choke | 6214 | | Order nos. | | | | 8 58.95 |
| 28" Full Choke | 6216 | 6252 | 6270 | | | | 58.95 |
| 28" Full Choke | | 0202 | 0270 | 6296° | | | 61.95 |
| 25" Full Choke | | | | 0230 | 6282 | 6026 | 61.95 |
| 28" Mod. Choke | 6218 | 6254 | | | 6262 | 0236 | |
| 28" Mod. Choke | 0218 | 0234 | 6272 | 6298° | | | 58.95 61.95 |
| | | | | 6298 | | | |
| 25" Mod. Choke | | | | | 6284 | 6238 | 61.95 |
| 26" Imp. Cyt. Choke | 6220 | 6256 | 6274 | | | | 58.95 |
| 26" Imp. Cyl. Choke | | | | 6300* | | | 6) |
| 25" Imp. Cyl. Choke | | | | | 6286 | 6248 | 6(|
| Extra Barrels, Rifle S | | er | | | | | |
| 20" Imp. Cyl. | 6544 | | 6230 | | | | 71.95 |
| 20" Imp. Cyl. | | | | 4524° | | | 74.95 |
| Extra Barrels, Vent. I | | k/Goose | <u> </u> | | | | |
| 34" Full Choke | 6304 | | | | | | 101.95 |
| Extra Barrels, Vent. F | | | | | | | |
| 30" Full Choke | 6222 | | | | | | 91.95 |
| 28" Full Choke | 6224 | 6258 | 6276 | | | | 91.95 |
| 28" Full Choke | | | | 6322° | | | 94.95 |
| 25" Full Choke | | | | | 6288 | 6250 | 94.95 |
| 28" Mod. Choke | 6226 | 6260 | 6278 | | | | 91.95 |
| 28" Mod. Choke | | | | 6324° | | | 94.95 |
| 25" Mod. Choke | | | | | 6290 | 6264 | 94.95 |
| 26" imp. Cyl. Choke | 6228 | 6262 | 6280 | | | | 91.95 |
| 26" Imp. Cyl. Choke | | | | 6326 | | | 94.95 |
| 25" Imp. Cyl. Choke | | | | | 6292 | 6266 | 94.95 |
| Extra Barrels, High C | rade | | | | | | |
| D Tournament, Vent. R | | | Special | | | | 155.00 |
| F Premier, Vent Rib | | | Special | | | | 245.00 |
| TRAP | | | 12 Ga. | | | | |
| Extra Barrels, Vent. F | Hb Tree | | 12 04 | | | | |
| 34" Full Choke | do, map | | 6340 | | | | 8106.95 |
| 30" Full Choke | | | 6242 | | | | 96.95 |
| 28" Full Choke | | | | | | | 96.95 |
| | | | 6244 | | | | 96.95 |
| 30" Mod. Trap Choke | | | 6232 | | | | |
| 28" Mod. Trap Choke | | | 6246 | | | | 96,95 |
| LEFT-HAND Extra Be | irreis, Ve | nt. Kib, | | | | | A-05 |
| 30" Full Choke Trap | | | 6206 | | | | 96.95 |
| Extra Barrels, High C | | | | | | | |
| D Tournament, Vent. | KID | <u> </u> | Special | | | | 155.00 |
| F Premier, Vent. Rib | | | Special | | | - 10 | 245.00 |
| SKEET | | 12 Ga | 20 Ga. | 28 Ga. | .41 | 0 | MATERIAL PROPERTY. |
| Extra Barrels, Vent. I | Rib, Skee | ×. | | | | . 1 4 | NEW COL |
| 26" Skeet Choke | | 6240 | 6508 | , | | | 996.0 |
| 25" Skeet Choke | | | ····· | 6294 | 626 | | 100 |
| Extra Barrels, High C | rade | | | | | 154 | Transfer of |
| D Tournament, Vent. | | | Special | | | (31.7) | 156.0 |
| F Premier, Vent. Rib | | | Special | | | | 245.00 |






AUTOLOADING SHOTGUNS-A NEW LOOK FOR AN OLD FAVORITE

The world's most popular autoloading shotgun has a brand new checkering pattern and receiver scroll design to enhance its smooth-flowing lines and handsome appearance. The way the 1100 looks to one reason more shooters lifer it over other autoloadies, but its smooth, reliable performance, easy handling, superb balance and low recoil insations are the major reasons it's America's best stilling autoloading shotgun.

And the Model 1100 is the only autoloader available in 12, 16, 20 and 28 gauge and 410 bore. You can also buy extra interchangeable barrels that will give you a field, target or deer gun quickly and easily. Extra interchangeable 2¼" chambered barrels, available for the 3" Magnum models, will handle all 2¾" shotgun shells. No tools required to change barrels. (See

age 10 for barrel selections.)
Choose from two chamber anoths—the 2¾" handles all 2¾" loads, including "baby magnums" without adjustment, and the 3" Magnum model handles all 2¾" magnum and 3" magnum loads. Pick the barrel length, style and choke for your shooting needs from the widest selection offered by any manufacturer. There is even a left-hand model in 12 gauge, available in three barrel lengths.



MODEL 1100—AUTOLOADING SHOTGUNFEATURES

Stock and Fore-end. American walnut with durable Du Pont RK-W wood finish. New checkering pattern.

Receiver. Machined from solid steel. Matte-finish top. Deep blue finish, new scrollwork design on both sides and on chrome-plated bolt.

Barrel, Special Remington proof steel. Deep blue finish. Extra barrels are interchangeable within versions (right- or left-hand), gauge and chamber length. Extra interchangeable 24" chambered barrels available for 3" Magnum take all 24" shotgun shells. Lightweight barrels interchangeable only on Lightweight models.*

Sights. Metal bead front sight.


Safety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2%'' in standard field guns except .410 bore. Magnum models and .410 bore field guns have 3'' chamber.

Capacity, 5-shot, 3-shot plug furnished. 4-shot capacity for $3^{\prime\prime}$ shells in .410 bore.

*New 20 gauge Lightweight barrels (4400 Series) will not fit pre-1977 20 gauge Lightweight or regular 20 gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

FIELD GRADE



The unique gas-metering system reduces recoil sensation to a gentle push against your shoulder. The lack of muzzle jump means you stay on target for a second or third shot if needed. The 1100 is a comfortable gun to shoot in any gauge and is an ideal gun for a beginner.

Add the deep, rich blueing on the barrel and receiver. chrome-plated bolt, durable Du Pont RK-W wood finish on the walnut stock and foreend and you have a Remington shotgun you'll be proud to own and shoot.

Model 1100 3" Magnum: 12 gauge. Ideal for waterfowl or turkey hunting. Takes 3" and 2%" magnum shells. Extra interchangeable 2¾" barrels take all 234" shotgun shells.

Model 1100: 12, 16 gauge. Wide choice of barrel lengths and chokes. Both chamber lengths available in 12 gauge. Model 1100 LT-20, 20 gauge Lightweight. Scaled down to the proportions of the 20 gauge shell. Magnum model specially designed for 3" and 2¾" magnum shells, furnished with recoil pad. Model 1100: 28 gauge, .410 bore. Plain or ventilated rib barrels with a variety of

Model 1100 Deer Gun: 12 gauge; LT-20, 20 gauge. Improved Cylinder choke for rifled slugs and buckshot. Rifle sights. Barrel only shown at left.

choke options.

ORDER NUMBERS & SPECIFICATIONS-MODEL 1100

| • | Barrel | | 24" Chamb | 3" Chamber | | |
|-----------------|-------------------|-----------------|-------------------|-------------------|-------------------|-------------|
| | Length & Choke | Plain Barrei | Vent Rib (R-H) | Vent Rib (L-H) | Piain Barrei | Vent Rib |
| | 30" Full | 5322 | 5332 | 5540 | 5344 | 53481 |
| | 30" Mod. | _ | _ | | 5250 | 5252 |
| 12 | 28" Full . | 5320 | 5330 | · — | _ | _ |
| χa. | 28" Mod. | 5326 | 5336 | 5542 | | _ |
| | 26" Imp. Cyl. | 5328 | 5338 | 5544 | | |
| | 22" Imp. Cyl. | 5308 | Deer barre | with rife | sights. | |
| 16 | 28" Full | 5370 | 5378 | - | | |
| | 28" Mod. | 5374 | 5382 | .—. | - | _ |
| Na. | 26" Imp. Cyl. | 5376 | 5384 | _ | , - ', | - |
| LT-20 | 28" Full | 5228 | 5234 | _ | 5240 | 5242 |
| -30 | 28" Mod. | 5230 | 5236 | | _ | _ |
| _w 20 | 26" Imp. Cyl. | 5232 | 5238 | _ | | |
| <u> </u> | 20" Imp Cyl. | 5248 | Deer barre | with rifle | sights. | |
| 28 | 25" Full | 5316 | 5414 | | | |
| | 25" Mod. | 5406 | 5416 | _ | _ | |
| • | 25" lanp. Cyl. | 5412 | 5426 | | _ | _ |

| | Barrel | | 24" Chamb | er | 3" Chamber | |
|--------|-------------------|-----------------|-------------------|---------------------------------------|-----------------|-------------|
| | Length & Choke | Plain Barrel | Vent Rib (R-H) | Vent Rib (L-H) | Plain Barrel | Vent Rib |
| 410 | 25" Full | | | | 5460 | 5466 |
| .410 | 25" Mod. | <u> </u> | _ | _ | 5462 | 5468 |
| bore | 25" Imp. Cyl | - | | _ | 5464 | 5296 |
| D Tour | nament Grade-S | pecial | | | | |
| F Prem | ier Grade-Specia | 1 | | · · · · · · · · · · · · · · · · · · · | | |
| F Prem | ier Grade with go | d inlay-S | pecial | | | |

Nominal Stock Dimensions: 14" long, 21/2" drop at heel, 11/2" drop at comb. Over-all Length: 48" with 28" barrel, 45" with 25" barrel in 28 ga. and .410 bore. Average Weight: 12 ga.—7½ lbs., 16 ga.—7½ lbs., LT-20, 20 ga.—6½ lbs., LT-20, 20 ga. Magnum—6½ lbs., 28 ga. plain barrel—6½ lbs., 28 ga. vent rib—6½ lbs., 410 bore plain barrel—6½ lbs., 410 bore vent rib—7 lbs.


tLeft-hand model No. 5548

Extra Barrels: See page 10.

MODEL 870



FIELD GRADE



del 870 3" Magnum: 12, 20 gauge. Handles all 234" and 3" shells including magnums. Available in lefthand ventilated rib barrel model.

Model 870: 12, 16 and 20 gauge. Choice of barrel lengths, chokes and extra barreis including a 12 gauge 34" duck/goose barrel. Lefthand: 12, 20 gauge.

Model 870 "Brushmaster" Deluxe Deer Gun: 12, 20 and 20 gauge Lightweight. Deluxe and standard models: 12 gauge standard has plain stock and grooved fore-end. Rifle sights.

Model 870: 20 gauge Lightweight and 3" Magnum Lightweight. Magnum handles all 3" and 2%" shotgun shells including magnums. American walnut stock and fore-end.

Model 870: 28 gauge and .410 bore. Lighter weight small gauges with all of the Model 870 features. American walnut stock and fore-end.

ORDER NUMBERS & SPECIFICATIONS-MODEL 870

| | Barrel | | 2%" Chambe | 1 | 3" Cb | amber |
|--------|-------------------|-----------------|---------------------------|-------------------|-----------------|-------------|
| | Length & Choke | Plain Barrel | Vent Rib (R-H) | Vent Rib (L-H) | Plain Barrel | Vent Rib |
| | 30" Full | 6900 | 6930 | 5510 | 6966 | 6976+ |
| | 30" Mod. | | _ | | 6968 | 6978 |
| | 28" Full | 6902 | 6932 | _ | _ | _ |
| 12 | 28" Mod. | 6904 | 6934 | 5514 | _ | _ |
| | 26" Imp. Cyl. | 6906 | 6936 | 5516 | | |
| ga. | | | Deer | Gun | | |
| | 20" Imp. Cyl. | 6960 5026 | Deluxe with Standard w | | | naster" |
| 16 | 28" Full | 6908 | 6938 | _ | _ | _ |
| | 28" Mod. | 6910 | 6940 | | _ | _ |
| ga. | 26" Imp. Cyl. | 6912 | 6942 | | | |
| Std. | 28" Full | 6914 | 6944 | 5528 | 6970 | 6980 |
| | 28" Mod. | 6916 | 6946 | 5530 | 6972 | 6982 |
| 20 | 26" Imp. Cyl. | 6918 | 6948 | 5566 | _ | _ |
| ga. | 20" Imp. Cyl. | 6962 | "Brushmast | er" Deer C | un with ri | fle sights |
| LTWT | 28" Full | 5176 | 5182 | | 5188 | 5190 |
| | 28" Mod. | 5178 | 5184 | - | _ | |
| 20 | 26" Imp. Cyl. | 5180 | 5186 | | | _ |
| ga. | 20" imp. Cyl. | 5192 | "Brushmas | ter" Deer | Gun with i | ific sigh |
| 00 | 25" Full | 4868 | 4918 | | | |
| 28 | 25" Mod. | 4904 | 4920 | _ | | _ |
| ga. | 25" Imp. Cyl. | 4916 | 4932 | | | |
| 410 | 25" Full | | | | 4948 | 4986 |
| .410 | 25" Mod. | _ | _ | | 4950 | 5086 |
| bore | 25" Imp. Cyl. | | | | 4978 | 4990 |
| | - ·— | Model 8 | 70 Police | | | |
| 12 | 20" Police Cyl. | 5030 | | - | | - |
| ga | 18" Police Cyl. | 5032 | _ | | _ | _ |
| | 20" Imp. Cyl. | 5028 | Rifle sights | 3 | | |
| D Tour | nament Grade—Sj | pecial | | | | |
| F Prem | ier GradeSpecial | I | | | | |
| | nament Grade-S | pecial | Klile sights | ····· | | |

FEATURES

Stock and Fore-end. American walnut with durable Du Pont RK-W wood finish.

Receiver. Machined from solid steel. Matte-finish top. Vibra-honed for smoother operation and finish. Lightweight 20, 28 gauges and .410 bore have scaled-down receivers.

rel. Special Remington proof steel. Extra barrels are interchangewithin versions (right- or left-hand), gauge and chamber length. ghtweight barrels interchangeable only on Lightweight models.

Sights. Metal bead front sight.

Safety. Positive cross-bolt type. Reversed on left-hand models. Chamber. 234" in standard field guns except .410 bore. Magnum models and .410 bore field guns have 3" chamber.

Capacity. 5-shot, 3-shot plug furnished. 4-shot capacity for 3" shells 111 .410 bore.


F Premier Grade with gold inlay-Special Nominal Stock Dimensions: 14" long including recoil pad. 21/4" drop at heel. 1%" drop at comb.


Over-all Length: 481/4" with 28" barrel, 461/4" with 26" barrel, 451/4" with 25" barrel in 28 gauge and .410 bore.


Average Weight: 12 ga. -7 lbs., 16 ga. -6% lbs., 20 ga. -6% lbs., 20 ga. Lightweight.-5% lbs., 20 ga. Lightweight Magnum.-6 lbs., 20 ga. Lightweight plain barrel-54 lbs., 28 ga. vent rlb-54 lbs., 410 bore plain barrel-6 lbs., 410 bore vent rib-64 lbs.

Extra Barrela: See page 10. tleft-hand Model No. 5496

MODELS 1100/870/3200







NEW Model 1100 TA Trap. Right- or left hand models in regular or Monte Carlo stocks. NEW checkering pattern and receiver scroll design.

NEW Model 1100
Tournament Trap.
NEW positive cut
checkering, receiver
scroll design and
deep, rich blueing.
Select American
walnut stock and
fore-end. Regular or
Monte Carlo stocks.

Model 1100 Tournament Skeet.
Specially selected
American wainut
stock and fore-end
with cut checkering.
NEW Receiver scroll
design. A new grade
of the big winner.

Model 1100 Tournament Skeet. NEW grade of smaller gauge skeet guns with NEW, higher ventilated rib for better sight plane. NEW receiver scroll design.

Model 1100 SA Skeet. A family of skeet guns (four gauges) for the competitive skeet shooter. All with NEW receiver scroll design.

Model 870 SA Skeet. A family of skeet guns in all four gauges.

Model 870 TB Trap. Choice of regular or Monte Carlo stock in right- or left-hand versions.

Model 870 TA Trap. A modest price tag on a super-dependable, durable trap gun. Ideal for the new or casual shooter.

Model 870 TC Trap. Highly figured American walnut stock and fore-end. Positive-cut checkering. Pride of ownership for the discriminating trapshooter.

Remington 3200
Competition Trap.
A trap gun of the highest order. Offered with optional Monte Carlo stock dimensional Monte Ca

Remington 320 Competition Ske One of the finest overand-unders you can shoot, and it's made and serviced in America. 1979

TRAP & SKEET GUNS

DEL 1100—TRAP & SKEET SHOTGUNS FEATURES

Stock and Fore-end. Rich American walnut with durable DuPont RK-W wood finish. NEW checkering pattern. Tournament guns have positive cut checkering and select wood.

Receiver. Machined from solid steel. Matte-finish top. Deep blue finish. NEW scrollwork design on both sides. Chrome-plated bolt.

"Burrel! Ventflateit vib only. High step-up rib on trap grades. NEW high rib on LT-20, 20 gauge; 28 ga., 410 bore to better match 12 ga. 1100 states guns . Special Remington proof steel, Deep blue finish. Extra

The the Lightweight within chamber length only on the control of the start within chamber length only on the control of the co

isht harrels (4400 series) will not fit pre-197

consider harrels (4400 series) will not fit pre-1977 20 gauge

| · · · · · · · · · · · · · · · · · · · | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|---------------------------------------|--------------------------|------------------------|----------------------|
| TA | 30" Full | 5446 5454 L-H | 5450 5456 L-H |
| Grade | 30" Mod. Trap | 5448 | 5452 |
| Tournament | 30" Full | 5588 | 5592 |
| Grade | 30" Mod. Trap | 5590 | 5594 |

D Tournament Grade (engraved)-Special order.

nai Stock Dimensions (with recoil pad): Regular Stock: 14%" long, 1%" at heel, 1%" drop at comb. Monte Carlo: 14%" long, 1%" drop at heel, 1%" op at comb. 1%" drop at Monte Carlo.

Average Weight: 81/4 lbs.

ORDER NUMBERS & SPECIFICATIONS—MODEL 1100 SKEET

| | Barrel Length & Choke | SA Grade | Tournament Grade |
|----------|--------------------------|------------------|-------------------|
| 12 | 26" Skeet | 5356 5564 L-H | 5304 |
| 20 20 | 26" Skeet | 5408 | · |
| 20 20 | 26" Skeet | 5244 | 5226 |
| 28 | 25" Skeet | 5432 | 5282 |
| .410 | 25" Skeet | 5298 | 5300 |

D Tournament Grade (engraved)-Special order

Nominal Stock Dimensions: 14" long, 2\%" drop at heel, 1\%" drop at comb. Average Weight: 12 ga.—7\% lbs.; Std. 20 ga.—7\% lbs.; LT-20, 20 ga.—6\% lbs.; 28 ga.—6\% lbs.; 410 bore—7\% lbs.

Extra Barrels: See Page 10.

MODEL 870 TRAP & SKEET SHOTGUNSFEATURES

Stock & Fore-end. Rich American walnut with the durable DuPont RK-W wood finish. Full beavertail fore-end. Positive cut checkering and SC grades.

Liver. Machined from solid steel. Matte-finish top. Deep blue mish. Chrome-plated bolt.

Barrel. Ventilated rib only. Special Remington proof steel. Extra barrels are interchangeable within versions (left- or right-hand), gauge and chamber lengths.

Sights. Ivory bead front, white-metal middle.

Bafety. Positive cross-bolt type. Reversed on left-hand models.

Chamber. 2%": 21/2" in .410 bore only.

ORDER NUMBERS & SPECIFICATIONS-MODEL 870 TRAP, 12 GAUGE

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|-------------|--------------------------|------------------------|----------------------|
| TA | 30" Fuli | 5046 | 5050 |
| Grade | 30" Mod. Trap | 5048 | 5052 |
| TB Grade | 30" Full | 4926 5518 L-H | 4906 5520 L-H |
| Ciacc | 30" Mod. Trap | 5006 | 5034 |
| TC Grade | 30" Fuli | 5060 | 5064 |

D Tournament Grade (engraved)—Special order.

Nominal Stock Dimensions (with recoil pad). Regular Stock: 14%" long, 1%" drop at heel, 1%" drop at comb. Monte Cario: 14%" long, 1%" drop at heel, 1%" drop at comb. 1%" drop at Monte Cario. Average Weight: 7% lbs.

ORDER NUMBERS & SPECIFICATIONS—MODEL 870 SKEET

| | Barrel Length & Choke | SA Grade | SC Grade (Fancy Wood) | |
|-----------|--------------------------|-------------|--------------------------|---|
| 12 ga. | 26" Skeet | 6988 | 5136 | |
| 20 🚜 | 26" Skeet | 6992 | 5140 | |
| 28 2 | 25" Skeet | 4934 | | |
| .410 bore | 25" Skeet | 4996 | | · |
| D. 25 | d = (= = = = = = d) = C | | | |

D Tournament Grade (engraved)—Special order

Match Weight Skeet Cap No. 6336 for small gauge Model 870 adds up to 12 oz. **Nominal Stock Dimensions** with recoil pad (28 gauge and .410 bore do not have recoil pad): 14" long. 2½" drop at heel. 154" drop at comb.

Average Weight: 12 ga.—7 lbs., 20 ga.—61/2 lbs., 28 ga.—6 lbs., 410 bore—61/4 lbs. (Adjustable weight will add up to 12 oz. in skeet guns.) Extra Barrels: See Page 10.

3200 OVER-AND-UNDER SHOTGUNS

FEATURES

Stock and Fore-end. Specially selected fancy walnut stock and fore-end on Competition grades. Special Trap select grade wood. Cut checkering, 20 lines to the inch. Full beavertail fore-end. Satin finish standard on Competition grade guns. DuPont RK-W high gloss wood finish on standard skeet and Special Trap grades. Optional 1%" or 11/4" drop on Monte Carlo stocks in Competition Trap grade guns. All with recoil pad.

Frame. Machined steel with sliding top lock. Shield-covered breech. Hammers cock on opening. Sides richly embellished.

Ejection. Automatic. Fired shells eject on opening. Unfired shells remain in chamber but are raised above chamber level for easy manual extraction.

Safety and Barrel Selector. Combination manual safety and barrel selector mounted on top tang. Left for bottom barrel; right for top barrel; middle position for safety on.

Trigger. Single selective, %16" wide. Crisp with extra-fast lock time. **Signts.** ivory bead front, white-metal middle.

ORDER NUMBERS & SPECIFICATIONS-3200 TRAP, 12 GAUGE

| | | Special Trap RK-W Wood Finish | | ion Trap Finish |
|--------------------------|---------------|----------------------------------|---------------|--------------------|
| Barrel Length & Choke | Reg. Stock | Monte Carlo | Reg. Stock | Monte Carlo |
| 32" imp. Mod./Full | 3225 | 3231 | 3283 | 3289 3297° |
| 30" Imp. Mod./Full | 3229 | 3235 | 3287 | 3293 3295* |
| 30" Full/Full | | | 3285 | 3291 |

Nominal Stock Dimensions: 14%" long, 2" drop at heel, 1½" drop at comb, 1½" drop at Monte Carlo Over-all Length: 48" with 30" barrels and recoil pad.

Average Weight: 8¼ lbs. for guns with 30" barrels.

13" drop at comb.

ORDER NUMBERS & SPECIFICATIONS-3200 SKEET, 12 GAUGE

| Barrel Length & Choke | Skeet RK-W Wood Finish | Competition Skeet Satin Pinish |
|--------------------------|---------------------------|-----------------------------------|
| 28" Skeet/Skeet | 3209 | 3237 |
| 26" Skeet/Skeet | 3239 | |
| NEW 28" Imp. Mod./Full | 3207 | |

Nominal Stock Dimensions: 14" long, 2\%" drop at heel, 1\%" drop at comb.

Over-all Length: 6keet-45%" with 28" barrels.

Average Weight: 8 lbs. with 28" barrels.


F Premier Grade (engraved)-Special order.

F Premier Grade (engraved)-Special order.

F Premier Grade (engraved)—Special order.

F Premier Grade (engraved)—Special order.

EXTRA BARRELS



You can add to the usefuln and versatility of your Model 1100 or 870 with any of the available extra barreis. Use your target shotgun in the fleld, and vice versa, by simply changing the barrel. It's easy to do and there are many from which to choose. There are left-hand extra barrels for the left-hand versions of these fine shotguns, too. However, you must match the barrel to the correct receiver-left to left, right to right-and within gauges. Extra interchangeable 234" chambered barrels, available for the 3" Magnum models, will handle all 234" shotgun shells.

MODEL 1100 EXTRA BARRELS

| FIELD GRADE | 12 Ga. | 16 Ga. | LT-20 20 Ga. | 28 Ga. | .410 |
|--------------------------------|--------------|---------------|-----------------|-------------|-------------|
| Extra Barrela, PLAIN | | 10 04 | Order Nos. | 20 04. | .410 |
| 30" Full choke | 9500 | | Order Nos. | | |
| 28" Full Choke | 9502 | 9530 | 4440* | | - |
| 25" Full Choke | 8502 | 9530 | 4450 | 9588 | 9574 |
| 28" Mod. Choke | 9504 | 9532 | 44409 | 9300 | 83/4 |
| 25" Mod. Choke | 9304 | 8033 | 4442* | 0510 | 0576 |
| | | 2500 | | 9510 | 9576 |
| 88" Imp. Cyl. Choke | 9508 | 9536 | 4444* | | |
| 25" Imp. Cyl. Choke | | | | 6584 | 9578 |
| bitra Barrela, Rifle Sighta, I | | | | | |
| 22" Imp. Cyl. | 9568 | | 44000 | | |
| 0" Imp. Cyl. | | | 4438° | | |
| Extra Barrela, VENT RIB Du | | | | | |
| 34" Full Choke | 6576 | | | | |
| Extra Barrela, VENT RIB | | | | | |
| 30" Full Choke | 9512 | | | | |
| 28" Full Choke | 9514 | 9538 | 4446° | | |
| 25" Full Choke | | | | 6586 | 9580 |
| 88" Mod. Choke | 9516 | 9540 | 4448* | | |
| 25" Mod. Choke | | | | 6588 | 9582 |
| 26" Imp. Cyl. Choke | 9520 | 9544 | 4450° | | |
| 25" Imp. Cyl. Choke | | | | 6590 | 9584 |
| LEFT-HAND Extra Barrels, V | VENT RIB | | | | |
| 30" Full Choke | 5682 | | | | |
| 28" Mod. Choke | 5684 | | | | |
| 26" Imp. Cyl. Choke | 5686 | | | | |
| Extra Barrela, High Grade | | | | | |
| D Tournament, Vent Rib (en | graved)—Spec | ial order | | | |
| F Premier. Vent Rib lengrave | | | | | |
| TRAP | | 12 Ga. | | | |
| Extra Barrela, VENT RIB, Tr | | | | | |
| 34" Full Choke | | 9610 | | | |
| 30" Full Choke | | 9612 | | | |
| 28" Full Choke | | | | | |
| | | 9616 | | | |
| 30" Mod. Trap Choke | | 9614 | | | · |
| 28" Mod. Trap Choke | | 9618 | | | |
| Extra Barrela, High Grade | | | | | |
| D Tournament (engraved) | | Special order | | | |
| F Premier (engraved) | | Special order | | | |
| SKEET | 12 Ga. | Std. 20 Ga. | LT-20 20 Ga. | 28 Ga. | .410 |
| Extra Barrela, VENT RIB. Sa | | | | | |
| 26" Skeet Choke | 9522 | 9562 | 4452° | | |
| 25" Skeet Choke | | 9552 | | 6592 | 9586 |
| Extra Barrela, High Grade | | | | 0002 | 3350 |
| D Tournament (engraved) | | | Special code | | |
| F Premier (engraved) | | | Special orde | | |
| | - A Phon | | Special orde | | |
| LEFT HAND-VENT RES. TO | d or owner. | | | | |
| 10" Full Choke Trap | | | 9620 5688 | | |
| 26" Skeet Choke | | | | | |

MODEL 870 "WINGMASTER" EXTRA BARRELS

| FIELD GRADE | 12 Ga. | 16 Ga. | 20 Ga. Std. | 20 Ga. Ltwt. | 28 Ga. | .410 |
|----------------------------------|----------|---------|----------------|---------------------------------------|--------|------|
| Extra Barrels, PLAIN | | | Order Nos | | | |
| 30" Full Choke | 6214 | | | | | |
| 28" Full Choke | 6216 | 6252 | 6270 | 6296° | | |
| 25" Full Choke | | | | | 6282 | 623C |
| 28" Mod. Choke | 6218 | 6254 | 6272 | 6298° | | |
| 25" Mod. Choke | | | | | 6284 | 62 |
| 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | 6300* | | |
| 25" Imp. Cyl. Choke | | | | | 6286 | 5248 |
| Extra Barrels, Rifle Sights, Dec | <u> </u> | | | | | |
| 20" Imp. Cyl | 6544 | | 6230 | 4524° | | |
| Extra Barrels, VENT RIB, Duci | c/Goose | | | | | |
| 34" Full Choke | 6304 | | | | | |
| Extra Barrels, VENT RIB | | | | | | |
| 30" Full Choke | 6222 | | | | | |
| 28" Full Choke | 6224 | 6258 | 6276 | 6322° | | |
| 25" Full Choke | | | | | 6288 | 6250 |
| 28" Mod. Choke | 6226 | 6260 | 6278 | 6324° | | |
| 25" Mod. Choke | | | | | 6290 | 6264 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | 6326* | | |
| 25" Imp. Cyl. Choke | | | | | 6292 | 6266 |
| LEFT-HAND Extra Barrels, VE | NT RIB | | | | | |
| 30" Full Choke | 6200 | | | | | |
| 28" Full Choke | | | 6208 | | | |
| 28" Mod. Chake | 6202 | | 6210 | · · · · · · · · · · · · · · · · · · · | | |
| 26" Imp. Cyl. Choke | 6204 | | 6212 | | | |
| Extra Barrels, High Grade | | | | | | |
| D Tournament (engraved) | | | Special o | rder | | |
| F Premier (engraved) | | | Special o | rder | | |
| TRAP | | 12 G | B. | | | |
| Extra Barrels, VENT RIB, Trap |) | | | | | |
| 34" Full Choke | | 634 |) | | | |
| 30" Full Choke | | 624 | 2 | | | |
| 28" Full Choke | | 624 | 4 | | | |
| 30" Mod. Trap Choke | | 623 | 2 | | | |
| 28" Mod. Trap Choke | | 624 | 6 | | | |
| LEFT-HAND Extra Barrels, VE | NT RIB, | rap . | | | | |
| 30" Full Choke | | 620 | <u> </u> | | | |
| D Tournament (engraved) | | Special | order | | | |
| F Premier (engraved) | | Special | order | | | |
| SKEET | 12 Ga. | | | 28 Ga. | .410 | 1 |

*20 gauge 870 Lightweight barrels will not fit 20 gauge standard 870 guns

6240

6508

Special order

Special order

Extra Barrels, VENT RIB, Trap

Extra Barrels, High Grade

D Tournament (engraved)

F Premier (engraved)


26" Skeet Choke

25" Skeet Choke

6294


6268

SHOTGUMINING SUGGESTIONS



Remington, when you take your game seriously.

Remington shotgun shells come in today's most popular range of gauges, shell lengths, powders and shot sizes.



Choose a Full choke for the tightest pattern at the longest distances. Best when shooting 45 to 55 yards away.

A Modified choke is less constricted, delivers peak patterns between 25 and 45 yards.

For more open patterns, at distances up to 35 yards, choose an Improved Cylinder choke.

| SHOT | Number | Diam, in inches | Approx. Peliets in 1 Oz. |
|------|--------|--------------------|--------------------------------|
| • | 12 | .05 | 2385 |
| • | 9 | .08 | 585 |
| • | 8 | .09 | 410 |
| • | 71/2 | .091/2 | 350 |
| • | 6 | .11 | 225 |
| • | 5 | .12 | 170 |
| • | 4 | .13 | 135 |
| | 2 | .15 | 90 |
| | ВВ | .18 | 50 |
| | | | |

| BUCKSHOT Number | | Diam. in Inches | Approx. Pellets in 1 Lb. |
|--------------------|----|--------------------|--------------------------------|
| | 4 | .24 | 340 |
| | 3 | .25 | 300 |
| | 1 | .30 | 175 |
| | 0 | .32 | 145 |
| | 00 | .33 | 130 |

11



MODEL 700

Extreme accuracy, superior strength, attractive styling.

The Remington Model 700 is world-renowned for its accuracy. This is the result of the precision machining of the metal parts and careful bedding of the barreled action to the stock. Every 700 is hand assembled and closely inspected in each step of the manufacturing process, then test fired before it is given the final mark of approval.


The action is one of the strongest ever designed. Bolt face, barrel and receiver surround the cartridge head with three rings of solid steel—no weakening extractor cuts. The anti-bind bolt assures smooth operation without bind or drag.

Styling features found in the Model 700 line are usually found only on far more expensive custom guns. For example, the Model 700 BDL has a walnut Monte Carlo stock with full cheekpiece, positive cut skip-line checkering, black fore-end tip, white line spacers and the durable DuPont RK-W high gloss wood finish. Sling strap and quick-release swivels are included.

The Model 700 ADL has custom skip-line checkering on a walnut Monte Carlo stock with DuPont RK-W wood finish. And the "Classic" model has a satin finish walnut stock with full pattern positive cut checkering and quick-release swivel studs. All models have the receiver drilled and tapped for scope mounts and receiver sights.

The Model 700 is also available in a heavy-barreled varmint gun. The "Varmint Special" is furnished without sights but has Remington target rifle type scope blocks installed.

To round out your choice, the Model 700 is available in sixteen calibers in right-hand models, with the addition of the versatile 7mm Express Remington in 1979, three calibers in left-hand models, six calibers in the "Classic" model and seven calibers in the heavy-barrel "Varmint Special" model. The 308 caliber "Varmint Special" is an excellent choice for the fast-growing sport of metallic silhouette target shooting.



Model 700 ADL Deluxe. Economy and value combined with superb accuracy.

Model 700 "Classic" bolt action center fire rifle. Classic stock styling for the worldfamous Model 700 barreled action.

Model 700 BDL "Custom" Deluxe. The standard of excellence by which other big-game rifles are measured.

Model 700 "Varmint Special." Heavy barrel adds extra weight for tack-driving accuracy on small targets at long range.

MODEL 700 **FEATURES**

Stock & Fore-end. American walnut. Safari grade, C "Custom" and "Classic" models have full pattern, positive cut checkering: choice of skip-line or full pattern checkering in C "Custom" grade; BDL, positive cut skip-line checkering; ADL, custom skip-line checkering, ADL, BDL and C "Custom" models have DuPont RK-W wood finish; "Classic" and Safari models have satin finish.

Monte Carlo stock on all models except "Classic." Magnum models have presentation style recoil pads. "Classic" has %" brown rubber butt pad. Sling strap and quick-release swivels are included on BDL and Safari models. "Classic" and C "Custom" models have quickrelease swivel studs.

Receiver. Machined from a solid ordnance-steel billet, vibra-honed for smooth finish and functioning, Jeweled anti-bind boit. Drilled and tapped for scope mounts and receiver sights. Fixed magazine with stainless steel follower: BDL, Safari, C "Custom" grade and "Classic" models have hinged floor plate.

Sights. Blade-ramp front sight with flat-faced gold bead, hooded on BDL only. "Classic" and C "Custom" grades furnished without sights. Rear sight adjustable for elevation and windage. Both sights are removable. "Varmint Special," furnished without sights, has front and rear Remington target rifle type scope blocks installed.

Safety, Fast, positive thumb-type. Left-hand safety on left-hand models.

ORDER NUMBERS & SPECIFICATIONS-MODEL 700

| | Сар | | "Varmint Special" | | "Classic" | 700 ADL | 700 BDL | "Varmint Special" | 700C Custom |
|-------------------------------------|------------|----------------|----------------------|------------|-----------|------------|--------------|----------------------|--------------------|
| 17 Rem. | 6 | 24" | | 9″ | | | 5801 | | |
| 222 Rem. | 6 | 24" | 24" | 14" | | 5760 | 5781 | 5821 | Special |
| 22-250 Rem. | 5 | 24" | 24" | 14" | 5854 | 5762 | 5783 | 5823 | Special |
| 223 Rem. | 6 | | 24" | 12" | | | | 5825 | |
| 6mm Rem. | 5 | 22" | 24" | 9* | 5858 | 5764 | 5785 | 5827 | Special |
| 243 Win. | 5 | 22" | 24" | 9" | 5860 | 5766 | 5787 | 5829 | Special |
| 25-06 Rem. | 5 | 24" | 24" | 10" | | 5768 | 5789 | 5831 | Special |
| 270 Win. | 5 | 22" | | 10" | 5864 | 5770 | 5791 5811 | 나H | Special Special |
| 7mm Express Rem. NEW for 1979 | 5 | 22" | | 9" | | 5778 | 5797 | | Special |
| 30-06 & 30-06 "Accele | 5 rator | . 22" | | 10* | 5866 | 5772 | 5793 5813 | LH. | Special Special |
| 308 Win. | 5 | 22" Varmint | 24" | 10" 12" | 5774 | 5795 | 5833 | | Special |
| 7mm Rem. Mag. | 4 | 24" | | 9* | 5872 | 5776 | 5803 5815 | L-H | Special Special |
| 300 Win. · | 4 | 24" | | 10" | | | 5807 | | Special |
| 8mm Rem. Mag. | 4 | 24" | | 10" | | | 5809 | | Special |
| 375 H&H Mag.* | 4 | 24" | | 12" | | | 5836+ | | |
| 458 Win. Mag." | 4 | 24" | | 14" | | | 58381 | | |
| Sling Strap & | | ck-Releas | e Swivels | | | 6382 | | | |

*NEW for 1979


D and F grade engraved Model 700 rifles are available in all calibers on special order. See pages 28 through 31 for ballistics on above cartridges.

Standard Stock Dimensions: 13%" length of pull, 2%" drop at heel. 1%" drop at comb (measured from open sight line), "Classic"—1" drop at heel. 9/16" drop at comb (measured from center line of bore).

Varmint Special" Stock: 13%" length of pull. 1%" drop at heel, "6" drop at comb (measured from center line of bore).

Over-all Length: 43%" with 24" barrel except 44%" in Magnum models. "Classic", 41%"—243 Win., 6nm Rem. 42%"—270 Win., 30.06; 43%"—22.250 Rem.: 44%"—7mm Rem. Mag Average Weight: 7 lbs. regular: 7½ lbs. "Classic" and 22-250; 7% lbs. Magnum: 375 H&H. 458 Win., and "Varmint Special," 9 lbs.

*Recoil pad included. +Safari grade.





MODEL 788 BOLT ACTION CENTER FIRE RIFLE— SUPERB ACCURACY, OUTSTANDING VALUE.

Model 788 with 4X scope. The Model 788 with a Tasco 4-power scope, at one low price, makes a great value combination.

Model 788 bolt action center fire rifle. Chambered in six popular calibers from varmint through big game. Left-hand versions available in two calibers. A superb value any hunter can afford. Model 788. Here's a center fire rifle with the accuracy required for varmint hunting with a surprisingly low price tag. And for a few dollars more than the price of the gun alone, you can get a Tasco 4-power scope with excellent optical qualities. Protective lens caps included.

The Model 788 has incredibly fast lock time—faster than ten competitive rifles tested. This helps to improve your accuracy because the bullet has left the barrel before your sights can move from the target.

FEATURES

Stock & Fore-end. Walnut finished hardwood with Monte Carlo styling standard.

Receiver. Machined from solid ordnance-steel billet. Bolt has **nine locking lugs** for utmost strength in the locked position. Receiver drilled and tapped for scope mounts and receiver sight. Detachable clip magazine. Extra clips available.

Signts. Blade-ramp front sight with detachable blade. U-notch rear sight, lock screw adjustment for elevation and windage. Sight easily removable for scope mounting.

Safety. Positive, fast-action thumb type. Left-hand safety on models with left-hand stock.

Scope. Tasco 4-power model with mount, rings and protective lens caps.

ORDER NUMBERS & SPECIFICATIONS-MODEL 788

| | Clip | Barrel | Twist R-H | 788 | | 788 |
|----------|-----------|--------|-----------|-------|------|---------|
| Caliber | Mag. Čap. | Length | 1 turn in | Right | Left | w/Scope |
| 222 Rem. | 4 | 24" | 14" | 9722 | | 9790 |
| 223 Rem. | 4 | 24" | 12" | 9734 | | 9798 |
| 22-250 | 3 | 24" | 14" | 9736 | | 9778 |
| 6mm Rem. | 3 | 22" | 9″ | 9784 | 9786 | 9772 |
| 243 Win. | 3 | 22" | 9" | 9782 | | 9774 |
| 308 Win. | 3 | 22" | 10" | 9780 | 9788 | 9776 |

Sling Strap & Swivels (installed) 6426 Extra Clip Magazine (specify caliber)

Standard Stock Dimensions: 13%" length of pull. 2%" drop at heet. 1%" drop at comb (measured from open sight line). Over-all Length: 43%" with 24" barrel.

Average Weight: 222 Rem. 22-250, 223 Rem.—7½ lbs. All other calibers—7½ lbs.

15

MODEL 742

MODEL 742 "WOODSMASTER" AUTOLOADER—AMERICA'S FAVORITE AUTOLOADING BIG GAME RIPLE


The "Woodsmaster" is a fast, reliable, accurate and strong gas-operated autoloader. Your second shot, if needed, is there on target, fast. You stay on target because the Remington-designed autoloading action reduces the recoil sensation to a gentle push against your shoulder.

Its reliability results from the smooth, positive, gasoperated action. And the interior working parts are coated with friction-reducing, dirt-resisting DuPont "Teflon-S" resin. This assures all-weather operation, makes cleaning easier and acts as a

long-lasting lubricant.
Chambered in five popular flat shooting big game calibers, there's a Model 742 "Woodsmaster" rifle just right for your hunting requirements.

Model 742 "Woodsmaster" Center fire autoloading rifle. Chambered in five popular calibers including 30-06. 4-shot removable clip magazine. Carbine available.

Model 742 BDL "Woodsmaster" Custom Deluxe. Deluxe basketweave checkering on Monte Carlo stock and fore-end. Full cheekpiece. Available with left-hand cheekpiece and safety.



MODEL 742 FEATURES

Stock & Fore-end. American walnut. Distinctive skip line checkering—Custom Deluxe model has deluxe basketweave checkering and Monte Carlo stock (ideal for scope) with full checkpiece. DuPont RK-W wood finish, white line spacers and black fore-end tip.

Receiver. Machined from solid ordnance-steel billet; interior parts are vibra-honed and coated with DuPont "Teflon-S" resin for dependable performance. Artillery-type bolt with multiple locking lugs. Drilled and tapped for scope mounts.

Magazine Capacity. Removable 4-shot clip. 5-shot capacity (4 in clip. 1 in chamber). Extra clips available.

Sights. Blade-ramp front sight with flat-faced, gold bead. Sliding-ramp rear sight adjustable for elevation and windage. Both sights removable for scope mounting.

Safety. Positive cross-bolt type. Left-hand safety on BDL with left-hand stock.

ORDER NUMBERS & SPECIFICATIONS-MODEL 742

| | Danci | I WIST R-II | | /42 | /42 | BUL |
|----------|---------------------|-------------|------|---------|-------|-------|
| Caliber | Length | 1 Turn in | 742 | Carbine | Right | Left* |
| 6mm Rem. | 22" | 9" | 9632 | | | |
| 243 Win. | 22" | 9" | 9648 | | | |
| 280 Rem. | 22" | 9" | 9634 | | | |
| 30-06 | 22" Carbine 18½" | 10" | 9636 | 9670 | 9666 | 9668 |
| 308 Win. | 22" Carbine 18½" | 10" - | 9638 | 9672 | 9640 | 9644 |

Model 742 D Peerless Grade (engraved)—Special order

Model 742 F Premier Grade (engraved)—Special order Sling Strap & Quick-Release Swivels (installed) 6094


Extra 4-Shot Clip (specify caliber)

*Left-hand models have left-hand checkpiece and safety. See pages 28 through 31 for ballistics on above cartridges.

Standard Stock Dimensions: 13%" length of pull, 2%" drop at heel. 1%" drop at comb. BDL Monte Carlo stock: 13%" length of pull, 2%" drop at heel. 1%" drop at comb. 1%" drop at comb. 1%" drop at Monte Carlo. Over-all length: 42" with 22" barrel. Carbine: 38%" with 18%" barrel.

Average Weight: 71/2 lbs. Carbine: 71/4 lbs.

MODEL 760



MODEL 760 "GAMEMASTER" PUMP **ACTION CENTER FIRE** RIFLE-FAST, SMOOTH, RELIABLE, NATURAL ACTION

The Model 760 "Gamemaster" lets you shoot as fast as you can pump the action and pull the trigger. You keep the rifle in a natural shooting position while working the action. The smooth action! gives this gun reliability in all temperatures and weather conditions.

This smoothness is the result of twin action bars which eliminate twisting and binding. Internal working parts are vibra-honed to reduce friction and assure crisp, easy functioning of the action.

Model 760 "Gamemaster" Center fire pump action rifle. Fast handling, fast shooting big game rifle. Carbine available.

Model 760 "Gamemaster" Custom Deluxe. Deluxe basketweave checkering on stock and fore-end. Monte Carlo stock (ideal for scope) with full cheekpiece. Available with left-hand cheekpiece and safety.

MODEL 760

FEATURES

Stock & Fore-end. American walnut. Skip-line checkering. Deluxe basketweave checkering and Monte Carlo stock on BDL Custom Deluxe model. DuPont RK-W wood finish.

Receiver. Machined from solid-steel billet. Artillery-type bolt with multiple locking lugs. Drilled and tapped for scope mounts.

Magazine Capacity. Removable 4-shot clip. 5-shot capacity (4 in clip. 1 in chamber). Extra clips available.

Sights. Blade-ramp front sight. Rear sight adjustable for elevation and windage. Both sights removable for scope mounting.

hand stock.

ety. Positive cross-bolt type. Left-hand safety on BDL with

ORDER NUMBERS & SPECIFICATIONS-MODEL 760

| | Barrel | Twist R-H | | 760 | 760 | BDL |
|----------|-----------------------|-----------|------|---------|-------|------|
| Caliber | Length | 1 Turn in | 760 | Carbine | Right | Left |
| 6mm Rem. | 22" | .9″ | 5900 | | | |
| 243 Win. | 22" | 9″ | 9678 | | | |
| 270 Win. | 22" | 10" | 9726 | | 9708 | 9712 |
| 30-06 | 22" Carbine 18½" | 10" | 9730 | 9698 | 9692 | 9694 |
| 308 Win. | 22" Carbine 181/4" | 10" | 9732 | 9714 | 9706 | 9710 |

Model 760 D Peerless Grade (engraved)-Special order Model 760 F Premier Grade (engraved)—Special order

Sling Strap & Quick-Release Swivels (installed) 6096


Extra 4-Shot Clip (specify caliber)

See pages 28 through 31 for ballistics on above cartridges.
*Left-hand models have left-hand cheekpiece and safety.

Standard Stock Dimensions: 13%" length of pull, 2%" drop at heel. 1%" drop at comb. Monte Carlo stock: 13%6" length of pull, 2%" drop at heel. 1%" drop at comb, 15%" drop at Monte Carlo.

Average Weight: 71/4 lbs. Carbine: 71/4 lbs.

RIM FIRE RIFLES



Model 552A "Speedma autoloading rim fire rifle. The "Speedmaster"—the only 22 autoloader made that shoots Short, Long and Long Rifle cartridges interchangeably. Big game rifle styling.

Model 552 BDL Deluxe. Custom checkering on walnut stock and fore-end; big game rifle sights; durable DuPont RK-W wood finish. An accurate, fast handling 22 rifle for hunting or target shooting.

Model 572A "Fieldmaster" pump action rim fire rifle. Crisp, clean styling for America's favorite pump action 22 and the only 22 pump made in America.

Model 572 BDL Deluxe. A repeater that converts easily to a single-shot by removing tubular magazine. Custom checkering: protective DuPont RK-W wood finish. All "Fieldmaster" rifles shoot Short, Long and Long Rifle cartridges interchangeably.

Model 581 bolt action r Unique adapter converts rifle from clip repeater to single-shot for use by beginners. With adapter removed, it's a smooth performing clip repeater. Available in rightand left-hand models and a Boy's Rifle with a 1" shorter stock.

Model 582 bolt action rifle. A tubular magazine repeater for small game or target shooting. (Not shown)

"Nylon 66" with 4X scope. The "Black Diamond" and Mohawk brown "Nylon 66" rifles are available with a 4-power scope for greater accuracy at longer ranges.

"Nylon 66" MB autoloading rim fire rifle: Mohawk Brown. The 22 built to last and function properly with a minimum of care. The "Nylon 66" stock has a lifetime warranty. Gallery Special (22 shorts only) available.

"Nylon 66" BD "Black Diamond." Jet black stock, barrel and receiver cover. White line spacers accent overall graceful lines.

"Nylon 66" AB: Apache Black. All-weather chromeplated barrel and receiver cover. Jet black warranted stock with white diamond inlay.

552/572/581/582/NYLON 66

DEL 552 "SPEEDMASTER"

Stock & Fore-ead. Walnut-finished hardwood. American walnut in BDL grade. BDL grade has fine-line custom checkering and DuPont RK-W wood finish.

Receiver. Grooved for tip-off scope mounts.

Magazine Capacity. Tubular magazine holds 20 Short, 17 Long. 15 Long Rifle cartridges and shoots all interchangeably. Remove magazine tube for single-shot capability.

Signts. Rear sight adjustable for elevation and windage, bead front. BDL: Blade-ramp front sight, sliding-ramp rear sight.

Safety, Positive, cross-bolt type.

ORDER NUMBERS & SPECIFICATIONS-MODEL 552

| 552A | | 5602 |
|----------------------------------|--|------|
| 552 BDL Deluxe | | 5604 |
| Sing Strap & Swivels (installed) | | 6430 |

Over-all Length: 40" with 21" barrel. Weight: 5% lbs.

MODEL 572 "FIELDMASTER"

FEATURES

Stock & Fore-end. Walnut-finished hardwood. American walnut in HDL grade. BDL grade has fine-line custom checkering and DuPont RK-W wood finish.

Receiver. Grooved for tip-off scope mounts.

Magazine Capacity. Tubular magazine holds 20 Short, 17 Long, 14 long Rifle cartridges and shoots all interchangeably. Remove magazine tube for single-shot capability.

thus. Rear sight adjustable for elevation and windage; bead front.
L. Blade-ramp front sight, sliding-ramp rear sight.

Safety. Positive, cross-bolt type.

URDER NUMBERS & SPECIFICATIONS—MODEL 572

| 572A | 5620 |
|-----------------------------------|------|
| 572 HDL Deluxe | 5622 |
| Sling Strap & Swivels (installed) | 6432 |

Over-all Length: 40" with 21" barrel. Weight: 51/6 lbs.

MODEL 581 & MODEL 582

FEATURES

Stock & Fore-end. Walnut-finished hardwood with Monte Carlo, full size, black butt plate. Single-screw takedown.

Receiver. Round, ordnance steel, grooved for scope mounts.

Capacity. M/581 6-shot clip repeater with single-shot adapter. M/582 20 Short, 15 Long, 14 Long Rifle cartridges. Remove magazine tube for single shot capability.

Sights. Front: bead, dovetail adjustable, Rear: U-notch type, lock-screw adjustable.

Safety. Positive, serrated thumb-type. Left-hand safety on left-hand model.

ORDER NUMBERS & SPECIFICATIONS-M/581 & M/582

| , 002 |
|-------|
| 9834 |
| 9840 |
| 9836 |
| 9826 |
| 9856 |
| 4914 |
| 9828 |
| 6426 |
| 6428 |
| |

Over-all Length: 42%".

Weight: M/581-4% lbs., M/582-5 lbs.

"NYLON 66" FEATURES

Stock & Fore-end. One-piece DuPont "Zytel" structural nylon with lifetime warranty (see warranty sticker on rifle stock for full details), checkered grip and fore-end with white diamond inlays, white line spacers. Superior strength without extra weight. The "Nylon 66" weighs only 4 lbs. Black fore-end tip. "Black Diamond" has black stock with black diamond-shaped inlay.

Receiver. Nyion-bearing action surfaces eliminate need for internal lubrication. Grooved for tip-off scope mounts.

Magazine Capacity. Tubular magazine loads through buttstock, holds 14 Long Rifle cartridges.

Sights. Rear sight adjustable for elevation and windage, blade-ramp front; common sight line for iron sights and scope.

Colors. Choice of Mohawk Brown with blued barrel and receiver, "Black Diamond" with blued barrel and receiver or Apache Black with chrome-plated barrel and receiver cover.

Safety. Top-of-grip, positive, thumb-type.

ORDER NUMBERS & SPECIFICATIONS—"NYLON 66"

| "Nylon 66" BD "Black Diamond" | 5700 |
|--|------|
| "Nylon 66" BD "Black Diamond" w/4X Scope | 5702 |
| "Nylon 66" MB Mohawk Brown | 5500 |
| "Nylon 66" MB Mohawk Brown w/4X Scope | 5498 |
| "Nylon 66" AB Apache Black | 5486 |
| "Nylon 66" GS Gallery Special (22 Shorts only) | 5512 |
| Sling Strap & Swivels (installed) | 6418 |

Over-all Length: 381/4" with 191/4" barrel

Weight. 4 lbs.

Scope: 4-power model with single crosshairs.

Look for this warranty sticker on the stock of the "Nylon 66."

Remington is the only company that can offer this kind of warranty, because the "Nylon 66" is the only rim fire rifle in the world that has a tough, durable stock made of Zytel structural nylon—an ideal material for a gun stock.

has a full has a full WARRANTY

Made of tough Du Pont structural nylon.
this stock is so much stronger and more durable
than one made of wood that we guarantee it will
not warp. crack, chip. fade or peel for the life of
the rifle or we will replace it free. The gun should
be sent Collect to ARMS SERVICE DIVISION,
REMINGTON ARMS COMPANY. INC., ILION,
NEW YORK, 13357.

This warranty gives you specific regar rights and you may also have other rights which may vary from state to state. This warranty does not cover stock damage caused intentionally or by intreasonable use.

Remington and

Remington Arms Company, Inc. d Remington Arms of Canada, Lie

RIM FIRE TARGET RIFLES



MODEL 541-8 "CUSTOM" SPORTER BOLT ACTION RIM FIRE RIFLE.


The Model 541-S is truly a custom sporter 22 rifle with deluxe features like decorative scroil engraving, positive cut checkering, specially blued receiver, adjustable match-type trigger, artillery-style bolt with six locking lugs and double extractors. Superb accuracy.

FEATURES

Stock & Fore-sad. American wainut: DuPont RK-W wood finish. Fine-line, 20 lines to the inch postitive cut checkering. Checkered rosewood-finished butt plate and grip cap. Rosewood-finished fore-end tip. White line spacers. Receiver. Round, ordnance steel, grooved, drilled and tapped for scope mounts or receiver sights. Rich, deep blueing. Decorative scroll engraving. Capacity. 8-shot with 5-shot clip magazine (10 shot clip available). Shoots Short, Long and Long Rifle 22 rim fire cartridges interchangeably. Sights. Not furnished. Receiver drilled and tapped for scope mounts.

Safety. Positive, serrated thumb-type.

| OKUER NUMBERS & SPECIFICATIONS—541-5 | |
|--|------|
| 22 Cal. Holt Action Clip Repeater | 9800 |
| Extra 5-Shot Clip | 4914 |
| Extra 10-Shot Clip | 9828 |
| Sling Strap & Swivels (installed) | 6382 |
| Over-all Longth: 42%". Weight: 51/s lbs. | |



Champion shooters around the world have won their share of honors and accolades shooting Remington target rifles. Competitive target shooters recognize the superior accuracy of these fine target rifles.

MODELS 540-XR & 540-XRJR FEATURES

Caliber. 22 Long Rifle only. Stock. Position style with Monte Carlo, checkplece and thumb groove, 5-way adjustable butt plate and full-length guide rail (front swivel block, sling and sling swivel optional at extra charge). Common sight alignment with acope or iron sights.

Receiver. Drilled and tapped for receiver sights. Trigger adjustable from 1 to 5 lbs. Capacity. Single loading.

Barrel. 26" medium-weight target barrel, countersunk at muzzle. Drilled and tapped for target scope blocks. Fitted with front-sight base.

Sights. Optional at extra cost. Williams Receiver Sight No. FPTK and Redfield Globe Front Match sight.

Safety. Positive, serrated thumb-type.

ORDER NUMBERS & SPECIFICATIONS-540-XR & 540 XRJR

| 540-XR Position Rifle | 9802 |
|--|------|
| 540-XRJR Position Rifle | 9804 |
| Sling Strap with Front Swivel Block Assembly | 6420 |

Sighta: Williams Receiver. No. FPTK & Globe Front Match Sight Set. Length of Full: 540-XR adjustable from 12% to 16". 540-XR.R adjustable from 11" to 14%". Over-all Length: 540-XR Justable from 41%" to 45". Weight: 8 lbs. 13 oz. without sights. Add approximately 9 oz. for sights.

MODEL 40-XR FEATURES

Caliber. 22 Long Rifle only.

Stock. Position style with front swivel block on fore-end guide rail. Thumb groove, adjustable combination hand stop and sling swivel: 2-way vertically adjustable butt plate.

Receiver. Drilled and tapped for receiver sights or target scope blocks. Target scope blocks installed. Trigger adjustable from 2 to 4 lbs.

Capacity. Single loading.

Barrel. 24" heavy barrel.

Safety. Positive, thumb-type.

ORDER NUMBERS & SPECIFICATIONS-40-XR

40-XR Position Rifle

Length of Pull: 1314". Over-all Length: 4214". Average Weight: 10 lbs. 2 oz. without sights.

MODEL 40-XB FEATURES

Stock. American walnut. Non-slip rubber target-type butt pad. Adjustable combination hand stop and sling swivel. Front swivel block on fore-end guide rail. Capacity & Calibers. Single loading and clip repeater (magazine loads from top of receiver). Single shot: 222 Rem., 22-250 Rem., 6mm Rem., 243 Win., 7.62mm NATO (308 Win.), 30-06. 30-338 (30-7mm Mag.), 300 Win. Mag. Repeating (heavy-barret version only): 222 Rem., 22-250 Rem., 6mm Rem., 243 Win., 7.62mm NATO (308 Win.).

Receiver. Drilled and tapped for scope block and receiver sights. Target scope blocks installed. Receiver bedded to stock.

Trigger. Match type. Adjustable from 2 to 4 lbs. Weight of pull can be changed externally. Special 2 02. trigger available on single-shot models only at extra charge. Barrel: 27¼" length. Unblued stainless steel only. Free floating. Drilled and

tapped for scope block and iron front target sight.

Sights. None supplied. Target scope blocks installed.

ORDER NUMBERS & SPECIFICATIONS—MODEL 40-XB "RANGEMASTER"

| CF-S2 Std. Stainless Steel Barrel | Special |
|--|---------|
| CF-H2 Heavy Stainless Steel Barrel | Special |
| Extra for Repeating Center Fire Models with Heavy Barrel | Speci |
| Extra for 2-oz. Trigger (Single-Shot Models only) | Specia |

Leagth of Pull: 13%*. Over-all Leagth: approximately 47". Mussle Diameter: 5-2: approximately %". H2: approximately %". Average Weight: S2—9% lbs. H2—11% lbs.

MODEL 40-XBBR FEATURES

Stock. Specially selected American walnut.

Capacity & Calibera, Single shot. 22 Bench Rest Rem., 222 Rem., NEW 6mm Bench Rest Rem., 7.62mm NATO (308 Win.).

Receiver. Same as Model 40-XB. Trigger adjustable from 11/2 to 31/2 lbs. Special 2-oz. trigger available at extra charge.

Barrel. Unblued stainless steel only. 20" length for Light Varmint class. 24" for Heavy Varmint class.

ORDER NUMBERS AND SPECIFICATIONS—MODEL 40-XBBR

| ORDER NUMBERS AND SPECIFICATIONS—MODEL 40-AL | <u> </u> |
|--|----------|
| 40-XBBR Stainless Steel Barrel | Special |
| Extra for 2 on Tridder | Special |

Length of Pail: 12". Over-all Length: 38" with 20" barrel. 42" with 24" barrel. Average Weight: 9% lbs. with 20" barrel. 12 lbs. with 24" barrel.

MODEL 40-XC NATIONAL MATCH COURSE CENTER FIRE RIFLE FEATURES

Stock. Thumb grove, adjustable combination hand stop and sling swivel: 2-way. vertically adjustable butt plate.

Capacity & Caliber, 5-shot bolt action repeater, 308 Win. (7.62mm NATO).

Receiver. Drilled and tapped for metallic sights. Scope-mount bases installed. Trigger adjustable 2 to 4 lbs.

Sefety. Positive, thumb-type.

ORDER NUMBERS & SPECIFICATIONS—MODEL 40-XC

40-XC National Match (7.62mm NATO only.)

6002

5668

Length of Pall: 13%". Over-all Length: 42%" with 24" stainless steel barrel. Weight: 11 lbs. without sights.

MODEL "XP-100" LONG RANGE PISTOL.

A unique single-shot, center-fire, bolt action pistol chambered for the 221 Remington "Fire-Ball" cartridge, ideal for metallic silhouette target shooting a small game hunting. One-piece DuPont "Zytel" stock with universal grip. Mat type grooved trigger. Ventilated rib. Rifle-type rear sight and blade ramp front





sight. Two-position thumb safety. Receiver drilled and tapped for scope mounts. 10% barret. 16% over-all length. Weighs 3% lbs. Furnished with zippered carrying case. See page 25 for 221 Rem. ballistics. Order No. 5470.






3







Model 1100, 12 gauge, 3" Magnum. With a recoil pad. It accepts both 3" and 234" magnum loads. Left-hand model available.





MODEL 1100-Order Numbers & Specifications

| | | 21/ | Chamber | 3" Chamber |
|-------|---------------------------------------|----------------------|----------------------|-------------------------------------|
| 3. ME | Bertel McHoke | Pieinered | Verd RID IR HI | West Borrer New Kill |
| 28 | 25" Full 25" Mod. 25" Imp. Cyl. | 5316 5406 5412 | 5414 5416 5426 | |
| | 25" Full 25" Mod. 25" Imp. Cyl. | | | 5460 5466 5462 5468 5464 5296 |

precial Order Model 1100s: D Tournament Grade (engraved). F Premier Grade (raved). F Premier Grade (engraved, gold inisy).

Continal Stock Dimensions: 14" long. 24" drop at heel. 14" drop at comb. Limited: 13" stock. Over-sil Length: 46" with 25" barrel. 45" with 25" barrel in 28 ga. and .410 bore. Innited: 42" oversil. Leverage Weight: 12 ga. -714 lbs.. 16 ga.-734 lbs.. 17-20. 20 ga.-61/2 is 17-20. 20 ga. ga. ga. with 71-61/2 lbs.. 470 bore plain barrel -634 lbs.. 410 bore vent rib -7 lbs. Extra Barrels: See page 10.





IT'S LIKE GETTING A. CHER GUN FOR THE PRICE OF AN EXTRA

There's BARREL of better way to add

o the enjoyment and rerastility of your significant to be or more extra barrels. Now your field of in can become a target win, a goose into can become a target win, a goose into can become an ideal deer him you're the boss when you win the special extra barrel maded to do the job.

And Remington gives you oday's widest choice. There are even several left hand barrels for the left-hand versions of our Models 870 and 1100.

Remember one thing. Barrels must be matched to the correct

receiver, and within gauges. Extra interchangeable 2¾" chambered barrels, available for 3" Magnum receivers, will handle all 2¾" shotgun shells.


Learn more; see your dealer's new Remington Extra Barrel Selector.

| NEW Ter DE | Company of the Compan | | | 1200 | 180 | 17.70 C | 18 Ca | NO BOX |
|-----------------|--|-------------------|-------------------------|-------------------------------|--|---------------------------------------|---------------|---------------------------------------|
| tre Berrik. | | Contract Contract | - * * · | 190 | 134 | | | |
| Full Chala | | 12.0 | G-2 | 9500 | | | | |
| Full Chole | | | 344 | | 9530 | 4440* | | |
| Full Choice | | | 234 | - | 3330 | **** | 9588 | 9574 |
| Mod. Chol | | The second | 2.5 | | 9532 | 44424 | - 5000 | 23/4 |
| Mod Chol | | 100 C | 77.1% | 800/1 | 5032 | | 9510 | 9576 |
| Into Cyl C | | | | | 20.0000 | 4444 | . Maiu | 93/6 |
| | | 40.0 | | | 9636 | 4444 | 67.04 | 0555 |
| imp Cyt C | | Man Contra | A STATE OF THE STATE OF | A 1214 | ark working | | 6584 | 9578 |
| tre Berreis, | | , Deer | | 222 | 56577 | \$ 1.45 mg var | 25.85 (A) C | <u> </u> |
| imp. Cyl. | A | | | 9568 | | 19 - 4 - 1 (19) | | |
| imp: CVL | et standard | Z., S. 86- | 08,775 | 1111 F 45 | 100 | 44385 | | <u> </u> |
| ura Barrella, | | Deck/Ge | ase . | | | | | |
| " Pull Chola | | | | 6576 | 100 | - 79.5 | N | 100 |
| tra Barada, | Anna ses | 30 A | Rivers. | S. (20%) | 20 | S. Markette | | 4 |
| " Full Clink | | · | 12.00 | 9612 | الله المالية | | 1.55.5 | · · · · · · · · · · · · · · · · · · · |
| " Pull Chole | | 08.2 | 1 | 9514 | 9538 | 44461 | | |
| " Pull Chole | 不可能是一个 | *** | | 1. 2. C. T. V. | AMARK TO | * W X | 8586 | 9580 |
| Mod Cha | | 100 | 10 St. W. | 9616 | 9540 | 14446 | | |
| Mott Cha | | 4.500 | 333 m | 16 11 大学 | 477-20 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | .6588 | 9582 |
| LEED, CYLE | 100 | E-73-39 | No Verd | 0520 | 9844 | SALEKO! | (A. N | -7 |
| Imp. Lyt. C | | LANGE OF | Con. | Mar A | 100 | 4.91 | 26590 A | 9584 |
| " Mod. Cho | 44.4 | 46137 | 100 | 0.27(55) | and the last | 4434 | Archer S | |
| Inter CAL | | V-921-2013 | | 1 | 100 | 4 40 | | ryn. |
| | and and | | | 5.5 | | | | 12.25 |
| | THE LAND | 7.67 61 | 14.4 | | | Carlo de la Carlo | | |
| the bracks have | The Property | | 200 | 5684 | | | 161 | |
| 1 | | TO THE WAY TO SEE | | | | | 30 | |
| | | | | 10000 | | | 1.54 | |
| | The second | X X 13 | 7 7 4 | | not read | | 114-11-5 | |
| | | THE STATE | French | er, ucpt. | ur jengien | | Special | onder |
| 1021 | 4.16 | Service Control | | 100 | 244.464 | 11.34 | 2 | 9.5 |
| | | 用完於複 | Sing | Also As | Section . | 4.3 | 100 | 2 12 |
| Vil . F Lil | | 10 to 10 | 5.55 | 9610 | | 我们开始 | #4. | K. |
| | | 13700 | | :0812 | 28 | を発 | 作者以 | 3.5- |
| Ful Con | A. C. | | 18 De | | | | e e la me | É MA |
| Med Zog | | A 1 | | 主席 | | 44 | المدالة أيخوا | 344.96 |
| Mod Trail | | | 建筑 | State Line | 基本的 | J. Sept. 3. | 16 4 65 | 2 1 1 |
| tra Barrella | The same of the | 八世间的 | 2.00 | S. 188 | 100 | ALC: UNK | 11 - Ye | ne de Lice |
| Tours | A the state of | 2.4 | - | AL PA | THE PERSON NAMED IN | 1 | 2. | 1933 |
| | - 3.79 M | | | | | 10.0 | 91271307 | Mary Name |
| - 10 | r reger | 5., | | | the second | | | 130 |
| | 1.50 | | | | San San | A COL | | |
| 10 A | 100 | 4.35 | 1.00 | | 10.55 | | ALL COL | 100 P |
| | 100 | 16 W 18 1 | 100 | 4 | 72k | SAFE | | A |
| | 3.4 | 136.8 | | | 120 | 1714 LW | 5082 | 9586 |
| | | | COLUMN TWO IS NOT | ADDRESS OF THE REAL PROPERTY. | Contract of the Contract of th | THE RESERVE | Ser | 1. 17 |

| MODEL 870 | "Windmester" K | utra Rarrela† | - Order Numbers |
|-----------|----------------|---------------|-----------------|

| FIELD GRADE | 12 Ca | 16 Ca | 20 Ga. | 20 Carm. | 28C* | A10 Bore |
|--|---------------------------------------|------------|---|----------|------|----------|
| Extra Barrels, PLAIN | | | | | | |
| 30" Full Choke | 6214 | | | | | |
| 28" Full Choke | 6216 | 6252 | 6270 | 6296* | | |
| 25" Full Choke | | | | | 6282 | 6236 |
| 28" Mod. Choke | 6218 | 6254 | 6272 | 6298° | | |
| 25" Mod. Choke | | | | | 6284 | 6238 |
| 26" Imp. Cyl. Choke | 6220 | 6256 | 6274 | 6300° | | |
| 25" Imp. Cyl. Choke | | | | | 6286 | 6248 |
| Extra Barrels, Rifle Sights, Doc | | | | | | |
| 20" Imp. Cyl. | 6544 | | 6230 | 4524° | | |
| Estra Berrels, VENT RIB, Duck | /Goose | | | | | |
| 34" Full Choke | 6304 | | | | | |
| Extra Barrels, VENT RIB | | | | | | |
| 30" Full Choke | 6222 | | | | | |
| 28" Full Choke | 6224 | 6258 | 6276 | 6322 | | |
| 25" Full Choke | | | | | 6288 | 6250 |
| 28" Mod. Choke | 6226 | 6260 | 6278 | 6324° | | |
| 25" Mod. Choke | · · · · · · · · · · · · · · · · · · · | | | | 6290 | 6264 |
| 26" Imp. Cyl. Choke | 6228 | 6262 | 6280 | 6326* | | |
| 25" imp. Cyl. Choke | | | | | 6292 | 6266 |
| LEFT-HAND Extra Barrela, VE | T RIB | | | | | |
| 30" Full Choke | 6200 | | | | | |
| 28" Pull Choke | | | 6208 | | | |
| 28" Mod. Choke | 6202 | | 6210 | | | |
| 26" Imp. Cyl. Choke | 6204 | | 6212 | | | |
| Extra Barrels, High Grade | - | | | | | |
| D Tournament (engraved): F Pre- | | (red) | Special | order | | |
| | | | | | | |
| Extra Barrels, VENT RIB | | | | | | |
| | 6340 | | | | | |
| 30" Full Choke | 6242 | - | | | | |
| 26" Full Choke / 30" Mod. Trep Choke | 6244 | | | | | |
| 30" Mod Toto Choke | 6232 | A | 2.55 | | | |
| 28" Mod. Trap Choke | 6246 | | A COLOR | | | |
| LEFT-HAND Extra Barrela, VE | | | | | | |
| 30" Full Choice | 6206 | S 74 3 (1) | 3.17 | | | |
| 13 Tournament lengraved); F Pre- | nuer lengra | vedl | Special | order | | |
| The state of the s | | | | | | 47.7 |
| SELECT. Carrie Regrado, VENT RIB | 1.5 | 14/2 | r. 1 | | | |
| 20 Skeet Choke 200 Skeet Choke | 6240 | 4.3000 | 6508 | | | |
| 25" Skeet Citoba | 12. | 4.00 | , , , , , , , , , , , , , , , , , , , | | 6294 | 6268 |
| Catas Bacrela, High Grade | -312 L | Sec. of | | | | |
| D Tournament (engraved): F Pre | | | Special | order. | | |
| Not interchangeable with 870 °C | Comment (1) | - amde b | | | | |

20 gauge 870 Lightweight barrels will not lit 20 gauge standard 870 guns.



The ultimate center fire rifles: We didn't may 1980 priest in the field; sportswriters and hunters like you did. Today the family of 700s are the world's most popular center fire, bolt action rifles, because they alone give you an unparalleled combination of accuracy, dependability, classic good looks, long-lasting value, and choice. Take your pick from seventee. different calibers, from superaccurate varmint and metallic silhouette calibers on up to those able to handle the largest North American and African game. No other fire rifles made today are more ruggedly built, more rigorously inspected. Every 700 is precision machined, hand assembled, individually test fired. No other center The Model 700 "Classic,"

BARBER - PRESALE R 0124553

The 700 action. 1980 Clearly, it's one of the strongest ever designed. Bolt face, barrel, and receiver surround the carridge head with three rings of lid steel. There's not a single extractor cut to weaken it. The receiver Our value-packed 700, the ADL. itself is It's the least expensive, but we didn't cut machined any comers. from a single billet of ordnancequality steel, Maria de Artendêro Our traditional 700, the "Classic." Clean, subtle elegance in a very businesslike rifle. 1. 44 The top-of-the-line 700, the BDL Custom Deluxe. Contemporary styling; positive skip-line, deep-cut checkering; sling strap and quick-release swivels; hinged floor plate. Magnum model shown.

> The ultimate varminter and a very competitive metallic silhouette rifle, the Model 700 "Varmint Special."

then vibra-honed ior smooth functioning. Every 700 also has a polished antibind bolt.

The models. When you consider buying a Model 700, you not only get a wide choice of calibers. You get a choice in appearance. From the traditional styling of our 700 Classic," the custom-styled 700 BDL and "Varmint Special." to the value-conscious good looks of our 700 ADLs.

Our top-of-the-line BDLs and the heavy-barreled "Varmint Specials" feature a Monte Carlo walnut stock, full cheekpiece, positive-cut skip-line checkeririg, hinged floor plate, sling strap, and quick-release swivel.

The "Classic" is just that. son-Monte Carlo stock, simple but elegant full-pattern cut checkering, improved satin wood finish, highly polished blueing, its own brown rubber bett pad, sling-swivel studs,

uinged floor plate. Our value-leading ADL model has custom skip-line checkering on its American walnut stock and a hand-applied Du Pont RK-W wood finish. It's available in ten hardworking culibers.

All Model 700s have a receiver drilled and tapped for scope mounts and receiver sights. Magnum models feature presentation-style recoil pads.

New caliber, new sporting possibilities. The Model 700 'Varmint Special" is now chambered for the new 7mm-08 Remington. Here's a great offthe-shelf combination for serious metallic silhouette shooters.

Sights and safeties. The ADL features a blade-ramp front sight with flat-faced gold bead. The BDL's sight is hooded. Rear sights on ADLs and BDLs are adjustable for elevation and windage. All sights are removable. "Classic," C "Custom," and "Varmint Special" models have no sights; the latter is fitted with front and rear target-rifle scope blocks.

The safeties on all Model 700s are the fast, positive thumbtype. Left-hand models have a left-thumbed safety.


| ★NEW for 1980. | | | 200 | & . . | o. 12. | ٠. | بد بد | | |
|---------------------------------------|--------|---------|-------------------------------------|--------------|----------|-------|------------------|------------|--------------------|
| Californ | CSS | BETTE | A Specific Rection of the Party St. | od Saige | R.H. III | 100 N | 700 801 | -Was Bally | 100°C |
| 17 Rem. | 6 | 24" | | 9" | - | | 5801 | | |
| 222 Rem. | 6 | 24" | 24" | 14" | | 5760 | 5781 | 5821 | Specia |
| 22-250 Rem. | 5 | 24" | 24" | 14" | 5854 | 5762 | 5783 | 5823 | Specia |
| 223 Rem. | 6 | | 24" | 12" | | | | 5825 | |
| 6mm Rem. | 5 | 22" | 24" | 9" | 5858 | 5764 | 5785 | 5827 | Specta |
| 243 Win | 5 | 22" | 24" | 9" | 5860 | 5766 | 5787 | 5829 | Specia |
| 25-06 Rem. | 5 | 24" | 24" | 10" | - | 5768 | 5789 | 5831 | Specia |
| 270 Win. | 5 | 22" | | 10" | 5864 | 5770 | 5791 5811 L-H | | Specia Specia |
| 7mm-08 Rem. | 5 | 22" | 24" | 91/4" | | | | 5835 | |
| 7nım Express Rem | 5 | 22" | | 9" | | 5778 | 5797 | | Specia |
| 30-06 & 30-06 "Accelerator" | 5 | 22" | | 10" | 5866 | 5772 | 5793 5813 L-H | | Specia |
| 308 Win. & 308 "Accelerator" | 5 | 22" | 24" | 10" | | 5774 | 5795 | 5833 | Specia |
| 7mm Rem. Mag.* | 4 | 24" | | 9‴ | 5872 | 5776 | 5803 5815 L-H | | Special Special |
| 300 Win. Mag.* | 4 | 24" | | 10" | | | 5807 | | Specia |
| 8mm Rem. Mag.* | 4 | 24" | | 10″ | | | 5809 | | Specia |
| 375 H&H Mag.• | 4 | 24" | | 12" | | | 5836† | | |
| 458 Win. Mag.* | 4 | 24" | | 14" | | | 5838† | · | |
| Siting Strap & Qu (Installed ADL.) | ick-Re | lease S | wivels | | | 6382 | | | |

Special Order Model 700s: Engraved D and F grade rifles are available in all calibers.

See pages 26 through 29 for ballistics on above calibers See pages 20 intrough 29 to Gainsicks on above cancers.

Reandard Block Dimensions: 133% [Ingth of pull, 23%] drop at heel, 15% drop at comb (measured from open sight line), "Classic" – 1" drop at heel, 9% drop at comb (measured from center line of bore), "Varmint Bpecial" Block: 133% [Ingth of pull, 13% drop at heel, 14% drop at comb (measured from center line of bore), "Over-all Length: 431% with 24" barrel except 444% in Magnum models. "Classic" 411% - 233 Win, 6mm Rem. 421% – 270 Win, 30.06, 431% – 22.250 Rem. 441% – 7mm Rem. Mag Average Weight: 7 lbs. regular: 714 lbs. "Classic" and 22-250.7 1% lbs. Magnum: 375 H&H, 458 Win, and "Varmint Special." 9 lbs. "Recoil pad Included. †Safari grade.





BARBER - PRESALE R 0124556 The widest choice in 22-cal, rifles:

From the serious small game hunter or precision target shooter to the casual weekend plinker, there's a Remington 22 for just about everyone. All 100% American

AUTOS, BOLTS, & PUMPS APLENTY.

made. American serviced.

Choose your action. We have eight autoloaders, two pumps, eight bolt action models. Some have scopes. One is for lefties.

have scopes. One is for lefties.
Two are downsized
for younger shooters. One, our famous
"Nylon 66," is so durable it carries a lifetime stock warranty.
Choice and American quality
make our family of 22s first in
the field.

The autoloaders. The Remington 552 "Speedmaster" is the only 22 autoloading rifle that shoots Short. Long, and Long Rifle cartridges interchangeably. The deluxe walnut-stock BDL model has fine-line checkering, a rich DuPont RK-W wood finish, and sights you'd expect

on a big game rifle.
The standard Model
552A has an adjustable rear sight, bead
front sight. Its stock
is walnut-finished hardwood.

The tubular magazine holds 20 Short, 17 Long, or 15 Long Rifle cartridges. With the tube out, you've got an ideal single-shot rifle for beginners. Both models feature a receiver grooved for tip-off scope mounts. And positive cross-bolt safeties.

The pump-actions. Remington builds the only 22 jump made in America, the Model 572 "Fieldmaster." Like cur Model 552 autoloaders, our pump accepts all three lengths of 22 cartridges interchangeably. The BDL grade has the custom checkering, the wood finish, and the sights of our best big game pumps. Even the budget-minded 572A model has clean, crisp styling. Its plain walnut-finished hardwood stock invites abuse; it's built to take it. The Model 572's capacities, sights, and safeties are identical to those of the 552 autoloader.

The Model 552A "Speedmaster" autoloading 22.

The Model 552 BDL Deluxe.

The Model 572A "Fieldmaster" pump action, rim fire rifle.

Our basic bolt-actions. The Model 581 and 582 rim fire rifles give you quite a choice. Use the 581 as a 6-shot repeater, or convert it in minutes to a beginner's single-shot. The adapter is furnished. The 582 features a magazine tube which takes up to 20 Short, 15 Long, or 14 Long Rifle cartridges.

Both rifles have a walnutfinished Monte Carlo stock, an ordnance-steel receiver grooved for a scope, and adjustable sights. The Model 581 is available in a shorter stock version for younger shooters. MODEL 552-Order Numbers & Specifications

| 552A | 5602 |
|-----------------------------------|------|
| 552 BDL Deluxe | 5604 |
| Sling Strap & Swivels (installed) | 6430 |
| | |

Over-all Length: 40" with 21" barrel. Weight: 534 lbs

| MODEL 572 - Order Numbers & Specifications | | | | | |
|--|------|--|--|--|--|
| 572A | 5620 | | | | |
| 572 BDL Deluxe | 5622 | | | | |
| Sling Strap & Swivels (installed) | 6432 | | | | |

Over-all Length: 40" with 21" barrel. Weight: 51/2 lbs.

1980

The Model 581 bolt action, clip repeater; with a single-shot adapter. The Model 582 is a similarly styled bolt action, tubular magazine repeater.

The Model 541-S "Custom" Sporter, our finest 22 sporting rifle. Ideal for hunting, target, or metallic silhouette shooting.

Our top-of-the-line 22. The Model 541-S "Custom" Sporter is more than just a superbly accurate bolt-action 22. It's deluxe in every way. Its quality

American walnut stock has fine-line, positive-cut checkering. Its butt plate, grip cap, and foreend tip are rosewood-finished. The ordnance-quality steel receiver features decorative scrollwork engraving.

There's more. The 541-S has an adjustable match trigger, artillery-style bolt with six locking lugs, and double extractors. Its receiver is drilled and tapped for scope mounts.

The lifetime 22s. When you buy a "Nyion 66" autoloader, you own the world's most durable rim fire rifle. It's the only one made that carries a lifetime warranty on its Du Pont "Zytel" structural nylon stock.

If it ever warps, cracks, chips, fades, or peels, we'll replace it. Free.

Not only is there nylon in the stock; all action surfaces ride on nylon bearings to positively eliminate the need for internal lubrication.

Our "Nylon 66" rifles are available in six models, in two stock colors. You can choose some with 4-power scopes for even greater accuracy. One, our Gallery Special model, shoots 22 Shorts; all others have a capacity of 14 Long Rifle cartridges. Remove the tube and you have a fine single-shot 22.

The "Nylon 66" BD, our "Black Diamond" model, with 4-power scope.

The "Nylon 66" MB autoloader, in Mohawk Brown.

The "Nylon 66" AB autoloader, in Apache Black.

MODELS 581 & 582 - Order Numbers & Specifications

| ! Clip Repeater with single-shot adapter | 9834 |
|--|------|
| and Hoy's Rifle with single-shot adapter | 9840 |
| 581 Clip Repeater, Left-Hand, with single-shot adapter | 9836 |
| Single-Shot Adapter (for older guns) | 9826 |
| 582 Tubular Repeater | 9856 |
| 581 Extra 5-Shot Clip | 4914 |
| 581 Extra 10-Shot Clip | 9828 |
| Sling Strap and Swivels installed on 581 | 6426 |
| Sling Strap and Swivels installed on 582 | 6428 |

Over-all Length: 42%". Weight: Model 581 - 4% lbs., Model 582 - 5 lbs. Burrel Length: 24".

MODEL 541-6 -- Order Numbers & Specifications

| 22 Cal. Bolt Action Clip Repeater | 9800 |
|-----------------------------------|------|
| Extra 5-Shot Clip | 4914 |
| Extra 10-Shot Clip | 9828 |
| ing Strap & Swivels (installed) | 6382 |

Over-all Longth: 4254". Weight: 51/2 lbs. Barrel Longth: 24".

"NYLON 66" - Order Numbers & Specifications

| "Nylon 66" BD "Black Diamond" | 5700 |
|--|------|
| "Nylon 66" BD "Black Diamond" w/4X Scope | 5702 |
| "Nylon 66" MB Mohawk Brown | 5500 |
| "Nylon 66" MB Mohawk Brown w/4X Scope | 5498 |
| "Nylon 66" AB Apache Black | 5486 |
| "Nylon 66" GS Gallery Special (22 Shorts only) | 5512 |
| Sling Strap & Swivels (installed) | 6418 |

Over-all Length: 381/2" with 193/8" barrel. Weight: 4 lbs. Scope: 4-power with single crossbairs.

crosshairs.





Made of tough Du Pont structural nyton, his stock is so much stronger and more durable than one made of wood that we guarantee it will not warp, crack chip, fade or peel for the life of her rifle or we will replace it free. The gun should be sent Collect to AMMS SERVICE BYTSON, REMINGTON ARMS COMPANY, INC., ILON, NEW YIME 1795.7

This Warrante gives used specific legal sights and you me also have other rights wise to may very from stage to seal this warrante there not cover use a damage careful

Remington up

17





The Model "XP-100." now in two models.

This is the unique single-shot center fire, bolt action pistol that has become a legend for its strength, precision, balance, and acquiracy. It is still chambered for the 221 Remingtion, "Fire Bail" in its vent rib 10½" barrel. Now you can
also get the "X" 100" Silhouette with a 15" barrel in the 7mm Bench
Rest Remington caliber. This could be the perfect factory-made.
metallic silhouette handgun.
Both "X" 100s" have a one-piece Du Pant "Zytet" stock with univer-

sal grip, two-position thumb safeties; receivers drilled and tapped for scope mounts or receiver sights, and match-type grooved triggers.

| | | | A 4 500, 30 1, 500 | |
|---|------------|----------|--------------------|----------------|
| т | A CANTO LE | MYD TO / | hadaa Maaabaaa A | Boedifications |
| - | | | | |

| 540-XR Position Rifle | Selection of | State of the state of | 9802 |
|---------------------------------------|--|------------------------------------|------|
| 540-XRJR Position Rule | 5-4-14-8-111-8-3-5-3-5-3-5-3-5-3-5-3-5-3-5-3-5-3-5-3 | | 9804 |
| Sling Strap with Front Swivel Block A | seembly A | Bed the said of the last the said. | 6420 |

n Williams Rescive; Sight No. FPTK & Redfield #63 Clobe Front Match Sight Set. 2 of Pulli 540-XR adjustable from 1234" to 16". 540-XRJR adjustable from 11" to Cross-48 Length 540-XR adjustable from 421/1" to 4634". 540-XRJR adjustable from 6 he. 13 or, without sights. Add approxim

MODEL 40-XX - Order Numbers & Spi

| 4 | 40-XR | Poblition | n Rifle | (2) (C) | in de la company | 2018年8月 | S. S | | 566 | 8 |
|---|----------|-----------|---------|-------------|------------------|----------------|----------|------------|------------|------|
| | Longth : | - | 314.0 | er-all Leag | th: 42 1/4" | Average Y | Neger 10 | Da 2 os w | thout sigi | ıtı. |
| | MODE | 40-X | BRAH | CEMAST | ER"-O | rder Num | bers & 8 | pecificati | 008 | - 27 |
| | OF CO. | .4.06. | | Ziani Dann | | | | | 61 | -1) |

| | CF-S2 Std. Statrices Steel Barrel Spec | bal - |
|---|--|-------|
| | CF-H2 Heavy Stainless Steel Barrel Spec | al |
| | Extra for Repeating Center Pire Models with Heavy Barrel Spec | al |
| 1 | Extra for 2-on Trigger (Single-Shot Models only) Spec | ıal |
| | Length of their 1314 Opening Length: surery (match 47 Marrie Diameter S.2 spor | nxi |

mately W. H2 app

| 40-XBBR Stainless Steel Barrel | "一个""一个""一个"" | 200mm 100mm | - Special |
|--------------------------------|-----------------|---|-----------|
| Extra for 2-os. Trigger | - 10 to go 47 s | | Special |
| | | and the same of | V 24 |

| "XP-100" (221 Rem. "Fire Ball") | The state of the s | 5470 |
|---------------------------------|--|------|
| * "XP-100" (7mm BR Remingt | on) | 5471 |

The new 7mm-08 Remington cartridge.

For 1980, Remington will be chambering two of our center fire rifles in this potent new caliber. One is our superaccurate Model 700 "Varmint Special"; the other is our newly designed, economical Model 788. This new caliber should become a hit with metallic silhouette shooters and hunters of a wide range of medium-sized North American game. The 7mm-08 Rem. is a compact package that's perfect for short-action and shorter-barreled guns: its 140 grain bullet optimizes the downrange ballistics and retained energy of its shorter case. Check the numbers for yourself on pages 26-27. Order Number: 7M081.




The new 7mm-08 Rem, 140 grain.

The Bench Rest Remington, the case for winning.

Remington now offers you a most innovative, universal unprimed brass case. A 308 Win. case, which can be shortened to 1.520", has thinner walls and is specially annealed for case forming. By necking it down to fit .224, .243, 6mm, or 7mm bullets, you have the makings of a truly great bench-rest and metallic silhouette cartridge. Remington also makes the small No. 71/2 primers that withstand the higher-pressure loads of this combination.

Order Numbers: Unprimed BR case-URBR: No. 71/2 small rifle primers-X22628.




The Bench Rest Reminston case roady for sixing



The necked-down Bench Rest case, sized for 7mm bullets. NOTE: The 7mm BR Reminston is not

:51



1981. CING THE MODEL

From now on, even the fastest game will seem a little slower. When a white flag suddenly

When a white flag suddenly flashes through the brush and a big buck becomes a blur, you need a center fire rifle that comes up fast. And gives you the quickest second shot in the business.


Remington's new Model Four autoloading and Model Six

pump-action rifles do all that and more, shot after shot. Without your eyes once leaving the target, or your cheek leaving the stock.

Hot on the heels of the most successful center fire autoloaders and pumps in history, these two new rifles took six long years to design, test, and produce to Remington standards.

The autoloader's gasmetering system has been completely redesigned for added smoothness and reliability. The bolt design on both rifles has been engineered to provide a smoother, more dependable action. The bolts now have massive locking lugs similar to those of bolt-action rifles.

Everything about these nor rifles has been engineered for speed, for smoothness, for dependability. Because we know there are times when you might need a fast, almed extra shot. Along the way, we stubbornly stuck to a major objective—to create two rifles that, even on the closest examination, would have the look.



OUR AND MODEL 310.

3

the balance, and detailing day's finest custom rifles.
The Models Four and Six are available in most popular big game calibers, from 6mm Rem. to 30-06.

For an in-depth look at what we've done to make the Models Four and Six the finest autoloading and pump-action rifles we've ever made, turn the page.

| SPORTING ARMS | |
|-------------------------|-------|
| Center Fire Rifles | |
| Autoloading | . 2-5 |
| Pump Action | . 2-5 |
| Bolt Action 6 | 7, 10 |
| Rim Fire Rifles | 16-17 |
| Target Rifles & Pistols | . 8-9 |
| Field Shotguns | |
| Autoloading | 11-13 |
| Pump Action | 14-15 |

| Trap & Skeet Shotguns | | 18 | -19 |
|-----------------------|----|----|-----|
| Shotgun Extra Barreis | | | |
| Collectors' Edition | | | |
| Model 1100 | ٠. | | 32 |

| AMMUNITION | |
|------------------------------|----------|
| New Products | 2 |
| Shotgun Shells | |
| Center Fire Rifle | |
| Cartridges & Ballistics | . 25- 29 |
| Center Fire Pistol & Revolve | ľ |
| Cartridges & Ballistics | 30 |
| Rim Fire | |
| Cartridges & Ballistics | 3 |
| Reloading Components | 24 |
| Clay Targets | 24 |



THE NEWS ABOUT

Words alone cannot tell the whole story of how we've made the Model Four autoloader and Model Six pump-action the sweetest-handling, most reliable rifles in their action types. Bar none.

For strength, the new bolts have been engineered with locking lugs similar to those on boltaction rifles.

There's a new degree of smoothness and dependability in the autoloader's redesigned gas-metering system, too. And

refinements in the pump-action Model Six make its double action bars silde faster, with far less effort than you'd ever imagine.

Great strides have been made in handling and pointability, too. Both rifles come up fast and balanced, thanks to substantial changes in stock dimensions and weight distribution. Both the Model Four and Six feature Monte Carlo stocks with functional, full cheekpieces; stylish curved pistol grips; and trend-

setting flared fore-ends. The grip is further enhanced by rich, positive-cut checkering.


An added custom feature is a cartridge head that's imbedded in blued steel, just forward of the receiver.

Other changes include a beefier, smoother-functioning magazine release. And a redesigned magazine that has a fasterfeeding lip. The magazine is built of a heavier-gauge steel and holds four cartridges.

Blade-ramp front sights and

adjustable sliding-ramp rear sights are standard. Receiver, are drilled and tapped for scope mounts. A positive safety switch is fitted to all models.

One more point. Perhaps most important of all, every part of every Remington firearm and ammunition product is made by American craftsmen. Right here in the United States of America. That's one sure way to keep all of us first.



OUR NEWEST RIFLES.

| | Barrel Length | Twist R-H 1 turn in | Model Four | Model 7400 |
|------------------------------|------------------|------------------------|---------------|---------------|
| Gmm Rem. | 22" | 91/4" | 4740 | 4708 |
| 243 Win. | 22" | 91/4" | 4742 | 4710 |
| 270 Win. | 22" | 10" | 4744 | 4712 |
| 7mm Express Rem. | 22" | 914" | 4746 | 4714 |
| 30-06 & 30-06 "Accelerator" | 22" | 10" | 4748 | 4716 |
| 308 Win. & 308 "Accelerator" | 22" | 10" | 4750 | 4718 |

Special Order Model Fours: D Peerless Grade and F Premier Grade (both engraved) and F Premier Grade (engraved, gold inlay).


Standard Stock Dimensions: for Model Four (with Monte Carlo stock)—13% "length of pull, 24" drop at heel, 11% "drop at comb, 11% drop at Monte Carlo, For Model 7400—13%" length of pull, 21/4" drop at heel, 11/44" drop at comb. Overall Length: 42". Average Weight: 71/2 lbs.

| Caliber | Barrel Length | Twist R-H I turn in | Modei Six | Model 7600 |
|------------------------------|------------------|------------------------|--------------|---------------|
| 6mm Rem. | 22" | 91/4" | 4680 | 4650 |
| 243 Win. | 22" | 91/4" | 4682 | 4652 |
| 270 Win. | 22" | 10" | 4684 | 4654 |
| 30-06 & 30-06 "Accelerator" | 22" | 10" | 4686 | 4656 |
| 308 Win. & 308 "Accelerator" | 22" | 10" | 4688 | 4658 |

Special Order Model Sixes: D Peerless Grade and F Premier Grade (both engraved) and F Premier Grade (engraved, gold inlay).

Standard Stock Dimensions: for Model Six (with Monte Carlo stock)—13% " length of pull, 21/4" drop at heel, 11% " drop at comb, 11% " drop at Monte Carlo. For Model 7600—13%" length of thop at neer, 1798 drop at comb, 1798" drop at Monte Carlo. For Model 7600—13 %" length of pull, 2%" drop at heel, 11%8" drop at comb. Overall Langth: 42". Average Weight: 7% lbs.

See pages 26 through 29 for ballistics on above calibers.



Sportswriters and hunters like Sportswriters and hunters like you have made the Model 700 line the royal family of center fire rifles. They've become America's most popular boltactions, because they give you the right combination of accuracy, dependability, good looks, long-lasting value, and choice. From the superaccurate varmint

and metallic silhouette calibers to rifles able to handle the largest North American and African big game, there's a 700 for you. No other center fire rifles in their class are more ruggedly built, more rigorously inspected. Every one is precision machined, hand assembled, and individually test fired. And


It's all done right here in the United States of America.

The 700 action. Clearly, It's one of the strongest ever designed. Bolt face, barrel, and receiver surround the cartridge head with three rings of solid steel. There's not a single extractor cut to weaken it. The receiver itself is machined from

a single billet of ordnance-quality steel, then vibra-hon for smooth functioning. Every 700 also has a polished anti-bind



ke models. When you conbuying a Model 700, you not only get a wide choice of callbers. You get a choice of styles. From the traditional looks of our 700 "Classic," the custom-styled 700 BDL and "Varmint Special" to the valueconscious good looks of our 700 ADLs.



Our top-of-the-line BDL and the heavy-barreled "Varmint ! pecial" feature a Monte Carlo walnut stock, full cheekpiece, acsitive-cut skip-line checkerag, black fore-end tip, highustre blueing, hinged floor plate, sling strap, and quickrelease swivel.

famous outdoor writer lim Carmichel says: "The Remington Classic' is probably the best ooking, most shootable, huntng rifle ever offered by an American firearms maker." It eatures an American wainut stock, simple but elegant fullpattern cut checkering, a special satin wood finish, highly polshed blueing, its own brown ubber butt pad, sling-swivel ds, and a hinged floor plate.

ir value-leading ADL model custom skip-line checkering on its American walnut stock and a hand-applied DuPont ₹K-W wood finish. It's available n ten hardworking callbers.

All Model 700s have a eceiver drilled and tapped for cope mounts and receiver

sights. Magnum models feature presentation-style recoil pads.

Center fire barrels are made of special Remington steel. The way they're made and what they're made of help make the 700s so accurate.

Sights and safety switches. The ADLs feature a blade-ramp front sight with flat-faced gold bead. The BDL's front sight is hooded. Rear sights on ADLs and BDLs are adjustable for elevation and windage. All sights are removable. "Classic" and "Varmint Special" models have no sights; the latter is fitted with front and rear target-rifle scope blocks. Model 700 C "Custom" sights are optional.

The safety switch on each Model 700 is the fast, positive thumb-type. Left-hand models have a left-hand safety switch.

Ask your Remington dealer or gunsmith about the bolt-action rifle all others are measured by: the Model 700.

MODEL 700—Order Numbers & Specifications


| *NEW for 1981. | Сар | Barrel Length Reg. | "Varmint Special" | Twist R-H 1 turn in | "Classk" | 700 ADL | 700 BDL | "Varmint Special" | 700C "Custom" |
|---------------------------------|--------|--------------------------|----------------------|---------------------------|----------|------------|-----------------|----------------------|--------------------|
| 17 Rem. | 6 | 24" | | 9" | | | 1082 | | |
| 222 Rem. | 6 | 24" | 24" | 14" | | 5760 | 5781 | 5821 | Special |
| 22-250 Rem. | 5 | 24" | 24" | 14" | 5854 | 5762 | 5783 | 5823 | Special |
| 223 Rem. | 6 | | 24" | 12" | | | | 5825 | |
| 6mm Rem. | 5 | 22" | 24" | 91/8" | 5858 | 5764 | 5785 | 5827 | Special |
| 243 Wn. | 5 | 22" | Z4" | 91/8" | 5860 | 5766 | 5787 | 5829 | Special |
| 25-06 Rem. | 5 | 24" | 24" | 10" | | 5768 | 5789 | 5831 | Special |
| 270 Wn. | 5 | 22" | | 10" | 5864 | 5770 | 5791 58111-H | | Special Special |
| 7mm-08 Rem. | 5 | 22" | 24" | 91/4" | | | *5799 | 5835 | |
| 7mm Express Rem. | 5 | 22" | | 914" | | 5778 | 5797 | | Special |
| 30-06 & 30-06 "Accelerator" | 5 | 22" | | 10" | 5866 | 5772 | 5793 5813L-H | - | Special Special |
| 308 Win. & 306 "Accelerator" | 5 | 22" | 24" | 10" | | 5774 | 5795 | 5833 | Special |
| 7mm Rem. Mag.* | 4 | 24" | | 914" | 5872 | 5776 | 5803 5815L-H | | Special Special |
| 300 Wn. Mag.* | 4 | 24" | | 10" | | | 5807 | | Special |
| 8mm Rem. Mag.* | 4 | 24" | | 10" | | | 5809 | | Special |
| 375 H&H Mag.* | 4 | 24" | - | 12" | | | 5836† | | |
| 458 Wn. Mag.* | 4 | 24" | | 14" | | | 5838† | | |
| Sling Strap & Qu | iick-R | lelease S | wivels (In | stalled At | DL) | 6382 | | | |

Special Order Model 700s: Engraved D and F grade rifles are available in all calibers.

See pages 26 through 29 for ballistics on above calibers.

See pages 26 through 29 for ballistics on above callbers. Standard Stock Dimensions: 13%" length of pull. 2%" drop at beel. 1%" drop at comb (measured from open sight line). "Classic"—1" drop at heel. %" drop at comb (measured from open sight line). "Classic" 13%" length of pull. 1%" drop at comb (measured from center line of bore). "Varmint Special" Stock: 13%" length of pull. 1%" drop at comb (measured from center line of bore). Overall Length: 43%" with 24" barrel except 44%" in Magnum models. "Classic": 41%"—243 Win., 6mm Rem.: 42%"—270 Win., 30-06; 43%"—22-250 Rem.: 44%"—7mm Rem. Mag. Average Welght: 7 lbs. regular: 7% lbs. "Classic" and 22-250: 7% lbs. Magnum: 375 Ha.H., 458 Win., and "Varmint Special." 9 lbs. "Recoil pad included. †Safari grade.

INON SHOOTERS 8




Remington has what you need when you're shootin' iron. Or out to set records in any other precision target sport. Introducing the "Rambusters." it's a whole Remington family of matched firearms, ammunition, and components. All designed to work together, to Improve your odds in all metallic silhouette events.

Take our "XP-100" Silhouette. This center fire pistol with an tition guns, has been specially

refined for metallic silhouett shooting. Right out of the be It's more gun than virtually any custom pistol you can buy. It has a 143/4" barrel, chambered for an ideal silhouette cartridge -the 7mm BR Remington.

Then there's the Model 700 "Varmint Special," chambered for the innovative 7mm-08 Rem. and the 308 Win. cartridges. Here the 700 action, renowned for its strength and



BARBER - PRESALE R 0124568

5668

in 22-caliber, Remington rs you the Model 541-S ustom" Sporter. For more information on it, see p. 17. Remington also offers the

bench-rest and position target shooter a full spectrum of rim fire and center fire rifles. We Invite you to read more about them below.

The Models 540-XR & 540-XRJR.

These single-shot 22 L.R. target rifles feature a position-style Monte Carlo stock, with a cheekpiece, thumb groove, five-way adjustable butt plate, and full-length guide rail. Front swivel block, sling, and swivels are optional extras. There is a common sight alignment with scope or iron sights. The trigger is adjustable from 1 to 5 lbs. Both models have a 26" mediumweight target barrel, countersunk at the muzzle. The 540-XRJR model has a 13/4" shorter stock.

The Model 40-XR.

This single-shot 22 Long Rifle target rifle has a position-style stock with a front swivel block on a fore-end guide rall. These rifles also feature thumb

Empty Center Fire Cases emine One of the metallic slihouette shooter's favorite handguns: the Model "XP-100" Silhouette, in 7mm Bench Rest Rem. 1.00

The case for winning: the Bench Rest Remington.
In 1979 we introduced an innovative universal unprimed brass case that starts with the external configuration of the 308 Win. case. With thinner walls, its easily formed case can be shortened to 1.520" and necked down to fit .224, 6mm, or 7mm bullets. The case also features a small-rifle primer pocket for proven consistency in bench-rest competition. It's the makes of a truly great bench-rest and metallic slihouette cartridge. We also the small No. 7½ BR primers, built to withstand the higher-pressure earts of this potent combination. Order Numbers: Unprimed BR cases—URBR: No. 7½ small-rifle primer—X22628

 $\{A_{ij}, e^{it}\}_{i=1,\dots,m+1}$



The necked-down BR case.

(Note: The 7mm BR Rem. is available as a factory-landed

grooves, adjustable combination hand stops, and sling swivels, plus two way vertically adjustable butt plates. Triggers are adjustable from 2 to 4 lbs. Receivers are drilled and tapped for receiver sights. Target scope blocks are installed.

The Model 40-XB "Rangemaster."

Here's the center fire rifle that's as much at home taking varmints as it is taking trophies. Each is made one at a time in our custom shop, individually fired from the shoulder for accuracy, and shipped with the paper target.

It's available as a single-shot in all these calibers: 222 Rem., 22-250 Rem., 243 Win., 6mm Rem., 25-06 Rem., 7mm Rem. Mag., 7.62mm NATO (308 Win.), 30-06, 30-338 (30-7mm Mag.), 300 Win. Mag. Or, at an extra charge, as a repeater in these callbers: 222 Rem., 22-250 Rem., 243 Win., 6mm Rem., 7.62mm NATO (308 Win.).

The 40-XB receiver, hand-bedded to the stock, is drilled and tapped for scope block and receiver sights. Target scope blocks are installed.

Other features include a match-type trigger, adjustable from 11/2 to 31/2 lbs. The weight of pull can be changed externally. A special 2-oz. trigger, which has no safety switch, is available on single-shot models only, at extra charge.

The distinctive, unblued stainless steel barrel is free-floating, drilled, and tapped for scope block and Iron front sight.

The Model 40-XBBR.

The same basic rifle as our Model 40-XB "Rangemaster," the XBBR is chambered primarily for bench-rest target shooting. Available only as a single-shot, you can order the 40-XBBR in these calibers: 22 BR Rem., 222 Rem., 223 Rem., 6x47, 6mm BR Rem., and 7.62mm NATO (308 Win.).

The 40-XBBR has a match-type trigger, adjustable from $1\frac{1}{2}$ to $3\frac{1}{2}$ lbs. A special 2-oz. trigger is available at extra cost.

The Model 40-XC National Match Course Rifle

Our center fire 40-XC has the same improved position-style stock as our rim fire 40-XR rifle, pictured. The 40-XC is available as a 5-shot bolt-action repeater in 308 Win. (7.62mm NATO). Its receiver is drilled and tapped for metallic sights; scope-mount bases are installed. The trigger is adjustable from 2 to 4 lbs.

The Model "XP-100."

40-XR Position Rifle

Here's the unique single-shot center fire, bolt-action pistoi that has become a legend for its strength, precision, balance, and accuracy! Still chambered for the 221 Remington "Fire Ball" with a vent rib 101/2" barrel. It's also available in 7mm BR Rem, with a 143/4" barrel. In this latter configuration you have what has been called the perfect factory-made metallic silhouette handgun for "unlimited" events.

Both "XP-100" handguns have one-piece Du Pont "Zytel" nylon stocks with universal grips, two-position thumb safety switches, receivers drilled and tapped for scope mounts or receiver sights, and match-type grooved triggers.

MODELS 540-XR & 540-XRJR-Order Numbers & Specifications

| 540-XR Position Rifle | 9802 |
|--|------|
| 540-XRJR Position Rifle | 9804 |
| Sling Strap with Front Swivel Block Assembly | 6420 |
| | |

Sights: Williams Receiver Sight No. FPTK & Redfield "63 Globe front Match Sight Set. Length of Pull: 540-XR adjustable from 12%" to 16". 540-XR]R adjustable from 11" to 14%". Overall Length: 540-XR adjustable from 41%" to 45". ight: 8 lbs. 13 oz. without sights. Add approximately 9 oz. for sights.

Length of Pull; 131/4", Overall Length: 421/4". Average Weight: 10 lbs. 2 oz. without sights.

MODEL 40-XR—Order Numbers & Specifications

| CF-SZ Std. Stainless Steel Barrel | Special |
|--|---------|
| CF-H2 Heavy Stainless Steel Barrel | Special |
| Extra for Repeating Center Fire Models with Heavy Barrel | Special |
| Extra for 2-oz. Trigger (Single-Shot Models only) | Specia |

Length of Pull: 13½". Overall Length: approximately 47". Muzzle Diamete ¼". H2; approximately ¾". Average Weight: 52—9¼ lbs., H2—11¼ lbs. eten 5-2. approximately

MODEL 40-XBBR—Order Numbers & Specifications

| 40-XBBR Stainless Steel Barrel | Special |
|--|-----------------|
| Extra for 2-oz. Trigger | Special |
| Length of Pulls 12" Overall Lengths 38" with 20" harrel 42" with 24" harre | Average Weight: |

91/4 lbs, with 20" barrel, 12 lbs, with 24" barrel.

MODEL 40-XC-Order Numbers & Specifications

| 40-XC National Match (7.62mm NATO only) | 6002 | | |
|---|----------------|--|--|
| Length of Pull: 131/2". Overall Length: 421/4" with 24" stainless steel barrel. without sights. | Weight: 11 lbs | | |

MODEL "XP-100" - Order Numbers & Specifications

| "XP-100" (221 Rem. "Fire Ball") | 5470 |
|---------------------------------|------|
| "XP-100" (7mm BR Remington) | 5471 |

Overall Lengths 161/4" with 101/1" barrel; 211/4" with 141/4" barrel. Weights 31/4 lbs. with 101/1" barrel. 41/s lbs. with 143/4" barrel

10 THE 788: NC-1981 LUCCESS STORY.

Last year we upgraded our Model 788 center fire rifle in looks and handling; the shooters of America gave it landslide approval.

Almost overnight, the new 788 took off, winning new friends to its better-looking all-business way of getting things done. Long known for accuracy, the 788 bolt-action has earned its keep as the kind of precision big-game and varrnint rifle you don't have to baby.

What we did, and why. Last year the stock was completely resculptured. Subtle changes included a fluted comb, thicker pistol grip, wider fore-end, recessed floor plate, and a polished bolt. All topped off with a rich walnut finish.

We also added the 7mm-08
Remington to its existing caliber
list. Tearned up with a new,
shorter 18½" barrel, it gave hunters true carbine-handling ease
with a potent new hunting car-


tridge. The 7mm-08 Rem. makes the most of the larger capacity of a necked-down 308 Win. case, and the higher retained velocity and energy of the popular 7mm bullet. The 788 is also available in four other calibers.

Strength meets good looks. The Model 788 has one tough receiver, milled from a solid ordnance-steel billet. And nine locking lugs for backup strength. The receiver is drilled and tapped for scope mounts.

On selected models a Tasco 4-power scope with 30-30 reticles is available.

All our center fire barrels are made of Remington special steel. For a lifetime of greater accuracy.

Standard sights? You bet.
There's a one-piece blade-ramp front sight and a V-notch rear sight with lock-screw adjustments for elevation and windage. The safety switch is the positive, fast-action thumb type.



1481 FLYWAYS. IIN TILLL

petter proven itself than the widel 1100. Behind its enviable record of dependability and the widest choice of gauges stand the sweet handling and low recoil sensation that have become the trademarks of this autoloading legend.
The Model 1100 has the

toughness of an ordnance-quality steel receiver. In every model. And the richness of American walnut in every stock

and fore-end.

One of the most versatile ways to enjoy the virtues of a Model 1100 is to buy an 1100 Magnum. Depending on the shotshells or barrels you choose to fit it, the Model 1100 Magnum can be converted from water-fowling to upland hunting or big game—even to informal clay target shooting—in seconds. There are Model 1100 Mag-nums in 12 and 20 gauge. They give you virtually everything you

could ask for in one hardwork-

ing shooting system.

One more thing. On all too many firearms today, about the only thing that's still American is the wood. Not so with Remington. Every part of every product is made and serviced in the United States of America. That's the only way we've ever done it, for the past 165 years.



BARBER - PRESALE R 0124571 MODEL 1100 FOR

and plenty of extra barrels in ase you change your mind. but means the world's most opular autoloading shotgun an economically grow as your hooting interests do.

In most cases, the same 1100 in match the precise requirements of a waterfowler, target mooter, upland game or deer unter. Thanks to the widest hoice of extra interchangeable arrels ever offered. Learn more bout them on page 20.

Every Model 1100 has more than just an American wainut stock, durable Du Pont RK-W wood finish, and richer blueing. From the beginning, it's engineered tough. Both barrel and receiver start as solid billets of ordnance-quality steel. All action parts are vibra-honed to work smoothly.

The unique gas-metering system makes this autoloader more than just reliable. It helps reduce recoil sensation to a

gentle nudge. Which lets you concentrate more on your target, to become a better shot.

The 1100s are well-balanced, easy-handling, comfortable guns in any gauge. And no other autoloader comes in more gauges, versions, or specifications.

Every field-grade 1100 has a positive cross-bolt safety switch and a metal-bead front sight. All models but the .410 bore have a 5-shot capacity, with a 3-shot plug furnished. The .410s hold

four 3" shells.

On current Remington Mo-1100 shotguns, the barrels are sufficiently thick and hard so that the repeated use of factoryloaded steel shot does not affect their appearance or performance.



| 1 | ¥. | ** * | _ | | 214" Chamb | er | 3" Ch | amber |
|-------|-----------|-----------------------------------|-----------------------|-----------------|-------------------|-------------------|-----------------|-------------|
| 1000 | Giusea da | Barrel Length & Choke | ا المانية في موروط | Plain Barrel | Vent Rib (R-H) | Vent Rib (L-H) | Plain Barrei | Vent Rib |
| V - | 730 | trus . | | 5322 | 5332 | 5540 | 5344 | 5348† |
| . 120 | 100 | | distance. | 5320 | 5330 | : | j. — | _ ` |
| 41. | | 1 11 2 | | | 5336 | 5542 | 5346 | 5352 |
| | | | 1 | 5328 | 5338 | 5544 | | |
| | | 200 | | 5308 | Deer gun wit | h rifle sights | & recoil | pad. |
| | | $\mathbb{Z}[X]$ | \$14 BY | 5228 | 5234 | - | 5240 | 5242 |
| | 100 | $\mathfrak{S}^{\mathfrak{S}} A B$ | A.C. A.C. | 5230 | 5236 | | _ | _ |
| ı | | 1 | | 5232 | 5238 | | | _ |
| | | | 4 220 | - i | x-5264 | * | _ | _ |
| | 160 | | Ad) | · K | 5262 | - . | _ | |
| | 1 1 4 1 | L. Sandar | 1 | STAR | Deer gun wit | h rifle sights | & recoil r | |

| | | 2¾" Chamber | 3" Chamber |
|-------|-----------------------------|-------------------|-------------------|
| Gauge | Barrel Length & Choke | Vent RIb (R-H) | Vent Rib (R-H) |
| | 25" Full | 5414 | - |
| 28 | 25" Mod. | 5416 | _ |
| | 25" Imp. Cył. | 5426 | |
| 410 | 25" Full | | 5466 |
| .410 | 25" Mod. | _ | 5468 |
| bore | 25" lmp. Cyl. | _ | 5296 |

Special Order Model 1100s: D Tournament Grade (engraved), F Premier Grade (engraved), F Premier Grade (engraved, gold inlay).

Nominal Stock Dimensions: 14" long, 21/1" drop at heel, 11/1" drop at comb. "Limited": 121/1" stock. Overall Length: 48" with 28" barrel, 45" with 25" barrel in 28 ga, and, 410 bore. "Limited": 411/1" overall. Average Weight: 12 ga.—71/2 ibs., LT-20, 20 ga.—61/2 ibs., LT-20, 20 ga. Magnum—61/4 ibs., 28 ga. plain barrel—61/4 ibs., 28 ga. vert #b—61/2 ibs., 410 bore plain barrel—61/4 ibs., 410 bore vent rib—7 ibs. Extra Resemble See page 70.





per over thirty years, the let 870 "Wingmaster" has been hard at work. Dependably bringing home meals and trophies, winning friends at every turn. With over three million loyal fans, it's become the most popular pump-action shotgun in



Model 870 3" Magnum. In 12, 20 gauge: also in 12 ga. for left-handers.

Model 870: Choice of 12 and 20 gauge; left-hand, 12 and 20.

Model 870 20 ga. Lightweight and 3" Lightweight Magnums.

The smaller-gauge 870s: 28 ga. and .410 bore.

A choice of 52 different barrels lets you adapt your Model 870 to every shotgun shooting need. See more on page 20. The Model 870 deer barrel is shown.

Every Model 870 has a receiver machined from solid steel, vibrahoned action parts, and double-action slide bars that positively eliminate binding and twisting. To let you get off extra shots smoothly, as fast as you can pump and pull the trigger.

Barrels are of ordnance-quality steel. And we offer the widest choice of fully interchangeable barrels to make your 870 even more versatile; see page 20 for details.

All 870s except the .410 bore have a 5-shot capacity. A 3-shot plug, required for certain hunting situations, is included in every box. The .410 models can hold up to four 3" shells.

Except for the deer guns, which have rifle sights, field 870s feature a metal-bead front sight. All 12- and 20-gauge shotguns have recoil pads. American walnut stock and foreend, and a durable DuPont RK-W wood finish, are standard on all Model 870s.

On current Remington Model 870 shotguns, the barrels are sufficiently hard and thick so that repeated use of factoryloaded steel-shot loads does not significantly affect their appearance or performance. MODEL 870—Order Numbers & Specifications

| | | 2¼" Chamber | | | 3" Chamber | |
|--------|-----------------------------|-----------------|-------------------|-------------------|-----------------|-------------|
| Gauge | Barrel Length & Choke | Plain Barrel | Vent Rib (R-H) | Vent Rib (L-H) | Plain Barrel | Vent Rib |
| | 30" Full | 6900 | 6930 | 5510 | 6966 | 6976t |
| | 28" Full | 6902 | 6932 | _ | _ | |
| 12 | 28" Mod. | 6904 | 6934 | 5514 | 6964 | 6974 |
| | 26" Imp. Cyl. | 6906 | 6936 | 5516 | l — | _ |
| | | | D | eer Gun | | |
| | 20" lmp. Cyl. | 6960 | "Brushmaster | " Deer Gu | n with rifle | sights |
| | | 5026 | Standard with | | | |
| | 28" Full | 6914 | 6944 | 5528 | 6970 | 6980 |
| Std. | 28" Mod. | 6916 | 6946 | 5530 | 6972 | 6982 |
| 20 | 26" lmp. Cyl. | 6918 | 6948 | 5566 | l – | _ |
| | 20" Imp. Cyl. | 6962 | "Brushmaster | " Deer Gu | n with rifle | sights |
| | 28" Full | 5176 | 5182 | _ | 5188 | 5190 |
| Ltwt. | 28" Mod. | 5178 | 5184 | | _ ` | |
| 20 | 26" Imp. Cyl. | 5180 | 5186 | _ |) – | _ |
| | 20" Imp. Cyl. | 5192 | "Brushmaster | " Deer Gu | n with rifle | sights |
| | 25" Full | | 4918 | | | |
| 28 | 25" Mod. | _ | 4920 | _ | l — | |
| | 25" lmp. Cyl. | | 4932 | _ | i — | |
| .410 | 25" Full | | | _ | _ | 4986 |
| bore | 25" Mod. | _ | . - | _ | - | 5086 |
| - DOIC | 25" Imp. Cyl. | | | | | 4990 |
| | | Model | 870 Police | | | |
| | 20" Police Cyl. | 5030 | | | _ | |
| 12 | 18" Police Cyl. | 5032 | _ | _ | | _ |
| | 20" Imp. Cyl. | 5028 | Rifle sights | | | _ |

Special Order Model 870s: D Tournament Grade (engraved), F Premier Grade (engraved), F Premier Grade (engraved, gold inlay).

Nominal Stock Dimensions: 14" long incl. recoil pad (no recoil pad on 28 ga. 410 bore). 21/1" drop at heel. 1%" drop at comb. Overall Length: 481/1" with 26" barrel. 461/1" with 25" barrel in 28 ga. and 410 bore. Average Weighti 12 ga. — 7 lbs.: 20 ga. — 61/1 lbs.: 20 ga. Lightweight Magnum—61/1 lbs.: 20 ga. Lightweight plain barrel—51/1 lbs.: 28 ga. vent rib—61/1 lbs.: 410 bore plain barrel-61/1 lbs.: 410 bore vent rib—61/1 lbs.: Extra Barrela: See page 20. ft.eft-hand Model No. 5496.



AUTOS, BOLTS &

You're looking at the widest choice in 22-cal. rifles available today. From small-game hunting to metallic slihouette shooting, from precision paper targets to casual weekend plinking, there's a Remington 22 for you. All made and serviced right here in the United States of America.

Choose your action. We have seven autoloaders, two pumps, seven bolt-action models. Some have scopes. One is for south-paws. Two are downsized for smaller-sized shooters. And one, our farmous "Nylon 66," is so durable it has a lifetime stock warranty. Choice, value, and American quality make our 22 family first in the field.

The autoloaders.

The Remington 552 "Speed-master" shoots Short, Long, and Long Rifle cartridges interchangeably. The deluxe walnut-stock BDL model has custom checkering, a rich Du Pont RK-W wood finish, and sights you'd expect only on a big-game rifle. The standard Model 552A has an adjustable rear sight, bead front sight. And a walnut-finished hardwood stock.

The tubular magazine holds 20 Short, 17 Long, or 15 Long Rifle cartridges. With the tube out, it's an ideal single-shot rifle for beginners. Both models feature a receiver grooved for tip-

off scope mounts. And positive cross-bolt safety switch.

The pump-actions.


Remington builds the only 22 pump-action rifle made in America. The Model 572 "Fieldmaster," like our Model 552 autos, accepts all three lengths of 22 cartridges Interchangeably. The BDL grade has the walnut stock, custom checkering, DuPont RK-W wood finish, and the sights of our best big-game pumps. Even the budget-minded 572A model has clean, crisp styling, and a no-nonsense walnutfinished hardwood stock that's built to take abuse. The 572's capacities, sights, and safety

switch are identical to those of the 552 autoloaders.

Our basic boit-actions.
The Model 581 and 582 rim fire rifles give you quite a choice. Use the 581 as a 6-shot repeater, or convert it in minutes to a beginner's single-shot. The adapter is included. The 582's magazine tube takes up to 20 Short, 15 Long, or 14 Long

Rifle cartridges.

Both rifles have a walnut-finish Monte Carlo stock, an ordnance-steel receiver, grooved for a scope, and adjustable sights. The Model 58I is available with a shorter stock, perfect for younger shooters. Left-hand version too.





Metallic silhouette shooting made easy. Your participating Remington dealer can sell you a complete, low-cost set of four iron animals, sized to meet the requirements of sanctioned rim fire silhouette competition. Ask him for details, or write us (see address on back

cover).

| MODEL 552—Order Numbers & Specifications | |
|--|------|
| 552A | 5602 |
| 552 BDL Deluxe | 5604 |
| Sling Strap & Swivels (installed) | 6430 |
| Overall Length: 40" with 21" barrel. Weight: 5% lbs. | |
| MODEL 572—Order Numbers & Specifications | |
| 572A | 5620 |
| 572 BDL Deluxe | 5622 |
| Sling Strap & Swivels (Installed) | 6432 |

Overall Length: 40" with 21" barrel. Weight: 51/2 lbs.

Model 541-5 "Custom" sporter is more than just a superbly accurate bolt-action 22. It's deluxe in every way. And very popular with metallic silhouette shooters and discriminating hunters alike.

From its American walnut stock with fine-line, positive-cut checkering to its rosewood-finish butt plate, grip cap, and fore-end tip. Even the all-steel receiver features decorative scrollwork engraving. The 541-S also has an adjustable match

trigger, artillery-style bolt with six locking lugs, and double extractors. And a receiver that's drilled and tapped for scope mounts. Quite a package.

The lifetime 22s.

When you buy a "Nylon 66" autoloader, you own the world's most durable rim fire rifle. It's the only one made that carries a lifetime warranty on its Du Pont "Zytel" structural-nylon stock. If it ever warps, cracks, chips, fades, or peels, we'll replace it. Free: And it only weighs 4 lbs.

Not only is there nylon in the stock, but all action surfaces ride on nylon bearings, too. So there's no need for internal lubrication. Eyer.

Our "Nylon 66" rifles are available in five models and two stock colors. Some have 4-power scopes for a better view of the target. All have a capacity of 14 Long Rifle cartridges; by removing the magazine tube in the stock, the "Nylon 66" becomes a single-shot.


TOUGH RIFLE STOCKHIST HAS A FULL STOCKHIST HAS A FU

Made of tough Du Pont structural mytor. this stock is no much stronger and more durable than one made of wood that we guarantee it will not warp, crack, chip, fade or pred for the tile of the rfile or we will replace it fire. The gun should be sent Collect to ARMS SERVICE DIVISION, REMINISTON ARMS COMPANY, INC. BLON, NEW YORK 13357.

his Warranny given you specific legal rights and you me his have other rights which may very from more to star This warranty does not cover stork destings reserted

Remington 🐵

and Hemington Consts Lid and Hemington Consts



| | • | |
|-------------|-----------------------|--|
| MODELS SALA | 582_Order Numbers 8 5 | |

| 581 Clip Repeater with single-shot adapter | 9834 |
|--|------|
| 581 Boy's Rifle with single-shot adapter | 9840 |
| 581 Clip Repeater, Left-Hand, with single-shot adapter | 9836 |
| Single-Shot Adapter (for older guns) | 9826 |
| 582 Tubular Repeater | 9856 |
| 531 Extra 5-Shot Clip | 4914 |
| 5-31 Extra 10-Shot Clip | 9828 |
| Sling Strap and Swivels installed on 581 | 6426 |
| Sling Strap and Swivels Installed on 582 | 6428 |
| | |

rall Length: 42%". Weight: Model 581-4% lbs., Model 582-5 lbs. Barrel Length: 24".

DEL 541-S-Order Numbers & Specifications

| 22 Cal. Bolt Action Clip Repeater | 9800 |
|-----------------------------------|------|
| Extra 5-Shot Clip | 4914 |
| Extra 10-Shot Clip | 9828 |
| Sing Strap & Swivels (installed) | 6382 |

Cheerall Length: 42%". Weight: 51/2 lbs. Barrel Length: 24".

"NYLON 66"—Order Numbers & Specifications

| "Nylon 66" BD "Black Diamond" | 5700 |
|--|------|
| "Nylon 66" BD "Black Diamond" w/4X Scope | 5702 |
| "Nylon 66" MB Mohawk Brown | 5500 |
| "Nylon 66" MB Mohawk Brown w/4X Scope | 5498 |
| "Nylon 66" AB Apache Black | 5486 |
| Sling Strap & Swivels (Installed) | 6418 |

Overall Length: 381/4" with 191/4" barrel, Weight: 4 lbs. Scope: 4-power with single crosshairs.

You don't dare leave winning a trophy to chance. Instead, you depend on Remington. On reliable, pump-action Model 870's, our ever-popular Model 1100 autoloaders, and our over-and-under wonders, the Remington 3200s.

The Remington 3200 matched set.

Here is the limited-production skeet gun and small-gauge barrel set you've heard so much about. In .410 bore and 28, 20, and 12 gauge, the point of impact, sighting plane, weight, and balance are virtually identical. Its patented weight system gives this gun a true custom appearance. All smaller-gauge barrels fit precisely into the 12-gauge fore-end without unsightly wood-to-metal gaps.

This prestigious set features a stock and fore-end crafted from fine American walnut, specially selected for figure, grain, and match. Deep-cut checkering, a rich, hand-applied satin finish, and finely polished barrels make this set worth every penny. And It comes with its own handsome, custom-crafted luggage case.


The Model 1100 weight-equalizer kits.

They give the three smallergauge Model 1100s nearly identical balance and pointability. It's the closest thing yet to a matched set, at a fraction of the cost.

This system, designed and built by Remington, is available in kits for all three smallergauge skeet guns. This four-part system helps balance out the stock and fore-end. In fact, it gives all these smaller 1100s virtually the same weight and balance. And you can install it quickly with simple hand tools.

The easiest way yet to start breaking targets.
Without breaking your budger.
Our lowest-priced trap gun is the Model 870TA. But you'd never know it to look at it, or shoot it. It gives you the sure, easy pointability and incredible dependability of our highest-priced 870 trap gun, yet costs much less. Like every 870, it has an all-steel receiver, American walnut stock and fore-end, plus a long target-breaking heritage.

Autoloading automagic. The most successful skeet guns in history have been





ington's Model 1100 loaders. Could it be the sweet handling, the low recoil sensation, the undeniable dependability-or plenty of all three? There are no less than 11 different 1100s to help you break targets in skeet.

You can repeat the solid Model 1100 story for pointability, low ecoil, and reliability for a whole 'amily of autoloading trap guns. With six models to choose from. one should be right for you.

The full line of target guns. Check our specification charts and you'll see that Remington

still offers you the widest choice in clay-target shotguns. Autos, pumps, over-and-unders-in Tournament," standard, and "Competition" grades. In the barrel lengths, chokes, and gauges you need to take you from league shoots to the big leagues. With guns that look as good as they shoot.

To learn more about trap, skeet, and new "sporting clays" games, write: Remington Arms Company, Inc.,

Dept. TS,

Bridgeport, Conn. 06602.

| Gauge | Barrel Length & Choke | SA Grade |
|-----------|-----------------------------|-------------|
| 12 | 26" Skeet | 6988 |
| 20 | 26" Skeet | 6992 |
| 28 | 25" Skeet | 4934 |
| .410 bore | 25" Skeet | 4996 |

Match Weight Skeet Cap No. 6336 for small gauge Model 870 adds up to 12 oz.

Nominal Stock Dimensions: with recoil pad (28 gauge and .410 bore do not have recoil pad): 14" long. 2½" drop at heel, 1½" drop at comb. Average Weights 12 ga. —7 lbs., 20 ga. —6½ lbs., 28 -6 lbs., .410 bore-61/2 lbs. Extra Barrels: See page 20.

MODEL 1100 TRAP, 12 GAUGE—Order Numbers & Specifications

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock | |
|---------------------|-----------------------------|---------------------------|-------------------------|--|
| TA Grade | 30" Full | 5446 5454 L-H | 5450 5456 L-H | |
| Tournament Grade | 30" Full | 5588 | 5592 | |

Special Order Model 1100 Trap: D and F Premier Grades (engraved).

Nominal Stock Dimensions (with recoil pad): Regular Stock: 14%" long, 14%" drop at heel. 146" drop at comb. Monte Carlo: 14%" long, 156" drop at heel, 156" drop at comb. 156" drop at Monte Carlo. Average Weight: 81/4 lbs.

MODEL 1100 SKEET—Order Numbers & Specifications

| Gauge | Barrel Length & Choke | SA Grade | SB Grade_ | "Tournament" Grade |
|-----------|--------------------------|------------------|--------------|-----------------------|
| 12 | 26" Skeet | 5356 5564 L-H | = | 5304 |
| LT-20, 20 | 26" Skeet | 5244 | | 5226 |
| - 28 | 25" Skeet | 5432 | | 5282 |
| .410 bore | 25" Skeet | 5298 | _ | 5300 |

Special Order Model 1100 Skeet: D and F Premier Grades (engraved)

Nominal Stock Dimensions: 14" long, 2½" drop at heel, 1½" drop at comb. Average Weight: 12 ga.—7½ lbs.: 5td. 20 ga.—7½ lbs.: 120, 20 ga.—6½ lbs.: 28 ga.—6½ lbs.: 410 bore—7½ lbs. Model 1100 Weight Equalizer Kits: For LT-20—Order *6464: 28 ga.—*6466: .410 bore *6468. Extra Barrels: See page 20.

3200 SKEET-Order Numbers & Specifications

| Length & Choke | Skeet RK-W Wood Finish | "Competition" Skeet Satin Finish |
|--------------------------------------|------------------------------|--|
| 28" Skeet/Skeet | 3209 | 3237 |
| 26" Skeet/Skeet | 3211 | 3239 |
| 28" Imp. Mod. / Full (Live Bird Gun) | | 3207 |
| *Skeet Set | | 3237 & 3299° |

*3200 "Competition" 12 ga. skeet gun-3237, 3-barrel skeet set, with case-3299. Note: Both numbers must be used to order the four-barrel set. No orders for 3299 alone will be accepted at this time.

Nominal Stock Dimensions: 14" long, 21/4" drop at heel, 11/2" drop at comb. Overall Lengths Skeet—45%" with 28" barrels. Average Weight: 8 lbs. with 28" barrels.

3200 TRAP, 12 GAUGE—Order Numbers & Specifications

| Barrel | Special Trap RK-W Wood Finish | | "Competition" Trap Satin Finish | |
|--------------------|----------------------------------|----------------|------------------------------------|----------------|
| Length & Choke | Reg. Stock | Monte Carlo | Reg. Stock | Monte Carlo |
| 32" Imp. Mod./Full | 3225 | 3231 | 3283 | 3289 3297° |
| 30" Imp. Mod./Full | 3229 | 3235 | 3287 | 3293 3295* |
| 30" Full/Full | | | 3285 | 3291 |

Nominal Stock Dimensions: 14%" long, 2" drop at heel, 1½" drop at comb. 1½" drop at Monte Carlo. Overall Length: 48" with 30" barrels and recoil pad. Average Weight: 8% lbs. for guns with 30" barrels.

MODEL 870 TRAP, 12 GAUGE—Order Numbers & Specifications

| Barrel Length & Choke | | Standard Trap Stock | Monte Carlo Stock | |
|-----------------------------|----------|---------------------------|-------------------------|--|
| TA Grade | 30" Full | 5046 | 5050 | |
| TB Grade | 30" Full | 4926 | 4906 | |
| | | 5518 L-H | 5520 L-H | |

Special Order Model 870 Trap: D and F Premier Grades (engraved).

Nominal Stock Dimensions (with recoil pad), Regular Stock: 14%" long, 11%" drop at heel, 11%" drop at comb, 11%" drop at comb, 11%" drop at heel, Monte Carlo. Average Weight: 7% lbs.



20 REMINGIOIN LANGE BARRELS.


Why change your gun every time you change your game? The best and easiest way to add to the enjoyment and versatility of your Model 1100 or 870 is to get one or more extra barrels for it.

Now your field gun can become a target gun, or make your goose gun an ideal deer gun. In seconds, You're the expert when you own the special extra barrel matched to the job.

And Remington gives you the industry's widest choice. There are even several barrels for the left-hand versions of our 870s and 1100s.

One thing to remember:
Barrels must be matched to the correct receiver, and within gauges. Extra interchangeable 2¾" chambered barrels, available for Magnum receivers, will handle all 2¾" shotgun shells within the same gauge.


Learn more; see your dealer's Remington Extra Barrel Selector.



| MODEL 1100 Extra Barrels—Order Numbers | <u> </u> | | | |
|--|--------------|-----------------|----------|--------------|
| *NEW for 1981. | 12 Ga. | LT-20 20 Ga. | 28 Ga. | .410 Bore |
| IELD GRADE, PLAIN | | | | |
| 30" full Choke | 9500 | | | |
| ≥8" Full Choke | 9502 | 4440* | | |
| 25" full Choke | | | 9588 | 9574 |
| ZB" Mod. Choke | 9504 | 4442* | | |
| 25" Mod. Choke | | | 9510 | 9576 |
| 26" Imp. Cyl. Choke | 9508 | 4444* | | |
| 25" Imp. Cyl. Choke | | | 6584 | 9578 |
| HELD GRADE, Rifle Sights, Deer | | | | |
| 22" imp. Cyl. | 9568 | | | |
| 20" Imp. Cyl. | · | 4438 | | |
| RELD GRADE, VENT RIB, Duck/Goose | | | | |
| 34" Full Choke | 6576 | | | |
| FIELD GRADE, VENT RIB | | | | |
| 30" full Choke | 9512 | | | |
| 28" Full Choke | 9514 | 4446* | | |
| 25" full Choke | | | 6586 | 9580 |
| 28" Mod. Choke | 9516 | 4448* | | |
| 25" Mod. Choke | | | 6588 | 9582 |
| 26" Imp. Cyl. Choke | 9520 | 4450* | | |
| 25" Imp. Cyl. Choke | | | 6590 | 9584 |
| 23" Mod. Choke | | 4434* | | |
| 23" Imp. Cyl. Choke | | 4436* | | |
| RELD GRADE, LEFT-HAND, VENT RIB | | | | |
| 30" Full Choke | 5682 | | | |
| 28" Mod. Choke | 5684 | | | |
| 26" Imp. Cyl. Choke | 5686 | | | |
| RELD GRADE, High Grade | 3000 | | | |
| · | W. (| | C- ordel | |
| D Tournament, Vent RIb (engraved); F Premier, Vent R TRAP, VENT RIB | in (engraved | · | Special | xaer |
| | 0610 | | | |
| 34" Full Choke | 9610 | | | |
| 30" Full Choke | 9612 | | | |
| 28" Full Choke | 9616 | | | |
| 30" Mod. Trap Choke | 9614 | | <u> </u> | |
| 28" Mod. Trap Choke | 9618 | | | |
| TRAP, High Grade | | | | |
| D Tournament (engraved): F Premier (engraved) | | pecial order | | |
| SKEET, VENT RIB | | | | |
| 26" Skeet Choke | 9522 | 4452* | | |
| 25" Skeet Choke | <u> </u> | | 6592 | 9586 |
| SKEET, High Grade | | | | |
| Tournament (engraved): F Premier (engraved) | Special | order | | |
| SKEET LEFT-HAND-VENT RIS, Trap & Skeet | | | | |
| 10" Full Choke Trap | 9620 | | | |
| 20" Skeet Choke | 5688 | | | |

| | | 20 Ga. | 20 Ga. | | .410 |
|--|----------|--------|----------|--------|------|
| | 12 Ga, | Std. | Ltwt. | 28 Ga. | Bore |
| FIELD GRADE, PLAIN | | | | | |
| 30" Full Choke | 6214 | | | | |
| 28" Full Choke | 6216 | 6270 | 6296* | 1202 | |
| 25" Full Choke | | | | 6282 | 6236 |
| 28" Mod. Choke | 6218 | 6272 | 6298* | | |
| 25" Mod. Choke | | | | 6284 | 6238 |
| 26" Imp. Cyl. Choke | 6220 | 6274 | 6300* | | |
| 25" Imp. Cyl. Choke | | | | 6286 | 6248 |
| FIELD GRADE, Rifle Sights, Deer | | | | | |
| 20" Imp. Cyl. | 6544 | 6230 | 4524* | | |
| FIELD GRADE, VENT RIB, Duck/Goose | | | | | |
| 34" Full Choke | 6304 | | | | |
| FIELD GRADE, VENT RIB | | | | | |
| 30" Full Choke | 6222 | | | | |
| 28" Full Choke | 6224 | 6276 | 6322* | | |
| 25" Full Choke | | | | 6288 | 6250 |
| 28" Mod. Choke | 6226 | 6278 | 6324* | | |
| 25" Mod. Choke | | | | 6290 | 6264 |
| 26" Imp. Cyl. Choke | 6228 | 6280 | 6326* | | |
| 25" Imp. Cyl. Choke | | | | 6292 | 6266 |
| FIELD GRADE, LEFT-HAND, VENT RIB | | | | | |
| 30" Full Choke | 6200 | | | | |
| 28" full Choke | | 6208 | | _ | |
| 28" Mod. Choke | 6202 | 6210 | | | |
| 26" Imp. Cyl. Choke | 6204 | 6212 | | | |
| FIELD GRADE, High Grade | | | | | |
| D Tournament (engraved); F Premier (en | graved) | Speci | al order | | |
| TRAP, VENT RIB | | | | | |
| 34" Full Choke | 6340 | | | | |
| 30" Full Choke | 6242 | | | | |
| 28" full Choke | 6244 | | | | |
| 30" Mod. Trap Choke | 6232 | | | | |
| 28" Mod. Trap Choke | 6246 | | | | |
| TRAP, LEFT-HAND, VENT RIB | | | | | |
| 30" Full Choke | 6206 | | | | |
| D Tournament (engraved); F Premier (en | graved) | Speci | al order | | |
| SKEET, VENT RIB | | | | | |
| 26" Skeet Choke | 6240 | 6508 | | | 1 |
| 25" Skeet Choke | | | | 6294 | 6268 |
| SKEET, High Grade | | | | | |
| D Tournament (engraved): F Premier (en | graved). | Speci | al order | | |


• 20 gauge 870 Lightweight barrels will not fit 20 gauge standard 870 guns.





I IN THE FIELD

REMINGTON MAKES AN ONGO





A s outdoorsmen and conservationists, we can all appreciate the success of Ducks Unlimited every time a flight of greenheads, "cans," pintails, or bluebills passes by.

Tor some 45 years now, DU has helped preserve the vital Canadian wetlands where about 70% of our ducks and geese are hatched. No federal, state, or provincial programs could ever hope to equal the landmark efforts of this nonprofit group of sportsmen. DU de Mexico has also underwritten major projects in that country to keep our wintering waterfowl healthy.

We at Remington have supported DU projects from the start; we're now expanding our commitment. A special Ducks Unlimited Commemorative Model 1100 shotgun is now available through your full-service Remington dealer. Shown below and in the inset, "The Atlantic" edition is the first and only 12-ga. 3" Magnum Model 1100 we've ever offered with a 32" Full choke barrel. It gives you the extra reach and smooth, controlled swing you need for longerrange pass shooting. And we send DU a contribution for every gun sold.

This commemorative 1100 has distinctive engraving on both sides of its all-steel receiver, and a special block of DU serial numbers. Because it will only be produced this year, it's almost sure to become a collector's item.


AND THE FLIVE I.

TMENT TO DU. AND YOU. Model 1100 12-gauge Magnum, "The Atlantic" DU Commemorative, order no. 5483.

Members may recall our fundraising limited-edition models or Ducks Unlimited dinners. One, atroduced last year, was "The hesapeake," our special Atlantic sway commemorative. Three other mited-edition Remington shotuns are planned. Our other "dinner

gun" was a custom Model 1100 20-ga. LT-20, the "DU Special." Both of these guns have become valuable fund-faisers through dinner auctions and raffles.

A nother of our ongoing DU programs features special wooden



shotshell boxes. The "Chesapeake" Atlantic flyway box, introduced in 1981 and pictured above, is the first of four planned commemoratives. Like our "dinner guns," they're designed and priced to be sold or raffled, but only through DU.


We're proud to help increase waterfowl migrations through DU. If you'd like more information about DU programs or membership, write Ducks Unlimited, Inc., National Headquarters, P.O. Box 66300, Chicago, Ill. 60666.

SPORTING ARMS

| Autoloading | 4-: |
|--------------------------------|--------|
| Pump Action | 6- |
| Trap & Skeet Shotguns | |
| Shotgun Extra Barrels | 2 |
| Contactive Rifles | |
| Autoloading — | 8-1 |
| Pump Action ————— | |
| Bolt Action | |
| Target Rifles & Pistols | |
| Rimfire Rifles | - 16-1 |
| Collectors' Edition Model Four | 3 |
| AMMUNITION | |
| Shotgun Shells ————— | - 21-2 |
| Centerfire | |
| Rifle Cartridges | - 24-2 |
| Pistol & Revolver - | 3 |
| Rimfire | |
| Cartridges & Ballistics | 3 |
| Reloading Components | |
| Clay Targets | |

DEL 1100s: FRO

TAKE A CLOSER LOOK AT AMERICA'S MOST POPU



Right from the start, we've built our Model 1100s to be shooting systems, not just shotguns. A key to their consistently high value to you, as owner or seller, is in their versatility.

The same Model 1100 that you buy for waterfowl hunting today can be converted to become an ideal upland, target, or rifled slug gun. In seconds. The 1100 has today's widest choice of economically priced, ruggedly built extra barrels, (For more on extra barrels, see page 20.)

No other autoloader in history has better credentials than the 1100. Sportsmen and women who have bought over three million of them count on their sweet handling, low recoil sensation, and dependable performance under the most adverse conditions.

The Model 1100 has the toughness of an ordnance-quality steel receiver, even in its lightweight, smaller gauges. No other autoloader today can make that


claim. And every 1100 has an American walnut stock and fore-end.

On all too many firearms these days, about the only thing that is still American is the wood. Not so with Remington. Every part of every product is designed, built, tested, and serviced in the U.S.A. That's been our only way for over 165 years.

From the beginning, the 1100 is engineered tough. Both barrel and receiver start as solid billets of ordnance-quality steel. All action parts are vibra-honed to work smoothly.


The unique gas-metering system helps reduce recoil sensation to a gentle nudge. Which helps you concentrate more on your target, for a quick, sure second shot.

The 1100s are well balanced for easy pointability in any gauge. No other autoloader comes in more gauges, versions, or specifications.



MDUCKS 1 1982

AR_MOST VERSATILE AUTOLOADING SHOTGUNS.



One of the most versatile ways to enjoy the virtues of a Model 100 shotgun is to buy an 1100 Magnum. Depending on the shotshells or accessory barrels you choose to fit it. the Model 1100 Magnum can be quickly converted from waterfowling to upland hunting or big game—even to informal clay target shooting—without tools.

There are Model 1100 Magnums in 12 and 20 gauges. They give you virtually everything you could ask for in one hardworking shooting system. Including lasting value.

To give you an idea of how it holds its value, ask your

Remington dealer to show you a used Model 1100 Magnum. Or any used 1100 autoloading shotgun, for that matter.

E very field-grade 1100 has a positive, cross-bolt safety switch and metal-bead front sight. All models except the .410 have a 5-shot capacity, with a 3-shot plug furnished. The .410s hold four 3" shells.

On current 1100 shotguns, the barrels are sufficiently durable so repeated use of factory-loaded steel shot doesn't affect their appearance or performance.

MODEL 1100-Order Numbers & Specifications-12 & 20 Gauges

| | | | 2%" Chambe | T | 5" Cha | mber |
|-------|---------------------------|-----------------|-------------------|-------------------|-----------------|-------------|
| Gauge | Barrel Length & Choke | Plain Barrel | Vent Rib (R-H) | Vent Rib (1-H) | Plain Barrel | Vent Rib |
| | 32" Full ("The Atlantic") | | | | - | 5483 |
| | 30" Full | 5322 | 5332 | 5540 | 5344 | 53481 |
| | 28" Full | 5320 | 5330 | - | - | - |
| 12 | 28" Mod. | 5326 | 5336 | 5542 | 5346 | 5352 |
| | 26" Imp. Cyl. | 5328 | 5338 | 5544 | - | - |
| | 22" Imp. Cyl. | 5308 | Deer gun | with rifle sigh | s & recoil | pad. |
| | 28" full | 5228 | 5234 | - | - | 5242 |
| | 28" Mod. | 5230 | 5236 | - | - | - |
| LT-20 | 26" Imp. Cyl. | 5232 | 5238 | - | - | - |
| | 23" Mod. (Ltd.) | - | 5264 | - | - | - |
| | 23" Imp. Cyl. (Ltd.) | - | 5262 | - | - | - |
| | 20" Imp. Cyl. | 5248 | Deer gun i | with rifle sigh | ts & recoil | pad. |

tLeft-hand Model No. 5548.


MODEL 1100-Order Numbers & Specifications-28 Gauge & .410 Bore

| | | 2%" Chamber | 3" Chamber |
|--------------|---------------------------------------|----------------------|----------------------|
| Gauge | Barrel Length & Choke | Vent Rib (R-H) | Vent Ris (R·H) |
| 28 | 25" Full 25" Mod. 25" Imp. Cyl. | 5414 5416 5426 | - |
| .410 bore | 25" Full 25" Mod. 25" Imp. Cyl. | - | 5466 5468 5296 |

Special Order Model 1100s: D Tournament Orade (engraved). F Premier Orade (engraved), F Premier Orade (engraved, gold inlay).

Rominal Stock Dimensions: 14" long, 2%" drop at heel. 1%" drop at comb. "Limited": 12%" stock. Overall Length: 48" with 28" barrel. 45" with 25" barrel in 28 ga. and .410 bore. "Limited": 41%" overall. Average Weight: 12 ga-75 lbs. LT-20, 20 ga-6% lbs. LT-20, 20 ga. Magnum-6% lbs. 28 ga. plain barrel-6% lbs. 28 ga. vent rib-6% lbs., .410 bore plain barrel-6% lbs. .410 bore vent rib-7 lbs., 20 ga. "Limited" 6% lbs. Extra Barrels: See page 20.

Weights, stock dimensions, and wood-grain figure may vary according to the individual firearm.



No pump action shotgun made has a larger, more loyal following than our Model 870 Wingmaster." Today over 3 million 870s are helping hunters get their limit.


The 870's legendary performance, reliability, and lasting value have also made it the stan-

dard long gun of law-enforcement agencies from Key West to Point Barrow.

New for 1982 is the Model 870 20-gauge Lightweight Limited. It's built expressly for younger shooters and smaller-framed adults. The 114" shorter stock and 3" shorter barrel teamed with the scaled-down, all-steel receiver, make this pump a real first in its field. It's available with either a Modified or Improved Cylinder choke.

The Model 870 became the most popular pump action shotgun in history for some very solid reasons. Every 870's receiver is ma-

chined from a solid billet of ordnance-quality steel, has vibra-honed action parts, and famous doubleaction slide bars that positively eliminate binding and twisting. You get those important extra shots off smoothly, simply, as fast as you can pump and pull the trigger.



E, BUILT S 1982

LE WORLD'S FIRST FAMILY OF PUMPS.



Indicate the property of the page 19 years. It is also found in every 870 barrel. And, taking of barrels, we offer the set choice of fully interchanged barrels to make your shotgun estment pay off in many differways. See page 20 for details.

II 870s except the .410 bore* have a 5-shot capacity. A not plug, required for certain iting situations, is packed free h every Remington shotgun.

Jur field guns feature metalbead front sights; deer guns re rifle sights. All 12- and gauge 870s have recoil pads. rent Remington shotgun barrels sufficiently durable to handle repeated use of factory-loaded el-shot loads without signifitly affecting their appearance or formance.

he 870 is definitely top shelf in the appearance department, quality shows in its handsome erican walnut stock and foredistinctive checkering, clurable front RK-W wood finish, and a p. richly blued metal finish. Compare the 870's strong, simple approach to shotgunning with any other pump made. You'll see why it's been the best value in pumps, for over thirty years.

MODEL 870-Order Numbers & Specificati

| NEW for 1982 | | | 2%" Chambe | er | 3" Cb: | amber |
|--------------|--------------------------|-----------------|-------------------------------|-------------------|-----------------|-------------|
| Gauge | Barrei Length & Choke | Plain Barrel | Vent Rib (R·H) | Vent Rib (L·H) | Plain Barrel | Vent Rib |
| | 30" Full | 6900 | 6930 | 5510 | 6966 | 6976 |
| | 28" Full | 6902 | 6932 | - | - | - |
| 12 | 28" Mod. | 6904 | 6934 | 5514 | 6964 | 6974 |
| | 26" lmp. Cyl. | 6906 | 6936 | 5516 | - | |
| | • | | Di | eer Gun | | |
| | 20" imp. Cyl. | 6960 5026 | "Brushmaster Standard with | | ith rifle sig | hts |
| | 28" Full | 6914 | 6944 | - | 6970 | 6980 |
| Std. | 28" Mod. | 6916 | 6946 | - | 6972 | 6982 |
| 20 | 26" Imp. Cyl. | 6918 | 6948 | | - | - |
| | 20" Imp. Cyl. | 6962 | "Brushmaster | " Deer Gun w | ith rifle sig | hts |
| | 28" Full | 5176 | 5182 | | | 5190 |
| | 28" Mod. | 5178. | 5184 | - | - | - |
| Ltwt. | 26" Imp. Cyl. | 5180 | 5186 | - | - | - |
| 20 | ±23" Mod. (Ltd.) | - | 5194 | - | - | - |
| | *25" imp. Cyi. (Ltd.) | - | 5196 | · · | ~ | |
| | 20" lmp. Cyl. | 5192 | "Brushmaster | "Deer Gun w | ith rifle siç | ihts |
| | 25" Full | - | 4918 | - | - | |
| 28 | 25" Mod. | - | 4920 | - | • | - |
| | 25" imp. Cyl. | - | 4932 | <u> </u> | | |
| .410 | 25" Full | | | - | - | 4986 |
| | 25" Mod. | - | - | - | - | 5086 |
| bore | 25" imp. Cyl. | - | · · | | | 4990 |
| | | Model | 870 Police | | | |
| | 20" Police Cyl. | 5030 | - | - | - | |
| 12 | 18" Police Cyl. | 5032 | - | - | · - | - |
| | 20" imp. Cyl. | 5028 | Rifle sights | | | |

Special Order Model 870s: D Tournament Grade (engraved), F Premier Grade (engraved), F Premier Grade (engraved, gold inlay).


Nominal Stock Dimensions: 14" long incl. recoil pad (no recoil pad on 28 ga., 410 bore). 2%" drop at heel. 1%" drop at comb. "Limited": 12%" stock, Overall Length: 48%" with 28" barrel. 46%" with 26" barrel. 45%" with 25" barrel in 28 ga. and, 410 bore. "Limited": 41%" overall. Average Weight: 12 ga. 7 lbs.: 20 ga. 6% lbs.: 20 ga. Lightweight elan barrel-5% lbs.: 20 ga. Lightweight plain barrel-5% lbs.: 410 bore plain barrel-6% lbs.: 410 bore vent rib-6% lbs.: 20 ga. "Limited"-6 lbs. Extra Barrels: See page 20. tleft-hand Model No. 5496.

"The .410s hold up to four 3" shells

TOGETHER, THEY'RE AMERICA'S

Model Four autoloading rifle.





Now you can own a first-class, full-size replica of the renowned Remington "Bullet" knife. Our original knives, out of production for over forty years, are today highly priced, and highly prized by knife collectors around the world.

Our "Bullet" knife replica is timeless in design and utility. There are two 4½ blades, each made of tempered, 440 stainless steel. One is etched with our 1930's logo; the other dedicates the knife to our new Model Four and Six rifles.

Y our participating Remington dealer can put a classic knife into your pocket. Available in limited quantities; see him for details.

A white flag flashes through the brush and that big buck becomes a blur. Reason enough for a centerfire rifle that comes up fast and gives you the quickest second shot in the woods.


The Model Four autoloader and Model Six pump do both. Without your eyes once leaving the target or your cheek leaving the stock.

An informative, elegant touch.



Bullet" is a trademark of Reminoton Arms Company, Inc., for largers

ST 10-POINT FAVORITES.





Remington has been making autoloading and pump action rifles for over 70 years. All that experience has helped us make the Four and Six the smoothest, best-punced, and most dependable erfire autos and pumps ever made. And the best value for your hard-earned dollars.


The Four's autoloading action features a unique gasmetering system. The double action bars of our Model Six pump

slide faster, easier than ever before. Bolts in both rifles are engineered to provide a smoother, more dependable action. For strength, the bolts have locking lugs similar to those on bolt action rifles. And the receivers are milled from solid blocks of ordnance-quality steel.

The custom look is enhanced by positive-cut checkering on rich American walnut. And by a real classic touch: a cartridge head, indicating the gun's caliber, is

A bolt you'd expect in a bolt action.





imbedded in blued steel, just forward of the receiver.

Other features include a beefier, smoother-functioning magazine release and a strong four-shot magazine for fast feeding.


Blade-ramp front sights and adjustable sliding-ramp rear sights are standard. Receivers are drilled and tapped for easy scope mounting. A positive, cross-bolt

safety switch is fitted to all models.

The Models Four and Six are available in most popular biggame calibers, from 6mm to 308. And, like every Remington product, every part of these rifles is made and assembled right here in America.

 Γ or full specifics on these rifles, turn the page.

A CRAFTSMAN'S TOUCH SETS OUR NEWEST CENTERFIRES APART



When you buy one of these stylish, precision-cast pewter grip-cap inserts for your new Model Four or Six rifle, you instantly personalize it.

esigned by well-known wildlife Designed by Sculptor Sid Bell, they're made expressly for Remington's new Models Four and Six. All but one of these inserts feature big-game animals. The fifth design is a handsome signet plate you can have engraved with your initials. These inserts can be installed in seconds.

hances are, your Remington. dealer already has these greatlooking inserts in stock. Or he can order one for you. Either way, here's a great opportunity to customize your new Model Four or Six, and at a very reasonable cost.

ive your new Model Four or Six I that extra touch of value and craftsmanship; see your dealer today.

MODEL FOUR & MODEL SIX-Order Numbers & Specifications

| Caliber | Barrel Length | Twist R-H I turn in | Model Four | Model Six |
|------------------|------------------|------------------------|---------------|--------------|
| 6mm Rem. | 22" | 9%" | 4740 | 4680 |
| 243 Win. | 22" | 9%" | 4742 | 4682 |
| 270 Win. | 22" | 10" | 4744 | 4684 |
| 7mm Express Rem. | 22" | 94" | 4746 | |
| 30-06 Sprg. | 22" | 10" | 4748 | 4686 |
| 308 Win. | 22" | 10" | 4750 | 46881 |
| | | | | |

Extra 4-Shot Magazine (specify caliber) optional at extra cost.

Special Order Models Four and Six: D Peerless Grade and F Premier Grade (both engraved) and P Premier Grade (engraved, with gold inlay).

Standard Stock Dimensions: Monte Carlo stock-13%, "length of pull, 2%," drop at heel, 1%, "drop at comb, 1%," drop at Monte Carlo. Overall Length: 42". Average Weight: 7% lbs.
"Also accepts 30-06 "Accelerator."


See pages 26 through 20 for hallistics on above callbare.

tAlso accepts 308 "Accelerator."

See pages 26 through 29 for ballistics on above

Weights, stock dimensions, and wood-grain figure may vary according to the individual firearm.

POPULAR-PRICED CENTERFIRE AUTOS AND PUMPS.



he Model 7400 autoloaders and 7600 pump action rifles give you the mechanical innovations and performance of our top-of-theline Models Four and Six, but at a lower cost

hey are available in a wide range of popular centerfire calibers, from 6mm to 308. Each has a lade-ramp front sight and adjustable sliding-ramp rear sight. Plus receivers that are drilled and tapped for simple scope mounting. A solid cross-bolt safety switch is standard.

oth feature classic straight-Dline stocks with handsome checkering patterns. The motif is repeated on the full-wraparound fore-ends.

MODEL 7400 & MODEL 7600-Order Numbers & Specifications

| Caliber | Barre! Length | Twist R-H 1 turn in | Model 7400 | 7600 |
|------------------|------------------|------------------------|---------------|--------|
| 6mm Rem. | 22" | 9%" | 4708 | 4650 |
| 243 Win. | 22" | 9%" | 4710 | 4652 |
| 270 Win. | 22" | 10" | 4712 | 4654 |
| 7mm Express Rem. | 22" | 9%" | 4714 | |
| 30-06 Sprg. | 22" | 10" | 4716 | 4(|
| 308 Win. | 22" | 10" | 4718 | ئىن465 |

Extra 4-Shot Magazine (specify caliber) optional at extra cost.

Standard Stock Dimensions: 13%" length of pull, 2%" drop at feet 4 "%" drop at comb. Overall Length:

42". Average Weight: 7% lbs.
"Also accepts 30-06 "Accelerator."
tAlso accepts 308 "Accelerator."

See pages 26 through 29 for ballistics on above calibers.

Weights, stock dimensions, and wood-grain figure may vary according to the individual litearm.

THE RUC 1982 EFINED 788.

FROM HIGH COUNTRY TO BACKWOODS, GET THE 4x4 OF BOLT ACTION CENTERFIRES.



The Model 788 is one hardworking, high-value package. It's the bolt action rifle that combines clean, good looks with the kind of no-nonsense performance we all need today. Long known for accuracy, the 788 has earned its keep as the kind of precision-built biggame and varmint rifle you don't have to baby.

T he 788's receiver, milled from a solid ordnance-quality steel

billet, has nine locking lugs for backup strength. It's drilled and tapped for scope mounts. (On selected models, a Tasco 4-power scope with 30-30 reticle is available.)


All our centerfire barrels are made of Remington special steel. They're fitted with standard one-piece blade-ramp front sights and V-notch rear sights with lock-screw adjustments for elevation

and windage. The safety switch is the positive, fast-action thumb type.

The 788 rifle is available in 7mm-08 Rem. Teamed up with a shorter 18½" barrel, it gives hunters true carbine-handling ease with potent downrange performance. The 7mm-08 Rem. makes the most of the larger capacity of its necked-down 308 Win. case and the higher retained velocity and energy of the ever-popular 7mm bullet. The

788 is also available in five other calibers.

The all-business nature of the 788 is shown in its classic, straight-line stock. It insures a more consistent eye-and-sight alignment, lower recoil sensation, and less muzzle jump. This rifle also has a deeply curved, thick pistol grip; a fluted comb, wide fore-end, recessed floor plate, polished bolt, and rich walnut finish.



MODEL 788-Order Numbers & Specifications


| *NEW for 1982 Caliber | Clip Mag. Cap | Barrel Length | Twist R-H I turn in | iron Sights | With Scope |
|-----------------------------------|------------------|------------------|------------------------|----------------|---------------|
| *222 Rem. | 4 | 24" | 14" | 9818 | 9820 |
| 223 Rem. | 4 | 24" | 12" | 9806 | 9807 |
| 22-250 | 3 | 24" | 14" | 9808 | 9809 |
| 243 Win. | 3 | 18%" | 9%" | 9812 | 9813 |
| 7mm-08 Rem. | 3 | 18%" | 94" | 9816 | 9817 |
| 308 Win. | 3 | 18%" | 10" | 9814 | 9815 |
| Sling Strap & Swivels (installed) | | 64 | 26 | | |

Extra Clip Magazine (specify caliber)

Standard Stock Dimensions: 13%" length of pull, 2%" drop at freel. 1%" drop at comb (measured from open sight line). Overall Length: 43%" with 24" barret. Average Weight: 22 250, 223 Rem.-7% lbs.

See pages 26 through 29 for ballistics on above calibers.

Weights, stock dimensions, and wood-grain figure may vary according to the individual firearm.



Before you buy any centerfire rifle, you owe it to yourself to check out a Model 700. You'll know stantly that this rifle's action is probably the toughest, yet smoothest, available today.

We built it that way. The bolt face, barrel, and receiver suround the cartridge head with three mgs of solid steel. There's not a engle extractor cut to weaken it. The receiver itself is precisely nachined from a single billet of ordnance-quality steel, then vibrahoned to ensure the smoothest functioning. Every 700 has a polished anti-bind bolt.

The Model 700 has become America's best-selling rifle because it teams up accuracy, dependability, long-lasting value, and choice with undeniably good looks.


Hunters praise the extra measure of confidence a 700 gives them. They know it's built to per-

form the way they want it to, shot after precise shot. And, in big-game calibers; they like its versatility—it can deliver flat-shooting bullets at extra-long ranges one day, yet works equally well at close range or in heavy cover the next.

From superaccurate varmint and metallic silhouette calibers to rifles able to handle the largest North American and African big game, there's one 700 that's made just for you.


Our 700s are precisionmachined, hand-assembled, rigorously inspected, and individually test-fired. The value you'll appreciate if you ever sell your 700 is built in—at our one plant, right here In America.

A s a 700 buyer, you have a wider choice of rifle styles. There's our traditional straight-line-stock "Classic," our custom-styled BDL and "Varmint Special," our value-leading ADLs, and our special-order



CTIONS 1982 N.

Y PRICE. OR IN MORE CALIBERS.



del 700C "Custom."

The BDL and heavy-barreled "Varmint Special" models feae a walnut Monte Carlo stock, full ekpiece, positive-cut skip-line ckering, black fore-end tip, high-tre blueing, hinged floor plate, 1g strap, and quick-release vels.

*amous sports writer Jim Carmichel said our 700 "Classic" probably the best-looking, most otable hunting rifle ever offered in American firearms maker." It ures a walnut stock, full-pattem checkering, special satin wood sh. brown rubber butt pad, slingcel studs, and a hinged floor

ven our cost-conscious ADL model has an American walnut ik. custom skip-line checkering, a hand-applied Du Pont RK-W if finish. No one who sees it delieve it's our lowest-priced

If 700 receivers are drilled and stapped for scope mounts, from models feature presentatistyle recoil pads. Their barrels

are made of Remington special steel. The way they're built helps to make the 700 the world standard of bolt action strength and accuracy.

Sights and safety switches.

The ADLs feature blade-ramp front sights with flat-faced gold beads. The BDL's front sight is hooded. Rear sights on ADLs and BDLs are adjustable for elevation and windage. All sights are easily removable. Our "Classic" and "Varmint Special" models have no sights; the latter is fitted with front and rear target-rifle scope blocks. Model 700C "Custom" sights are optional.

The safety switch on each Model 700 is the fast, positive thumb type. Left-hand models have a left-hand safety switch.

MODEL 700-Order Numbers & Specifications

| Caliber | Сар | Barrel Length Reg. | "Varmint Special" | Twist R·H I turn in | "Classic" | 700 ADL | 700 BDL | "Varmint Special" | 700C "Custom" |
|---------------------------------|------|--------------------------|----------------------|---------------------------|-----------|------------|------------------|----------------------|--------------------|
| 17 Rem. | 6 | 24" | | 9" | | | 5801 | | |
| 222 Rem. | 6 | 24" | 24" | 14" | | 5760 | 5781 | 5821 | Special |
| 22-250 Rem. | 5 | 24" | 24" | 14" | 5854 | 5762 | 5783 | 5823 | Special |
| 223 Rem. | 6 | | 24" | 12" | | | - | 5825 | |
| 6mm Rem. | 5 | 22" | 24" | 9%" | 5858 | 5764 | 5785 | 5827 | Special |
| 243 Win. | 5 | 22" | 24" | 9%" | 5860 | 5766 | 5787 | 5829 | Special |
| 25-06 Rem. | 5 | 24" | 24" | 10" | | 5768 | 5789 | 5831 | Special |
| 270 Win. | 5 | 22" | | 10" | 5864 | 5770 | 5791 58111.11 | · . · · | Special Special |
| 7mm-08 Rem. | 5 | 22" | 24" | 94" | | | 5799 | 5835 | |
| 7mm Express Rem. | 5 | 22" | | 9%" | | 5778 | 5797 | | Special |
| 30-06 & 30-06 "Accelerator" | 5 | 22" | | 10" | 5866 | 5772 | 5793 58131-11 | | Special Special |
| 308 Win. & 308 "Accelerator" | 5 | 22" | 24" | 10" 12" | | 5774 | 5795 | 5833 | Special |
| 7mm Rem. Mag.* | 4 | 24" | | 94" | 5872 | 5776 | 5803 5815141 | | Special Special |
| 300 Win. Mag. | 4 | 24" | | 10" | | | 5807 | | Special |
| 8mm Rem. Mag.* | 4 | 24" | | 10" | | | 5809 | | Special |
| 375 H&H Mag.* | 4 | 24" | | 12" | | • | 5836† | | |
| 458 Win. Mag.* | 4 | 24" | | 14" | | | 58381 | | |
| Sling Strap & Q | uick | Releas | e Swivels | linslalle | d ADL) | 6382 | (optional | at extra co | ost) |

Sling Strap & Quick-Release Swivels (installed ADL) 6382 (optional at extra cost)

Special Order Model 700s: Engraved D and F grade rifles are available in all calibers.

See pages 26 through 29 for ballistics on above calibers. Recoil pad included. I Salari grade. Standard Stock Dimensions: 13 %" length of pull. 2 %" dop at heel 17.6" dop at onto uneastired from open sight fine). "Classic" 1" drop at heel, "%" drop at comb timeasured from center for other "Varmint Special" Stock: 13 %" length of pull. 1 %" drop at heel. 7.0" drop at comb timeasured from center line of boxes. Overall Length: 45 %" with 24" barrel except 44 %" in Magnum models. Classic 44 7." 243 % in 6 mm Rem. 442," 270 % in. 30-06; 43 %" 22-2.750 Rem. 44 %". Tim Rem. Mag. Average Weight? Tibs. regular-7% lbs. "Classic" and 22-250. 7% lbs. Magnum: 375 Bertl. 458 Win. and. Varmint Special 9 (bs.)

Weights, stock dimensions, and wood grain figure may vary according to the individual fresim.

For more on rimfire rifles, and silhouette targets, see page 17.

The Model 700 Variant Special in 7mm all Rem.

Remington has whatever you need whether you're shootin' fron or out to set records in any other precision target sport.

Rambusters" is our name for a family of matched firearms, annunition, and components. All tassigned to work together, to improve your odds in all metallic silhouette events.


Take our "XP-100" Silhouette. This centerfire pistol, with an action that's long been the heart of many custom-made competition guns, has been specially refined for metallic silhouette shooting. Right out of its box, the "XP-100" is more gun than virtually any custom pistol you can buy. It has a 14%" barrel, chambered for an ideal silhouette cartridge—the 7mm BR Rem.

Then there's the Model 700 "Varmint Special," chambered for the innovative 7mm-08 Rem. or 208 Win. cartridges. Here the 700 action, renowned for its strength and accuracy, can be yours in two part metallic silhouette calibers.

F or rimfire metallic silhouette events, Remington puts more


power and performance behind every penny in its Model 541-S "Custom" Sporter. You get an adjustable match trigger, artillery-style bolt with six locking lugs, double extractors and distinctive styling.

Remington also offers the benchrest and position-target shooter a wide range of high-value, high-performance rimfire and centerfire rifles. Read more about all of them to the right.



The case for winning: the Bench Rest Remington.

In 1979 we introduced an innovative universal unprimed brass case that starts with the external configuration of the 308 Win. case. With thinner walls, its easily formed case can be shortened to 1.520° and necked down to fit .224, 6mm, or 7mm bullets. The case also features a small-rifle primer pocket for proven consistency in bench-rest competition. It's the makings of a truly great bench-rest and metallic silhouette cartridge. We also make the small No. 71/2 BR primers, built to withstand the higher-pressure loads of this potent combination. Order Numbers: Unprimed BR cases-URBR; No. 71/2 small-rifle primer—X22628.



"Custom" Sporter in 22 caliber

For more on silhouette rifle sports, write NRA, Silhouette Dept., 1600 Rhode Island Ave., N.W., Washington, DC 20036, Handgunners, write IHMSA, Box 1609, Idaho Falls, ID 83401.

The Models 540-XR & 540-XRJR.


These single-shot 22 L.R. target rifles feature a position-style Monte Carlo stock, with a cheekpiece, thumb groove, five-way adjustable butt plate, and full-length guide rail. Front swivel block, sling, and swivels are optional extras. There is a common sight alignment with scope or iron sights. The trigger is adjustable from 1 to 5 lbs. Both models have a 26° medium-weight target barrel, countersunk at the muzzl 540-XRJR model has a 1¾° shorter stock.

| o it indicated that a in district occor- | |
|--|------|
| 540-XR Position Rifle | 9802 |
| 540-XRJR Position Rifle | 9804 |
| Sling Strap with Front Swivel Block Assembly | 6420 |

Sights: Williams Receiver Sight No. FPTK & Redfield #63 Globe Front Match Sight Set (optional at extra cost). Length of Fulls 540-XR adjustable from 12% to 167. 540-XRJR adjustable from 11* to 14½. Overall Length: 540-XR adjustable from 41½ to 46½. 540-XRJR adjustable from 41½ to 45°. Weight: 8 lbs. 13 oz. without sights. Add approximately 9 oz. for sights.

RAMBUS 1982

ON-SHOOTERS AND PAPER-PUNCHERS.



The Model 40-XR.

This single-shot 22 Long Rifle target rifle has a position-style stock with a front swivel block on a fore-end guide rail. These rifles also feature thumb grooves, adjustable combination hand stops, and sling swivels, plus two-way vertically adjustable butt plates. Triggers are adjustable from 2 to 4 lbs. Receivers are drilled and tapped for receiver sights. Target scope blocks are installed.

40-XR Position Rifle 5668

bragth of Pulls 1314". Overall Length: 4214". Barrel Length: 24", Average Weight: 10 lbs. 2 oz. without sights.

The Model 40-XB "Rangemaster."

Here's the centerfire rifle that's as much at home taking varmints as it is taking trophies. Each is made one at a time in our custom shop, individually fired from the shoulder for accuracy, and shipped with the paper target

It's available as a single-shot in all these calibers: 222 Rem., 22-250 Rem., 243 Win., 6mm Rem., 25-06 Rem., 7mm Rem. Mag., 7.62mm NATO (308 Win.), 30-06, 30-538 (30-7mm Mag.), 300 Win. Mag. Or, at an extra charge, as a repeater in these calibers: 222 Rem., 22-250 Rem., 243 Win., 6mm Rem., 7.62mm NATO (308 Win.).

The 40-XB receiver, hand-bedded to the stock, is drilled and tapped for scope block and receiver sights. Target scope blocks are installed.

Other features include a match-type trigger, adjustable from 1½ to 3½ lbs. The weight of pull can be changed externally. A special 2-oz. trigger, which has no safety switch, is available on single-shot models only, at extra charge.

The distinctive, unblued stainless steel barrel is free-floating, drilled, and tapped for scope block and iron front sight.

| The second secon | |
|--|---------|
| 1 S2 Std. Stainless Steel Barrel | Special |
| 2 Heavy Stainless Steel Barrel | Special |
| for Repeating Centerfire Models with Heavy Barrel | Special |
| axtra for 2-oz. Trigger (Single-Shot Models only) | Special |

ength of Pull: 13W. Overall Length: approximately 47". Barrel Length: 27W". Pluzzle Diameter: S2—approxinately 'n'. H2—approximately 'n'. Average Weight: S2—9% lbs., H2—11% lbs.

* Note: The 7mm BR Rem. is not available as a factory- loaded cartridge.

The Model 40-XBBR.

The same basic rifle as our Model 40-XB "Rangemaster" the XBBR is chambered primarily for bench-rest target shooting. Available only as a single-shot, you can order the 40-XBBR in these calibers: 22 BR Rem., 222 Rem., 223 Rem., 6x47, 6mm BR Rem., and 7.62mm NATO (308 Win.).

The 40-XBBR has a match-type trigger, adjustable from 1½ to 3½ lbs. A special 2-oz. trigger is available at extra cost.

| 40-XBBR Stainless Steel Barrel | Special |
|--------------------------------|---------|
| Extra for 2-oz, Trigger | Special |

Length of Pull: 12". Overail Length: 38" with 20" barrel. 42" with 24" barrel. Average Weight: 9% lbs. with 20" barrel. 12 lbs. with 24" barrel.

The Model 40-XC National Match Course Rifle.

Our centerfire 40-XC has the same improved position-style stock as our rimfire 40-XR rifle, pictured. The 40-XC is available as a 5-shot bolt-action repeater in 308 Win. (7.62mm NATO). Its receiver is drilled and tapped for metallic sights; scopemount bases are installed. The trigger is adjustable from 2 to 4 lbs.

| 40-XC National Mai | tch (7.62mm NATO only) | 6002 |
|--------------------|------------------------|------|
| | | |

Length of Pull: 131/2". Overall Length: 421/2" with 24" stainless steel barrel. Weight: 11 lbs without sights.

The Model "XP-100."

Here's the unique single-shot centerfire, bolt-action pistol that has become a legend for its strength, precision, balance, and accuracy. Still chambered for the 221 Remington "Fire Ball" with a vent rib 101/2" barrel, it's also available in 7mm BR Rem. with a 14%" barrel. In this latter configuration you have what has been called the perfect factory-made metallic silhouette handgun for "unlimited" events.


Both "XP-100" handguns have one-piece Du Pont "Zytel" nylon stocks with universal grips, two-position thumb safety switches, receivers drilled and tapped for scope mounts or receiver sights, and match-type grooved triggers.

| "XP-100" (221 Rem. "Fire Ball") | 5470 |
|---------------------------------|----------|
| "XP-100" (7mm BR Remington) | 5471 |

Overall Length: 16%" with 10%" barrel, 21%" with 14%" barrel, Weight: 3% lbs. with 10%" barrel; 41% lbs. with 14%" barrel, Twist: 1 in 12" R.H. (#5470); 1 in 94" R.H. (#5471).

Weights, stock dimensions, and wood-grain figure may vary according to the individual tirearm.

WITH SEVEN AUTOLOADERS, FIVE BOLT ACTIONS



From small-game hunting to metallic silhouette shooting, from precision paper targets to casual plinking fun, there's a Remington 22 built just for you. Each is built to last, because it's made and serviced right here in America.

Choose your action. We have autos, pumps, and bolt actions. Some have scopes, One is for southpaws. Two are downsized for smaller-sized shooters. And one, our famous "Nylon 66," is so durable that it has a lifetime stock warranty. Choice, value, and Americanmade quality and value that show make our 22 family first in its field.

The autoloaders.

The Remington 552 "Speed-master" shoots Short, Long, and Long Rifle cartridges interchangeably. The deluxe walnut-stock BDL model has custom checkering, a rich Du Pont RK-W wood finish, and sights you'd expect on a biggame rifle. The standard Model 552A has an adjustable rear sight, bead front sight, and a walnut-finish hardwood stock.

The tubular magazine holds 20 Short, 17 Long, or 15 Long Rifle cartridges. With the tube out, it's an ideal single-shot rifle for beginners. Both models feature a receiver grooved for tip-off scope mounts. And a positive cross-bolt safety switch.

The pump actions.

Remington builds America's only 22 pump action rifle: the Model 572 "Fieldmaster." Like our Model 552 autos, it accepts all three types of 22 cartridges interchangeably. The 572 has the wainut stock, custom checkering, Du Pont RK-W wood finish, and the sights of our best big-game pumps. Even the budget-priced 572A model has clean, crisp styling and a nononsense walnut-finish hardwood stock that's built to take abuse. The 572's capacities, sights, and safety switch are identical to those of our 552 autoloaders.

Our basic bolt actions.

E ven our low-priced rimfire rifles give you plenty for your money. Use the Model 581 as a 6-shot

repeater, or convert it in minutes to a beginner's single-shot (the adapter is included). The Model 582's magazine tube takes up to 20 Short, 15 Long, or 14 Long Rifle cartridges.

Both rifles have a walnut-finish Monte Carlo stock, an ord-nance-quality steel receiver grooved for a scope, and adjustable sights. The Model 581 is available with a shorter stock that is perfect for younger shooters. A left-hand version is available.


Our top-of-the-line 22.

The Model 541-S "Custom" Sporter is more than just a superbly accurate bolt action 22. It's deluxe in every way. And very popular with metallic silhouette shooters and discriminating small-game hunters alike.

On its American walnut stock you'll find rich, positive-cut checkering, a distinctive butt plate, grip cap, and fore-end tip. Even the all-steel receiver features decorative scrollwork engraving. The 541-S, chambered for Short, Long, and Long Rifle 22s, has an adjustable match trigger, artillery-style bolt with six locking lugs, and double extractors. And a receiver that's drilled, tapped, and grooved for scope mounts.



TWO PUMPS, NOBODY GIVES YOU MORE CHOICE.



The lifetime 22s.

When you buy a "Nylon 66" autoloader, you own the world's most durable rifle: it's the only one made anywhere that carries a lifetime warranty on its stock. Made of Du Pont structural nylon, it won't warp, crack, chip, fade, or peel. If it does, we'll replace it—free.

Not only is there nylon in the stock, but all action surfaces ride smoothly on nylon bearings. 50 there's no need for lubrication. Ever.

Our "Nylon 66" rifles are featherweights at only 4 lbs. They're available in five models and


two stock colors. Some have 4-power scopes. All have a capacity of 14 Long Rifle cartridges. By removing the magazine tube in the stock, you can change it into a single-shot.

Metallic silhouette shooting made easy.


Your participating Remington dealer can tell you how to acquire a complete, low-cost set of four iron animals, sized to meet precise NRA requirements for rimfire silhouette competition. Ask him for details, or write us (see address on back cover).

| , MODEL552- | Order Numbers & | Specifications |
|-------------|-----------------|----------------|
|-------------|-----------------|----------------|

| 552A | 5602 |
|--|------|
| 552 BDL Deluxe | 5604 |
| Sling Strap & Swivels, installed (optional at extra cost) | 6430 |
| Overall Lengths: 40" with 21" barrel. Weights 5% lbs. | |
| MODEL 572—Order Numbers & Specifications | |
| 572A | 5620 |
| 572 BDL Deluxe | 5622 |
| Sling Strap and Swivels, installed (optional at extra cost) | 6432 |
| Overall Length: 40" with 21" barrel. Weight: 5½ lbs. | |
| MODELS 581 & 582—Order Numbers & Specifications | |
| 581 Clip Repeater with single-shot adapter | 9834 |
| 581 Boy's Rifle with single-shot adapter | 9840 |
| 581 Clip Repeater, Left-Hand, with single-shot adapter | 9836 |
| Single-Shot Adapter (for older guns) | 9826 |
| 582 Tubular Repeater | 9856 |
| 581 Extra 5-Shot Clip (optional at extra cost) | 4914 |
| 581 Extra 10-Shot Clip (optional at extra cost) | 9828 |
| Sling Strap and Swivels installed on 581 (optional at extra cost) | 6426 |
| Sling Strap and Swivels installed on 582 (optional at extra cost) | 6428 |
| Overall Length: 42%". Weight: Model 581 -4% lbs., Model 582 -5 lbs. Barrel Length: 24". | |
| MODEL541S—Order Numbers & Specifications | |
| 22 Cal. Bolt Action Clip Repeater | 9800 |
| Extra 5-Shot Clip | 4914 |
| Extra 10-Shot Clip | 9828 |
| Sling Strap and Swivels, installed (optional at extra cost) | 6382 |
| Overall Length: 42%". Weight: 6¼ lbs. Barrel Length: 24". | |
| "NYLON 66"—Order Numbers & Specifications | |
| "Nylon 66" BD "Black Diamond" | 5700 |
| "Nylon 66" BD "Black Diamond" w/4X Scop | 702 |
| "Nylon 66" MB Mohawk Brown | 00 |
| "Nylon 66" MB Mohawk Brown w/4X Scope | 98 |
| "Nylon 66" AB Apache Black | B6 |
| Sling Strap and Swivels, installed (optional at extra cost) | 6418 |
| Company of the compan | |



THE ULTIMATE COMPETITOR, OUR MODEL 870



F or decades now, one name has led the list in target-breaking breakthroughs: ours. That's even truer now, as Remington brings you the world's most innovative trap gun.

The Model 870 "Competition."

This is the first target shotgun that has the pointability of a single-barrel, the low recoil sensation of a Model 1100 autoloader, and the proven reliability of a Model 870 pump.

The "Competition" single-shot trap gun has a unique gasassisted recoil-reduction system. It makes you harder to beat, because you can concentrate more on breaking targets, unaffected by flinching or fatigue. The "Competition's" kind of comfort really shows up on those 300-bird days.

lith a richly figured stock and With a richy righted the full-length fore-end, the "Competition" is unlike any other

870. It features deep, positive-cut checkering and a hand-applied satin wood finish. The receiver sports a nonglare matte finish.

The Remington 3200 matched set.

F or skeet competitors, our ultimate all-events shotgun is our limited-production 3200 skeet gun and small-gauge barrel set. With the .410 bore and 28, 20 and 12 gauge, the point of impact, sighting plane, weight, and balance are virtually identical. Smaller-gauge barrels fit snugly into the 12-ga. fore-end without unsightly wood-to-metal gaps.

he 3200's wood is select American walnut. With deep-cut checkering, a rich low-lustre finish, and finely polished barrels, its appearance matches its high performance. The set comes complete with a custom-fitted luggage case.

"Automagic" that never quits.

he Model 1100 story of great pointability, low recoil, and reliability is told daily on score sheets and in clubhouses every-

where. There are no less than 15 different ways to have an 1100 help you break more birds, in trap or skeet.

Jow special weight-equalizer Now special neighborships with the smallergauge 1100s the balance and pointability that's nearly identical to that of our 12-ga. model. It's the closest thing yet to a matched set, but at a fraction of the cost. Your full-service Remington dealer has details.

heck the charts and you can ⊿ see that nobody can offer you a wider line of value-packed, qualitybuilt clay-target shotguns than we do. Autos. pumps, over-and-unders, in the barrel lengths, chokes, and gauges you need to take you from league shoots to the big leagues.

REMINGTON & PETERS TARGET AMMUNITION with "Power Piston" wads

| Gauge/ Bore | Load Type | Shell Length | Powder Equiv. Drams | Ounces of Shot | Shot Sizes | Remington Order No. | Peters Order No. |
|----------------|----------------------|-----------------|---------------------------|-------------------|----------------|---------------------------|------------------------|
| 12 | "Blue Magic" | 2%" | 3 | 1% | 7%. 8. 9 | | PTL12M |
| 12 | Trap & Skeet | 2¾" | 2 % | 1% | 74, 8, 9 | | PTL12L |
| 20 | "RXP" Skeet | 2 ¼" | 21/2 | 7/4 | 9 | XR20 | X |
| 28 | Skeet | 2¾" | 21/4 | Y ₄ | 9 | SP28 | |
| .410 | Skeet* | 21/1" | Max. | Y2 | 9 | SP410 | PS410 |
| 12 | Int'l, Pigeon | 2 %" | 3% | 1% | 71/2. 8 | SPI2L | |
| 12 | Int'i. Trap | 2%" | 3% | 1% | 7½ (Nickel) | NSP12H | |
| | Int'i. Trap | 24" | 3% | 1 1/4 | 77, 8 | SP12H | - |
| ses a spe | cial shot container. | | | | | | |

PLUS 26 OTHER WIN, PLACE & SHOWPIECES.



3200 SALLT-Order Numbers & Specifications

| Barrel Length & Choke | "Competition" Skeet Satin Finish |
|---|--|
| .18" Skeet/Skeet | 3237 |
| '8" Imp. Mod./Full (Live Bird Gun) | 3207 |
| Skeet Set | 3237 & 3299° |
| 13200 "Competition" 12 ga. skeet gun-3237, 3-ba | rrel skeet set, with case-3299. Note: Both |

numbers must be used to order the four-barrel set. No orders for 3299 alone will be accepted at this time.

Nominal Stock Dimensions: 14" long, 2%" drop at heet, 1%" drop at comb. Overall Length: Skeet-45%" with 28" barrels. Average Weight: 8 ibs. with 28" barrels.

5200 TRAP, 12 GAUGE-Order Numbers & Specifications

| Barrel Length & Choke | "Competi Satin | tion" Trap Finish |
|--------------------------|-------------------|----------------------|
| | Reg. Stock | Monte Carlo |
| 12" Imp. Mod./Full | 3283 | 3289 |
| 10" linp. Mod./Full | 3287 | 3293 |
| 50" full/full | 3285 | 3291 |

Cominal Stock Dimensions: 14%" long, 2" drop at heel, 1%" drop at comb, 1%" drop at Monte Carlo. therall Length: 48" with 30" barrels and recoil pad. Average Weight: 8% lbs. for guns with 30" barrels. MODEL 1100 SKEET-Order Numbers & Specifications

MODEL 870 TRAP, 12 GAUGE-Order Numbers & Specifications

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|---------------|--------------------------|----------------------------|----------------------|
| TA Grade | 30" Full | 5046 | 5050 |
| Special Order | Model 870 Trap an | d Skeet: D and F Premier (| irades (engraved). |

Stock Dimensions (with recoil pad). Regular Stocks 14%" long, 1%" drop at heel, 1%" drop at meel, 1%" drop at meel, 1%" drop at monte Carlo. Average

MODEL 870 "COMPETITION" TRAP, 12 GAUGE-Order Number & Specifications

| | Barrel Length & Choke | Standard Trap Stock | |
|---------------|--------------------------|------------------------|--|
| "Competition" | 30" Full | 5204 | |

Nominal Stock Dimensions (with recoil pad): 14%" long. 1%" drop at heel. 1%" drop at comb. Average Weight: 81/2 lbs.

MODEL 1100 TRAP, 12 GAUGE-Order Numbers & Specifications

| | Barrei Length & Choke | Standard Trap Stock | Monte Carlo Stock | |
|---------------------|--------------------------|------------------------|----------------------|--|
| TA Grade | 30" Full | 5446 5454 L·H | 5450 5456 L H | |
| Fournament Grade | 30" Full | 5588 | 5592 | |

Special Order Model 1 100 Trap: D and F Premier Grades (engraved).

Nominal Stock Dimensions (with recoil pad): Regular Stock: 14%" long. 1%" drop at heel. 1%" drop at comb. Monte Carlo: 14%" long. 1%" drop at heel. 1%" drop at comb. 1%" drop at Monte Carlo: Average Weight: 8% lbs.

| Gauge | Barrel Length & Choke | SA Grade | SB Grade | "Tournament" Grade |
|-----------|--------------------------|-------------|-------------|-----------------------|
| 12 | 26" Skeet | 5356 | _ | 5304 |
| | | 5564 L-H | - | |
| LT-20, 20 | 26" Skeet | 5244 | | 5226 |
| 28 | 25" Skeet | 5432 | - | 5282 |
| .410 bore | 25" Skeet | 5298 | | 5300 |

Nominal Stock Dimensions: 14" long, 2%" drop at heel, 1%" drop at comb. Average Weight: 12 ga.-7% lbs: Std. 20 ga.-7% lbs: LT-20, 20 ga.-6% lbs: 28 ga.-6% lbs: .410 bore-7% lbs. Model 1100 Weight Equalizer Kits: For LT-20-Order #6464: 28 ga.-#6466: .410 bore #6468. Extra Barrels: See page 20.

Weights, stock dimensions, and wood-grain figure may vary according to the individual lirearm.

BARBER - PRESALE P. 0424600 RREIS

DOZENS OF WAYS TO GET EXTRA DUTY FROM EVERY MODEL 1100 AND 870.


With extra barrels, your field gun can become a target gun, your goose gun an ideal deer gun. In seconds. You're the expert when you own the special extra barrel matched to the job.

Nobody offers you more choices of extra barrels than we do. There are even extra barrels for the left-hand versions of both our 870s and 1100s.

One thing to remember.

B arrels must be matched to the correct receiver, and within the proper gauge. Extra interchangeable 2¾" chambered barrels, available for Magnum receivers, will handle all 2¾" shotgun shells within the same gauge.

For the full story, check your dealer's Remington Extra Barrel Selector.



MODEL 870 "Wingmaster" Extra Barrels-Order Numbers

| | 12 Ga. | LT-20 20 Ga. | 28 Ga. | .410 Bore |
|--|--------------|-----------------|----------|--------------|
| IELD GRADE, PLAIN | | | | |
| 30" Full Choke | 9500 | | | |
| 28" Full Chake | 9502 | 4440* | | |
| 25" Pull Choke | | | 9588 | 9574 |
| 28" Mod. Choke | 9504 | 4442* | | |
| 25" Mod. Choke | | | 9510 | 9576 |
| 26" Imp. Cyl. Choke | 9508 | 4444* | 2010 | |
| 25" Imp. Cyl. Choke | | | 6584 | 9578 |
| FIELD GRADE, Rifle Sights, Deer | | | 0304 | |
| 22" Imp. Cyl. | 9568 | | | |
| 20" Imp. Cyl. | 3300 | 4438° | | |
| FIELD GRADE, VENT RIB, Duck/Goose | | 4430 | | |
| 34" Full Choke | 6576 | | | |
| FIELD GRADE, VENT RIB | 0370 | | _ | |
| 30" Full Choke | 9512 | | | |
| 28" Full Choke | 9514 | 4446' | | |
| 25" Full Choke | 3314 | 4440 | 6586 | 9580 |
| 28" Mod Choke | 9516 | 4448* | 0300 | 3300 |
| 25" Mod. Choke | 3010 | 4440 | 6588 | 9582 |
| 26" Imp. Cyl. Choke | 9520 | 4450* | 0300 | 3301 |
| 25" Imp. Cyl. Choke | 9320 | 4450 | 6590 | 9584 |
| 23" Mod. Choke | | 4434* | 0390 | 3304 |
| 23" Imp, Cyl. Choke | | 4436* | | |
| FIELD GRADE, LEFT-HAND, VENT RIB | | 4430 | | |
| 50" Full Choke | 5603 | | | |
| 28" Mod. Choke | 5682 | | | |
| 26" Imp. Cyl. Choke | 5684 | | | |
| | 5686 | | | |
| FIELD GRADE, Migh Grade | ** / | | <u> </u> | |
| D Tournament, Vent Hib (engraved): Premier, Vent F | ub (engraved | 1} | Special | oraer |
| TRAP, VENT RIB 34" Full Choke | 2512 | | | |
| | 9610 | | | |
| 30" Full Choke 28" Full Choke | 9612 | | | |
| | 9616 | - | | |
| 30" Mod. Trap Choke 28" Mod. Trap Choke | 9614 | | | |
| TRAP, High Grade | 9618 | | | |
| | | | | |
| D Tournament (engraved): F Premier (engraved) | | ecial order | | |
| SKEET, VENT RIB 26" Skeet Choke | 0500 | 11121 | | |
| 25" Skeet Chake | 9522 | 4452* | | |
| | | | 6592 | 9586 |
| SKEET, High Grade | 6 | | | |
| D Tournament lengraved); F Premier (engraved) | Special | order | | |
| LEFT-HAND VENT RIB, Trap & Skeet | 0600 | | | |
| 30" Full Choke Trap | 9620 | | | |
| 26" Skect Choke | 5688 | | | |

| Note: LT-20, 20 gauge Lightweight barrels (4400 Series) will not fit pre-1977 20 gauge Lightweight or | |
|---|--|
| standard 20 gauge Mode! 1 100 shotguns. (Refer to parts list for pre-1977 barrels.) | |

| | 12 Ga. | 20 Ga. Std. | 20 Ga. Liwi. | 28 Ga. | .410 Bore |
|------------------------------------|---------------------------------------|----------------|-----------------|--------|--------------|
| FIELD GRADE, PLAIN | | | | | |
| 30" Full Choke | 6214 | | | | |
| 28" Full Choke | 6216 | 6270 | 6296° | | ¥ ; |
| 25" Full Choke | | | | 6282 | |
| 28" Mod. Choke | 6218 | 6272 | 6298* | | |
| 25" Mod. Choke | | | | 6284 | 6238 |
| 26" Imp. Cyl. Choke | 6220 | 6274 | 6300° | | |
| 25" Imp. Cyl. Choke | | | | 6286 | 6248 |
| FIELD GRADE, Rifle Sights, Deer | | | | | |
| 20" lmp. Cyl. | 6544 | 6230 | 4524* | | |
| FIELD GRADE, VENT RIB, Duck/Goo | se | | | | |
| 34" Full Choke | 6304 | | | | |
| PIELD GRADE, VENT RIB | | | | | |
| 30" Full Choke | 6222 | | | | |
| 28" Full Choke | 6224 | 6276 | 6322° | | |
| 25" full Choke | | | | 6288 | 6250 |
| 28" Mod. Choke | 6226 | 6278 | 6324° | | |
| 25" Mod. Choke | | | | 6290 | 6264 |
| 26" Imp. Cyl. Choke | 6228 | 6280 | 6326° | | |
| 25" Imp. Cyl. Choke | | | | 6292 | 6266 |
| 23" Mod. | | | 4526 | | |
| 23" Imp. Cyl. | | | 4528 | | |
| FIELD GRADE, LEFT-HAND, VENT RI | В | | | | |
| 30" Full Choke | 6200 | | | | |
| 28" Full Choke | | 6208 | | | |
| 28" Mod. Choke | 6202 | 6210 | | | |
| 26" Imp. Cyl. Choke | 6204 | 6212 | | | |
| FIELD GRADE, High Grade | | | | | |
| D Tournament (engraved): F Premier | (engraved) | Speci | al order | | |
| TRAP, VENT RIB | · · · · · · · · · · · · · · · · · · · | | | | |
| 34" Full Choke | 6340 | | | | |
| 30" Full Choke | 5242 | | | | |
| 28" full Choke | 6244 | | | | |
| 30" Mod. Trap Choke | 6232 | | | | |
| 28" Mod. Trap Choke | 6246 | | | | |
| TRAP, LEFT-HAND, VENT RIB | | | | | |
| 30" Full Choke | _ 6206 | | | | |
| D Tournament (engraved): F Premier | (engraved) | Speci | al order | | |
| SKEET, VENT RIB | | | | | ₹ |
| 26" Skeet Choke | 6240 | 6508 | | | |
| 25" Skeet Choke | | | | 6294 | 6268 |
| SKEET, High Grade | | | | | |
| D Tournament (engraved): F Premier | (engraved). | Speci | al order | | |
| 430 030 Highty -i-th be | . (1) 20 | | | | |

^{*20} gauge 870 Lightweight barrels will not fit 20 gauge standard 870 guns.

REMI 1982 PRESENTS A JEWEL OF A RIFLE FOR A DIAMOND ANNIVERSARY.



Learn inore about our lates Le diamond-anniversary jewel. Se gar full-service Remington deale


The second secon




Remington

- TEST FELD

any complements of semination arms Company the NOT FOR ALL HOTH TO AND THE AND







On every Remington you'll find some words that are missing on all too many products these days: "Made in U.S.A." That says plenty about the way we've been making America's most popular firearms since 1816.

Our latest "First in the Field." For 1983, we're offering hunters what is certainly the most innovative centerfire rifle in over a decade. The Remington Model Seven.

From tons of research comes the lightest, most compact

Remington centerfire rifle ever. And along with the strength of its bolt action and five high-velocity calibers, this new rifle has the best power-to-weight ratio of any rifle made. In America or anywhere else.

Shoulder a Model Seven. You'll notice immediately it's compact yet solid, ruggedly built yet incredibly light. Fact is, the Seven gives today's hunter the lightness and quick handling of traditional scabbard rifles. With none of the shortcomings of their actions or caliber choice.


The Model Seven didn't start as a heavy rifle that had its barrel turned down or lopped off. This rifle came fresh off a drawing board, with its light weight and ideal bal-

ance designed in from the start. There was never a compromise in quality, either; this new bolt action rifle is the state of the art in wood and metal. American walnut and blued steel.

Check the chart. You'll see that the Seven is available in five modern, high-performance calibers. Its exclusive short action surrounds the cartridge head with three rings of solid steel.



The highly polished bolt, machined from the finest ordnance steel.



Every Model Seven is built to ac accuracy standards of our amous Model 700, and is indicidually test fired to prove it. as 18½. Remington special teel barrel is free-floating out as single pressure point at the acceptance quality steel in everyang from its fully enclosed foll and extractor system to its feel trigger guard and floor rate. Ramp front and fully ijustable rear sights, sling wivel studs are standard.

Sure to be appreciated is the stylish turn of the Seven's softmabel fore-end. The slim, satin-finished stock and cat checkering look great and colormalike a Remington first in the Field."

Model Seven

| Calibers | 222 Rem. | 243 Win. | 7mm-08 Kem. | 6mm Rem. | 308 Win.* |
|-----------------------|-------------|-------------|----------------|-------------|--------------|
| Clip Mag. Capacity | .5 | 4 | 4 | 4 | 4 |
| Barrel Length | 181/1" | 181/2" | 181/2" | 181/2" | 1815" |
| Overall Length | 3715" | 37⅓" | 37%" | 371/2" | 371/2" |
| Twist R-H (I turn in) | 14" | 91/4" | 914" | 9¼" | 10" |
| Average Weight (lbs.) | 614 | 614 | 64 | 6^{i} | 613 |
| ORDER NUMBERS | 4780 | 4782 | 4784 | 4786 | 4788 |
| Shipping Dates | Jan. '83 | Jan. 183 | Mar. '83 | Mar. '83 | Jan. '83 |

Standard Stock Dimensions: 1397 length of pull, 1" drop at beel, 5% drop at comb (measured from centerline of bore).

Weights, stock dimensions, and wood-grain figure may vary according to individual firearm. *Includes Remington "Accelerator" cartridge.




SPORTING ARMS

| Centerfire Rifles |
|----------------------|
| Bolt Action 2 5 8 9 |
| Autoloading 6 9 |
| Pump Action 6 9 |
| Field Shotguns |
| Autoloading 10-11-32 |
| Pump Action 12 - 13 |
| Shotgun Extra |
| Barreis 14 |
| Trap & Skeet |
| Shotguns 15 |
| Target Kifles |
| & Pistols 16 17 |
| Rimfire Rifles 38-19 |
| Custom Gun Shop 24 |

AMMUNITION

| Shotgun Shells | 20 | 2 |
|--------------------|----|-----|
| Centerfire | | |
| Riffe Cartridges | 24 | 29 |
| Pistol & Revolver | | .30 |
| Rimfire Cartridges | | . 3 |



Now the rifles with the strongest actions and the largest following are better than ever.

Our economical Model 700 ADL is handsomely restyled for 1983. and available in nine potent calibers. Dollar for dollar, no other bolt action rifle in America can match ats price/performance ratio.

Our 700 "Classic" is now chambered in a .30 caliber legend: the 300 H & H Magnum, Available in limited quantities only through your full-service Remington dealer on a first come, first-served basis.

For the first time ever, the 700 BDL will be chambered in a varminter's favorite: the 223 Rem.

The 700s-tough actions to follow. Hunters around the world claim these rifles have the toughest, smoothest actions available today. That's because they have receivers machined from single fallets of ordinance quality steel.

The bolt face, barrel, and receiver surround the cartridge head with three rings of solid steel. And there are no extractor cuts to weaken it.

Each 700 is precision-crafted, hand-assembled, inspected, and test-fired. Every part is made right here in the U.S.A.; that's been the Remington way since 1816.

There's a Model 700 for every kind of hunter, and every hunter's taste. If you want a Monte Carlo stock, high-gloss finish, plus many custom touches, you'll want a 700 BDL. Prefer a traditional


straight-line stock and satin finish? Look at our 700 "Classic." Or Outdoor sportswriter Jim Carmi for a stylish combination of both, chel said the "Classic" is "proba at a lower cost, see our new ADL.


700 action in a made to order rifle, you'll want a 700 "Custom."

What's new in the 700 ADL. For 1983, the ADL has a slimmed down pistol grip, restyled foreend, cut checkering in a new pat tern, and a satin wood finish on its Monte Carlo stock. And standard sling swivel studs.

The "Classic" adds a caliber. bly the best looking, most shoot If you want the strength of a lable hunting rifle ever offered by an American firearms maker." Wait till he sees our newest "Classic the 300 H & H Magnum.

> We've recently offered sports men two other limited production 'Classics' in long standing taxor ite calibers. The 7mm Mauser (7x57) and 257 Roberts "Classic sold out last. The 300 H & H should





 equally popular. We suggest you ex your order early in 1983.

case every 'Classic' it has a court stock, full pattern cut to kering, satin finish, rubber to pad swivel studs hinged or plate and a reputation for curacy.

Sights, scopes, and safeties, a ADLs feature blade ramp front eights. BDL front sights are socied. Rear sights on both rifles re-adjustable for elevation and andage. All sights are removable.


Classics" and "Varmint pecials" have no sights. Sights to optional on the 700 "Custom." All 700 receivers are drilled and

ed for scope mounts. "Var Specials have front and rear et scope blocks.


csalety switch on all 700s is a witive thumb type. All Magidels feature presentation coordinates.

Model 700

| | | | Overall | Length/Av | g. Wt. (1b.) | Twist | Order Numbers | | | | |
|---------------------|--------------|------------------|-----------------------------------|----------------------|-----------------------|--------------------------------|---------------|-------|---------|----------------------|---------|
| Calibers | Mag. Cap. | Barrel Length | "Classik" | "Varmint Special" | ADL, BDL& "Custom" | K-II I turn in | "Classic" | ADŁ | BDL | "Varmint Special" | .Custom |
| 17 Kem | 5 | 24" | | - | 4312"/714 | 9" | | | 5801 | | |
| 222 Rem. | 5 | 24" | | 43/7/9 | 43/2"/7/4 | 14" | . ". | 5761* | 5781 | 5821 | Sp. 1 |
| 22-250 Rem. | 4 | 24" | $43(z^{\prime\prime}\cdot7)_{z}$ | 4317"/9 | 4312"/712 | 14 " | 5854 | 5763* | 5783 | 501.23 | Spr i |
| 225 Rem. | 5 | 24" | | 43/2/79 | 4307779 | 12" | | | 5798 | 1941 | |
| 5mm Rem | 1 | 22" | 1107 707 | 4.51-7-9 | 1197, 79 | Gr _n " | 5858 | 5765* | office | 15.7 | 1940 |
| 213 Win. | 4 | 22" | $M(x, \mathcal{P}_{\mathcal{F}})$ | 1317779 | 4197/75 | $\mathbf{G}^{1}\mathbf{n}^{*}$ | 5860 | 5767* | 5787 | 5002.0 | · ; ; |
| 25-06 Rem. | 4 | 24" | | 45'2"/9 | 4112"/714 | 10" | | 5769° | 5789 | 5831 | Sjeri |
| 270 Win | -1 | 22" | $42(7'\cdot 7)_3$ | | 4197/75 | 10" | 5864 | 5771* | 57913 | | Spell |
| 7mm O8 Rem | 4 | 22" | | $43^{1}T/9$ | 41121/75 | 91." | | | 5799 | 7/15- | |
| 30.06 & 30.06 | | | | | | | | | | | |
| Accelerator | 4 | 22" | 4297, 792 | *** | 4112"/75 | 10" | 5866 | 5773* | 579,31 | | 8, 1 |
| 308 & 308 | 1 | 22" | ÷ | 4597,19 | 41171/715 | 10" | | 5775* | 5745 | 15 5 4 | ٠,٠ |
| Acceletator | | 1 | | | | 12* | | | | | |
| 7mm Kem. Mag.: | .3 | 21" | 4417 711 | | 11177/71 | 9'4" | 5872 | 5777 | 280 2** | | *: |
| 300 H&H Mag. | 3 | 24" | 441271714 | | | 10" | 5846 | | | | |
| 300 Win Mag./ | 3 | 24" | | | 441.7175 | [0" | | | 5807 | | |
| 8mm Rem. Mag · | 3 | 237 | | | 4417.775 | 10" | | | .98044 | | 1 |
| 575 Hedt Mag ? | 3 | 21" | | | 1417,710 | 15 | | | 5856 | | |
| 458 Win Mag./ | _3 . | 24" | | | 4417779 | 14" | | | 5838 | | |
| Stock Dimension: | 5 | | | | | | | | | | |
| Length of Puil | | | | | | | 15 - | 157 | 151 | | |
| Drop at flect (from | centerl | inc of bor | t.1 | | | | 11 | Σ, | 27 | | |
| Drop at Combidion | n cente | rime of be | re-1 | | | | ٠." | 1 - | 1 | • | |







Before that big buck becomes a blur, your new Model Four or Six rifle is on him. With the lightning-fast actions that give you the quickest second shot in the woods. Just in case you need it.

We've been making autoloading and pump action centerfire rifles longer than anybody. And every part of every one of them has been designed, built, and deepwoods tested right here in America.

An informative, elegant touch.



A bolt you'd expect in a bolt action.



The Four and Six are the smoothest, best-balanced, most dependable rifles ever made in their action types. Our experience in making autoloading rifles goes back over 75 years we've built pumps for over 70.

The Model four's autoloading action has a unique gas-metering system. The double action bars on the Six slide fast and easy. They totally eliminate twisting or bring. For added strength on rifles, the bolts have locking kasyou'd expect on the finest bolt action rifles. Receivers are milled from solid blocks of ordnance quality steel.



Foth rifles are loaded with stom touches, too. Like posicut checkering on American out Monte Carlo stocks. And a sidge head, indicating the caliis imbedded in blued steel, is extra cost options, you isomafize your four or Six is dish pewter grip cap indesigned by wildlife sculptor field.

 Four and Six have beefy.
 Functioning magazine reand rugged four shot mag-Blade ramp front sights



and adjustable sliding-ramp rear sights are standard. Receivers are drilled and tapped for scope mounts. A positive, cross-bolt safety switch is fitted to all models.

Model Four & Model Six


| Calibers | 6mm Kem. | 243 Win. | 270 Win. | 280 Rem. (7mm (xp. Kem.) | 30 06 Sprg.* | 308 Win.* |
|-------------------------|--------------|--------------|--------------|--------------------------------|-----------------|--------------|
| Barrel Length | 22" | 22" | 22" | 7.1 | 22 | 22 |
| Overall Length | 12" | 42" | 12" | ¥21 | 42 | +2 |
| twist RTI Utum in | 90.7 | 91" | lt r | 111. | 10.0 | 1* - |
| Average Weight (lbs.) | 100 | 7. | | | | |
| ORDER NUMBERS | | | | | | |
| Model four Model Six | 1710 1680 | 1712 1682 | 3711 1580 | 570 | 10 m | • • |

Special Order Models Four and Six: Differless Grade and J. Postor contact to the engraved) and J. Premier Grade rengraved, with gold mlays are available of the first fast of 4 shot magazine available at extra cost.

Standard Stock Dimensions: 1.5% length of pull (2) -doop at 6%, (3) - 6%, (4) - 6% Model Six also accepts (3) 0.6 "Accelerator" and (508) Accelerator (4) are steps: Weights, stock dimensions, and wood quant figure may vary according (3) (6) - (4) (6)



snams touch to set your Model Four, Six, or Seven apart.



Every Remington centerfire title is loaded with value, but three of our models combine their game-dropping performance with low price.

Choose your action. There's an economical Remington rifle in today's most popular types: autoloaders, pumps, or bolt actions.

The 7400 auto. Here's the rifle that gives you the mechanical innovations and power of our topol the line Model Four, but at a lower cost.

The 7400 has an improved gasmeter autoloading action. And a bolt tough enough to come from a bolt action rifle.

You'll find the Model 7400 in six of today's most popular varmint and big game calibers. Its bladeramp front sight and adjustable sliding ramp rear sight are stan-

dard. Receivers are drilled and tapped for scope mounting.

A sturdy, easy-functioning magazine release makes cold-weather changes of its 4-shot magazine a snap.

Both 7400 and 7600 rifles have traditional straight-line American walnut stocks with handsome checkering patterns.


The 7600 pump. Even our lowest-priced pump has the same ordnance steel receiver, bolt, smooth-sliding double action bars, magazine release, sights, and cross-bolt safety switch as our high-grade Model Six.


In appearance, the 7600 is the good-looking twin of our 7400.

The 7600 is available in five favorite calibers, from 6mm Rem. to 308.

The 788 bolt action. We ve been calling this rugged, no nonsense rifle the 14 x 4 of bolt action centerlines. To wonder.

Combining simple good looks with incredible accuracy the 788





is one backwoods or mountain rifle you don't have to baby.

The 788's bolt and receiver are alled from ordinance-quality 1 and have nine locking higs strength. The barrel is fitted in a one piece blade ramp front and an adjustable V-notch is sight. The safety switch is the set action thumb type.

The 788's all business nature is officed with the classic lines of is straight hardwood stock. It usures a more consistent eyemal sight alignment, lower recoil sensation, less muzzle jump.

Put the rugged, refined 788 to solk in one of six hard hitting bers. From varmints to big to it gives you plenty. Without sending plenty for it.

Model 7400 & Model 7600

| Calibers | 6mm Rem. | 243 Win. | 270 Win. | 280 Kem. (7mm 1 sp. Kem.) | 30-06 Sprg.* | 308 Win. |
|--------------------------|--------------|--------------|---------------------|---------------------------------|-----------------|--------------|
| Barrel Length | 22" | 22" | 22* | 22" | 22" | - 12" |
| Overall Length | 12" | 42" | 12" | 42" | 42" | 42" |
| Iwist K-If I turn in | 90.5 | $9^{r}s''$ | [0" | 9^{i} i'' | 10" | 10" |
| Average Weight (lbs.) | 717 | 752 | 712 | 712 | 71 | 717 |
| ORDER NUMBERS | | | | | | |
| Model 7400 Model 7600 | 4708 4650 | 4710 4652 | $\frac{4712}{4654}$ | 4714 | 1716 1656 | 1718 3658 |

Extra 4 shot anaquid control of control of the cont

Standard Stock Dimensions: A length of pull (2) solves a drop at comb

*Model 7600 associate cpts Scoros "Accelerator and S08 Accelerator cartridges

Weights store dimensions and word quantique man, as we will be a selected individual freezion.

Model 788

| Calibers | 222; Rem. | 223 Kem. | 22-250 Kem. | 243 Win. | 7 mm-08 Rem. | 308 Win. |
|--------------------------|--------------|--------------|----------------|-------------------|-----------------|--------------|
| Clip Mag. Capacity | 1 | 4 | .5 | .3 | .5 | .5 |
| Barrel Length | 23" | 24" | 24" | 180 /" | 180 / | 189 |
| Overall Length | 45.7 | 45 - | \$5.50 | 589" | 5841.00 | 5851 |
| fwist R H I turn in | 15" | 12" | 177 | $9^{\iota_{n''}}$ | ۳۱ تالا | 10" |
| Average Weight (468-) | 714 | 7. | 71. | 711 | 71 | 7.1 |
| ORDER SUSHBLICS | | | | · · · · · | | |
| w from Sights w Scope | 9618 9820 | OBO6 OBO7 | 9809 9809 | 9812 9813 | 9816 | 981) 9815 |

*Also accepts 5000. Assertable cantindges


Optional sing strapound sweet (1904) able at extracost Txtra channage are taken to the con-

end

Standard Stock Dimensions: length of pull _____

droje d saqutina :

Weight to be 1, 10 mm quant bases as a midwell and the control of



The Model 1100 is America's most popular autoloading shotgun. Sportsmen and women count on it for sweet handling, low recoil sensation, dependable performance under the most adverse conditions. And for its incredible versatility.

The same Model 1100 that you buy for waterfowl hunting today can become an ideal upland, target, or rifled-slug gun for big game. In seconds. The 1100 has the

widest choice of economically priced, ruggedly built extra barrels. Read more on page 14.

Our new Model 1100s. The back cover shows you our latest "first in the field" - the 1100 "Special Field." It combines traditional styling, compact dimensions, ideal balance, positive cut checkering, and less weight to give the upland hunter an exceptional performance package. At only a few dollars above our standard 1100s, it's an

exceptional value, too. In both 12 fine. And every 1100 has an Ameri and 20 gauge.

Our autoloading line now includes an LT-20 Magnum with a 28" Mod. choke barrel. And a firstfor leftics: a 12-ga. slug gun with a 22" barrel, Imp. Cyl. choke.


The heart of every 1100 is its tough, ordnance-quality steel receiver. No other gunmaker today puts the strength of a steel receiver on every autoloader in its


can walnut stock and fore end.

On all too many firearms these days, about the only thing that's still American is the wood. Not so with Remington, Every part is designed built tested and serviced in the U.S.A. That's been our only way for over 165 years.

The 1100's strength starts with solid engineering. Both barrel and receiver come from single billets of ordnance quality hardened steel. All action parts are vibra-honed for smoothness. The 1100 has a unique gas metering system which reduces recoil sensation to a gentle nudge. Knowing you won't get a kick helps you concentrate more on hitting target. And getting your limit

No other autoloader made today comes in more gauges, versions, or specifications. Surely the most versative of them





extra barels you buy Model o Magnums can be quickly averted for almost any kind of agumning. Without tools.


Model 1100 Magnums in 12 and nges, give you virtually every con could ask for in one thing shooting system. included.

ights, safeties, and capaciteld grade 1100s have positoss bolt safety switches. bead from sights, All 1100s 410s and "Special Fields" 5 shot capacities (3 shot unished). The 340s hold shells "Special Fields" no 2% shells.

ent 1100 barrels pennit reof factory fooded steel ordicer on appearance

| | Barrel Length and Choke | Overall Length | | Plain | | Order Namber r | | |
|---------------|--|----------------------|----------------------|------------------------|-----------------------|--------------------|--------------------------|----------------|
| | 32" Full (The Atlantin') 30" Full 20" Full | (x)" | (fbs.) | Barrel | Vent Rib (R-H) | Vent Kib (1-11) | 7' Ch Plain Barrej | imper imper |
| 1. | 26° Mout 26° Imp. (34 24° Iulia S. | ัมรู: บระ โรก: | 674 656 | 53.9 53.90 53.96 | 5553 5550 | 2.40 | . Soir (1.) | Hits |
| | 21' Juli e Special Field (21' Stal, e Special Field (21' Imp. (sk.) Special Field (22' Imp. (sk.) Deer Lam with 14b Sulus | 5.7. * | 25 75 75 75 | Sen | 558) 558) 5270- | 2017 2017 | υ | . • |
| | 28' full | 42* | 7% | 5 1443 | 5272 • 5274 • | | | |
| | 20° Mad. 20° Imp. Cyt. | 115. 115. | 4 | 52.98 | | 5,3000 | | |
| 11 30 | 23° Mod. (Etd.) 23° Imp. Cyl. (Etd.) | 167 1107 | 7 | 5.00 523.0 | 52.54 52.56 | | | |
| | 43 tull . S | thý: Tuy | tery tery | '# *C | 5258 5261 | | | <i>.</i> . |
| | I June Car See tal Parket | 11 - | ters org | | 5262 51364 | | | |
| | 25" Tull | 11: ;* 10: | to ; | 5 Day | 5458 • | | | |
| | 25° Mod. 25° Imp. Cyl. | | 40 g | is making | ille sights & wer | ut part i | | |
| Ho - anc 2 | 25 Pall 25" Mad | | ώ. | | 5116 | | | |
| | 5 lance tex | 15" | 7 | | 5426 | | | |
| Order Words | PHIOS: The continue to the continue of the co | nat stock dincen | , | | | | | |

1



Back in 1908, hunters liked the way Remington's first pump action shotgun came up fast, pointed well, and cycled shells smoothly. Our Model 10 was built simple and strong, just like our refined pump actions that followed it.

Over 32 years ago we built the first Model 870 "Wingmaster," the shotgun that was destined to become the most popular pump action in history. Today, well over 3 million 870s are helping America's hunters stay "First in the Field,"

Its legendary performance, reliability, and value have also made it the standard law enforcement shotquir, from Atlanta to Alaska.

A special 870 helps Ducks Unlimited. New for 1983 is a DU Commemorative 870, available only through your full service Remarglon dealer. The Mississippi." the first 12 qa. 3" Magnum 870 we've ever offered with a 52" full




Choke barrel, gives you a long sighting plane and smooth, con trolled swing for longer-range pass shooting. And we send DU a contribution for every gun sold.


This Model 870 has distinctive engraving on both sides of its allsteel receiver, and a special DU serial number. Because it will only be produced this year, it's sure to become a collector's item. For more about Ducks Unlimited, write them at Box 66300, Chicago, IL 60666.

Our newest 870 pumps. There's a growing number of hunters who appreciate scaled down, lighter weight shotgums. We've just expanded our line with a new light weight 20-ga. Magnum with a 28" Modified choke, vent rib barrel.

Southpaw slug hunters will go for our latest 870. It's a true lefthand shotgun with a 20" Improved Cylinder slug barrel and riffe sights. The 870 for smaller-framed shooters. Last year we introduced the popular Model 870–20 qa. Lightweight Limited. With its 15% shorter stock, 5% shorter barrel, and scaled-down all-steel receiver the Limited is perfect for the beginning younger shooter or any smaller framed adult. It say adable with either Mod. or Imp. Cyl. choke

Even our smallest, lightest receiver is machined from a solid billet of ordnance steel. Action parts are vibra honed for smoothness. Double action slide





bars eliminate binding and twistard so extra shots come as fast as are can pump and pull the trigger.

A word about barrels. The 870 is the widest choice of extra bar-icls: see page 14.

Current Remington barrels can handle the repeated use of factional loaded steel shot loads without affecting the appearance or flormance.


Field 870s have metal-bead front quits: deer guns have rifle sights. al 870s except (410s* have a 5not capacity. A 3 shot plug is ked free.

Figure 870 has a positive, crossit safety switch. All 12- and 20models have recoil pads. Stocks solid American walnut, with its finctive checkering, and a duble Duffort RK W limish.


Compare our 870s with any to pump action leader.

Model 870

| | | | | | Οτα 2¼" Ch | der Numbers Jamber | | . : amber |
|-----------|------------------------------|-------------------|-----------------------|-----------------|-------------------|-----------------------------------|-----------------|------------------|
| Gauge | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Plain Barrel | Vent Rib (R-H) | Vent Rib (L-II) | Plain Barrel | Vent Rib |
| | 32" Full ("The Mississippi") | 5217" | 7 | | | | | |
| | 30° Full | 5017" | 7 | 6900 | 6930 | 2210 | | 1.00 |
| | 28" Full | 4897 | 7 | 6903 | 6932 | | | |
| 12 | 28" Mod. | 4897 | 1 | 0,104 | 6951 | ooti | | 1.4 |
| | 26" Imp. Cyl. | 4647 | 7 | tions. | ti/13ti | 0.10 | | |
| | 20" Imp. Cyl. (Deer Gun) | 4017 | 7 | 6960 B | rushmaster w | rithe sight (20) | 60 | |
| | 20" Imp. Cyl. (Deer Gun) | 3017" | 1 | 5026 51. | indaed with ritle | | | |
| | 20" Imp. Cyl. (Deer Gun) | 1019" | 7 | | • | SULL'S IN | 经保护证据证金 | k i ogsta begrad |
| | 28" Full | 4897 | 6^{1}_{2} | 6914 | 6944 | | | 1.1400 |
| 51d. | 28" Mod. | 481. | 60z | 6946 | 6946 | | | |
| 20 | 26" linp. Cyl. | 1697 | $G^{1}_{\mathcal{F}}$ | 6918 | 137120 | | | |
| | 20" Imp. Cyl. (Deer Gun) | 40%" | 617 | 6962 °B | rushmaster" w | ritle sight: & p | 101 | |
| | 28" Full | 4817 | 6 | 5176 | 5180 | | | ** |
| | 28" Mod. | 3817" | 6 | 5178 | 5484 | | | |
| Hwt | 26" Imp. Cyl. 3 | 1617 | 6 | 5180 | 5486 | | | |
| 20 | 25" Mod. (Ltd.) | 11157 | ti - | | 5494 | | | |
| | 23" fmp. (yl. (L(d.) | 40% | 6 | | 5496 | | | |
| | 20" Imp. Cyl. (Deer Gun) | 4002 | 6 | 5192 18 | iushimaster' w | in the sights $\delta \epsilon$: | | |
| | 25° full | 45% | 6 | | 4948 | | | |
| 28 | 25" Mod. | $A.5^{+}$ | 6 | | 1920 | | | |
| | 25" lmp. Cyl. | 4517 | 6 | | 4932 | | | |
| | 25" Full | 1507 | 60 | | | | | |
| .410 | 25" Mod | 150 | 60.2 | | | | | |
| lasti: | 25° Imp. Cyl. | 1000 | 60.7 | | | | | |
| Model 870 | 20" Police Cyl | 1017 | | 5050 | | | | |
| Police | 18" Police Cyl. | 3817 | 7 | 5032 | | | | |
| 12 qa. | 20″ Imp. (yl. | 1017" | 7 | 5028 | Rithe sights | | | |



| MODEL 870 | length & Choke | Ω | Extra Barrels: 20 (Std.) | Crauge/Ore 20 (11.) | der Numbers 28 | .410 | MODEL 1100 | langth & Choke | fixtra Barro 12 ZC | ris : Gauge Fill 20) | Order 7 28 | lumbers . 140 |
|---|------------------------|------------|-----------------------------|------------------------|-------------------|-----------|--|---|---|--|---------------|------------------|
| FILLD GRADE. | 301 full | 6214 | | | | | FIEID GRADE, | SOT Latt | | | | |
| PIAIN | 267 Full | 6216 | 6.270 | 6,29,65 | | | Plain | 287 100 | 1.00 | | | |
| | to full | | | | 6282 | 6236 | | 25" full | | | • 41.47 | |
| | as Stort | 6218 | 6272 | 6298* | | | | 28° Mod. | 1501 | 1.22 | | |
| | 5 Mod | | | | 6284 | 62.58 | | 25" Mod | | | 100 | |
| | 76 Jup Csf | 6220 | 6274 | 6300* | | | | 26" Imp. Cyl | DOM: 15 | . 11. | | |
| | a top od | | | | 6.286 | 6.240 | | 25 Imp Cel | | | | • |
| FILTD GRADE | 20 June 3 J | 9.33 | 6,230 | 374/37 | | | TILID GRADI . | 22" Juip Cal | 1975 | | | |
| Hille Sights, Deer | 20°100p Csl +f ff | (1515 | $\overline{}$ | | | | Rifle Sights, Deer | 22" fuip Cyl. C.H. | ** 4 | | | |
| FIE LD GRADE, VENT | St. Full | े प्राप | | | | | | 201 http://www. | | 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| KIB. Duck/Goose | Rect Av. II | 4 112 | | | | | FIELD GRADE, VENT RIB, Duck/Goose | SA* Dall | 1.5 1 | | | |
| FIFID GRADE. VENT RIB | SO' Tall | 5222 | 171 | 4.2.1.4 | | | FIELD GRADE. | SO: Tull | · 1. | | | |
| THE MILE | /8" full | 6221 | 6276 | 6322* | 6288 | 6250 | VENT RIB | 28' full | | | | |
| | 25° Infl | | | | 0200 | 6250 | | 25° Iuli | | | | |
| | 28 200 | 6226 | 627B | 6324 | | | | 28° Mod. | 4.5 | • | | |
| | 25" Mod | | | | 6290 | .6264 | | 25" Mod. | | | | |
| | 267 timp (31 | 6228 | 6280 | 6326 | · · · · | | | 26" turp. (3). | | • | | |
| | 52, judi (₹) | | | | 6292 | 6266 | * | 25" Imp. Ud | | | | |
| | S. Mort | | | 4526 | | | | 25" Mod | | | | |
| | 23 Imp Cst | | | 15.28 | | | | 23° Imp. Cyl | | | | |
| TITED GRADE. LEFT HAND, VENT KIB | Ser' (raff | 6,200 | | 1 | | | FIELD GRADE. | 50" Iuli | * 65 | | | |
| 111111111111111111111111111111111111111 | 28 Tall | | 6208 | | | | LEFT-HAND, VENT KIB | 28" Mod. | 4.454 | | | |
| | 28 Mod | 6.202 | 6210 | | | | | 26" dup, Cyl | .r.,r.e., | | | |
| | 26 Imp Cst | 6204 | 6212 | | | | FIELD, High Grade | D Journament & Fremer Ven | | Somethic | . te : | |
| FIF (D). High Grade | D Journament & f | | icudiarear 2bo | rai Oider | ~ | | TRAP, VENT RIB | 34° full | - 100 | | | |
| TRAP. VENT RIB | Wilall | 6340 | | | | | trat, vent rib | Mr Lall | md 2 | | | • |
| | Ver trail | 6242 | | | | | | 287 full | u 10. | | | |
| | 26 Juli | 6211 | | | | | | 30" Mod. Irap | u 11 | | | <u> </u> |
| | Str. Mont Jego | 6252 | | | | | | 2H Most trap | | | | |
| | 21 Year temp | 1.234 | | | | | t datasta for artis | D longuament & L Factors of | | | | |
| TRAP ILET HAND. VEST NIB | Sn. Tull | 1,206 | | | | | : High Grade SREEL VENT RIB | At Skeet | 3 | | | |
| | D leads arout & C | | | CLII Order | | | 768.1 1, TA.111 1815 | Zh Skort | | | | |
| SMIT VENT RIB | 29. 1 Feet | 6730 | G-etts | | | | Chest High Colds | D forgrament & French | 9.1.1 | | | |
| | 25 Shirt | | | | 6291 | 6.268 | SKLET, High Grade LLET-HAND VENT RIB. | 50 Tolk Irap | 21.51 | | | |
| SMEET. High Grade | Detections of M | | | cial Oider | | | Trap & Skeet | 29 Next | | | | |
| * ** ** *** | ne extra 1775 in neger | Contrates. | Projects | | · ~ we mit | a Stander | • | | | | | |
| ì | | | | | | | Theo apoplates applicate body p | ght barn to Monthe or each of the co- gation products to not | • | | | |



Serious trap and skeet shooters have plenty to like in our 1983 cay target line up. Proven autoloaders and pump action shotguns that have an extra plus stamped on every barrel: "Made in U.S.A."

The ultimate competitor. The Remington Model 870 "Competition" is the first target shotgun that has the easy pointability of a single barrel, the low recoil sensation of a Model 1100 autoloader, the rugged dependability of an 870 pump. That's because no other ringle shot trap gun has a gassisted recoil-reduction system we this special 870's.

With less recoil you become note competitive, can have great-oncentration, experience less ique. Important factors on those 4th 500 bird days.

This shotgun has refined as hes that set it apart visually, at its right figured walnut stock

has deep, positive-cut checkering. It has a matte-finished receiver top, unique full fore-end, and handapplied satin finish.

Naturally, there is an economy model, too—our 870TA. Model 870 pumps are available at even more competitive prices.

"Automagic" for skeet and trap. Few guns have become legends the way our Model 1100 autos have. Today there are 14 ways to have an 1100 help you smoke more birds. In trap or skeet.

Multi-event skeet shooters will like our special Model 1100 weight-equalizer kits. They give your 20, 28, and .410 the same great balance and pointability of your 12-ga. 1100—but at only a fraction of the cost of a matched set.

Check the charts. It's our bet you'll find the kind of autoloader or pump that can take you from league shoots to the big leagues.

Order Numbers & Specifications MODEL 870 TRAP, 12 GAUGE

| | Вантеі | Standard | Monte | | |
|---------------|-------------------|---------------|----------------|--|--|
| | tength & Choke | Trap Slock | Carlo Stock | | |
| 1A Cirade | 30" full | 5046 | 5050 | | |
| "Competition" | 30" Full | 5204 | | | |

Stock Dimensions outlinered just 18th & Monte Carlo: 1857 Jung 1857 drop at heel, 1857 drop at count "Competition": 1857 Jung 1767 drop at heel of adoptate conformation with Std. 27 class (competition). B. 1858.

MODEL 1100 SKEET

| Gauge 12 | Barrel Length 26" Skeet | SA Grade 5356 5561 | "Tournament Grade 5304 |
|-------------|-------------------------------|-----------------------------|------------------------------|
| 11/20, 20 | 26" Skeet | 5211 | 5226 |
| 28 | 25" Skect | 54.52 | 5282 |
| .410 Воте | 25" Skeet | 5298 | 5,500 |

Stock Dimensions: 13 Jone 22 diagnatised 1 diagnation of a count Avg. Wits: 12 par 25 lbs. 11 par 20 par 6 dbs. 15 par 15 bbs. 15 par 15 lbs. 15 par 15 lbs. 15 par 15 lbs. 15 par 15 lbs. 15

MODEL 1100 TRAP, 12 GAUGE

| | Barrei Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|-------------|-----------------------------|---------------------------|-------------------------|
| fA Cirade | 40° Fall | 5146 53514.11 | 5150 |
| lonenament" | So" Full | 5 388 | 5502 |


Stock Dimensions owith recompasts. Regular Stocks: 13' using the dispatch best 1's stropped south Monte Carlo: 14' - Jong 1's dispatch best 4's stropped comb. 1's dropped Nonte Carlo: Avq. Wh.: 2'c eller. **Special Order Model 870 and 1100** (**Trap & Skeet**): D & Fremer Grades (engraved).

3200 TRAP, 12 GAUGE

"Competition" Trap Satin Finish

| | Saur | 1111120 | |
|---------------------------|---------------|---------------------|--|
| Barrel Length & Chokes | Reg. Stock | Monte Carlo | |
| 32" Imp. Mod. Tua | 125 | 1,44 | |
| 50" Imp. Mod. Toli | 5.50 | 12.1 | |
| 50° Lutt full | 127 | 120 | |
| Stock Dimensions: | | Overall "Avq Wit | |

| 3200 SKLLT | |
|--|--------------------------------------|
| Barrel Length & Chokes | Competition Skeet Satin Finish |
| 28" Sheet, Sheet | 4 . 5 . |
| 28" larp. Mort. Latt. Page 2002 | 195 |
| Short Soft* | 2000 |
| 15000 Competitive and the best of with the control with t | |
| book of the Overall Legisth | |



Remington has just what you need whether you're shooting iron animals or out to break records in any other precision target sport.

"Rambusters" is our name for a whole family of matched firearms and ammunition. All designed to improve your odds in metallic silhouette events.

Take our "XP 100" Silhouette pistol. Its centerfire action has long been the heart of many custom-made competition guns; now it's been specially refined for metallic silhouettes. Right out of the box, the "XP-100" is more gun than virtually any custom pistol. It's chambered for an ideal silhouette cartridge—7mm BR Rem.

Or consider the Model 700 "Varmint Special," in 7mm-08 Rem. or 308 Win. cartridges, You get the action known everywhere for strength and accuracy in two great metallic silbouette calibers.

For rimfire silhouette events, it's our Model 541-S "Custom" Sporter. It has an adjustable match trigger, artillery style bolt, distinctive looks. For more, see page 19.

We also offer bench rest and position shooters a wide range of high-value specialty rifles.

For more on silhouette rifle sports, write NRA, Silhouette Dept., 1600 Rhode Island Ave., N.W., Washington, DC 20036. Handgunners, write IHMSA, Box 1609, Idaho Falls, JD 83401.

Models 540-XR & 540-XRJR.


These single-shot 22 L.R. target rifles feature a position-style Monte Carlo stock, with a cheekpiece, thumb groove, adjustable butt plate, full length guide rail. Front swivel block, sling, and swivels are optional extras. There's a common sight alignment with scope or iron sights. The trigger is


adjustable from 1.5 lbs. Both have a 26" inedium weight target bar rel, countersunk at the muzzle. The 540 XRJR has a 15" shorter stock.

| 540 MCPasition Rifls | 956 |
|--|--------|
| 540 MGR Beation Ralle | 1251-4 |
| Sling Strap Tront Swivel Block | 464.26 |
| Sights: William Service of the Service of | |
| Arthurstein office of the process of a | |
| length of full: | |
| Howkith parties of the Cherall | tength |
| SHOPE AND ASSOCIATION OF SHOPE ASSOCIATION | |
| able to a 33 or to a Wenght | |
| and the same of the same of | |

Model 40-XR. This single shot 22 L.R. target rifle has a position style stock with a front swivel block on a fore end guide rail. It has thumb grooves, adjustable combination hand stock, sling swivels, 2-way vertically adjustable butt-plate. Trigger is adjustation to 4 lbs. Receiver driff tapped for sights; target scope blocks installed.

| 40 AR Position Kiffe | | .04.0 |
|----------------------|-------------------|-------|
| tength of Pull: | Overall Length: - | Harre |
| Lennth: . 4va. Ht. | | |





Model 40-XB "Rangemaster." Here's the centerfire rifle that's as much at home taking varmints as it is taking trophies. Each is made one at a time in our custom gun shop (read more about it on page 24). Every 40-XB is individually test fired from the shoulder for accuracy, and shipped with the paper target that proves it.

Choose the "Rangemaster" as a single-shot in 222 Rem., 22-250 Rem., 243 Win., 6mm Rem., 25-06 Rcm., 7mm Rem. Mag., 7.62mm NAFO (308 Win.), 30-06, 30-338 y) 7mm Mag.), 300 Win. Mag. Or, 10 Win. Cost, as a repeater in 222 min., 22-250 Rem., 243 Win. 6mm ym., 7.62mm NAFO (308 Win.).

The 40-XB receiver, drilled and speed for scope block and sights, with bedded to the stock. Target the blocks, standard. So is a to hope trigger, adjustable as it will be. The weight of pull

can be changed externally. A special 2-oz. trigger, without safety switch, is available on single-shot models only, at extra cost.

The distinctive, unblued stainless steel barrel is free floating, drilled, and tapped for a scope block and an iron front sight.

CF S2 Std. Stainless Steel Barrel Special CF-H2 Heavy S.S. Barrel Special Extra for Repeating Centerline

Models with Heavy Barrel Special Extra for 2-oz. Trigger Special

Length of Pull: 25% Overall Length: Approximately 46% Barrel Length: 27% Pluzzle Dlameter: \$2 approximately % (12) approximately % Average Weight: \$2 - 9% lbs: #2 - #% (lbs: 3)

Model 40-XBBR. The same basic rifle as our "Rangemaster," the XBBR is chambered primarily for bench-rest target shooting. Available only as a single-shot in 22 BR Rem., 222 Rem., 223 Rem., 6x47, 6mm BR Rem., and 7.62 NATO (308 Win.).

The 40-XBBR has a match-type

trigger, adjustable from 1½ 3½ lbs. A special 2-oz. trigger is available at extra cost.

40-XBBR with Stainless Steel Barrel

Steel Barret Special Extra for 2 oz. Trigger Special

Tength of Pulls 1552 Overall Length: 965 with 20 burrel, 425 with 247 burrel Average Weight: 965 lbs with 207 burrel 12465 with 247 burrel

Model 40-XC National Match Course Rifle. Our centerfire XC has the same improved position-style stock as our rimfire 40-XR rifle (illustrated). The 40-XC is available as a 5-shot bolt-action repeater in 7.62mm NATO (308 Win.). Its receiver is drilled/tapped for metallic sights; scope-mount bases, installed. Trigger adjustable from 2-4 lbs.

40-XC National Match (7.62mm NAIO only)

Length of Pulls 15. Overall Lengths 3.2. with 23 annihiles seed borrel. Height: 11 lbs without sights.

*Note: the 7mm BR Rem. is not available as a factory loaded earling

"Mote: (не 7mm вя кет. 18 ногаванате аваластот толого слетно


All weights, stock dimensions, and wood quantitian vary according to the leaf of the con-

Model "XP-100." Here's the single-shot centerfire bolt action pistol that has become a legend for its strength, precision, balance, and accuracy. Still chambered for the 221 Rem. 'Fire Ball' with a vent rib 10%' barrel, it's also chambered in 7mm BR Rem.—ideal for metallic silhouette handgun "unlimited" events.

Both "XP 100" handguns have one-piece Du Pont "Zytel" hylon stocks with universal grips, two-position thumb safety switches receivers drilled and tapped for scope mounts or receiver sights, and match-type grooved triggers.

"XP 100" in 221 Rem. Fire Ball 517 : "XP 100" in 7mm BR Rem 5171

Overall Length: "To wish of the control bases Height: Doctors | Length: The control bases | Length: The control bases | Length: Length



We put some hard-hitting words onto every 22 rifle we make: "Made in U.S.A." Whether it's for smallgame hunting or metallic silhouettes, paper targets or toppling tin cans, every Remington 22 has performance written all over it.

The widest choice in 22s. Choose your action. Nobody makes more autoloaders, pumps, or bolt actions than we do. Some have scopes. One's for lefties. Two arc smaller sized for younger shooters. And one, our "Nylon 66" autoloader, is so rugged that it has the world's only lifetime stock

Our Model 552 autos. These Remingtons shoot Short, Long, and Long Rifle loads interchangeably. Our 552 BDL has a rich walnut stock, custom checkering, a durable Du Pont RK W wood finish, and sights you'd expect on a biggame tifle, fiven our standard-

sight, bead front sight, and a walnut-finish hardwood stock.

Our Model 572 pumps. They're America's only 22 pump action rifles. Like our 552 autos, the 572s let you load and shoot all three types of 22 cartridges interchangeably. In BDL trim, the 572 has the walnut stock, checkering, wood finish, and sights of our best big game pumps. Even the budgetpriced 572A has clean, crisp styling and a no-nonsense walnutfinish stock that's built to take abuse. The 572's capacities, sights, and safety switch are just like those of our 552 autos.

Our basic bolt actions. Every Remington rimfire gives you plenty for your money. The 581 is a great 6-shot repeater, yet it can be converted in minutes to a begin ner's single-shot (adapter included). The Model 582 has a magazine


grade 552A has an adjustable rear tube which handles up to 20 Short, 15 Long, or 14 Long Rifle cartridges.


> Both rifles have a walnut-finish Monte Carlo hardwood stock, an ordnance quality steel receiver grooved for a scope, and adjust able sights. The 581 comes in a left-handed version for southpaws. A short stock Model 581 is also available.

The top of the line. Our Model 541-S "Custom" Sporter is more than just a superbly accurate bolt action 22. It's deluxe in every way. Its fans range from small game hunters to precision target shoot ers, and no wonder.

The 541-S, chambered for Short, Long, and Long Rifle 22s. has an adjustable match trigger, artiflery style bolt with six locking lugs, and double extractors. Its receiver is drilled, tapped, and grooved for scope mounts. On its American walnut stockyou'll find neh positive cut checkening a distinctive butt plate, grip cap, and fore-end tip. Plus an all steel receiver enhanced with scrollwork engraving.

The lifetime 22s. When you buy a "Nylon 66," you own the





world's most durable rifle. It's the only one made anywhere that has a lifetime warranty on its stock. Made of "Zytel," Du Pont's structural nylon, this autoloader won't warp, crack chip, fade, or peel. If it does, we'll replace it—free.

There's even more in the "Nylon ob's" corner. All action surfaces inde smoothly on nylon bearings, to there's never a need for lubrication. The "66" is also a real feathweight at only 4 lbs. And accuacy has been its trademark since its introduction over 25 years ago.


Look for the "Nylon 66" in five

models, two stock colors. Some have 4-power scopes. All have a capacity of 14 Long Rifle cartridges, yet can be quickly converted to a single-shot.

Metallic silhouettes made easy. Your participating Reming ton dealer can tell you how to acquire a complete, low cost set of four iron animal silhouettes. They're sized to meet precise NIKA requirements for rimfire silhouette competition—one of the fastest-growing shooting sports today. See your dealer, or write us (address on back cover).

| Model 541-S "Custom" Sporter. |
|--|
| |
| "Nylon 66" MB autoloader in Mohawk Brown. |

| Barret tength | Overall Length | Avetage Weight (lbs.) | Order Numbe |
|------------------|---|--------------------------|---------------------------------|
| 217 | 10 | | 4.1 |
| 211 | 10 | | |
| | | | |
| 21 | 11. | | |
| 21" | 400 | | , |
| | | | |
| 5) | 1.0 | | |
| 21" | 11 | | |
| 237 | 121 | • | . 4 |
| 24" | 12 | | • |
| | | | |
| 21 | 12 : | | |
| | | | |
| 106 | 38 | | |
| Pro 1 | Śε. | | |
| Proces | 581 | | |
| | 21" 21" 21" 21" 21" 21" 21" 21" 21" 21" | Pength Pength | Tength Tength Weight (fbs.) |



Since 1950, one model number has meant pump action quality and dependability beyond all others: 870.

Our very first Model 870 had a machined-steel receiver, ord nance-steel barrel, and American walnut stock and fore-end. We still build every 870 this way – the right way.

When you compare the 870 to any other pump action shotgun—at any price—you'll see why America's hunters have bought over four million "Wingmasters."

Another "First in the Field." Sure to be one of the hottest 870s ever is our all-new "Special Field." It gives pump action shooters the same kind of compact dimensions, easy pointability, and superb balance that

our innovative Model 1100 "Special field."

Available in both 12 and 20 gauges, and all three chokes, this newest 870 has the short overall length and lightweight portabil 1 that make it ideal for day long hunting in any field situation.

This model looks like no other pump shotgan. It has full pattern cut checkering on its traditional straight-line stock. We chose this so called "English" stock for more than just cosmetic purposes. It helps the "Special Field" come up tast and point right. Instantly.

Mechanically, the "Special Field" is 876 through and through. It has the same ranged, all-steel receiver double action slide bars, and silky-smooth vibra-honed action parts.

Today's broadest line of pumps. Check our specs. You'll find virtually any combination of gauge, barrel length, and choke. There's a left-hand slug gun. lightweight 20 ga. Magnum, even a pair of short stock/short barreled "Youth Guns" --- for the smaller-framed adult or child.

Your full-service Remington



aler has the 8. BARBERt- PRESALE R 0124623

Barrels, sights, and safeties.
Then Remington barrels can
melle the repeated use of
the Voaded steel-shot loads
at affecting the gun's
thanke or performance. For
the on the huge selection of
the extra barrels, see page 8.

Field 870s have metal-bead ant sights; deer guns have rifle ints. All 870s except 410s and hall fields"* have a 5 shot dy. (A 3-shot plug is packed

Avery 870 has a positive bolt safety switch. All 12-20 ga. models have recoil Stocks are solid American at leature distinctive check-patterns, and are protected and, durable Du Pont wood


The combination of sound sign, quality materials, skilled ex nanship, and proven performe adds up to 870. The value der among today's pump itguns, our Model 870 can wide you a lifetime of depende service. And great hunting.

Yo Shold up to four 5" shells, the "Special Field" (Co. 5" shells

Proved 670 20-ga. Lightweight.

MODEL 870 Model 870 20-ga. Lightweight "Youth Gun."

| | | | | | Order Nu 2%" Chamber | *FW for 1984) 3" Chamber | |
|----------|---------------------------------|-------------------|--------------------|-----------------|-------------------------|-----------------------------|--------------------------------|
| Gauge | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Plain Barrel | Vent Rib (R-H) | Vent Rib (L-H) | Vent |
| | 30" full | 50% | 7 | p900 | 6930 | 5510 | 69761 |
| | 28" full | 48% | 7 | | 6932 | | |
| 12 | 28" Mod. | 481/5" | 7 | 6904 | 6934 | 551.1 | 6974 |
| | 26" tmp. Cyl. | 4617" | 7 | 6906 | 6936 | 5516 | |
| | 215 Full C'Special Meld') | 41" | €j ¾ | | | | **** |
| | 21" Mod. ("Special Field") | 41" | 614 | _ | | | 4846* |
| | 21" Imp. Cyl. ("Special Field") | 41" | 6% | | *** | | ોકમક∗ |
| | 20" Imp. Cyl. (Deer Gun) | 40% | 7 | 6960 | "Brushmaster" w/r | riffe sights 8 | Chad |
| | 20" Imp. Cyl. (Deer Gun) | 40% | 7 | 5026 | Standard with ritle | | • |
| | 20" Imp. Cyl. (Deer Gun) | 4017 | 7 | | - | | Left Hand word Sights &cpad |
| | 28° full | 4817 | 6 | | 5182 | | 5130 |
| | 28" Mod. | 481,7 | ti | | 5184 | | 511#6 |
| Ltwt. | 26" Imp. Cyl. | 4617 | G | | 5186 | | |
| 20 | 21" Mod. ("Youth Gun") | 3912 | 6 | | 5194 | - | |
| | 21" Imp. Cyl. ("Youth Gun") | 3917 | G | _ | 5196 | | |
| | 21" full ("Special Field") | 41" | 6 | | _ | - | 5216★ |
| | 21" Mod. ("Special Field") | 41~ | 6 | | _ | | 5218★ |
| | 21" Imp. Cyl. ("Special field") | 417 | 6 | | | | 5220* |
| | 20" Imp. Cyl. (Deer Gun) | 401/1 | 6 | 5192 | "Brushmaster" w/r | rifle sights & | c pad |
| | 25" full | 451/2 | 6 | _ | 4918 | | |
| 28 | 25" Mod. | 4517 | 6 | - | 4920 | | |
| | 25" Imp. Cyl. | 451/2" | 6 | | 4932 | | |
| .410 | 25" Full | 451/2" | 61/2 | | | _ | 4986 |
| bore | 25" Mod. | 451/2" | 6½ | | _ | | 5086 |
| odel 870 | 20° Police Cyl. | 401/2" | 7 | 5030 | _ | | |
| olice | 18" Police Cyl. | 38%* | 7 | 5032 | _ | | |
| 12 ga. | 20° imp. Cyl. | 40%* | 7 | 5028 | Rifle sights | | |





BARBER - PRESALETR 9124625un

The "Special Field," now in second season. New last year as an 1100 designed to improve hunting performance of pland hunters everywhere. The special Field" does it by comming a shorter overall length, after weight, and traditional taught line stock. The result is unting-fast shouldering, uport pointability, and carbinese carrying ease.

It's available in 12+- and 20range models, with your choice 10th, Mod., or Imp. Cyl. chokes. ich features full-pattern cut inckering on a stock sure to set u apart from the crowd.

Every receiver is steel. We m't scrimp when it comes to thormance—even on our tail scale lightweights. Expence tells us that a receiver illed from a solid billet of dnance-quality steel works betand lasts longer. So that's lat you get in every Remington ordgun.

Every 1100 also has a stock of fore-end of American walnut.

tioning. Every part of every Remington product is desigr built, tested, and serviced in America. That's been our only way since 1816.

The most versatile 1100s.
No doubt about it, 1100 Magnums give hunters more for their shotgun dollar. Depending on the

1984

kind of hunting. We have five models to choose from, more than any other autoloading shotgun maker offers.

Sights, safeties, and capacities. Field-grade 1100s have positive cross-bolt safety switches,

metal-bead front sights. All 1100s except .410 and "Special Field" have 5-shot capacity (3-shot plug furnished). The .410s hold four 3" shells; "Special Field" shotguns hold four 2%" shells.


Current 1100 barrels permit repeated use of factory-loaded steel shot with no effect on appearance or performance.

MODEL 1100

| | | | | | Order 2%" Chamber | Numbers | 3" Chambe |
|-------|---|--------|--------------------|-----------------|----------------------|-------------------|-------------|
| Gauge | iauge Barrel Length and Choke | | Avg. Wt. (lbs.) | Plain Barrei | Vent Rio (R-H) | Vent Rib (L-H) | Vent Rib |
| | 30° Full | 50* | 734 | 5322 | 5332 | 5540 | 5348* |
| | 28" Full | 48* | 7% | 5320 | 5330 | | |
| | 28" Mod. | 48" | 7% | 5326 | 5336 | 5512 | 5352 |
| | 26" Imp. Cyl. | 46" | 714 | 5328 | 5338 | 5544 | |
| 12 | 21° full ("Special field") | 41~ | 714 | _ | 5270 1 | | |
| | 21" Mod. ("Special Field") | 41" | 7!4 | _ | 5272 1 | _ | _ |
| | 21" Imp. Cyl. ("Special Field") | 41" | 714 | _ | 5274+ | | - |
| | 21" Imp. Cyl. (Deer Gun with rifle sights, recoil pad) | 42'グ | 754 | 5308 | _ | 5 30 9 | |
| | 28" full | 48* | 7 | 5228 | 5234 | | 5242 |
| | 28" Mod. | 48" | 7 | 5230 | 5236 | | 5268 |
| | 26" Imp. Cyl. | 46" | 7 | 5232 | 5238 | • | - |
| | 21" Mod. ("Youth Gun") | 391/2* | 6!4 | _ | 5264 | 439 | |
| LT-20 | 21" Imp. Cyl. ("Youth Gun") | 391/2" | 61/2 | _ | 5262 | - | ** |
| | 21" Full ("Special Field") | 41" | 61/2 | | 5436 | | _ |
| | 21" Mod. ("Special Field") | 41~ | 61/2 | _ | 5438 | _ | - |
| | 21" Imp. Cyl. ("Special field") | 41~ | 61/2 | | 5440 | | |
| | 21" Imp. Cyl. (Deer Gun) | 411/2" | 61/2 | 5248 (W | ith rifle sights & | recoil pad.) | |
| 28 | 25' Full | 45 | 61/2 | | 5414 | | |
| 20 | 25" Mod. | 45* | 61/2 | — | 5416 | | |
| 410 | 25" Full | 45" | 7 | | | _ | 5466 |
| bore | 25" Mod. | 45" | 7 | _ | _ | _ | 5468 |

Special Order Flodel 1100s: D Tournament Grade and F Former Grade (both engraved) and F Fremer Grade resepased with gold intag) are available in quages listed Nominal stock dimensions: 14" long (Youth Gun' (29" long). 2%" drop at heel, 150" drop at comb "Left hand model. 5548 See page 8 for extra barrets Oblicery 3rd qtr. 1984





MAKE YOUR SHOTGUN SUIT YOUR SEASON.

| MODEL 1100 | Length & | | arreis: Gaug | e/Order f | |
|---------------------|------------------------|---------------------|---------------|-----------|------|
| | Choke | 12 | 20 (LT-20) | 28 | .410 |
| FIFLD GRADE. | 30" full | 9500 | | | |
| Plain | 28° full | 9502 | 4440 | | |
| | 25" Full | | | 9588 | 9574 |
| | 28° Mod | 9504 | 4442 | | |
| | 25" Mod. | | | 9510 | 9576 |
| | 26" Imp. Cyl. | 9508 | 4444* | _ | _ |
| | 25" Imp. Cyl. | | | 6584 | 9578 |
| PIELD GRADE, | 22° imp. Cyl. | 9568 | | | - |
| Rifte Sights. Deer | 22" lmp. Cyl., L H | 9569 | | | |
| | 20" Imp. Cyl. | | 4438' | | |
| FIELD GRADE. | 30° full | 9512 | | | |
| VENT RIB | 28' full | 9514 | 4446* | _ | |
| | 25° full | | | 6586 | 9580 |
| | 28* Mod | 9516 | 4448* | | |
| | 25" Mod | | _ | 6588 | 9582 |
| | 26" Imp. Cyl. | 9520 | 4450* | | _ |
| | 25° imp. Cyl. | | | 6590 | 9584 |
| | 21" Mod. | | 4434* | | ~ |
| | 21" Imp. Cyl. | | 4436' | | |
| FIELD GRADE. | 30' full | 5682 | | | |
| LEFT-HAND, VENT RIB | 28" Mod. | 5684 | <u> </u> | | = |
| | 26° lmp Cyl. | 5686 | | | |
| FIELD, High Grade | D Tournament & F Prem | er Vent Rib rengras | (ed): Special | Order | |
| TRAP. VENT RIB | 30° full | 9612 | | | |
| | 28° Pull | 9616 | | | |
| | 30" Mod Trap | 9614 | | | |
| | 28" Mod Trap | 9618 | | - | |
| TRAP, High Grade | l) fournament & 7 Prem | er (engraved) Spe | cial Order | | |
| SKEET, VENT RIB | 26" Skert | 9522 | 4452° | | |
| | 25" Shrel | | | 0.592 | 9580 |
| SKEET. High Grade | () lournament & f frem | ier lengraved i Spe | Clal Order | | |
| LEFT HAND VENT RIB, | 30° full Trap | 9620 | | | |
| Trap & Skeet | 26" Sheet | 5688 | | | |

Note: LT-20, 20 gauge Lightweight barrels (4400 Series) will not fit pre-1977 20 gauge Lightweight or standard 20 gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

Whether you're hunting deer in dense woods, pheasant in cornfields, or clay-target shooting in between, our extra barrels make your one Remington shotgun ready for the action. In a jiffy.

When you own the accessory barrel matched to the job, your Model 1100 or 870 can be just what you want it to be. At a fraction of the cost of buying another gun.

Nobody offers you more choices of extra barrels than we

do. There are even barrels for lefthand versions of our shotguns.

Remember this: barrels must be matched to the correct receiver, and within the proper gauge. Extra interchangeable 234" chambered barrels, available tor Magnum receivers, will handle all 234" shells within the same gauge.

For added ease in making your choice, see your dealer's Remington Extra Barrel Selector quide.

| MODEL 870 | Length & Choke | 12 | Extra Barrels 20 (Std.) | : Gauge/Or 20 (LL) | der Numbers 28 | .410 |
|---------------------|---------------------|---------|----------------------------|-----------------------|-------------------|---------|
| FIELD GRADE. | 30° Pull | 6214 | | | | |
| PLAIN | 28' Full | 6216 | 6270 | 6296* | | |
| | 25° Fuli | | | - | 6282 | 1,2,50 |
| | 28" Mod. | 6218 | 6272 | (i2'85° | | |
| | 25° Mod. | | | | 6284 | 6238 |
| | 26" Imp. Cyl. | 6220 | 6274 | 5.300 | • • - | |
| | 25° lmp. Cyl. | | | • • • | 0.280 | 6248 |
| FIELD GRADE. | 20" Imp. Cyl. | 6544 | 6230 | 4724* | | |
| Rifle Sights, Deer | 20" Imp. Cyt., L 11 | 6545 | | | | - |
| TELD GRADE, | 30° full | 6222 | | | | |
| ENT RIB | 28° Full | 6224 | 6276 | 6322* | | |
| | 25° Full | | | | 6288 | 10250 |
| | 28" Mod. | 6226 | 6278 | 9324* | | |
| | 25" Mod. | | | | 6250 | 1.25.4 |
| | 26" Imp. Cyl. | 622H | 6280 | 1.329* | | |
| | 25" (mp. Cyl. | | | | 0202 | 1,20,6. |
| | 21" Mod. | | | 4520 | * | |
| | 21° imp. Cyl. | | | - 45zn | | |
| TIELD GRADE. | 30° Full | 6200 | | | | |
| LEFT-HAND, VENT RIB | 28° Full | | 6208 | | | |
| | 28" Mod. | 6202 | 6210 | | | |
| | 26° Imp. Cyl. | 6204 | 6212 | | | |
| IELD, High Grade | D Tournament & F | Premier | rengraved) Sp | reial Order | - ~ | |
| TRAP, VENT RIB | 30° Full | 6242 | | • • • | | |
| | 28° Full | 6244 | | | | _ |
| | 30° Mod. Trap | 6232 | | | - | 10 |
| | 28° Mod Trap | 6246 | | | | 23 |
| TRAP, LEFT-HAND, | 30° full | 6,206 | | | | • |
| VERT RIB | D lournament & L | Premier | orașia de Spe | e discouler. | | |
| SKEET, VENT HIB | 16 Skeet | 6240 | - T * | | | |
| | 25" Skeet | | | | 12.44 | 1.714 |
| SKEET, High Grade | D Tournament & f | Premier | originaed). Sp | er jai Order | | |

*20 gauge 870 Lightweight barrels will not fit 20 gauge standard 870 guns. Note: 870 "Special Field" barrels will not interchange with standard 870s.



OUR CLAYBUSTIN' BEST.

Remington gets serious

Ind skeet shooters ready for
ang day—and all season
It starts with autoloaders

Jamp action shotguns—
It has a performance heritage
for 70 years.

Automagic" for skeet and > No other autoloader has < corated more family rooms than our trophy-taking Model 1100s. Today there are over a dozen ways you can put the 1100 legend to work to make your mantle or bookshelf come alive.

Multi-event skeet shooters will like our special Model 1100 weight-equalizer kits. They give your 20, 28, and .410 the same great paramee and pointability of your 12-ga. 1100—but at a fraction of the cost of a matched set.

The ultimate competitor. We don't call this special 870 the "Competition" Trap for nothing. Its unique gasassisted recoil-reduction system makes this the first target shotgun that has the sure, easy pointability of a single-barrel, the low recoil sensation of a Model 1100 autoloader, and the rugged dependability of an 870 pump.

With less recoil you concentrate more, feel less latigue. The result: you become more competitive, especially on those tough 300-bird days.

This shotgun is special in appearance, too. Its richly figured walnut stock has deep, positive-cut checkering. And a distinctive full fore-end and matte-finish receiver top.

Our lower-cost competitors. For shooters on a shoestring, consider either our SA-grade 1100 skeet gun or our TA-grade guns (1100s and 870s). More affordable, they have all the birdsmokin' potential of our finest mans.

Order Numbers & Specifications MODEL 870 TRAP, 12 GAUGE.

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|-----------------------|-----------------------------|---------------------------|-------------------------|
| TA Grade | 30° full | 5036 | 5050 |
| "Competition" | 30" Full | 5204 | |
| PARTE BY THE STATE OF | | | |

Stock Dimensions (with recoil pad). Std. & Monte Carlo: 13% long. For drop at her). The drop at cent. Compete Boom's 14% long. It's drop at near the drop at cent. As a Way May Mid. Philos. Competition. It. Its.

MODEL 1100 SKEET

| Gauge | Barrel Length | SA Grade | "Tournament" Grade |
|-------------------|------------------|----------------------|-----------------------|
| 12 (B B) (L B) | 26" Sheet | 5356 556 3 | 5 504 |
| 1120.20 | 26" Sheet | 5244 | 5221. |
| 28 | 25° Shert | 5432 | 5282 |
| .410 Bore | 25" Shevi | 5296 | 530ns |


Stock Dimensions: (3) long 2 - 165, 0 force 4 - drop could Avg. Wh. (2) qc. 2' clin - (1) 25 - (2) clin 2 clin. The law 2 clin District 10 clin. Biodel 1300 Weight Equalities Birst 10 clin. There 1300 2 clin. There 1300 2 clin. There 1300 2 clin. There 1300 2 clin. There 1300 2 clin.


MODEL 1100 TRAP, 12 GAUGE

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|----------------|-----------------------------|---------------------------|-------------------------|
| TA Grade (K H) | 30" full | 5441, | 54511 |
| (L H) | · | 5454 | 5450 |
| "Tournament" | 30° tull | 5588 | 55112 |

Stock Dimensions (with mood part. Regular Stocke of long 19% stops at tree least 19% drop at control Route Carto: 14% from a few drop at control of others with the late of the late.

Special Order Model 870 and 1100 (Trap & Skeet): D & F Premier Grades (engraved).





1984

in the world or centerfire rifles, there's no stronger, more accurate bolt action rifle than the legendary Model 700.

The way we build our 700s, from the least-costly ADL to the highest-grade "Custom," has made its barreled action the first choice of hunters for 20 years.

More finalists at major National Bench Rest Shooters Association events have used Remington actions than all other commercial actions combined. Remington bolt actions are also the clear favorites at metallicsilhouette events, coast to coast.

That says plenty about accuracy, quick lock time, and superior strength. But hunting's also a matter of style. So our 700s come with today's longest list of calibers, widest choice of stock styles. Even several left-hand versions.


Receivers are milled from the finest ordnance-quality steel. Bolt face, barrel, and receiver surround the cartridge head with three rings of solid steel. With no extractor cuts to weaken it. forged of special steel, like a cus tom bench rest rifle. Its crisp trigger is rated as the finest in any production rifle.

Each 700 is hand-assembled and test fired for incredible "out of-the-box" performance.

Every 700 looks as good as it shoots. If you want a Monte Carlo stock, high gloss finish, plus many custom-gun touches, you'll select a BDL or "Varmint Special." Prefer a traditional straight-line stock and satin finish? Check out our 700 "Classic." Or for a freshly restyled combination of both, at a lower cost, our 700 ADL is a must.

Our 700s also come made to-order. Our "Custom" is available in four different grades from the Remington Custom Gun Shop. (See page 30.)

The "Classic" is now chambered in a .25-caliber legend: the 250 Savage. It'll be available only through your full-service Remington dealer—on a first-come, first-served basis. Recent limited-production offerings of classic calibers like the 7mm Mauser (7x57), 257 Roberts, and 300 H&H Mag. were rapid sellouts. So



place your order early for this latest "Classic,"


Our hot-selling ADL. Last year our revamped ADL became a with hunters across the coun-They liked its slimmed down pistol grip, rakish new fore-end, cat checkering, practical yethandsome satin-finished Monte Carlo stock. And standard sling swivel studs.

See one today. We think you'll agree it's the best-looking, most economically priced bolt action rifle you can buy.


Sights, scopes, and safeties. Long-action ADL/BDL calibers have blade-ramp front sights; rear sights are adjustable for windage/elevation. BDL front sights are hooded. All sights are irmovable.


"Classic," short action % Us/BDLs, "Varmint Specials" we no sights. Sights optional mall 700 "Custom" rifles.

Receivers are drilled and apped for scope mounts. The safety switch on all 700s is the ast, positive thumb type. dagnum models feature precutation-style recoil pads.



| | | | Overall Length/Avg. Wt. (lb.) | | Twist | Order Numbers | | | | | |
|--------------------------------|--------------|------------------|-------------------------------|----------------------|----------------------|------------------|-----------------|-----------|------------|----------------------|--------------|
| Calibers | Mag. Cap. | Barrel Length | "Classic" | "Varmint Special" | ADL, BDL & "Custom" | R-H I turn in | "Classic" | ADL | BDL | "Varmint Special" | "Custom" |
| 17 Rem. | 5 | 24~ | | | 431/2"/71/4 | 9" | | | 5801 | | Spct. |
| 222 Rem. | 5 | 24" | | 431/2"/9 | 431/2"/71/4 | 14" | | | 5781 | 5821 | Spr.L |
| 22-250 Rem. | 4 | 24" | 431/27/7/2 | 43%"/9 | 431/2"/71/2 | 14" | 5854 | 5763 | 5783 | 5823 | Spel |
| 223 Kem. | 5 | 24" | · | 431/2"/9 | 431/2"/71/4 | _12" | | _ | 5798 | 5825 | Spct. |
| 6mm Rem. | 4 | 22″ | 411/17/71/2 | 431/5"/9 | 411/2"/71/4 | 9%″ | | _ | 5785 | 58271 | Spcl. |
| 243 Win. | 4 | 22" | 411/1/7/2 | 431/2"/9 | 411/2"/71/4 | 9%" | 5860 | 5767 | 5787 | 58291 | Spc1. |
| 250 Sav. | 4 | 24" | 431/21/71/2 | | - | 10" | 5754° | | | | Spc1. |
| 25-06 Rem. | 4 | 24* | | 431/2"/9 | 411/2"/71/4 | 10" | | 5769 | 5789 | 5831 | Spcl. |
| 270 Win. | 4 | 22~ | 421/2"/71/2 | _ | 411/2"/71/4 | 10" | 5864 | 5771 | 5791+ | | Spcl. |
| 7mm-08 Rem. | 4 | 22* | | 43%"/9 | 411/2"/71/4 | 914" | | | 5799 | 58351 | Spc1. |
| 30-06 & 30-06 "Accelerator" | 4 | 22- | 421/2"/71/2 | - | 41%*/7% | 10~ | 5866 | 5773 | 57931 | | Spc1. |
| 308 & 308 "Accelerator" | 4 | 22" | _ | 43%*/9 | 411/2*/714 | 10" 12" | _ | 5775 — | 5795 ~ | 58331 | Spcl. |
| 7mm Rem. Maq.2 | 3 | 24~ | 441/2"/7% | | 441/2"/734 | 91/4" | 5872 | 5777 | 5803" | | Spcl. |
| 300 Win. Mag. ² | 3 | 24" | | | 441/2"/71/4 | 10" | | | 5807 | | Spcl. |
| 375 H&H Mag.2 | 3 | 24" | | | 441/2"/9 | 12" | | | 58361 | | • |
| 458 Win Mag. ² | _3 | 24" | | | 441/2"/9 | 14" | | | 58381 | | |
| Stock Dimension | 15: 1/ | ength of P | uil | | | | 15½" | 1.5\n" | [35a" | 1,5%." | Spel |
| | 1) | rop at Hee | d (from cent | erline of be | ore) | | 1" | Z 'n" | 25n" | L'n" | Spr. L. |
| | b | rop at Cor | nb (from cei | nterline of t | oore) | | 4/16* | 11/4" | 158" | 17" | Spct. |
| *New order number | for L | . II models: +56 | 11; •5813; ••5815. | ' 'Va | ınnınt Special" equi | pped only wif | h a 24° barrel. | | Recoil par | 1 included | Safati (Fele |





In 1983, we introduced the lightest, lastest, most compact Remington bolt action title in history.

The Model Seven has to be seen and shouldered to appreciate its incredible case of handling, fluid pointability, and strength of action.

This rifle's only \$12" longer than a yardstick, just a few ounces above the magic 6 lbs. When you consider the range of calibers offered, the Seven has the best power to weight ratio of any rifle made in America. Or anywhere else.



The Seven is no scaled-down big rifle. Far from it. This rifle sprang fresh off our drawing board, with its light weight, compact dimensions, and ideal balance built in from the outset. You get what you see, with no compromise in Remington quality.

The Seven's action and specially tapered 18½" barrel are built to be as strong and dependable as those Remington actions that have been the prime choice at target champions and custom annualers alike.

The Model Seven brings new excis of accuracy to the shortation bolt. In six great, hard-sitting calibers, each one is built to the same accuracy standards of our legendary Model 700; it's actividually test-fired to prove it. The providual standard, yet easmoothed to scope mounting.

It looks as good as it works. The Seven's cut-checkered American walnut stock is satin finished, and sports a distinctive Schnabel fore-end. Every part of this rifle, right down to its crisp trigger, hinged floor plate, and sling swivel studs, is made here in America. To the performance standards shooters expect—and get—from Remington.


The result is a high-value lightweight rifle that's not 1" longer, 1 oz. heavier, or \$1 more expensive than it should be. Shoulder one today; you'll feel the difference a Model Seven makes.

MODEL SEVEN

| Calibers | 222 Rem. | 223 Rem.★ | 243 Win. | 6mm Kem. | 7mm-08 Rem. | 80 5 Win J | | | |
|-----------------------|-------------|--------------|-------------|-------------|----------------|----------------------|--|--|--|
| Clip Mag. Capacity | 5 | 5 | 4 | 4 | .1 | 4 | | | |
| Barrel Length | 181/2" | 18½" | 181/1" | 1812" | 1812" | 1817 | | | |
| Overall Length | 371/2" | 371/2" | 371/2" | 3715 | 370. | 3712" | | | |
| Twist R-H (I turn in) | 14" | 14" | 91/4" | 91/4" | 91 a" | 10" | | | |
| Average Weight (lbs.) | 61/4 | 614 | 614 | 61/4 | 6'3 | 61+ | | | |
| ORDER NUMBERS | 4780 | 4720 | 4782 | 4784 | 4786# | 4788# | | | |

Standard Stock Dimensions: (395) length of pull, 17 drop at feed, 58 drop at comb cineasured from centerline of bore).

★New for 1984. Hischides Remington "Accelerator" cartridge. #Delivery 3rd qtr. 1984





est extra shots in the woods.

The Model Four and Model 7400. These rifles keep you right on target, even between shots. Automatically.

stock, your eye on the target. Your finger on the trigger.

Our autoloading rifles are the fastest, smoothest. best-selling centerfires in their action type. And no one has more experience making autos than we do.

We've been improving their design and performance for almost 80 years. Our Model 8, America's first autoloading rifle,

half the high-perfor mance, high-value features you'll get in 1984's best autos.

The Model Four's and 7400's supersmooth gas-metering system makes their autoloading action the quickest in the business. Bolts lock up and perform like the finest bolt action's, And all internal parts are vibra honed for added smoothness.

seem to follow you whenever you hunt

We've been perfecting the centerfice pump since 1912. Ita-Six and 7600, shown here are the latest generation to weather the Storm, And, by far, the best-

The Scialle vare unjoy and versions of the best sching, our action office or local table to be ary Model 760. The Second 755% chamber estra ands as queen.



ortlessly as drawing a redthrough butter. Rugged ale bars deliver direct, one Chambering, round and, Even in the worst tweather.

is on both rifles are built are a bolt action's. And action parts are a d for smoothness.

Good looks, better looks.

Into great gun for the beck out our lower cost 1991 7000 pump. If you will consider the

Four or Six. All four rifles have American walnut stocks, receivers that are drilled and tapped for scope mounts, blade-ramp front and adjustable rear sights.

All four rifles are 100%. American made and serviced. The higher-grade Four and Six feature Monte Carlo stocks with cheek-pieces, cut checkering, and other refinements that make them look like custom rifles. But at a price almost any hunter can afford.

MODEL FOUR, SIX, 7400, 7600

| | | | | | | | |
|------------------------------|-------------------------------------|---|--|---|---|--|--|
| 6mm Rem. | 243 Win. | 270 Win. | 280 Rem. (7mm Exp. Rem.) | 30-06 Spra | 308 Win. | | |
| 22" | 22" | 22" | 77″ | | 22" | | |
| 42" | 42" | 42" | | | | | |
| 9%" | 91/8" | 10" | : | | 12" | | |
| 71/2 | 71/2 | | | | 10" | | |
| | | | | | 7 | | |
| 4740 4680 4708 4650 | 4742 4682 4710 4652 | 4744 4684 4712 4654 | 4746 4714 | 4748 4686 4716 | 4750 4689 + 18 | | |
| | Rem. 22" 42" 91%" 7½ 4740 4680 4708 | Rem. Win. 22" 22" 42" 42" 9%" 9%" 7½ 7½ 4740 4742 4680 4682 4708 4710 | Rem. Win. Win. 22" 22" 22" 42" 42" 42" 9%" 9%" 10" 7½ 7½ 7½ 4740 4742 4744 4680 4682 4684 4708 4710 4712 | Rem. Win. Win. Exp. Kem.) 22" 22" 22" 22" 42" 42" 42" 42" 9%" 9%" 10" 9%" 7½ 7½ 7½ 7½ 4740 4742 4744 4746 4680 4682 4684 4710 4712 4714 | omm Rem. 243 Win. 270 Win. (7mm Exp. Kem.) 30-06 Sprg.* 22" 22" 22" 22" 22" 42" 42" 42" 42" 42" 9%" 9%" 10" 9½" 10" 7½ 7½ 7½ 7½ 7½ 4740 4742 4744 4746 4748 4680 4682 4684 4684 4066 4708 4710 4712 4714 1716 | | |

Special Order Models Four and Six: DiPecilless and Fibremier Grades (hotel engraved) and Fibremier (engraved, with gold inlay) are available in calibers fished fixtra 4 shot magazine available at extra cost.

Stock Dimensions: 13½% length of pull, 2½% drop at heef 19% hdrop at combined Six and 7600 also accept 30,06 and 308. Accelerator scanned to

1984

the trophyprecision

snooters need—whether it's for knocking down silhouettes you can hardly see or paper-punching overlapping bull's-eyes hundreds of yards out.

Shown here are just two of a family of hard-hitting competitors. Our "XP-100" pistol has a proven centerfire action that's long been the heart of many custom-made competition guns. We've refined it especially for Unlimited Handgun events, chambering it in an ideal silhouette cartridge—the 7mm Rem.*

The "XP-100," a legend for its strength, precision, balance, and accuracy, is also chambered for the 221 Rem. "Fire Ball." Each pistol has a one-piece "Zytel" nylon stock with universal grip, two-position thumb safety, match-type grooved trigger, and a receiver drilled and tapped for scope mounts or receiver sights.

For rifle silhouette events, shooters like the way our heavy-barreled Model 700 "Varmint Special" does the trick. It gives you the power and pinpoint accuracy of the world-acclaimed 700 bolt action, in a choice of great

Silhonette cambers - the vir.... 6 and 308.

for specifics on this special 700, see pages 10-11.


Learn more about silhouette shooting: contact NRA, Silhou ette bept., 1600 Rhode Island Ave., N.W., Washington, DC. 20036. Handgunners, write IHMSA, Box 1609, Idaho Falls, ID 83401.


Remington also offers the bench-rest and position shooter a wide range of specialty rifles. Our Models 40 XB and 40 XBBR centerfires, with stainless steel barrels, are great for taking trophies and varmints alike. Each is made to order in our Custom Gun Shop, in your choice of up to 10 different calibers.

And there are our 40 XR rimfire single shot and our 40-XC Match Course centerfire repeater. Both these bolt action rifles have improved position-style stocks and a host of features geared to the competition minded shooter.

Ask your full-service Remington dealer for specifics and ordering information on all our rambustin' and paper punchin' rifles. They're what you need to get the edge when you're splitting hairs.







1 very Remington 22 rifle or e performance features. sinded by serious rimfire Hers - of any age. Whether for small game or just lowplinking fun, there's an m an built Remington 22 s right for you.

Take our Model 552s. These sharp-shooting autoloaders take Short, Long, and Long Rifle 22s interchangeably. The 552 BDL has a genuine walnut stock, custom checkering, a durable Du Pont wood finish, and sights you'd expect on a big game rifle. Our standard-grade 552A has an adjustable rear sight and a hardwood stock.

The only 22 pump actions made in America are Remington 572s. They let you shoot all types of 22 cartridges interchangeably. Like our 552s, the 572 BDL and 572A models are loaded with big game rifle features that can help you shoot better.


We call the "Nylon 66" our lifetime 22, because it's unquestionably the most durable rifle you can buy Made of "Zytel," Du Pont's amazing structural nylon, it carries the world's only lifetime warranty on a stock.

If it ever warps, cracks, chips, fades, or peels, we'll replace it—free.

All action surfaces glide on supersmooth, maintenance free nylon bearings. Yet accuracy has been the long suit of the "66" since its introduction over 25 years ago.

The "Nylon 66" has a capac ity of 14 Long Rifle cartridges. yet can be quickly converted to a single shot.

MODEL 552, MODEL 572, "NYLON 66"



| | Barrel Length | Overall Length | Average Weight (lbs.) | Order Number |
|----------------------------------|--------------------|-------------------|--------------------------|-----------------|
| 552A | 21" | 40" | 514 | 5602 |
| 552 BDL Deluxe | 21" | 40" | 514 | 5604 |
| 572A | 21" | 40" | 512 | 5620 |
| 572 BDL Deluxe | 21" | 40" | 51. | 5672 |
| "Nylon 66" BD "Black Diamond" | 195 ₈ " | 38!2" | 4 | 77(B) |
| Nylon 66" MB Mohawk Brown | 195a" | 38'7" | 4 | 1. 7 000 |

Let α 5 shot or 10 shot elip available at extra cost, on adving tell 228





the Model 1100
autoloader are hardly a secret,
Since we just made our threemillionth in 1983. Jim Carmichel,
the well known shooting editor of
OUTDOOR LIFE, put it this way:
"Anyone who can shoot well, will
probably shoot better with an

100."


If it didn't sound too much like just another ad we could say "we must be doing something right" or "three million shooters can't be wrong"—but no matter how we say it, the Remington Margel 1100 is the most popular loading shotgun in the loading shotgun in the loading be looking at, and handing, before you buy that automater? We think it is.


In order to keep reflection to an absolute minimum, this 1100 has a low luster finish on its hardwood stock and fore-end. The receiver, barrel, even the bolt, go through a sandblasting process that dulls the metal finish to a smooth, no-sheen satin texture, the same that's been used for many years on military and police products.

For complete corrosion protection, the piston and piston seal are nickel-plated. The bore is plated with chrome to ensure a long life for your gun under even the worst conditions.

Now in its 3rd season, the 1100 Special Field combines a shorter length of 41 inches, lighter weight, and a traditional straight line stock. The result is lightning-fast shouldering, superb pointability, and carrying ease—all the features you want and expect in an ideal upland gun.

For more 1100 models and specifications, see the next page.





A unique gas metering system in the 1100 functions with the full range of factory loaded shells including low base, high base, or baby magnums. Recoil sensation is significantly reduced, keeping you on target shot after shot.


And, for the ultimate in smooth, frictionless action, Remington developed a process we call vibra-honing to give your 1100 receiver and action parts that little extra polish that can mean so much in the field.

The Field Grade 1100 is our basic, proven standard for general hunting. And the most popular. In addition to its American walnut stock and checkering, it comes with a positive cross-bolt safety and metal bead front sight.

1100 Magnums are the most versatile 1100s, giving hunters more choice and value for their shotgun dollar.

MODEL 1100

| | | | | | 3" Chambe | | |
|-------|--|-------------------|-------------------|----------------|-------------------|-------------------|-------------|
| Gauge | Barrel Length and Choke | Overall Length | Avg. WL (lbs.) | Deer Barrel | Vent Rib (R-H) | Vent Rib (L-H) | Vent Rib |
| | 30" Full | 50* | 73/4 | | 5332 | 5540 | 5348 (R-H |
| | 30° Full | 50" | 73/4 | | | | 5548 (L-H |
| | 30" full ("Special Purpose") | 50~ | 73/4 | _ | | | 5349★ |
| | 26" Full ("Special Purpose") | 46* | 73/4 | _ | - | | 5325★ |
| 12 | 28" Mod. | 48* | 7¾ | _ | 5336 | 5542 | 5352 |
| 12 | 26" imp. Cyl. | 46" | 73/4 | | 5338 | 5544 | |
| | 21" Full ("Special Field") | 41" | 71/4 | _ | 5270 | | _ |
| | 21" Mod. ("Special Field") | 41" | 714 | | 5272 | | |
| | 21" Imp. Cyl. ("Special Field") | 41- | 714 | _ | 5274 | - | |
| | 22" Imp. Cyl. (Deer Gun with rifle sights, recoil pad) | 421/2" | 7¾ | 5308 | _ | 5309 | ~ |
| | | | | | | | |
| | 28" Full | 48" | 7 | _ | 5234 | | 5242 |
| | 28" Mod. | 48* | 7 | _ | 5236 | | 5268 |
| | 26" Imp. Cyl. | 46" | 7 | _ | 5238 | - | - |
| | 21" Mod. (Youth Gun) | 39%* | 61/2 | | 5264 | - | - |
| LT-20 | 21" Imp. Cyl. (Youth Gun) | 39%* | 61∕2 | | 5262 | | |
| | 21" full ("Special Field") | 4 l ~ | 61/2 | _ | 5436 | _ | - |
| | 21" Mod. ("Special Field") | 41- | 61/2 | | 5438 | - | ~ |
| | 21" Imp. Cyl. ("Special Field") | 41" | 61/2 | _ | 5440 | | ~ 4 |
| | 20" Imp. Cyl. (Deer Gun) | 411/2" | 61/2 | 5248 (V | Vith rifle sigh | its & recoil | pad.1 |
| 28 | 25" Mod. | 45" | 615 | | 5416 | | |
| .410 | 25" Full | 45" | 7 | | | _ | 5466 |
| bore | 25" Mod. | 45" | 7 | _ | | ~ | 5468 |







870s to choose from. All with the same world-famous Remington pointability, smooth action and solid dependability to help

you get that high-flyin

that high-flyin' honker. Or gho. Levi a rulied grouse.

Check our specs. You'll find the right combination of gauge, barrel length, and choke for your perfect pump. There are left-hand guns in a wide range of specifications; also, a lightweight 20-gauge, a deer gun with rifled sights, even 20-gauge Youth Guns, an ideal way to get the younger ones started.

Every 870 has a positive crossbolt safety. Easily worked even with gloves, this safety is close to the trigger—right where it should be for that quick shot.

Twelve- and 20-gauge models have recoil pads. Stocks are solid American walnut with checkering, sealed against the elements by durable Du Pont RKW wood finish. And built to take all kinds of abuse.

All 870s except .410s and "Special Field" have 5-shot capacity; a 3-shot plug is included.

A wide choice of interchangeable barrels can help make your 870 an even better value among today's pump shotguns.


| 40 | D | EŁ | 8 | 7 | 0 |
|----|---|----|---|---|---|
| | | | | | |


| | | | | Order Numbers | | |
|----------------|------------------------------------|-------------------|--------------------|--------------------------------|-------------------------|--|
| Gauge | Barrel Length and Choke | Overall Length | Avg. Wt. (Ibs.) | Vent Rib Barrel 3" Chambers | Left Hand 3" Chamber | |
| | 30" full | 5012" | 7 | 6976 | 54964 | |
| | 30" Full, S.P. ("Special Purpose") | 501/5" | 7 | 6984 🛊 | | |
| | 26" Full, S.P. ("Special Purpose") | 461/2" | 7 | 6986★ | - | |
| 12 | 28" Mod. | 481/5" | 7 | 6974 | 6922+ | |
| | 26" Imp. Cyl. | 461/3" | 7 | 6926+ | 6924+ | |
| | 21" Full ("Special Field") | 41" | 634 | 4844 | | |
| | 21" Mod. ("Special Field") | 41" | 634 | 4846 | - | |
| | 21" Imp. Cyl. ("Special Field") | 41" | 634 | 4848 | - | |
| | 28" full | 48%* | 6 | 5190 | | |
| | 28" Mod. | 481/4" | 6 | 5198 | | |
| Ltwt. | 26" Imp. Cyl. | 461/4" | 6 | 52061 | | |
| 20 | 21" Mod. (Youth Gun) | 391/3" | 6 | 5200+ | _ | |
| | 21" Imp. Cyl. (Youth Gun) | 3914" | 6 | 5202+ | _ | |
| | 21" Full ("Special Field") | 41" | 6 | 5216 | | |
| | 21" Mod. ("Special Field") | 41" | 6 | 5218 | | |
| | 21" Imp. Cyl. ("Special Field") | 41" | 6 | 5220 | | |
| 28 | 25" Full | 451/5" | 6 | 4918 | _ | |
| (2¾" chambers) | 25" Mod. | 451/2" | 6 | 4920 | | |
| .410 | 25" Full | 451/2" | 61/2 | 4986 | _ | |
| | 25" Mod. | 451/3" | 61/2 | 5086 | _ | |
| Deer Guns | 20" Imp. Cyl. Deer Gun Rifle | | | | | |
| | Sights (Brush Master) | 401/2" | 7 | 6954+ | _ | |
| | 20" Imp. Cyl. Deer Gun | | | | | |
| | (Standard) | 401/2" | 7 | 6956+ | _ | |
| | 20" Imp. Cyl. Deer Gun | | | | | |
| | (Left Hand) | 401/2" | 7 | _ | 6958+ | |
| | 20" Imp. Cyl. (Deer Gun) | | | | | |
| | Rifle Sights | 401/1" | 6 | 5208+ | | |
| Model 870 | 20" Police Cyl. (Plain barrel) | 401/2" | 7 | 5020+ | 1 | |
| Police | 18" Police Cyl. (Plain barrel) | 381/2" | 7 | 5022+ | _ | |
| 12 | 20" imp. Cyl. (Rifle Sights) | 40%* | 7 | 5024+ | | |
| 1.2 | (mine aights) | 4012 | | 30241 | | |

Special Order Model 870s: D Tournament Grade and F Premier Grade (both engraved) and F Premier Grade (congraved, with gold inlay) are available in gauges listed.

Nominal stock dimensions: 14" long including recoil pad (no recoil pad on 28 gr 1 100 mg 100

I grop at comb. †New order number. ★ New G





*IODEL 870 EXTRA BARRELS WITH 2%" CHAMBERS

Todel 870 extra barrels with 2%" chambers will fit both Magnum and 2%" receivers.

To only 2%" shells in these barrels.

BARBER-- PRESALE R 0124644

| | Length & | | | Order Nu | | |
|---------------------|--------------------|----------|------------|-------------|-------|------|
| 100EL 870 | Choke | 12 | 20 (Std.) | 20 (LL) | 28 | .410 |
| ILLD GRADE, | 30" Pull | 6214 | | | | |
| TAIN | 28° Full | 6216 | 6270 | 6296* | | |
| | 25" Pull | | | | 6282 | 6236 |
| | 28" Mod. | 6218 | 6272 | 6298* | | - |
| | 25" Mod. | | | | 6284 | 6238 |
| | 26" Imp. Cyl. | 6220 | 6274 | 6300° | | |
| | 25" Imp. Cyt. | | | | 6286 | 6248 |
| IELD GRADE. | 20" Imp. Cyl. | 6544 | 6230 | 4524° | | - |
| lifle Sights, Deer | 20" imp. Cyl., L-H | 6545 | | | | |
| TELD GRADE, | 30" Pull | 6222 | _ | _ | | |
| VENT RIB | 28" Pull | 6224 | 6276 | 6322° | | |
| | 25° Full | | | | 6288 | 6250 |
| | 28" Mod. | 6226 | 6278 | 6324° | | |
| | 25" Mod. | | | | 6290 | 6264 |
| | 26" Imp. Cyl. | 6228 | 6280 | 6326° | | |
| | 25" Imp. Cyl. | | | | 6292 | 6266 |
| | 21" Mod. | | | 4526° | _=_ | _ |
| | 21" imp. Cyl. | | | 4528° | | |
| FIELD GRADE, | 30" Full | 6200 | | | | |
| LEFT-HAND, VENT RIB | 28" Full | | 6208 | | | |
| | 28" Mod. | 6202 | 6210 | | | |
| | 26" Imp. Cyl. | 6204 | 6212 | | | |
| IELD, High Grade | D Tournament & | F Premie | r (engrave | 1): Special | Order | |
| HAP VENT RIB | 30° Pull | 6242 | | | | |
| Ě | 28" Full | 6244 | | | | |
| Ę | | | | | | |
| • | 30° Mod. Trap | 6232 | | | | |

a A70 Lightweight barrels will not fit 20 ga. standard 870 guns.


MODEL 870 EXTRA BARRELS WITH 23/4" CHAMBERS (Cont'd.)


| | Length & | Extra Barrels: Gauge/Order Numbers | | | | | | |
|-------------------|--------------|------------------------------------|------------|-------------|-------------|------|--|--|
| MODEL 870 | Choke | 12 | 20 (Std.) | 20 (LL) | 28 | .410 | | |
| TRAP, LEFT-HAND, | 30" Full | 6206 | | | | | | |
| VENT RIB | D Tournament | & f Premie | r (engrave | d): Special | Order | | | |
| SKEET, VENT RIB | 26" Skeet | 6240 | 6508 | | _ | | | |
| | 25" Skeet | | | | 6294 | 6268 | | |
| SKEET, High Grade | D Tournamen | & F Premie | r (engrave | d): Specia | Order | | | |


MODEL 870 EXTRA BARRELS WITH 3" CHAMBERS
Model 870 extra barrels with 3" chambers used on Magnum receivers will handle both 2%" and 3" shells. Use only 2%" shells when these barrels are used on 23x" receivers.

| MODEL 870 | Length & Choke | 12 Ga. | 20 Ga. 11. |
|----------------|-------------------|--------|------------|
| FIELD GRADE, | 30" Full | 4504 ★ | |
| vent rib | 28" Full | | 4520★ |
| | 28" Mod. | 4542★ | 4532★ |
| | 26" Imp. Cyl. | 4544★ | 4570★ |
| | 20" Imp. Cyl. | 4562★ | 4578★ |
| SPECIAL FIELD. | 21 Full | 4550★ | 4534★ |
| VENT RIB | 21 " Mod. | 4552★ | 4536★ |
| | 21" Imp. Cvl. | 4554★ | 4538★ |

**Special Field barrels will not fit regular Model 870 guns. Regular Model 870 barrels will not fit Special Field gans
** New for 1985.







Whatever your needs call for in strong accurate bolt action, you can bet we have the answer. Our 700s come

we have the answer. Our 700s come with today's longest list of calibers, widest choice of stock styles, even several left-hand versions. Every one a legend in looks and performance. The Model 700 BDL and "Varmint Special" rifles have Monte Carlo stocks, high gloss RKW finish on walnut, plus many custom gun touches. The "Varmint Special" has a heavier barrel to eliminate barrel-whip, delivering pinpoint accuracy at long distances.

Our well known 700 Classic, on

the previous page, is for those who prefer a traditional straight line stock and satin finish. Jim Carmichel of Outdoor Life said, "The Remington 'Classic' is probably the best-looking, certainly the most shootable, hunting rifle ever offered by a major firearms maker."

For 1985 we're continuing our tradition of chambering it for classic calibers with the 350 Remington Magnum. A limited quantity will be manufactured. So don't wait to order.

Long action ADL/BDL calibers have blade ramp front sights, adjustable rear sights. Specifically, these calibers are 25-06, 270, 30-06, 7mm MAG, and 300. Front sights are

hooded on the BDL models. All sights are removable. (Short action calibers do not have sights.)

Model 700 ADL

For custom 700s made to your specifications, see the back page or call our Custom Gun Shop.

The Model "XP-100" bolt action pistol has become a legend for its strength, precision, balance and accuracy. We've chambered it in 7mm Bench Rest Rem., an ideal silhouette cartridge, with a 14½-inch barrel. It also available with a 10½-inch vent in barrel for the 221 Remington "Fire Ball" for varmints. Each has a onepiece "Zytel" nylon stock with universal grip, two-position thumb safety, match-type grooved trigger, and a drilled receiver.


MODEL 700

| | | | Overall | Length/Avg. | WL (Ib.) | Twist | Order Numbers | | | | |
|--------------------------------|--------------|---------------|-----------------|----------------------|---------------------|------------------|--------------------|-----------|------------------|----------------------|----------|
| Cailbers | Mag. Cap. | | "Classic" | "Yarmint Special" | ADL, BDL & "Custom" | R-H 1 turo (o | "Classic" | ADL | BDL | "Varmint Special" | "Custom" |
| 17 Rem. | 5 | 24~ | | | 431/7/4 | 9" | | | 5801 | | Spcl. |
| 222 Rem. | 5 | 24* | | 431/2"/9 | 431/7/4 | 14" | _ | | 5781 | 5821 | Spcl. |
| 22-250 Rem. | 4 | 24* | 431/27/2 | 431/2"/9 | 43%*/7% | 14" | 5854 | 5763 | 5783 | 5823 | Spcl. |
| 223 Rem. | 5 | 24" | | 431/2"/9 | 43%*/7% | 12* | | | 5798_ | 5825 | Spcl. |
| 6mm Rem. | 4 | 22" | | 431/2"/9 | 411/17/7/4 | 9%* | | | 5785 | | Spcl. |
| 243 Win. | 4 | 22* | 41%*/7% | 43½"/9 | 41%"/7% | 9%* | 5860 | 5767 | 5787 | 58291 | Spcl. |
| 25-06 Rem. | 4 | 24" | | 431/2*/9 | 41%*/7% | 10" | | 5769 | 5789 | | Spcl. |
| 270 Win. | 4 | 22- | 42%*/7% | | 411/2"/71/4 | 10* | 5864 | 5771 | 579I 5811 (L- | <u></u> — | Spcl. |
| 7mm-08 Rem. | 4 | 22* | _ | 431/2*/9 | 411/2"/71/4 | 91/4" | | | 5799 | 58351 | Spc1. |
| 30-06 & 30-06 "Accelerator" | 4 | 22" | 421/7/1/2 | | 41%*/7% | 10* | 5866 | 5773 | 5793 5813 (L | — H) | Spcl. |
| 308 & 308 "Accelerator" | 4 | 22" | - | 43%*/9 | 41%*/7% | 10° 12° | _ | 5775 — | 5795 — | 58331 | Spct. |
| 7mm Rem. Mag.² | 3 | 24~ | 44%*/7% | _ | 44%-/7% | 91/4" | 5872 | 5777 | 5803 5815 (L- | н) | Spcl. |
| 300 Win. Mag. ² | 3 | 24* | | | 441/2"/7% | 10" | | _ | 5807 | | Spct. |
| 350 Rem. Mag. | 3 | 22* | 441/2"/7% | | | 16" | 5756★ | | | _ | SpcL |
| 375 H&H Mag. ² | 3 | 24~ | _ | | 44%*/9 | 12* | | _ | 5836 | _ | |
| 458 Win Mag. ² | 3 | 24" | - | | 44%*/9 | 14" | - | | 58,38 | | |
| Stock Dimensions: | Lengt | h of Pull | | | | | 1334" | 13%* | 1,5% | 1,3 % | Spct. |
| | Drop | at Heel (from | centerline of b | ore) | | | 1" | 21/4" | 2 1/x" | Ph* | Spc t. |
| | Drop | at Comb (from | centerline of | pote) | | | ۶/ _{۱0} * | 1 % | 7سرا | 17" | Spc.L |

Varmant Special" equipped only with a 24" barrel. Hecoil pad included. * New for 1985. Limited production. Includes iron sights.

BARBER - PRESALE R 0124648

| MODEL SEVEN | 1985 | | | | |
|-----------------------|-------------|-------------|-------------|-------|-------|
| Calibers | 223 Rem. | 243 Win. | 6mm Kem. | | win." |
| Clip Mag. Capacity | 5 | 4 | 4 | 4 | 4 |
| Barrel Length | 181/2" | 18%* | 1815" | 1815" | 1814" |
| verall Length | 371/2" | 371/2" | 371/4" | 37%* | 37%* |
| ovist R-H (I turn in) | 14* | 91%" | 9¼* | 91/4" | 10" |
| Average Weight (lbs.) | 6¼ | 6¼ | 61/4 | 61/4 | 61/4 |
| ORDER NUMBERS | 4720 | 4782 | 4784 | 4786 | 4788 |






tree after tree between you and him.

TUMPS & AUTOS

rifles, you're shooting an action is just like your favorite autoloading



Wheth 1985 np or auto, one of these rifles is just your speed. Fast.



The Models Four and Six have an American walnut, Monte Carlo stock with full cheekpiece. You'll like the feel of the curved pistol grip, the balance of the flared fore-end, the looks of the rich, cut checkering.

An added custom feature is a cartridge head imbedded just forward of the receiver. A removable 4-shot magazine lets you load or unload quickly or change your ammo fast for different game or conditions.

There are detachable sights, with flat-faced front gold beads. The bolt has massive locking lugs, similar to those of bolt action rifles.

The Model 7400 autoloader and 7600 pump action rifles feature the same mechanical advantages of the Model Four and Six, but at lower cost. Stock and fore-end sport a custom checkering pattern.

MODEL FOUR, SIX, 7400, 7600

| Calibers | 6mm Rem. | 243 Win. | 270 Win. | 280 Rem. (7 mm Exp. Rem.) | 30-06 Sprg.' | 308 Win. |
|-----------------------|-------------|-------------|-------------|---------------------------------|-----------------|-------------|
| Barrel Length | 22* | 22" | 22* | 22* | 22" | 22* |
| Overall Length | 42" | 42" | 42" | 42" | 42" | 42" |
| Twist R-H I turn in | 914" | 9%" | 10* | 914" | 10" | 10" |
| Average Weight (lbs.) | 71/2 | 71/2 | 71/2 | 71/2 | 71/2 | 71/2 |
| ORDER NUMBERS | | | | | | |
| Model Four | 4740 | 4742 | 4744 | 4746 | 4748 | |
| Model Six | 4680 | 4682 | 4684 | - | 4686 | _ |
| Model 7400 | 4708 | 4710 | 4712 | 4714 | 4716 | 4718 |
| Model 7600 | 4650 | 4652 | 4654 | - | 4656 | 4658 |

Special Order Models Four and Six: D Peerless and F Premier Grades (both engraved) and F Premier (engraved, with gold inlay) are available in calibers listed.

Extra 4-shot magazine available at extra cost.

Stock Dimensions: 15% of length of pull, 2 of drop at neel, 19% drop at comb

*Model Six and 7600 also accept 30-06 and 348. Accelerator cartingges

1985

MODEL 352, MODEL 572, "NYLON 66"

| | Barrel Length | Overall Length | Average Weight (Ibs.) | Order Number |
|------------------------------|------------------|-------------------|--------------------------|-----------------|
| 52A | 21" | 40* | 5¾ | 5602 |
| Z BDL Deluxe | 21" | 40" | 5% | 5604 |
| 2A | 21" | 40″ | 51/2 | 5620 |
| 72 BDL Deluxe | 21" | 40" | 51/2 | 5622 |
| Nylon 66" BD "Black Diamond" | 19%″ | 381/2" | 4 | 5700 |
| "Yyon 66" MB Mohawk Brown | 19%* | 38%~ | 4 | 5500 |

shooting with youngsters. Both models come in standard A grades for the budget-minded. And BDL for those who demand the very best.

Our most unique rimfire rifle is the innovative Nylon 66. It's precision molded from the same incredibly strong Du Pont "Zytel" that

the Army uses for helicopter gears and the NFL for helmets, and we use for the most durable rifle you can buy. That's why we can give you the world's only lifetime warranty on a stock. If the Nylon 66 ever warps, cracks, fades or peels, we'll replace it, free.

All action surfaces of the "66" glide on supersmooth nylon bearings that never need lubrication. This gun performs perfectly in all weather conditions. It's long been the choice of trappers and hunters from the frozen reaches of Alaska to the jungles of the Amazon,

Whichever way you go, know that when you shoot Remington, you've got a unique rimfire edge.



hard to beat for fun or small game. Take our Model 572, the only pump action 22 made in America. It fires Shorts, Long, and Long Rifle cartridges interchangeably. A 21-inch barrel gives you great balance and accuracy. A slim, contoured pistol grip, plus precision sights, add the kind of shooting control you'd expect only on big game rifles.

Same's true of our 552 "Speedmaster" rifle. It's the only 22 autoloader that shoots all cartridge types. Like the 572, the "Speedmaster" can quickly be converted to single load capacity, an important feature when

Model 572 BDL pump action

Every one of our 2 has a unique

1985

The new "Spo uncompromised Remington quality. At very competitive prices.

_ers you

Sportsman 12-gauge pump action shotgun

Sportsman 12-gauge autoloading shotgun



Who knows more about bolt actions, pumps, and autos than Remington?
After all, we've been making guns since 1816. The difference in our new "Sportsman" Series is only in the degree of finish. With

"Sportsman" we concentrate on the basics. Yet when you compare, feature for feature, with any similarly priced guns, you'll find added Remington value in every "Sportsman" inch.

All receivers are machined from a

petitors are cast, or made of alloys. The "Sportsman" stocks and foreends are made of quality hardwoods with satin finish.

"Sportsman" rifle receivers are drilled and tapped for easy scope mounting. Metal sights are on all guns, with rear sights on the rifles that are adjustable for windage and elevation.

The "Sportsman" 74 Auto and 76

Pump, in hard-hitting 30-06, offer quick, extra shot performance. Superb balance. Surefire accuracy.


Sportsman 74 autologging rifle

The bolt of each has massive locking lugs, similar to bolt action rifles. Removable 4-shot magazine. Gas metering system in the "74" reduces recoil.

Our "Sportsman" 12 Pump and 12 Auto shotguns have vent rib barrels in either 28-in. Mod. or 30-in. Full characteristics in 5-in.; Auto is in 2½-in.


The "Sportsman" 12 Pump has exceptionally fast, smooth chambering and extraction through use of







Sportsman 78 bolt action rifle



double action bars. Barrel extension locks in the breech bolt to ensure constant headspace.

There's also a "Sportsman" 78 action rifle chambered for two by action calibers, the 270 Win. and (i)-06; also available in short action hambered for 243 and 308. It has the same rugged Remington action, halt, and barrel that's long been recprized for strength and accuracy by ters and bench rest shooters alike. ive ever thought of buying a are quality gun because it's more ordable, think again. Now, you don't - to wait to own a Remington.

SPORTSMAN

| | Gauge | Chamber | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Total 2%" Shell Capacity | Order Number | | |
|------------------|---|-----------------------|--|-------------------|------------------------|-----------------------------|-----------------|--|--|
| 12 AUTO | 12 | 2¾" | 28" Mod. | 48" | 7¾* | 5 | 5552★ | | |
| SHOTGUN | 12 | 2** | 30" Full | 50" | 7%* | 5 | 5550★ | | |
| 12 PUMP | 12 | 3" | 28° Mod. | 481/2" | 7%" | 5 | 5534 | | |
| SHOTGUN | 12 | 3* | 30" Full | 501/2" | 7%* | . 5 | 5536 | | |
| 1 | Caliber | Clip Mag. Capacity | Barrel Length | Overall Length | Twist R-H 1 turn in | Avg. Wt. (lbs.) | Order Number | | |
| 78 BOLT | 243 Win. | 4 | 22* | 421/2" | 10" | 7 | 6158★ | | |
| RIFLE | 270 Win. | 4 | 22" | 421/2" | 10" | 7 | 6162 | | |
| | 308 Win. | 4 | 22* | 421/2" | 10" | 7 | 6160★ | | |
| | 30-06 Spro | 1. 4 | 22* | 421/2" | 10" | 7 | 6164 | | |
| | Standard Stock Dimensions: Length of pull: 133/s". Drop at comb": 9/16". *From centerline of bore. | | | | | | | | |
| 74 AUTO RIFLE | | ock Dimensio | 22" ons: Length of pul t comb: 1"/16". | 42* J: 13%.* | 10* | 71/2 | 6166 | | |
| 76 PUMP RIFLE | 30-06 Sprg Standard St | . 4 ock Dimensio | 22" ons: Length of pul t comb: 1"/11". | 42" 1: 13%". | 10" | 71/2 | 6168 | | |

*Uses a special shot container

1985

| Gauge/ | Load | Shell | Powder | | | | |
|--------|---------------|-------------------|---------|---------|------------|-----------|-----------|
| Bore | Type | Length | Dr. Eq. | of Shot | Sizes | Order No. | Order No. |
| | | 2%" | 3 | 11/6 | 71/2, 8, 9 | | PT12M |
| 12 | Peters Target | 2 \ 4" | 2% | 11/6 | 71/2, 8, 9 | | PT12L |
| | | 24" | | 1 | 8 | | PT12L8-1 |
| 20 | "RXP" Skeet | 2%* | 21/2 | % | 9 | XR20 | XP20 |
| 28 | Skeet | 2%* | 2 | * | 9 | SP28 | PS28 |
| 410 | Skeet+ | 2%" | Max. | 1/2 | 9 | SP410 | PS410 |
| 12 | Int'i Trap | 2¾* | 314 | 1% | 7% | nsp12H | - |
| | Int'i Trap | 234" | 31/4 | 11/6 | 74,8 | SPIZH | ~ |

Model 1100 "Tournament" skeet

Model 870 TA trap

Serious target shooters know our Model 1100 for its great pointability, low recoil, and reliability. Our 1100 "Tournament" Model has positive cut checkering and fine American walnut. Ask your dealer about our Model 1100 weight-equalizer kits. They give your 20-, 28-, and .410 the same balance as your 12-gauge 1100 skeet gun.

For trap, it is tough to beat our revolutionary 870 "Competition." This single-shot gun has a unique gasassisted system to reduce recoil. It gives you the pointability of a single barrel, the recoil of an 1100, and the dependability of an 870.

Highly competitive but worthy lower-cost models are our SA Grade 1100 skeet gun and TA Grade 1100s and 870s.

Target Loads.

Mickel

Trap and skeet shooters have called our PETERS shells "True Blue" for a good reason. Reliability. With our sure-fire 209 primer, a hotter primer mix and covered flash hole.

Pick up a 90 pack of "Blue Rock" clay targets and get into the best of clay busting.

Later this year, look for our line of target loads in 20, 28, and .410—all with "Power Piston" wads and the other features that make Remington a top brand on trap and skeet fields.

Order Numbers & Specifications

MODEL 870 TRAP, 12 GAUGE

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|---------------|-----------------------------|---------------------------|-------------------------|
| TA Grade | 30° Pull | 5046 | 5050 |
| "Competition" | 30° full | 5204 | |

Stock Dimensions (with record page). Std. & Monte Carlor, 14* long, 15** drop at heel. 15** drop at comp. "Competition": 14* long, 15** drop at heel. 15** drop at comb. Avg. WL: Std: 75* long. 15** drop at comb. Avg. WL: Std: 75* long. 15** l

MODEL 1100 SKEET

| Gauge | Barrel Length | SA Grade | "Tournament" Grade |
|--------------------|------------------|--------------|-----------------------|
| 12 (R·H) (L·II) | 26" Skeet | 5356 5564 | 5304 |
| LT-20, 20 | 26" Skeet | 5244 | 5226 |
| 28 | 25" Skeet | 5432 | 5282 |
| .410 Bore | 25* Skeet | 5298 | 5300 |

Stock Dimensions: 14" tong 20% drop at heef 10% drop at comb. Avg. Wt.: 12 qa. 7% lbs.: 14 20 20 qa. 6% lbs.: 440 bore 7% lbs.: Model: 1100 Weight Equatizer Kits: For Ll. 20. Order #6464: 28 qa., #6466; 340 bore: #6464.

MODEL 1100 TRAP, 12 GAUGE

| | Barre) Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|----------------|-----------------------------|---------------------------|-------------------------|
| TA Grade (R-H) | 30" Full | 5446 | 5450 |
| (L-H) | | 5454 | 5456 |
| "Tournament" | 30" full | 5588 | 5592 |

Stock Dimensions (with recoil pad). Regular Stock: 14 ho. long, 5 ho. drop at heel. 1 ho. drop at comb. Monte Carlo: 14 ho. long, 5 ho. drop at meel. 1 ho. drop at comb. 1 ho. drop at Monte Carlo. Ava. Mt. 8 ho. lbs.

Special Order Model 870 and 1100 (Trap & Skeet): D & F Premier Grades (engraved).

For over 70 years, Remington has led the list in target breakthroughs and records.


Bolt Action Kines

New
Model 700 "Mountain Rifle"

You have to be part mountain sheep, part pack mule to hunt here in the Bob Marshal Wilderness."

Augusta, Montana

gears, the Model 700 has been mown as a rifle of legendary strength and accuracy. But for 1986, the legend is rebom in a lighter, easier-to-carry version. And although this new 70° conserves on tiring weight, its performance and quality remain uncompromised.



The benefits of this new rifle make citing news for experienced rifleen everywhere.

Clean, smooth, classic lines give is rifle a custom look...without the tra cost. Its 22" tapered barrel and inder stock design substantially face your carrying weight. At just \$108., it shaves a full ½ lb. from our indard Model 700. Yet, the "Mounna Kifle" has the same action that smade the 700 a favorite of precisal shooters, including national inchrest and silhouette champions. Se satin-finished stock of traditional, with the right feel for menced rifleman.

This new "Mountain Rifle" is chambered in three proven, big-game calibers-270 Win, 280 Rem and 30-06. And it has a host of features that come from years of experience and development: a lower-pitched pistol grip to help straighten your wrist for better control; a slender cheekpiece positions the eye for sighting while softening recoil; a proven hinged floor plate and specially designed follower that allows the bolt to glide smoothly; and a naturally placed safety that is easily accessible and operable, even with aloves on.

And, as with all Model 700s, you're getting the most accurate, strongest

bolt action you can buy...out of the box. Its bolt face, barrel and milled receiver surround the cartridge head with three rings of solid steel.

No extractor cut weakens the bolt.

(Turn the page for a complete rundown of our entire Model 700 series.)



BARBER - PRESALE R 0124660

the trim new "Mountain Rifle" and our custom grades, the Model 700 is traised by hunters and outdoor writtalised like for style, strength and accurate like for style, strength and accurate lock time of any production centerfire on the market, so nothing is going to put you on target faster. And its crisp trigger is rated the finest of any production rifle.

Our Model 700 BDL and heavybarreled "Varmint Special" feature a Monte Carlo style American walnut stock with cheekpiece, positive cut skip-line checkering, hinged floorplate, quick release swivel studs and RK-W flnish. The "Varmint Special" is once again available in 6 mm Rem.

For 1986, we are continuing our tradition of chambering the Model 700 "Classic" in classic calibers for a limited production run. This year's offering will be the 264 Win Mag.

This "Classic" is just that. With a

traditional straight line stock, simple but elegant full-pattern cut checkering, satin wood finish, highly polished blueing, brown rubber butt pad, sling swivel studs and a hinged floorplate.

Our value-leading Model 700 ADL has cut checkering on its American walnut stock and a hand-applied satin finish.


Blade ramp front sights and fully adjustable rear sights come with all Model 700 ADLs and BDLs except in the varmint calibers (17 Rem, 222 Rem, 223 Rem and 22-250 Rem). BDL front sights are hooded, and all are removable. All Model 700s are factory drilled and tapped for scope mounts.

Last, but least only in weight, is our

6¼-pound *Model Seven*. Our compact bolt action rifle has one of the best power-to-weight ratios of any rifle. In five high-performance short action calibers, including the 7mm-08 Rem and 223 Rem, the Model Seven's quality features include an 18½-inch tapered barrel with ramp front, adjustable rear sights and hinged floorplate. A slimmed down, straight line stock of American walnut has cut checkering, satin finish and a stylish Schnabel fore-end.

Note: Other callbers and our *Model 700 "Safarl"* rifles are available in custom grades. See your Remington Pro Line™ Center for our Custom Gun Shop brochure.

*Lock time is the time it takes after the trigger is pulled for the firing pin to strike the primer.




| М | ao | FI. | 700 |
|---|----|-----|-----|
| | | | |

| | | | | Overall Lengt | th/Avg. Wt. (Ib. | .) | Twist | | | Order Numb | ers | |
|---------------------------------------|--------------|------------------|---------------------------------------|----------------------|----------------------|---------------------|------------------|---------------------|----------------------|------------|---------------------|----------------------|
| Culibers | Mag. Cap. | Barrel Length | "Mountain Rifle" | "Limited Classic" | "Varmint Special" | ADL, BDL & "Custom" | K-H 1 turn lp | "Mountain Kifle" | "Limited Classic" | ADL | BDL | "Varmint Special" |
| 17 Rem. | 5 | 24* | | _ | | 431/2"/71/4 | 9* | | | _ | 5801 | _ |
| Rem. | 5 | 24" | | | 431/2*/9 | 43½*/7¼ | 14" | | _ | - | 5781 | 5821 |
| 2.1-250 Rem. | 4 | 24* | <u> </u> | _ | 43½*/9 | 43½"/7½ | 14″ | _ | | 5763 | 5783 | 5823 |
| 223 Rem. | 5 | 24" | _ | _ | 431/2"/9 | 43%"/7% | 12* | _ | _ | _ | 5798 | 5825 |
| 6ı nm Rem. | 4 | 22" | | - | 43½*/9 | 411/2"/71/4 | 91/8" | | _ | | 5785 | 5827★ |
| 243 Win. | 4 | 22" | | | 43½*/9 | 411/2"/71/4 | 9%* | _ | _ | 5767 | 5787 | 58291 |
| ∴ 06 Rem. | 4 | 24" | | _ | 43%*/9 | 411/2"/71/4 | 10" | | | 5769 | 5789 | _ |
| . 94 Win. Mag. | 4 | 24" | | 4415"/744 | | _ | 9" | _ | 5898★ | - | _ | _ |
| ./70 Win. | 4 | 22* | 421/2"/6% | _ | | 411/2"/71/4 | 10" | 5630★ | _ | 5771 | 5791 5811 (L-11) | _ |
| 280 Rem. | 4 | 22* | 421/2"/6% | _ | _ | _ | _ | 5632★ | _ | | _ | _ |
| rnm-08 Rem. | 4 | 22* | · – | _ | 431/2"/9 | 411/2"/71/4 | 9¼* | | | | 5799 | 58351 |
| 30-06 & 30-06 "Accelerator" | 4 | 22* | 421/2"/67/4 | <u> </u> | _ | 411/2"/71/4 | 10" | 5634★ | | 5773 | 5793 5813 (L-H) | _ |
| 308 Win. & 308 "Accelerator" | 4 | 22" | _ | _ | 431/2*/9 | 411/2*/71/4 | 10* 12* | = | = | 5775 | 5795 | 58331 |
| 7cam Rem. Mag.² | 3 | 24" | | | _ | 44½*/7¾ | 9%* | _ | _ | 5777 | 5803 5815 (L-H) | _ |
| S ↔ Win. Mag.² | 3 | 24" | | | _ | 441/2*/7% | 10″ | _ | _ | | 5807 | |
| alari Grade | | | | | | | | | "Classic" | | Monte Carlo | |
| un Rem. Mag. | 3 | 24* | _ | | | _ | 16" | | 5892★ | _ | 5816★ | |
| ∵ 5 H&H Mag.² | 3 | 24" | _ | _ | _ | 441/2"/9 | 12" | | 5848★ | _ | 5836 | |
| 458 Win Mag. ² | 3 | 24" | | _ | _ | 44%*/9 | 14" | | 5880★ | _ | 5838 | |
| Stock Dimensions: | Lengti | n of Pull | · · · · · · · · · · · · · · · · · · · | | | | | 13%" | 13%" | 13%* | 13%* | 13%r″ |
| | | | n centerline of | bore) | | | | ₩* | l" | 15/16" | 15/15" | 1%" |
| | Drop a | t Comb (fro | om centerline | of bore) | | | | ₩* | 9/16" | 11/10" | "/16" | 1/2" |

Varmint Special" equipped only with a 24" barrel. "Recoil pad included. ★ New for 1986

HODEL SEVEN

| (al: bers | Mag. Cap. | Barrel Length | Overall Length/ Avg. Wt. (lbs.) | Twist R-H 1 turn in | Order Number | Stock Dimensions/Model Seven |
|------------------------------|--------------|------------------|------------------------------------|---------------------------|-----------------|--|
| Rem. | 5 | 1815" | 371/2*/61/4 | 12* | 4720 | Stock Dimensions: |
| 4+3 Win. | 4 | 1812" | 371/2*/61/4 | 91/6" | 4782 | 131/1 length of pull, 1" drop at heel. %" drop at comb (measured from centerline of bore). |
| in Rein | 4 | 1814" | 371/1614 | 91/4" | 4784 | (measured from contentite of pore). |
| em 08 Rem. | 4 | 181/2" | 37%*/6% | 914" | 4786 | |
| : "(Win. & 308 "Accelerator" | 4 | 1815* | 37%*/6% | 10" | 4788 | |



The Remington Custom Gun Shop is all about making one gun. One at a time. Fit and finished for one individual. A gun you just can't walk into a store and buy off the shelf.

Choose your Model 700 Custom bolt action in a range of grades: I, II, III or IV. Depending on your individual tastes and requirements, special woods are selected and actions with engraving are created by our craftsmen, in calibers from 17 to 458.

Our new Model 40-XR Custom Sporter rimfire has the same quality and feel as our legendary Model 700, in an exquisite 22-caliber single-shot version. Like the custom Model 700, it's available in grades I, II, III or IV.

Also for 1986, our Custom Gun Shop offers the new Remington Model 700 "Custom" KS "Mountain Rifle," fitted with an extra lightweight, super strong KevlarTM fiber-reinforced stock. Available in six calibers from 270 Win to 375 H&H in either right- or left-hand action. It's the perfect gun for almost any kind of big game.


The Safari grade Model 700s are a special breed of custom rifles. They're built with the strength to take the biggest game and still be a handsome addition to any gun cabinet. Safari grade rifles are now offered in 8mm Rem Mag, 375 H&H Mag and 458 Win Mag in classic or Monte Carlo style stocks.


Our new Custom "XP-100" long range handgun with wood stock comes in 7mm-08 Rem and 35 Rem calibers. With ramp front sights, the 7mm-08 is ideal for metallic silhouette shooting. The 35 Rem version is also well suited for big game handgun hunting.


Autoloading and pump action rifles and shotguns are also custom crafted in D and F grades. Each gun from our Custom Gun Shop is an example of Remington's dedication to excellence in precision as well as beauty.

For information or to order any gun from our Custom Gun Shop, see your Remington Pro Line dealer. Or, send a check for \$5,° payable to Remington Arms Co., Eden Park Bldg., GCD, Wilmington, DE 19898, for the new









experienced whitetail hunter ws that lightning-quick actions is reactions are the name of the ame. Our pump action and autosiding centerfire rifles are designed, danced and finished to make the and of your reflexes. That's why angton actions have been the · of successful deer hunters for

he unique gas metering system of Models Four and 7400 autoloadtilles is designed for performance actiability. Their handling and lability are without equal, . is to stock dimensions and anced weight distribution.

Extra 4-shot clips are available for all


These autoloaders deliver up to four extra shots, with low recoil sensation to keep you in game-getting position each time.

For added strength on all guns, the bolts have locking lugs similar to those you'd expect only on bolt action rifles.

Whether your preference is pump or auto, you won't find faster,

smoother or better balanced rifles. All have machined steel receivers, quality American walnut stocks and forearms, and the kind of 100% American craftsmanship that Remington gives

Remington's popular *30-06* "Core-Lokt" cartridge with convenient 4-shot clip.



Or if you prefer pump action

shotguns, like our Model 870, the

Models Six and 7600 pump action

rifles should be your choice. Their double action bars keep performing at

your command with far less effort than

The differences between models in

each action type come down to added

quality touches. The Models Four and

Six are loaded with custom features:

positive cut checkering on their Amer-

ican walnut Monte Carlo stocks, com-

fort of a full cheekpiece, curved pistol

grip and a flared fore-arm for

you'd ever imagine, even in the most

miserable conditions.



Special Order Models Four and Six: D and F Grades (both engraved) and F Grade (engraved, with gold inlay) are available in calibers listed Refer to our Custom Shop brochure for details.

Extra 4-shot magazine available at extra cost

Stock Dimensions: Models Four and Six—139/6" length of pull, 119/6" drop at heel, %" drop at comb.

Models 7400 and 7600 -- 13% length of pull 13% drop at heel. 1/16 drop at comb.

'Model Six and 7600 also accept 30-06 and 308 "Accelerator" cartridges.

ideal control. An added design feature is a cartridge head imbedded just forward of the receiver, for quick identification.

A removable 4-shot magazine lets you load or unload quickly, or change your ammo fast for different game or conditions.

There are detachable sights, with flat-faced front beads. The bolt has massive locking lugs, similar to those of bolt action rifles.

The Models 7400 autoloader and 7600 pump action rifles have the same proven action as the Four and Six but cost less. They feature white-line spacers, American walnut stocks with high-gloss RK-W finish and custom checkering. There are detachable sights on all models.

With features like these, it's no wall der Remington rifles have been the choice of woods-wise and experienced deer hunters for 80 years.



an use your favorite gun even more.

But these new interchangeable choke does are more than just versatile. They re superior to anything else on the maret from competitive manufacturers.

These American-made choke tubes ie crafted from high-strength stainss steel, a material advantage you on't find from any other oun manuicturer. No carbon steel or alloy ctory choke tubes have the rength or corrosion sistance we offer.

Modified and Improved Cylinder, plus a wrench to install them. The new 870 "Wingmaster" also includes a handy "Rem" Choke carrying pouch made of durable Cordura® nylon. This pouch is also available as an accessory from your Remington dealer.


Available in these 12-gauge models for 1986: all new 870s, 1100s and "Sportsman" shotguns with 28", 26" and 21" barrels.


"Rem" Choke will also be available in 12-gauge extra barrels for both Models 1100 and 870 in 28", 26" and 21" lengths. Not available on 30" barrels, deer guns, target guns or any gauge other than 12.

Note: "Rem" Choke is not available as a retrofit to

Nothing's too predictable out here. For days, the geese are decoying. Then suddenly there's not a one that isn't a long pass."

Cairo, Illinois





Introduced in 1950, the Model 870 has become the most popular pump action shotgun ever produced. It has been praised by outdoor writers and, more importantly, recommended by almost every owner. No small feat when you consider there are more than four million 870s.

Dependable, rugged and a proven value, the 870 is also known as the most versatile gun around. And now, with the availability of new "Rem" Choke, even more so.

These screw-in choke tubes, in 12 gauge only, are stronger than others and made of high-strength stainless steel. A handy carrying pouch made of durable Du Pont "Cordura" nylon comes with the new "Wingmaster," and is available as accessory from your Remington dealer.

we've further upgraded the 870 12-

gauge "Wingmaster" for 1986. This new restyled 870 "Wingmaster" pump has cut checkering on its satin finished American walnut stock and foreend for confident handling, even in wet weather. We've also added an ivory bead "Bradley" type front sight. It's available with 26" or 28" barrel with "Rem" Choke for quick

handling and versatility, or 30" full choke for a longer sighting plane and smoother swing. Like all 870s (except 28 gauge), it handles 3" and 234" shells interchangeably.

As recently written in Guns and Ammo, "Suitable for any hunting or target shooting, the Remington 12-gauge 870 is truly versatile.


Combine this shotgun's extreme

durability and unique ruggedness with extra accessory barrels and it becomes top candidate for the title of 'the world's most versatile firearm.'"

And now, you have more choices than ever. Choose from extra barrels in a wide variety of lengths, styles and chokes that fit virtually any Model 870. (See the specifications on the following pages.)



8/0 rump Action Shotguns





Every Model 870 has a receiver machined from a solid block of ordnance-grade steel. Its action parts are "vibra-honed" for smooth operation. And double action bars positively eliminate binding or twisting. So you get extra shots off as fast as you can **MODEL 870 SHOTGUNS**

pump and pull the trigger. All 870s, except the "Special Field"

and 410, have a 5-shot capacity. However, a 3-shot plug is furnished. A positive cross-bolt safety is close to the trigger and works even with gloves.

"Rem" Choke comes on all 12-gauge 870s, except 30" barrels, deer guns, target guns or as a retrofit. It is available on 28", 26" and 21" extra barrels.

Field 870s have metal bead front sights. Deer guns have rifle sights. The new 870 "Wingmaster" comes with ivory bead "Bradley" type front sight and metal bead midsight.

All 12- and 20-gauge models have recoil pads. Fore-ends and stocks are made of American walnut, except police and SP shotguns.

If you are looking for quickness, the 870 "Special Field" has a straight grip stock, a shortened and slimmer fore-end and magazine, cut checkered stock and fore-end, as well as a 21inch barrel, 4-shot capacity total.

See charts for specifications (870 "Special Purpose" waterfowl, turkey and deer guns are on page 21).

| | | | | Order ! | lumbers |
|----------------|--|-------------------|--------------------|---------------------------------|-------------------------------|
| Gauge | Vent Rib Barrel Length and Choke | Overall Length | Avg. Wt. (ibs.) | Right Hand 3" Chambers | ieft Hand 3" Chamber |
| | 30° Full ("Wingmaster") | 50%* | 71/4 | 5504★ | |
| | 28" "Rem" Choke ("Wingmaster") | 481/2" | 714 | 5506★ | _ |
| | 26" "Rem" Choke ("Wingmaster") | 461/2" | 71/4 | 5508★ | _ |
| | 30" Full | 501/2" | 71/4 | 6976 | 5496 |
| - 12 | 28" "Rem" Choke | 481/2" | 71/4 | 5054★ | 6950 |
| 12 | 26" "Rem" Choke | 461/2" | 71/4 | 5056★ | 6952≠ |
| | 30" Full ("Special Purpose") 26" "Rem" Choke | 501/2" | 714 | 6984 | _ |
| | ("Special Purpose") | 461/2" | 71/4 | 4862★ | |
| | 28" Mod. | 481/5" | 71/4 | 6974 | _ |
| | 21" "Rem" Choke ("Special Field") | | 7 | 4870★ | _ |
| | 28° Full | 481/2" | 6 | 5190 | |
| | 28" Mod. | 481/2" | 6 | 5198 | _ |
| Ltwt. | 26" Imp. Cyl. | 461/2" | 6 | 5206 | |
| 20 | 21" Mod. (Youth Gun) | 40" | 6 | 5200 | _ |
| | 21" Imp. Cyl. (Youth Gun) | 40" | 6 | 5202 | _ |
| | 21" Full ("Special Field") | 411/2" | 6 | 5216 | |
| | 21" Mod. ("Special field") | 411/2" | 6 | 5218 | _ |
| | 21" Imp. Cyl. ("Special Field") | 411/2" | 6 | 5220 | _ |
| 28 | 25" Pull | 451/2" | 6 | 4918 | _ |
| (24° (hambers) | 25" Mod. | 45% | 6 | 4920 | - |
| .410 | 25" Full | 451/2" | 61/2 | 4986 | |
| | 25" Mod. | 451/1" | 61/2 | 5086 | |
| Deer Guns | 20" Imp. Cyl. Deer Gun w/Rifle Sights ("Brushmaster") 20" Imp. Cyl. Deer Gun | 40%* | 71/4 | 6954 | 6958 |
| 12 | (Standard) | 40½° | 7% | 6956 | _ |
| | 20" Imp. Cyl. ("Special Purpose") Deer Gun w/Rifle Sights | 10%" | 7¼ | 4864★ | |
| Ltwt. 20 | 20" Imp. Cyl. Deer Gun w/Rifle Sights | 401/2" | 6 | 5208 | _ |
| Model 870 | 20" Police Cyl. (Plain barrel) | 401/2" | 71/4 | 5020 | |
| Police* | 18" Police Cyl. (Plain barrel) 20" Imp. Cyl. | 381/2" | 71/4 | 5022 | - |
| 12 | w/Rifle Sights | 401/2" | 71/4 | 5024 | - |

Special Order Flodel 870s: D and F Grades (both engraved) and F Grade (engraved, with gold inlay) are available in quiges listed.

Nominal stock dimensions: 14" long, including recoil pad (no recoil pad on 28 ga., 410 bore). Youth Gun — 12" long, 2" drop at heel. 1" drop at comb. Sales of police guns are restricted. ** New for 1986

MODEL 870 EXTRA BARRELS WITH 244" CHAMBERS

Model 870 extra barrels with 2%" chambers will fit both Magnum and 2%" receivers. Use only 2%" shells in these barrels.

| | Length & | Gauge/Order Numbers | | | | | | | |
|------------------------------------|----------------|---------------------|-----------|----------|------|------|--|--|--|
| DEL 870 | Choke | 12 | 20 (514.) | 20 (LL.) | 28 | .410 | | | |
| FIELD GRADE, DEER, Ritle Sights | 20" linp. Cyl. | ~ | 6230 | 4542° | | | | | |
| HELD GRADE. | 28" Full | = | 6276 | 6322° | | | | | |
| A NT RIB | 25° tull | _ | | | 6288 | 6250 | | | |
| | 28" Most. | | 6278 | 6324* | | | | | |
| | 25" Mod. | | | _ | 6790 | 6264 | | | |

| | Leugth & | | Gauge | umbers | | |
|------------------------------|-----------------|-----------|-------------|----------|------|------|
| MODEL 870 | Choke | 12 | 20 (Std.) | 20 (LL.) | 28 | .410 |
| FIELD GRADE. | 26" Imp. Cyl. | | 6280 | 6326° | | |
| VENT RIB (Cont.) | 25" Imp. Cyl. | | _ | _ | 6292 | 6266 |
| | 21" Mod. | | | 4526° | | |
| | 21" Imp. Cyl. | | | 4528° | | |
| PIELD GRADE, | 28° Full | | 6208 | _ | _ | _ |
| LEFT-HAND, VENT RIB | 28" Mod. | | 6210 | _ | _ | _ |
| | 26" Imp. Cyl. | | 6212 | _ | | |
| TRAP, VENT RIB | 30" full | 6242 | | | - | |
| | 28" Full | 6244 | _ | | | |
| | 30" Mod. Trap | 6232 | _ | _ | _ | |
| | 28' Mod. Trap | 6246 | | | | |
| TRAP, LEFT-HAND, VENT RIB | 30" Pull | 6206 | | | _ | _ |
| SKEET, VENT RIB | 26" Skeet | 6240 | 6508 | | | |
| | 25' Sheet | | | | 6294 | 6268 |
| | D & F Grades (e | ngraved): | Special Ord | | | |


*20 ga. 870 Lightweight harrels will not tit 20 ga. slandard 870 guns


MODEL 870 EXTRA BARRELS WITH 3" CHAMBERS

Model 870 extra barrels with 3" chambers used on Magnum receivers will handle both

| MODEL 870 | Length & Choke | 12 Ga. | 20 Ga. LL |
|-------------------------------------|-----------------------------------|---------------|-----------|
| FIELD GRADE, | 30" Full ("Wingmaster") | 4588★ | |
| ENT RIB | 28" "Rem" Choke ("Wingmaster") | 4580★ | |
| | 26" "Rem" Choke | 4300 | |
| | ("Wingmaster") | 4582★ | _ |
| | 28" "Rem" Choke | 4584★ | |
| | 26" "Rem" Choke | 4586★ | |
| | 30" Full (L-H) | 4508★ | |
| | 28" "Rem" Choke (L-H) | 4600★ | |
| | 26" "Rem" Choke (L-H) | 4602★ | |
| | 30° Full | 4504 | _ |
| | 28" full | | 4520° |
| | 28' Mod. | | 4532° |
| | 26" Imp. Cyl. | | 4570* |
| EER, Rifle Sights | 20° Imp. Cyl. | 4562 | 4578° |
| | 20" Imp. Cyl. (L-H) | 4604★ | |
| PECIAL PURPOSE EER. Rifle Sights | 20" lmp. Cyl. | 4596★ | |
| SPECIAL PURPOSE | 30" Full | 4572★ | |
| ENT RIB | 26" "Rem" Choke | 4592★ | |
| PECIAL FIELD** | 21" "Rem" Choke | 4594 ★ | |
| ENT RIB | 21' full | | 4534 |
| | 21" Mod. | | 4536 |
| | 21" Imp. Cyf | | 4538 |
| | D & f Grades (engraved): | Special Order | |

"Special field barrels will not lit regular Model 870 guns, Regular Model 870 parrels will not lit Special !-





"Anyone who can shoot well, will probably shoot better with an 1100." So said Jim Carmichel of *Outdoor Life* after the 1100 came to the market. The reasons are well known today: soft recoil, reliability, pointability, handling...now proven by over 3 million shooters across the land.


Like all Remington shotguns, every 1100 receiver starts with a solid block of ordnance-grade steel for total strength. The 1100's unique gas metering system significantly reduces recoil, so that you stay on target shot after shot.

All action parts are polished by our patented "vibra-honing" process for

smooth, natural performance. The stocks and fore-ends are shaped from American walnut, with durable RK-W finish, and deep, lustrous blueing on the finished metal. (Except "Special Purpose" 1100s. See page 21.)

The 1100 is still the only autoloader made, in popular specifications, for both left- and right-handed shooters.

The Model 1100 comes in any of four gauges and seven styles, plus a host of interchangeable barrels. And now 12-gauge 1100s are available with new "Rem" Choke interchangeable choke tubes, You won't find a better balanced, easier handling or more versatile choice. (See the next page for specific model information.)



A

18

Model 1100 rutoloading



9),



The *Field Grade* 1100 is the proven standard for general hunting, while the 1100 Magnum has always been the most versatile with waterfowlers. Both come with a positive cross-bolt sifety and metal bead front sights. And now both styles are even

changeable choke tubes are available in new 12-gauge guns, with 28", 26" or 21" barrels only. Not available on 30" barrels, deer guns, target guns, or as a retrofit to existing 1100 barrels.

The 1100 "Special Field" combines a shorter overall length of 41" with lighter weight and an English style straight line stock. The result is quick

sights. Its improved cylinder choke delivers maximum effectiveness with rifled slugs and buckshot loads.

Youths and smaller-framed adults will like the LT-20 "Youth Gun." It has the same great action and soft recoil, with a shorter stock and barrel to reduce size and weight, but in no way limiting its performance.

RODEL 1100 SHOTGUNS

| | | | | | 2%" Cham | | 3'Chamber | |
|------|---|-------------------|--------------------|----------------|-------------------|------------------|--------------|--|
| #uge | Barrel Length and Choke | Overall Length | Arg, Wt. (lbs.) | Deer Barrel | Vent Rib (R-H) | Vent Rib (iH) | Vent Rib | |
| _ | 50° full | 50" | 7% | _ | 5332 | 5540 | 5348 (R-H) | |
| | SOF Pull | 50" | 7¥4 | - | _ | | 5548 (L-II) | |
| | .18" "Rem" Choke | 48" | 7¾ | | 5 4 42★ | 5596★ | | |
| | 28" "Rem" Choke | 48* | 71/4 | _ | _ | - | 5318 (L-H)★ | |
| | 26° "Rem" Choke | 46" | 7-% | _ | 5444★ | 5598★ | - | |
| | 21" "Rem" Choke ("Special Field") | 41" | 71/4 | _ | 5334★ | _ | _ | |
| | 28" Mod. | 48" | 71/4 | _ | 5336 | _ | _ | |
| | No" Pull ("Special Purpose") | 50" | 7% | _ | _ | _ | 5349 | |
| | ./nf "Rem" Choke ("Special Purpose") | 46" | 71/4 | - | - | - | 5342★ | |
| | 21" Imp. Cyl. ["Special Purpose" Deer Gun with rifle sights, recoil pad | | 7% | 5280 | * - | _ | _ | |
| | 21" Imp. Cyl. Deer Gun with rifle sights, recoil pad | 41″ | 714 | 5308 5309 | — (レH) | _ | _ | |
| | 28" Full | 48" | 7 | | 5234 | | 5242 | |
| | 28" Mod. | 48" | 7 | - | 5236 | - | 5268 | |
| | 26" lmp. Cyl. | 46" | 7 | _ | 5238 | _ | _ | |
| | 21" Mod. (Youth Gun) | 391/2" | 61/2 | | 5264 | _ | _ | |
| H 10 | 21" Imp. Cyl. (Youth Gun) | 39%" | 61/2 | | 5262 | | | |
| | 21" Full ("Special Field") | 41" | 61/2 | _ | 5436 | _ | _ | |
| | 21" Mod. ("Special Field") | 41" | 61/2 | | 5438 | _ | _ | |
| | 21" Imp. Cyl. ("Special Field") | 41" | 61/2 | | 5440 | - | _ | |
| | 20" Imp. Cyl. (Deer Gun) | 40* | 61/2 | 5248 | (With rifle | sights & | recoil pad.) | |
| 28 | 25" Mod. | 45* | 61/2 | | 5416 | | | |
| 410 | 25" full | 45" | 7 | | _ | | 5466 | |
| hore | 25" Mod. | 45° | 7 | | | _ | 5468 | |

world Order Flodel 1100s: D and F Grades (both engraved) and F Grade (engraved, with gold inlay) are available in # 14" long (Youth Gun — 12 א" long), 2 א" drop at heel, 1 א" drop at comb.


YTRA BARRELS

| 1 | Length & Choke | | Extra Barreis: Gauge/Order Numbers | | | |
|------------------|--------------------|------|------------------------------------|----|------|--|
| PDEL 1100 | Choke | 12 | 20 (LT-20) | 28 | .410 | |
| ILD GRADE, | 21" Imp. Cyl. | 9568 | | | | |
| 🕩 🥫 Rifle Sights | 21" Imp. Cyl., L-H | 9569 | | | | |
| | 20" Imp. Cyt. | | 4438* | _ | | |

EXTRA BARRELS (Cont.)

| MODEL 1100 | Length & Choke | 12 E | xtra Barreis: (20 (LT-20) | els: Gauge/Order Num Ol 28 .4 | |
|---------------------------------------|---------------------|--------------|-------------------------------|----------------------------------|------|
| | | | 20 (LI-20) | 40 | .410 |
| SPECIAL PURPOSE DEER, Rifle Sights | 21" Imp. Cyl. | 4432★ | _ | _ | _ |
| SPECIAL FIELD, | 21" "Rem" Choke | 4430★ | | | |
| VENT RIB | 21" Full | | 4424* | _ | |
| | 21" Mod | | 4426° | | |
| | 21" imp. Cyl. | | 4428* | = | |
| FIELD GRADE. | 28" "Kem" Choke | 4464★ | | _ | - |
| VENT RIB | 26" "Rem" Choke | 4466★ | | | |
| | 30" Pull | 9512 | | | |
| | 28" full | | 4446* | | |
| | 25" Full | _ | | 6586 | 9580 |
| | 28" Mod. | | 4448* | | _ |
| | 25" Mod. | | | 6588 | 9582 |
| | 26" Imp. Cyl. | | 4450° | | |
| | 25" Imp. Cyt. | | | 6590 | 9584 |
| | 21" Mod. | | 4434* | - | |
| | 21" lmp, Cyl. | | 4436° | | |
| FIELD GRADE. | 28" "Rem" Choke | 4476★ | | | |
| LEFT-HAND, VENT RIB | 26" "Rem" Choke | 4478★ | | | |
| | 30" Fuli | 5682 | | | |
| FIELD, High Grade | D & F Grades Vent R | ib (engraved | 1): Special Or | der | |
| TRAP, VENT RIB | 30" Full | 9612 | | | |
| | 28" Full | 9616 | | | |
| | 30" Mod. Trap | 9614 | | | |
| | 28" Mod. Trap | 9618 | | | |
| TRAP, High Grade | D & P Grades (engra | ved): Specia | al Order | | |
| SKEET, VENT RIB | 26" Skeet | 9522 | 4452° | | |
| • | 25° Skeet | | | 6592 | 9586 |
| SKEET, High Grade | D& F Grades (engra | ved): Specia | ai Order | | |
| LEFT-HAND VENT RIB. | 30" Full Trap | 9620 | | | |
| Trap & Skeet | 26" Skeet | 5688 | | | |

ote: LT 20, 20 gauge Lightweight barrels (4400 Series) will not fit pre 1977 20 gauge Lights) gauge Model 1100 Shotguns. (Reter to parts list for pre-1977 barrels.) — 🛣 New for 1986



"Here you need a gun that can take all the weather a North Woods winter can dish out. And still take an 8-pointer."

Escanaba, Michigan

Last year we introduced the non-glare 1100 and 870 SP Magnums for serious waterfowl and turkey hunters. This year, we're doing the same for deer hunters. These guns have ramp front sights and adjustable rear sights.


The barrels and receivers on these new SP deer guns have been shot-blasted and protected with a nonreflective Parkerized finish. Bolts and

carrier assemblies have a dull black oxide finish.

A subdued oil coating on the hardwood stocks and fore-ends resists reflecting sunlight. It also penetrates the wood, protecting it from moisture.

All "Special Purpose" guns come with recoil pads and a padded sling of

durable Du Pont "Cordura" nylon. They are detachable, but we think you'll find a shotguin sling can be very useful company, especially during a long day's hunt.



MODEL 1100

| | | | | Order Numbers | | |
|--------|--|-------------------|--------------------|-------------------------|--------------------------|--|
| (iauge | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Vent Ri 2¼" Chambers | b Barrel 3' Chambers' | |
| | 30" Full ("Special Purpose") | 50" | 7 1/ 8 | _ | 5349 | |
| | 26" "Rem" Choke ("Special Purpose") | 46" | 7₩ | _ | 5342★ | |
| 12 | 21" Imp. Cyt. ("Special Purpose") Deer Gun w/rifle sights, recoil pad | 41" | 7₩ | 5280★ | _ | |

MODEL 870

| | | | | Order Numbers |
|-------|--|-------------------|--------------------|---------------------------------|
| Gauge | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Vent Rib Barrel 3" Chambers* |
| | 30" full ("Special Purpose") | 501/2" | 71/4 | 6984 |
| 12 | 26" "Rem" Choke ("Special Purpose") | 4614" | 71/4 | 4862★ |
| 12 | 20" Imp. Cyl. ("Special Purpose") Deer Gun w/rifle sights, recoil pad | 401/2" | 7 : | 4864★ |

^{&#}x27;All 3" chambers handle 2%" shells. However, 2%" chambers will not handle 3" shells

★ P~w for 1986.

The Model 870 SP Deer Gun has a barrel and 3" chamber, for use with 12-gauge slugs and buckshot. The Model 1100 SP Deer Gun has a 21" barrel and 24" chamber.

All *SP Magnum* turkey and waterfowl guns are 12 gauge, with vent ribs and 3" chambers. Choose a 30" full choke for longer sighting plane and smoother swings. Or a 26" barrel with new "Rem" Choke, for quick handling and versatility. The 30" barrel SP Magnum's bores are chrome lined for corrosion and wear resistance. They will handle steel shot with ease, season after season, without wear or deformation.

Whether you're heading for the woods or the field, your SP Magnum Model 1100 or 870 will not only help keep you invisible to the wariest of eyes, but we bet it'll prove to be one of the most practical and frequently used working guns you're ever likely to own.

On Saturday afternoons, my dad and I would go out behind the barn and plink tin cans with my first 22. I still have that old gun."

Sodus Point, New York


If you've ever thought of buying a lesser-quality gun because it's cheaper, think again. Because now, you don't have to settle for anything less than a Remington.

The difference between our "Sportsman" Series and our higher-grade Remington guns is only in the degree of finish and details. The reliable Remington fit, feel, pointability and quality are all there. As with all Remington shotguns and centerfire rifles, receivers are machined from a solid block of ordnance-grade steel. American hardwood stocks have a durable satin finish, and all rifles are fitted with a blade front sight and adjustable rear sights.

For 1986, the "Sportsman" Series has something new for both riflement and shotgunners alike.

First, we brought back our *Model* 581 rimfire bolt action rifle. This

BARBER MERESALE R 0124678



| SPORTSMAN | ~}*I |)K | 15 | MAN |
|-----------|------|----|----|-----|
|-----------|------|----|----|-----|

| | Gauge | Chamber | Barrel Length and Choke | Overali Length | Avg. Wt. (lbs.) | Total 2%" Shell Capacity | Order Number |
|--------|-----------------------------|-----------------------|--|---------------------------|-------------------------------|-----------------------------|-----------------|
| MITO | 12 Vent Rib | 234" | 28" "Rem" Choke | 48" | 7% | 5 | 5278★ |
| 101GUN | 12 Vent Kib | 234 | 30" Full | 50" | 7-1/4 | 5 | 5550 |
| TIMP | 12 Vent Rib | 3* | 28" "Rem" Choke | 481/2 | 71/2 | 5 | 5210★ |
| HGUN | 12 Vent Rib | 3* | 30" Full | 50 ሃላ" | 71/2 | 5 | 5536 |
| | Caliber | Clip Mag. Capacity | Barrei Length | Overall Length | Twist R-H I turn in | Avg. Wt. (lbs.) | Order Number |
| SHOLT | 22 | 5 | 24* | 4214* | | 4.14 | 9848★ |
| HON | -Purchase exti | a 5 or 10 sh | ot clips from Remin | gton dealer | rs. | | |
| nott | 223 Rem. | 4 | 24" | 431/2" | 12 | 7 | 6172★ |
| CON | 243 Win. | 4 | 22" | 411/2" | 91/4 | 7 | 6158 |
| 1.1 | 270 Win. | 4 | 22" | 421/2" | 10 | 7 | 6162 |
| | 308 Win. | 4 | 22* | 411/2" | 10 | 7 | 6160 |
| | 30 06 Sprg. | 4 | 22~ | 4212" | 10 | 7 | 6164 |
| | Standard Sto Promicenter | | ons: Length of pull: 1 | 133/ ₈ ″. Drop | at comb*: */ ₁₆ *. | | |
| VI-10 | 30 06 Sprq. | 4 | 22" | 42" | 10 | 71/2 | 6166 |
| tit | | | ons: Length of pull: 1 of comb: $1^{11}/_{16}$. | 133/8". | ŧ | | |
| PUMP | 30 06 Sprg. | 4 | 22" | 42" | 10 | 71/2 | 6168 |
| HE | Standard Sto | | ons: Length of pull: I | 133/8". | | - | - 3 |

thly accurate 22, with a strong, seen action, will be welcomed by seens of all ages.


but we added the short action 223

to the list of calibers available on our "Sportsman" 78 bolt action rifle. It has the same action as our legendary Model 700s. Of course, 270, 30-06,

243 and 308 are also available.

For shotgunners, we have the new "Rem" Choke. So whether you like pumps or autos, you now have even more choice: both the "Sportsman" 12-gauge pump and 12-gauge auto can be ordered with three interchangeable choke tubes in a 28" vent rib barrel, or a 30" full-choke barrel without choke tubes. The "Sportsman" pump action has a 3" chamber; the autoloader, a 24" chamber.

The same Remington pump and auto shootability of our Model 7600 and 7400 is built into our "Sportsman" 76 and 74 rifles. Both are chambered for the versatile 30-06 cartridge, and give you great balance, surefire accuracy and fast extra shot performance to help you rack up more points.



With the great pointability and low recoil of all Model 1100s, our "Tournament" grade comes with positive cut checkering in fine American walnut. Optional weight-equalizer kits give your 20, 28 and 410 the balance of your 12-gauge 1100 skeet gun.

For trap, the 870 "Competition" combines single barrel pointability and 870 dependability. This singleshot gun reduces recoil with its


unique gas-assisted system.


Traps and Targets.


We offer everything from automatic traps for skeet and trap competition to less expensive mechanical, handloaded traps. The Model 4100-T Trap and 4100-S Skeet automatic traps are fully adjustable, autoloading and electrically operated systems. Our spring-loaded "Blue Rock" 78 trap is

also a winner. And load up with our famous "Blue Rock" targets.

| MODEL | 4100-T | 4100-5 | Blue Rock" 78 |
|----------------------|----------|--------------|---------------|
| Length | 401 | 411 | |
| Width | 24" | . 27 | |
| Height w/magazine | 27" | 27 | |
| Weight (complete) | 225 lbs. | 200 lbs | ¥7 (b) |
| Order No. | 4334 | 4512 4310 | 1321 |








1):

BARBERY RESALE R 0124680



| MODEL 1100 TR | AP, 12 GAUGE |
|---------------|--------------|
|---------------|--------------|

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|----------------|-----------------------------|---------------------------|-------------------------|
| (A Grade (R H) | 30" Full | 5446 | 5450 |
| 4.10 | | 5454 | 5456 |
| lournament | 30" Full | 5588 | 5592 |

Stock Dimensions (with record path). Regular Stock: 145% song 175 of opatheet 155° drop at comb. Monte Carlo: 145° drop at comb. 155° drop at comb. 155° drop at Monte Carlo: 457, with records.

MODEL 1100 SKEET

| Gauge | Barrel Length | SA Grade | "Tournament" Grade |
|---------------------|------------------|--------------|-----------------------|
| 12 (R-II) (L II) | 26" Skeet | 5356 5564 | 5304 |
| LT 20, 20 | 26" Skeet | 5244 | 5226 |
| 28 | 25" Skeet | 5432 | 5282 |
| .410 Bore | 25" Skeet | 5298 | 5300 |

Stock Dimensions: 14" long, 2"," drop at hert, 1"," drop at comb. Avg. Wt.: 12 ga. 2", the 11 70 (20 ga. 6'); fiz. - 440 hore. 7 cts. Stock 1100 Weight Equalities Riss; for G. 20, Order. 6464. //Equ. 36466. 410 hore. 56460.

MODEL 870 TRAP, 12 GAUGE

| | Barrel Length & Choke | Standard Trap Stock | Monte Carlo Stock |
|---------------|-----------------------------|---------------------------|-------------------------|
| 1A Cirade | 30" Futi | 5046 | 5050 |
| "Competition" | 30" Fuli | 5204 | |

Stock Dimensions (with record path, Std. & Plonte Cartor, 13' long, 13' drop at heef, 15'' drop at combin "Competition": (3' long, 15'' drop at heef, 15'' drop at combinary, Williams, 15'' drop at heef, 15'' drop at combinary, Williams, 15'' drop at combinary, Williams, 15'' at 15'' drop at combinary, Williams, 15'' at 15'' drop at combinary, Williams, 15'' at 15'' drop at combinary, Williams, 15'' at 15'' drop at combinary, Williams, 15'' drop at 15'' dro

Special Order Model 870 and 1100 (Trap & Skeet): D&F Guides (engraved)





| Gauge/ Bore | Load Type | Shell Length | Powder Dr. f.q. | Ounces of Shot | Shot Sizes | Remington Order No. | Peters Order No |
|----------------|---------------|-------------------|--------------------|-------------------|---------------------------|------------------------|-----------------------------|
| 12 | Peters Target | 2¼" 2¼" 2¾" | 3 2¾ — | 1 % 1 % 1 | 7½, 8, 9 7½, 8, 9 8 | | PT12M PT12t. PT12t8 1 |
| 20 | "RXP" Skeet | 234" | 21/2 | V _h | 9 | XR20 | XP20 |
| 28 | Skeet | 214" | 2 | >4 | 9 | SP28 | PS28 |
| .410 | Skert+ | 201 | Max. | 1/2 | 9 | 51410 | PSTIG |
| | Int'l Trap | 234* | 314 | 158 | 794 | MSP12H | |
| 12 | int'l Trap | 2½" | 3¼ | 156 | 714, 8 | SP12H | |

(Cses a special shot container,



Remington offers the benchrest and position shooter a range of custom specialty rifles. Our 40-XB and 40-XBBR centerfires come with stainless steel barrels in calibers from 222 Rem to 300 Win Mag. Available in single shot or repeater, the 40-XB features a free floating barrel, a high comb that is grooved for easy bolt removal and a hand-bedded action. Both the 40-XB and 40-XBBR single shot have a wide match-type externally adjustable trigger that changes weight of pull and eliminates creep and overtravel.

Benchrest shooters especially like the 40-XBBR's design because it meets the 10½-1b. Varmint and Sporter class limit.

Our 40-XR rimfire single shot and 40-XC match course centerfire repeaters have improved position stocks for that extra competitive edge.

In June 1986, our "XP-100" Long Range Pistol will be available in 223 Rem. With its proven bolt action and 14½" barrel, it is ideal for handgun varmint hunting.

Model XP-100 "Varmint Special" single shot pistol. now chambered for 223 Rem

The "XP-100" is also available with a 14½" barrel chambered for the 7 mm BR (Benchrest) Remington, an ideal silhouette caliber. These "XP-100s" feature a "Zytel" nylon stock with uni-

Ask your Remington Pro Line™ dealer for specifics on all target-grade and custom-grade guns. Call 1-800-THE-GUNS for your nearest dealer.

versal grip, two-position thumb safety

switch, match-type grooved trigger

and drilled and tapped receiver.

| Models | Barrel Length | Overall Length | Avg. Wt. (Ibs.) | Order Number |
|--------------------------------|------------------|-------------------|--------------------|----------------------|
| 40 XB | 2755 | 4547 | 914 | Spcl. |
| 40-XC 7.62mm NATO | 24" | 43½* | 11 | 6002 |
| 40-XBBR | 24° 20° | 44* 38* | 11 | Spct. Spct. |
| 40·XK | 24" | 42%* | 914 | 5668 |
| "XP 100" 223 Rem. 7mm BK | 1412 | 2114 | 4 Va 4 Va | 54 9) 5471 |

centerfire single shot

odel 40 XBBR benchrest

centerfire single shot

40-XR rimfire single shot

#flow for 1989



or bolt action shooters, we're oducing our new *Model 541-T*, ming an American walnut stock icut checkering and a quality nainish. The bolt action and crisp ger release are comparable to the st target rifles. It comes drilled tapped for scope mounting, ou can also choose from the only our pactions still made in thica—the *Remington 572 BDL*

ilue-loaded ADL. They let you all types of 22 cartridges interactably. Sames true of our 552 doading "Speedmaster." The shave genuine walnut stocks and orn checkering. The 21" barrel on our guns gives you great balance, ity and accuracy. A slim contour of grip and precision sights add the sting control you'd normally

with big game rifles.

MODEL 541-T. MODEL 552, MODEL 572, "NYLON 66"


| | Barrei Length | Overall Length | Average Weight (lbs.) | Magazine Capacity | Order Number |
|--|----------------------|--------------------|--------------------------|----------------------|-----------------|
| 541-T | 24" | 421/2" | 51/4 | 5 Shot Clip | 9824★ |
| 552-A "Speedmaster" | 21* | 40" | 5¾ | 15 Long Rifle | 5602 |
| 552 BDL Deluxe "Speedmaster" | 21" | 40" | 5¾ | 15 Long Rifle | 5604 |
| 572-A ''Fieldmaster'' | 21″ | 40" | 51/2 | 15 Long Rifle | 5620 |
| 572 BDL Deluxe "Fieldmaster" | 21" | 40* | 51/2 | 15 Long Rifle | 5622 |
| "Nylon 66" BD "Black Diamond" | 19%" | 381/2" | 4 | 14 Long Rifle | 5700 |
| "Nylon 66" MB Mohawk Brown | 19%" | 381/4" | 4 | 14 Long Rifle | 5500 |
| Extra 5-shot or 10-shot clip available at extr | a cost, on all clip- | ted 22s. from your | Remington dealer. | ★ New for 1986. | |


Perhaps our most noted rimfire rifle is the "Nylon 66." It's been used and abused from Alaska to Africa, yet has an uncanny ability to survive. Precision molded from Du Pont "Zytel," the "Nylon 66" has the world's only

lifetime stock guarantee. We'll replace the stock, free, if it ever warps, cracks, chips, fades or peels.

"Nylon 66" "Black Diamond" autoloader

It's just one more way we prove that our 22 rifles are made to Remington standards.





NEW 11-87 AUTOLOADING SHOTGUNS.

Once in a great while, a gun comes along that's so perfectly conceived, it forever changes the way hunters think about an entire category.

The new Remington Model 11-87 Premier™ with Rem™ Choke is such a gun. Simply put, it's the finest, most versatile 12-gauge autoloading shotgun ever made.


By us. Or anybody else.
It offers the dependability of a pump and the easy shootability of an autoloader.


The magnum power of a waterfowl gun and the light handling of an upland gun.

It looks like the gun of your dreams and it is a gun you can afford.

So head to your local Remington dealer. You'll see why the new 11-87 Premier is the perfect choice for your next shotgun.

HANNEY CLERKEN





Choose your Model 870
WINGMASTER® pump action shotgun with confidence. Because the 870's reputation for durability, and dependability, means one of your grandchildren will likely be shooting that same gun someday. (And hitting what they shoot at, too.)

The receivers and barrels start from solid billets of ordnance grade steel for unmatched strength. The action parts are polished by our "vibrahoning" process for smooth, sure operation and richer blueing base.

Stocks and fore-ends are crafted from American Walnut, with DuPont high-gloss or satin finish for super protection.

And, the positive cross bolt safety is quickly accessible.

MODEL 870 WINGMASTER.

America's favorite pump shotgun has crisp cut checkering, satin finish, and classic lines. An ivory bead front sight and metal mid-bead are like those usually found on target guns. It comes equipped with Full.

Mod., and Imp. Cyl. Rem™ Chokes. And, like all 12-gauge 870s, the Windmaster handles 3" and 2¾" shells interchangeably.

MODEL 870 SPECIAL FIELD.™

Compact dimensions, Englishstyle straight stock and lighter weight make this gun a natural for fast, upland shooting. Its straight pistol grip, innovative 21" barrel, and slimmed fore-end and magazine are designed for instinctive shouldering and fast swinging.

Both 12- and 20-gauge models come with Rem Choke screw-in choke tubes.

Cut checkering and satin finish make the SPECIAL FIELD as eminently presentable as it is shootable.

MODEL 870 WINGMASTER DEER GUN.


20" plain barrels with rifle sights and Imp. Cyl. Choke make this WINGMASTER a woodsmaster. The satin finished stock has cut checkering.

MODEL 870 YOUTH GUN.

Shortened 12½" stock with recoil pad, and 21" barrel offer the smaller framed shooter full-sized performance. In 20-gauge only with REM Choke.

MODEL 870 EXPRESS.™

This economy priced pump action is the best entry level shotgun ever to hit the market. It has the same twin action bars and overall handling as our top-of-the-line Windmaster. Available in 3" chamber and 28" vent rib barrel only, the Express has a hardwood stock with low lustre finish, solid butt pad, and it comes equipped with a Modified (only) screw-in Rem Choke tube and wrench. Other chokes may be purchased from your Remington dealer.







All of our Model 870s except for the EXPRESS, Deer, and Target guns are equipped with Improved Cylinder, Modified, and Full Ren Choke tubes, along with a special wrench. When in the gun, these tubes are flush-filting so there's nothing to offset your gun's clean lines.

| ĺ | 98 | 7 |
|---|----|---|
| • | • | , |

| 10 G 11 | | 6.7 | Order Hambers | |
|---|--|-----------------------------------|---------------------------------|--------------------------------|
| Gauge | Yent Rib Barrel Length and Choke | Overall Avg. Wt. Length (lbs.) | Right Hand 3" Chambers | Left Hand 3" Chambers |
| | 30" Rem Choke (Windmaster) | 50%* 7% | 5503 ★ | |
| | 28" REM Choke (WINGMASTER) | 48%* 7% | 5506 | . 5523★ |
| | 26" REM Choke (WINGMASTER) | 461/2" 71/4 | 5508 | |
| 12: | 30" Rem Choke (Special Purpose) | 50%* 74 | 4860 ★ | |
| | 26" Ren Choke (Special Purpose) | 46% 7W | 4862 | |
| 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 21" REM Choke (SPECIAL FIELD) | 7 | 4870 | |
| ~************************************* | 28" Mod. Ren Choke (Express) | 4864 7% | 5568 ★ | _ |
| | 28" Rem Choke | 4844 | 5068 ★ | _ |
| Ltwt. | 26" Rem Choke | 46% 6 | 5070 ★ | |
| 20 | 21" Ren Choke (Youth Qun) | 40" 6 | 5223★ | |
| 21" REM C | 21" REM Choke (SPECIAL FIELD) | 411/5" 6 | 5221 ★ | |
| 28 254 | 25" Full | 45%" 6 " | 4918 | · — |
| (2¼ chambers) | 25" Mod. | 45½" G | 4920 | |
| 25" [| 25" Full | 451/2" 61/3 | 4986 | |
| A10 | 25" Mod. | 45%" 6% | 5086 | - : |
| Deer Guns | 20" Imp. Cyl. Deer Gun w/Rifle | · 1985年,中华中国发展。 | | |
| (Piain Barreis) | Sights (Winghaster) | 40%* 7K | 5524★ | 5525 * |
| | 20" imp. Cyl. (Special Purpose) Deer Gun w/Rifle Sights | 40%" 7% | 4864 | -4 |
| LIWI. 20 | 20" Imp. Cyl. Deer Gun w/Rifle Sights | 40%" 6 | 5208 | |
| Police* | 20" Police Cyl. w/Bead Sight | 40%* 7% | 5020 | 121/11/97 |
| (Plain Barrels) | 18" Police Cyl. w/Bead Sight | 38% 7% | 5022 | 1 2 3 67 |
| | 20" imp. Cyl. w/Rifle Sights | 40%" 7% | 5024 | *** |
| 1 - N | | | | |



* New for 1987. Special Order Flodel 870s: D and F Orade (both engraved) and F Orade (engraved, with gold inlay) are available in gauges listed. Flowinal stock dimensionse 14 * long, including recoil pad (no recoil pad on 28 ga., 4 10 bore). Youth Quin—12 ½ " long, 2 ½ " drop at heet 1 * drop at comb. "Sales of notice guass are restricted.



EXTRA BARRELS.

Model 870 REM Choke barrels are interchangeable with existing 870 barrels. For a complete selection, see pages 24 to 25.

oj Š

NOTE: All 870s except .410s and SPECIAL FIELD have a 5-shot capacity and come furnished with a 3-shot plug. | .410 and SPECIAL FIELD have 4-shot capacity.

Remington Country is the game's home turf. And, as we all know, even the slightest glint from a gun can set wary game off. And send you home empty-handed.

That's why we introduced our line of Special Purpose 3" Magnum shotguns with a dull gray parkerized finish on all metal parts and improved subdued protective finish on stock and fore-end that resists moisture penetration and gives the appearance of an all finish.

This year, we're adding the ultimate in versatility and endurance to our SP line—with our new 11-87 Special Purpose shotgun. Its exclusive Pressure Compensating Gas System (see page 6) allows you to shoot all loads interchangeably, from 3" magnums to 2¾" loads without changing anything except the shell.

Combined with flush-fitting stainless steel REM™ Chokes, in 26" and 30" vent rib barrels, you may never need another oun.

need another gun.

The 11-87 SP also sports a thicker extractor, heat treated piston and piston seal, patented detent system in magazine tube, and rust-resistant stainless steel magazine tubes. Plus the



pressure valve in the new gas system is totally self-cleaning. So you never have to remove the compensating spring for maintenance. Never.

MODEL 11-87 SPECIAL PURPOSE AUTOLOADERS.

All 12-gauge, in 26" and 30" vent rib barrels with flush-fitting Rem

Chokes, Metal bead frout sight.


Model: 15:87 And 870 Special Purpose Deer Guns:

Choose 11-87, autoloader with 21" barrel, or 870 pump action with 20" barrel, both have 3" chamber, wife sights.

NETS 1887 Deer Out is designed for anymatives formance with stug and Substitution waste and therefore is not anssure compensated, but not across modate all. Deputies foods if outfline inth an 11-88 Progen field barrel

Model 876 SPECIAL PURPOSE Pump Action

"All F2 gauge; 3" chambers" Choose 26" by 30" vent rib parrel with Regionale and the control of the choice with



SP Magnum 30 " Barrel with Rem Choke

Even the bolt and carrier assemblies on our Special Purpose Shotguns have a dull black oxide finish—so no part of your gun will give you away.



MODEL 11-87 SPECIAL PURPOSE SHOTGUNS

SP Deer Gun

| Gauge | Barrel Length and Choke | | Overali Length | Avg. Wt. (lbs.) | Order Numbers 3" Chambers* |
|-------|------------------------------------|------------------|-------------------|--------------------|-----------------------------|
| | 30" REM Choke (Vent RIb) | | 50" | 8% | 9904 ★ |
| 12 | 26" REM Choke (Vent Rib) | 90 J | 46" | 8% | 9906★ |
| • • | 21" imp. Cyl. Deer Gun w/rifle sig | thts, recoil pad | 41" | 7% | 9908★ |
| | | | | | |

MODEL 870 SPECIAL PURPOSE SHOTGUNS

| | Barrel Length | Overall | Avg. Wt. | Order Numbers |
|-------|--|---------|----------|---------------|
| Gauge | and the second of the second o | Length | (lbs.) | 3" Chambers* |
| | 30" Rem Cheke (Vent Rib) | 50½″ | 71/4 | 4860★ |
| 12 | 26" REM Choke (Vent Rib) | 461/2" | 7¼ | 4862 |
| | 20" Imp. Cyl. Deer Gun w/rifle sights, recoil pad | 401/2" | 7 | 4864 |

^{*}All 3 " chambers handle 2 ¾" shells. ★ New for 1987.





pointability, balance, and soft recoil.

For 1987, in addition to having the widest choice of extra barrels, both 12- and 20-gauge Model 1100s come with flush-fitting Rem™ Chokes—the only factory-installed choke tubes made. of heat-treated, seamless stainless steel-in Full, Modified and Improved Cylinder, with special wrench. So, one gun can take you from upland to fly way. And, by changing the barrel, to deer country, too.

Like all Remington shotguns and centerfire rifles, the barrel and receiver on each Model 1100 start from a solid billet of ordnance grade steel, for long lasting durability even with repeated use of steel shot.

The 1100's gas system allows you to shoot as fast as you can pull the trigger. All with low recoil. Stocks and fore-ends are crafted from fine, American walnut. And every part of every Remington gun is designed, built and tested right here in America.

MODEL 1100 MAGNUM 12-AND 20-GAUGES.

All 1100 Magnum models have 3" chambers and are equipped with recoil pads and interchangeable Rem Choke tubes. They're designed to shoot magnum shells only.

MODEL 1100 FIELD GRADE.

Now all 2%" chambered field guns come with REM Choke in 12- and 20-gauges. Receiver scrollwork, high gloss RKW finished stock, and white line spacers. Familiar diamond grip cap inlay.

Model 1100 Special Field.™

Combines a shorter overall length of 41" with lighter weight and English style straight grip stock-for quick shouldering and natural pointability. Stock is cut checkered, and satin finished. Now in 12- and

20-gauges with REM Choke; both with 2¾" chamber and 21" barrel.



All 12- and 20-gauge 1100 field guns now 🚺 come equipped with REM Choke—the only factory installed screw in tubes made from seamless stainless steel. (Remington recommends using a Modified Choke tube when shooting steel shot.)





MODEL 1100 DEER GUN.

2¾" chamber, 21" plain barrel with rifle sights. Imp. Cyl., choke delivers optimum performance with slugs and buckshot.

MODEL 1100 YOUTH GUNS.

Shorter stocks and barrel lengths reduce size and weight for youths and smaller framed adults, but in no way limit performance. Available only in 20-gauge, now furnished with REM Chokes.

SIGHTS AND SAFETIES.

Unless otherwise noted, all 1100s have metal bead front sight and the positive cross bolt safety is quickly accessible.

NOTE: All models except .410 have shot capacity with 3-shot plug.
10 has 4-shot capacity.


MODEL 1100 SHOTGUNS

| | | | | | lumbers hamber | 3″ Chamber |
|-------|---|-------------------|--------------------|----------------|--------------------|------------------|
| Gauge | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Deer Barrel | Vent Rib (R-II) | Vent Rib |
| | 30" Rem Choke | 50* | 8% | - | 5586 ★ | 5354 ★ |
| • | 28" Rem Choke | 48* | 814 | | 5442 | , — : : <u>,</u> |
| | 26" Rem Choke | 46" | 81/8 | | 5444 | |
| 12 | 21" Rem Choke (Special Field) | 41" | 7,4 | | 5334 | |
| · · · | 21" Imp. Cyl, Deer Gu rifle sights, recoil | | 714 | 5508 | | |
| | 28" REM Choke | 48" | 7 | Y (1) | 5403★ | 9597★ |
| | 26" Rem Choke | 46" | 7.7 | 数二层层 | 5405★ | |
| LT-20 | 21" Rem Choke (Youth | Gun) 391/2" | 64 | - | 5372★ | as = |
| LI•ZU | 21" REM Choke (SPECIAL FIELD) | 417 | -64 | - Falle | 5380★ | |
| | 20" Imp. Cyl. (Deer Gu | in) | 61/2 | 5248 (W | ith rifle sights | & recoil pad.) |
| 28 | 25" Mod. | 45″ | 6½ | | 5416 | |
| .410 | 25" Full | 45" | 7 | | d= <u>4-</u> | 5466 |
| bore | 25" Mod. | 45* | 7 | * - 25% | | 5468 |

^{*} New for 1987. Special Order Model 1100s: D and F Grades (both engraved) and F Grade (engraved, with gold inlay) are available in gauges listed. Nominal stock dimensions: 14 " long (fouth Gun — 12 % " long), 2 % " drop at heet. 1 % " drop at comb.



1987




But even the best load depends on an equally good delivery system for maximum performance. So this year, Remington also introduces the 11-87 PREMIER target shotguns—the perfect match for the PREMIER load.

Head to your Remington dealer for both. You'll be headed for the winner's circle.



49 Primer with covered flash hole the public that increases sensi-






TARGETLOADS

| Gauge / Load Bore Type | Hength Dr. Eq. | Ounces of Shot | Shot Sizes | Remington Order No. | |
|---------------------------|--------------------------|-------------------|----------------------|------------------------|----------|
| 12 PREMIERT | ARGET 2%" 3 2%" 2% 2% | 11% | 7½,8, 9 7½,8,8½,9 | RTL 12M★ RTL 12L★ | <u>-</u> |
| 20 = RXP® Ske | 244 24 | 7∕a | 9 | XR20 | XP20 |
| | 24" 2 · | Y 4 | 9 | SP28 | PS28 |
| | 3.6 - 24 Max. | 1/2 | 9 | SP410 | PS410 |
| | 24" 3W | 1 1/8 | 71/2# | NSP12H | · _ |
| | 24. 34 | 1140 | 7½,8 | SP12H | |

ing for 1987. . . . XUses a special shol container . . . • Nicke





SKEET AND TRAP SHOTGUNS

| Gauge | Description | | ent filb Barrel Ength & Choke | | Avg. Wt. | Order Numbers |
|-------|----------------------------------|--|----------------------------------|------|--------------|------------------|
| | 11-87 Premier Skeet | A CONTRACTOR OF THE PARTY OF TH | 26" Kin Choke | 46 | 7% | 9882 |
| | 11-87 PREMIER Trap | | 30" Ber Choke | 50 | 814 | 9886 |
| 12 | 11-87 PREMIER Trap (Monte Carlo) | | 30" Renchoke | 50 | . 8% | 9888 |
| | 870 TC Trap | | 507 Ren Ghoke | 5f 🤼 | 8 | 6977 |
| | 870 TC Trap (Monte Carlo) | | e joi ex | 51 | 8 | 6979 |
| 20 | 1100 Tournament Skeek | ALC: N | | 46 | * 6 % | 9405 |
| 38 | 1100 Tourishment Sweet | | 2 | 45 | 6% | 5282 |
| 410 | 1100 Tournament Sweet | | | 45 | 74. | 5300 |
| | | | | | | |

[GPE: Model 11-87 Short and Map hundes are gradeful for optimal performance with target loads and therefore are not pressure compensated. Unless of Property field grade 11:67 extra barrel is added. See juage 25 Hodel 11-87 Barrets are not alrect language built Model 11:00's.

20:1987/all of our 12- and 20-gauge target shotguns have new flush-fitting Rem™ Chokes. In Skeet and Improved Skeet. Or Full, Extra Full, and Super Full for trap.

MODEL 11-87 PREMIER™ AUTOLOADING TARGET SHOTGUNS.

Same classic styling as PREMIER 11-87 field guns including satin-finished American walnut stock, custom quality cut checkering, and "Remington Arms" Insignia grip cap. See page 6. Two-piece butt plate on skeet gun, vented pad on trap.

MODEL 870 TC TRAP PUMP ACTION.

Choose straight or Monte Carlo stock in 30" vent rib barrel. Competition quality features include high-grade walnut. TC checkering pattern, satin finish, long fore end, raised target rib and presentation style vented pack her screw in Ren Chokes.

Model 1100 Tournament Skeet Autoloader.

Legendary pointability and low recoil. New screw-in Rem Chokes on 20 gauge guns. Also available in 28 and 410 without Rem Choke.

BARBER - PRESALE R 0124696 EXTRA BARRELS.

With a quick, easy barrel change, your favorite Remington field gun can become your favorite target gun, or that long barrel goose gun can become a great short barrel deer gun.

This year, our 12- and 20-gauge field barrels come equipped with Pull, redified, and improved Cylinder Rem[™] Chokes—the only factory-installed screw-in choke system made of heattreated, seamless stainless steel.

New 12-gauge Rem Choke extra barrels will fit previously manufactured guns.* But the Model 11-87 is not in any way interchangeable with the Model 1100.

All of our 12- and 20-gauge target barrels feature newly designed and sure-to-smoke-em REH Chokes for trap and skeet.

Note: New 20-gauge Rem Choke barrels have a Hicker taper and may NOT readily fit pre-1987 Model 1100 LT shotguns. The fore-end may have to be modified by a gunsmith. This modification is NOT covered under Remington's Warranty Repair Policy. model 870 EXTRA BARRELS WITH 2%" CHAMBERS. Model 870 extra barrels with 2%" chambers will fit both Magnum and 2%" receivers. Use only 2%" shells in these barrels.

| MODEL 870 | Length & | Gauge/Order Numbers | | | | | |
|-------------|------------------------|---------------------|------------|------|------|--|--|
| vent rib | Choke | 12 | 20 (Std.) | 28 | .410 | | |
| FIELD GRADE | 25" Full | | | 6288 | 6250 | | |
| | 25" Mod. | | | 6290 | 6264 | | |
| | 25" Imp. Cyl. | | | 6292 | 6266 | | |
| TRAP | 30" Ren Choke | 4614★ | | | | | |
| • | 30" Full (L-H) | 6206 | | | _ | | |
| | 28" Ren Choke | 4616★ | _ | | | | |
| SKEET | 26" Ren Choke | 4612★ | 6330★ | | | | |
| | 25" Skeet | | | 6294 | 6268 | | |
| · | D & F Grades (engraved | h: Special Order in | all gauges | | | | |

Ren Choke target barrels have Trap Full, Extra Full and Super Full, or Skeet and Improved Skeet, plus wrench.

†.410 bore Field barrels have 3" chambers and will handle both 2½" and 3" shells. .410 bore Skeet barrels have 2½" chambers and will only handle 2½" shells.

* New for 198

MODEL 870 EXTRA BARRELS WITH 3" CHAMBERS. Model 870 extra barrels with 3" chambers used on Magnureceivers will handle both 2%" and 3" shells. Use only 2%" shells when these barrels are used on 2%" receiver:

| MODEL 870 | Length & Choke | 12 Ga. | 20 Ga. Lt. |
|------------------------------|--|--------|------------|
| FIELD GRADE, | 30" Rem Choke (Wingmaster) | 4576★ | |
| vent rib | 28" REM Choke (WINGMASTER) | 4580 | |
| | 26" Ren Choke (Winghaster) | 4582 | |
| Note: Wingmasters have | 30" Ren Choke | 4574 ★ | |
| Bradley-type front sight and | 28" Rem Choke | 4584 | 4606 ★ |
| metal mid-bead. Others have | 26" Rem Choke | 4586 | 4608 ★ |
| bead front sight. | 30" Ren Choke (L-H) | 4598 ★ | |
| | 28" Rem Choke (L-H) | 4600 | |
| | 26" Rem Choke (L-H) | 4602 | |
| DEER, Rifle Sights | 20" Imp. Cyl. | 4562 | 4578 |
| | 20" imp. Cyl. (L-H) | 4604 | |
| SPECIAL PURPOSE | 20" imp. Cyl. | 4596 | |
| DEER, Rifle Sights (Parkeriz | ed) | · | |
| SPECIAL PURPOSE | 30" Rem Choke | 4590 ★ | |
| VENT RIB (Parkerized) | 26" Rem Choke | 4592 | |
| SPECIAL FIELD** VENT RIB | 21" Ren Choke | 4594 | 4610 ★ |
| | D & F Grades (engraved): Special Order | | |

*20 ga. 870 Lightweight barrels will not fit 20 ga. standard 870 guns.

**Special Fired barrels will not fit regular Model 870 guns.

★ New for 198*

TARGET GUINS

an the glar sandbagged in a per care a shooting a call internal acculture when the care and the care and the care acculture when a care acculture of the c



BARBER - PRESALE R 0124697 MODEL 11-87 PREMIER EXTRA BARKELS WITH 3" CHAMBERS Length & Choke 12 DEER BARREL, With 21" Imp. Cyl. 4636 * FIELD GRADE Rifle Sights PET HAND DEER BARREL, 21" Imp. Cyl. 4637 * FPECIAL FUEL With Rifle Sights DEER Rifle Sights DEER Rifle Sights

| | Length & |
|---|------------------------|
| MODEL 11-87 | Choke 12 |
| DEER BARREL, With Rifle Sights | 21 * Imp. Cyl. 4636 ★ |
| EFT HAND DEER BARREL. With Rifle Sights | . 21" Imp. Cyl. 4637 🛊 |
| SPECIAL PURPOSE DEER BARREL, With Rifle Sights | 21" Imp. Cyl. 4648 ★ |
| Special purpose | 30" Ren Choke 4638 ★ |
| MAGNUM Presente | 26" Ren Choke 4640 # |
| Compensating | |
| PREMIER | 30" Rem Chase 4642 ★ |
| Pressure Compensating | 28" Ren Choke 4644 * |
| (Bradley-type Front Sight & Middle Bead) | 26" Ben Choke 4646 ★ |
| LEFT HAND PREMIER | 28" REM Choke 4633 * |
| (Bradley Front Sight & Mid | ktie Bead) 🦠 🦠 |
| PREMIER SKEET BARREL | 26" Rem Choke 4624 * |
| PREMICE TRAP BARREL | 30" Ren Choke 4626 * |
| | 29# Res Choke 4629 |

→ New for 1987.

NOTE: New Model 11-87 Premer Field barrels feature our unique Pressure Compensating Gas System, so you can shoot all loads—from light 2¾" to heavy 3" Magnums—with amazingly soft recoil.

amazingly soft recoil.

Model 11-87 target shotgun and deer guns are designed for optimal performance with specific loads and therefore are not pressure compensating.

MODEL 1100 EXTRA BARRELS WITH 24."

| 251.1011.1950 韓田 (1 | Length & | | Barrels: Gange | | |
|------------------------------------|--------------------|--------------------------|--|-----------------|--------------|
| NODEL 1100 | Choke | 产 | 20 (LL. 20) | 10.00 | |
| FIELD GRADE | 21 " Imp. Cyl. | 9568 * | 4438 * | | The state of |
| DEER, Rifle Sights | 21" Imp. Cyl., L-f | 9569 | | | 200 |
| SPECIAL PURPOSE DEER, Rifle Sights | 21" Imp. Cyl. | 4432 | | | |
| SPECIAL FIELD, VENT KIB | 421" Ren Choke | 4430 | ****** | | |
| PIELD GRADE | SO REM Choke | ★ 88 4¥ | — 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | |
| VENT RIB | 28" Ren Choke | 4464 | 4484 ★ | 元 | 11/2 |
| | 26" Ren Choke | 4466 | 4486★ | Strategic Conf. | 14 (40) |
| | 30" Ren Choke (I | .H) (1 4496 ★ | 5 19 4 0 19 | | |
| | 28 Ren Choke (L | .H) 2 3 4476 | eretti yara | an 12 | 11 may 10 |
| | 26" Ren Choke A | JB ** * 4478 ** | المعورة أمار | | J. 30 |
| | 1 25 Tull 1-35 KJ | | ** *********************************** | 6586 | 9580 |
| | 25" Mod · | | 1. 4. The | 6588 | 9582 |
| - 16 Marie 1 | 13" Imp. Cd. | "我们就准定 " | | 6590 | 9584 |
| PIELD, High Grade | | t Rib (engraved): Specia | 1 Order | | 1-17 |
| TRAP, VENT BUS | 50* Ren Choke | 4492 ± | | - ¥.j. | Taria Val |
| | 28" Ren Choke | 4494 | | | |
| TRAP, High Grade | D& C Grades (en | saved): Special Order | ter i Kestill | 14.5 S. 148 | |
| SKEET, VENT RIB | 26 Ren Choke | 4490 ★ | < 4435 ★ | 390 | - 11,-1-11 |
| 一 一 | 25" Remington S | keet - | | 6592 | 9586 |
| SKEET, High Grade 🐇 💯 | | gaved): Special Order | 14. C. C. W. | Oxfor | · 100 100 |
| LEFT-HAND VENT RIB. | 30" Ren Choke (1 | | | - 7 | |
| Trap & Skeet | 26" Remington S | | | | |

 Note: LT20, 20 gauge Lightweight barrels (4400 Series) will not fit pre-1977 20 gauge Lightweight or standard 20-gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

†.410 bore Field barrels have 3" chambers and will handle both 2½" and 3" shells, .410 bore Skeet barrels have 2½"

chambers and will only handle 21/3" shells.


New Model 11-87 Premier Pressure Compensated Vent Rib Field Barrel

Model 870 Vent Rib Field Barrel.

Model 1100 Vent Rib Field Barrel.

Rifle.

★ New for 1987.



BARRER - PRESALE R 0124698 There will always be a place

for the luxury and warmth of walnut in Remington Country. But there's also a new world of opportunity presented by the use of sophisticated synthetics.

Why a synthetic stock?
According to Jim Carmichel,
Shooting Editor of *Outdoor Life*,
wooden stocks can react to changes
in the atmosphere and temperature.
This, in turn, may cause changes in
a rifle's point of impact.

"Even a carefully sighted-in rifle can become useless after a day or two of bad weather.

Synthetic stocks are virtually immune to this and are thus highly reliable when it comes to making your bullet go where you aim."

But a high degree of accuracy—no matter how humid, how wet, how hot or cold—is not the only criteria.

Fiberglass stocked guns are also lighter than wooden stocked guns—I lb. on the average. And virtually indestructible. Every hunter who's ventured more than a hundred yards from the road knows how the dings and gouges suddenly appear in a traditional stock when the going gets tough.

Even the best stock in the world means little if the action isn't equally superior. With Remington, you're getting a combination of DuPont high-tech materials with the strongest, most accurate bolt action available today.

All models have straight line combs, solid black English-style butt pads, and sling swivel studs.

MODEL 700 RS.

These right hand long action rifles—in 270 Win., 30-06 and 280 Remington—share the sleek styling of our Mountain Rifle[™] (on page 28). Stocks are DuPont Rynite[®] (RS), noted for unyielding strength and durability. Also, the exclusive manufacturing process enables minute detail to be incorporated into the mold and reproduced with great fidelity. Available in gray or gray camo with a textured grip for control and smooth cheekplece for comfort. Historical "Remington Arms" insignia on grip cap.


1. 1.1.700 FS.


Available in three right hand calibers—7mm Rem Mag, 243 and 308 Win.—and three left hand—7mm Rem Mag, 30-06 and 270 Win.—these rifles have the same strong, accurate action as our Model 700 ADL (Page 30), with hand layup fiberglass stocks reinforced with DuPont Kevlar® for extreme tougless. Available in gray or gray camo.

MODEL SEVEN FS.

In three right hand calibers—308 Win., 7mm-08 Rem, 243 Win.—this compact bolt action features a hand layup fiberglass stock (FS), reinforced with DuPont Kevlar® at points of bedding and stress. Quality features include hinged floorplate, tapered barrel with ramp front, adjustable rear sights. Available in gray or gray camo, with textured finish for a sure grip.

SYNTHETIC STOCK RIFLES.





BOLT ACTION RIFLES.

It's no accident that among the most knowledgeable and experienced riflemen, Remington bolt action rifles continually lead the field in delivering excellent accuracy, and plenty of reliability.

After all, our development of the bolt action rifle goes back to 1899. And in all the years since, we've constantly sought to improve even those features that were already accepted to be the best.

That's why we didn't settle for the open-faced bolt with ejector cut still found on so many centerfire rifles. Rather, we developed our uncompromised "wall of steel" lock-up, in which the bolt, barrel and milled receiver surround the cartridge head with three rings of solid steel.

It's also why, in the last five years, we've been able to introduce rifles, such as our Mountain Rifle™ and Model Seven that are lighter and more compact than ever before.

But some things about every Remington bolt action haven't changed. Action parts are still machined from solid steel blocks.

Barrels are still hammerforged and carefully bedded to the stock. Every finished gun is still individually inspected and test fired, so when you squeeze off that shot of a lifetime, you hit what you're aiming at. And, like all Remington products, our rifles are still 100% made in the U.S.A. Just like they have been since 1816.

1987

1987 THON RIFLES.



MODEL 700 MOUNTAIN RIFLE™

This is the experienced rifleman's answer to lighter weight in a superior-handling full-size rifle. Its barrel is tapered, without any sacrifice in accuracy. And its stock is narrowed without any loss of strength.

A lower-pitched pistol grip helps straighten your wrist for better control. Slender cheekpiece positions the eye while softening recoil. American Walnut stock with 20 line-cut checkering, satin finish, hinged floorplate and sling swivel studs complete this triumph of form and function. Drilled and tapped for scope mounting.

MODEL SEYEN.

This gun is so sweet you have to pick it up, feel it, shoulder it, to believe it. As one outdoor writer put it, "The Model Seven gives hunters the lightness and quick handling of traditional scabbard rifles—without their shortcomings in actions or caliber choice."

Put another way, this classically styled, 18½" barrelled rifle is the sportscar of our line—It's compact, yet powerful with superb handling and pointability.

MODEL 700 CLASSIC."

Jim Carmichael called it "probably the best looking, certainly the most shootable hunting rifle ever offered by a major firearms maker."

The CLASSK features a straight line stock with swivel studs, satin finish, hinged floorplate, cut checkering, English style brown butt pad, highly polished, rich blueing on metal surfaces.

For 1987, we will chamber a limited number of CLASSICS in .338 Win. Mag.—the favorite caliber of Alaskan big game outfitters.

MODEL 700 BDL.

The flagship of our bolt action line, this rifle, in right and left hand models, has a Monte Carlo stock with cheekpiece, positive cut skipline checkering, floorplate, swivel studs and scratch-resistant RKW high-gloss finish on stock. Furnished with hooded ramp front, and adjustable rear sights. New this year are LH models in 243 and 308 Win.

MODEL 700 VARMINT SPECIAL.™

This heavy barrelled bolt action has the same features as our BDL, with a heavier hammer-forged barrel to dampen vibration and deliver pinpoint accuracy. Equipped with scope mounting blocks in lieu of sights.

MODEL 700 ADL.

Our value leader in bolt actions, the ADL has all the accuracy and power advantages of our highestend 700's without some of the extra features like floorplates. But when it comes to performance, they don't shoot any better than this.

SIGHTS AND SAFETIES.

All Model 700 ADLs and BDLs (except those in varmint calibers—.17, .222, .223, 22-250) have removable blade ramp front sights and adjustable rear sights. BDL front sights are hooded.


All of our bolt action Centerfire rifles have a positive two-position safety switch.

NOTE: For 1987, Remington also has a complete line of synthetic stocked bolt action rifles. (See page 26.)



This year's limited edition Model 700 CLASSIC will be chambered in .338 Win. Mag., the load of choice for large and dangerous North American big game. Now the .338 in 225 grain and an exclusive 250 grain loadings are being offered. (See page 37.)





MODEL 700


| | | | | Overall Length | Avg. Wt. (lb.) | | Twist | | Oı | der Numbers | | |
|--|--------------|-------------------|------------------|--------------------|-------------------|----------------------|------------------|-------------------|-------------------|-------------|----------------------|--------------------|
| Calibers | Mag. Cap. | Barrei Length' | Mountain Rife | Limited CLASSIC | YARMIT SPECIAL | ADL, BOL & Custom | K-H 1 turn in | Mountain Rifle | Limited Craser | ADL | BOL | VARRUNT SPECIAL |
| 17 Kem. | 5 | 24" | | | | 43%"/7% | 9″ | | | | 5801 | |
| 222 Rem. | | 24" | - | | 43½"/9 | 43%"/7% | 14" | - | | | 5781 | 5821 |
| 22-250 Rem. | 4 | 24" | | | 43%"/9 | 43%*/7½ | 14" | ± 3.5 س | | 5763 | 5783 | 5823 |
| 223 Rem. | 5 | 24" | | | 431/2"/9 | 43%"/7% | -12" | | | | 5798 | 5825 |
| ômm Rem. | 4 | 22* | - | * | 43%*/9 | 41%*/7% | 9%* | | | · | 5785 | 5827' |
| 243 Win. | 4 | 22" | _ | | 43½"/9 | 41%*/7% | 9%* | | · = | 5767 | 5787 5819 (L·H) ★ | 5829' |
| .15-06 Rem. | 4 | 24" | | | | 4242"/7% | 10" | | | 5769 | 5789 | |
| . 70 Win. | 4 | 22″ . | 421/2"/6% | | | 4242"/7% | 10" | 5630 | _ | 5771 | 5791 5811 (L·H) | |
| 280 Rem. | 4 | 22" | 42½*/6¾ | | | | 9%" | 5632 | | _ | | |
| 7mm-08 Rem. | 4 | 22" | | | 43½*/9 | 41%"/74 | 9%" | | | | 5799 | 58351 |
| 50-06 & 30-06 Accelerator ^{ia} | 4 | 22" | 4215"/6% | - | _ | 421/2"/714 | 10" | 5634 | - | .5773 | 5793 5813 (L-H) | |
| 308 Win. & 308 Accelerator | 4 | 22" | _ | - | 434"/9 | 41%*/7% | 10" 12" | - | | 5775 | 5795 5818 (L-H) + | 5833 |
| 7 mm Rem. Mag ² | 3 | 24" | _ | - | | 44%*/7% | 94" | _ | - | 5777 | 5803 5815 (L-H) | |
| 300 Win. Mag.2 | 3 | 24" | | | _ | 441/2"/7% | 10" | | | | 5807 | |
| 538 Win. Mag? | 4 | 24" | | 44%*/7% | | | 10" | | 5899° | _ | - | |
| Safari Grade | | | | | | | | | CLASSIC | · | loule Carlo | |
| ini Kem. Mag. | 3 | 24" | - | | | 44%*/10 | 10" | <u> </u> | 5892 | — | 5816 | |
| ': Hitch Mag." | 3 | 24" | _ | - | | 441/2"/9 | 12* | | 5848 | _ : | 5836 | |
| o Win. Mag? | 3 | 24" | | | | 4454/9 | 14" | | 5880 | | 5895* | |
| Nock Dimensions: | Length of I | ² ull | | | | | | 13%" | 13%" | 13%" | 13%" | 13%" |
| | Drop at He | el (from center | line of bore) | | | | - 14 | *** | 1 | 17/6" | 176" | 1%* |
| | Drop at Co | mb (from cent | erline of bore) | | | | | % " | %o" | 15/6" | 11/10" | 14" |

Account Second equipped only with a 24" barrel. "Recoil pad included. "Produced only in 1967. # New for 1967.

10DEL SEVEN

| alibers | Mag. Cap. | Barrel Length | Overall Length/ Avg. Wt. (lbs.) | Twist K-H i turn in | Order Number Stock Dimensions/Pladei Seven | |
|-----------------------------|--------------|------------------|------------------------------------|---------------------------|--|------|
| A. Rem. | 5 | 181/2" | 37%"/6% | 12" | 4720 Stock Dimensions: | |
| is Win. | 4 | 181/2" | 371/2"/61/4 | 9%" | 4782 131/2" length of pull, 1" drop at ticel, 1/4" drop at | comb |
| un Kem. | 4 | 181/2" | 371/1/614 | 9%" | 4784 (measured from centerline of bore). | * |
| un 08 Bem. | 4 | 18%* | 374"/64 | 94" | 4786 | |
| IN WILL OF SUB ACTIFICATION | 4 | 181/2" | 371/2"/61/4 | 10" | 4788 | |

Safari Grade Model 700s are available from our Custom Gun Shop. (See page 47.)



BARBEROUPRESSALES ROOM 24705

Remington pump or auto shotgun in the field or flyways, a Remington pump or auto *rifle* for the woods will be second nature.

And isn't that what you need when you're hunting big game and only get one or two quick shots a year?

The motion is smooth and natural. So even with your heart in your mouth—these actions let you get the first shot off easily. And keep your finger on the trigger, your eye on the target, for a fast second shot when needed.

Yet, even though these rifles may feel like your favorite shotgun, they perform like a true rifle should, delivering shots with excellent accuracy, and plenty of reliability.

No wonder actions like these were the choice of woodswise and experienced deer hunters 80 years ago.

As they still are today.
Whether your action is a
true-blue pump or gas-operated
auto, nobody has more experience
making rifles in those actions than
Remington. All have receivers and
barrels machined from solid steel,
American walnut stocks and massive locking lugs similar to those
usually found only on bolt action
rifles.

Our Models Four and 7400 autoloaders are engineered for speed and softer recoil. The unique gas metering system and balanced feel keeps you on target.

Our Models Six and 7600 pump rifles offer the same superb pointability and balance as our autoloaders. And, for anyone used to a pump shotgun, they offer the same speed thanks to our smooth, twin action bars that perform in any—and we mean any—weather.

in any—and we mean any—weather.

A removable four-shot magazine lets you load and unload quickly.
Extra magazines are available.

MODELS FOUR AND SIX.

"Any way you add it up, they squal a 10," said Guns & Ammo when these pump and auto rifles were intro-

duced six years ago. Many custom touches include Monte Carlo stock with cheekpiece, curved grip, flared fore-enrich cut checkering, and a cartridge head imbedded in front of the receiver. Detachable sights, with flat faced front gold beads.

MODEL 7400 AND 7600.

A customer recently commen ed that the 7600 was "the most beautiful" gun we made. "Please, never stop making it." That's quite a recommendation. Our Models 7400 and 7600 have the same mechanical advantages as our Four and Six, but a lower price tag.







Available in 270 Wln., 30-06, 243 Win., 308 Win. and 7mm Rem Mag with iron sights, instruction manual, 3 checkering templates and swivel studs. All metal work is completely finished, polished and blued. Stock is 100% inletted, ready for finishing.

In five proven calibers, this rifle has Remington's famous "wall of steel" lock-up in which the bolt, barrel, and milled receiver surround the cartridge head with three rings of solid steel for the ultimate in accuracy and strength.

If you're used to an auto or pump shotgun, these rifles will be second nature. The 74 auto gas system keeps recoil to a minimum and delivers fast, second shots. The 76 pump has the smoothest twin action slide bars in the business, so you can keep your sights on the target for a quick second shot, if needed, Chambered for 30-06, with removable 4-shot clip.


| , | Caliber | Clip Mag. Capacity | | | Twist R-II I turn in | Avg. Wt. (lbs.) | Order Number |
|----------------------|------------------------|-----------------------|------|----------------------|-------------------------|-----------------|-----------------|
| 581-S BOLT ACTION | 22 Purchase extra 5 | 5 or 10 shot cli | | 42 ½ / leanington | 4.5 | 4% | 9848 |
| 78 BOLT | 223 Rem | 4 | 24" | 43%" | 17 | 7 | 6172 |
| ACTION | 243 Win. | 4 | 22" | 41% | 9% | 7 | 6158 |
| | 270 Win. | 4 4 4 4 5 | 22″ | 421/2" | 10* | 7 | 6162 |
| | 308 Win. | 4 | 22* | 41%* | 10" | 7 | 6160 |
| | 30-06 | 4 30 | 22 | 312h" | 10" | 7 | 6164 |
| 74 AUTO | 30-06 | 4 - 65 | 227 | 42" | 10" | 7½ | 6166 |
| 76 PUMP | 30-06 | 4 | 225% | 42" | 10*- | 71/2 | 6168 |
| 700 | 243 Win. | _4 | 22 | 41%* | 9%″ | 7% | 5670★ |
| GUN KIT | 270 Win. | 4 | 22* | 421/2" | 10" | 71/4 | 5672 ★ |
| | 308 Win. | 4 | 22" | 41%" | 10" | 71/4 | 5680★ |
| | 30-06 | 4 | 22" | 421/2" | 10" | 744 | 5674★ |
| | 7mm Rem. Mag. | 3 | 24" | 441/2" | 94." | 7 | 5676★ |

★ New for 1987.



DO GUN KIT.

MITHE KIFLES AND AM.



can companies that can offer you a complete rimfire shooting system.

If you couldn't think of anybody but Remington, you're right, Because nobody but Remington manufactures both. And certainly, no other manufacturer can approach the level of strength, quality, and accuracy that is the hallmark of our entire line of Remington 22 rifles and cartridges.

Our rifles are built for uncompromised strength, with barrels. machined from solid billets of steel, action parts tumbled in our "vibrahoning" process for smoothness, and a deeply pollshed finish.

Whichever you shoot, our hard hitting rimfire bullets mesh perfectly with our pumps, autos and bolts for the ultimate in rimfire performance.

MODEL 541-T BOLT ACTION.

Because of the inherent accuracy of Remington bolt actions, the crisp trigger release and rear lock-up ign comparable to our finest target ities, this five shot clip repeater is a divorite of those needing a serious rim-fire ride Jamerican walnut stock and cut checkering. Drilled and tapped for scope mounting.

Maxid 572-A And 572-BDL Powe Acron.

The famous Resultigion FIELDMASTER" is the only 22 pump action rifle still made in America. BDL has high-grade walnut stock, custom checkering and big-game rifle sights. Standard model has adjustable rear sight and bead front sight.

AUTOLOADERS.

Our Model 552 Speedmaster® rifles have the same basic styling as 572 pump action rifles, with a semiautomatic action. Delivers shot-aftershot consistent accuracy.


NYLON 66 ™ AUTOLOADER.

Used to establish a world's record on hand thrown 23/4" wooden blocks, the Nylon 66 shot 100,010 with-

misses to boot). It is still one of the strongest, most indestructible guns made.

22 AMMUNITION

At Remington, we load our big game quality and know-how into every little 22. (Only the price is low.) Cases are made of brass, bullets have uniformly controlled alloy, and our own KLEANBORE® priming mixture promises fast, sure ignition.



RIMFIRE RIPLES

| | Flodel | Action | Barrel Length | Overall Length | Average Weight (ibs.) | Magazine Capacity | Order Number |
|----|----------------------------|--------|------------------|-------------------|--------------------------|----------------------|-----------------|
| | 541-7 | Bolt | 24" | 421/2" | 5% | 5 Shot Clip* | 9824 |
| | 552-A SPEEDMASTER | Auto | 21" | 40" | 5*4 | 15 Long Rifle | 5602 |
| • | 552 BDL DELUXE SPEEDMASTER | Auto | 21* | 40* | 5-14 | 15 Long Rifle | 5604 |
| | 572-A PIELDMASTER | Pump | 21" | 40* | 51/2 | 15 Long Rifle | 5620 |
| 4 | 572 BDL DELUXE PIELDMASTER | Pump | 21" | 40" | 5% | 15 Long Rifle | 5622 |
| ું | Nylon 66 BD BLACK DIAMOND | Auto | 19%" | 38%* | 4 | 14 Long Rifle | 5700 |
| | Nylon 66 MB Mohawk Brown | Auto | 19%" | 381/2" | 4 | 14 Long Rifle | 5500 |

Extra 5-shot or 10-shot clip available at extra cost, from your Remington dealer.

HYPER VELOCITY YELLOW JACKET.®

It's the fastest selling hyper velocity 22 on the market, with muzzle velocity 245 fps faster than standard 22s. Hollow point bullets for dramatic on larget energy.

| HYPER VELOCITY 22 | CARTRIDGES |
|--|-----------------------------|
| SANGE OF THE SANGE | 22 Long Rifle Virta |
| 03.0 | 22 Long Rifle YELLOW JACKET |
| HIGH VELOCITY GOLDEN | 22 CARTRIDGES |
| | 22 Long Rifle |
| TO THE PARTY OF | 22 Long |
| | 22 Short |
| TARGET STANDARD V | ELOCITY 22 CARTRIDGES |
| N. Mosman | 22 Long Rifle |
| | 22 Short |
| | |

HYPER VELOCITY VIPER."

Same truncated cone bullet design as YELLOW JACKET for tremendous energy and velocity, with solid bullet for awesome accuracy.

HIGH VELOCITY."

Delivers consistently tight groups for either slow or rapid firing. Unique Golden bullets are coated with a special lubricant to stay clean, and prevent leading or fouling in barrels.

STANDARD VELOCITY TARGET™ 22s.

Lower velocity and solid lead bullets give you increased accuracy for paper punching and silhouette shooting. Target 22s are economically priced, and quieter than HIGH VELOCITY 22's. Ideal for practice shooting. But, as with all shooting, be sure to wear eye and ear protection.

| RIMPIRE AMMO | | | Bullet | | city— r Second | | rgy— Pounds | Nid-Range Trajectory |
|----------------------------------|------------------------|------------|---------------------------------|--------------|-------------------|----------|----------------|-------------------------|
| | Remington Order No. | WL Grs. | Style | Muzzle | 100 Yds. | Mazie | 100 Yds. | 100 Yds. jaches |
| HYPER VELOCITY 22 CARTRIDGES | | | | | | | | . 1 |
| Virtik Long Rifle | 1922 | - 36 | Truncated Cone, | 1410 | 1056 | 159 | 89 | 3.1 |
| Virza Long Rifle in blister pack | 1922P | .30 | Solid | 1410 | . 1030 | 198 | 09 | 3.1 |
| YELLOW JACKET Long Rifle | 1722 | 33 | Truncated Cone. Hollow Point | 1500 | 1075 | 165 | 85 | 2.8 |
| HIGH VELOCITY GOLDEN BULLET CART | RIDGES | | 44. | | | | | n. |
| Long Rifle | 1522 1500† | 40 | E Lead | 1255 | 1017 | 140 | 92 | 3.6 |
| Long rate | 1622 1600† | 3 6 | Hollow Point | 1280 | 1010 | 131 | 82 | 3.5 |
| Long Rifle in blister pack | 15227 | 40 | Lead | 1255 | 1017 | 140 | 92 | 3.6 |
| Long | 1322 | 29 | Lead | 1240 | 962 | 99 | 60 | 3.9 |
| Short | 1022 1122 | 29 27 | Lead Hollow Point | 1095 1120 | 903 904 | 77 75 | 52 49 | 4.5 <i>u</i> |
| TARGET STANDARD VELOCITY 22 C | ARTRIDGES | | | 49 St. | 6-47 21.41 | | | |
| Long Rifle | 6122 6100† | 40 | Lead | 1150 | 976 | Ì.17 | 85 | 4.0 |
| Short | 5522 | 29 | Lead | 1045 | 872 | 70 | 49 | 4.8 |

Sol. 1000). See your Remington dealer. †These long rifle 22s awallable in slide open plastic packs of 100.

YELLOW JACKE

REMINISTRACING

REMI





CUSTOM GUN SHOP.

As long as there's been a Remington Country, there have been men who dream of owning a truly fine firearm.

And, for just as long, there's been a group of select craftsmen in Ilion, New York, who make those dreams come true.

From the precision performance of our new Kevlar®-stocked Model Seven to the heart-stopping beauty of our gold inlaid shotguns, our Custom Shop guns are crafted one at a time. Fit not only to the dimensions, but to the taste, style, and experience of one individual.

If you'd like to learn what the hands of our craftsmen can do with the finest woods, blued steel, precious metals—and your dreams—see your Remington Prounte Center. Or send a check for \$5, payable to Remington Arms Company, Eden Park Building, GCD, Wilmington, DE 19898 and receive a copy of our complete Custom Gun Shop brochure.

BARBER - PRESALE R 0124712



Model 11-87™ Autoloaders 4-5 Model 1100™ Autoloaders 10 Model 870™ Pump Actions 6-7 Shotgun Barrels 11 Special Purpose Shotguns 8

- e-11 20 Med We card Visit field

Parker™ Shotgun 12-13

Custom Gun Shop 12-15

Target Shotguns 16 Target Rifles 17

Model XP-100™ Target Guns 17

Model Seven Wood

Synthetic Stock Bolt Actions 18-19 Model Seven™ Synthetic Stock **Bolt Actions 18-19** Model 700™ Bolt Actions 20-21

Stock Bolt Actions 22 Model 700 Gun Kit 22 Sportsman° Model 78™ **Bolt Action 22** Model 7400™ And Model 7600™ Pump Action And Autoloading Rifles 23

RIMERE

Rimfire Rifles 24-25

Rimfire Ammunition

Ammunition

Steel Duplex™ 26-27 Steel Shotshells 26-27 Lead Duplex 28-29 Lead Shotshells 28-29

Centerfire Rifle 30-35

Centerfire Pistol And Revolver 36-37

Target Loads, Gun Club And Reloading Supplies 38–39

llothina

Remington Clothing Introduction 40 Big Game Clothing 41 Waterfowl Clothing 42-43 Upland Clothing 44-45 Ultimate Climate Suit 44-45

Luggage 46 Counterscent™ 47 Rem™ Oil 47

Rem Guard 47 Watches 47 Bullet™ Knife And Poster 47

KNIVES

Knives Back Cover

years Remington Arms has worked to perfect the outdoor experience for generations of hunting and shooting sports enthusiasts, Today, Remington is proud to be distinguished as the only company offering a full line


Over the past 172


of firearms, ammunition, clothing and accessories made in America.

As you look through this years catalog, you'll find that for 1988 Remington continues to expand this product line not only by introducing many new items sout also but presenting several classic favorites.

And all of these offernas are eraited with one goal in mind. Τον πεκευου εουπεομασορ experiences saler and more atisfying than even

2







EESTELETETE IN TOTALISE EN me i is become ine sporaun against which all other 12-gauge autoloagers are measured

Paris de Division minerales and the editional particular ferries វិស្តិ៍នៃប្រជុំខ្លួនក្រៅព្រះស្រែ Chickenstations of the second កាច់ព្រះប្រទេធនាក្រាយប្រធិនិធិប្រាប់ប្រ entrining mathernalities

अक्रमोद्देशक गांधेहर्शका था। e(Constitution) — missous es(i) escesso ethenelis exi ethenelis escolores eth eriosacita mila simis iledienisenaariaringe


sipoling and util 78 special uppsylonus oatales annamina elifora e e e medical and provides


twice the shooting life of any 💸 Both piston and piston seal 🤉 antologoes ve ve ave angoes — and geats restent of more With an extractor that \$25% & anothratics in a magazines Meksepancelesusinglie


Vocaliteir डोळ्ळा है हो। इंग्रेस के हो है। exits its feetories enjoy Singmunished <u>ាលខាមាតាក្រក</u>ុខស្វាបទ

រាល់តេស្រី១) ដើមប្រជាជិ ហេដូទេទីតាស្រី១១ស៊ីវិទីស नार्वेदिकार्ष्ट्रकार्राहरू

<u>ក្រុងពីសេសប្រទេសប្រទេសប្រែ</u> enmonetalistications of pharen specknigolis dufind repeated specing And the ម្យាស់ទៅខេត្តសារាជានៅហាល់ នៃ<mark>ម</mark> SECONDICTO CESTE SE LE MINIO Alleines totsingos netks and a contained and a contained वानास्त्राहरात्राहरू विकास and the contraction of the contr







All Model 870 shotguns feature twin-action bars that eliminate twisting or binding. So you get second and third shots off as fast and smooth as your first shot.

Model 870™ Wingmaster®.

Today there are more Model 870 shotguns in the field than any other pump action. This reliable shotgun features an ivory bead front sight and metal mid bead similar to those usually found on target guns. And, like all current 12-gauge 870 shotguns, the Wingmaster handles 23/4" and 3" shells interchangeably.

Model 870 Special Field.

Compact dimensions, Englishstyle straight stock and lighter weight make this gun a natural for fast, upland shooting. Its straight pistol grip, innovative 21"Darrel with shortened foreend and magazine are designed for instinctive shouldering and fast handling.

Model 870 Brushmaster® Deer Gun.

Available for right- and left-hand shooters, the 870 Brushmaster deer gun features a 20" barrel with rifle sights and Improved Cylinder choke.

Model 870 Youth Gun.

Shortened 121/2" stock with recoil pad and 21" barrel offer the smaller-framed shooter fullsize performance. In 20 gauge only, with Rem™ Choke.

Model 870 Express™.

This just may be the best shotgun value on the market. The 870 Express has the same action as our top-of-the-line Wingmaster. Available in 3" chamber and 28" vent rib barrel only, the Express has a hardwood stock with low-luster finish and solid butt pad, and it comes equipped with a Modified (only) Rem Choke tube and wrench. Other chokes may be purchased from your Remington dealer. And for deer hunters we also offer the 870 Express Combo, which includes a 20" slug barrel.

| | | | | Order N | umbers |
|---|--|-------------------|--------------------|---------------------------------|-------------------------------|
| Gauge | Vent Rib Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Right Hand 3" Chambers | Left Hand 3" Chamber |
| | 30" Rem™ Choke (Wingmaster®) | 50½″ | 7¼ | 5503 | |
| | 28" Rem Choke (Wingmaster) | 481/2" | 71/4 | 5506 | 5523 |
| - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | 26" Rem Choke (Wingmaster) | 461/2" | 71/4 | 5508 | |
| ×/ \ | 30" Rem Choke (Special Purpose) | 50½″ | 71/4 | 4860 | |
| 12 | 26" Rem Choke (Special Purpose) | 461/2" | 71/4 | 4862 | |
| (| 21" Rem Choke (Special Field) | 411/2" | 7 | 4870 | |
| `_ | 28" Mod. Rem Choke (Express™) | 481/2" | 71/4 | 5568 | |
| | 28" Rem Choke Mod. (Express Combo) 20" Imp. Cyl/Deer Gun w/Rifle Sights | | 7¼ 7¼ | 5571 — | |
| | 28" Rem Choke | 481/2" | 6 | 5068 | |
| // Lwt. | 26" Rem Choke | 461/2" | 6 | 5070 | |
| 20 | 21" Rem Choke (Youth Gun) | 40″ | 6 | 5223 | |
| | 21" Rem Choke (Special Field) | 411/2" | 6 | 5221 | _ |
| 28 | 25" Full | 451/2" | 6 | 4918 | _ |
| (2¾" chambers) | 25" Mod. | 451/2" | 6 | 4920 | |
| .410 | 25" Full | 451/2" | 61/2 | 4986 | |
| .410 | 25" Mod. | 45%" | 6½ | 5086 | |
| Deer Guns | 20" Imp. Cyl. Deer Gun w/Rifle Sights (Brushmaster®) | 401/2" | 71/4 | 5524 | 5525 |
| 12 | 20" imp. Cyl. (Special Purpose) Deer Gun w/Rifle Sights | 40½″ | 71/4 | 4864 | _ |
| Lwt. 20 | 20″ (mp. Cyl. Deer Gun w/Rifie Sights | 40%" | 6 | 5208 | |
| Police* | 20" Police Cyl. w/Bead Sight | 40½″ | 7¼ | 5020 | |
| (Plain Barrels) | 18" Police Cyl. w/Bead Sight | 381/2" | 71/4 | 5022 | |
| 12 | 20" Imp. Cyl. w/Rifle Sights | 40½″ | 71/4 | 5024 | |

Special Order Model 870s: D and F Grades (both engraved) and F Grade (engraved, with gold inlay) are available in gauges listed. Nominal stock dimensions: 14" long, including recoll pad (no recoll pad on 28 ga., .4 10 bore). Youth Gun-121/2" long, 21/2" drop at heel, 1" drop at comb. *Sales of police guns are restricted.

Note: All 870 shotguns except .410s and Special Field have a 5-shot capacity and come furnished with a 3-shot plug. Special Field and .410 shotguns have a 4-shot capacity with a 3-shot plug included.

Model 870 extra barrels (Turn to page 11.)

Modes of South Committee in the South Committ

Mode 870 Williams will so same left some left some

Total State Somouth & Para din sa Com Tibra Com.

SPECIAL PURPOSE Shotgans

As Invisible As Guns Get

Io serious waterfowl, turkey and deer nunters, dull guns are very bright ideas.

Especially rugged, nonglare guns like the Remington Model 11,87° and Model 870° special Purpose Magnums.

Even to the wariest eye, we've made every visible component nearly invisible.

The nonreflective Parkerized finish protects the SP Magnum barrels and receivers. A dull black finish covers exposed bolts and carrier assemblies. We've even added a special coating on the nardwood stocks and fore-ends. It penetrates the wood to form a protective moisture seal. And doubles as a subdued finish that's resistant to reflection.

Each Special Purpose qui also comes with recoll pad and padded camouflage slings of durable mater resistant durable mater resistant durable mater resistant durable du

Model 11-87 Special Purpose Autoloaders.

You can shoot all loads. From 2% field loads to 3 magnums, without changing anything but the shell, thanks to the exclusive pressure compensating gas system. This gas system is self-cleaning.

Model 11-87 autoloaders also have thicker extractors, heat-treated piston and piston seal, and a patented detent system in the magazine tube.

All 12-gauge 11-87 shotguns in 26" and 30" vent rib barrels come with flush-fitting Rem Thokes.

Model 11-87 And Model 870
Special Purpose Deer Guns.
Choose the 11-87 autoloader
with 21° barrel, or 870 pump
action with 20° barrel; both
come with 3° chamber and rifle

sights. The 870 has twin-action bars that eliminate binding or twisting. It's the same action found on our popular 870 Wingmaster® pump action shotgun. So you get those crucial second and third shots off as quickly and easily as your first shot.

Note: The 11-87 deer gun is designed for optimal performance with stug and buckshot loads and therefore is not pressure compensated, but will accommodate all 12-gauge loads if used with an 11-87 PC-equipped barrel.

Model 870 Special Purpose Pump Action.

All 12 gauge, 3° chambers. Choose 26° or 30° vent rib barrel with Rem Choke.

MODEL 11-87" SPECIAL PURPOSE SHOTGUNS

| a marking | Barrel Length | Overall Av | a Wt Ord | ler Numbers |
|--------------------------------|-----------------------|---|----------|-------------|
| Gauge | and Choke | Length (| bs.) 3* | Chambers* |
| Park to the fact of the second | "Rem" Choke (Vent Ril | increase of the control of the control of the | | |
| | Rem Choke (Vent Rib) | | | |
| 21 | Imp. Cyl. Deer Gun | | | |
| W/ | rifle sights | 417 | 74 | ∵9908 ∵ |


MODEL 870 SPECIAL PURPOSE SHOTGUNS

| | Barrel Length Overall Avg. Wt. Order Numbers |
|-----|--|
| 4.4 | |
| | and Choke Length # (lbs.) 4 3" Chambers |
| | 30" Rem" Choke (Vent Rib) 501/2" 71/4 4860 |
| | 26" Rem Choke (Vent Rib) + 46% *** 7% *** 4862 *** |
| | 20's mp. Cy. Deer Gun |
| | w/rifle sights 44.4 2 401/2 7 7 44.44 4864 |

"All 3" chambers handle 2%" shells.

8

Model 11-87™ SP 12 gauge



NICKEL TOPS The Copper


 $oldsymbol{B}$ ig game hunters don't have to buy the same old line of buckshot any more Because now there's new Remington nickel buckshot loads. The roundest hardest buckshot loads ever developed

To begin with these new shells use only the best raw buckshor available. So the shor is rounder. Then each pellens electropiated with layers of copper copper by nieke and finally buffered in the hull to prevent dejoc mation. So the shot stays rounder, patterns tighter=maximizingyjoin:on=ខាក្លេខៀ performance=

Maine hancoseeeangie માનસાતું કે જો જો જો છે. ever And only Keminglon makes causing new 2% โดลติร เมโกก 0.0 ลกติ #4 เป็นติเราการ Or 3' loads in 000, 00, #1 and #4 buckshot



) Autoloaders



The Surefire Legends

As Ilm Carmichet Outdoor Life guns and centerfire rifles, every gun editor puts it Anyone who Model 1100 features a receiver can shoot a shotgun well will probably shoot better with an 1100

That was true a decade ago: And it still holds true today * a Since its introduction in 1965 the Remington Fodel 100° has brought home more game nout the fleid and trophies from the fliting line than all other aline i<mark>logainastola</mark>nnsseombheat **ភព្**វេទ្ធទេសកាសក្រសួនការាជនក្រុស รู้วัดไกละเก็บในกลายสายจะเลกเลืองก

inel/orașe (00) Cympile**i** (21) eMgangasipeeកាន់ទទេសទានក្រា Magngamak.108១ពុខ, puss iniderangeoreanavanes **Tresorgangeomesanne

៹៸៲៶៵៸៶៹៸៶៶៸៶៳៰៸៹៸៶៸៶៰៰៶៰៸៰៰៶៸៰ ៰៳៙៓៰ឨ៰៳៸៹៲៶៶៵៰៶៰៳៰៳៰៸៰៰៰ inbari nerenenen erinea. Samessiechni mit Houjen andimproved Gijinde — o. optonaliske zretokes

And like all Remington shot-

machined from solid, ordnancegrade steel

All receivers are polished in our vibra-honing; process to ensure smooth performance. And every Model 1100 stock and fore-end is made from select American walnut for strength and good looks.

With all this going for it it's no wonder the Remington Model PHO has beennea surefire 212115

Vodel 1100 field Grade The 20 gauge comes with Rem ke and 2% or 3 chamber.

Model 1 100 Special Field. Made for quick shouldering and natural pointability with a Sionizcoveralli ength of Alica. lighter-weight and English-style straight or ip stock. In 12 and 20 gauge only with Rem Choke 25 hamber and 21 barrel

Model 1100 Youth Guns. Shorter stocks and barrel lengths reduce size and weight. for youths and smaller-framed adults, but in no way limit performance. Available in 20 gauge, with Rem Choke.

Note: All models except Special Field and A10 bore have a 5-shot capacity with 3-shot plug. Special Field and A10 have a 4-shot capacity with 3-shot plug

Sights And Safeties.

Unless otherwise noted, all

bead front sight and quick

Model 1100 shotguns have metal

access positive cross bolt safety.

MODEL 1100" SHOTGUNS

| | | | Numbers 3" |
|--------------------------|--|--|-----------------|
| | | 1. Aug 2. W. S. 18 1 | rs Chambers |
| | Barrel Length 4 Overall Av | | /ent : Vent |
| Carried Same Same | 🗽 and Choke 🐉 Length 🖂 (| W. Colla Billion Server Server Server Server | (R·H) Rib |
| | 21 Rem" Choke 41" (Special Field) | 74: ******** | 334 == = 4 |
| | 28 Rem Choke 48 48 | 7. 4. 25. | 403 17 9597 |
| | 26" Rem Choke ** 46" *** | | |
| St. Called | 21 Rem Choke 39½** (Youth Gun) | 6½ | 372. |
| LT-20: | 21" Rem Choke 41" (Special Field) | 6% | 380 🚛 🚐 |
| | 20" Imp. Cyl 40" - 26 (Deer Oun) - 555 - 55 | 64 - 5248 (wi | h rifle sights) |
| California va protection | er and being continued and a continued | The second second second second | |

MODEL 870" EXTRA BARRELS WITH 2%" CHAMBERS. Model 870 extra barrels with 2¾" chambers will fit both Magnum and 2¾" receivers. Use only 2¾" shells in these barrels. ★ New for 1988.

| MODEL 870 | Length & | | Gauge/0 | 5 | |
|----------------------------|-------------------|------------|--------------|---------------------|-------------|
| VENT RIB | Choke | 12 | 20 Lwt. | 28 | .410† |
| FIELD GRADE | 25" Full | _ | - | 6288 | 6250 |
| | 25" Mod. | | | 6290 | 6264 |
| | 25" imp. Cyl. | | | 6292 | 6266 |
| TRAP | 30" Rem™ Choke | 4614 | | v. | 3.5-1.5 |
| | 30" Full Trap | 6192★ | | | |
| | 30" Full (L-H) | 6206 | . – | · · | |
| er formalist of the second | 28" Rem Choke | 4616 . | 400 | a , : : : : | 1 <u></u> - |
| | 28" Full Trap | 6198★ | | 5.55 5 5 <u>- 2</u> | |
| SKEET | 26" Rem Choke | 4612 | 6330 | | |
| | 25" Skeet | | | 6294 | 6268 |
| | D & F Grades (eng | raved): St | ecial Order | in all gauges. | |

Rem Choke target barrels have Trap Full, Extra Full and Super Full, or Skeet and Improved Skeet, plus wrench.

†.410 bore Field barrels have 3" chambers and will handle both 21/2" and 3" shells. .410 bore Skeet barrels have 21/2" chambers and will only handle 21/2" shells.


MODEL 870" EXTRA BARRELS WITH 3" CHAMBERS. Model 870 extra Darrels with $3\mbox{\ensuremath{^{\prime\prime}}}$ chambers used on Magnum receivers will handle both $2\mbox{\ensuremath{^{\prime\prime}}}$ and $3\mbox{\ensuremath{^{\prime\prime}}}$ shells, Use

| MODEL 870 | Length & Choke | 12 Ga. 20 Ga. Lwt.* |
|------------------------|--------------------------------|---------------------|
| FIELD GRADE, | 30" Rem™ Choke (Wingmaster | 4576 |
| VENT RIB | 28" Rem Choke (Wingmaster) | 4580 |
| Note: Wingmaster® | 26" Rem Choke (Wingmaster) | 4582 |
| shotguns have | 30" Rem Choke | 4574 |
| Bradley-type front | 28" Rem Choke | 4584 4606 |
| sight and metal | 26" Rem Choke | 4586 4608 |
| mid-bead. Others | 30" Rem Choke (L-H) | 4598 |
| have bead front sight. | 28" Rem Choke (L-H) | 4600 |
| | 26" Rem Choke (L-H) | 4602 |
| DEER, Rifle Sights | 20" Imp. Cyl. | 4562 4578 |
| | 20" imp. Cyl. (L-H) | 4604 |
| SPECIAL PURPOSE | 20" Imp. Cyl. | 4596 |
| DEER, Rifte Sights (P | arkerized) | |
| SPECIAL PURPOSE | 30" Rem Choke | 4590 |
| VENT RIB | 26" Rem Choke | 4592 |
| (Parkerized) | | |
| SPECIAL FIELD ** | 21" Rem Choke | 4594 4610 |
| VENT RIB | | 近郊(1797年)(1886年) |
| | D & F Grades (engraved): Speci | al Order |

^{*20-}gauge 870 Lightweight barrels will not fit 20-gauge standard 870 guns.

MODEL 1100th Extra Barrels with 24." Chambers

| MODEL 1100 | Length & Extra Barrels: Gauge/Order Numbers Choke 12 20 (LT-20) 28 .410* |
|-------------------------------------|---|
| FIELD GRADE, DEER, Rifle Sights | 21" lmp. Cyl. 9568 4438 — — — — — — — — — — — — — — — — — — — |
| SPECIAL PURPOSE DEER, Rifle Sights | 21" Imp. Cyl. 4432 |
| SPECIAL FIELD, VENT RIB | 21" Rem" Choke 4450 4433 — — — |
| FIELD GRADE, VENT RIB | 20" Rem Choke 228" Rem Choke 2484 4484 4484 4484 4484 4484 4484 448 |
| | 26* Rem Choke (L-H) 4466 4496 4496 4486 4486 4486 4486 4486 |
| | 26' Rem Choke (L-1) |
| | 25° Mod 9582 9582 25° Imp. Cyl. 2008 100 100 100 100 100 100 100 100 100 |
| FIELD, High Grade TRAP, VENT RIB | D & F Grades Vent Rlb (engraved): Special Order 30" Rem Choke 4492 28" Rem Choke |
| TRAP, High Grade 🌼 | D& P Grades (engraved): Special Order |
| SKEET, VENT RIB | 26' Rem Choke 4490 4435 25' Remington Skeet 9586 |
| | D & F Grades (engraved): Special Order 50" Rem Choke (L-H) 4498 |
| Trap & Skeet | 26" Remington Skeet (L-II) ** 5688 |



Field To Target In A Snap

Now your long barrel goose gun ... Model 870™ Deer Barrels. can also become a great short ... In 12 or 20 gauge with 20° can also become a great short barrel deer gun. 😘 🐩

It just takes a quick, easy barrel change. And changing barrels means your gun is more versatile.

And our extra 12- and 20-gauge field barrels come equipped with Full, Modified and Improved. Cylinder Rem^m Chokes—the only factory-installed screw-in: choke system made of heattreated, seamless stainless steel

Model 11-87™ Extra Barrels In 12 gauge only. Three lengths: 26, 28 and 30.

Improved Cylinder barrel.

Note: New 12-gauge Rem Choke extra barrels will fit previously manufactured guns. But Model 11-87 barrels are not in any way interchangeable with Model 1100 barrels or guns.

New 20-gauge Rem Choke bar-rels may NOT readily fit pre-1987 Model 1100 LT shotguns. The fore end may have to be modified by a gunsmith. This modification is NOT covered under Remington's Warranty. Repair Policy. Barrels are inter changeable within gauge only.

MODEL 11-87" PREMIER EXTRA BARRELS

| WIIII 3" CHAMBERS | |
|---|--|
| MODEL 11-87 | Length & 12 Ga. |
| DEER BARREL with Rifle Sights | 21 Imp Cyl. 4636 |
| LEFT HAND DEER BARRE with Rifle Sights | L 21" Imp. Cyl. 4637 |
| SPECIAL PURPOSE DEER BARREL with Rifle Sight | 可能的现在分词是一个一种是有一种的,但是一种的一种的人们是一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一种的一 |
| SPECIAL PURPOSE MAGNUM Pressure | 30" Rem" Choke 3 4638 2 |
| Compensating PREMIER® | 50" Reil Choke: 34642 |
| Pressure Compensating | 28* Rem Choke 4644 |
| (Bradley-type Front Sigh & Middle Bead) | |
| LEFT HAND PREMIER (Bradley:type Front Sigh | 28" Rem Choke A633 it & Middle Bead) 2005 38 |
| Premier skeet barre | 267 Skee : \$9621 ★ 267 Rem Choke \$4624 |
| PREMIER TRAP BARREL | 28' Pull frap 38 9615 ★ 28' Pull frap 38 9619 ★ |
| | 30/ Rein Croke # 4626 285 Rein Croke # 4628 |
| * New for 1988. | |

NOTE: LT 20, 20 gauge Lightweight barrets (4400 Series) will not fit pre 1977 20 gauge Lightweight or standard 20 gauge Model 1100 shotgurs: (Refer to parts the barrels.) * 410 bore Field barrels have 3, chambers and will handle both 21/2" and 3, shells. 410 bore Skeet barrels have 21/2" chambers and will only h

^{*}Special Field barrels will not fit regular Model 870 guns.

REMINGTON CUSTOM GUN SHOP



 $oldsymbol{A}$ t our Ilion firearms plant, there is an area set apart from the production lines. A series of well-lit, relatively quiet rooms where craftsmen practice a vanishing art.

This is the Remington Custom Gun Shop. Here, a dedicated group of artisans continues to build very special firearms largely by hand.

They work unhurriedly to meet the special orders of hunters and shooters who choose to express their passion for the shooting sports with the acquisition of an extraordinarily fine rifle or shotgun.

Using fine woods, precious metals, hand-selected and assembled components and painstaking methods, they make guns one at a time to fit the dimensions, the style, the taste and the experience of just one customer.

There is no higher achievement in the art of gunmaking. And for the shooting sports enthusiast, few things in life can rival the satisfaction of owning one of these magnificent firearms.

In the Remington Custom Gun Shop, almost anything is possible. To see some of those possibilities for yourself, send a check for \$5 to Remington Arms Company, Eden Park Building, Wilmington, DE 19898 for your copy of our handsome, full-color Custom Gun Shop brochure.

The Legendary

The original Parker™ is back. □ Superb balance and handling After years of speculation and anticipation, it will be returning to American fields and coverts in 1988. It will be built in 20-gauge AHE grade by The Parker Gun Works Division of Remington

Production will be limited. Original Parker shotguns earned their legendary stature. in an era sometimes described as the golden age of shotgunning, a period graced by the presence of many fine doubles, the Parker held top ranking in the affection and preference of American gunners. And for good

Arms Company in Ilion, N.Y.

Even before their relative scarcity gave them "collector" status, basic Parker features brought to their proud owners Classic clean lines that were the epitome of what a fine shotgun should look like

- qualities afield that seemed "to do your shooting for you."
- ☐ Dependable performance that earned them the nickname, "The Old Reliable."
- ☐ One-at-a-time production and hand-fitted "Old World" craftsmanship all the way down to the basic standard grades.
- ☐ In the higher grades, an esthetic level of wood figure, extensive custom engraving and fine-line checkering that made each gun an individual work of art.

Remington's production of the Parker original will bring to its owner all these features-with improvements

light or pistol-grip stock of finest select walnut. Made to customer dimensions

Barrels 28' in any combination of chokes: rust-blued by traditional Parker process
Available in ventilated rib only, not as shown above.

Solid gold nameplate inlaid in pistol grip or stock with owner's initials.

leony resignity in the sac

Without sacrificing any of its classic visual elegance and "between-the-hands" feel, Remington has given "The Old Reliable" even greater strength and performance reliability. Modern, heat-treated metals are used throughout. A completely new, single selective trigger mechanism not only improves functional reliability, but offers exceptionally fast lock time.

A new and simplified design increases automatic ejector reliability.

Beyond these useful but inconspicuous refinements, the new Parker retains all the time less qualities of fit, feel and finish of the vintage originals. In the

hands of a proud organization of the continue to allow the detection arenty to an editional community of the continue of the contraction of the co


A valiching splinis A veaveruil foreserd

anii aliga wallab shi wanii alea (10) waliya wa sa showa 1999C

e schildenedleeelle wijnnawei nie and uste




mo scenssand extensibe delicates crollengraving 👙 🏋 chamber. 🥌 Ribber expupadors (elevarsies) viugelais 🥏



This vintage Parker is shown for Illustrative purposes only. Engraving and Checkering designs will part.

10



Model 11-87™ F Grade Autoloading Shotgun. America's favorite shotgun receives very special attention, with flawless hand-cut checker-ing and skilled engraving that covers most metal surfaces.

More than 150 hours of dedicated handwork is needed to assemble and complete this exceptional firearm.

Model 40-XR¹¹¹ Custom Sporter Grade II.
Built by hand to be the finest.
22 rimfire ever made. It offers most of the options of the Model 700 Custom, grades I through IV.

Model 700¹¹¹ Grade II
Bolt Action Rifle.
Hand-rubbed English walnut stock. The distinctive point-pattern checkering is cut by hand, one line at a time. The barrel is chambered, crowned and fitted by hand as well. The Model 700 is available in four grades in 26 different calibers—many with left-hand versions. left-hand versions.

Model 700 Safari Grade. Our renowned bolt action, in call-bers that allow you to face the world's largest, most dangerous game animals with confidence: A58 Win. magnum. 8mm

Remington magnum or .375 H&H magnum. The Monte Carlo stock features a cheekpiece, rosewood grip cap and fore-end tip. The Safari grade rifles are also available with a Classic straight comb stock.


Model 700 Custom KS
Mountain Rifle.
The optimum combination of strength, accuracy and light weight. The stock is hand-laid-up Kevlar', so this rifle weighs in at less than seven pounds even in magnum calibers. And the stock is unaffected by weather changes, so a sighted-in rifle stays sighted

in no matter what the temperature or humidity. Truly a world-class big game rifle.

Model Seven." Custom KS Rifle. The same proven bolt action design as our Model 700, but in streamlined dimensions that in streamlined dimensions that make it even lighter and easier to handle. The classic Keylar stock features a straight comb cheekpiece. European knob pistol grip and 1 black Old English recoil pad. Welght: just 5% pounds. Available in .35 Remington and .350 Remington magnum only.

TARGET SHOTGUNS

Step Up To The Line With Confidence



Confidence.

It's something all champion shooters have in common. Confidence in themselves. In their loads. And most of all, in their shotguns.

Now Remington offers three shotguns that will increase the confidence of any shooter.

The Remington Premier*
Trap and Premier Skeet are
designed with all the balance
pointability and soft recoil
for which Remington autoloaders are famous. Along
with features that make the
Model 11-87* I wice as durable
as any autoloading shorgum
we vereve made.

The magazine tube is sented less steel for each pistand correspond for each pistand or each pistand or new minutes of the correspondence of the correspond

are all designed to give reliable, maintenance-free operation.

Or if you prefer a pump action for shooting clay targets, pick up a newly designed Remington Model 870th TC Trap. It gives trap shooters the same dependable pump action that has made the 870 the choice of more than 4 million shot-quiners worldwide.

But no matter what your choice, both the Model 11-87 and the Model 870 TC frap offer overbored fixed or Kemil Choke barrels. And all three Kemington target shotguns feature American walnut stocks and fore ends, with cournament grade cut checkering handsome satur finishes and fournament-style rap or skeep requiribs.

SKEET AND TRAP SHOTGUNS


| Gauge | Description | Chambers | Vent Rib Barrel Length & Choke | | | Order Nos. |
|-------|--|--------------------|---|-------------|--------------------|----------------|
| 3.4 | 11-87 Premie Skeet | r [™] 2¾″ | 26" Skeet | 46" | 7% | 9880 ★ |
| | 11-87 Premie Skeet | | 26" Rem™ Choke | 46″ | 7% | 9882 |
| | 11-87 Premie Trap | | 30" Trap Full | 50½″ | 84 | 9876★ |
| | 11-87 Premie Trap (Monte Carlo) | r 24″ | 30" Full Choke | 5014.* | 814 | 9878 → |
| | 11-87 Premie Trap | r 2¾″ | 30" Rem Choke | 501/2 | e e same | 9886 |
| 12 | 11-87 Premie Trap (Monte Carlo) | 2%" | 30" Rem Choke | 50½* | 84 | 9888 |
| | 870 TC Trap | 2%* | 30" Full Choke | | 8 7 | 4938 ★ |
| | 870 TC Trap 870 TC Trap (Monte Carlo | TIMES! | 30" Rem Choke 30" Rem Choke | 4 M 4 M | 8 87. | 6977 6979 |
| | 870 TC Trap (Monte Carlo | 234* * | 30" Full Choke | 3)- | 893 | 4912¥ |
| 20 | 4100 Tournal Skeet | nent 234* | 26" Rem Choke | 46.4 | σď | 9605 |
| 2N - | 1 100 Tournai Skeet 100 a | nent | 25° Skeet 30 | -/5v | ij/ | 5282 |
| 210 | HOO HOU mit Special | nent Sylve | 254\$K@6 | . | $-\mu_{0}$ | 34 <u>00</u> 0 |
| | | | and Trap barrels are de compensated unless a P | igned for a | maren Graditari | |

COME Of 1900 | POTTE PAGE SET IT | Special of Tran harrels are designed to Columbia performance.

2022 basis not therefore are not pressure compensated linkess at resince Telectrische I ser Potra ba

2006 Proces (1887 dames are not interchangeable jobb Proces (1017) bainets (1986)

TARGET RIFLES The Most Accurate Production Rifles Made




The ability to maintain accuracy. That's the primary consideration of any shooter investing in a new target rifle. And that's why more shooters consider Remington the only brand of target rifle to buy.

In fact, the Remington name dominates at national benchrest events across the country. That's because in any event—benchrest, metallic silhouette or position target -Remington provides the legendary out-of-the-box accuracy, crisp triggers and

faster lock times champion shooters demand.

Silhouette shooters who want an accurate, single shot, match-quality pistol will appreciate the Remington Model XP-100". The stock is one piece of Zytel™ nylon. The competition-proven action match-type trigger and drilled and tapped receiver are standard.


And Remington target rifles, or the Remington XP-100 target pistol, are manufactured with all the strength needed to not only TARGET GUNS attain-but maintainaccuracy round after round and event after event.



| Models Barrel | | | Order Number |
|-----------------------------------|-------------|--------|-----------------|
| 40-XB Rangemaster® 27½* | (1) 10 (4) | 94 | 440 00 |
| 40-XB Kevlar® 271/4 ** | 45%" | 9% | Spcl. |
| 40-XC 24* 7.62mm NATO | 431/2* | | 6002 |
| 40-XC Kevlar 7.62mm NATO | | 10 | 6000 ★ |
| 40-XBBR 24" 20" | .44″ 38″ | ., II. | Spcl. |
| 40-XR 22 RF 24" | 421/2" | ≪%10°5 | 5668 |
| 40-XR Kevlar — | 1870 | 9 = | . 5669 ★ |
| XP-100 Production 223 Rem. 141/2" | 2147 | 46 | 5492 |
| 7mm BR 14½* 35 Rem. 14½* | | | |
| | 146 | Right | Left |
| XP-100 Custom _ 223 F | | | Hand |
| | | 5493 | 5.89 |




ormoredetalled in onless tion see your experienced Remington dealers 0 will the fordange kille ber sneets Kaningion/Ameroomeire Edenten (* 600). Wilmington DP 19898 Please specify models.



No wonder outdoor writers everywhere have praised them. National benchrest and silhouette champions have won with them. And hunters from Albuquerque to the Arctic Circle swear by them.

All RS and FS rifles feature non-glare matte finish on exposed metal surfaces.



Synthetic Stocks

We've combined the flawless bolt actions of our Model 700™ and Model Seven™ with stocks of fiberglass reinforced with Du Pont Kevlar® and of Rynite®, a tough thermoplastic resin developed by Du Pont and available only from Remington.

Result? Unwavering accuracy—no matter what the weather. Because these new stocks won't absorb moisture or react to changes in temperature that can throw off a rifle's point of impact.

Through heat, cold, rain, snow or humidity, a sighted-in rifle stays that way. With no movement. No surprises.

And you'll find that these new stocks add nothing to the weight of the rifle. (In fact, the fiberglass stock, reinforced with Kevlar, weighs almost one pound less than comparable wood-stocked models.)

They're stronger. Tougher. Virtually indestructible. And they'll absorb more felt recoil, which is important when you're shooting a lightweight, large-caliber firearm.

> The Runite stock feels solid throughout, with inletting held to extremely close tolerances. The fiberglass stock is laid up and bedded by hand, with Kevlar reinforcement at all critical stress and bedding points. Yet with all the technology in these rifles, you won't have to pay custom gun prices to own one.

All FS and RS models have straight-line combs, solid black English-style recoil pads and sling swivel studs. Choice of gray/black* or camo finishes.

Model 700 RS. These right-hand long-action rifles are available in three game-stopping calibers. Stocks are Du Pont Rynite (RS), with a textured finish from fore-end to butt except for the cheekpiece, which is smoothed for comfort. With a historic "Remington Arms" insignia on the grip cap. A hinged floorplate and iron sights.

Model 700 FS.

The Kevlar-reinforced fiberglass stock (FS) version of our Model 700. Choose from three righthand or three left-hand calibers. The hammer-forged barrel features iron sights, and the rifle has a blind magazine.

Model Seven FS.

The lightest, most compact of the Remington synthetic stock rifles-but with plenty of knockdown power. Available in three right-hand calibers. With hinged floorplate, tapered barrel, ramp front sight, adjustable rear sight. Textured stock.

SYNTHETIC STOCK RIFLES (all have open sights)

| | Mag. | Barrel | Overall | Ava. | Twist R·H | Gr./Bl | . Syn. | Camo | Syn. |
|----------------|-----------|----------|-----------|--------|-----------|-----------|---------------------------------|-------------|------|
| Calibers | Capacity | | Length | _ | 1 turn in | RH | LH | RH | LH |
| Model 700™ RS | Rynite® S | tock BD | L (black | or bla | ck camo) | | | | |
| 270 Win. | 4 | 22" | 421/2" | 7¼ | 10" | 6055 | _ | 6075 | |
| 280 Rem. | 4 | 22" | 421/2" | 71/4 | 9¼" | 6111 | | 6113 | |
| 30-06 | 4 | 22" | 421/2" | 71/4 | 10" | 6057 | _ | 6077 | |
| Model 700 FS F | iberglass | Stock A | DL (gray | or gra | y camo) | | | , A | |
| 243 Win. | 4 | 22″ | 41%" | 6% | 9%″ | 6053 | | 6073 | 1 27 |
| 270 Win. | 4 | 22" | 421/2" | 61/4 | 10" | | 6091 | | 6095 |
| 30-06 | 4 | 22" | 421/2" | 61/4 | 10" | · · · · . | 6093 | 48 GA 🞞 🕾 . | 6097 |
| 308 Win. | 4 | 22" | 41 1/8" | 61/4 | 10" | 6059 | , ;a¥ju | 6079 | 124 |
| 7mm Rem. Mag. | 3 | 24" | 441/2" | 6¾ | 9¼″ | 6061 | 6103 | 6081 | 6105 |
| Model Seven™ F | S Fibergl | ass Stoc | k (gray o | r gray | camo) | | e da | SERVE A | |
| 243 Win. | 4 | 18½″ | 37½″ | 51/4 | 9%″ | 4727 | ر مورد الأدار ودار — الادارة | 4729 | - PL |
| 7mm-08 Rem. | 4 | 18½″ | 37½″ | 51/4 | 9¼″ | 4719 | | 4723 | |
| 308 Win. | 4 | 18½″ | 37½″ | 51/4 | 10" | 4721 | 4 | 4725 | |

All have solid recoil pads.

Model 700 RS has black stock; Model 700 FS and Model Seven FS have gray stocks.



Centerfires For Everything From Prairie Dogs To 10-Pointers

Model 700™ Mountain Rifle.

New for 1988—,243 Win., 7mm-08 Remington and ,308 Win,

At just 6% lbs.; the Mountain
Rifle answers the demand by
many knowledgeable riflemen
for a full-size rifle at an easier
to-carry weight. By tapering the
barrel and slimming down the
stock we've given it superin
handling characteristics with
no loss in accuracy or strength.

The pistol grap is pitched lower to help keep your mist straight for better shot placement. The American walnut stock has a Satin finish and features 20-line deep cure checkering and a smooth a ring checkering a ring checkering and a smooth a ring checkering a ring checkering and a smooth a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring checkering a ring chec

properly, includes a hinged floorplate; sling swivel studs and butt pad. Drilled and tapped for scope mounting.

Model 700 BDL.

The bolt action that's proven its game-getting qualities all over the world. It combines outstanding performance, perfect proportions and handsome detailing—and offers it all in both right-and left-hand models.

A Monte Carlo American walnut stock has a high-gloss finish, and features positive-cut skipline checkering to add a distinctive touch. Hinged floorplate sling swivel study hooded amp front sight and adjustable rear sight are also featured on the Model 700 BDL

Model 700 Varmint Special.

All the styling and features of our Model 700 BDL, but with a barrel that meets the special demands of the dedicated varmint hunter. It's a heavier, hammer-forged barrel that reduces vibration and delivers extraordinary accuracy—throughout a whole day's shooting.

Model 700 ADL


It's a Model 700 all right, but we've limited some of the extra features to put pure 700 performance in your hands at a better price. You'll still appreciate the sath-finished walnut stock, the cut checkering, the sling swivel studs—and the accuracy and reliability of the finest bolt action rifle at an affordable price.

And there's also a new Model 700 ADL laminated stock available in 30-06 caliber.

Model 700 Classic.

For 1988, Remington again offers its 700 Classic, this year chambered for the .35 Whelen cartridge, Purists and handloading enthusiasts will recognize the .35 Whelen as one of the most talked-about "wildcat" loads ever. (And this year, Remington will offer the first factory-loaded .35 Whelen cartridges, See page 23 for details and ballistics,)

A straight-line stock with cut checkering, satin finish, swivel studs and hinged floorplate give this year's Classic all the good looks and pure shootability you'd expect from this limited edition series.



| MA | DEL | 704 | nTA. |
|----|-----|-----|------|

| | | | | Overall Length | /Avg. Wt. (II | b.) : : : : : : : : : : : : : : : : : : : | Twist | | Top See | Order Numbers | THE PARTY OF | 是我的 |
|----------------------------|--------------|-------------------------------|------------------------|-------------------------|--------------------|---|----------------|-------------------|-----------------------|---------------------------------------|--|--|
| Calibers | Mag. Cap. | Barrel Length ¹ | Mountain Rifle | Limited Classic | Varmint Special | ADL, BDL & Custom | | Mountain Rifle | Limited Classic | ADL | BDL | Varmint Special |
| 17 Rem. | 5 | 24" | | da pilo <u>—</u> line v | | 43%"/7¼ | 9″ | | | ya./4 | 5801 | |
| 222 Rem. | 5 | 24" | | † .'-! · | 43½"/9 | 43%"/7% | 14" | , <u>-</u> | | | 5781 | 5821 |
| 22-250 Rem. | 4 | 24" | <u>.</u> | - | 431/2"/9 | 43%"/7¼ | 14" | | | 5763 | · 5783 🐇 | 5823 |
| 223 Rem. | 5 | 24" | · | | 43½"/9 | 43%"/7% | 12" | <u> </u> | <u> </u> | · · · · · · · · · · · · · · · · · · · | 5798 | 5825 |
| 6mm Rem. | . 4 | 22″¹ | | | 43½″/9 | 41%"/7¼ | 9%" | | 1-0- | | - 5785 | 5827 |
| 243 Win. | 4 | 22″¹ | - <u> </u> | | 43½″/9 | 41%"/7% | 9%″ | | | 5767 | 5787 5819 (L-I | ∞ 5829' 1) ∵° |
| 243 Win. | 4 | 22" | 41%"/6% | · _ · · | | | | 5614★ | <u> </u> | | | ###################################### |
| 25-06 Rem. | 4 | 24" | | , 41.4 <u>L</u> 11. | :: - : : · | 44½"/7½ | 10" | | <u> </u> | 5769 | 5789 | |
| 270 Win. | 4 | 22" | 42½″/6¾ | | | 42½"/7¼ | 10″ | 5630 | | 5771 | 5791 5811 (L-I | 1) |
| 280 Rem. | 4 | 22″ | 421/2"/6% | 3/4× 1 − 3 | √-ii | | 9¼″ | 5632 | | 16-C-16-16-18 | | |
| 7mm-08 Rem. | 4 | 22″¹ | i kaj≜acij | | 431/2"/9 | 41%"/7¼ | 9¼″ | | | 海岛岩湖 海 | ≒5799 [™] | 5835 ¹ |
| 7mm-08 Rem. | 4 | 22" | 41%"/6% | | | 4-4 | - 10 | 5616★ | | Alleria — Anticid ia | | |
| 7mm Rem. Mag ² | 3 | 24" | | | | 44½"/7¾ | 94." | | | 5777 | 5803 5815 (L- | ∸, <u></u> |
| 30-06 | 4 | 22* | 42%"/6% | | | 42%"/7% | 10″ | _5634 | | 5773 | 5793 🚓 5813 (L-I | i |
| 308 Win. | 4 4 | 22″ 24″ | 41%"/6% | | 43½″/9 | 41%"/7¼ | 12″ | - 5618 ★ | 三数 | 5775 | 5795 J | 5833 |
| | 4 | 22* | | | | 41%"/7% | | | 18 - 1 - 1 | | ≅5818 (Ľ- | n) is the |
| 300 Win. Mag. | 3 : | 24" | | | | 44%"/7% | 7 | V-5 | 38 - S. J. | | 5807 | |
| 35 Whelen | 4 | 22″ | | 42½″/7¼ | | | 16" | 44 | 5901* | | | e de Santo |
| 338 Win. Mag? | 3 | 24" | | | | 44½"/7 <u>%</u> | 10** | 25年 | | | 5805 ★ | |
| Safari Grade (Cus | | | 40.50% 持續 | 的 | 社会通过 | 等基础的类型 | CACESTO. | and the latest | Classic | Activities 1 | onte Carlo | |
| 8mm Rem. Mag? | | 24″- | voca : = ma | | | 44½″/10 | | | 5892 | | 5816 | |
| 375 H&H Mag ² | | 24" | | Maj Add | | 44½″/9 | | | 5848 | | 5836 | |
| 458 Win. Mag. ² | 5 | 24″ | 4世界二种 | | | ÷ 44½″/9 | 14" | | 5880 | | 5895 | |
| Stock Dimensio | ns: | Length of | Pull (Solve) | 中国政治 | STEEL STATE | 《公司》 | d the state of | 13%" | 13%" | 3 7 1 1 2 2 2 2 | £13 % (28) | *13 % * |
| | 2016年 | Drop at He | eel (from cent | erline of bore | 19/20PA | 1250 | er than | % " | 1. | SE1%6***** | 和外代码 | *17.75 |
| 1 | | Drop at Co | omb (from ce | nterline of bor | e) | or produced | 主题雕物 | ₩* | 9/6" | 1/6" | 14 /A 6 14 14 14 14 14 14 14 14 14 14 14 14 14 | 14.44 |

*Produced only in 1988.

★ New for 1988.

Varmint Special equipped only with a 24" barrel. 2Recoil pad included.

CENTERFIRE OFFERINGS



Model Seven" Walnut Stock. For hunters who want the best of . both worlds, we offer the shortaction Model Seven, a perfect blending of big game power and streamlined dimensions, its styling is classic with a satinfinished American walnut stock. cut checkering and Schnabel fore-end

seroose nomenyaloobneji. edibere (1725) (2mm) (1005) 725. Wine Jimin Kenington (500) (10 or minette temington—etca with 1875 paire minged 160 c plate and ramp nonleave tops c abletears ign s. Abrown of the part and slings wive study complete the package

ivode P700 - Crimi dis Shiskiphinos spore or espejosity Pode P700 pole ce pore busyin alsook tizakallows yorko (inste Lie yood exour liting All metals

components are completely polished and blued, and the stock is factory-inletted. With an instruction manual and three checkering templates, you finish it and make it uniquely yours.


The Model 700 Gun Kit also includes iron sights, swivel studs—and, when you finish, a lot of satisfaction.

Sportsman^a Model 78¹¹ Bolt Action Rifle.

a he major performance leatures found on the Sportsman Model 78 are EXACTLY the same as on our other Model 700 bolt, actions — but it's competitively priced. It has the same 3 rings of steel that surround the cartridge. head, and the barrels and receivers are machined from solid billets of ordnance-grade steel "Available in 223 Remington 243 Win, 270 Win, 308 Win and 50-06 calibers.

| | Calibers | Mag. Capacity | | Overall Length | | |
|--------|----------------|------------------|--------|-------------------|-------------|--------|
| MODEL | 223 Rem. | 5 5 | 18½″ | 371/2" | 12" 614 | 4720 |
| SEVEN | 243 Win. | 4 | 18½″ | 37½" | 9%" 64~ | 4782 |
| | 6mm Rem. | 4 | 181/2" | 371/2" | 9%″ 6% | 4784 |
| | 7mm-08 Rem. | 4 | 18½″ | 37%" | 94.* 64. | 4786 |
| 1.01 | 308 Win. | 4.4 | 18½" | 371/2* | 10" 614 | 4788 |
| MODEL | 223 Rem.் | 4 *** | 24″ | 43%" | 127 李 7 - 4 | 6172 |
| 78° | 243 Win. | 4 | 22" | 41%" | 9%****7 | 6158 |
| BOLT | 270 Win. | 46 | 22" | 421/2" | 10" 7 | 6162 |
| ACTION | 30-06* | 4.5 | 22" | 421/2" | 101 7 | 6164 |
| | 308 Win. | 450 | 22" | 41% | 101 7 | 6160 |
| MODEL | 243 Win. | 维 4代 | 22* | 41%* | 9%* 74 | ÷ 5670 |
| 700m. | 270 Win | 4 4 | 22″ | 42%* | 10" 74 | 5672 |
| GUN 🛫 | 308 Win! | 4 | 227 | 41%" | 10****7% | - 5680 |
| KIT 💮 | 30-06**** | 4 4 3 | 22″ | 421/2" | 10*****7%** | 5674 |
| | 7mm: 🗢 | | esta d | ALC: Y | | HOUSE. |
| ALC: N | Rem. Maq. | 3三十 | 24 | 441/2" | 947 73 | 5676 |

Model 7400 & 7600 Pumps And Autoloaders



If your first shot is well placed, you won't need a second. But when you've got to get off a second shot, these are two actions that'll really come through for you.

Our pump action, for example, uses the same non-binding, smooth-as-silk twinaction bars that have made our Model 870™ the best-selling shotgun in history.

And our autoloader has a unique gas-metering system that is designed for reliability.

But no matter which action you prefer, you'll get exceptional accuracy, proven performance and the thorough attention to detail that characterizes every Remington big game rifle.

Receivers are machined from solid steel. Straight-line American walnut stocks have a high-gloss RKW finish, with styled checkering. A removable four-shot magazine clip lets you load or unload with ease.

Model 7400™ Autoloader.

Sleek good looks and right-onthe-money accuracy and reliability. Superb balance and pointability, with the proven gas system that softens felt recoil to keep you on target for following shots. Includes adjustable sights. Choice of six favorite big game calibers.

Model 7600™ Pump.

The same exceptional balance and feel as our Model 7400, but with the pump action that's been a favorite of veteran hunters for years, Twin-action bars eject and

chamber a second cartridge faster than you can say "Whitetail!" includes adjustable sights. Choose from six calibers, including 30-06 in carbine dimensions with 18½ barrels.

MODEL 7400" AND MODEL 7600"

| 的社员的 | Barrel Overall | Twist R·H A | lva. Wt. Ord | er Numbers) |
|---------------|----------------|-------------|--------------------|----------------|
| Calibers | Length Length | | | |
| 243 Win. | 22" 42" | 9%" | 71/2 47 | 10 - 4652 |
| 270 Win. | 22" 42" | 10" | 75 47 | 12444654 |
| 280 Rem. | 22" 42" | 94" | 275 × 47 | 14 ≥ 4662 ★ |
| 30-06 Carbine | 18½″ 38½″ *** | 10" | -74 - 47(| 02★ 4660% |
| 30-06 | 22"42" | 10" | 752-6-47 | 16. 4656 |
| 308 Win. | 22" 42" | | | |
| 35 Whelen | 22" 42" | 16% | ~ 8 ~ . | 2 4664★ |
| | | | | |

Stock Dimensions: 15% "length of pult. 15% "drop at heel "16," drop at comb. Model 7500 is accepts 30-06 and 308 Accelerator "cartridges. Each has a positive cross-bolt safety subletically when for 1988.

Finally! A Factory-Loaded .35 Whelen Cartridge

For years, it was a cartridge only dedicated reloaders and wildcatters knew about. Now this long-standing favorite will be factory loaded for the first time. And only Remington has it!

The large-bore .35 Whelen is made to order for North American big game, with its proven accuracy and one-shot knockdown power. It's available with 200-grain pointed or 250-grain soft point bullet.

(For more information, see pages 30, 31 and 35.) To handle this cartridge,

we've chambered our Model 7600 pump action rifle and our 1988 Model 700 Classic to create two potent new big game packages.

MARERIALES

 $oldsymbol{Y}$ ou can't beat the Remington system. We make the rifles and the cartridges. We make them perfect for each other. No one else in America does. And no other manufacturer approaches the level of strength, accuracy and quality that has distinguished Remington .22s for generations.

They're accurate, well made and a lot of gun for the money. So no matter which .22 you put with what ammo. you've picked a

They're Made combination made For Each Other

Sportsman^e Model 581-S™ Rimfire Rifle.

A strong, dependable firearm choice for the most experienced shooter or more recent beginner. Run shorts, long, or long-rifle cartridges through the 24" barrel all day. The full-sized stock cradles comfortably against your cheek. Standard 5-shot clip. Extra clips available from dealers.

Model 541-T™ Bolt Action. The T stands for target. That's how accurate this gun is. If you're serious about shooting. you'll appreciate the fine bolt action, the crisp trigger, the

walnut stock with detailed, deep-cut checkering. It's drilled and tapped for scope mounting.

Model 572™ BDL Pump Action. The famous Remington Fieldmaster® is the only .22 pump action rifle still made in America. It has a satin-finished walnut stock, custom checkering and big game rifle sights.

Model 552™ BDL Autoloader. The same styling as our famous pump action rifles, only in a semi-automatic version. Round after round, it delivers consistent performance.



Model 40-XR™ **Bolt Action Target.**

Whatever your event, this rifle gives you the best out-of-the-box accuracy. A crisp trigger. And the fastest lock time. It's assembled, adjusted and tested by the dedicated craftsmen from our Custom Gun Shop. Refer to the table on page 17 for more details.



RIMFIRE **AMMUNITION**

We load our big game quality and know-how into every cartridge. Even .22s.

Hyper Velocity Yellow Jacket*.

Maybe the higher muzzle velocity is why this is the fastest-selling hyper velocity .22 on the market, 245 fps faster than standard .22s. Needless to say, the hollow point bullets make for dramatic on-target energy.

Hyper Velocity Viper".

The same truncated cone bullet design as the Yellow Jacket, it has tremendous energy and velocity.


High Velocity .22 Cartridges. Perfect for small game or plinking. Cartridges are coated with a special lubricant. Golden™ bullets chamber easily, stay clean and prevent leading or fouling in barrels. Delivers consistently tight groups.

Standard Velocity Target .22s. Our standard target loads with their consistent velocity and solid lead bullets give you increased accuracy for paper punching and silhouette shooting. CBEE 22TH

This may be the quietest rimfire round ever developed. The new Remington CBEE 22 has the velocity (700 fps) and quietness of an airgun, with the impact of a .22 bullet. It's perfect for








| RIMFIRE AMMO | | | on 📆 | Builet | | Velo Ft. Per | ity— Second | lac Foot i | ounds | Mid-Range Trajectory |
|--|---------------------------------|------------------------|-----------------|----------------------|----------------|-----------------|----------------|---------------|--|-------------------------|
| | e nje in liga sekr Laska sek | Remington Order No. | | Style | | Muzzie | 100 Y4s. | Music | 100 Yds. | 100 Yds. Inches |
| LOW VELOCITY CBE | z 22 ^m CARTRIE | GES | 3 | | 7.5 | 7×348 | 1.00 | | 1 | 经 为基础 |
| (1) CBEE 22 Long ★ | ALT COLOR | 21118 | 30 : . | Lead | 3,37 | 700 | 640‡ | -0-34 | € 271 | |
| (2) CBEE 22 Short ★ | | 21116 | 30 | Lead | 27/34 | 700 | 640# | - 34 h | 27 ≬ | 3-20-3 ₀ - |
| TARGET STANDARI | VELOCITY 22 | CARTRIDGES | ar (2) | | , 5, 5 2, 5 | 克莱姆 | | 空间 | er et | in in |
| (3) Long Rifle | | 6122 6100† | 40 . | Lead | ži. | 1150 | 976 | 117 | 85 | 4.0 |
| (4) Short | | 5522 | 29 | Lead | 7.77 ST | 1045 | 872 | ÷.,70 🗘 | . 49. | #.4.BV |
| HIGH VELOCITY GO | LDEN" BULLET | CARTRIDGES | | 區劃強 | 100 | entaña 6 | | 1323 | e de la companya dela companya dela companya dela companya de la companya de la companya dela companya | |
| (5) Long Rifle | | 1522 1500† | 40 | Lead | | 1255 | 1017 | 140 | 92 | 3.6 |
| Service of the servic | | 1622 1600† | 36 | Hollow P | oint:- | 1280 | 1010 | 1151 | 82 | 135.6 |
| (6) Long | WELK 174 | 1322 | 29 | Lead | 144 | 1240 | 962 | | 60 | 5 3.9 3 |
| (7) Short | | 1022 1122 | 29 27 | Lead Hollow P | | 1095 1120 | 903 904 | 77 175 | 52 12 49 | 45 44 |
| HYPER VELOCITY 2 | 2 CARTRIDGES | | 编数 | SILE | | 644/265 | | 34,50 | | |
| (8) Viper™ Long Rif | k | 1922 | 36 ¹ | runcated Solid | | 1410. | 1056 | 159 | 89 | |
| (9) Yellow Jacket [®] L | ong Rifle | F 1722 | | runcated Hollow P | | 1500 | 1075 | 165 | 85 | 2.6 |

We Make Every Shot Count



Note: For best allaround results with steel. Remington recommends a Modified choke for improved results. Full choke does not increase pattern density.

patterns at closer

range.

surprising and satisfactory qualities about steel shot.
Sure, steel performs differently than lead. Steel is lighter than lead. But, on the other hand, it patterns better. And also produces higher muzzle velocities

When you take all the qualities of steel into consideration, choosing the optimum load for your particular brand of

than lead.

waterfowl hunting isn't as difficult as you may have thought. And this year, we're going to make your decision about which brand of steel load to

choose easier

than ever.

That's because for 1988, Remington continues to offer the most innovative steel loads in the industry.

Last year we introduced a dozen new steel shotshell offerings—including the revolutionary Remington SP MultiRange Duplex™. This year, we're introducing a dozen more, including new Remington 10-gauge steel shot waterfowl loads.

These 10-gauge 3½" magnum loads will be available in BB, #1, #2 and #3 steel shot for the 1988 waterfowl season.

And this fall we're expanding our line of Duplex shotshells with new BBX1 and 1X3 12gauge steel loads in 2¾" and 3" magnums. In addition, #3 steel shot will now be available in a standard 12-gauge 1½-oz. 2¾" load, and 1¼-oz. 2¾" and 3" magnums.

We didn't forget 20-gauge waterfowlers, either. A 1-oz. #3 steel shot load will be offered in 3" magnum. It's just the right shell to use over shorter distances on fast-moving ducks.

So this year, when you're choosing a duck or goose load, choose the brand that continues to offer you the most technically advanced steel shotshells.

Choose Remington.

10-gauge 3½" magnum waterfowl loads are available in BB, #1, #2 and #3 steel shot for Fall 1988.

26

New



| Shot Number | Size | Diameter in Inches | Approximate P | ellets in 1 Ounce STEEL |
|-------------|------|--------------------|---------------|----------------------------|
| SHOC HUMBEI | | Diameter in inches | LLAD | SILL |
| 6 | · • | .11 | 225 | 316 |
| 4 | • | .13 | 135 | 191 |
| 3 | • | .14 | 108 | 153 |
| 2 | | .15 | 90 | 125 |
| 1 | | .16 | 72 | 103 |
| ВВ | | .18 | 50 | 72 |

| Order No. | Gauge | Length | Dr. Eq. | Velocity FPS @ 3 Ft. | Total Oz. Shot | Shot Sizes |
|------------------|--------------|--------|---------|-------------------------|-------------------|-------------------|
| SP MULTIRANGE DI | JPLEX™ STEEL | SHOT | | | | |
| MRS12H BBX1 ★ | 12 | 3″ | Max. | 1375 | 1 1/4 | BBX1 |
| MRS12H BBX2 | 12 | 3″ | Max. | 1375 | 1 1/4 | BBX2 |
| MRS12H BBX4 | 12 | 3″ | Max. | 1375 | 1 1/4 | BBX4 |
| MRS12H 1X3★ | 12 | 3″ | Max. | 1375 | 1 1/4 | 1X3 |
| MRS12H 2X6 | 12 | 3″ | Max. | 1375 | 11/4 | 2X6 |
| MRS12 BBX1 ★ | 12 | 2¾" | Max. | 1365 | 1 1/8 | BBX1 |
| MRS12 BBX2 | 12 | 2¾″ | Max. | 1365 | 11/8 | BBX2 |
| MRS12 BBX4 | 12 | 2¾" | Max. | 1365 | 1 1/8 | BBX4 |
| MRS12 1X3★ | 12 | 2¾″ | Max. | 1365 | 1 1/8 | 1X3 |
| MRS12 2X6 | 12 | 2¾″ | Max. | 1365 | 1 1/8 | 2X6 |
| STEEL SHOT WATER | RFOWL LOADS | | | | | <u> </u> |
| STL10 Mag. ★ | 10 | 31/2" | Max. | 1260 | 1 3/4 | BB, 1, 2, 3 |
| STL12 Mag. | 12 | 3" | Max. | 1375 | 1 1/4 | BB, 1, 2, 3 ★, 4, |
| STL12 | 12 | 2¾" | Max. | 1365 | l 1/8_ | BB, 1, 2, 3 ★, 4, |
| STL12S Mag. | 12 | 2¾" | Max. | 1275 | 1 1/4 | 1,2,3★,4 |
| STL20H Mag. | 20 | 3″ | Max. | 1330 | 1 . Je . 40 1 | 2,3★,4, |

 $[\]star$ New for 1988. STL10 loads available 3rd quarter.



20 Yards



30 Yards







60 Yards

NO TORRES SEC. TORRESSOR A PROGRESSION SECULT SERVICES AND

A Continued Pattern Of Success



SP MultiRange
Duplex**. If hunters
were at all skeptical
when we introduced
the revolutionary
Remington SP
MultiRange Duplex
shells last year, one
squeeze of the trigger
convinced them how
exceptionally well
these loads perform
in the field.

Duplex is the first factory-loaded round with two shot sizes in every shell, Larger shot for more knockdown power, and smaller shot for improved patterns. So you always have the right load for long shots, close shots and every shot in between. This perfect blend of power and patterning, along with the unique olive-drab hull and nonreflective base, has also made these Duplex loads a favorite among turkey and waterfowl hunters.

Premier™. Our highest-grade shotshell line. Premier features specially selected shot, which is Copper-Lokt™ to ensure true flight and better patterns. The Power Piston® wad is custom matched to the load. Extended range, magnum and extra-long-range loads have a granulated polyethylene buffer to doubly protect against pellet deformation.

Nitro Mag[®]. When you want more range with extra payload in your patterns, reach for Nitro Mag. These loads combine a controlled distribution of granulated poly filler with our patented Power Piston wad to cushion and protect the extrahard lead shot. That gives you tighter patterns at distances up to 15 yards beyond ordinary mags.

Express^m Extra Long Range. The standard high-base loads for all hunters feature our exclusive one-piece Power Piston wad, which cushions and protects the shot without barrel leading. The wad's base acts as a seal and keeps gas from pushing past the shot column, so you get every bit of energy behind the payload.


| Order | | Chall | Danidan | 17 - 1 7A | | Chal |
|----------------|-------------|-----------------|-------------------|-------------------------|-------------------|---------------|
| Number | Gauge | Shell Length | Powder Dr. Eq. | Velocity FPS @ 3 Ft. | Ounces of Shot | Shot Sizes |
| MRP12H BBX4 | 12 | 3″ | Max. | 1210 | 1 % | BBX4 |
| MRP12H 2X4 ★ | 12 | 3″ | Max. | 1210 | 1% | 2X4 |
| MRP12H 2X6 | 12 | 3" | Max. | 1210 | 1% | 2X6 |
| MRP12H 4X6★ | 12 | 3″ | Max. | 1210 | 1% | 4X6 |
| MRP12S BBX4 | 12 | 2¾" | Max. | 1260 | 11/2 | BBX4 |
| MRP12S 2X4 ★ | 12 | 2¾″ | Max. | 1260 | 11/2 | 2X4 |
| MRP125 2X6 | 12 | 2¾″ | Max. | 1260 | 11/2 | 2X6 |
| MRP12S 4X6 ★ | 12 | 2¾″ | Max. | 1260 | 11/2 | 4X6 |
| Premier™ Exten | ded Range | Buffered | Magnums | | | |
| PR12S Mag. | 12 | 2-74" | Max. | 1260 | 11/2 | BB, 2, 4, 6 |
| PR12 Mag. | 12 | 3″ | 4 | 1280 | 1% | 4, 6 |
| PR12H Mag. | 12 | 3″ | Max. | 1210 | 1% | BB, 2, 4 |
| PR20S Mag. | 20 | 2¾" | Max. | 1175 | 11/8 | 4, 6 |
| PR20H Mag. | 20 | 3″ | Max. | 1185 | 11/4 | 2, 4, 6 |
| Premier™ Extra | Long Rang | ge Shotshe | lls | | | |
| PR12 | 12 | 2¾" | 3¾ | 1330 | 11/4 | 2, 4, 6, 71/2 |
| PR20 | 20 | 2¾″ | 2¾ | 1220 | 1 | 4,6 |
| Premier™ Powe | r Pattern F | ield Loads | | | | |
| PR12F | 12 | 2¾" | 31/4 | 1255 | 1 1/8 | 7½,8 |
| PR12HF | 12 | 2¾″ | 31/4 | 1220 | 1 1/4 | 7½,8 |
| PR20F | 20 | 2¾" | 21/2 | 1165 | | 7½,8 |

★ New for 1988.

| Nitro Mag® Bu | iffered Mag | gnums |
|-----------------|-------------|-----------------|
| Order Number | Gauge | Shell Length |
| SP12SNM | 12 | 2¾" |
| SP12NM | 12 | 3″ |
| SP12HNM | 12 | 3" |
| SP20SNM | 20 | 2¾″ |
| SP20HNM | 20 | 3" |
| Express** Extr | a Long Ra | nge |
| SP10 Mag. ★ | 10 | 31/2" |
| SP12 | 12 | 2¾" |
| SP16 | 16 | 2¾" |
| SP16C Mag. | 16 | 2¾" |
| SP20 | 20 | 23/4" |
| SP28 | 28 | 2¾" |
| SP410 | .410 | 2½″ |
| SP4103 | .410 | 3" |
| ShurShot® Fic | eld Loads | |
| RP12H250CS | 12 | 2¾" |
| R12H | 12 | 23/4" |
| R12H250CS | 12 | 2¾" |
| R16H | 16 | 2¾" |
| R20M | 20 | 2¾" |
| R20M250CS | 20 | 2 1/4" |

SP10 Mag. avallable 3rd quarter.

| Shot BA | RB • | ER • | - PR ● | E \$7 | | | | 7/10 | Buckshot | | | | | | |
|-------------------------------|---------|---------|-----------|--------------|-----|-----|-----|------|------------------------------|-----|-----|-----|-----|-----|-----|
| Number | 9 | 8 | 7½ | 6 | 5 | 4 | 2 | ВВ | Number | 4 | 3 | 1 | 0 | 00 | 000 |
| Diameter in Inches | .08 | .09 | .095 | .11 | .12 | .13 | .15 | .18 | Diameter in Inches | .24 | .25 | .30 | .32 | .33 | .36 |
| Approx. Pellets in 1 Ounce | 585 | 410 | 350 | 225 | 170 | 135 | 90 | 50 | Approx. Pellets per Pound | 340 | 300 | 175 | 145 | 130 | 100 |



ShurShot* Field Loads. For quick upland game like rabbits and quail, ShurShot field loads are a real bonus. That's because these shells have up to 30% more shot packed into our Power Piston wad than many competitive loads.

Buckshot. New for 1988, nickelplated extra-hard buckshot in 00 and #4 2¾" loads, and 000, 00, #1 and #4 in 3" magnums. Like all Remington buckshot loads, a granulated polyethylene filler helps cushion the pellets to reduce deformation and improve your pattern. The granulated filler and nickel-plated shot help assure true flight and denser patterns at extended ranges. Slugger® Rifled Slugs. High velocity magnum and short magnum Slugger loads are two of the fastest rifled slugs ever made. With speeds up to 1760 fps, you get flatter trajectory and less wind deflection, to deliver consistent and highly accurate hits on target. The 1-oz. slug assures maximum energy transfer on impact.

| Powder Dr. Eq. | Velocity FPS @ 3 FL | Ounces of Shot | Shot Sizes |
|-------------------|------------------------|-------------------|----------------------|
| Max. | 1260 | 11/2 | BB, 2, 4, 5, 6 |
| 4 | 1280 | 1 % | 2, 4, 6 |
| Max. | 1210 | 1 % | BB, 2, 4 |
| Max. | 1175 | I 1/8 | 4, 6,7½ |
| Max. | 1185 | 11/4 | 2,4, 6,71/2 |
| Max. | 1210 | 2 | BB, 2, 4 |
| 3% | 1330 | 1 1/4 | BB, 2, 4, 5, 6, 71/2 |
| 31/8 | 1295 | 1 1/8 | 4, 5, 6, 7½ |
| Max. | 1260 | 1 1/4 | 2, 4, 6 |
| 2¾ | 1220 | 1 | 4, 5, 6, 7% |
| 21/4 | 1295 | ¾. | 6,7% |
| Max. | 1200 | 1/2 | 4, 6,7½ |
| Max. | 1135 | 11/16 | 4, 5, 6, 71/2 |
| 3¼ | 1220 | 1 1/4 | 7½,8 |
| 3¼ | 1255 | 1 1/8 | 4, 5, 6, |
| 3¼ | 1255 | 1% | 7½,8 |
| 2¾ | 1185 | 11/8 | 4, 6,7½,8 |
| 21/2 | 1165 | 1 | 4, 5, 6, |
| 21/2 | 1165 | 1 | 7½,8 |

| Order Number | Gauge | Shell Length | Powder Dr. Eq. | Velocity FPS @ 3 Ft. | Buckshot Size | Pellet Count |
|---------------------|----------|-----------------|-------------------|-------------------------|------------------|-----------------|
| PR12SNBK★ | 12 | 2¾" | 4 | 1290 | 00 | 12 |
| PR12SNBK ★ | 12 | 2¾″ | 4 | 1250 | 4 | 34 |
| PR12HNBK★ | 12 | 3″ | 4 | 1225 | 000 | 10 |
| PR12HNBK★ | 12 | 3" | 4 | 1210 | 00 | 15 |
| PR12HNBK★ | 12 | 3″ | Max. | 1040 | 1 | 24 |
| PR12HNBK★ | 12 | 3" | 4 | 1210 | 4 | 41 |
| Express™ Bucksho | t Loads | | | | | |
| SP12BK-5PK | 12 | 2 1/4" | 3¾ | 1325 | 000 | 8 |
| SP12BK-5PK | 12 | 2*/4" | 374 | 1325 | 00 | 9 |
| SP12BK-5PK | 12 | 2¾" | 3¾ | 1275 | 0 | 12 |
| SP12BK-5PK | 12 | 2¾" | 3¾ | 1250 | 1 | 16 |
| SP12BK-5PK | 12 | 2¾″ | 3¾ | 1325 | 4 | 27 |
| SP16BK-5PK | 16 | 2¾″ | 3 | 1225 | 1 | 12 |
| SP20BK-5PK | 20 | 2%" | 21/4 | . 1200 | - 3 | - 20 |
| SP12S Mag. BK-5PK | 12 | 2¾″ | 4 | 1290 | - 00 | 12 |
| SP12S Mag. BK-5PK | 12 | 2¾" | 4 | 1075 | i | 20 |
| SP12H Mag. BK-5PK | 12 | 3" | 4 | 1225 | 000 | 10 |
| SP12H Mag RK-5PK | 12 | 3" | 4 | 1210 | 00 | 15 |
| SP12H Mag. BK-5PK | 12 | 3" | Max. | 1040 | 1 | 24 |
| | 12 | 3" | 4 | 1210 | 4 | 41 |
| Slugger® Rifled Slu | ug Loads | | | | | -112 |
| Ordon | | L-11 C1 19/A | W.1 | (6) Jana | F | D 6- 1 |

| • | Diagger Innea | nug wa | 13 | | | | | | *** |
|---|-------------------|--------|--------|----------|------|------------|-------|----------------|------------|
| • | Order | | Shell | Slug Wt. | Velo | city (ft./ | sec.) | Energy (ftlb.) | Drop (in.) |
| • | Number | Gauge | Length | (OZ.) | Muz. | 50 | 100 | Muz. | 100 |
| • | SP12 Mag. RS-5PK | 12 | 3" HV | i | 1760 | 1345 | 1075 | 3009 | - 8.3 |
| | SP12S Mag. RS-5PK | 12 | 2¾" HV | 1 | 1680 | 1285 | 1045 | 2741 | - 9.0 |
| | SP12RS-5PK | 12 | 2¾" HP | ï | 1560 | 1175 | 977 | 2364 | - 10.7 |
| | SP16RS-5PK | 16 | 2¾" HP | 4/5 | 1600 | 1175 | 965 | 1989 | - 10.6 |
| | SP20RS-5PK | 20 | 2¾" HP | 5⁄8 | 1580 | 1240 | 1034 | 1515 | - 9.8 |
| | SP410RS-5PK | .410 | 21/2" | 1/5 | 1830 | 1335 | 1040 | 651 | - 8.2 |
| | | | | | | | _ | | |

CENTERFIRE

You Can't Beat The System

.35 Whelen

Remington introduces the .35 Whelen, in two bullet weights. Never factory loaded before, it's one of the most popular wildcat loads. Praised for its accuracy by the serious hunter for big game. In 200grain pointed soft point Core-Lokt and 250-grain soft point. And for extremely high velocity and accuracy, load up with a .280 Remington 120-grain hollow point. **Both are Remington** exclusives.



We make cartridges to precise tolerances out of top-quality brass. To assure proper velocity at safe pressure limits, we select the optimum powder for each cartridge and bullet type.

For instantaneous ignition, our Kleanbore® primers deliver positive, consistent ignition for dependable performance, without rust or corrosion. But our real advantage for superior performance is our bullet.



Core-Lokt[®] Soft Point Bullet.

Our Core-Lokt bullet design is called the "deadliest mushroom in the woods." It provides superior penetration and controlled expansion, up to double the original caliber size. The heavy midsection jacket locks the metal jacket and lead core together. So the bullet stays in one piece at impact, expands in a controlled manner and mushrooms uniformly. Excellent in heavy brush, for medium and heavy big game—with positive performance at all ranges.




Soft Point Bullet.
Pointed profile offers f

Pointed profile offers flatter trajectory at longer ranges with maximum retained velocity and controlled expansion on impact. Bronze Point^{IM} Expanding Bullet. Using a bronze "tip" to protect the lead bullet core, the Bronze Point slices through the air with flat trajectory and excellent accuracy at extreme ranges. The tip also enables the bullet to penetrate mediumskinned game in a controlled manner before it mushrooms for optimum stopping power.



Power-Lokt® Hollow Point Bullet. The choice of varmint shooters, for long range pinpoint accuracy. Electrolytically bonding a copper jacket to the lead core forms a perfectly balanced, concentric projectile that delivers consistent, downrange accuracy. For target shooting and small game.

The one mushroom to pick when you're going into the woods. Core-Lokt bullets.



New Loads For 1988

New 7mm-08.

We expand our line with this 120grain hollow point offering. It shoots flat for varmint hunting and medium-size game.

New .308 Win.

With 168-grain boattail hollow point bullet for long range accuracy to exceed what other manufacturers offer. A true match-grade performer.

New .35 Whelen, In Two Bullet Weights.

One of the best balanced and most accurate cartridges for North American big game. We offer the .35 Whelen in 200-grain pointed soft point and in 250-grain soft point bullets. Very popular with deer hunters who appreciate a bullet good in heavy brush. No one else offers this load.

New .280 120-Grain Hollow Point.

This is the first time we've offered this caliber in a lighter grain for hunting varmint and medium-size game. Great for woodchucks and coyotes. This Remington exclusive hollow point is flat shooting, with high velocity and excellent long range accuracy.

New 7mm Magnum.

Now in a 140-grain pointed soft point. Excellent for antelope and other medium-size game when you need a flat-shooting long range bullet.

New 7mm BR.

In 140-grain pointed soft point. An extremely accurate cartridge that retains tremendous knockdown power. Its mild recoil makes it great for silhouette shooters.



INTERCHANGEABILITY CHART Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacturer, since improper combinations could result in firearm damage or personal injury.

RIMFIRE 22 W.R.F. 22 Remington Special 22 Win. Mag. / 1890 in a 22 Win. Mag. Rimfire but not conversely

CENTERFIRE

25-20 Remington 25-20 W.C.F. 25-20 Win. 25-20 Win. High Speed

25-20 Marlin 25-W.C.F.

6mm Rem. (80 & 90 grain)

25 Automatic

25 Auto, Colt Pistol (ACP) 25 (6.35mm) Auton 6.35mm Browning

7mm ExpressTM Rem. 280 Rem.

30-30 Sav. 30-30 Win 30-30 Win. Accelerator

30-30 Win. High Speed

32 Colt Automatic 32 Automatic Colt Pistol (ACP) 32 (7.6mm) Automatic Pistol 7.65mm Automatic Pistol

7.65mm Browning (not interchangeable wil 7.65mm Luger)

32 Short Colt in 32 Long Colt SEE NOTE C

32 S. & W. in 32 S. & W. Long

32 S. & W. Long 32 Colt New Police 32 Colt Police Positive

32 W.C.F.*

32 Win.
32-20 Win. High Speed SEE NOTE A

32-20 Colt L.M.R.

32-20 W.C.F. 32-20 Win. and Marlin SEE NOTE G

38 S. & W. 38 Colt New Police

380 Webley

38 Colt Special 38 S. & W. Special 38 Targetmaster 38 S. & W. Special Mid Range

38 Special (+P) 38-44 Special (+P) 38 Special 38 Special Flat Point SEE NOTES B & D

38 Short Colt in 38 Long Colt but not conversely Both can be used in 38 Special

38 Martin

SEE NOTE A

38 Reminators SEE NOTE A

38 Automatic in 38 Super (+P)

380 Automatic 9mm Browning Short

(Corto Kurz) 9mm Luger 9mm Parabellum

SEE NOTE E 44 S, & W. Special SEE NOTE F

44 Win. 44 Remington 44-40 Win. 44 W.C.F.

45-70 Govern -70 Martin, Win. 45-70-405

NOTE As "tigh-speed cartridges must not be used in revolvers, They should be used only in rifles made especially for them. NOTE Bs Ammunition with (+P) on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gum manufacture. NOTE C: Not for use in revolvers chambered for 25.5. & W. or 32.5. & W. Long. NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely. NOTE E: 95 MW. Special can be used in 44 Remington Magnum revolvers but not conversely. NOTE G: Not to be used in 140 MW M-66 and M-73.

CENTERFIRE

These tables were calculated by computer. A standard scientific technique was used to predict trajectories from the best available data for each round. Trajectories shown typify the ammunition's performance at sea level, but note that they may vary owing to atmospheric conditions, equipment and the ammunition itself.

All velocity and energy figures in these charts have been derived by using test barrels of established lengths.


Ballistics shown are for 24" barrels, except those for 30 carbine, .350 Remington magnum and .44 Remington magnum, which are for 20" barrels, and the 7mm BR, which has a 15" barrel. These barrel lengths were chosen as representative, as it's impractical to show performance figures for all of them.

The muzzle velocities, muzzle energies and trajectory data in these tables represent the approximate performance expected of each specified loading. Differences in barrel lengths, internal firearm dimensions, temperature and test procedure can produce actual velocities that vary from those given here.

CENTERFIRE RIFLE VELOCITY vs. BARREL LENGTH

| A-4 - 1 1 - 1 - 1 - 1 - 1 - 1 | | | | _ | |
|-------------------------------|------------------|--|-------------|----------------------------|----|
| N. N. S. | Muzzle V | elocity | Approx. Cha | ange in Muzz ity per 1" | le |
| | Range | | Change in | | h_ |
| | 2000- | The second secon | | 10 20 | |
| | 2500-1 3000-1 | 3500 | | 20 50 | |
| | 3500- | 1000 | Barren San | 40 | |


- 1. Determine how much shorter, or longer, your barrel is than the test barrel:
- 2. In the left column of the above table, select the muzzle-velocity class of your cartridge.
- To the right of that class, read the approximate change in velocity per inch of barrel length.
- 4. Multiply this number by the difference in the length of your barrel from that of the test barrel
- 5. If your parrel is shorter than the test barrel, subtract this figure from the muzzle velocity shown for your cartridge.
- 6. If your parrel is longer, add this figure to the muzzle velocity shown.



| Remington | Ballistics |
|-----------|------------|
|-----------|------------|

| | | | BULLET | ı |
|-------------------------|--|---------------------------|--|----------------------|
| CALIBERS | REMINGTON Order No. | WtGrs. | Style | Primer No. |
| 17 REM. | R17REM | 25* | Hollow Point Power-Lokt® | 71/2 |
| 22 HORNET | R22HN1 R22HN2 | 45* 45 | Pointed Soft Point Hollow Point | 6½ 6½ |
| 222 REM. | R222R1 R222R3 R222R4 | 50 50* 55 | Pointed Soft Point Hollow Point Power-Lokt Metal Case | 7½ 7½ 7½ |
| 222 REM. MAG. | R222M1 R222M2 | 55* 55 | Pointed Soft Point Hollow Point Power-Lokt | 7½ 7½ |
| 223 REM. | R223R1 R223R2 R223R3 | 55 55* 55 | Pointed Soft Point Hollow Point Power-Lokt Metal Case Match | 7½ 7½ 7½ |
| 22-250 REM. | R22501 R22502 | 55* 55 | Pointed Soft Point Hollow Point Power-Lokt | 9½ 9½ |
| 243 WIN. | R243W1 R243W2 R243W3 | 80 80* 100 | Pointed Soft Point Hollow Point Power-Lokt Pointed Soft Point Core-Lokt® | 9½ 9½ 9½ |
| 6mm REM. | R6MM1 R6MM2 R6MM4 | 80‡ 80‡ 100* | Pointed Soft Point Hollow Point Power-Lokt Pointed Soft Point Core-Lokt | 9½ 9½ 9% |
| 25-20 WIN. | R25202 | 86* | Soft Point | 61/2 |
| 250 SAV. | R250SV | 100* | Pointed Soft Point | 91/2 |
| 257 ROBERTS | R257 R257A | 117 100° | Soft Point Core-Lokt Pointed Soft Point Core-Lokt | 9½ 9½ |
| 25-06 REM. | R25061 R25062 R25063 | 87 100* 120 | Hollow Point Power-Lokt Pointed Soft Point Core-Lokt Pointed Soft Point Core-Lokt | 9½ 9½ 9% |
| 6.5mm REM. MAG. | R65MM2 | 120* | Pointed Soft Point Core-Lokt | 9½M |
| 264 WIN. MAG. | R264W2 | 140* | Pointed Soft Point Core-Lokt | 9½M |
| 270 WIN. | R270W1 R270W2 R270W3 R270W4 | 100 130* 130 150 | Pointed Soft Point Pointed Soft Point Core-Lokt Bronze Point Soft Point Core-Lokt | 9% 9% 9% 9% |
| 7mm BR | R7MMBR★ | 140* | Pointed Soft Point | 7½ |
| 7mm MAUSER (7x57) | R7MSR1 | 140* | Pointed Soft Point | 91/2 |
| 7mm-08 REM. | R7M081 R7M083 ★ | 140 120* | Pointed Soft Point Hollow Point | 9½ 9½ |
| 280 REM.† | R280R3 R280R1 R280R2 R280R4 * | 140 150 165 120* | Pointed Soft Point Pointed Soft Point Core-Lokt Soft Point Core-Lokt Hollow Point | 9½ 9½ 9½ 9½ |
| 7mm REM. MAG. | R7MM2 R7MM3 R7MM4 ★ | 150 175 140* | Pointed Soft Point Core-Lokt Pointed Soft Point Core-Lokt Pointed Soft Point | 9½M 9½M 9½M |
| 30 CARBINE | R30CAR | 110• | Soft Point | 6½ |
| 30 REM. | R30REM | 170* | Soft Point Core-Lokt | 9½ |
| 30-30 WIN. ACCELERATOR® | R3030A | 55* | Soft Point | 914 |
| 30-30 WIN. | R30301 R30302 R30303 | 150* 170 170 | Soft Point Core-Lokt Soft Point Core-Lokt Hollow Point Core-Lokt | 9½ 9½ 9½ |


Specifications are nominal. Ballistics figures established in test barrets, individual rifles may vary from test-barre Aintenchangeable in 244 Rem. + New for 1988.



| | | | | | | | | | | | | | | TRA | ECTOR | Y** C | .0 Indica | ates ya | rdage a | t which | rifle was | sighted | in. | | Ξ |
|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|---------------------------|--------------------------|--------------------------|---------------------------|--------------------------------------|------------------------------|---------------------------------|--------------------------|--------------------------|--------------------------|-----------------------------|------------------------------|----------------------------------|----------------------------------|------------|
| | FI | VELO | |) | | | rc | ENERG OOT-POL | | | | | inch abo | loes not ove line (| rise mor of sight in ng-in rai | re than or rom muz | ne zle | | | hes abo | | more that sight from | | | REL LENGTH |
| Muzzle | 100 Yds. | 200 Yds. | 300 Yds. | 400 Yds. | 500 Yds. | Muzzle | 100 Yds. | 200 Yds. | 300 Yds. | 400 Yds. | 500 Yds. | 50 Yds. | 100 Yds. | 150 Yds. | 200 Yds. | 250 Yds. | . 300 Yds. | 100 Yds. | 150 Yds. | 200 Yds. | 250 Yds. | 300 Yds. | 400 Yds. | 500 Yds. | BARREL |
| 4040 | 3284 | 2644 | 2086 | 1606 | 1235 | 906 | 599 | 388 | 242 | 143 | 85 | 0.1 | 0.5 | 0.0 | -1.5 | -4.2 | -8.5 | 2.1 | 2.5 | 1.9 | 0.0 | -3.4 | -17.0 | -44.3 | 24" |
| 2690 2690 | 2042 2042 | 1502 1502 | 1128 1128 | 948 948 | 840 840 | 723 723 | 417 417 | 225 225 | 127 127 | 90 90 | 70 7 0 | 0.3 0.3 | 0.0 0.0 | -2.4 -2.4 | -7.7 -7.7 | -16.9 -16.9 | -31.3 -31.3 | 1.6 1.6 | 0.0 0.0 | -4.5 -4.5 | -12.8 -12.8 | -26.4 -26.4 | -75.6 -75.6 | -163.4 -163.4 | 24" |
| 3140 3140 3020 | 2602 2635 2562 | 2123 2182 2147 | 1700 1777 1773 | 1350 1432 1451 | 1107 1172 1201 | 1094 1094 1114 | 752 771 801 | 500 529 563 | 321 351 384 | 202 228 257 | 136 152 176 | 0.5 0.5 0.6 | 0.9 0.9 1.0 | 0.0 0.0 0.0 | -2.5 -2.4 -2.5 | -6.9 -6.6 -7.0 | -13.7 -13.1 -13.7 | 2.2 2.1 2.2 | 1.9 1.8 1.9 | 0.0 0.0 0.0 | -3.8 -3.6 -3.8 | -10.0 -9.5 -9.9 | -32.3 -30.2 -31.0 | -73.8 -68.1 -68.7 | 24" |
| 3240 3240 | 2748 2773 | 2305 2352 | 1906 1969 | 1556 1627 | 1272 | 1282 1282 | 922 939 | 649 675 | 444 473 | 296 323 | 198 220 | 0.4 | 0.8 | 0.0 | -2.2 -2.1 | -6.0 -5.8 | -11.8 -11.4 | 1.9 | 1.6 | 0.0 | -3.3 -3.2 | -8.5 -8.2 | -26.7 -25.5 | -59.5 -56.0 | 24" |
| 3240 3240 | 2747 2773 | 2304 2352 | 1905 1969 | 1554 1627 | 1270 1341 | 1282 1282 | 921 939 | 648 675 | 443 473 | 295 323 | 197 220 | 0.4 | 0.8 0.8 | 0.0 | -2.1 -2.2 -2.1 | -6.0 -5.8 | -11.8 -11.4 | 1.9 | 1.6 1.6 | 0.0 | -3.3 -3.2 | -8.5 -8.2 | -26.7 -25.5 | -59.6 -56.0 | 24" |
| 3240 3680 | 2759 3137 | 2326 2656 | 1933 2222 | 1587 1832 | 1301 1493 | 1282 1654 | 929 | 660 861 | 456 603 | 307 410 | 207 | 0.4 | 0.8 | 0.0 | -2.1 -1.6 | -5.9 -4.4 | -11.6 -8.7 | 1.9 | 1.6 2.6 | 0.0 | -3.2 | -8.4 -3.4 | -26.2 -15.9 | -57.9 -38.9 | |
| 3680 3350 | 3209 2955 | 2785 2593 | 2400 2259 | 2046 1951 | 1725 1670 | 1654 1993 | 1257 1551 | 947 1194 | 703 906 | 511 | 363 495 | 0.2 | 0.5 | 0.0 | -1.5 -1.8 | -4.1 -4.9 | ~8.0 -9.4 | 2.1 | 2.5 | 1.8 | 0.0 | -3.1 -3.6 | -14.1 -16.2 | -33.4 -37.9 | 24" |
| 3350 2960 | 2955 2697 | 2593 2449 | 2259 2215 | 1951 1993 | 1670 1786 | 1993 1945 | 1551 1615 | 1194 1332 | 906 1089 | 676 882 | 495 708 | 0.3 0.5 | 0.7 0.9 | 0.0 | -1.8 -2.2 | -4.9 -5.8 | ~9.4 ~11.0 | 2.6 1.9 | 2.9 1.6 | 2.1 0.0 | 0.0 -3.1 | -3.6 -7.8 | -16.2 -22.6 | -37.9 -46.3 | 24" |
| 3470 3470 3100 | 3064 3064 2829 | 2694 2694 2573 | 2352 2352 2332 | 2036 2036 2104 | 1747 1747 1889 | 2139 2139 2133 | 1667 1667 1777 | 1289 1289 1470 | 982 982 1207 | 736 736 983 | 542 542 792 | 0.3 0.3 0.4 | 0.6 0.6 0.8 | 0.0 0.0 0.0 | -1.6 -1.6 -1.9 | -4.5 -4.5 -5.2 | ~8.7 ~8.7 ~9.9 | 2.4 2.4 1.7 | 2.7 2.7 1.5 | 1.9 1.9 0.0 | 0.0 0.0 -2.8 | -3.3 -3.3 -7.0 | -14.9 -14.9 -20.4 | -35.0 -35.0 -41.7 | 24" |
| 1460 | 1194 | 1030 | 931 | 858 | 797 | 407 | 272 | 203 | 165 | 141 | 121 | 0.0 | -4.1 | -14.4 | -31.8 | -57.3 | -92.0 | 0.0 | -8.2 | -23.5 | -47.0 | -79.6 | -175.9 | -319.4 | 24" |
| 2820 | 2504 | 2210 | 1936 | 1684 | 1461 | 1765 | 1392 | 1084 | 832 | 630 | 474 | 0.2 | 0.0 | -1.6 | -4.7 | -9.6 | -16.5 | 2.3 | 2.0 | 0.0 | -3.7 | -9.5 | -28.3 | -59.5 | 24" |
| 2650 2980 | 2291 2661 | 1961 2363 | 1663 2085 | 1404 1827 | 1199 1592 | 1824 1972 | 1 3 63 1 572 | 999 1240 | 718 965 | 512 741 | 373 563 | 0.3 | 0.0 0.0 | -1.9 -1.3 | -5.8 -4.0 | -11.9 -8.3 | -20.7 -14.3 | 2.9 2.0 | 2.4 1.7 | 0.0 0.0 | -4.7 -3.3 | -12.0 -8.3 | ~36.7 -24.6 | -79.2 -51.4 | 24" |
| 3440 3230 2990 | 2995 2893 2730 | 2591 2580 2484 | 2222 2287 2252 | 1884 2014 2032 | 1583 1762 1825 | 2286 2316 2382 | 1733 1858 1985 | 1297 1478 1644 | 954 1161 1351 | 686 901 1100 | 484 689 887 | 0.3 0.4 0.5 | 0.6 0.7 0.8 | 0.0 0.0 0.0 | -1.7 -1.9 -2.1 | -4.8 -5.0 -5.6 | -9.3 -9.7 -10.7 | 2.5 1.6 1.9 | 2.9 1.4 1.6 | 2.1 0.0 0.0 | 0.0 -2.7 -3.0 | -3.6 -6.9 -7.5 | -16.4 -20.5 -22.0 | -39.1 -42.7 -44.8 | 24" |
| 3210 | 2905 | 2621 | 2353 | 2102 | 1867 | 2745 | 2248 | 1830 | 1475 | 1177 | 929 | 0.4 | 0.7 | 0.0 | -1.8 | -4.9 | ~9.5 | 2.7 | 3.0 | 2.1 | 0.0 | -3.5 | -15.5 | -35.3 | 24" |
| 3030 | 2782 | 2548 | 2326 | 2114 | 1914 | 2854 | 2406 | 2018 | 1682 | 1389 | 1139 | 0.5 | 0.8 | 0.0 | -2.0 | -5.4 | -10.2 | 1.8 | 1.5 | 0.0 | -2.9 | -7.2 | -20.8 | -42.2 | 24" |
| 3430 3060 3060 2850 | 3021 2776 2802 2504 | 2649 2510 2559 2183 | 2305 2259 2329 1886 | 1988 2022 2110 1618 | 1699 1801 1904 1385 | 2612 2702 2702 2705 | 2027 2225 2267 2087 | 1557 1818 1890 1587 | 1179 1472 1565 1185 | 877 1180 1285 872 | 641 936 1046 639 | 0.3 0.5 0.4 0.7 | 0.6 0.8 0.8 1.0 | 0.0 0.0 0.0 0.0 | -1.7 -2.0 -2.0 -2.6 | -4.6 -5.5 -5.3 -7.1 | -9.0 -10.4 -10.1 -13.6 | 2.5 1.8 1.8 2.3 | 2.8 1.5 1.5 2.0 | 2.0 0.0 0.0 0.0 | 0.0 -2.9 -2.8 -3.8 | -3.4 -7.4 -7.1 -9.7 | -15.5 -21.6 -20.6 -29.2 | -36.4 -44.3 -42.0 -62.2 | 24" |
| 2215 | 2012 | 1821 | 1643 | 1481 | 1336 | 1525 | 1259 | 1031 | 83 9 | 681 | 555 | 0.5 | 0.0 | -2.7 | -7.7 | -15.4 | -25.9 | 1.8 | 0.0 | -4.1 | -10.9 | -20.6 | -50.0 | -95.2 | 15" |
| 2660 | 2435 | 2221 | 2018 | 1827 | 1648 | 2199 | 1843 | 1533 | 1266 | 1037 | 844 | 0.2 | 0.0 | -1.7 | -5.0 | -10.0 | -17.0 | 2.5 | 2.0 | 0.0 | -3.8 | -9.6 | -27.7 | -56.3 | 24" |
| 2860 3000 | 2625 2725 | 2402 2467 | 2189 2223 | 1988 1992 | 1798 1778 | 2542 2398 | 2142 1979 | 1793 1621 | 1490 1316 | 1228 1058 | 1005 842 | 0.6 0.5 | 0.9 0.8 | 0.0 | -2.3 -2.1 | -6.1 -5.7 | -11.6 -10.8 | 2.1 1.9 | 1.7 1.6 | 0.0 | -3.2 -3.0 | -8.1 -7.6 | -23.5 -22.3 | -47.7 -45.8 | 24" |
| 3000 2890 2820 3150 | 2758 2624 2510 2866 | 2528 2373 2220 2599 | 2309 2135 1950 2348 | 2102 1912 1701 2110 | 1905 1705 1479 1887 | 2797 2781 2913 2643 | 2363 2293 2308 2188 | 1986 1875 1805 1800 | 1657 1518 1393 1468 | 1373 1217 1060 1186 | 968 968 801 949 | 0.5 0.6 0.2 0.4 | 0.8 0.9 0.0 0.7 | 0.0 0.0 -1.5 0.0 | -2.1 -2.3 -4.6 -1.9 | -5.5 -6.2 -9.5 -5.1 | -10.4 -11.8 -16.4 -9.7 | 1.8 2.1 2.3 2.8 | 1.5 1.7 1.9 3.0 | 0.0 0.0 0.0 2.2 | -2.9 -3.3 -3.7 0.0 | -7.3 -8.3 -9.4 -3.6 | -21.1 -24.2 -28.1 -15.7 | -42.9 -49.7 -58.8 -35.6 | 24" |
| 3110 2860 3175 | 2830 2645 2923 | 2568 2440 2684 | 2320 2244 2458 | 2085 2057 2243 | 1866 1879 2039 | 3221 3178 3133 | 2667 2718 2655 | 2196 2313 2240 | 1792 1956 1878 | 1448 1644 1564 | 1160 1372 1292 | 0.4 0.6 0.4 | 0.8 0.9 0.7 | 0.0 0.0 0.0 | -1.9 -2.3 -1.8 | -5.2 -6.0 -4.8 | -9.9 -11.3 -9.1 | 1.7 2.0 2.6 | 1.5 1.7 2.9 | 0.0 0.0 2.0 | -2.8 -3.2 0.0 | -7.0 -7.9 -3.4 | -20.5 -22.7 -14.5 | -42.1 -45.8 -32.6 | 24" |
| 1990 | 1567 | 1236 | 1035 | 923 | 842 | 967 | 600 | 373 | 262 | 208 | 173 | 0.9 | 0.0 | -4.5 | -13.5 | -28.3 | -49.9 | 0.0 | -4.5 | -13.5 | -28.3 | -49.9 | -118.6 | -228.2 | 20" |
| 2120 | 1822 | 1555 | 1328 | 1153 | 1036 | 1696 | 1253 | 913 | 666 | 502 | 405 | 0.7 | 0.0 | -3.3 | -9.7 | -19.6 | -33.8 | 2.2 | 0.0 | -5.3 | -14.1 | -27.2 | -69.0 | -136.9 | 24″ |
| 3400 | 2693 | 2085 | 1570 | 1187 | 986 | 1412 | 886 | 521 | 301 | 172 | 119 | 0.4 | 0.8 | 0.0 | -2.4 | -6.7 | -13.8 | 2.0 | 1.8 | 0.0 | -3.8 | -10.2 | -35.0 | -84.4 | 24" |
| 2390 2200 2200 | 1973 1895 1895 | 1605 1619 1619 | 1303 1381 1381 | 1095 1191 1191 | 974 1061 1061 | 1902 1827 1827 | 1296 1355 1355 | 858 989 989 | 565 720 720 | 399 535 535 | 316 425 425 | 0.5 0.6 0.6 | 0.0 0.0 0.0 | -2.7 -3.0 -3.0 | -8.2 -8.9 -8.9 | -17.0 -18.0 -18.0 | -30.0 -31.1 -31.1 | 1.8 2.0 2.0 | 0.0 0.0 0.0 | -4.6 -4.8 -4.8 | -12.5 -13.0 -13.0 | -24.6 -25.1 -25.1 | -65.3 -63.6 -63.6 | -134.9 -126.7 -126.7 | 24" |

specifications. *Illustrated (not shown actual size). *Inches above or below line of sight. Hold low for positive numbers, high for negative numbers, +280 Rem. and 7mm Extress . Rem. are interchanged.

CENTERFIRE



The trajectory figures shown in these ballistics tables are the rise or drop, in inches, of the bullet from a direct line of sight at selected yardages. Sighting-in distances have been set at 100 to 250 yards. (See the drawing above.)

The line of sight used is 0.9" above the axis of the bore. This height is common to iron sights and low-mounted scopes.

The trajectory tables can also be used for rifles with high-mounted scopes, that is, 1½ above the axis of the bore. The difference in drops at even the extreme 500-yard range is not significant enough to negate the figures shown.


Since the rise or drop figures shown at the stated yardages are points of impact, you must hold low for positive figures, high for negative figures.

Many shooters who use the same cartridge often find it helpful to commit the rise and drop figures for that cartridge to memory, or tape them to their rifle stock. That way they know instantly the right, hold as soon as they estimate the target's range.

Vented Test-Barrel Ballistics.

This Remington-patented, industry-accepted method provides data that more precisely reflects actual use of revolver ammunition. It considers cylinder gap, barrel length, powder position productions olerances—even wear and tear—and reams of industry data. Althoughour final values differ from conventional rigures: the ammunition is unchanged.


Key elements of our patented procedure include: (a) horizontal powder orientation: (b) cylinder gap: 0.08-(c) barrel length: 4. Since each of these factors affects yelocity, our method permits shooters to predict builded



| Remington | Ballistics |
|-----------|-------------------|
|-----------|-------------------|

| | | | BULLET | |
|-----------------------|--|---|--|--|
| CALIBERS | REMINGTON Order No. | ₩t.·Grs. | Style | Primer No. |
| 300 SAVAGE | R30SV3 R30SV4 | 180° 180 | Soft Point Core-Lokt® Pointed Soft Point Core-Lokt | 9½ 9½ |
| 30-40 KRAG | R30402 | 180* | Pointed Soft Point Core-Lokt | 9½ |
| 308 WIN. ACCELERATOR® | R308W5 | 55* | Pointed Soft Point | 9½ |
| 308 WIN. | R308W1 R308W6 R308W2 R308W3 R308W7 ★ | 150 165 180 180 168* | Pointed Soft Point Core-Lokt Pointed Soft Point Core-Lokt Soft Point Core-Lokt Pointed Soft Point Core-Lokt Boattail H.P. Match | 9% 9% 9% 9% 9% |
| 30-06 ACCELERATOR | R30069 | 55* | Pointed Soft Point | 9½ |
| 30-06 SPRINGFIELD | R30061 R30062 R30063 R3006B R30064 R30065 R30066 | 125 150 150 165* 180 180 180 220 | Pointed Soft Point Pointed Soft Point Core-Lokt Bronze Point Pointed Soft Point Core-Lokt Soft Point Core-Lokt Pointed Soft Point Core-Lokt Bronze Point Soft Point Core-Lokt | 9% 9% 9% 9% 9% 9% 9% |
| 300 H&H MAG. | R300HH | 180* | Pointed Soft Point Core-Lokt | 9%M |
| 300 WIN. MAG. | R300W1 R300W2 | 150 180* | Pointed Soft Point Core-Lokt Pointed Soft Point Core-Lokt | 91⁄2M 91⁄2M |
| 303 BRITISH | R303B1 | 180* | Soft Point Core-Lokt | 91/2 |
| 32-20 WIN. | R32201 R32202 | 100 100* | Lead Soft Point | 6½ 6½ |
| 32 WIN. SPECIAL | R32WS2 | 170* | Soft Point Core-Lokt | 91/2 |
| 8mm MAUSER | R8MSR | 170* | Soft Point Core-Lokt | 91/2 |
| 8mm REM. MAG. | R8MM1 R8MM2 | 185° 220 | Pointed Soft Point Core-Lokt Pointed Soft Point Core-Lokt | 9½M 9½M |
| 338 WIN. MAG. | R338W1 R338W2 | 225° 250 | Pointed Soft Point Pointed Soft Point | 9½M 9½M |
| 35 REM. | R35R1 R35R2 | 150 200 | Pointed Soft Point Core-Lokt Soft Point Core-Lokt | 9½ 9½ |
| 350 REM. MAG. | R350M1 | 200* | Pointed Soft Point Core-Lokt | 9½M |
| 35 Whelen | R35WH1 ★ R35WH2 ★ | 200 250* | Pointed Soft Point Soft Point | 9½M 9½M |
| 375 H&H MAG. | R375M1 R375M2 | 270 ° 300 | Soft Point Metal Case | 9½M 9½M |
| 44-40 WIN. | R4440W | 200* | Soft Point | 21/2 |
| 44 REM. MAG. | R44MG2 R44MG3 R44MG6 ★ | 240 240 210 | Soft Point Semi-Jacketed Hollow Point Semi-Jacketed Hollow Point | 21/2 21/2 21/2 |
| 444 MAR. | R444M R444M2 | 240 265* | Soft Point Soft Point | 91/2 |
| 45-70 GOVERNMENT | R45700 R4570L | 405° 300 | Soft Point Jacketed Hollow Point | 9½ 9½ |
| 458 WIN. MAG. | R458W1 R458W2 | 500 500 | Metal Case Soft Point | 9½M 9½M |

Specifications are nominal. Ballistics figures established in test barrets, individual rifles may vary from test-barret



| | | | | | | | | | | | | | | TRAJI | CTORY | •• 0. | O Indical | es ya | rdage at | which 1 | rifle was | sighted i | n. | | = | 1. |
|--|--|--|--|--|--|--|--|--|--|---|---|--|---|--|--|--|--|--|---|---|--|---|--|--|------------|------------|
| T | FI | VELO EET PER | CITY SECON | ID | | | | ENE! FOOT-P | | | | | inch abo | loes not ove line o | of sight f | e than or rom muz | | | | illet does hes abov | | more than sight from | | | REL LENGT | |
| Muzzle | 100 Yds. | 200 Yds. | 300 Yds. | 400 Yds. | 500 Yds. | Muzzle | 100 Y d s. | 200 Yds. | 300 Yds. | 400 Yds, | 500 Yds. | 50 Yds. | 100 Yds. | 150 Yds. | ng-in rar 200 Yds. | 250 Yds. | 300 Yds. | 100 Yds. | 150 Yds. | 200 Yds. | 250 Yds. | 300 Yds. | 400 Yds. | 500 Yds. | BARR | |
| 2350 2350 | 2025 2137 | 1728 1935 | 1467 1745 | 1252 1570 | 1098 1413 | 2207 2207 | 1639 1825 | 1193 1496 | 860 1217 | 626 985 | 482 798 | 0.5 | 0.0 | -2.6 -2.3 | -7.7 -6.7 | -15.6 -13.5 | -27.1 -22.8 | 1.7 | 0.0 | -4.2 -3.6 | -11.3 -9.6 | -21.9 -18.2 | -55.8 -44.1 | -112.0 -84.2 | 24" |] |
| 2430 | 2213 | 2007 | 1813 | 1632 | 1468 | 2360 | 1957 | 1610 | 1314 | 1064 | 861 | 0.4 | 0.0 | -2.1 | -6.2 | -12.5 | -21.1 | 1.4 | 0.0 | -3.4 | -8.9 | -16.8 | -40.9 | -78.1 | 24" | |
| 3770 | 3215 | 2726 | 2286 | 1888 | 1541 | 1735 | 1262 | 907 | 638 | 435 | 290 | 0.2 | 0.5 | 0.0 | -1.5 | -4.2 | -8.2 | 2.2 | 2.5 | 1.8 | 0.0 | -3.2 | -15.0 | -36.7 | 24" | 1 |
| 2820 2700 2620 2620 2680 | 2533 2440 2274 2393 2493 | 2263 2194 1955 2178 2314 | 2009 1963 1666 1974 2143 | 1774 1748 1414 1782 1979 | 1560 1551 1212 1604 1823 | 2648 2670 2743 2743 2678 | 2137 2180 2066 2288 2318 | 1705 1763 1527 1896 1998 | 1344 1411 1109 1557 1713 | 1048 1119 799 1269 1460 | 810 881 587 1028 1239 | 0.2 0.2 0.3 0.2 0.2 | 0.0 0.0 0.0 0.0 0.0 | -1.5 -1.7 -2.0 -1.8 -1.6 | -4.5 -5.0 -5.9 -5.2 -4.7 | -9.3 -10.1 -12.1 -10.4 -9.4 | -15.9 -17.2 -20.9 -17.7 -15.9 | 2.3 2.5 2.9 2.6 2.4 | 1.9 2.1 2.4 2.1 1.9 | 0.0 0.0 0.0 0.0 0.0 | -3.6 -3.9 -4.7 -4.0 -3.5 | -9.1 -9.7 -12.1 -9.9 -8.9 | -26.9 -28.5 -36.9 -28.9 -25.3 | -55.7 -58.8 -79.1 -58.8 -50.6 | 24" | |
| 4080 | 3485 | 2965 | 2502 | 2083 | 1709 | 2033 | 1483 | 1074 | 764 | 530 | 356 | 0.4 | 1.0 | 0.9 | 0.0 | -1.9 | -5.0 | 1.8 | 2.1 | 1.5 | 0.0 | -2.7 | -12.5 | -30.5 | 24" | |
| 3140 2910 2910 2800 2700 2700 2700 2410 | 2780 2617 2656 2534 2348 2469 2485 2130 | 2447 2342 2416 2283 2023 2250 2280 1870 | 2138 2083 2189 2047 1727 2042 2084 1632 | 1853 1843 1974 1825 1466 1846 1899 1422 | 1595 1622 1773 1621 1251 1663 1725 1246 | 2736 2820 2820 2872 2913 2913 2913 2837 | 2145 2281 2349 2352 2203 2436 2468 2216 | 1662 1827 1944 1909 1635 2023 2077 1708 | 1269 1445 1596 1534 1192 1666 1736 1301 | 953 1131 1298 1220 859 1362 1441 988 | 706 876 1047 963 625 1105 1189 758 | 0.4 0.6 0.6 0.7 0.2 0.2 0.2 0.4 | 0.8 0.9 0.9 1.0 0.0 0.0 0.0 | 0.0 0.0 0.0 0.0 ~1.8 ~1.6 ~1.6 ~2.3 | -2.1 -2.3 -2.2 -2.5 -5.5 -4.8 -4.7 -6.8 | -5.6 -6.3 -6.0 -6.7 -11.2 -9.7 -9.6 -13.8 | -10.7 -12.0 -11.4 -12.7 -19.5 -16.5 -16.2 -23.6 | 1.8 2.1 2.0 2.3 2.7 2.4 2.4 1.5 | 1.5 1.8 1.7 1.9 2.3 2.0 2.0 | 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -3.7 | -3.0 -3.3 -3.2 -3.6 -4.4 -3.7 -3.6 -9.9 | -7.7 -8.5 -8.0 -9.0 -11.3 -9.3 -9.1 | -23.0 -25.0 -23.3 -26.3 -34.4 -27.0 -26.2 -47.4 | -48.5 -51.8 -47.5 -54.1 -73.7 -54.9 -53.0 -93.1 | 24" | |
| 2880 | 2640 | 2412 | 2196 | 1990 | 1798 | 3315 | 2785 | 2325 | 1927 | 1583 | 1292 | 0.6 | 0.9 | 0.0 | -2.3 | -6.0 | -11.5 | 2.1 | 1.7 | 0.0 | -3.2 | -8.0 | -23.3 | -47.4 | 24" | |
| 3290 2960 | 2951 2745 | 2636 2540 | 2342 2344 | 2068 2157 | 1813 1979 | 3605 3501 | 2900 3011 | 2314 2578 | 1827 2196 | 1424 1859 | 1095 1565 | 0.3 0.5 | 0.7 0.8 | 0.0 | -1.8 -2.1 | -4.8 -5.5 | · -9.3 -10.4 | 2.6 1.9 | 2.9 1.6 | 2.1 0.0 | 0.0 -2.9 | -3.5 -7.3 | -15.4 -20.9 | -35.5 -41.9 | 24" | ľ |
| 2460 | 2124 | 1817 | 1542 | 1311 | 1137 | 2418 | 1803 | 1319 | 950 | 687 | 517 | 0.4 | 0.0 | -2.3 | -6.9 | ~14.1 | -24.4 | 1.5 | 0.0 | -3.8 | -10.2 | -19.8 | -50.5 | -101.5 | 24" | |
| 1210 | 1021 1021 | 913 913 | 834 834 | 769 769 | 712 712 | 325 325 | 231 231 | 185 185 | 154 154 | 131 131 | 113 113 | 0.0 | -6.3 -6.3 | -20.9 -20.9 | -44.9 -44.9 | -79.3 -79.3 | -125.1 -125.1 | 0.0 | -11.5 -11.5 | -32.3 -32.3 | -63.8 -63.6 | -106.3 -106.3 | -230.3 | -413.3 -413.3 | 24" | ŀ |
| 2250 | 1921 | 1626 | 1372 | 1175 | 1044 | 1911 | 1393 | 998 | 710 | 521 | 411 | 0.6 | 0.0 | -2.9 | -8.6 | -17.6 | -30.5 | 1.9 | 0.0 | -4.7 | -12.7 | -24.7 | -63.2 | -126.9 | 24″ | 1 |
| 3080 2830 | 1969 2761 2581 | 1622 2464 2346 | 1333 2186 2123 | 1123 1927 1913 | 997 1688 1716 | 3896 3912 | 1463 3131 3254 | 993 2494 2688 | 671 1963 2201 | 476 1525 1787 | 375 1170 1438 | 0.5 0.5 0.6 | 0.0 0.8 1.0 | -2.7 0.0 0.0 | -8.2 -2.1 -2.4 | -17.0 -5.6 -6.4 | -29.8 -10.7 -12.1 | 1.8 1.8 2.2 | 0.0 1.6 1.8 | -4.5 0.0 0.0 | -12.4 -3.0 -3.4 | -24.3 -7.6 -8.5 | -63.8 -22.5 -24.7 | -130.7 -46.8 -50.5 | 24" | |
| 2780 | 2572 2456 | 2374 2261 | 2184 2075 | 2003 1898 | 1832 1731 | 3860 3927 | 3305 3348 | 2815 2837 | 2383 2389 | 2004 1999 | 1676 1663 | 0.6 0.2 | 1.0 | 0.0 -1.7 | -2.4 -2.4 -4.9 | -6.3 -9.8 | -12.0 -16.6 | 2.2 | 1.8 | 0.0 | -3.4 -3.3 -3.7 | -8.4 -9.3 | -24.0 -26.6 | -30.5 -48.4 -53.6 | 24" | |
| 2300 2080 | 1874 1698 | 1506 1376 | 1218 1140 | 1039 | 934 911 | 1762 1921 | 1169 1280 | 755 841 | 494 577 | 359 445 | 291 369 | 0.6 | 0.0 | -3.0 -3.8 | -9.2 -11.3 | -19.1 -23.5 | -33.9 -41.2 | 2.0 2.5 | 0.0 | -5.1 -6.3 | -14.1 -17.1 | -27.8 -33.6 | -74.0 -87.7 | -152.3 -176.4 | 24" | |
| 2710 | 2410 | 2130 | 1870 | 1631 | 1421 | 3261 | 2579 | 2014 | 1553 | 1181 | 897 | 0.2 | 0.0 | -1.7 | -5.l | -10.4 | -17.9 | 2.6 | 2.1 | 0.0 | -4.0 | -10.3 | -30.5 | -64.0 | 20" | |
| 2675 2400 | 2378 2066 | 2100 1761 | 1842 1492 | 1606 1269 | 1399 1107 | 3177 3197 | 2510 2369 | 1958 1722 | 1506 1235 | 1145 893 | 869 680 | 0.2 0.4 | 0.0 0.0 | -1.8 -2.5 | -5.3 - 7.3 | -10.8 -15.0 | -18.5 -26.0 | 2.6 1.6 | 2.2 0.0 | 0.0 -4.0 | -4.2 -10.9 | -10.6 -21.0 | -31.5 -53.8 | -65.9 -108.2 | 24" 24" | 200 00000 |
| 2690 2530 | 2 42 0 2171 | 2166 1843 | 1928 1551 | 1707 1307 | 1507 1126 | 4337 4263 | 3510 3139 | 2812 2262 | 2228 1602 | 1747 1138 | 1361 844 | 0.2 0.3 | 0.0 0.0 | -1.7 -2.2 | -5.1 -6.5 | -10.3 -13.5 | -17.6 -23.4 | 2.5 1.5 | 2.1 0.0 | 0.0 -3.6 | -3.9 -9.8 | -10.0 -19.1 | -29.4 -49.1 | -60.7 -99.5 | 24" | 1 |
| 1190 | 1006 | 900 | 822 | 756 | 699 | 629 | 449 | 360 | 300 | 254 | 217 | 0.0 | -6.5 | -21.6 | -46.3 | -81.8 | -129.1 | 0.0 | -11.8 | -33.3 | -65.5 | -109.5 | -237.4 | -426.2 | 24" | |
| 1 1760 1 1760 1 1920 | 1380 1380 1477 | 1114 1114 1155 | 970 970 982 | 878 878 880 | 806 806 802 | 1650 1650 1719 | 1015 1015 1017 | 661 661 622 | 501 501 450 | 411 411 361 | 346 346 300 | 0.0 0.0 0.0 | -2.7 -2.7 -2.2 | -10.0 -10.0 -8.3 | -23.0 -23.0 -19.7 | -43.0 -43.0 -37.6 | -71.2 -71.2 -63.2 | 0.0 0.0 0.0 | -5.9 -5.9 -5.1 | -17.6 -17.6 -15.4 | -36.3 -36.3 -32.1 | -63.1 -63.1 -56.7 | -145.5 -145.5 -134.0 | -273.0 -273.0 -256.2 | 20" | A STATE OF |
| 2350 2120 | 1815 1733 | 1377 1405 | 1087 1160 | 941 1012 | 846 920 | 2942 2644 | 1755 1768 | 1010 1162 | 630 791 | 472 603 | 381 498 | 0.6 0.7 | 0.0 0.0 | -3.2 -3.6 | -9.9 -10.8 | -21.5 -22.5 | -38.5 -39.5 | 2.1 2.4 | 0.0 0.0 | -5.6 -6.0 | -15.9 -16.4 | -32.1 -32.2 | -87.8 -84.3 | -182.7 -170.2 | 24" | See Associ |
| 1330 1810 | 1168 1497 | 1055 1244 | 977 1073 | 918 969 | 869 895 | 1590 2182 | 1227 1492 | 1001 1031 | 858 767 | 758 625 | 679 533 | 0.0 | -4.7 -2.3 | -15.8 -8.5 | -34.0 -19.4 | -60.0 -35.9 | -94.5 -59.0 | 0.0 0.0 | -8.7 -5.0 | -24.6 -14.8 | -48.2 -30.1 | -80.3 -52.1 | -172.4 -119.5 | -305.9 — | 24" | 125 |
| 2040 2040 | 1823 1770 | 1623 1527 | 1442 1319 | 1237 1157 | 1161 1046 | 4620 4712 | 3689 3547 | 2924 2640 | 2308 1970 | 1839 1516 | 1469 1239 | 0.7 0.8 | 0.0 | -3.3 -3.5 | -9.6 -10.3 | -19.2 -20.8 | -32.5 -35.6 | 2.2 2.4 | 0.0 | -5.2 -5.6 | -13.6 -14.9 | -25.8 -28.5 | -63.2 -71.5 | -121.7 -140.4 | 24" | N. A.O.A. |

pecifications. *Illustrated (not shown actual size). **Inches above of below line of sight, Hold low for positive numbers. high for negative numbers. *New for 1988

RENOINER

The Choice Of Champions

Every time you squeeze the trigger, you're up against a handful of variables. That's why we spend so much research and development time analyzing the targets you'll use this ammunition on. The range you'll be shooting. And the guns you'll use it in. You want results. So do we.

Our bullets cover every conceivable situation you'll find yourself in. From the clean, holepunching capability of a wadcutter to the knockdown power of a semi-jacketed hollow point. The bullets must be highly accurate. Highly consistent. And extremely dependable.

So each Remington bullet is ideally matched with case, powder and primer to deliver optimum performance.



Semi-Jacketed Hollow Point.

The scalloped jacket delivers the maximum expansion and stopping power, with controlled expansion even at high velocities.



Soft Point.

Delivers deeper penetration than the semi-jacketed hollow point.



Metal Case.

Helps ensure positive functioning in autoloaders.



Wadcutter.

Solid lead for precision target shooting—leaves an easy-to-see hole in the target.



Semi-Wadcutter.

Lead bullet offers rapid expansion with wadcutter target performance.



Metal Point.

Fully jacketed, for the best penetration possible.



Lead Gas Check.

Minimizes lead fouling in highervelocity loads.



Lead Round Nose.

A general-purpose bullet, and a standard for military and law enforcement.

New Loads For 1988

New .44 Magnum.

A 210-grain semi-jacketed hollow point, it meets the rigorous demands of the most sophisticated handgun hunter and also performs well in rifles.

New .41 Magnum.

A 170-grain semi-jacketed hollow point, with higher velocity and muzzle energy that exceeds anything else on the market. A true performer for handgun hunting of all types.

New .45 ACP Shot Cartridge. This is a new offering that provides dense shot patterns at close range. Excellent for dangerous pests.

New .357.

In 180-grain semi-jacketed hollow point. Now you've got the heavier bullet you need for silhouette shooting and for hunting larger game.

New 9mm.

In 88-grain hollow point. This unique load delivers 30% more muzzle energy than conventional 9mm cartridges and extraordinarily high velocity at non +P pressures. The competition can't even touch it.

| Remington Pistol & Revolver Ballistics | | Primer | Wt. | BULLET | VE | LOCITY (I | TS) | EN | ERGY (FT | LB) 100 | | RANGE ECTORY 100 | BARREL |
|--|---------------------|--------------|---------------------------|---|----------------------------|----------------|---|-------------------|----------------|-------------|--------------|------------------------|---|
| CALIBER | Order No. | No. | Grs. | Style | Muzzle | Yds. | Yds. | Muzzle | Yds. | Yds. | Yds. | Yds. | I BY |
| (1) 22 REM. JET* MAG. | R22JET | 61/2 | 40* | Soft Point | 2100 | 1790 | 1510 | 390 | 285 | 200 | 0.3" | 1.4" | 8%* |
| (2) 221 REM. FIREBALL® | R221F | 71/2 | 50* | Pointed Soft Point | 2650 | 2380 | 2130 | 780 | 630 | 505 | 0.2" | 0.8" | 10½″ |
| (3) 25 (6.35mm) AUTO. PISTOL | R25AP | z1 % | ,50° | Metal Case | 760 | 707 | 659 | 64 | 56 | 48 | 2.0" | 8.7* | 2* |
| (4) 7mm BR | R7MMBR★ | 7½ | 140* | Pointed Soft Point | | | | Refer to p | age 32 fo | r ballistic | s. | | * * * * A |
| (5) 32 S. & W. | -R32SW | .25% € | 88 | Alead | 680 | 645 | 610 | 90 | . 81 | 73 | 2.5 | 10.5° | 3. |
| (6) 32 S. & W. LONG | R32SWL | 1 1/2 | 98* | Lead | 705 | 670 | 635 | 115 | 98 | 88 | 2.3" | 10.5" | 4" |
| (7) 32 SHORT COLT | *R32SC | 116 | 80. | Lead | 745 | 665 | 590 | 100 | 79 | 62 | 2.2" | 9.9* | 4" |
| (8) 32 LONG COLT | R32LC | 11/2 | 82* | Lead | 755 | 715 | 675 | 100 | 93 | 83 | 2.0" | 8.7" | 4" |
| (9) 32 (7.65mm) AUTO. PISTOL | R32AP | \$16° | 271 | Metal Case | 905 | . 855 | 810 | 2129 | | ∴ ⊴ 97 | 1.4" | 5.8 | 4" |
| (10) 357 MAG. Vented Barrel | R357M7 | 5½ | 110 | Semi-Jacketed H.P. | 1295 | 1094 | 975 | 410 | 292 | 232 | 0.8" | 3.5" | 4" |
| vented baiter | R357M1 R357M8 | 5½ 5½ | 125 125 | Semi-Jacketed H.P. Semi-Jacketed S.P. | 1450 1450 | 1240 1240 | 1090 1090 | 583 583 | 427 427 | 330 330 | 0.6" | 2.8″ 2.8″ | 4" |
| | R357M2 | 5½ | 158 | Semi-Jacketed H.P. | 1235 | 1104 | 1015 | 535 | 428 | 361 | 0.8" | 3.5" | 4" |
| | R357M3 R357M4 | 5½ 5½ | 158 | Soft Point | 1235 | 1104 | 1015 1015 | 535 535 | 428 428 | 361 361 | 0.8" | 3.5" | 4" |
| | R357M5 | 5½ | 158 158 | Metal Point Lead | 1235 1235 | 1104 1104 | 1015 | 535 | 428 | 361 | 0.8 | 3.5 <i>"</i> 3.5″ | 4" |
| | R357M6 | 5½ | 158 | Lead (Brass Case) | 1235 | 1104 | 1015 | 535 | 428 | 361 | 0.8" | 3.5" | 4" |
| | R357M9 R357M10★ | 5½ 5½ | 140 180* | Semi-Jacketed H.P. | 1360 | 1195 1053 | 1076 985 | 575 524 | 444 443 | 360 388 | 0.7" | 3.0″ 3.9″ | 4" 8%" |
| (11) 357 REM. MAXIMUM** | 357MX1 | 712 | 158 | Semi Jacketed H.P. Semi Jacketed H.P. | 1145 1825 | 1588 | 365 1381 | 1168 | 885 | 669 . | 0.4 | J.9 21.7* | 101/2" |
| | 357MX3 | 71/2 | 3180 | Semi Jacketed H.P. | 1555 | 1328 | 1154 | 966 | 705 | 532 | 0.5 | 2.5* | 10% |
| (12) 9mm LUGER | R9MM1 | 11/2 | 115 | Jacketed H.P. | 1155 | 1047 | 971 | 341 | 280 | 241 | 0.9" | 3.9" | 4" |
| AUTO. PISTOL | R9MM2 | 1 1/2 | 124 | Metal Case | 1110 | 1030 | 971 | 339 | 292 | 259 | 1.0" | 4.1" | 4" |
| | R9MM3 ★ R9MM5 ★ | 1 ½ 1 ½ | 115 88* | Metal Case | 1135 1500 | 1041 1191 | 973 1012 | 329 440 | 277 277 | 242 200 | 0.9" | 4.0″ 3.1″ | 4" 4" |
| (13) 380 AUTO. PISTOL | R380AP | 142 | 95 | Jacketed H.P. Metal Case | 955 | 865 | 785 | ₩ 19 0 | 160 | 130 | 1.4" | 5.9 * | 4- |
| | R380A1 | 11/2 | 88* | Jacketed H.P. | 990 | 920 | 868 | 191 | 165 | 146 | 1.2" | 5.1° | 4" |
| (14) 38 AUTO. COLT PISTOL (A) | R38ACP | 1 1/2 | 130* | Metal Case | 1040 | 980 | 925 | 310 | 275 | 245 | 1.0" | 4.7" | 41/2" |
| (15) 38 SUPER AUTO. | R38SU1 | 11/2 | 115• | Jacketed H.P. (+P)‡ | 1300 | 1147 | 1041 | 431 | 336 | 277 | 0.7* | 3.31 | 5" |
| COLT PISTOL (B) | R38SUP | 11/2 | 130 | Metal Case (+P)# | 1215 | 1099 | . 1017 | 426 | 348 | 298 | 0.8″ | . ∌3.6″ | 5″ |
| (16) 38 S. & W. | R38SW | 1 1/2 | 146* | Lead | 685 | 650 | 620 | 150 | 135 | 125 | 2.4" | 10.0" | 4" |
| (17) 38 SPECIAL | R38S1 | 41% | 95 | Semi Jacketed H.P. (+P)+ | 1175 | 1044 | 959 | 291 | ҈ 230 . | 194 | 0.9* | 3.9* | 4" |
| Vented Barrel | R38S10 R38S2 | 11/2 | -110 | Semi-Jacketed H.P. (+P)+ | 995 | 926 | 871 | 242 | 210 | 185 | 1.2" | 5.1 | 4" |
| | R38S13 | 15 | 125° 125 | Semi-Jacketed H.P. (+P)‡ Semi-Jacketed S.P. (+P)‡ | 945 945 | 898 908 | 858 875 | 248 248 | 224 229 | 204 212 | 1.3" | 5.4″ 5.3″ | 4. |
| | R38S3 | -14 | 148 | Targetmaster® Lead W.C. | | 4.4 | | 100 | | | | | |
| 元为为了一个方式 | R38S4 | 114 | 158 | _Match _Targetmaster Lead | 710 755 | 634 723 | 566 692 | 166 200 | , 132 ∞183 | 105 168 | 2.4* 2.0* | 10.8″ 8.3″ | 4" |
| | R38S5 | 11/2 | 158 * | Lead (Round Nose) | 755 ⊴ | 723 | 692 | 200 | 183 | 168 | 2.0 | 8.31 | 4" |
| | R38S14 | 11% | 158 | Semi-Wadcutter (+P)# | "890 ⁴ | 855 | ** 823 | 278 | 257 | 238 | 1.4" | 6.0* | 47 |
| | R38S6 R38S7 | 1½ 21½ | 158 158 | Semi-Wadcutter Metal Point | 755 755 | 723 - 723 - | 692 692 | - 200 - 200 | 183 183 | 168 168 | 2.0" | 8.3* 8.3* | 4" |
| | "R38S8 | 15% | 158 | *Lead (+P)# | 890 | 855 | 823 | 278 | 257 | 238 | 1.4" | 6.0 | 4" |
| | R38S12 | 15 | 158 | Lead H.P. (+P)+ | 890. | 855 | 823 594 | 278 | 257 | 238 | 1.4 | 6.0″ | 4" |
| /19\ 30 SHORT COIT | R38S9 | 145 | 200 | Lead | 635 | 614 | Contraction of a second | 179 | 168 | 157 | 2.8 | 11.5 | 4" |
| (18) 38 SHORT COLT (19) 41 REM. MAG. | R38SC R41MQ1 | 1 ½ | 125° | Lead | 730 | 685 | 645 1 062 | 150 788 | 130 | 115 | 2.2" 0.7" | 9.4″ | 6″ 4″ |
| Vented Barrel | R41MQ2 | 21/2 | 210 | Soft Point | 1300 965 | 1162 898 | 1062 842 | 788 434 | 630 376 | 526 331 | 1.3* | 3.2° 5.4° | 4" |
| | R41MQ3★ | 25 | 170* | Semi-Jacketed H.P. | 1420 | 1166 | 1014 | . 76i | 513 | 388 | 0.7" | 3.27 | 4" |
| (20) 44 REM. MAG. | R44MG5 | 2½ | 180* | Semi-Jacketed H.P. | 1610 | 1365 | 1175 | 1036 | 745 | 551 | 0.5" | 2.3" | 4" |
| Vented Barrel | R44MG1 R44MG2 | 21/2 | 240 240 | Lead Gas Check Soft Point | 1350 1180 | 1186 1081 | 1069 1010 | 971 741 | 749 623 | 608 543 | 0.7" | 3.1 <i>"</i> 3.7" | 4" |
| | R44MQ3 | 21/2 | 240 | Semi-Jacketed H.P. | 1180 | 1081 | 1010 | 741 | 623 | 543 | 0.9" | 3.7″ | 4" |
| | R44MG4 | 21/2 | 240 | Lead (Med. Vel.) | 1000 | 947 | 902 | 533 | 477 | 433 | 1.1" | 4.8" | 6½″ |
| Total and Carlo far out, and carlo and a long respectively. | . R44MG6 ★ | 2½ | 210 | Semi-Jacketed H.P. | 1495 | 1312 | 1167 | 1042 | 803 | 634 | 0.6" | 2.5″ | 6½″ |
| (21) 44 S. & W. SPECIAL | R44SW A A R44SW1 | 25 | 246 200* | Lead Semi-Wadcutter | 755 1035 | 725 938 | 695 866 | 310 476 | 285 391 | 265 333 | 2.0" | 8.3° 4.9° | 61/2" |
| (22) 45 COLT | R45C | 21/2 21/2 | 250 | Lead | 860 | 820 | 780 | 410 | 375 | ردد 340 | 1.6" | 6.6″ | 6½* 5½″ |
| ,, 10 COL | R45C1 | 21/2 | 225* | Semi-Wadcutter (Keith) | 960 | 890 | 832 | 460 | 395 | 346 | 1.3" | 5.5" | 5½″ |
| (23) 45 AUTO. | R45AP1 | 2% | 185 | Metal Case Wadcutter | | (19 | (10 A | 18 M | | | 建 | | 污染流 |
| The second secon | and the second | 7 0 T 2 0 T | 多世域 | Match | <i>7</i> 70, | 707 | 650 | ₹244 | 205 | 174 | 2.0" | 8.7* | 5″ |
| | R45AP2 R45AP4 | 2½ 2½ | .185* 230 | Jacketed H.P. Metal Case | 940 835 | 890 800 | 846 767 | 363 356 | 325 326 | 294 300 | 1.5 | 5.5″ 6.8″ | 5* 5* |
| | R45AP5★ | 272 | Shot* | Shot | رس | · WU | 101 | | 320 mber 12 | | 1.0 | 70.0 | |
| (24) 45 AUTO. RIM | R45AR | 21/2 | 230* | Lead | 810 | 770 | 730 | 1 33 5 | 305 | 270 | 1.8" | 7.4" | 1 5½″ |
| 38 S. & W. | R38SWBL | 11/2 | SPECIAL SPECIAL PROPERTY. | Blank | 9978 (2007) 1908 (2007) | | 14.100000000000000000000000000000000000 | 2000年 | | | W-I | | |
| 32 S. & W. 38 SPECIAL | R32BLNK | ⇒5 % | | Blank Blank | | | 2 | | | | 13.24 | | EST |
| OO OF POINT, AND WHAT SHEET SHEET, | R38BLNK | 11/2 | 1 2 3 | Blank | 100 to 100 to 100 to | 388 | <u>्यक्ष अञ्चल</u> ्ह | 1940年後 | 1945 T. 197 | BALLESTA PR | 242 - 10 | N. S. S. C | 1 1 T 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |

*Illustrated (not shown in actual size).

**Will not chamber in 357 Mag. or 38 Special handguns.

**Ammunition with (+P) on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.

**New for 1988. (A) Adapted only for 38 Coll sporting, military and pocket model automatic pistols. These pistols were discontinued after 1928.

(B) Adapted only for 38 Coll Super and Coll Commander automatic pistols. Not for use in sporting, military and pocket models.

JARGE


Premier™ Target Loads. When You Aim To Win



Premier 209 primer, powder charge and Figure 8 wad are all available from your local Remington dealer.



The smooth Hardbody hull has a mouth with a built-in memory for easy crimp starting and finishing—allows up to 20% more reloads than any other target load.



shooting edge you can get. And Premier target loads give you the biggest edge of all.

These smooth green shells have a hot Premier 209 primer with a covered flash hole and ultra-sensitive primer additive. Together, these components provide dependable, instant ignition of a special powder charge that provides the quickhitting velocities shooters demand from a competition load.


This clean-burning charge produces a soft recoil. That reduces shooting fatigue, and lets you maintain your concentration level longer.

Premier also features a revolutionary Figure 8™ wad packed with Remington's extrahard shot to deliver denser patterns and break more targets. Round. After round. After round.

The smooth Hardbody™ hull has a mouth with a built-in memory for easy crimp starting and finishing. It also features a durable primer pocket that retains its shape longer. The unibody hull has 20% more tensile


strength than previous Remington target loads. So you get more reloads from every shell.

And the Premier target load is the perfect match for Remington's autoloading and pump action target shotguns. For complete specifications on these guns, turn to page 16.




| TARGETLO | Ancie | |
|----------------|---|--|
| Gauge/ Bore | Load Shell Powder Ounces Shot | Remington Order No. |
| PA | 24" 3 1% 7½,8, 157emier Target 24" 24 1% 7½,8,8% | 9 RTL 12M |
| 20.9 | EPfemier Target 2½" 2½ % | 9 RTL20 ★ |
| 78 410 | Skeet 1 24" 2 14 Skeet 1 21/2" Max. 1/2 | 9 SP28 9 SP410 |
| į. | 2 ¹ / ₄ 5 ¹ / ₄ 1 ¹ / ₄ 7 ¹ / ₄ , 8 2 ¹ / ₄ 5 ¹ / ₄ 1 ¹ / ₄ 7 ¹ / ₄ , 8 1 7 ¹ / ₄ 8 1 1 7 ¹ / ₄ 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | RTL12P★ RTL12P-N★ |
| 12 | 2¾" 3¼ 1½ 7½,8 Premier International 2¾" 3¼ 1½ 7½‡,8‡ | IRT12★ NIRT12★ |
| 1 N | | La constitución de la constitución de la constitución de la constitución de la constitución de la constitución |


GUNCLUB & RELOADING



Portable Blue Rock® 78 Trap.
The Blue Rock 78 Trap is spring loaded and manually operated.
Designed for sporting clays, trap and skeet shooting. Ideal for small clubs and private ranges. Weighs only 37 lbs. Order Number 4324.



Remington 4100-S Automatic Trap.
This skeet trap ensures fast rotation, consistent direction and distance. Electrically operated, it holds 154 targets, Order Number 4512 (pairs), 4310 (single).



Remington 4100-T Automatic Trap. This fully adjustable trap has all the features of the 4100-S, but with an oscillation feature to create more target variety. Order Number 4334.



Blue Rock Targets.
Luminous orange
targets have balanced
weight for true flight,
thin dome for easy
breaking in flight,
heavy rim for stability,
spin and stackability.

| COMP | ONEN | T BULLETS | 。 《新聞學》第一個新聞。 第四個 |
|-------|------|---------------------------------------|--|
| INDEX | NO. | DESCRIPTION | INDEX NO. DESCRIPTION |
| | Cal. | Bullet Wt./Style | Cal. Bullet Wt./Style |
| B1705 | 17 | 25 gr. Hollow Point Power-Lokt® | B3080 30 180 gr. Pointed Soft Point Core-Lokt |
| B2240 | 22 | 50 gr. Hollow Point Power-Lokt | B3550 9mm 115 gr. Jacketed Hollow Point |
| B2265 | 22 | 55 gr. Hollow Point Power-Lokt | B3552 9mm 124 gr. Metal Case |
| B2280 | 22 | 55 gr. Hollow Point Power-Lokt | B3572 357 125 gr. Semi-Jacketed Hollow Point |
| B2430 | 6mm | 80 gr. Hollow Point Power-Lokt | B3576 357 158 gr. Semi-Jacketed Hollow Point |
| B2460 | 6mm | 100 gr. Pointed Soft Point Core-Lokt® | B3578 357 158 gr. Lead Semi-Wadcutter |
| B2505 | 25 | 50 gr. Metal Case | B3810 38 95 gr. Semi-Jacketed Hollow Point |
| B2510 | 25 | 87 gr. Hollow Point Power-Lokt | B3830B 38 148 gr. Wadcutter Hollow Base |
| B2540 | 25 | 120 gr. Pointed Soft Point Core-Lokt | B4110 41 210 gr. Soft Point |
| B2720 | 270 | 130 gr. Pointed Soft Point Core-Lokt | B4120 41 210 gr. Lead |
| B2730 | 270 | 130 gr. Bronze Point | B4405 44 180 gr. Semi-Jacketed Hollow Point |
| B2830 | 7mm | 150 gr. Pointed Soft Point Core-Lokt | B4410 44 240 gr. Soft Point |
| B2850 | ·7mm | 175 gr. Pointed Soft Point Core Lokt | B4420 44 , 240 gr. Semi-Jacketed Hollow Point |
| B3020 | 30 | 150 gr. Bronze Point | B4520 45 185 gr. Jacketed Hollow Point |
| B3030 | . 30 | 150 gr. Pointed Soft Point Core-Lokt | B4530 45 230 gr. Metal Case |
| B3060 | 30 | 180 gr. Bronze Point | All are 100 per box except B3830B, which is 500 per box: |



| rimer #6½ | 22 Hornet; 30 | Carbine | 。 | Street, |
|---|--|---|----------------------|---------|
| Primer #7½ Small Rifle | 7mm BR; 308 I | | | |
| Primer *9½ Large Rifle | - Rem.: 270 Win | 5mm Rem.; 243 W .; 280 Rem.; 7mm 35 Rem.; 444 Mar | 08 Rem.: 7 x 57 | 30-30 |
| | | g.; 300 Win. Mag.; Mag.: 375 H&H Ma | | |
| PISTOL & REV KLEANBORE P | OLVER CASES A RIMERS | ND | | |
| Primer #1½ Small Pistol | | 9mm Luger Long: 38 Special | 380 Auto Pistol: | |
| Primer #24: | 41 Rem. Mag.: 45 Auto; 45 Au | 44 Rem. Mag.; 44 ito Rem. | S&W Special: 45 | Colt: |
| Primer #5½ | 357 Mag. | ALEXANTER OF C | PERMIT | 1972 P. |
| Primer #742 - Small Rifle | 221 Rem.; 357 | Rem. Mag. | Call Maria | |
| REMINGTON R | ELOADING COM | PONENTS | | 100 |
| Trap & Skeet i | Wads | SALAM SERVICES | Marie In Salah | 1-11-12 |
| Order No. 🚈 🕾 | Gauge | Shot Load Capac | ity | 7227 |
| FIG 8 th TGT 12† RXP 12 RXP 20 PT 28 SP 410 | 12 12 12 12 20 28 28 410 | 146 ± 1 1 1 1 6 2 7 2 7 | | |
| Field Load Wa | ds Dynamic | STANDARD PROPERTY. | Market Sendar | |
| SP 10 R 121 R 121 RP 12 SP 12 SP 16 SP 20 | 10 # 12 12 13 12 12 13 13 16 16 16 17 16 18 16 19 16 10 16 10 16 11 16 12 16 13 16 14 16 15 16 16 17 17 16 18 17 18 18 18 | # 1% or 2 | | |
| OF ZU CHARES | | | | |



No matter what the season, keeping warm, staying dry and moving easily and quietly are as critical to having a successful hunt as shouldering an accurate firearm.

And no clothing will keep you warmer, drier or allow you to move more comfortably outdoors than Remington clothing systems for Big Game, Waterfowl and Upland game hunting.

The outer layer fabrics repel rain, snow, wind

and all the punishment rugged terrain can dish out. The inner layers have the best warmth-toweight ratio of any insulating fibers available, even when wet.

The entire line of outdoor clothing has another unique feature, too. The Remington name. So you only have to make one stop for all your hunting needs. That's at your nearby Remington dealer.

Fabrics/Insulation/Coatings Thermax™

Warmer and softer than polypropylene, this hollow-core fiber wicks away perspiration, yet won't retain odors. Machine washable and dryable.

Worsterlon*

Has the comfort of cotton, the warmth of wool and it's more durable. Machine washable and dryable.

Thermolite*

Warmer than any other thin manmade insulation, and maintains better loft after washing and use.

Thermoloft*

30% warmer than other thin man-made insulations at the same weight, and has down-like compressibility.

Remington Layering System

Cordura®/Supplex™/Gore-Tex*
Thermoloft®/Thermolite®

Polarplus^m
Worsterlon^a

Thermax^{IM} Standard Weight

Heavy Weight

Provides du protection.

LAYER '2:
Midwear Insulates ag moisture to

Supplex™

Fine-textured Du Pont nylon with a soft, pliable cotton feel and more durability.

LAYER *3: Outerwear

Provides durable, wind and rain protection, plus insulation.

LAYER *2:

Midwear Insulates against the cold and allows moisture to evaporate quickly.

Underwear
Pulls away perspiration from skin
and provides a lightwelght thermal
barrier.

Gore-Tex®

Keeps you dry by letting perspiration escape, yet won't let wind, rain or snow penetrate.

Cordura*


More puncture resistant and durable than leather or cotton duck, with flexibility, light weight and easy care.

Polarplus™

As warm as wool at half the weight. Fast drying. Will not pill.

Zepel^o

Rain and stain repellent.



40

*Du Pont certification mark

Thermolite



| FEATURES | FABRIC | INSULATION | SIZES | COLORS |
|--|---|-------------|---------------------|---|
| Thermax ^{III} Heavy Weight Underwear Top—button collar, long tail Bottom—elasticized waist, fly front | Two-ply Thermax | | S, M, L, XL, XXL | Tan, Red, Navy, Loden Green |
| Polarplus [™] Jacket High, zip-up collar, rounded patch zipper pockets, rib knit waist and cuffs | Polarplus | | S, M, L, XL, XXL | Loden Green |
| Polarpius Pants Elastic walst, side zip cuffs, fly front, front slash pockets, zippered hip pocket | Polarplus | | S, M, L, XL, XXL | Loden Green |
| Extreme Weather Glove Full leather palm, leather pull strap; waterproof and breathable | Cordura ^o /Supplex ^m shell with Zepel ^o ; Gore-Tex ^o insert, Thermax liner | Thermoloft* | S, M, L, XL | Tan, Brown Camo |
| Extreme Weather Sock Patented Thor-lo® design; cushioned heel and toe area for all-day comfort; wicks moisture away from skin; machine washable | High Trek* yarn; wool/Hollofil*/ Orlon* | | 9-11, 10-13 | Green/Gray |
| Ball Cap Tough, light weight; front stiffener helps preserve cap's shape | Cordura/Supplex shell with Zepel; Thermax sweatband | | Adjustable | Blaze, Tan, Brown Camo |
| Legion Cap Cold-weather style, fold-down Orlon ear flaps | Cordura/Supplex shell with Zepel; Gore-Tex insert, Thermax headband | Thermolite* | S, M, L, XL | Blaze, Tan, Brown Camo |
| Big Game Parka Climbing cut; detachable hood, hand-warming pockets lined with Polarplus, map and binocular pockets, inside vest pocket, drawstring waist | Cordura/Supplex shell with Zepel; Gore-Tex Z-liner | Thermolite | S, M, L, XL, XXL | Blaze, Tan |
| Big Game Pants Front cargo pockets, double-facing fronts, knee-high side zippers | Cordura/Supplex shell with Zepel; Gore-Tex Z-liner | Thermolite | S, M, L, XL, XXL | Blaze, Tan |
| Stillhunter [™] Jacket Extra quiet big game styling, hand-warming breast pockets, drawstring waist, game bag, inside vest pocket | Heavy Worsterlon® | | S, M, L, XL, XXL | Blaze, Red Plaid, Loden Green, Charcoal |
| Stillhunter Pants Slash side pockets, deep back pockets, belt loops, suspender buttons | Heavy Worsterion | | S, M, L, XL, XXL | Blaze, Loden Green, Charcoal |
| Silent Stalker Jacket Zip-up collar, rounded patch zipper pockets, drawstring waist, rib knit cuffs; extremely quiet | Polarplus | | S, M, L, XL, XXL | Woodland Green Camo |
| Silent Stalker Pants Elastic waist, side cargo patch pockets, hip pocket, front slash pockets, drawstring cuffs; extremely quiet | Polarplus | | S, M, L, XL, XXL | Woodland Green Camo |

*Du Pont certification mark


WATERFOWL Clothing

Now waterfowlers can reach for the sky easier than ever before. New Remington

action sleeves and backs on all our waterfowl parkas won't pull or bind like other clothing designs. Generously cut gussets under the sleeves and deep side vents in the back allow more overhead and side-to-side movement to let you reach farther and easier.

Also new for 1988, Marsh Grass® camouflage design. Exclusively from Remington.





| FEATURES | FABRIC | INSULATION | SIZES | COLORS |
|---|--|-------------|---------------------|---|
| Thermax™ Standard Weight Underwear Top—crew neck, long tail Bottom—elasticized waist, fly front | Interlock Thermax | | S. M. L. XL. XXL | Tan, Red, Navy, Loden Green |
| I-Way Parka Action sleeves and back; full length; removable, reversible Thermoloft* Iner—matching Camo Cordura* nylon reverses to Supplex* nylon; breast Bockets lined with Polarpius*; hidden call pocket, pleated beliows shell Bockets, shell loops, waterproof and breathable rest pockets lined with Polarpius | Cordura/Supplex shell with Zepel®; Gore-Tex® laminate | Thermoloft* | S, M, L, XL, XXL | Marsh Grasso, Brown Camo |
| Vaterfowl Parka action sleeves and back; detachable hood; breast pockets lined with folarplus; hidden call pocket, pleated bellows shell pockets, shell loops, nside vest pocket, rest pockets lined with Polarplus | Cordura/Supplex shell with Zepel: Gore-Tex laminate | Thermolite* | S, M, L, XL, XXL | Brown Camo |
| Wader 4-Way Jacket Loction sleeves and back; shorter length; removable, reversible Thermoloft Liner—matching Camo Cordura nylon reverses to Supplex nylon; warming Lockets lined with Polarplus; hidden call pocket, pleated bellows shell Lockets, shell loops | Cordura/Supplex shell with Zepel; Gore-Tex laminate | Thermoloft | S, M, L, XL, XXL | Marsh Grass, Brown Camo |
| Vaterfowl Bib Meated cargo thigh pockets, rear patch pocket, elastic straps, knit side Janels, reinforced knees, knee-high side zippers, enlarged storm snap flap, Inlarged gusset, front slash pockets, hip pocket | Cordura/Supplex shell with Zepel: Gore-Tex laminate | Thermolite | S, M, L, XL, XXL | Marsh Grass, Brown Camo |
| nsulated Waterfowl Pants Patch front cargo pockets, left hip patch pocket, double-faced front, Gree-high side zippers, belt loops, suspender buttons, elastic waist, enlarged Grap flap, enlarged gusset | Cordura/Supplex shell with Zepel; Gore-Tex laminate | Thermolite | S, M, L, XL, XXL | Brown Camo |
| Uninsulated Waterfowl Pants Patch front cargo pockets, left hip patch pocket, double-faced front, Unec-high side zippers, belt loops, suspender buttons, elastic waist, enlarged Unap flap, enlarged gusset | Cordura/Supplex shell with Zepel; Gore-Tex laminate | | S. M. L. XL. XXL | Brown Camo |
| All-Purpose Glove Thin insulation; full leather-reinforced palm allows full finger dexterity; waterproof and breathable | Cordura/Supplex Shell with Zepel; Gore-Tex insert, Thermax ^m liner | Thermolite | S, M, L, XL | Brown Camo, Tan |
| lones Cap Yold-down brim to cover neck and ears; waterproof and breathable | Cordura/Supplex shell with Zepel; Gore-Tex insert, Thermax sweatband | Thermolite | S, M, L, XL | Brown Camo, Blaze |
| Crusher Hat Narmer than wool; machine washable; compacts for carrying | High Trek* yarn; wool/Hollofil*/ Orlon* | | S, M, L, XL | Loden Green, Blaze |
| Special Purpose Jacket Trebark® Camo print, cut short in front for easy movement; pleated bellows front pockets, call pockets, rest pockets, inside breast pockets | Dacron®/cotton twill with Zepel | | S, M, L, XL, XXL | Trebark Camo |
| Special Purpose Pants Tebark Camo print, belt loops, suspender buttons, fly front, side cargo patch bockets, front slash pockets, hip pocket, waterproof seat | Dacron/cotton twill with Zepel | | S, M, L, XL, XXL | Trebark Camo |
| Sportsman's Sweater Nashable, durable; transfers moisture well; fatigue collar | High Trek yarn; wool/Hollofil/Orlon | | S, M, L, XL, XXL | Natural. Loden Green |
| iner Sock atented Thor-lo® design; toe and heel selectively cushioned for added omfort; wicks moisture well; can be worn as is or under heavier sock | Thermax/nylon reinforcement in heel and toe | | 9-11, 10-15 | White, Heather Gray, Loden Green |
| Nader Sock Patented Thor-lo design; heavy-density knee pads; selected cushioning; lift in neel and toe; wicking up back of leg | liigh Trek yarn; wool/Hollofil/Orlon | | 9-11, 10-13 | Loden Green/Gra |
| Brim Hat Wicks moisture from forehead; waterproof and breathable | Cordura/Supplex shell with Zepel; Gore-Tex insert, Thermax sweatband | | S, M, L, XL | Trebark Camo, Brown Camo, Woodland Green Camo, Tan |

*Du Pont certification mark



| FEATURES | FABRIC | INSULATION | SIZES | COLORS | |
|---|--|----------------------|--|--|--|
| Upland Front Load Jacket Front load game bag, suede shooting patches, bi-swing shoulders, corduroy collars, button sleeve tabs, pleated bellows shell pockets, shooting glasses pocket, warming pockets lined with Polarplus ^m | Cordura®/Supplex™ shell with Zepel®; Navy-Dark Green Plaid liner | Worsterlon® liner | S, M, L, XL, XXL | Tan | |
| Upland Classic Jacket Suede shooting patches, drop-down bloodproof removable game bag, pleated bellows shell pockets with inside shell loops, bi-swing shoulders, corduroy collar and adjustable cuffs, hand pockets lined with Polarplus, suede shooting patches | Cordura/Supplex shell with Zepel; Navy-Dark Green Plaid liner | Worsterion liner | S, M, L, XL, XXL | Tan | |
| Upland Vest Suede shooting patches, front load bloodproof zip-down game bag, pleated bellows shell pockets, hand rest pockets | Cordura/Supplex shell with Zepel | | S, M, L, XL, XXL | Tan, Blaze | |
| Upland Mesh Vest Cordura nylon quilted shooting patches, pleated beliows shell pockets, shell loops, unique detachable mesh game bag | Cordura/Supplex shell with Zepel; Dacron® mesh | | S, M, L, XL, XXL | Tan, Woodland Green Camo | |
| Upland Pants Reinforced waterproof seat, deep front slash pockets, set-in hip pockets, heavyweight waterproof facing of Cordura nylon. suspender buttons, belt loops | Cordura/Supplex shell with Zepel | | Waist 50" to 44" even sizes | Tan | |
| Upland Bib Special suspenders, removable game bag, deep front slash pockets, side-zip pants, gusseted sides, waterproof briar facing of heavy Cordura nylon, breast pockets with shell loops, double-layer seat | Cordura/Supplex shell with Zepel | | S, M, L, XL, XXL | Tan | |
| Upland Shooting Belt 2 expandable pouches for game or shells; pouch for shooting glasses, choke tubes, ear plugs; gun caddy—all removable; ideal for dove hunter or clay target shooter | Heavy Cordura shell with Zepel | | Waist 50° to 40° medium, 40° to 50° extra large | Tan | |
| Field Sock Patented Thor-lo® design; selected heel and toe cushioning; 40% Thermax™ to keep feet dry | Thermax/high- bulk Orlon® | | 9-11, 10-13 | Red/Gray | |
| Mesh Cap Cool and fast wicking; front stiffener helps preserve cap's shape | Cordura/Supplex shell with Zepel; polyester mesh, Thermax sweatband | | Adjustable | Tan, Woodland Green Camo | |
| Worsterion Shirt Provides the comfort of cotton with the warmth of wool even when damp; soft cotton "feel"; corduroy collar lining, large breast pockets; easy cleaning Note: Plaid has one breast pocket. | Worsterlon | | S, M. L. XIL. XXL | Red, Green, Tan, Brown Camo, Burgundy, Navy— Dark Green Plaid | |
| Ultimate Climate Jacket Detachable hood, windskirt, reinforced elbows, drawstring waist, D-rings, hidden call pocket, breast pocket, breast map pocket, hand rest pockets of Polarplus, inside hood pocket | Supplex shell with Zepel; Gore-Tex 2-liner | | S, M, L, XL, XXL | Loden Green, Tan, Woodland Green Camo | |
| Ultimate Climate Pants Front cargo patch pockets, left hip patch pocket; fly front, elastic waist back, belt loops, suspender buttons, side seam leg zippers, reinforced knees | Supplex shell with Zepel; Gore Tex Z-liner | | S. M. L. XL. XXL | Loden Green, Tan, Woodland Green Camo | |
| Upland Glove Full fine-leather palm for sensitivity; wicks away moisture yet provides thermal value | Cordura/Supplex shell with Zepel: Thermax liner | | S. M. L. XL | Tan, Brown Camo | |

REMINGTON ACCESSORIES

Everything To Complete Your Hunting Trip



Remington bags and cases. They're made from Du Pont Cordura® nylon for the look and feel of good cotton duck. Yet they resist tears and scratches. So even if overstuffed, they maintain their good looks. Trim is rich, oil-tanned leather; the hardware is solid brass. Seams are double and triple stitched so you never have to worry about an edge or a pocket tearing. And each bag is double treated with Zepel® for complete rain and stain resistance. Plus, the zippers can handle everything you dish out. In short, these are luggage and gun cases made for getting you there and back again.

Sportsman's Bag. Multipurpose shoulder bag features detachable padded shoulder strap with swivel clasps, three interior, two exterior bellows pockets, waterproof liner, large zippered pocket on back. Measures 14" long, 12" high, 6" deep.

Duffle Bag. Double Cordura bottom, wraparound handles, easy-access U-shape zipper, dust flap and zippered end pockets. Two sizes: Large—25" long, 10" high, 10" deep. X-Large—29" long, 12" high, 13" deep. Gun Cases. We line all our gun cases with corduroy and one-inch open cell foam padding to cushion and protect your firearm from moisture and bumps. Choose scoped rifle or shotgun cases from two styles: Brown and beige basketweave with oiltanned leather trim, or durable, plain weave Cordura nylon in Remington green, with tan Cordura accents and Remington logo.

Shell Bag. Full-cut interior yoke eliminates spillouts. Adjustable shoulder strap.

Game Bag. Traditional Englishstyle bag features an easily removed bloodproof game bag. Plus large bellows pockets, snap flaps, and adjustable shoulder straps. Fishermen will like this one as well.



Remington Counterscent. Remington knows you don't want to give yourself away in the woods. So take away odors and human scent. Wash with Remington Counterscent. It removes fuel fumes and strong food odors from you and your clothes. And it's ideal for fishermen who want to remove the smell of fish or bait—and it keeps lures clean. Plus, it's mild and easy to use.

It contains aloe and moisturizers, to help protect skin that's exposed to all the elements. And, it's biodegradable and phosphate free to prevent freshwater contamination.

Rem^m Oil. Made with a special formula containing Teflon®. Provides superior lubrication, cleaning, rust protection and moisture displacement. Available in 4-oz. and 10-oz. spray cans or 1-oz. squeeze bottle.

Rem Guard. Here's a unique way to spray the ruggedness back into your outdoor wear. Use Remington Rem Guard, It restores water and oil repellency without compromising garment performance. So it won't ruin the breathability of high-performance garments. The nonflammable propellant means you can restore garments safely around the evening campfire.




Rem I And Rem II Men's Field Rem I Men's Watch—Deluxe Watches. Now you can tell the Sportsman \$149.95. Rem II Men's Watch—Classic time without giving away your Sportsman \$79.95. location in the woods. Durable, shock resistant and waterproof. Rain and repeated recoils won't stop these watches. In two styles, both with quartz-accurate move- - 50 ments. Made by the Hamilton Watch Company to U.S. military specifications. Rem I Men's Watch Deluxe 🐰 **Sportsman** Rem II To order, write: Men's Watch Remington Classic Sportsman Watch **Sportsman** Dept. 5189 Ronks, PA 17573 or call Out of PA: 1-800-342-5322 In PA: 322-5463 8 a.m.-5 p.m. EST

The Muskrat Bullet™ Knife And The poster will look great in **Bullet Knife Poster. Remington** your den or family room. To order. brings back an old favorite. The call (TOLL FREE) 1-800-342-5322 famous Muskrat Bullet knife. weekdays 8 a.m.-5 p.m. EST. In Pennsylvania, call 322-5463. And we commemorate it with a \$46.95 Knife \$9.95 Poster poster. You can order either. Or both. The knife blades are 440 stainless steel, which holds an edge well. The handle is made of nearly indestructible Du Pont Delrin®. with nickel bolsters. Overall length: The Muskrat 33/4" with 3" main Bullet" Knife blade length.

30分的大型作品。1888年18月

New Remington Knives



A Cut Above The Competition

This year we're introducing our sharpest line of hunting and shooting products ever. Remington knives.

This collection of specialized cutting tools has all the features you'd expect from the world's leading manufacturer of sporting firearms, ammunition and accessories—plus some unique extras that will really give you an Enew line a notch above ordinary edge in the field or on the range.

All blades are honed from 440 stainless steel to give you


the sharpest, longest-lasting cutting edges possible. Delrin handles provide the rugged good looks of antler and a dura ble, non-slip grip. And nickel bolsters, brass linings and stainless steel pins all add to the life and the value of these knives.


But it's all the job-specific details that really place this knives. And will carve a place for themselves among the most dedicated hunters and shooters.

| Model - | Blade Length | l'estures |
|---------------------------------|--|--|
| Remington Utility Knife | 2% spear blade, 1% cop- ing blade | Saw, screwtriver, can opener, shackle |
| Remington Big Game Knife | 5%" clip blade. 5%" bone saw | Special self-cleaning bone saw, paunch hook, grip notches on blade backs for extra control, leather sheath with sharpening tool and embossed Remington logo |
| Remington Waterfowl Knife | 5" skinning blade, 214" serrated blade | Choke tool! (fits Remington, Browning and other popular 12- and 20-gauge choke tubes), screwdriver tip, pin punch sized to fit shotgun firing mechanism, bone/cartilage serrated blade |
| Remington Upland Knife | 23%" clip blade | Choke tool (fits Remington, Browning and other popular 12- and 20-gauge Choke tubes), screwdriver tip, gut hook |

Remington Arms Company, Inc., Wilmington, Del. 19898. Telex 835420 DUPONT CO WIL. Consumer Information (302) 773-5291; Arms Service — Parts (315) 895-7493; Arms Service -

Remington. APND







Model XP-100 Custom


with wood stock

14

and feel.

calibers.

Remington and .35 Remington



Model 11-87™ F Grade Autoloading Shotgun.

America's favorite shotgun receives very special attention, with flawless hand-cut checkering and skilled engraving that covers most metal surfaces. More than 150 hours of dedicated handwork is needed to assemble and complete this exceptional firearm.

Model 40-XR™ Custom Sporter Grade II.

Suilt by hand to be the finest 22 rimfire ever made. It offers most of the options of the Model 700 Custom, grades I through IV.

Model 700™ Grade II Bolt Action Rifle.

Hand-rubbed English walnut stock. The distinctive point-pattern checkering is cut by hand, one line at a time. The barrel is chambered, crowned and fitted by hand as well. The Model 700 is available in four grades in 26 different calibers—many with left-hand versions.

Model 700 Safari Grade.

Our renowned bolt action, in calibers that allow you to face the world's largest, most dangerous game animals with confidence: A58 Win. magnum, 8mm

Remington magnum or .375 H&H magnum. The Monte Carlo stock features a cheekpiece, rosewood grip cap and fore-end tip. The Safari grade rifles are also available with a Classic straight comb stock.

Model 700 Custom KS Mountain Rifle.

The optimum combination of strength, accuracy and light weight. The stock is hand-laid-up Kevlar*, so this rifle weighs in at less than seven pounds even in magnum calibers. And the stock is unaffected by weather changes, so a sighted-in rifle stays sighted

in no matter what the temperature or humidity. Truly a worldclass big game rifle.

Model Seven™ Custom KS Rifle.

The same proven bolt action design as our Model 700, but in streamlined dimensions that make it even lighter and easier to handle. The classic Kevlar stock features a straight comb, cheekpiece, European knob pistol grip and 1° black Old English recoil pad. Weight: just 5¼ pounds. Available in .35 Remington and .350 Remington magnum only.



Last year we introduced the remarkable Remington Model 11-87™. And in just 12 months' time, it's become the shotgun against which all other 12-gauge autoloaders are measured.

The Remington Model 11-87 is the first and only Americanmade sporting arm that's pressure compensating to shoot all 12-gauge ammunition—everything from light 2¾" field loads to heavy 3" magnums-without changing anything but the shell.

Combined with screw-in Rem^m Choke tubes and your choice of 26", 28" or 30" barrels, the 11-87 Premier™ is the most versatile shotgun you've ever shouldered. There are also two 11-87 target guns specifically for clay target

shooting, and 11-87 Special Purpose shotguns for waterfowl, turkey and deer.**

And the 11-87 provides


twice the shooting life of any autoloader we've ever made. With an extractor that's 25% thicker for greater strength.

Model 11-87 shoots all standard 2¾" field loads and 3" magnum shells interchangeably. For information on Remington shotshells, see pages 26 through 29.

Both piston and piston seal are heat treated for more endurance. The magazine tube is stainless steel to resist rust and corrosion.

The magazine cap features a patented detent system to prevent "backing off" during repeated shooting. And the pressure compensating (PC) gas system is self-cleaning. So the PC spring never has to be removed for maintenance,

All this adds up to make the Model 11-87 one gun that's definitely durable enough to be passed along from father to son.




But even with all this additional versatility and durability, the 11-87 produces a recoil that's so soft, you may think you're shooting a smaller-gauge shotgun.

And the 11-87 maintains the balance, "feel" and clean lares hunters and shooters have come to expect in a Remington autoloader. The classic American walnut stock and fore-end feature a rich satin finish and checkering that's evenly cut 20 lines to the inch.

With all this going for it, it's easy to see why the Remington Model 11-87 just may be the best all-around shotqun ever.

the patented pressure compensaion system automatically controls be gas pressure bled from the bore to maintain a controlled bolt velocitu This feature allows the 11-87 to shoot and eject light 2% field ds or 3" 12-gauge shells terchangeably.

**For information regarding the Model 11-87 SP Magnum, see pages 8 and 9. Also available— Model 11-87 Trap and 11-87 Skeet Target Shotguns. For complete specifications, see page 16.



MODEL 11-87" PREMIER SHOTGUNS

| | Barrel Length | Overall | Avg. Wt. | Order Numbers | | |
|-------|----------------|---------|----------|-----------------|--|--|
| Gauge | & Choke | Length | (lbs.) | vent rib barrel | | |
| | 30" Rem™ Choke | 50½″ | 8% | 9870 | | |
| | 28" Rem Choke | 48¼″ | 8¼ | 9872 | | |
| 12 | 28" Rem Choke | 48¼″ | 81/4 | 9910 (L-H) | | |
| | 26" Rem Choke | 46" | 8% | 9874 | | |

Each has a quickly accessible cross-bolt safety.

Ask a shotgunner to name the best pump action in the field, and one name will come up more than any other.

The Remington Model 870TM Wingmaster.

With well over 4 million 870 shotguns sold, this durable gun is by far the most popular pump action in the world. And for good reason, too.

Since 1950 every 870 receiver has been many action.

Since 1950, every 870 receiver has been machined from solid billets of ordnance-grade steel.

All receivers go through our unique "vibra-honing" process to ensure reliable, smooth operation.

And the twin-action slide bars are engineered to eliminate twisting and binding. So you're guaranteed straight-line pumping for smooth feeding and positive ejection.

For the past 38 years we've also been improving the 870 with innovations such as Rem™ Choke—the only factory-installed choke tube system that's made of heat-treated, seamless stainless steel,

Every 12-gauge 870 Wingmaster we make has positive deep-cut checkering on the stock and fore-end. So the checkering is sharper, to give you a sure grip. And an even better chance of making a sure shot.

It's features like these that have continued to set the Model 870 apart-from every other pump action shotgun in the field. And it's this attention to every detail—large or small—that will continue to make the Remington 870 the choice of more shotgunners again this year.

Shown, from left to right—Model 870 Wingmaster 12 gauge, Model 870 Special Field 20 gauge and Model 870 12-gauge Deer Gun.



This display for photographic purposes only. Kemington does not recommend leaning a firearm against a lence post.



All Model 870 shotguns feature twin-action bars that eliminate twisting or binding. So you get second and third shots off as fast and smooth as your first shot.

Model 870th Wingmasterth.
Today there are more Model 870 shotguns in the field than any

shotguns in the field than any other pump action. This reliable shotgun features an ivory bead front sight and metal mid bead similar to those usually found on target guns. And, like all current 12-gauge 870 shotguns, the Wingmaster handles 2½" and 3" shells interchangeably.

Model 870 Special Field.

Compact dimensions, Englishstyle straight stock and lighter weight make this gun a natural for fast, upland shooting. Its straight pistol grip, innovative 21" farrel with shortened foreend and magazine are designed for instinctive shouldering and fast handling.

Model 870 Brushmaster* Deer Gun.

Available for right- and left-hand shooters, the 870 Brushmaster deer gun features a 20" barrel with rifle sights and Improved Cylinder choke.

Model 870 Youth Gun.

Shortened 12½" stock with recoil pad and 21" barrel offer the smaller-framed shooter full-size performance. In 20 gauge only, with Rem™ Choke.

Model 870 Express™.

This just may be the best shotgun value on the market. The 870 Express has the same action as our top-of-the-line Wingmaster. Available in 3" chamber and 28" vent rib barrel only, the Express has a hardwood stock with low-luster finish and solid butt pad, and it comes equipped with a Modified (only) Rem Choke tube and wrench. Other chokes may be purchased from your Remington dealer. And for deer hunters we also offer the 870 Express Combo, which includes a 20" slug barrel.

Order Numbers

Only, with Rem Choke.

21" Darrel with shortened foreroods 870" SHOTGUNS

Vent Rib
Barrel Length
and Choke

30" Rem Choke (Wingmaster)

50% 7%

| Gauge | Vent Rib Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Right Hand 3" Chambers | Left Hand 3″ Chambers |
|-----------------|--|-------------------|--------------------|---------------------------------|--------------------------------|
| | 30" Remi" Choke (Wingmaster*) | 501/2" | 71/4 | 5503 | |
| _ | 28" Rem Choke (Wingmaster) | 481/2" | 7% | 5506 | 5523 |
| , , , | 26" Rem Choke (Wingmaster) | 461/2" | 71/4 | 5508 | |
| <u> </u> | - 30" Rem Choke (Special Purpose) | 501/2" | 71/4 | 4860 | |
| 12 | 26" Rem Choke (Special Purpose) | 461/2" | 7 1/4 | 4862 | |
| \ | 21" Rem Choke (Special field) | 41 1/2" | 7 | 4870 | |
| | 28" Mod. Rem Choke (Express ⁱⁿ) | 48½" | 71/4 | 5568 | |
| · `~ | 28" Rem Choke Mod. (Express Combo) | | 71/4 | 5571 | |
| | 20" Imp. Cyl/Deer Gun w/Rifle Sights | _ | 71/4 | - | |
| | 28" Rem Choke | 481/2" | 6 | 5068 | _ |
| Lwt. | 26" Kem Choke | 461/2" | 6 | 5070 | |
| 20 . | 21" Rem Choke (Youth Gun) | 40" | 6 | 5223 | |
| | 21" Rem Choke (Special Field) | 41 1/2" | 6 | 5221 | |
| 28 | 25" Full | 451/2" | 6 | 4918 | _ |
| (2¾" chambers) | 25" Mod. | 451/2" | 6 | 4920 | _ |
| *** | 25" Full | 451/2" | 61/2 | 4986 | |
| .410 | 25" Mod. | 451/2" | 61/2 | 5086 | |
| Deer Guns | 20" lmp. Cyl. Deer Gun w/Rifle Sights (Brushmaster*) | 40½″ | 71/4 | 5524 | 5525 |
| | 20" Imp. Cyl. (Special Purpose) Deer Gun w/Rifle Sights | 401/2" | 71/4 | 4864 | _ |
| Lwt. 20 | 20" Imp. Cyl. Deer Gun w/Rifle Sights | 401/2" | 6 | 5208 | _ |
| Police* | 20" Police Cyl. w/Bead Sight | 40½″ | 71/4 | 5020 | |
| (Plain Barrels) | 18" Police Cyl. w/Bead Sight | 381/2" | 71/4 | 5022 | |
| 12 | 20" Imp. Cyl. w/Rifle Sights | 401/2" | 71/4 | 5024 | |

Special Order Model 870s: D and F Grades (both engraved) and F Grade (engraved, with gold inlay) are available in gauges listed. **Nominal stock dimensions:** 14° long, including recoil pad (no recoil pad on 28 ga., 410 bore), with 10° long, 10° long, 10° drop at heel, 1° drop at comb. Sales of police guns are restricted.

Note: All 870 shotguns except .410s and Special Field have a 5-shot capacity and come furnished with a 3-shot plug. Special Field and .410 shotguns have a 4-shot capacity with a 3-shot plug included.



node to the Daith to back

Model of the House

Model 870 extra barrels (Turn to page 11.)

SPECIAL PURPOSE Shotguns

As Invisible As Guns Get

To serious waterfowl, turkey and deer hunters, dull guns are very bright ideas.

Especially rugged, nonglare guns like the Remington Model 11-87™ and Model 870™ Special Purpose Magnums.

Even to the wariest eye, we've made every visible component nearly invisible.

The nonreflective Parkerized finish protects the SP Magnum barrels and receivers. A dull black finish covers exposed bolts and carrier assemblies. We've even added a special coating on the hardwood stocks and fore-ends. It penetrates the wood to form a protective moisture seal. And doubles as a subdued finish that's resistant to reflection.

Each Special Purpose gun also comes with recoil pad and padded camouflage sling of durable, water-resistant Du Pont Cordura® nylon. The sling is detachable, but useful company during a long day's hunt. Whether you need fast handling in tight quarters, or a longer sight plane for pass shooting, you'll appreciate just how well these Special Purpose guns perform.

Model 11-87 Special Purpose Autoloaders.

You can shoot all loads. From 2½" field loads to 3" magnums, without changing anything but the shell, thanks to the exclusive pressure compensating gas system. This gas system is self-cleaning.

Model 11-87 autoloaders also have thicker extractors, heattreated piston and piston seal, and a patented detent system in the magazine tube.

All 12-gauge 11-87 shotguns in 26" and 30" vent rib barrels come with flush-fitting Rem[™] Chokes.

Model 11-87 And Model 870 Special Purpose Deer Guns. Choose the 11-87 autoloader with 21" barrel, or 870 pump action with 20" barrel; both come with 3" chamber and rifle sights. The 870 has twin-action bars that eliminate binding or twisting. It's the same action found on our popular 870 Wingmaster* pump action shotgun. So you get those crucial second and third shots off as quickly and easily as your first shot.

Note: The 11-87 deer gun is designed for optimal performance with slug and buckshot loads and therefore is not pressure compensated. but will accommodate all 12-gauge loads if used with an 11-87 PC-equipped barrel.

Model 870 Special Purpose Pump Action.

All 12 gauge, 3" chambers. Choose 26" or 30" vent rib barrel with Rem Choke.

MODEL 11-87™ SPECIAL PURPOSE SHOTGUNS

| | Barrel Length | Overali | Avg. Wt. | Order Numbe | |
|-------|--|---------|----------|-------------|--|
| Gauge | and Choke | Length | (lbs.) | 3" Chambers | |
| | 30" Rem™ Choke (Vent Rib) | 50" | 8% | 9904 | |
| 12 | 26" Rem Choke (Vent Rib) | 46" | 8% | 9906 | |
| | 21" Imp. Cyl. Deer Gun w/rifle sights | 41" | 7% | 9908 | |


MODEL 870™ SPECIAL PURPOSE SHOTGUNS

| | Barrel Length | Overall | Avg. Wt. | Order Numbe | |
|-------|--|---------|----------|-------------|--|
| Gauge | and Choke | Length | (lbs.) | 3" Chambe | |
| | 30" Rem™ Choke (Vent Rib) | 50½″ | 71/4 | 4860 | |
| 12 | 26" Rem Choke (Vent Rib) | 46½" | 7¼ | 4862 | |
| | 20" lmp. Cyl. Deer Gun w/rifle sights | 40½″ | 7 | 4864 | |

*All 3" chambers handle 2¾" shells.



Model 11-87™ SP 12 gauge, 30° barrel with Rem™ Choke



NICKEL BUCKSHOT

Nickel Tops The Copper


Big game hunters don't have to buy the same old line of buckshot any more. Because now there's new Remington nickel buckshot loads. The roundest, hardest buckshot loads ever developed.

To begin with, these new shells use only the best raw buckshot available. So the shot is rounder. Then, each pellet is electroplated with layers of copper, topped by nickel and finally buffered in the hull to prevent deformation. So the shot stays rounder, patterns tighter—maximizing your on-target performance.

They're the most accurate buckshot loads ever. And only Remington makes 'em. In ew 2¾" loads with 00 and #4 buckshot.



1100 Autoloaders



The Surefire Legends

As Jim Carmichel, Outdoor Life gun editor, puts it, "Anyone who can shoot a shotgun well will probably shoot better with an LIOO."

That was true a decade ago. And It still holds true today.

Since its introduction in 1963, the Remington Model 1100^m has brought home more game from the field and trophies from the firing line than all other autoloading shotguns combined. And it's become the standard for pointability, balance and soft recoil.

The Model 1100 is available in 12 gauge Special Field, 20 and 28 gauge and 410 bore, plus a wide range of extra barrels.

The 20 gauge comes with flush-fitting Rem™ Chokes, the only factory-installed choke tubes of heat-treated, seamless stainless steel in Full, Modified and Improved Cylinder—or optional skeet chokes.

And like all Remington shot-

guns and centerfire rifles, every Model 1100 features a receiver machined from solid, ordnancegrade steel.

All receivers are polished in our "vibra-honing" process to ensure smooth performance. And every Model 1100 stock and fore-end is made from select American walnut for strength and good looks.

With all this going for it, it's no wonder the Kemington Model 1100 has become a surefire legend.

Model 1100 Field Grade. The 20 gauge comes with Rem Choke and 2% or 3" chamber.

Model 1100 Special Field. Made for quick shouldering and natural pointability with a shorter overall length of 41, a lighter weight and English-style straight grip stock. In 12 and 20 gauge only, with Rem Choke, 24, chamber and 21 barrel.

Model 1100 Youth Guns.

Shorter stocks and barrel lengths reduce size and weight for youths and smaller-framed adults, but in no way limit performance. Available in 20 gauge, with Rem Choke.

Note: All models except Special Field and A10 bore have a 5-shot capacity with 3-shot plug. Special Field and A10 have a 4-shot capacity with 3-shot plug included.

MODEL 1100™ SHOTGUNS

Sights And Safeties. Unless otherwise noted, all Model 1100 shotguns have a

Model 1100 shotguns have metal bead front sight and quick access positive cross bolt safety.

Order Numbers

| Gauge | | | | 2 Cha | 3" Chambers | |
|-------|-----------------------------------|-------------------|--------------------|----------------|-------------------|-------------|
| | Barrel Length and Choke | Overall Length | Avg. Wt. (lbs.) | Deer Barrel | Vent Rib (R-H) | Vent Rib |
| 12 | 21" Rem™ Choke (Special Field) | 41" | 71/4 | | 5334 | - |
| | 28" Rem Choke | 48" | 7 | | 5403 | 9597 |
| | 26" Rem Choke | 46* | 7 | | 5405 | |
| | 21" Rem Choke (Youth Gun) | 3914" | 6½ | | 5372 | |
| LT-20 | 21" Rem Choke (Special Field) | 41* | 6½ | | 5380 | _ |
| | 20" Imp. Cyl. (Deer Qun) | 40" | 6½ | 5248 | (with rifle | sights) |
| 28 | 25" Mod. | 45" | 6½ | _ | 5416 | -() |
| .410 | 25" Full | 45" | 7 | | | 5466 |
| bore | 25" Mod. | 45" | 7 | | | 5468 |
| | | | | | | |

Special Order Model 1100s: D and F Grades (both engraved) and F Grade (engraved, with yold Inlay are available in gauges listed. Nominal stock dimensions: 14 " long (Youth Gun—12½" long), 2½" drop at heel, 1½" drop at comb.

1988

MODEL 870th EXTRA BARRELS WITH 24." CHAMBERS. Model 870 extra barrels with 24." chambers will fit both Magnum and 24." receivers. Use only 24." shells

1. these barrels

1. New for 1988

| these barrels. | | | ★ Ne | w for 198 | |
|----------------|-------------------|------------|---------------|--------------|------|
| ODEL 870 | Length & | | Gauge/Ore | der Numbe | rs |
| VENT RIB | Choke | 12 | 20 Lwt. | 28 | 410† |
| FIELD GRADE | 25" Full | _ | | 6288 | 6250 |
| | 25" Mod. | | | 6290 | 6264 |
| | 25" Imp. Cyl. | | | 6292 | 6266 |
| TRAP | 30" Rem™ Choke | 4614 | | | |
| | 30" Full Trap | 6192★ | - | | |
| | 30" Full (L-H) | 6206 | | _ | |
| | 28" Rem Choke | 4616 | | | |
| | 28" Full Trap | 6198★ | | | |
| SKEET | 26" Rem Choke | 4612 | 6330 | | |
| | 25" Skeet | _ | | 6294 | 6268 |
| | D & F Grades (eng | raved): Sp | ecial Order i | n all gauges | |

Kem Choke target barrels have Trap Full, Extra Full and Super Full, or Skeet and Improved Skeet, plus wrench.

i 410 bore Field barreis have 3" chambers and will handle both 2½" and 3" shells.


10 bore Skeet barreis have 2½" chambers and will only handle 2½" shells.

MODEL 870th EXTRA BARRELS WITH 3" CHAMBERS, Model 870 extra barrels with 5" chambers used on Magnum receivers will handle both 2¼" and 3" shells. Use only 2¼" shells when these barrels are used on 2¼" receivers.

| MODEL 870 | Length & Choke | 12 Ga. | 20 Ga. Lwt.* | | | |
|------------------------|--|--------|--------------|--|--|--|
| FIELD GRADE, | 30" Rem™ Choke (Wingmaster) | 4576 | | | | |
| VENT RIB | 28" Rem Choke (Wingmaster) | 4580 | | | | |
| Note: Wingmaster® | 26" Rem Choke (Wingmaster) | 4582 | | | | |
| Shotguns have | 30" Rem Choke | 4574 | | | | |
| ಕ adley-type front | 28" Rem Choke | 4584 | 4606 | | | |
| sight and metal | 26" Rem Choke | 4586 | 4608 | | | |
| ır id-bead. Others | 30" Rem Choke (L-H) | 4598 | | | | |
| have bead front sight. | 28" Rem Choke (L-H) | 4600 | | | | |
| • | 26" Rem Choke (L-H) | 4602 | | | | |
| DEER, Rifle Sights | 20" Imp. Cyl. | 4562 | 4578 | | | |
| | 20" Imp. Cyl. (L-H) | 4604 | | | | |
| PECIAL PURPOSE | 20" Imp. Cyl. | 4596 | | | | |
| DEER, Rifte Sights (P | arkerized) | | | | | |
| SPECIAL PURPOSE | 30" Rem Choke | 4590 | | | | |
| VENT RIB | 26" Rem Choke | 4592 | | | | |
| (Parkerized) | | | | | | |
| SPECIAL FIELD VENT RIB | 21" Rem Choke | 4594 | 4610 | | | |
| | D & F Grades (engraved): Special Order | | | | | |

^{*20-}gauge 870 Lightweight barrels will not fit 20-gauge standard 870 guns.

EXTRA BARRELS



Field To Target In A Snap

Now your long barrel goose gun can also become a great short barrel deer gun.

It just takes a quick, easy barrel change. And changing barrels means your gun is more versatile.

And our extra 12- and 20-gauge field barrels come equipped with Full, Modified and Improved Cylinder Rem™ Chokes—the only factory-installed screw-in choke system made of heattreated, seamless stainless steel.

Model 11-87™ Extra Barrels. In 12 gauge only, Three lengths: 26″, 28″ and 30″. Model 870™ Deer Barrels. In 12 or 20 gauge with 20° Improved Cylinder barrel.

Note: New 12-gauge Rem Choke extra barrels will fit previously manufactured guns. But Model 11-87 barrels are not in any way interchangeable with Model 1100 barrels or guns.

New 20-gauge Rem Choke barrels may NOT readily fit pre-1987 Model 1100 LT shotguns. The foreend may have to be modified by a gunsmith. This modification is NOT covered under Remington's Warranty Repair Policy. Barrels are interchangeable within gauge only.

MODEL 1100™ EXTRA BARRELS WITH 2¾" CHAMBERS

| | Length & | Extra Barrels: Gauge/Order Numbers | | | | | |
|-------------------------------------|----------------------------|------------------------------------|--------------|------|-------|--|--|
| MODEL 1100 | Choke | 12 | 20 (LT-20) | 28 | .410* | | |
| FIELD GRADE, | 21" Imp. Cyl. | 9568 | 4438 | | _ | | |
| DEFR, Rifle Sights | 21" Imp. Cyl., L-H | 9569 | | | | | |
| SPECIAL PURPOSE DEER, Rifle Sights | 21" lmp. Cyl. | 4432 | - | _ | | | |
| SPECIAL FIELD, VENT RIB | 21" Remm Choke | 4430 | 4433 | _ | _ | | |
| FIELD GRADE, | 30" Rem Choke | 4488 | | | | | |
| VENT RIB | 28" Rem Choke | 4464 | 4484 | | | | |
| | 26" Rem Choke | 4466 | 4486 | | | | |
| | 30" Rem Choke (L-H) | 4496 | | | | | |
| | 28" Rem Choke (L-H) | 4476 | | | | | |
| | 26" Rem Choke (L-H) | 4478 | _ | | | | |
| | 25" Full | - | | 6586 | 9580 | | |
| | 25" Mod. | | | 6588 | 9582 | | |
| | 25" Imp. Cyl. | | | 6590 | 9584 | | |
| HELD, High Grade | D & F Grades Vent Rib (eng | raved): Speci. | al Order | | | | |
| INAP, VENT RIB | 30" Rem Choke | 4492 | | | | | |
| | 28" Rem Choke | 4494 | | | _ | | |
| JHAP, High Grade | D & F Grades (engraved): S | pecial Order | | | | | |
| EET, VENT RIB | 26" Rem Choke | 4490 | 4435 | | | | |
| | 25" Remington Skeet | | | 6592 | 9586 | | |
| StiEET, High Grade | D & F Grades (engraved): S | pecial Order | | | | | |
| LEFT-HAND VENT RIB, | 30" Rem Choke (L-H) | 4498 | | | | | |
| tap & Skeet | 26" Remington Skeet (L-H | 5688 | | | | | |

MODEL 11-87th PREMIER EXTRA BARRELS

| WITH 3" CHAMBERS | | |
|--|----------------|--------|
| | Length & | |
| MODEL 11-87 | Choke | 12 Ga. |
| DEER BARREL with Rifle Sights | 21" imp. Cyl. | 4636 |
| LEFT HAND DEER BARREL with Rifle Sights | 21" Imp. Cyl. | 4637 |
| SPECIAL PURPOSE DEER BARREL with Rifle Sights | 21" Imp. Cyl. | 4648 |
| SPECIAL PURPOSE | 30" Rem™ Choke | 4638 |
| MAGNUM Pressure Compensating | 26" Rem Choke | 4640 |
| PREMIER | 30" Rem Choke | 4642 |
| Pressure Compensating | 28" Rem Choke | 4644 |
| (Bradley-type Front Sight & Middle Bead) | 26" Rem Choke | 4646 |
| LEFT HAND PREMIER | 28" Rem Choke | 4633 |
| (Bradley-type Front Sight & | Middle Bead) | |
| PREMIER SKEET BARREL | 26" Skeet | 9621 * |
| | 26" Rem Choke | 4624 |
| PREMIER TRAP BARREL | 30" Full Trap | 9613★ |
| | 28" Full Trap | 9619 1 |
| | 30" Rem Choke | 4626 |
| | 28" Rem Choke | 4628 |
| + New for 1000 | | |

Special Fleid barrels will not fit regular Model 870 guns.

REMINGTON CUSTOM GUN SHOP



At our Ilion firearms plant, there is an area set apart from the production lines. A series of well-lit, relatively quiet rooms where craftsmen practice a vanishing art.

This is the Remington Custom Gun Shop. Here, a dedicated group of artisans continues to build very special firearms largely by hand.

They work unhurriedly to meet the special orders of hunters and shooters who choose to express their passion for the shooting sports with the acquisition of an extraordinarily fine rifle or shotgun.

Using fine woods, precious metals, hand-selected and assembled components and painstaking methods, they make guns one at a time to fit the dimensions, the style, the taste and the experience of just one customer.

There is no higher achievement in the art of gunmaking. And for the shooting sports enthusiast, few things in life can rival the satisfaction of owning one of these magnificent firearms.

In the Remington Custom Gun Shop, almost anything is possible. To see some of those possibilities for yourself, send a check for \$5 to Remington Arms Company, Eden Park Building, Wilmington, DE 19898 for your copy of our handsome, full-color Custom Gun Shop brochure.

The Legendary PARKER

Returns

The original Parker™ is back.

After years of speculation and anticipation, it will be returning to American fields and coverts in 1988. It will be built in 20-gauge AHE grade by The Parker Gun Works Division of Remington Arms Company in Ilion, N.Y. Production will be limited.

Original Parker shotguns earned their legendary stature. In an era sometimes described as "the golden age of shotgunning," a period graced by the presence of many fine doubles, the Parker held top ranking in the affection and preference of American gunners. And for good reasons.

reasons.

Even before their relative scarcity gave them "collector" status, basic Parker features brought to their proud owners:

Classic, clean lines that were the epitome of what a fine shotgun should look like.

☐ Superb balance and handling qualities afield that seemed "to do your shooting for you."


Dependable performance that earned them the nickname, "The Old Reliable."


☐ One-at-a-time production and hand-fitted "Old World" crafts-manship all the way down to the basic standard grades.

☐ In the higher grades, an esthetic level of wood figure, extensive custom engraving and fine-line checkering that made each gun an individual work of art.

Remington's production of the Parker original will bring to its owner all these features—with improvements.

Straight or pistol-grip stock of finest select walnut. Made to customer dimensions.






1988

TARGET SHOTGUNS

Step Up To The Line With Confidence



Confidence.

It's something all champion shooters have in common. Confidence in themselves. In their loads. And most of all, in their shotguns.

Now Remington offers three shotguns that will increase the confidence of any shooter.

The Remington Premier™
Trap and Premier Skeet are
designed with all the balance,
pointability and soft recoil
for which Remington autoloaders are famous. Along
with features that make the
Model 11-87™ twice as durable
as any autoloading shotgun
we've ever made.

The magazine tube is stainless steel, to resist rust and corrosion. And the extractor, new firing-pin spring, heattreated piston and piston seal are all designed to give reliable, maintenance-free operation.

Or if you prefer a pump action for shooting clay targets, pick up a newly designed Remington Model 870th TC Trap. It gives trap shooters the same dependable pump action that has made the 870 the choice of more than 4 million shotgunners worldwide.

But no matter what your choice, both the Model 11-87 and the Model 870 TC Trap offer overbored fixed or Rem™ Choke barrels. And all three Remington target shotguns feature American walnut stocks and fore-ends, with tournament-grade cut checkering, handsome satin finishes and tournament-style trap or skeet vent ribs.

SKEET AND TRAP SHOTGUNS

| Gauge | Description | Chambers | Vent Rib Barrel Length & Choke | | Avg. Wt. (lbs.) | Order Nos. |
|-------|------------------------------|-------------|-----------------------------------|---------|--------------------|---------------|
| | 11-87 Premier Skeet | 2¾″ | 26" Skeet | 46″_ | 7-3/4 | 9880 |
| | 11-87 Premier Skeet | 2¾" | 26" Rem™ Choke | 46" | 7¾ | 9882 |
| | 11-87 Premier Trap | 2¾" | 30" Trap Full | 50½″ | 814 | 9876 |
| | 11-87 Premiei Trap | r | | | | |
| | (Monte Carlo) | 2¾″ | 30" Full Choke | 50½″ | 81/4 | 9878 |
| | 11-87 Premier Trap | 2¾" | 30" Rem Choke | 50½″ | 81/4 | 9886 |
| 12 | 11-87 Premier Trap | , | | | | |
| | (Monte Carlo) | 2¾″ | 30" Kem Choke | 501/2 " | 8%_ | 9888 |
| | 870 TC Trap | 2¾" | 30" Full Choke | 51" | 8 | 4938 |
| | 870 TC Trap | 2¾″ | 30" Rem Choke | 51" | 8 | 6977 |
| | 870 TC Trap (Monte Carlo) | 2¾″ | 30" Rem Choke | 51" | 84_ | 6979 |
| | 870 TC Trap (Monte Carlo) | 2¾″ | 30" Full Choke | 51" | 81/4 | 4912 |
| 20 | 1100 Tournan Skeet | nent 2¾" | 26" Rem Choke | 46" | 6¾ | 9605 |
| 28 | 1100 Tournan Skeet | nent 2¾" | 25" Skeet | 45" | 6½ | 5282 |
| .410 | l 100 Tournan Skeet | nent 2½″ | 25" Skeet | 45" | 71/4 | 5300 |


★ New for 1988. NOTE: Model 11-87th Skeel and Trap barrels are designed for optimal performance largel loads and therefore are not pressure compensated unless a Premier Field Grade 11-87 extra barradded. Model 11-87 barrels are not interchangeable with Model 1100th barrels.

See page 11 for information on extra barrels.

All 11-87 and 870 TC Trap barrels are overbored, reducing recoil and improving patterning.

TAKGET RIFLES

The Most Accurate Production Rifles Made




The ability to maintain accuracy. That's the primary consideration of any shooter investing in a new target rifle. And that's why more shooters consider Remington the only brand of target rifle to buy.

In fact, the Remington name dominates at national benchrest events across the country. That's because in any event—benchrest, metallic silhouette or position target -Remington provides the legendary out-of-the-box accuracy, crisp triggers and

faster lock times champion shooters demand.

Silhouette shooters who want an accurate, single shot, match-quality pistol will appreciate the Remington Model XP-100™. The stock is one piece of Zytel™ nylon. The competition-proven action, match-type trigger and drilled and tapped receiver are standard.


And Remington target rifles, or the Remington XP-100 target pistol, are manufactured with all the strength needed to not only TARGET GUNS attain-but maintainaccuracy round after round and event after event.





| Models | | Overali Length | Avg. Wt. (lbs.) | Order Number |
|----------------|--------|-------------------|--------------------|-----------------|
| 40-XB | | | | |
| Rangemaster* | 271/2" | 45 %" | 9.74 | Spc1. |
| 40-XB Kevlar* | 27¼" | 45 1/4" | 9.74 | Spc1. |
| 40-XC | 24" | 431/2" | 11 | 6002 |
| 7.62mm NATe | 0 | | | |
| 40-XC Kevlar | _ | - | 10 | 6(XX) ≠ |
| 7.62mm NAT | 0 | | | |
| 40-XBBR | 24" | 44" | 11 | Spr.L |
| | 20"_ | 38"_ | 9 | Spel |
| 40-XR 22 RF | 24" | 421/2" | 10 | 5668 |
| 40-XR Kevlar | _ | - | 9 | 5669 • |
| 22 RF | | | | |
| XP-100 Product | ion | | | |
| 223 Kem. | 141/2" | 214" | 4 1/4 | 5492 |
| 7mm BR | 1415" | 211/4" | 4 1/4 | 5471 |
| 35 Kem. | 14%" | 21%" | 4% | 5473 |
| | | | Right | Left |
| XP-100 Custom | 227 0 | em.—HB | Hand | lland |
| VI-100 CR2000 | | | 5491 | |
| | | Barrel) | | 5485 |
| | | 08 Rem. | 5493 | 5489 |
| | 35 Re | <u>m</u> | 5495 | 5497 |

New for 1988.



For more detailed information, see your experienced Remington dealer. Or write for Target Rifle Fact Sheets: Remington Arms Company, Eden Park, GCD, Wilmington, DE 19898. Please specify models.

Model /

The Strongest, Most Accurate Out-Of-The-Box Bolt Actions Made

You can easily pay more for a rifle, but you won't get more rifle than the bolt action centerfires right here.

These are the legendary Remington Model 700™ and Model Seven™ rifles. Put simply, they're the strongest, most accurate production-line rifles available today.

You won't find gimmicks or tricks on these rifles. What you will find is proven design, classic good looks and a dedicated attention to finish and detail that makes each of these rifles a purebred in accuracy, handling and reliability.

Each Remington bolt action offers you the renowned 3 rings of steel lockup: solid steel in the bolt face, barrel and milled receiver surround the cartridge and center it in alignment with the bore for startling accuracy and unsurpassed strength.

Their crisp triggers are consistently top rated among all production rifles. And when you sight in on your target, you'll have the fastest lock time available today in a production rifle.


You'll also have all the features you're looking for. Select American walnut stocks. Hammer-forged barrels. Receivers milled from solid, ordnance-grade steel. Rich, deep-cut checkering. Swivel studs. And dozens of subtle refinements evolved over time to bring out the best in you.

Every Model 700 and Model Seven is individually inspected and test fired before it's shipped. Every one!

No wonder outdoor writers everywhere have praised them. National benchrest and silhouette champions have won with them. And hunters from Albuquerque to the Arctic Circle swear by them.







Synthetic Stocks

We've combined the flawless bolt actions of our Model 700™ and Model Seven™ with stocks of fiberglass reinforced with Du Pont Kevlar® and of Rynite®, a tough thermoplastic resin developed by Du Pont and available only from Remington.

Result? Unwavering accuracy—no matter what the weather. Because these new stocks won't absorb moisture or react to changes in temperature that can throw off a rifle's point of impact.

Through heat, cold, rain, snow or humidity, a sighted-in rifle stays that way. With no movement. No surprises.

And you'll find that these new stocks add nothing to the weight of the rifle. (In fact, the fiberglass stock, reinforced with Kevlar, weighs almost one pound less than comparable wood-stocked models.)

They're stronger. Tougher. Virtually indestructible. And they'll absorb more felt recoil, which is important when you're shooting a lightweight, large-caliber firearm.

The Rynite stock feels solid throughout, with inletting held to extremely close tolerances. The fiberglass stock is laid up and bedded by hand, with Kevlar reinforcement at all critical stress and bedding points. Yet with all the technology in these rifles, you won't have to pay custom gun prices to own one.

All FS and RS models have straight-line combs, solid black English-style recoil pads and sling swivel studs. Choice of gray/black* or camo finishes.

SYNTHETIC STOCK RIFLES (all have open sights)

| | Mag. | Barrel | Overall | Ava. | Twist R·H _ | Gr./Bl. Syn. | | Camo Syn. | |
|----------------|------------|----------|-----------|--------|-------------|--------------|------|-----------|------|
| Calibers | Capacity | | | | 1 turn in | RH | LH | RH | LH |
| Model 700" RS | Rynite" S | tock BD | L (black | or bla | ck camo) | | | | |
| 270 Win. | 4 | 22" | 421/2" | 71/4 | 10" | 6055 | | 6075 | |
| 280 Rem. | 4 | 22" | 421/2" | 71/4 | 9¼″ | 6111 | _ | 6113 | |
| 30.06 | 4 | 22" | 421/2" | 714 | 10" | 6057 | _ | 6077 | |
| Model 700 FS I | iberglass | Stock A | DL (gray | or gra | у сато) | | | | |
| 243 Win. | 4 | 22″ | 41%" | 6¼ | 91/8" | 6053 | _ | 6073 | |
| 270 Win. | 4 | 22" | 421/2" | 6% | 10" | | 6091 | | 6095 |
| 30.06 | 4 | 22″ | 421/2" | 6% | 10" | | 6093 | _ | 6097 |
| 308 Win. | 4 | 22" | 41%" | 6% | 10" | 6059 | | 6079 | |
| 7mm Rem. Mag | . 3 | 24" | 441/2" | 6¾ | 9¼″ | 6061 | 6103 | 6081 | 6105 |
| Model Seven' | FS Fibergl | ass Stoc | k (gray o | r gray | camo) | | | | |
| 243 Win. | 4 | 181/2" | 371/2" | 51/4 | 9 1/H " | 4727 | | 4729 | _ |
| 7mm-08 Rem. | 4 | 181/2" | 371/2" | 51/4 | 91/4" | 4719 | | 4723 | _ |
| 308 Win. | 4 | 181/2" | 371/2" | 51/4 | 10" | 4721 | | 4725 | _ |

All have solid recoil pads.





These right-hand long-action rifles are available in three game-stopping calibers. Stocks are Du Pont Rynite (RS), with a textured finish from fore-end to butt except for the cheekpiece, which is smoothed for comfort. With a historic "Remington Arms" insignia on the grip cap. A hinged floorplate and iron sights.

Model 700 FS.

The Kevlar-reinforced fiberglass stock (FS) version of our Model 700. Choose from three right-hand or three left-hand calibers. The hammer-forged barrel features iron sights, and the rifle has a blind magazine.

Model Seven FS.

The lightest, most compact of the Remington synthetic stock rifles—but with plenty of knockdown power. Available in three right-hand calibers. With hinged floorplate, tapered barrel, ramp front sight, adjustable rear sight. Textured stock.



^{*}Model 700 RS has black stock: Model 700 FS and Model Seven FS have gray stocks.



Centerfires For Everything From Prairie Dogs To 10-Pointers

Model 700m Mountain Rifle.

New for 1988—.243 Win., 7mm-08 Remington and .308 Win.

At just 634 lbs., the Mountain Rifle answers the demand by many knowledgeable riflemen for a full-size rifle at an easier-to-carry weight. By tapering the barrel and slimming down the stock, we've given it superb handling characteristics with no loss in accuracy or strength.

The pistol grip is pitched lower to help keep your wrist straight for better shot placement. The American walnut stock has a satin finish, and features 20-line deep-cut checkering and a smooth, trim cheekpiece to position the eye

properly. Includes a hinged floorplate, sling swivel studs and butt pad. Drilled and tapped for scope mounting.

Model 700 BDL.

The bolt action that's proven its game-getting qualities all over the world. It combines outstanding performance, perfect proportions and handsome detailing—and offers it all in both right-and left-hand models.

A Monte Carlo American walnut stock has a high-gloss finish, and features positive-cut skipline checkering to add a distinctive touch. Hinged floorplate, sling swivel studs, hooded ramp front sight and adjustable rear sight are also featured on the Model 700 BDL.

Model 700 Varmint Special.

All the styling and features of our Model 700 BDL, but with a barrel that meets the special demands of the dedicated varmint hunter. It's a heavier, hammer-forged barrel that reduces vibration and delivers extraordinary accuracy—throughout a whole day's shooting.

Model 700 ADL

It's a Model 700 all right, but we've limited some of the extra features to put pure 700 performance in your hands at a better price. You'll still appreciate the satin-finished walnut stock, the cut checkering, the sling swivel studs—and the accuracy and reliability of the finest bolt action rifle at an affordable price.

And there's also a new Model 700 ADL laminated stock available in 30-06 caliber.

Model 700 Classic.

for 1988, Remington again offers its 700 Classic, this year chambered for the .35 Whelen cartridge. Purists and handloading enthusiasts will recognize the .35 Whelen as one of the most talked-about "wildcat" loads ever. (And this year, Remington will offer the first factory-loaded .35 Whelen cartridges. See page 23 for details and ballistics.)

A straight-line stock with cut checkering, satin finish, swivel studs and hinged floorplate give this year's Classic all the good looks and pure shootability you'd expect from this limitededition series.



| MODEL 700 | 100 |
|-----------|-----|

| Calibers | Mag. Cap. | Barrel Length' | Overall Length/Avg. WL. (Ib.) | | | | Twist | Order Numbers | | | | |
|----------------------------|--------------|-------------------|-------------------------------|--------------------|--------------------|----------------------|------------------|-------------------|--------------------|-----------------|---------------------|--------------------|
| | | | Mountain Rifle | Limited Classic | Varmint Special | ADL, BDL & Custom | R-H 1 turn in | Mountain Rifle | Limited Classic | ADL | BDL. | Varmini Special |
| 17 Rem. | 5 | 24" | _ | _ | | 43%"/7% | 9″ | | _ | | 5801 | |
| 222 Rem. | 5 | 24" | _ | | 43½"/9 | 43%"/7¼ | 14" | _ | | | 5781 | 5821 |
| 22-250 Rem. | 4 | 24" | _ | | 43½"/9 | 43%"/7% | 14" | | | 5763 | 5783 | 5823 |
| 223 Rem. | 5 | 24" | | | 431/2"/9 | 43%"/7¼ | 12" | | _ | _ | 5798 | 5825 |
| 6mm Rem. | 4 | 22″¹ | _ | | 431/2"/9 | 41%"/7% | 9%" | | | | 5785 | 5827 |
| 243 Win. | 4 | 22″' | _ | _ | 43%"/9 | 41%"/71/4 | 91/4" | | - | 5767 | 5787 5819 (L-H) | 5829' |
| 243 Win. | 4 | 22" | 41%"/6% | | | | | 5614★ | | _ | | |
| 25-06 Rem. | 4 | 24" | _ | | | 441/2"/71/2 | 10" | | _ | 5769 | 5789 | |
| 270 Win. | 4 | 22" | 42½″/6¾ | | _ | 421/2"/71/4 | 10" | 5630 | | 5771 | 5791 5811 (L-H) | |
| 280 Rem. | 4 | 22" | 421/2"/61/4 | _ | - | - | 94" | 5632 | _ | _ | _ | |
| 7mm-08 Rem. | 4 | 22″¹ | | | 431/2"/9 | 41%"/7% | 94" | _ | | _ | 5799 | 5835 |
| 7mm-08 Rem. | 4 | 22" | 41%"/6% | | | - | _ | 5616★ | | _ | | |
| 7mm Rem. Mag. | 3 | 24" | | _ | _ | 44411774 | 9%" | | - | 5777 | 5803 5815 (L-H) | |
| 30-06 | 4 | 22″ | 421/2"/6% | _ | _ | 421/2"/71/4 | 10" | 5634 | | 5773 5955LS★ | 5793 5813 (L-H) | , |
| 308 Win. | 4 | 22" | 41%"/6% | | | 41%"/7% | 10" | 5618★ | | 5775 | 5795 | |
| | 4 | 24" | | _ | 43%"/9 | - | 12" | - | _ | - | | 5833 |
| 700 W - M 2 | | 22" 24" | | | | 41%"/7% | 10" | | | | 5818 (L-H) | |
| 300 Win. Mag? 35 Whelen | | | | - | | 441/2"/73/4 | 10" | | | | 5807 | |
| 338 Win. Mag ² | 3 | 22" | | 421/2"/71/4 | | - | 16" | | 5901* | | <u> </u> | |
| Safari Grade (Cust | | | | | | 441/2"/73/4 | 10" | | Classic | | 5805 ★ | |
| 8mm Rem. Mag? | 3 | 24" | | | <u>-</u> | 44½″/10 | 10" | | 5892 | | 1onte Carlo 5816 | |
| 375 H&H Mag. | 3 | 24" | | | | 441/2 / 10 | 12" | | 5848 | | 5836 | |
| 458 Win. Mag ² | 3 | 24" | | _ | | 441/2 / 9 | 14" | | 5880 | | 5895 | |
| Stock Dimension | | Length of | | | | 4472 / 3 | | 13%" | 13%" | 13%" | 13%" | 13%" |
| | | | el (from cente | erline of bore | | | | 5/8" | 1" | 15/6" | 15% | 176" |
| | | | mb (from cen | | | | | | %6* | 11/16" | 11/16" | 1/8 |

Varmint Special equipped only with a 24° barrel. 2Recoil pad included. Produced only in 1988. ★ New for 1988.

RIMFIRE KIFLES

 $oldsymbol{Y}$ ou can't beat the Remington system. We make the rifles and the cartridges. We make them perfect for each other. No one else in America does. And no other manufacturer approaches the level of strength, accuracy and quality that has distinguished Remington .22s for generations.

They're accurate, well made and a lot of gun for the money. So no matter which .22 you put with what ammo, They're Made you've picked a combination made For Each Other for each other.

RIMFIRE RIFLES

Sportsman® Model 581-Sm Rimfire Rifle.

A strong, dependable firearm choice for the most experienced shooter or more recent beginner. Run shorts, long, or long-rifle cartridges through the 24" barrel all day. The full-sized stock cradles comfortably against your cheek. Standard 5-shot clip. Extra clips available from dealers.

Model 541-T™ Bolt Action. The T stands for target. That's how accurate this gun is. If you're serious about shooting, you'll appreciate the fine bolt action, the crisp trigger, the

walnut stock with detailed, deep-cut checkering. It's drilled and tapped for scope mounting.

Model 572™ BDL Pump Action. The famous Remington Fieldmaster® is the only .22 pump action rifle still made in America, It has a satin-finished walnut stock, custom checkering and big game rifle sights.

Model 552™ BDL Autoloader. The same styling as our famous pump action rifles, only in a semi-automatic version. Round after round, it delivers consistent performance.

