

Serial # 7R 000844

CAL- .300 Win. Mag.

Gun I.D.-A-1

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
		Safety Function Test - Functions properly			
		Trigger Pull w/ Doornak	5.509, 5.837, 5.588, 5.569, 5.719 Avg. 5.644 lbs,		
		Depth of Front Takedown screw hole - .136			
J Sims	7/3/07	Chamber Cast			
J. Sims	7/5/07	Measure Casting	- See Spreadsheet for data		
J. Sims	7/6/07	Twist Rate	1:10"		
		Tangar screws			
		Headspace	+0.005		
		Root	OK	1	1
		Headspace	+0.005		
J.S./J.W.	7/10/07	Clean & Inspect	OK		
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect	OK		
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. +.005, OK		
JS	7/16/07	ENDURANCE		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. +.005, OK		
JS	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. +.005, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. +.005, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. +.006, OK		
JEU	7-25-07	Section BBL	Sectioned bbl for metalurgical analysis		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002244

R 2195746

Gun I.D.-A-2

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002245

R 2195747

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
		Safety Function Test - Functions properly			
		Trigger Pull w/ Dvorak - 4.909, 5.123, 6.217, 5.756, 5.777, Avg. 5.556 lbs.			
		Depth of Front Takedown screw hole - .137			
J. Sims	7/3/07	Chamber Cast			
J. Sims	7/5/07	Measure Casting	- See Spreadsheet for data		
J. Sims	7/6/07	Twist Rate			
		Torque screws			
		Headspace	+ .005		
		Proof	OK	1	1
		Headspace	+ .006		
JS/JW	7/10/07	Clean & Inspect	OK		
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect	OK		
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .006, OK		
JS	7/14/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .006 OK		
JS	7/18/07	Endurance	B.O.N./Secm. double @ 638, 697 rds.	500	1021
JS/JW		Clean & Inspect	H.S. + .006, OK		
V. Norton	7/20/07	Inspection	Disassembled bolt + Firing pin assembly Inspected + reassembled. Deep gouge on firing pin		
PKR	7/21/07	Take Photos of parts			
PKR	8/6/07	Inspect Firing Pin + Bolt Parts - Upon inspection a gouged area was found on the firing pin, this gouged area had to be produced by some type of debris that had since become dislodged and fallen free of the Firing Pin Assy. No burr was present that could have created the gouge.			

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

Gun I.D.-A-4

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002247

R 2195749

Gun I.D.-A-5

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002248 **R 2195750**

Gun I.D.-A-6

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002249

R 2195751

Gun I.D.-A-7

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

[illegible]

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002250

R 2195752

Gun I.D.-A-8

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
		Safety Function Test - Functions properly			
		Trigger Pull w/ Dvorak - 5.842, 5.842, 6.736, 5.750, 5.724 Avg. 5.979 lbs,			
		Depth of Front Takedown screw hole - .142			
J. Sims	7/6/07	Torque screws			
		Headspace	+ .006		
		Post	OK	1	1
		Headspace	+ .006		
J. Sims	7/10/07	Clean & Inspect	OK		

BLANK FORMS.XLS

R 2195753

Gun I.D.-A-9

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002252 **R 2195754**

Gun I.D.-A-10

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

[illegible]

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002253

R 2195755

STANDARD # 71 3782234

CAL- .30.06

Gun I.D.-B-1

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety function test - functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dynamometer - 5.542, 5.749, 5.501, 5.466, 5.430 Avg. 5.538 lbs.			
J. Sims	7/5/07	Depth of Front Takedown screw hole - .222			
J. Sims	7/5/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	.003 (Torqued screws prior to proofing)		
		Proof	OK	1	1
		Headspace	.004		
JS/JW	7/10/07	Clean + Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean + Inspect	H.S. + .004, OK		
JW	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004, OK		
JW	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .004, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-22-07	Clean + Inspect	H.S. + .004, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean + Inspect	H.S. + .004, OK		
JFH	7-25-07	Section BBL	Sectioned BBL for metallurgical analysis		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002254

R 2195756

Gun I.D.-B-2

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002255

R 2195757

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dvacak - 6.091, 6.142, 6.020, 5.945, 5.836 Avg. 6.007 lbs.			
J. Sims	7/5/07	Depth of Front Takedown screws - .222			
J. Sims	7/6/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003 OK		
JW	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .003, OK		
JW	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .003, OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. + .003, OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. + .003, OK		

Gun I.D.-B-3

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002256 **R 2195758**

Gun I.D.-B-4

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002257

R 2195759

Gun I.D.-B-5

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002258

R 2195760

Gun I.D.-B-6

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - functions properly Trigger Pull w/ Durausk - 5.890, 5.829, 5.936, 5.632, 5.447 Avg. 5.748 lbs. Depth of front Takedown screw hole - .221			
J. Sims	7/9/07	Headspace Prong Headspace	+ .002 (Torqued screws print to proof) OK + .002	1	1
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JW	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .002 OK		
JW	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .002 OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002259

R 2195761

Gun I.D.-B-7

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002260

R 2195762

Gun I.D.-B-8

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dvorak - 5.977, 6.161, 5.929, 5.958, 5.508 Avg. 5.907 lbs.			
J. Sims	7/9/07	Depth of front takedown screw holes - .224			
J. Sims	7/9/07	Headspace	+ .002 (Torqued screws prior to proof)		
J. Sims	7/9/07	Front	OK	1	1
J. Sims	7/9/07	Headspace	+ .002		
JS/JW	7/10/07	Clean & Impact			
BL	7/25/07	Hot Test		100	101
BL	7/26/07	Cold Test		100	201
BL	7/27/07	Clean			

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002261

R 2195763

Gun I.D.-B-9

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002262 **R 2195764**

Gun I.D.-B-10

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection	- Difficult to close (Cam-over)		
J. Sims	7/3/07	Safety Function Test	- Functions properly		
J. Sims	7/9/07	Trigger Pull w/ Drawak	- 5.972, 5.761, 6.269, 5.672, 5.772, Avg. 5.889 lbs.		
J. Sims	7/9/07	Depth of Front Takedown screw hole	- .219		
J. Sims	7/9/07	Headspace	Min. (Torqued screws prior to pract)		
J. Sims	7/9/07	Pract	OK	1	1
J. Sims	7/9/07	Headspace	+ .002		
J.S/JW	7/10/07	Clean & Inspect			

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002263

R 2195765

Gun I.D.-C-1

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safe Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Dynamometer - 5.164, 5.729, 5.642, 5.122, 5.462 Avg. 5.424 lbs.			
J. Sims	7/5/07	Depth of front Take Down screw hole - .220			
J. Sims	7/6/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
		Proof	OK	1	1
		Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003 , OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .003 , OK		
JS	7/18/07	Endurance		500	1021
JS/JW	7-19-07	Clean & Inspect	H.S. + .003 , OK		
JW	7-20-07	ENDURANCE		500	1521
JW	7-23-07	Clean & Inspect	H.S. + .003 , OK		
JW	7-24-07	ENDURANCE		500	2021
JW	7-24-07	Clean & Inspect	H.S. + .003 OK		
SEU	7-25-07	Section BBL	Sectioned BBL for dimensional analysis		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002264

R 2195766

Gun I.D.-C-2

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

R 2195767

SIBARBER # 71 0062766

CAL- .243 youth

Gun I.D.-C-3

Trial and Pilot

SS M/770

DAILY TEST DATA SHEET

TRACKING # TLW2305

PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - Functions properly			
J. Sims	7/3/07	Trigger Pull w/ Drenk - 5.869, 5.698, 5.658, 5.542, 5.836 Avg, 5.717 lbs.			
J. Sims	7/5/07	Depth of front takedown screw hole - .217			
J. Sims	7/5/07	Chamber Cast			
J. Sims	7/6/07	Measure Casting	See Spreadsheet for data		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
		Proof	OK	1	1
		Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003 OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .003 OK		
JS	7/18/07	Endurance		500	1021
JS/JW		Clean & Inspect	H.S. + .003 OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

Gun I.D.-C-4

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING #TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection	Appears ok		
J. Sims	7/3/07	Safety Function Test	Functions properly		
J. Sims	7/3/07	Trigger Pull w/ Dronk	6.067, 5.997, 5.939, 5.912, 5.767 Avg. 5.936 lbs.		
J. Sims	7/9/07	Depth of front Take down screw hole	.222		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .003		
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect	H.S. + .003, OK		
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect	H.S. + .004, OK		
JS	7/18/07	Endurance		500	1021
JS/JW	7/18/07	Clean & Inspect	H.S. + .004, OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002267

R 2195769

Gun I.D.-C-5

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection	- Appears OK		
J. Sims	7/3/07	Safety Function Test	Functions properly		
J. Sims	7/3/07	Trigger Pull w/ Dvorak	5.974, 5.950, 5.926, 5.784, 5.880 Avg. 5.903lbs.		
J. Sims	7/9/07	Depth of front Takedown screw hole	- .219		
J. Sims	7/9/07	Headspace	+ .003 (Torqued screws prior to proof)		
J. Sims	7/9/07	Proof	OK	1	1
J. Sims	7/9/07	Headspace	+ .003		
JS / JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS / JW	7/13/07	Clean & Inspect	H.S. + .003 OK		
JS	7/16/07	Endurance		400	521
JS / JW	7/17/07	Clean & Inspect	H.S. + .003 OK		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002268

R 2195770

Gun I.D.-C-6

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

R 2195771

NAME	DATE	TEST ACTIVITY	COMMENTS	RDS. FIRED	TOTAL RDS.
J. Sims	7/2/07	Out of Box Visual Inspection - Appears OK			
J. Sims	7/3/07	Safety Function Test - functions properly			
J. Sims	7/3/07	Trigger Pull & Duration: 5.920, 5.023, 5.855, 5.685, 6.398 Avg. 5.896 lbs.			
J. Sims	7/9/07	Depth of front Take-down screw hole - .2116			
J. Sims	7/9/07	Headspace +.004 (Torqued screws prior to proof)			
J. Sims	7/9/07	Proof OK		1	1
J. Sims	7/9/07	Headspace +.004			
JS/JW	7/10/07	Clean & Inspect			
J. Sims	7/11/07	Accuracy	- See Spreadsheet for data	20	21
J. Sims	7/12/07	Clean & Inspect			
JS	7/12/07	ENDURANCE		100	121
JS/JW	7/13/07	Clean & Inspect H.S. +.004 ,OK			
JS	7/16/07	Endurance		400	521
JS/JW	7/17/07	Clean & Inspect H.S. +.004 ,OK			

Gun I.D.-C-7

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

PROJECT #241230

[illegible]

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002270

R 2195772

Gun I.D.-C-8

Trial and Pilot
SS M/770
DAILY TEST DATA SHEET

TRACKING # TLW2305
PROJECT #241230

BLANK FORMS.XLS

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

BARBER - R 0002271

R 2195773