

MODEL 11-87™ PREMIER™ AUTOLOADING SHOTGUNS




MODEL 11-87™ PREMIER™ SKEET

- 12-ga. autoloading skeet gun with 26" vent rib Rem™ Choke barrel
- Stands up to the rigors of high volume competitive skeet
- Strong, dependable action and trigger group
- American walnut stock and fore-end with crisp cut checkering for precise control
- Designed for target and light field loads only

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Target barrels are intended for use with target ammunition only (5 1/4 dr. powder, 1 1/4 oz. lead shot - max).

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ Premier® Skeet	26" VR	12	Rem™	8 1/4	Satin	9882




MODEL 11-87™ PREMIER™ TRAP

- 12-ga. autoloading trap gun
- Reliable, smooth, low-recoiling performance
- Features 30" vent rib, overbored barrel and special Trap Rem™ Choke tubes
- Satin-finished, American walnut Monte Carlo stock

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Target barrels are intended for use with target ammunition only (5 1/4 dr. powder, 1 1/4 oz. lead shot - max).

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ Premier Trap (Monte Carlo)	30" VR	12	Rem™	8 1/4	Satin	9888

MODEL 11-87™ SPECIAL PURPOSE SYNTHETIC SHOTGUNS




MODEL 11-87™ SPECIAL PURPOSE SYNTHETIC (SPS)

- 12-ga. autoloading field gun
- Synthetic stock and fore-end with black matte finish
- Choice of 26" or 28" vent rib barrels with Rem™ Choke tubes
- Black Cordura® sling included

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ (SPS)	28" VR	12	Rem™	8 1/4	Black	5269
	26" VR	12	Rem™	8 1/4	Black	5271

MODEL 11-87™ SPS SHOTGUNS




MODEL 11-87™ SPS - DEER

- 12-ga. with 21" fully-rifled, rifle-sighted barrel, 1 in 35" twist
- Ideal for deer hunters who prefer traditional sight picture of slug barrel with open sights
- Synthetic stock with black matte finish
- Perfect match for new Copper Solid™ sabot slugs
- Padded Cordura® sling included

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Deer and turkey barrels are not intended for light loads.

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SPS-Deer	21" FR/RS	12	Fully Rifled	8	Black	9676




MODEL 11-87™ SPS FULLY RIFLED CANTILEVER DEER GUN

- Offered in 12-ga. with 21" fully-rifled cantilever deer barrel 1 in 35" twist
- Features improved cantilever arm design
- Cantilever arm accepts all 1" Weaver-style rings
- Monte Carlo comb stock profile
- Padded Cordura® sling included

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Deer and turkey barrels are not intended for light loads.

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SPS Fully Rifled Cantilever Deer Gun	21" FR/CL	12	Fully Rifled	8 ½	Black	9819




MODEL 11-87™ SPS REM™ CHOKE CANTILEVER DEER GUN

- 12-ga. with 21" Rem™ Choke Cantilever Deer barrel
- Ideal for use with Copper Solid™ sabot slugs, or with Turkey Super Full and Turkey Extra Full Rem™ Choke Tubes for gobblers
- Supplied with (I.C.) and Extended Rifled Rem™ Chokes
- Cantilever arm accepts all 1" Weaver-style rings
- Monte Carlo comb stock profile
- Padded Cordura® sling included

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Deer and turkey barrels are not intended for light loads.

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SPS-Rem™ Choke Cantilever Deer Gun	21" RC/CL	12	Rem™-3	8 ½	Black	9821

MODEL 11-87™ SPECIAL PURPOSE SYNTHETIC SHOTGUNS




MODEL 11-87™ SPS-T (ALL BLACK MATTE FINISH)

- 12-ga. with 21" vent rib barrel and target-type, twin-bead sights
- Synthetic stock and fore-end with black matte finish
- Includes I.C. and Turkey Super Full (knurled extension) Rem™ Choke tubes
- Supplied with padded, black Cordura® sling

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Deer and turkey barrels are not intended for light loads.

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SPS-T	21" VR	12	Rem™ *	8	Black	9674



MODEL 11-87™ SPS-T CAMO

- 12-ga. with 21" vent rib barrel with target type twin bead sights
- Mossy Oak® Greenleaf™ camo finish offers optimum concealment advantages
- Features I.C. and new high constriction Turkey Super-Full Rem™ Choke with knurled extension for easy installation and removal
- Supplied with padded camo Cordura® sling

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Deer and turkey barrels are not intended for light loads.

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SPS-T Camo	21" VR	12	Rem™ *	8	Mossy Oak® Greenleaf™	9678




MODEL 11-87™ SPS CAMO

- 12-ga. with 26" vent rib barrels, and twin-bead sights
- Mossy Oak® Bottomland™ camo finish
- Hard-wearing stock immune to effects of weather
- Furnished with Imp. Cyl., Mod., and Full Rem™ Chokes
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SP-Synthetic-Camo	26" VR	12	Rem™	8 1/4	Bottomland™	5290


MODEL 11-87™ SPECIAL PURPOSE MAGNUM SHOTGUNS



MODEL 11-87™ SPECIAL PURPOSE MAGNUM (WOOD)

- In 12-ga. with choice of 28" or 26" vent rib barrel
- Offers all the concealment advantages of SP line in wood version for those who prefer classic look and feel of genuine American walnut stock and fore-end
- Features twin-bead sights, Imp. Cyl., Mod., and Full Rem™ Choke tubes
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SP-3" Magnum	28" VR	12	Rem™	8 ¼	Satin	9905
	26" VR	12	Rem™	8 ¼	Satin	9906



MODEL 11-87™ SP MAGNUM DEER GUN WITH RIFLE SIGHTS

- 12-ga. Magnum with 21" rifle-sighted barrel
- Includes rifled and I.C. Rem™ Choke tubes
- Ideal for hunters preferring open sights and choke tube versatility
- Satin-finished American walnut stock and fore-end
- Not pressure compensated for light field or target loads
- Supplied with padded camo Cordura® sling

Note: These Model 11-87™ guns are not equipped with a pressure compensating gas system. Deer and turkey barrels are not intended for light loads.

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
11-87™ SP Deer Gun w/Rifle Sights	21" RS	12	Rem™-5	8	Satin	9837

MODEL 1100™ AUTOLOADING SHOTGUNS




MODEL 1100™ LT-20

- 20-ga. lightweight, fast-handling autoloader with small-frame receiver
- American walnut stock in gloss (26" bbl.) or satin (28" bbl.) finish
- Vent rib barrels with Imp. Cyl., Mod. and Full Rem™ Choke tubes

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
1100™ LT-20	26" VR	20	Rem™	6 ¾	Hi-Gloss	5313
	28" VR	20	Rem™	7	Satin	5403


MODEL 1100™ AUTOLOADING SHOTGUNS



MODEL 1100™ 3" MAGNUM LT-20

- Small-frame 20-ga. 3" Magnum autoloader
- Fast-handling, light recoil from magnum loads
- Satin-finished American walnut stock
- 28" vent rib barrel with Imp. Cyl., Mod. and Full Rem™ Choke tubes


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
1100™ 3" Magnum LT-20	28" VR	20	Rem™	7	Satin	9597



MODEL 1100™ LT-20 RIFLE-SIGHTED DEER GUN

- 20-ga. lightweight autoloading deer gun
- Fast-handling portability with low recoil
- 21" barrel with open sights and Imp. Cyl. choke
- Satin-finished American walnut stock and fore-end

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
1100™ Deer Gun-Rifle Sights LT-20	21" RS	20	Imp. Cyl.	6 ½	Satin	5248




MODEL 1100™ YOUTH GUN LT-20

- 20-ga. autoloader designed for small-framed shooters
- 2-¾" chamber and 21" barrel with Rem™ Choke tubes
- 13" length of pull offers optimum manageability for youngsters

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
1100™ Youth Gun-(Stock 1" shorter)	21" VR	20	Rem™	6 ½	Satin	5372

MODEL 1100™ AUTOLOADING SHOTGUNS




MODEL 1100™ FULLY RIFLED CANTILEVER DEER GUN

- 20-ga. slug gun with state-of-the-art accuracy
- Sturdy cantilever scope mount for unchanging zero
- Cantilever arm accepts all 1" Weaver-style rings
- Fully-rifled 21" barrel ideal for 20-ga. Copper Solid™ slugs
- Reliable autoloading action with low recoil
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
1100™ Cantilever Deer Gun	21" FR/CL	20	Fully Rifled	6 ½	Satin	5261


MODEL 1100™ SPECIAL FIELD AUTOLOADING SHOTGUNS



MODEL 1100™ 12-GA. SPECIAL FIELD

- 12-ga. autoloading upland game gun
- Quick-pointing, English-style, straight-grip stock
- Excellent balance from 23" vent rib barrel
- Includes Imp. Cyl., Mod. and Full Rem™ Choke tubes

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
1100™ Special Field	23" VR	12	Rem™	7 ½	Satin	5335




MODEL 1100™ SPECIAL FIELD LT-20

- Exceptionally fast-handling 20-ga. lightweight
- Famous Model 1100™ autoloading action
- English-style, straight-grip, American walnut stock
- Well-balanced 23" vent rib barrel with 3 Rem™ Choke tubes

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
Special Field LT-20	23" VR	20	Rem™	6 ½	Satin	5381


MODEL 870™ WINGMASTER®



MODEL 870™ WINGMASTER® 12-GA. (LIGHT CONTOUR BBL)

- 12-ga. pump action shotgun
- Exceptional balance and pointability
- Twin action bars cycle smoothly in any weather
- American walnut stock with choice of high-gloss or satin finish (28" Only)
- 26", 28" or 30" light contour barrels with Imp. Cyl., Mod., and Full Rem™ Chokes

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Wingmaster®	30" VR/LC	12	Rem™	7 ¼	Hi-Gloss	5053
	28" VR/LC	12	Rem™	7 ¼	Hi-Gloss	5055
	26" VR/LC	12	Rem™	6 ¾	Hi-Gloss	5057
	28" VR/LC	12	Rem™	7	Satin	5063

MODEL 870™ WINGMASTER® FULLY-RIFLED CANTILEVER
DEER GUN

- Available in 12 ga. with 20" fully-rifled barrel, 1 in 35" twist
- 3" chambers for 2 ¾" and 3" magnum shells
- Redesigned cantilever scope mount is shorter and thicker for maximum rigidity
- Cantilever arm accepts all 1" Weaver-style rings
- Exceptional accuracy with Remington Copper Solid™ Slugs
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Cantilever Deer Gun	20" FR/LC	12	Fully Rifled	8	Satin	5515




MODEL 870™ WINGMASTER® 20-GA.

- 20-ga. lightweight pump action with small-frame receiver
- Twin action bars for smooth, easy operation
- American walnut stock in gloss (26" bbl.) or satin (28" bbl.) finish
- Vent rib barrels with Imp. Cyl., Mod. and Full Rem™ Choke tubes

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Wingmaster® 20-Ga.	26" VR	20	Rem™	6 ½	Hi-Gloss	5074
	28" VR	20	Rem™	6 ½	Satin	5068

MODEL 870™ WINGMASTER®




MODEL 870™ WINGMASTER® 20-GA.
FULLY-RIFLED CANTILEVER DEER GUN

- Available in 20- ga. with 20" fully-rifled barrel
- Redesigned cantilever arm is shorter and thicker for maximum rigidity and unchanging zero
- Cantilever arm accepts all 1" Weaver-style rings
- The perfect match for 20-ga. Copper Solid™ sabot slugs
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Cantilever Deer Gun	20" CL/FR	20	Fully Rifled	7	Satin	5225


MODEL 870™ SPECIAL FIELD



- 12- and 20-ga. upland game gun
- English-style, straight-grip, American walnut stock
- 23" vent rib barrel provides perfect balance
- Handles 2 3/4" and 3" shells interchangeably
- Comes with Imp. Cyl., Mod. & Full Rem™ Choke tubes
- Barrels will not interchange with std. Model 870™ barrels

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Special Field	23" VR	12	Rem™	7	Satin	4871
870™ Special Field LW-20	23" VR	20	Rem™	6 1/4	Satin	5219

MODEL 870™ SPS SHOTGUNS




MODEL 870™ MARINE MAGNUM™

- Available in 12-ga. with 18" barrel
- Rugged, compact, dependable pump action security gun
- Electroless nickel plating used on the entire gun
- Synthetic stock and fore-end are impervious to moisture
- Furnished with seven-round magazine and sling swivel studs
- Black Cordura® sling included

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Marine Magnum™	18" Plain	12	Cyl.	7 1/2	Nickel	5012


MODEL 870™ SPS SHOTGUNS



MODEL 870™ SPS FULLY RIFLED DEER GUN

- 12-ga. pump action synthetic stock deer gun
- Features 20" rifle-sighted, fully-rifled barrel, 1 in 35" twist
- Black matte finish
- Padded Cordura® carrying sling


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ SPS Deer Shotgun	20" FR/RS	12	Fully Rifled	7	Black	4988



MODEL 870™ SPS FULLY-RIFLED CANTILEVER DEER GUN

- Offered in 12-ga. with 20" fully-rifled cantilever barrel, 1 in 35" twist
- Features redesigned cantilever arm, which is shorter and thicker for maximum rigidity
- Cantilever arm accepts all 1" Weaver-style rings
- Synthetic stock with black matte finish
- Most accurate 20-ga. pump-action deer gun
- Padded Cordura® carrying sling


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ SPS-Cantilever Deer Gun	20" FR/CL	12	Fully Rifled	8	Black	5002

MODEL 870™ SPS REM™ CHOKE
CANTILEVER SCOPE MOUNT DEER GUN

- 12 ga. with 20" Rem™ Choke cantilever barrel
- Shorter, more rigid cantilever arm for constant zero
- Cantilever arm accepts all 1" Weaver-style rings
- Imp. Cyl. & Extended Rifled Rem™ Choke tubes for buckshot and rifled slug use
- Converts to turkey gun with accessory Rem™ Turkey choke tubes
- Black matte finish, padded Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ SPS-Cantilever Deer Gun	20" RC/CL	12	Rem™-1	8	Black	5004

MODEL 870™ SPS SHOTGUNS



MODEL 870™ SPS-T (ALL BLACK MATTE FINISH)

- 12-ga. with 21" vent rib Rem™ Choke barrel
- Durable synthetic stock impervious to the effects of weather
- Black matte finish offers optimum concealment
- Furnished with Imp. Cyl. and Turkey Super-Full Rem™ Choke
- Black Cordura® sling included


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ SPS-T	21" VR	12	Rem™	7	Black	4984



MODEL 870™ SPS-T CAMO

- 12-ga. with 21" vent rib barrel, twin bead sights
- Mossy Oak® Greenleaf™ camo finish applied to stock, fore-end and barrel
- Durable synthetic stock stands up to even the harshest weather extremes
- Furnished with special high-constriction Turkey Super-Full Rem™ Choke tube with knurled extension, also Imp. Cyl.
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ SPS-T Camo	21" VR	12	Rem™	7	Mossy Oak® Greenleaf™	5080




MODEL 870™ SPS CAMO

- 12-ga. with 26" vent rib barrel
- Supplied with Imp. Cyl., Mod., and Full Rem™ Choke tubes
- Mossy Oak® Bottomland™ camo finish on entire surface of gun
- Hard-wearing synthetic stock is immune to even the harshest weather
- Supplied with padded camo Cordura® sling

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ SPS Camo	26" VR	12	Rem™	7 ¼	Bottomland™	5064

MODEL 870™ POLICE GUNS




MODEL 870™ POLICE - PLAIN BARREL W/BEAD SIGHTS

- 12-ga. with 18" or 20" Police Cyl. barrels
- Blued or Parkerized finish
- Proven Model 870™ reliability
- Accepts other accessory Model 870™ barrels

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Police Blue/Plain Barrel	20" Plain	12	Police Cyl.	7 ½	Flat	5020
870™ Police Parkerized/Plain Barrel	20" Plain	12	Police Cyl.	7 ½	Flat	5021
870™ Police Blue/Plain Barrel	18" Plain	12	Police Cyl.	7 ½	Flat	5022
870™ Police Parkerized/Plain Barrel	18" Plain	12	Police Cyl.	7 ½	Flat	5023


MODEL 870™ EXPRESS™ PUMP ACTION SHOTGUNS



MODEL 870™ EXPRESS™

- Same design and mechanical qualities as Wingmaster®, but at value price
- 12-ga. with choice of 28" or 26" vent rib barrels with Mod. Rem™ Choke
- Receiver machined from solid block of ordnance-grade steel
- Hardwood stock and fore-end are checkered with flat finish

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™	28" VR	12	Rem™ Mod.	7 ½	Flat	5568
870™ Express™	26" VR	12	Rem™ Mod.	7 ½	Flat	5569



MODEL 870™ EXPRESS™ SYNTHETIC (12-GA. ONLY)

- 12-ga. pump shotgun offered in 28" and 26" vent rib barrel lengths
- Non-reflective black matte metal finish
- Synthetic stock and fore-end feature positive checkering
- Furnished with Mod. Rem™ Choke

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™-Synthetic	28" VR	12	Rem™-Mod	7 ½	Black	5587
870™ Express™-Synthetic	26" VR	12	Rem™-Mod	7 ½	Black	5589


MODEL 870™ EXPRESS™ PUMP ACTION SHOTGUNS



MODEL 870™ EXPRESS™ TURKEY

- 12-ga. pump action turkey gun
- 21" vent rib turkey barrel featuring Extra-Full Rem™ Choke turkey tube
- Design and mechanical qualities of Wingmaster® with concealment advantages of Express™ line
- Three-inch chambers


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ Turkey	21" VR	12	Rem TKY	7 ½	Flat	5573



MODEL 870™ EXPRESS™ FULLY-RIFLED DEER GUN

- 12-ga. pump action deer gun
- Offered with 20" rifle-sighted, fully-rifled barrel
- Monte Carlo stock profile
- Flat Express™ finish on stock and fore-end

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ Fully Rifled Deer Gun	20" FR/RS	12	Fully Rifled	7 ¼	Flat	5575




MODEL 870™ EXPRESS™ DEER GUN

- 12-ga. pump action deer gun
- Offered with 20" Imp. Cyl. barrel
- Feature Monte Carlo stock profile
- Flat Express™ finish on stock and fore-end
- Handles 2 ¾" and 3" shells

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ Deer Gun w/Rifle Sights	20" RS	12	Imp. Cyl.	7 ¼	Flat	5565


MODEL 870™ EXPRESS™ PUMP ACTION SHOTGUNS



MODEL 870™ EXPRESS™ COMBO (12-GA.)

- 28" Rem™ Choke vent rib and 20" rifle-sighted deer barrel
- 28" vent rib barrel furnished with Mod. Rem™ Choke tube
- 20" rifle sighted deer barrel features Imp. Cyl. choke
- Flat Express™ finish on wood and metal
- Optional Rem™ Chokes permit conversion to turkey gun


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™-Combo	28" VR	12	Rem™ Mod.	7 ½	Flat	5571
	20" RS					



MODEL 870™ EXPRESS™ COMBO (20-GA.)

- 28" Rem™ Choke and 20" rifle-sighted deer barrel
- 28" vent rib barrel furnished with Mod. Rem™ Choke tube
- 20" rifle sighted deer barrel features Imp. Cyl. choke
- Flat Express™ finish on wood and metal

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™-Combo	28" VR	20	Rem™ Mod.	7 ½	Flat	5585
	20" RS					



MODEL 870™ EXPRESS™ SMALL GAUGE (20-GA. ONLY)

- 20-ga. offered in choice of 28" or 26" vent rib Rem™ Choke barrels
- Flat Express™ finish on wood and metal
- Standard Model 870™ construction at moderate price

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ Small Gauge	28" VR	20	Rem™ Mod.	6 ½	Flat	5583
	26" VR	20	Rem™ Mod.	6 ½	Flat	5582


MODEL 870™ EXPRESS™ PUMP ACTION SHOTGUNS



MODEL 870™ EXPRESS™ YOUTH

- 20-ga. pump action shotgun designed for smaller framed shooters
- Stock is one inch shorter than in standard Model 870™ Express™
- 21" vent rib barrel with Mod. Rem™ Choke
- Hardwood stock with low-luster flat finish


Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ Youth Gun	21" VR	20	Rem™-Mod.	6	Flat	5561



MODEL 870™ EXPRESS™ YOUTH-DEER

- 20-ga. pump action shotgun designed for smaller framed shooters
- Stock is one inch shorter than in standard Model 870™ Express™
- 20" fully rifled, rifle sighted deer barrel
- Hardwood stock with low-luster flat finish

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ Youth-Deer	20" FR/RS	20	Fully Rifled	6	Flat	5555



MODEL 870™ EXPRESS™ HD


- 12-ga. pump action home defense shotgun
- Features 18" Cyl. choke barrel and front bead sight
- Synthetic stock and fore-end, with low-luster, flat finish on all surfaces

NEW

Note: Gun is intended for personal use and will not accept law enforcement accessories

Model	Barrel length	Gauge	Choke	Avg. Wt. lbs.	Finish	Order No.
870™ Express™ HD	18" Plain	12	Cyl.	7 ¼	Flat	5549


MODEL 700™ CENTERFIRE – BOLT ACTION RIFLES



MODEL 700™ ADL DELUXE

- Model 700™ performance at modest price
- Features the strength and accuracy of the Model 700™ action
- Satin finished walnut stock with cut checkering
- Stock cheekpiece and sling swivel studs

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
243 Win.	22"	41 ½"	7 ¼	5767
270 Win.	22"	42 ½"	7 ¼	5771
30-06	22"	42 ½"	7 ¼	5773
308 Win.	22"	41 ½"	7 ¼	5775
7mm Remington Mag.	24"	44 ½"	7 ¼	5777




1995 MODEL 700™ CLASSIC LIMITED EDITION

- Remington's 1995 Model 700™ Classic Limited Edition is chambered for the 300 Winchester Magnum
- Features beautifully profiled, straight-combed stock with magnum butt pad
- Satin finished American walnut with cut checkering, sling swivel studs and hinged magazine floorplate
- 24" barrel without sights

NEW

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
300 Win. Mag.	24"	44 ½"	7 ¼	5875




MODEL 700™ BDL CUSTOM DELUXE

- Available in thirteen popular calibers
- American walnut stock with high-gloss finish, distinctive black fore-end cap, Monte Carlo comb profile, and finely cut checkering
- Metal work features deep, rich, high polish blue finish
- Hinged floorplate magazine bottom, sling swivel studs, hooded ramp front sight and adjustable rear sight
- Offered in right and left-handed versions

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
17 Remington	24"	43 ½"	7 ¼	5801
222 Remington	24"	43 ½"	7 ¼	5781
22-250 Remington	24"	43 ½"	7 ¼	5783
223 Remington	24"	43 ½"	7 ¼	5798
243 Win.	22"	41 ½"	7 ¼	5787
25-06 Remington	24"	44 ½"	7 ¼	5789
270 Win.	22"	42 ½"	7 ¼	5791
280 Remington	22"	42 ½"	7 ¼	5797
30-06 Spfld.	22"	42 ½"	7 ¼	5793
308 Win.	22"	41 ½"	7 ¼	5795
7mm Rem. Mag.	24"	44 ½"	7 ¼	5803
300 Win. Mag.	24"	44 ½"	7 ¼	5807
338 Win. Mag.	24"	44 ½"	7 ¼	5805


MODEL 700™ CENTERFIRE - BOLT ACTION RIFLES



MODEL 700™ BDL CUSTOM DELUXE - LEFT-HAND

- Model 700™ strength and accuracy for left-hand shooters
- American walnut stock with high-gloss finish, distinctive black fore-end cap, Monte Carlo comb profile, and finely cut checkering
- Metal work features deep, rich blueing
- Hinged floorplate magazine bottom, sling swivel studs, hooded ramp front sight and adjustable rear sight

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
22-250 Remington	24"	43 1/2"	7 1/4	5749
243 Win.	22"	41 1/2"	7 1/4	5819
270 Win.	22"	42 1/2"	7 1/4	5811
30-06	22"	42 1/2"	7 1/4	5813
7mm Rem. Mag.	24"	44 1/2"	7 1/4	5815



MODEL 700™ BDL SS (STAINLESS SYNTHETIC)

- Maximum resistance to corrosion and elements
- Stainless steel barrel, receiver and bolt
- Non-glare matte finish on metal
- Strong synthetic stock with textured black finish
- 24" barrels for optimum ballistic performance

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
270 Win.	24"	44 1/2"	6 1/4	9709
280 Remington	24"	44 1/2"	6 1/4	9713
30-06	24"	44 1/2"	6 1/4	9717
7mm Rem. Mag.	24"	44 1/2"	6 1/4	9692
300 Win. Mag.	24"	44 1/2"	6 1/4	9694
300 Wby. Mag.	24"	44 1/2"	7 1/4	9727
338 Win. Mag.	24"	44 1/2"	7 1/4	9696

MODEL 700™ LONG RANGE CENTERFIRE - BOLT ACTION RIFLES



MODEL 700™ VS (VARMINT SYNTHETIC)

- Features free-floating, heavyweight 26" barrel
- Metal work has non-reflective black matte finish
- Fiberglass stock reinforced with DuPont Kevlar® and graphite for dimensional stability
- Aircraft-grade aluminum bedding block runs full length of receiver

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
220 Swift	26"	45 1/2"	8 1/4	9683
22-250 Remington	26"	45 1/2"	8 1/4	9701
223 Remington	26"	45 1/2"	8 1/4	9703
308 Win.	26"	45 1/2"	8 1/4	9705


MODEL 700™ LONG RANGE CENTERFIRE - BOLT ACTION RIFLES



MODEL 700™ VS SF
(VARMINT SYNTHETIC STAINLESS FLUTED)

- Durable 416-grade stainless steel barreled action
- 26" barrel with spherical concave muzzle crown to retain even pressure behind bullet exit
- Barrel also features six machined flutes that increase longitudinal rigidity and rapid cooling
- Unblued metal work has satin finish to reduce glare
- Kevlar®, fiberglass and graphite stock fitted with precisely machined, aircraft grade aluminum bedding block that runs full length of receiver

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
220 Swift	26"	45 1/2"	8 3/4	9741
22-250 Remington	26"	45 1/2"	8 3/4	9743
223 Remington	26"	45 1/2"	8 3/4	9745
308 Win.	26"	45 1/2"	8 3/4	9747



MODEL 700™ SENDERO SPECIAL

- Varmint gun accuracy in an extended range hunting rifle
- All accuracy and bedding features of Model 700™ VS in long action and magnum calibers
- Free-floating 26" barrel with heavy varmint profile and spherical concave crown for repeat-shot accuracy

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
25-06 Rem.	26"	46 1/2"	9	9675
270 Win.	26"	46 1/2"	9	9677
7mm Rem. Mag.	26"	46 1/2"	9	9679
300 Win. Mag.	26"	46 1/2"	9	9681




MODEL 700™ VLS (VARMINT LAMINATED STOCK)

NEW

- Stable, element-resistant, laminated wood stock
- Standard Model 700™ BDL short action
- 26" carbon steel heavy varmint barrel for maximum ballistic performance and pin-point accuracy
- Chambered for five, tight-grouping varmint calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
222 Rem.	26"	45 1/2"	9	7486
22-250 Win.	26"	45 1/2"	9	7488
223 Rem.	26"	45 1/2"	9	7490
243 Win.	26"	45 1/2"	9	7494
308 Win.	26"	45 1/2"	8 3/4	7498


MODEL 700™ CENTERFIRE – BOLT ACTION RIFLES W/DETACHABLE MAGAZINE



MODEL 700™ MOUNTAIN RIFLE DM (DETACHABLE MAGAZINE)

- Lightweight portability at just 6 ¼ pounds
- Full, big game power from choice of six top calibers
- Fast, convenient loading and unloading with new, quick-release detachable magazine
- Sleek, trim stock of satin-finished American walnut
- Traditional Model 700™ accuracy


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
243 Win.	22"	41 ½"	6 ¼	5847
25-06 Rem.	22"	42 ½"	6 ¼	5849
270 Win.	22"	42 ½"	6 ¼	5851
7mm-08 Rem.	22"	41 ½"	6 ¼	5855
280 Rem.	22"	42 ½"	6 ¼	5857
30-06	22"	42 ½"	6 ¼	5859



MODEL 700™ BDL DM
(DETACHABLE MAGAZINE)

- New, fast-loading convenience of quick-release detachable magazine
- Choice of eleven calibers with standard weight barrel
- Hi-gloss American walnut stock with Monte Carlo comb and cheekpiece, finely-cut checkering and black fore-end tip
- Deeply blued metalwork with high polish

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
6mm Rem.	24"	43 ½"	7 ¼	6953
243 Win.	24"	43 ½"	7 ¼	6956
25-06 Rem.	24"	44 ½"	7 ¼	6957
270 Win.	22"	42 ½"	7 ¼	5959
280 Rem.	22"	42 ½"	7 ¼	6961
7mm-08 Rem.	22"	41 ½"	7 ¼	6963
30-06	22"	42 ½"	7 ¼	6965
308 Win.	22"	41 ½"	7 ¼	6967
7mm Rem. Mag.	24"	44 ½"	7 ¼	6969
300 Win. Mag.	24"	44 ½"	7 ¼	6971
338 Win. Mag.	24"	44 ½"	7 ¼	6973




MODEL 700™ BDL DM-LH

- True, left-hand mirror image of Model 700™ BDL
- New, fast-loading convenience of detachable magazine
- Two each short-action, long-action and Magnum calibers
- Hi-gloss American walnut stock with Monte Carlo comb & cheekpiece, finely-cut checkering and black fore-end tip
- More features than any other left-hand, bolt-action big game rifle

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
243 Win.	24"	43 ½"	7 ¼	6983
270 Win.	22"	42 ½"	7 ¼	6985
7mm-08 Rem.	22"	41 ½"	7 ¼	6987
30-06	22"	42 ½"	7 ¼	6989
7mm Rem. Mag.	24"	44 ½"	7 ¼	6991
300 Win. Mag.	24"	44 ½"	7 ¼	6993

MODEL 700™ CENTERFIRE – BOLT ACTION RIFLES W/DETACHABLE MAGAZINE




MODEL 700™ BDL SS DM

NEW

- Quick release, detachable magazine convenience
- Maximum resistance to corrosion and elements
- Stainless steel barrel, receiver and bolt
- Non-glare matte finish on exposed metal
- 24" barrels for optimum ballistic performance in 12 calibers


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
6mm Rem.	24"	43 1/4"	6 1/4	6903
243 Win.	24"	43 1/4"	6 1/4	6905
25-06 Rem.	24"	44 1/4"	6 1/4	6907
270 Win.	24"	44 1/4"	6 1/4	6909
280 Rem.	24"	44 1/4"	6 1/4	6911
7mm-08 Rem.	24"	43 1/4"	6 1/4	6913
30-06	24"	44 1/4"	6 1/4	6915
308 Win.	24"	43 1/4"	6 1/4	6917
7mm Rem. Mag.	24"	44 1/4"	7	6933
300 Win. Mag.	24"	44 1/4"	7	6935
300 Wby. Mag.	24"	44 1/4"	7	6937
338 Win. Mag.	24"	44 1/4"	7	6939

MODEL SEVEN™ CENTERFIRE – LIGHTWEIGHT BOLT ACTION RIFLE

MODEL SEVEN™ - SS
(STAINLESS SYNTHETIC)

- All the accuracy and compactness of Model Seven™ with durability of 416-grade stainless steel barreled action and synthetic stock
- Unblued metal work with non-reflective satin finish
- Stock has classic fore-end profile with black, textured finish
- Weighs just 6 1/4 lbs. with 20" barrel

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
243 Win.	20"	39 1/4"	6 1/4	4739
7mm-08 Rem.	20"	39 1/4"	6 1/4	4741
308 Win.	20"	39 1/4"	6 1/4	4743




MODEL SEVEN™ - LIGHTWEIGHT

- 20% lighter than Model 700™, and full five inches shorter
- 18 1/2" tapered barrel for easy handling and pointability
- Ramp front sight, adjustable rear sight and hinged magazine floorplate

Note: 17 Remington has clean barrel and no sights

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
223 Rem.	18 1/2"	37 1/4"	6 1/4	4720
6mm Rem.	18 1/2"	37 1/4"	6 1/4	4784
243 Win.	18 1/2"	37 1/4"	6 1/4	4782
7mm-08 Rem.	18 1/2"	37 1/4"	6 1/4	4786
308 Win.	18 1/2"	37 1/4"	6 1/4	4788
17 Rem. (No sights)	18 1/2"	37 1/4"	6 1/4	4792

MODEL SEVEN™ CENTERFIRE - LIGHTWEIGHT BOLT ACTION RIFLE




MODEL SEVEN™ - YOUTH

- Offered in two calibers: 243 Win., and 7mm-08 Remington
- Hardwood stock is one inch shorter for easy control by small-framed shooters
- Strength and accuracy of Remington's full-size centerfire rifles

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
243 Win.	18 1/2"	36 1/2"	6	4774
7mm-08 Rem.	18 1/2"	36 1/2"	6	4778


CENTERFIRE REPEATING RIFLES



MODEL 7400™ AUTOLOADING RIFLES

- Offers impressive pointability, balance and performance
- 22" barrel; 18 1/2" barrel in 30-06 Carbine
- Uniform bolt velocity eases wear and tear and improves reliability
- Drop-out clip magazine
- Choice of satin or gloss finish on American walnut stock

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Finish	Order No.
243 Win.	22"	42 1/2"	7 1/2	Satin	9756
270 Win.	22"	42 1/2"	7 1/2	Satin	9757
270 Win. (High Gloss)	22"	42 1/2"	7 1/2	Gloss	9759
280 Rem.	22"	42 1/2"	7 1/2	Satin	9761
30-06	22"	42 1/2"	7 1/2	Satin	9763
30-06 (High Gloss)	22"	42 1/2"	7 1/2	Gloss	9765
308 Win.	22"	42 1/2"	7 1/2	Satin	9767
35 Whelen	22"	42 1/2"	7 1/2	Satin	4699
30-06 Carbine (18 1/2" Barrel)	18 1/2"	39 1/2"	7 1/2	Satin	9769



MODEL 7600™ PUMP ACTION RIFLE

- Positive feel and performance of a pump action with excellent balance and pointability
- Fully floated 22" barrel; 18 1/2" barrel in 30-06 Carbine
- Drop-out clip magazine
- Choice of satin or gloss finish on American walnut stock

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Finish	Order No.
243 Win.	22"	42 1/2"	7 1/2	Satin	4653
270 Win.	22"	42 1/2"	7 1/2	Satin	4655
270 Win. (High Gloss)	22"	42 1/2"	7 1/2	Gloss	4667
280 Rem.	22"	42 1/2"	7 1/2	Satin	4663
30-06	22"	42 1/2"	7 1/2	Satin	4657
30-06 (High Gloss)	22"	42 1/2"	7 1/2	Gloss	4671
308 Win.	22"	42 1/2"	7 1/2	Satin	4659
35 Whelen	22"	42 1/2"	7 1/2	Satin	4665
30-06 Carbine (18 1/2" Barrel)	18 1/2"	39 1/2"	7 1/2	Satin	4661


RIMFIRE RIFLES



MODEL 522™ VIPER™ 22 AUTOLOADING RIFLE


- State of the art gun design
- Features durable black synthetic stock
- Slim, checkered stock grip and semi-beavertail shaped fore-end
- Scope mounting rail accepts 1" Weave-style rings
- Lightweight synthetic receiver and adjustable rear sights
- Includes easy-to-load 10-round magazine

Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
522™ Viper™	22"	40"	4 ½	9792

MODEL 552™ BDL DELUXE SPEEDMASTER®
AUTOLOADING 22 RIFLE

- Features 21" barrel and big game sights
- Shoots short, long, and long rifle cartridges interchangeably
- Magazine capacity: 20 short; 17 long; 15 long rifle 22's
- Converts to single shot by removing magazine tube
- High gloss Monte Carlo walnut stock with cut checkering and high luster blueing

Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
552™ Speedmaster®	20"	40"	4 ½	5594

MODEL 572™ BDL DELUXE FIELDMASTER®
PUMP ACTION 22 RIFLE

- Features 21" barrel and big game sights
- 21" barrel with high gloss wood and metal finish
- High gloss Monte Carlo walnut stock with cut checkering and high luster blueing
- Shoots short, long, and long rifle cartridges interchangeably
- Magazine capacity: 20 short; 17 long; 15 long rifle 22's

Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
572™ Fieldmaster®	21"	40"	5 ½	5624


RIMFIRE RIFLES



MODEL 541-T™ AND 541-T™ HB BOLT ACTION RIFLES

- Standard features include 24" barrel, rear lock-up bolt action, and ordnance grade steel receiver
- Solid American walnut stock complemented by a black fore-end tip
- Deep cut checkering on pistol grip and fore-end
- Model 541-T™ HB has same features as standard 541-T™, but with 24" heavy varmint barrel
- Comes with 5-shot clip, 10-shot clip available as optional accessory


Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
541-T™	24"	42 1/2"	5 1/4	9824
541-T™ HB	24"	42 1/2"	5 1/4	9822



SPORTSMAN 581-S™ BOLT ACTION RIFLE

- Entry-level rifle with lifetime application
- Five-shot clip and single-shot adapter
- Monte Carlo styled hardwood stock
- Rear lock-up action with 24" barrel

Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
581-S™	24"	42 1/2"	5 1/4	9848



1816 REMINGTON COMMEMORATIVE FLINTLOCK RIFLE

- Authentic replica of first Remington rifle
- Limited edition, available for one year only
- American-made components include Ketland-style stock
- 39-inch, .50 caliber octagonal barrel, one in 66" rifling
- Hand-finished stock of extra-fancy curly maple
- Polished brass butt plate and hand-engraved patch box

NEW

Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
1816 Flintlock Rifle	39"	56"	8	7570

CUSTOM SHOP HIGH GRADE RIFLES



MODEL 700™ AFRICAN PLAINS RIFLE

- Custom-crafted for the world's greatest big game challenges
- Magnum receiver and 26" custom-profile barrel
- Action epoxy-bedded to stable, pressure-laminated wood stock
- Handsome light and dark brown wood tones with satin finish
- Rich metal bluing with fine, non-glare satin finish
- Solid steel trigger guard and floorplate assembly
- Chambered for five powerful Magnum calibers


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
7mm Rem. Mag.	26"	46 1/2"	7 1/4	5945
300 Win. Mag.	26"	46 1/2"	7 1/4	5947
300 Wby. Mag.	26"	46 1/2"	7 1/4	5949
338 Win. Mag.	26"	46 1/2"	7 1/4	5951
375 H&H Mag.	26"	46 1/2"	7 1/4	5953



MODEL 700™ ALASKAN WILDERNESS RIFLE

- Custom-crafted for the toughest outdoor conditions
- Stainless steel barreled action with matte black finish
- Kevlar® reinforced fiberglass stock with textured black surface
- Action epoxy-bedded to stock
- High-country weight of just 6 3/4 pounds
- Available in five powerful Magnum calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
7mm Rem. Mag.	24"	44 1/2"	6 1/2	5915
300 Win. Mag.	24"	44 1/2"	6 1/2	5917
300 Wby. Mag.	24"	44 1/2"	6 1/2	5919
338 Win. Mag.	24"	44 1/2"	6 1/2	5921
375 H&H Mag.	24"	44 1/2"	6 1/2	5923

MODEL 700™ SAFARI GRADE
(MONTE CARLO WOOD STOCK) RIGHT-HAND ONLY

- Customized for the world's largest, toughest big game
- Strength and reliability of the Model 700™ action
- Steady, heavy 24" barrel with adjustable, open sights
- Select American walnut stock, Monte Carlo profile
- Available in four, powerful Magnum calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
8mm Rem. Mag.	24"	44 1/2"	9	5816
375 H&H Mag.	24"	44 1/2"	9	5836
416 Rem. Mag.	24"	44 1/2"	9	5834
458 Win. Mag.	24"	44 1/2"	9	5838


CUSTOM SHOP HIGH GRADE RIFLES



MODEL 700™ SAFARI GRADE
(CLASSIC WOOD STOCK) RIGHT-OR LEFT-HAND ACTION

- Safari rifle with classic, straight-comb stock
- Select, strong, straight-grained American walnut
- Stock reinforcing $\frac{3}{16}$ " cross bolts with rosewood plugs
- Action epoxy-bedded to satin-finished stock
- Four magnum calibers in right- and left-hand versions


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
8mm Rem. Mag.	24"	44 $\frac{1}{2}$ "	9	5892	5890
375 H&H Mag.	24"	44 $\frac{1}{2}$ "	9	5848	5882
416 Rem. Mag.	24"	44 $\frac{1}{2}$ "	9	5840	5884
458 Win. Mag.	24"	44 $\frac{1}{2}$ "	9	5880	5886



MODEL 700™ CUSTOM RIFLE

- The finest, individual hand craftsmanship
- Built one at a time to personal specifications
- Based on strong, proven Model 700™ action
- Wide selection of stock woods, style and finish
- Broad options in engraving and decoration
- Individually bored, rifled, turned and crowned barrels
- Complete hand-fitting and assembly

Model	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
700™ Custom	Custom	Custom	Custom	5948




MODEL 40-XR™ CUSTOM SPORTER

- The finest rimfire sporter rifle made
- Built on Model 40-XR™ target rifle action
- Same hand craftsmanship as Model 700™ Custom
- Many options in stock selection, decoration and finish

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.
22 Long Rifle	Custom	Custom	Custom	5662

CUSTOM SHOP HIGH GRADE RIFLES



MODEL 700™ CUSTOM KS
(KEVLAR® STOCK) MOUNTAIN RIFLE

- Custom built, lightweight big game rifle
- Kevlar® reinforced fiberglass stock with textured gray finish
- Straight comb stock profile with cheekpiece
- 24" clean barrel without sights
- 10 big game calibers in right- and left-hand actions


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
270 Win.	24"	44 1/2"	6 1/2"	5636	5648
280 Rem.	24"	44 1/2"	6 1/2"	5638	5650
30-06	24"	44 1/2"	6 1/2"	5640	5652
7mm Rem. Mag.	24"	44 1/2"	6 1/2"	5642	5654
300 Weatherby Mag.	24"	44 1/2"	6 1/2"	5625	5627
300 Win. Mag.	24"	44 1/2"	6 1/2"	5644	5656
35 Whelen	24"	44 1/2"	6 1/2"	5609	5611
338 Win. Mag.	24"	44 1/2"	6 1/2"	5613	5615
8mm Rem. Mag.	24"	44 1/2"	6 1/2"	5617	5619
375 H&H Mag.	24"	44 1/2"	6 1/2"	5646	5658



MODEL 700™ CUSTOM KS
(STAINLESS) MOUNTAIN RIFLE RIGHT-HAND ONLY

- Uncolored stainless steel version of rifle above
- All other Model 700™ Custom KS features
- Right-hand models only
- Light weight from 6 3/4 to 6 1/2 pounds
- Choice of eight big game calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
270 Win.	24"	44 1/2"	6 1/2"	7120	
280 Rem.	24"	44 1/2"	6 1/2"	7122	
30-06	24"	44 1/2"	6 1/2"	7124	
7mm Rem. Mag.	24"	44 1/2"	6 1/2"	7126	
300 Wby. Mag.	24"	44 1/2"	6 1/2"	7128	
300 Win. Mag.	24"	44 1/2"	6 1/2"	7130	
338 Win. Mag.	24"	44 1/2"	6 1/2"	7134	
375 H&H Mag.	24"	44 1/2"	6 1/2"	7138	




MODEL 700™ CUSTOM KS SAFARI GRADE RIFLE
RIGHT AND LEFT-HAND

- Synthetic stock version of Model 700™ Safari Grade
- Kevlar® reinforced fiberglass stock with straight comb & cheekpiece
- Non-reflective satin-gray stock finish with cut checkering
- Blued, black matte, non-glare exposed metal finish
- Heavy 22" barrel with adjustable, open sights
- Right- & left-hand versions of four heavy magnum calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
8mm Rem. Mag.	22"	42 1/2"	9	6118	6150
375 H&H Mag.	22"	42 1/2"	9	6120	6152
416 Rem. Mag.	22"	42 1/2"	9	6122	6154
458 Win. Mag.	22"	42 1/2"	9	6124	6156


CUSTOM SHOP HIGH GRADE RIFLES



MODEL 700™ CUSTOM KS SAFARI (STAINLESS)
RIGHT-HAND ONLY

- Stainless steel version of Model 700™ Custom KS Safari Grade
- Non-glare matte finish on exposed stainless receiver & barrel
- Action is epoxy-bedded to synthetic stock
- 22" heavy barrel with adjustable, open sights
- Right-hand only in three African magnum calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No. R-H
375 H&H Mag.	22"	42 1/2"	9	6157
416 Rem. Mag.	22"	42 1/2"	9	6159
458 Win. Mag.	22"	42 1/2"	9	6161



MODEL SEVEN™ CUSTOM KS

- Described as "World's greatest whitetail deer rifle"
- Model 700™ type strength and accuracy
- Highly portable light weight of just 5 3/4 pounds
- Kevlar® reinforced fiberglass stock in gray camo
- Action epoxy-bedded to synthetic stock
- 20" barrel in five calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No. R-H
223 Rem.	20"	39 1/2"	5 3/4	4731
308 Win.	20"	39 1/2"	5 3/4	4737
7mm-08 Rem.	20"	39 1/2"	5 3/4	4735
35 Rem.	20"	39 1/2"	5 3/4	4724
350 Rem. Mag.	20"	39 1/2"	5 3/4	4722



MODEL SEVEN™ CUSTOM MS
(MANNLICHER STOCK) RIGHT-HAND ONLY

- Model Seven™ Custom with Mannlicher stock
- Full-length Mannlicher stock of handsome, laminated hardwood
- Fast-pointing, straight-comb stock with cheekpiece
- Chambered for 11 short-action calibers
- Average weight just 6 1/2 pounds

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No. R-H
222 Rem.	20"	39"	6 1/2	4771
223 Rem.	20"	39"	6 1/2	4757
22-250 Rem.	20"	39"	6 1/2	4773
243 Win.	20"	39"	6 1/2	4777
6mm Rem.	20"	39"	6 1/2	4775
250 Savage	20"	39"	6 1/2	4769
257 Roberts	20"	39"	6 1/2	4767
308 Win.	20"	39"	6 1/2	4759
7mm-08 Rem.	20"	39"	6 1/2	4761
35 Rem.	20"	39"	6 1/2	4763
350 Rem. Mag.	20"	39"	6 1/2	4765

CUSTOM SHOP HIGH GRADE RIFLES



MODEL 40-XR™ KS (KEVLAR® STOCK POSITION RIFLE)

- Single shot 22 caliber rimfire position target rifle
- Kevlar® reinforced fiberglass stock, matte gray finish
- Adjustable comb and 2-way adjustable butt plate
- Externally adjustable trigger, 1 ½ to 3 ½ pounds
- 24" blued carbon steel barrel, 1 in 14 ½" twist
- Guaranteed minute-of-angle accuracy


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
22 Rimfire	24"	43 ½"	10 ½	5669	-



MODEL 40-XRBR™ (KEVLAR® STOCK BENCHREST RIFLE)

- Single shot rimfire benchrest-style target rifle
- Flat-bottomed, Kevlar® reinforced fiberglass stock
- Straight comb without cheekpiece
- Externally adjustable trigger, 1 ½ to 3 ½ pounds
- 22" unblued stainless steel barrel
- 50-yard minute-of-angle accuracy

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
22 Rimfire	22"	40"	9 ½	5671	-



MODEL 40-XR™ KS SPORTER

- Rimfire version of Model 700™ Custom KS Mountain rifle
- Kevlar® reinforced fiberglass stock, matte gray finish
- Classic stock style, straight comb with cheekpiece
- Utilizes Model 40-XR™ rimfire target rifle action
- Action epoxy-bedded to stock
- 24" custom-grade carbon steel barrel
- Black matte finish on barrel and receiver

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
22 Rimfire	24"	44 ½"	6 ½	5673	-


CUSTOM SHOP HIGH GRADE RIFLES



MODEL 40-XB™ RANGEMASTER®

- Special order super accurate centerfire target rifle
- Straight-comb walnut stock, fore-end rail with hand stop
- Barrel and action of unblued stainless steel
- 27 ¼" target barrel without sights
- Single shot or repeater versions
- Externally adjustable trigger, 1 ½ to 3 ½ pounds
- Left-hand versions on special order
- Chambered for 15 centerfire calibers
- Meets pre-stated accuracy standards per caliber


Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
Single Shot	27 ¼"	47"	11 ½	Special	Special
Repeater	27 ¼"	47"	11 ½	Special	Special



MODEL 40-XB™ KS (KEVLAR® STOCK)

- Stainless steel, synthetic stock centerfire target rifle
- Kevlar® reinforced fiberglass stock, black matte finish
- Straight comb with cheekpiece, flat-bottom fore-end
- Other features and options similar to Model 40-XB™ Rangemaster®

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No.	
				R-H	L-H
Single Shot	27 ¼"	47"	10 ½	Special	-
Repeater	27 ¼"	47"	10 ½	Special	-




MODEL 40-XBBR™ KS

- Single shot, centerfire target rifle with benchrest stock
- Kevlar® reinforced fiberglass stock, Remington green
- Straight comb, no cheekpiece, flat-bottomed fore-end
- Carbon steel receiver, stainless steel 20" or 24" barrel
- Externally adjustable trigger, 1 ½ to 3 ½ pounds
- Chambered for seven benchrest calibers

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No. R-H
Bench Rest, Single Shot	20"/24"	38"/42"	9 ¼/10 ¼	Special

CUSTOM SHOP HIGH GRADE RIFLES



MODEL 40-XC™ KS


- Centerfire repeater position target rifle
- Kevlar® reinforced fiberglass stock, matte gray finish
- Adjustable comb and 2-way adjustable butt plate
- Stainless steel receiver and 24" barrel
- Externally adjustable trigger, 1 ½ to 3 ½ pounds
- Chambered for 223 Remington & 308 Win. (7.62 Nato)

Caliber	Barrel length	Overall length	Avg. Wt. lbs.	Order No. R-H
223 Rem.	24"	43 ½"	11	5989
7.62mm NATO	24"	43 ½"	11	6000

CUSTOM MODEL 11-87™, MODEL 1100™, MODEL 870™,
MODEL 7400™ AND MODEL 7600™

- Complete custom-crafted rifles and shotguns
- All work and components from a single, reliable source
- Three grades of custom finish and decoration
- A variety of options in:
 - Stock style, wood and finish
 - Metal finish and stock dimensions
 - Shotgun barrel length and choke selection
 - Custom engraving and gold inlay work
 - All centerfire calibers
 - All Remington-available shotgun gauges

Special order from Remington Custom Shop




Grade	Order No.
D Grade	Special
F Grade	Special
F Grade with Gold Inlay	Special




MODEL 90-T™ SINGLE BARREL TRAP GUNS

- Single-shot competition trap gun
- Stock design and mass distribution creates low perceived recoil
- 34" overbored barrel with lengthened forcing cone and fixed full choke
- Removable side plates and drop-out trigger mechanism
- Satin-finished American walnut stock with deep-cut checkering
- Optional version with adjustable, high post rib and matching, adjustable-comb stock
- Exceptionally fast lock time of under three milliseconds



Model	Barrel length	Gauge	Choke	Finish	Order No.
90-T™ Std. Rib	34" VR	12	Full	Satin	4830
90-T™ High Post Adj. Rib	34" VR	12	Full	Satin	4834

BARRELED ACTIONS



Individual barreled actions for Remington bolt action rifles are available in a wide selection of short- and long-action and Magnum calibers. Left-hand barreled actions also available for the Model 700™ BDL. (See charts for selections)

MODEL 700™ ADL

- Standard barreled action features of Model 700™ ADL
- Right-hand actions in choice of five calibers
- Short, long and magnum action lengths
- Famous Model 700™ strength and accuracy

Caliber	Barrel length	Order No. R-H	Order No. L-H
243 Win.	22"	7300	-
270 Win.	22"	7302	-
30-06	22"	7304	-
308 Win.	22"	7306	-
7mm Rem. Mag.	24"	7308	-

MODEL 700™ BDL

- Standard features of Model 700™ BDL
- Twelve right-hand actions (see below for left-hand versions)
- Short, long and magnum-length actions
- Hinged floorplate magazine bottom
- Hooded ramp front sight and adjustable rear sight

Caliber	Barrel length	Order No. R-H	Order No. L-H
17 Rem.	24"	7360	-
222 Rem.	24"	7340	-
22-250 Rem.	24"	7342	-
223 Rem.	24"	7344	-
243 Win.	22"	7348	-
25-06 Rem.	24"	7350	-
270 Win.	22"	7352	-
7mm-08 Rem.	22"	7354	-
30-06	22"	7356	-
308 Win.	22"	7358	-
7mm Rem. Mag.	24"	7362	-
300 Win. Mag.	24"	7364	-

MODEL 700™ BDL-LEFT HAND

- True, left-hand mirror image of standard BDL version
- Choice of four popular calibers
- Same strength and accuracy of all Model 700™ rifles
- Ideal for matching with custom stocks

Caliber	Barrel length	Order No. R-H	Order No. L-H
243 Win.	22"	-	7372
270 Win.	22"	-	7374
30-06	22"	-	7376
7mm Rem. Mag.	24"	-	7380

MODEL SEVEN™

- Lightweight, fast-handling portability
- Offered in five short-action calibers
- Hinged magazine floorplate
- Ramp front sight, adjustable rear sight

Caliber	Barrel length	Order No. R-H	Order No. L-H
223 Rem.	18 1/2"	7420	-
6mm Rem.	18 1/2"	7422	-
243 Win.	18 1/2"	7424	-
7mm-08 Rem.	18 1/2"	7426	-
308 Win.	18 1/2"	7428	-

GENUINE REMINGTON FACTORY EXTRA BARRELS

A wide selection of extra barrels are available to add versatility to current Remington shotguns or to upgrade older models.
(Refer to charts and related notes for compatibility of individual barrels to current and older models.)

MODEL SP-10™ EXTRA BARRELS - 3 1/4" CHAMBERS

Length & Choke	Order No. 10-ga.
SP Magnum, Vent Rib	
26" Rem™ Choke	7598
SP Deer Barrel/Rifle Sights	
22" Rem™ Choke ²	7592

MODEL 11-87™ PREMIER™ EXTRA BARRELS - 3" CHAMBERS

Length & Choke	Order No. 12-ga.
Deer Barrel ¹ , Cantilever Scope Mount	
21" Fully Rifled	9615
Deer Barrel ¹ , Rifle Sights	
21" Fully Rifled	9606
21" Rem™ Choke ²	9623
21" Rem™ Choke (L-H) ²	9625
SP Deer Barrels, Cantilever Scope Mount	
21" Fully Rifled	4645
21" Rem™ Choke ¹	4647
SP Deer Barrels, Rifle Sights	
21" Rem™ Choke ²	9627
21" Fully Rifled	9609
SP Magnum, Vent Rib	
30" Rem™ Choke	4638
28" Rem™ Choke	9611
26" Rem™ Choke	4640
Premier™, Vent Rib	
30" Rem™ Choke, Light Contour	9600
30" Rem™ Choke	4642
28" Rem™ Choke, Light Contour	9602
28" Rem™ Choke	4644
26" Rem™ Choke, Light Contour	9604
26" Rem™ Choke	4646
Premier™ Skeet Barrel (2 3/4" chamber only)	
26" Rem™ Choke	4624
Premier™ Trap Barrel (2 3/4" chamber only)	
30" Rem™ Choke	4626

MODEL 1100™ EXTRA BARRELS - 2 3/4" CHAMBERS

Length & Choke	12-ga.	20-ga. LT-20
Field Grade, Cantilever Scope Mount		
21" Fully Rifled	6595	6597
Field Grade, Deer, Rifle Sights		
21" Fully Rifled	9570	—
21" Rem™ Choke ²	9565	—
21" Rem™ Choke (L-H) ²	9567	—
21" Imp. Cyl.	—	4438
SP Deer, Rifle Sights		
21" Rem™ Choke ²	9571	—
Steel Shot Barrel, 12-gauge		
30" Rem™ Choke	9505	—
26" Rem™ Choke	9509	—
Field Grade, Vent Rib		
30" Rem™ Choke	4488	—
28" Rem™ Choke	4464	4484
26" Rem™ Choke	4466	4486
Trap, Vent Rib		
30" Rem™ Choke	4492	—
Skeet, Vent Rib		
26" Rem™ Choke	4490	—
D & F Grades (engraved):	Special Order	

**PLEASE NOTE THE FOLLOWING
AMMUNITION RECOMMENDATIONS
FOR USE WITH THE MODEL 1100™
STEEL SHOT BARREL.**

When used with Model 1100™ Magnum shotguns:

- Use 2 3/4" magnum or 3" magnum steel shotshells.
- Use 2 3/4" magnum or 3" magnum lead shotshells.

When used with Model 1100™ non-magnum shotguns:

- Use 2 3/4" magnum or 3" magnum steel shotshells.
- Use 2 3/4" magnum lead shotshells. Do not use 3" magnum lead shotshells in non-magnum Model 1100™ shotguns, as this will cause extra wear and decrease the life of the gun.

NOTE: LT-20, 20-gauge Lightweight barrels (4400 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100 shotguns. (Refer to parts list for pre-1977 barrels.)

¹ Cantilever Rem™ Choke Deer barrels supplied with Imp. Cyl. and new Extended Rifled choke tubes. ² Rifle sighted Rem™ Choke Deer barrels supplied with rifled and Imp. Cyl. choke tubes.

MODEL 870™ EXTRA BARRELS - 3" CHAMBERS

Model 870™ extra barrels with 3" chambers used on Magnum receivers will handle both 2 3/4" and 3" shells. Use only 2 3/4" shells when these barrels are used on non-magnum receivers.

Length & Choke	12-ga.	20-ga. ^o
Field Grade, Vent Rib, Wingmaster®		
30" Rem™ Choke, Light Contour	6215	—
30" Rem™ Choke	4576	—
28" Rem™ Choke, Light Contour	6217	—
28" Rem™ Choke	4580	4606
26" Rem™ Choke, Light Contour	6219	—
26" Rem™ Choke	4582	4608
Deer Barrel, Cantilever Scope Mount		
20" Fully Rifled	4557	4561
Deer Barrel, Rifle Sights		
20" Rem™ Choke ²	4545	—
20" Rem™ Choke (L-H) ²	4547	—
20" Fully Rifled	4558	—
20" Imp. Cyl.	—	4578
SP Deer Barrel, Cantilever Scope Mount		
20" Fully Rifled	6229	—
20" Rem™ Choke ¹	6227	—
SP Deer, Rifle Sights		
20" Rem™ Choke ²	4549	—
20" Fully Rifled	6239	—
Express® Deer, Rifle Sights	4622	—
SP, Vent Rib		
30" Rem™ Choke	4590	—
28" Rem™ Choke	6225	—
26" Rem™ Choke	4592	—
D & F Grades (engraved):	Special Order	

^o20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns.

MODEL 870™ EXTRA BARRELS 2 3/4" CHAMBERS

Model 870™ extra barrels with 2 3/4" chambers will fit both Magnum and 2 3/4" receivers. Use only 2 3/4" shells in these barrels.

Type	Length & Choke	Order No. 12-ga.
Trap	30" Rem™ Choke	4614
Skeet	26" Rem™ Choke	4612

D & F Grades (engraved): Special Order in all gauges

Rem™ Choke target barrels have Trap Full, Extra Full and Super Full, or Skeet and Improved Skeet, plus wrench.

Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our new Light Contour shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard vent rib or deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., 14 Hoefler Ave., Ilion, NY 13357

SHOTGUN SHELLS


SP DUPLEX® LEAD LOADS



- Only factory-loaded shell with two shot sizes carefully layered in one shell
- Charge of larger shot in front of hull and smaller pellets in rear
- Offers increased energy without reduction of pattern density
- Copper-plated, buffered magnum shells with black heads and olive drab hulls for optimum concealment advantages
- Exceptionally even patterns

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
MRP10H MAG	10	3 ½	Max.	1210	2 ¼	4x6§
MRP12XH MAG	12	3	Max.	1175	2	4x6
MRP12H MAG	12	3	Max.	1210	1 ½	2x6§, 4x6
MRP12S MAG	12	2 ¾	Max.	1260	1 ½	2x6§, 4x6

PREMIER™ MAGNUM TURKEY LOADS



- Magnum-grade shot covered with Copper-Lokt™ copper plating
- Special polymer buffering protects pellets for true flight and tight patterns
- Also features Remington Power Piston® wad
- Non-revealing olive drab hulls and black shell heads.

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Sizes
PR10HMAG	10	3 ½	Max.	1210	2 ¼	4,6
PR12SMAG	12	2 ¾	Max.	1260	1 ½	4,5,6
PR12XHMAG	12	3	Max.	1175	2	4,5,6
PR1235MAG	12	3 ½	Max.	1150	2 ¼	4,6
PR20HMAG	20	3	Max.	1185	1 ½	6

NITRO MAG® SHOTSHELLS




- Shock-absorbing polymer buffering
- Power Piston® wad protects specially hardened shot all the way down the barrel, for dense, even patterns
- Long-range power in 10-, 12- and 20-gauge

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Sizes
SP10HNM	10	3 ½	4 ½	1210	2 ¼	2§, 4, 6
SP12HNM	12	3	Max.	1210	1 ½	2, 4, 6
SP12NM	12	3	4	1280	1 ½	4, 6
SP12SNM	12	2 ¾	Max.	1260	1 ½	2, 4, 6
SP20HNM	20	3	Max.	1185	1 ½	4, 6, 7 ½
SP20NM	20	2 ¾	Max.	1175	1 ½	4, 6

§ = subject to stock on hand.

SHOTGUN SHELLS

EXPRESS® EXTRA LONG RANGE
SHOTSHELLS

- High-base loads offered in variety of loadings in all gauges
- Features Power Piston® wad to cushion and protect shot and prevent barrel leading
- Wad's base seals gas behind shot column to deliver maximum energy and tight, even patterns
- Loadings from 12-gauge to .410 bore

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Sizes
SP12	12	2 1/2	3 1/2	1330	1 1/2	BB, 2, 4, 5, 6, 7 1/2, 9
SP16	16	2 1/2	3 1/2	1295	1 1/2	4, 6, 7 1/2
SP20	20	2 1/2	2 1/2	1220	1	4, 5, 6, 7 1/2, 9
SP28	28	2 1/2	2 1/2	1295	1/2	6, 7 1/2
SP410	.410	2 1/2	Max.	1200	1/2	4, 6, 7 1/2
SP4103	.410	3	Max.	1135	1/2	4, 5, 6, 7 1/2, 9

PREMIER™ MAGNUM NICKEL-PLATED
BUCKSHOT LOADS

- Granulated buffering material cushions buckshot and keeps it round for tight, uniform patterns
- Extra-hard, nickel-plated pellets for super-tight, long-range patterns
- Available in range of sizes from 000 to 4
- 10 rounds per box

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	No. of Pellets	Shot Size
PR12SNBK	12	2 1/2	4	1290	12	00
PR12HNBK	12	3	4	1225	10	000§
PR12HNBK	12	3	4	1210	15	00
PR12HNBK	12	3	Max.	1040	24	1§
PR12HNBK	12	3	4	1210	41	4§



EXPRESS® BUCKSHOT


- Contains specially granulated buffering material to cushion and maintain roundness of buckshot
- Offers tight, uniform patterns
- Variety of shot sizes from 000 to 4
- 5 rounds per box

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	No. of Pellets	Shot Size
SP12BK-5PK	12	2 1/2	3 1/2	1325	8, 9, 12, 16, 27	000, 00, 0, 1, 4
SP16BK-5PK	16	2 1/2	3	1225	12	1
SP20BK-5PK	20	2 1/2	2 1/2	1200	20	3

§ = subject to stock on hand.

SHOTGUN SHELLS


EXPRESS® MAGNUM BUCKSHOT



- Maximum loads in 12-ga. 2 1/4" and 3" Magnums
- Granulated buffering prevents deformation
- True flight and even patterns
- Packed 5 rounds per box

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Pellet Count	Shot Sizes
SP12S MAGBK-5PK	12	2 1/4	4	1290	12,20	00, 1
SP12H MAGBK-5PK	12	3	4	1225	10,15,24,21	000, 00, 1, 4

PREMIER™ COPPER SOLID™ SABOT SLUGS



- Hollow point deer slug made of solid copper
- Four machined slots on slug direct mushrooming
- Maintains balance and concentricity
- Offers the accuracy of centerfire bullet
- Precision-molded sabot locks into rifling grooves for higher rotational speed and flight stability
- Ideal for fully-rifled barrels

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Slug Weight	Slug Type
PR12RS	12	2 1/4	Max.	1 oz.	Rifled Slug, H.P.
PR12MAGRS	12	3	Max.	1 1/4 oz.	Rifled Slug, H.P.
PR20RS	20	2 1/4	Max.	3/4 oz.	Rifled Slug, H.P.

SLUGGER® RIFLED SLUG LOADS



- Optimized shape and increased diameter offer improved aerodynamics and accuracy
- Alignment disc in wad column reduces barrel leading
- 12-ga. magnum shoots 25% flatter than regular 12-ga. slugs
- Standard velocity slugs are also available in 12-, 16-, 20-ga., and .410 bore

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Slug Weight	Slug Type
SP12RS	12	2 1/4	Max.	1	Rifled Slug, H.P.
SP12SMAGRS	12	2 1/4	Max.	1	Rifled Slug
SP12MAGRS	12	3	Max.	1	Rifled Slug
SP16RS	16	2 1/4	3	3/4	Rifled Slug, H.P.
SP20RS	20	2 1/4	2 1/4	3/4	Rifled Slug, H.P.
SP410RS	.410	2 1/4	Max.	3/4	Rifled Slug

SHOTGUN SHELLS

NITRO-STEEL™ MAGNUMS



- Features Rustless™ steel shot to prevent corrosion and "clumping"
- "Wetproof" primer and crimp sealing locks out moisture
- Industry's only factory loading of "TT" shot
- 37 different specifications in all
- Loadings in 10-12, and 20-gauge magnums

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
NSTL10MAG	10	3 1/4	Mag.	1260	1 1/4	TT,T,BBB,BB,2
NSTL1235MAG	12	3 1/4	Mag.	1300	1 1/4	TT,T,BBB,BB,2
NSTL12HMAG	12	3	Mag.	1265	1 1/4	TT,T,BBB,BB,1,2,3,4
NSTL12MAG	12	3	Mag.	1375	1 1/4	TT,T,BBB,BB,1,2,3,4
NSTL12SMAG	12	2 3/4	Mag.	1275	1 1/4	T,BBB,BB,1,2,3,4
NSTL20HMAG	20	3	Mag.	1330	1	2,3,4,6

EXPRESS-STEEL™



- Features Rustless™ steel shot and Wetproof™ primer and crimp treatment
- Ideal for close shots on decoying ducks, and for upland and small game hunting in "steel only" zones
- Line also includes eight loadings for 16- and 20-ga., with sizes 2 through 6
- Also features lightweight 12-ga. loading with less recoil

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
STLSP12	12	2 1/2	Max.	1365	1 1/4	BB, 1, 2, 3, 4, 6
STLSP12L	12	2 1/2	Max.	1375	1	2, 3, 4, 5, 6
STLSP16	16	2 1/2	Max.	1300	1 1/4	2, 4, 6§
STLSP20	20	2 1/2	Max.	1425	1 1/4	2, 3, 4, 5§, 6

PREMIER™ COPPER PLATED FIELD LOADS



- Remington's highest quality field loads
- Mid-height brass cap offers strength
- Specially graded, extra-hard lead shot has Copper-Lokt™ plating for surface smoothness
- Power Piston® one-piece wad provides less distortion and gives dense patterns

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
PR12HF	12	2 1/2	3 1/4	1220	1 1/4	6, 7 1/2, 8§
PR12F	12	2 1/2	3 1/4	1255	1 1/4	6, 7 1/2, 8
PR16F	16	2 1/2	2 1/2	1185	1 1/4	6§, 8§
PR20F	20	2 1/2	2 1/2	1165	1	6, 7 1/2, 8

§ = subject to stock on hand.

SHOTGUN SHELLS



NEW

SHURSHOT® HEAVY FIELD LOADS

- Best-balanced 12-ga. field load ideal for upland game
- Produces exceptionally even patterns
- Reach-out power with mild recoil
- Choice of No. 6, 7 ½ & 8 shot to match game size

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
RP12H6★	12	2 ½	3 ¼	1200	1 ¼	6
RP12H75★	12	2 ½	3 ¼	1200	1 ¼	7 ½
RP12H8★	12	2 ½	3 ¼	1200	1 ¼	8

★NEW FOR 1995



SHURSHOT® HEAVY DOVE LOADS


- Designed specifically for upland and small game hunting
- ½ oz. more shot than promotional shells for better pattern density
- Increased pattern performance in a low-base field load
- Light recoil for high volume shooting

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
R12HD	12	2 ½	3 ¼	1255	1 ¼	6, 7 ½, 8
R20HD	20	2 ½	2 ½	1165	1	6, 7 ½, 8

NEW



NEW



REMINGTON TARGET LOADS

- New Nitro 27™ Gold Handicap and Premier™ 1 oz. Trap Loads
- Finest competition shotshells on the market
- Features 209 Premier™ primer and clean burning powder blends
- Duplex® target loads offer competitive edge when target size, angles and distances vary
- Durable Hardbody™ unibody hull for more reloads, and the patented Figure 8™ wad for uniform velocities and dependable patterns
- Available in 12-, 20-, and 28-ga., and .410, as well as Duplex® and Rem-Lite™ low recoil versions

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
RTL12L	12	2 ½	2 ½	1145	1 ¼	7 ½, 8, 8 ½, 9
RTL12M	12	2 ½	3	1200	1 ¼	7 ½, 8, 9
LRTL12	12	2 ½	-	1100	1 ¼	7 ½, 8, 9
MRTL12L	12	2 ½	2 ½	1145	1 ¼	7 ½ x 8, 7 ½ x 8 ½
MRTL12M	12	2 ½	3	1200	1 ¼	7 ½ x 8
SCI2L	12	2 ½	2 ½	1145	1 ¼	7 ½ x 8
SCI2M	12	2 ½	3	1200	¾	7 ½ x 8 ½
RTL12P	12	2 ½	3 ¼	1220	1 ¼	7 ½, 8
RUT12L	12	2 ½	-	1325	¾	7 ½, 9
RTL20	20	2 ½	2 ½	1200	¾	9
RTL20M	20	2 ½	2 ½	1175	1	9
SC28	28	2 ½	2	1200	¾	8
RTL28	28	2 ½	2	1200	¾	9
SC410	.410	2 ½	Max.	1200	¾	8 ½
SP410	.410	2 ½	Max.	1200	¾	9
RTL12NH★	12	2 ½	HNDGP	1200	1 ¼	7 ½, 8
RTL121★	12	2 ½	2 ½	1175	1	8, 8 ½
SC20★	20	2 ½	2 ½	1200	¾	8
SC410★	.410	2 ½	Max.	1200	¾	8 ½*
RTL410★	.410	2 ½	Max.	1200	¾	9*

*Uses a special shot container. ★NEW FOR 1995

§ = subject to stock on hand.

SHOTGUN SHELLS

REMINGTON PREMIER™ STEEL
TARGET LOADS

- Powders specially formulated for consistent velocity and minimum recoil
- Specially-graded steel shot is highly polished and lubricated to minimize choke strain
- One-piece shot container design cradles shot and protects barrel
- Features Remington Hardbody™ hull for strength and reloadability
- 12-ga. 2 1/2 and 3-dram loads, with 1 1/4-ounce choices of 8's, 7's and 6 1/2's for skeet, trap singles, handicap and sporting clays
- 20-ga. skeet load features full 7/8 ounce load of 8's

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
RSTL12M	12	2 1/2	3	1200	1 1/4	7
RSTL12L	12	2 1/2	2 1/2	1145	1 1/4	8
RSTL20	20	2 1/2	2 1/2	1200	7/8	8

GAME LOADS, HEAVY GAME LOADS, AND
SPORT LOADS

- High-quality, factory loaded Remington shells, at an affordable price
- Total of 20 specifications offered within line of Game Loads, Heavy Game Loads, and Sport Loads
- Feature all plastic hull/base wad, Kleanbore® priming, specially formulated powder blends, Power Piston® wads, and top-quality Remington chilled shot for uniform patterns



Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3 ft.	Oz. of Shot	Shot Size
Game Loads						
GL12	12	2 1/2	3 1/2	1290	1	6, 7 1/2, 8
GL16	16	2 1/2	2 1/2	1200	1	6, 7 1/2, 8
GL20	20	2 1/2	2 1/2	1225	3/4	6, 7 1/2, 8
G410	.410	2 1/2	Max.	1200	1/2	6
Heavy Game Loads						
HGL12	12	2 1/2	3 1/2	1330	1 1/4	4, 6, 7 1/2
HGL16	16	2 1/2	3 1/2	1295	1 1/4	4 1/2, 6, 7 1/2
HGL20	20	2 1/2	2 1/2	1220	1	4, 6, 7 1/2
Sport Loads						
R12SL	12	2 1/2	3 1/2	1290	1	8
R20SL	20	2 1/2	2 1/2	1225	3/4	8

§ = subject to stock on hand.

RIMFIRE AMMUNITION

- Remington Rimfire ammunition is manufactured under the same stringent quality standards as our centerfire ammunition
- All primed cases inspected for defects


- Powders burn clean with lower chamber pressure and are 100% gauged for precise weight
- Bullets carefully swaged for uniformity that delivers consistent accuracy, and precision-lubed to prevent barrel leading



CBEE® 22

- Muzzle velocity of only 700 fps
- Ideal for small varmint hunting and target shooting
- Available in shorts and longs

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
CB-22S	22 CB Short, Low Velocity	30	RN
CB-22L	22 CB Long, Low Velocity	30	RN



HIGH VELOCITY 22

- Perfect for small game hunting or plinking
- Golden™ bullet cartridges chamber easily and shoot clean
- Available in shorts, longs, and long rifle

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
1022	22 Short, High Velocity	29	RN
1522	22 Long Rifle, High Velocity	40	RN
1500	22 Long Rifle, High Velocity	40	RN
1622	22 Long Rifle, High Velocity	36	HP
1600	22 Long Rifle, High Velocity	36	HP



VIPER™ HYPER VELOCITY 22

- Offers superior accuracy and on-target energy
- Muzzle velocity 1410 fps
- 36 gr. truncated-cone solid bullet


Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
1922	Viper™ - 22 Long Rifle, Hyper Velocity	36	TCSB

RIMFIRE AMMUNITION

YELLOW JACKET® LONG RIFLE
HYPER VELOCITY

- Like the Viper™ hyper velocity 22, this cartridge offers optimum accuracy and on-target energy
- 33 gr. truncated-cone hollow point bullet
- Muzzle velocity is 1500 fps

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
1722	Yellow Jacket® 22 Long Rifle, Hyper Velocity	33	TCHP



TARGET STANDARD VELOCITY 22

- Reliable long rifle target load with consistent velocity
- Features solid lead bullet that delivers superior accuracy
- Packed in 50 and 100-round boxes.

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
6122 (50/box)	22 Long Rifle, Target	40	RN
6100 (100/box)	22 Long Rifle, Target	40	RN



22 THUNDERBOLT™

- Long rifle 22 offers high performance at an affordable price
- Features 40 gr. lead solid bullet


Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
TB-22A	Thunderbolt™ 22 Long Rifle, High Speed	40	RN



22 SUBSONIC

- Full-sized long rifle cartridge loaded to 1050 fps
- Subsonic velocity eliminates muzzle crack
- Perfect for small game at medium range
- Functions in all popular 22 autoloaders
- Features 38-gr. lead hollow point bullet

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
SUB22HP	SubSonic 22 Long Rifle	38	HP



22 CYCLONE™

- Economically priced long rifle cartridge ideal for small game
- Features 36 gr. lead hollow point expanding bullet

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
CY-22HP	Cyclone™-22 Long Rifle, High Speed	36	HP

REMINGTON CENTERFIRE RIFLE AMMUNITION

REMINGTON EXTENDED RANGE
CENTERFIRE RIFLE CARTRIDGES

- Extraordinary bullet design overcomes trajectory-robbing drag of wind
- Shoots flatter and arrives with considerably more energy than other bullets
- Offers superb accuracy

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
ER243WA	243 Win.	105	ER
ER6MMRA§	6mm Remington	105	ER
ER2506A	25-06 Remington	122	ER
ER257A§	257 Roberts	122	ER
ER270WB§	270 Win.	135	ER
ER270WA	270 Win.	140	ER Boat Tail
ER3030A	30-30 Win.	160	ER
ER7M08A	7mm-08 Remington	154	ER
ER280RA	280 Remington	165	ER
ER7MMA	7mm Remington Mag.	165	ER
ER7MWBA§	7mm Weatherby Mag.	165	ER
ER3006A	30-06 Springfield	152	ER
ER3006B	30-06 Springfield	165	ER Boat Tail
ER3006C§	30-06 Springfield	178	ER
ER300WB	300 Win. Mag.	190	ER Boat Tail
ER30WBA§	300 Weatherby Mag.	178	ER
ER30WBB	300 Weatherby Mag.	190	ER Boat Tail
ER308WA	308 Win.	165	ER Boat Tail
ER308WB§	308 Win.	178	ER

§ = subject to stock on hand.

REMINGTON SAFARI GRADE
CENTERFIRE RIFLE CARTRIDGES

- Features Swift A-Frame™ bullet
- 100% copper jacket over pure lead core
- Expands fully over wide range of velocities
- Nickel-plated cases offer smooth feeding and reliable extraction
- Loading process conforms to Remington's stringent quality standards



Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
RS270WA★	270 Win.	140	Swift PSP
RS7MMA	7mm Remington Mag.	160	Swift PSP
RS3006A★	30-06 Springfield	180	Swift PSP
RS300WA	300 Win. Mag.	200	Swift PSP
RS338WA	338 Win. Mag.	225	Swift PSP
RS375MA	375 H&H Mag.	300	Swift PSP

★ NEW FOR 1995

REMINGTON CENTERFIRE RIFLE AMMUNITION

CORE-LOKT® SOFT POINT BULLET



- Provide superior penetration and controlled expansion on medium and heavy game
- Heavy jacket mid-section locks the lead core and jacket together, and stops expansion at optimum point for maximum energy transfer
- Bullet remains intact upon impact, expands in controlled manner, and mushrooms uniformly to nearly twice its original diameter

BRONZE POINT™ EXPANDING BULLET



- Bronze insert allows bullet to be shaped to exacting tolerances for a high ballistic coefficient
- Minimal velocity loss and wind drift, even at extreme ranges
- Lead core mushrooms rapidly upon impact for maximum energy transfer

CORE-LOKT® POINTED SOFT POINT BULLET



- Features sleek nose profile for higher ballistics coefficient and flatter trajectory at longer ranges
- High retained down range energy and controlled expansion on impact make this perfect choice for medium to heavy game

POWER-LOKT® HOLLOW POINT BULLET



- Offers long range pinpoint accuracy
- Copper jacket electrolytically bonded to lead core, forming a perfectly balanced, concentric projectile for true flight
- Superior accuracy and rapid, total expansion make Power-Lokt® ideal for long range varmint shooting
- Instant break-up eliminates ricochet

REMINGTON CENTERFIRE RIFLE AMMUNITION

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
R17REM	17 Remington	25	HP/Power-Lokt*
R22HN1	22 Hornet	45	PTD SP
R22HN2	22 Hornet	45	HP
R220S1	220 Swift	50	PTD SP
R222R1	222 Remington	50	PTD SP
R222R3	222 Remington	50	HP/Power-Lokt*
R222M1	222 Remington Mag.	55	PTD SP
R223R1	223 Remington	55	PTD SP
R223R2	223 Remington	55	HP/Power-Lokt*
R223R3	223 Remington	55	MC
R223R4	223 Remington	60	HP (Match)
R22501	22-250 Remington	55	PTD SP
R22502	22-250 Remington	55	HP/Power-Lokt*
R6MM1	6mm Remington	80	PTD SP
R6MM4	6mm Remington	100	PTD SP/Core-Lokt*
R6MMBR§	6mm BR Remington	100	PTD SP/Core-Lokt*
R243W1	243 Win.	80	PTD SP
R243W2	243 Win.	80	HP/Power-Lokt*
R243W3	243 Win.	100	PTD SP/Core-Lokt*
R25062	25-06 Remington	100	PTD SP/Core-Lokt*
R25063	25-06 Remington	120	PTD SP/Core-Lokt*
R25202	25-20 Remington	86	SP
R250SV	250 Savage	100	PTD SP
R257	257 Roberts	117	SP/Core-Lokt*
R65SWE1	6.5x55 Swedish Mauser	140	PTD SP/Core-Lokt*
R264W2	264 Win. Mag.	140	PTD SP/Core-Lokt*
R270W1	270 Win.	100	PTD SP
R270W2	270 Win.	130	PTD SP/Core-Lokt*
R270W3	270 Win.	130	Bronze Point™
R270W4	270 Win.	150	SP/Core-Lokt*
R7X641	7x64	140	PTD SP
R7X642	7x64	175	PTD SP/Core-Lokt*
R280R1	280 Remington	150	PTD SP/Core-Lokt*
R280R2	280 Remington	165	SP/Core-Lokt*
R280R3	280 Remington	140	PTD SP
R7M081	7mm-08 Remington	140	PTD SP
R7M082	7mm-08 Remington	120	HP
R7MMBR§	7mm BR Remington	140	PTD SP
R7MM2	7mm Remington Mag.	150	PTD SP/Core-Lokt*
R7MM3	7mm Remington Mag.	175	PTD SP/Core-Lokt*
R7MM4	7mm Remington Mag.	140	PTD SP
R7MWB1§	7mm Weatherby Mag.	140	PTD SP
R7MWB2	7mm Weatherby Mag.	175	PTD SP/Core-Lokt*
R7MSR1	7mm Mauser (7x57)	140	PTD SP
R30CAR	30 Carbine	110	SP
R30REM	30 Remington	170	SP/Core-Lokt*
R30301	30-30 Win.	150	SP/Core-Lokt*
R30302	30-30 Win.	170	SP/Core-Lokt*

§ = subject to stock on hand.



Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
R30303	30-30 Win.	170	HP/Core-Lokt*
R3030A	30-30 Win.	55	SP/Accelerator*
R30402	30-40 Krag	180	PTD SP/Core-Lokt*
R30061	30-06 Springfield	125	PTD SP
R30062	30-06 Springfield	150	PTD SP/Core-Lokt*
R30063	30-06 Springfield	150	Bronze Point™
R30064	30-06 Springfield	180	SP/Core-Lokt*
R30065	30-06 Springfield	180	PTD SP/Core-Lokt*
R30066	30-06 Springfield	180	Bronze Point™
R30067	30-06 Springfield	220	SP/Core-Lokt*
R30068	30-06 Springfield	165	PTD SP/Core-Lokt*
R30069	30-06 Springfield	55	PTD SP/Accelerator
R30SV2	300 Savage	150	PTD SP/Core-Lokt*
R30SV3	300 Savage	180	SP/Core-Lokt*
R300HH	300 H&H Mag.	180	PTD SP/Core-Lokt*
R300W1	300 Win. Mag.	150	PTD SP/Core-Lokt*
R300W2	300 Win. Mag.	180	PTD SP/Core-Lokt*
R300WB1	300 Weatherby Mag.	180	PTD SP/Core-Lokt*
R300WB2§	300 Weatherby Mag.	220	SP/Core-Lokt*
R303B1	303 British	180	SP/Core-Lokt*
R762391	7.62x39mm	125	PTD SP
R308W1	308 Win.	150	PTD SP/Core-Lokt*
R308W2	308 Win.	180	SP/Core-Lokt*
R308W3	308 Win.	180	PTD SP/Core-Lokt*
R308W7	308 Win. Match	168	Boat Tail HP
R8MSR	8mm Mauser	170	SP/Core-Lokt*
R32201	32-20 Win.	100	Lead
R32202	32-20 Win.	100	SP
R32WS2	32 Win. Special	170	SP/Core-Lokt*
R338W1	338 Win. Mag.	225	PTD SP
R338W2	338 Win. Mag.	250	PTD SP
R35R1	35 Remington	150	PTD SP/Core-Lokt*
R35R2	35 Remington	200	SP/Core-Lokt*
R35WH1	35 Whelen	200	PTD SP
R35WH2§	35 Whelen	250	SP
R35WH3	35 Whelen	250	PTD SP
R350M1	350 Remington Mag.	200	PTD SP/Core-Lokt*
R375M1	375 H&H Mag.	270	SP
R375M2	375 H&H Mag.	300	MC
R416R1§	416 Remington Mag.	400	Solid
R416R2	416 Remington Mag.	400	Swift PSP
R416R3§	416 Remington Mag.	350	Swift PSP
R444M	444 Marlin	240	SP
R440W	44-40 Win.	200	SP
R4570G	45-70 Govt.	405	SP
R4570L	45-70 Govt.	300	JHP
R458W1§	458 Win. Mag.	500	MC
R458W2	458 Win. Mag.	510	SP

BULLET STYLE DESCRIPTIONS

BJHP - Brass Jacketed Hollow Point

HP - Hollow Point

JHP - Jacketed Hollow Point

LHP - Lead Hollow Point

LRN - Lead Round Nose

MC - Metal Case

PTDSP - Pointed Soft Point

RN - Round Nose

SJHP - Semi Jacketed Hollow Point

SP - Soft Point


SWC - Semi Wadcutter

TEMC - Totally Encapsulated Metal Case

TMWC - Target Master® Wadcutter

WC - Wadcutter

MATCH CENTERFIRE CARTRIDGES




MATCH CENTERFIRE CARTRIDGES

- Designed for competitive accuracy performance
- Highly concentric, optimum weight bullets
- Carefully selected and metered powders for consistent velocity

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
R223R4	223 Remington (Match)	60	HP (Match)
R308W7	308 Win. (Match)	168	BTHP
R9MM9	9 MM Luger (Match)	147	MC
R38S3	38 Special (Match)	148	TMWC
R45AP1	45 Automatic (Match)	185	TMWC

REMINGTON CENTERFIRE PISTOL & REVOLVER AMMUNITION

REMINGTON GOLDEN SABER™ HPJ
HIGH PERFORMANCE CENTERFIRE
PISTOL/REVOLVER CARTRIDGES

- High performance handgun ammunition built around revolutionary new hollow point bullet design
- Offers match grade accuracy, maximum expansion, deep penetration and virtually 100% weight retention
- Jacket made entirely of cartridge brass, which releases energy over longer distance while mushrooming
- Spiral nose-cut feature permits mushrooming at lower velocity without sacrificing penetration or terminal performance
- Primer and mouth waterproofing standard
- Cases nickel-plated for reliable feed, function and extraction

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
GS357MA	357 Magnum	125	BJHP
GS9MMB	9mm Luger	124	BJHP
GS9MMC	9mm Luger	147	BJHP
GS9MMD★	9 mm Luger (+P)	124	BJHP
GS380B★	380 Auto Pistol	102	BJHP
GS38SB	38 Special (+P)	125	BJHP
GS40SWA	40 Smith & Wesson	165	BJHP
GS40SWB	40 Smith & Wesson	180	BJHP
GS45APA	45 Automatic	185	BJHP
GS45APB	45 Automatic	230	BJHP

★NEW FOR 1995

NEW

CORE-LOKT® - HIGH PERFORMANCE
CENTERFIRE PISTOL/REVOLVER
HUNTING CARTRIDGES


- Exclusive Driving Band™ jacket profile locks jacket to lead core
- Almost 100 percent weight retention creates deep penetration
- Rapid mushrooming to over 1 1/2 times original bullet diameter
- Nickel-plated cases assure reliable feeding in all actions
- Primer and mouth waterproofed for weather and storage reliability

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
RH357MA★	357 Mag.	165	JHP, Core-Lokt®
RH44MGA★	44 Remington Mag.	275	JHP, Core-Lokt®

★NEW FOR 1995

REMINGTON CENTERFIRE PISTOL & REVOLVER AMMUNITION

NEW

LEADLESS™ CENTERFIRE
PISTOL/REVOLVER CARTRIDGES

- Reduced lead residue ideal for indoor shooting and training
- Same trajectories and point of impact as comparable standard loads
- Utilize Remington's exclusive, new lead-free primer mix
- New Lead-Lokt™ bullet is completely sealed in gilding metal

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
LL357MB★	357 Mag.	130	TEMC, Lead-Lokt™
LL9MMA★	9 mm Luger	115	TEMC, Lead-Lokt™
LL9MMC★	9 mm Luger	147	TEMC, Lead-Lokt™
LL38SB★	38 Special	130	TEMC, Lead-Lokt™
LL40SWB★	40 S & W	180	TEMC, Lead-Lokt™
LL45APB★	45 Automatic	230	TEMC, Lead-Lokt™

★NEW FOR 1995

CENTERFIRE PISTOL/REVOLVER CARTRIDGES

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
R221F	221 Remington Fireball®	50	PTD SP
R25AP	25 (6.35mm) Auto	50	MC
R32SW	32 S&W	88	Lead RN
R32SWL	32 S&W Long	98	Lead RN
R32AP	32 (7.65mm) Auto	71	MC
R357M1	357 Mag	125	SJHP
R357M2	357 Mag	158	SJHP
R357M3	357 Mag (Med. Vel.)	158	SP
R357M5	357 Mag, SWC	158	Lead
R357M7	357 Mag	110	SJHP
R357M9	357 Mag	140	SJHP
R357M10	357 Mag	180	SJHP
R357M11	357 Mag	125	SJHP
357MX1	357 Remington Maximum	158	SJHP
R9MM1	9mm Luger	115	JHP
R9MM2	9mm Luger	124	MC
R9MM3	9mm Luger	115	MC
R9MM5§	9mm Luger	88	JHP
R9MM6	9mm Luger (+P)	115	JHP
R9MM8	9mm Luger (Subsonic)	147	JHP
R9MM9	9mm Luger (Match)	147	MC
R9MM10	9mm Luger	124	JHP
R380A1	380 Automatic	88	JHP
R380AP	380 Automatic	95	MC
R38SU1*	38 Super Auto. Colt Pistol (+P)	115	JHP
R38SW	38 S&W	146	Lead RN
R38S1§	38 Special (+P)	95	SJHP
R38S2	38 Special (+P)	125	SJHP
R38S3	38 Special, TMWC Brass Case (Match)	148	Lead
R38S4	38 Special, TM	158	Lead RN

§ = subject to stock on hand.

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
R38S5	38 Special	158	Lead RN
R38S6	38 Special, SWC	158	Lead
R38S10	38 Special (+P)	110	SJHP
R38S12	38 Special (+P)	158	Lead HP
R38S14	38 Special, SWC (+P)	158	Lead
R38S16	38 Special	110	SJHP
R38SC	38 Short Colt	125	Lead RN
R10MM2§	10mm Automatic	200	MC
R10MM3	10mm Automatic Subsonic	180	JHP
R10MM4	10mm Automatic (High Velocity)	180	JHP
R40SW1	40 S&W	155	JHP
R40SW2	40 S&W	180	JHP
R41MGC1	41 Remington Mag.	210	SP
R41MG2	41 Remington Mag.	210	Lead
R41MG3	41 Remington Mag.	170	SJHP
R44MG1§	44 Remington Mag. Gas Check	240	Lead
R44MG2	44 Remington Mag.	240	SP
R44MG3	44 Remington Mag.	240	SJHP
R44MG4	44 Remington Mag.	240	Lead
R44MG5	44 Remington Mag.	180	SJHP
R44MG6	44 Remington Mag.	210	SJHP
R44SW	44 S&W Special	246	Lead
R44SW1	44 S&W Special, SWC	200	Lead
R45C	45 Colt	250	Lead RN
R45C1	45 Colt, SWC	225	Lead
R45AP1	45 Automatic, TMWC	185	MC
R45AP2	45 Automatic	185	JHP
R45AP4	45 Automatic	230	MC
R45AP6	45 Automatic (+P) Nickel	185	JHP

* Adapted only for 38 Colt Super and Colt Commander Automatic Pistols.

Not for use in Sporting, Military and Pocket Models.

BULLET STYLE DESCRIPTIONS

BJHP - Brass Jacketed Hollow Point

HP - Hollow Point

JHP - Jacketed Hollow Point

LHP - Lead Hollow Point

LRN - Lead Round Nose

MC - Metal Case

PTDSP - Pointed Soft Point

RN - Round Nose

SJHP - Semi Jacketed Hollow Point

SP - Soft Point

SWC - Semi Wadcutter


TEMC - Totally Encapsulated Metal Case

TMWC - Target Master® Wadcutter

WC - Wadcutter

CENTERFIRE BLANK CARTRIDGES

CENTERFIRE BLANK CARTRIDGES




- Reliable performance for athletic & theatrical events
- Sharp report and realistic sound

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
32BLNK	32 S&W, Centerfire Blank	----	----
38SWBL§	38 S&W, Centerfire Blank	----	----
38BLNK	38 Special, Centerfire Blank	----	----

§ = subject to stock on hand.

UMC™ AMMUNITION

NEW




UMC™ SHOTSHELLS - DOVE LOADS

- Traditional UMC™ quality at moderate price
- Ideal for dove, quail and woodcock
- Light recoil for high-volume shooting

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3	Oz. of Shot	Shot Sizes
UMCD12★	12	2 1/2	3 1/2	1290	1	8
UMCD20★	20	2 1/2	2 1/2	1225	7/8	8

★NEW FOR 1995

NEW



UMC™ SHOTSHELLS - PHEASANT LOADS

- Heavier than dove loads, but still light on pocketbook
- Excellent for short- to medium-range pheasants and chukars

Order Number	Gauge	Shell Length Inches	Dr. Eq.	Vel. FPS @ 3	Oz. of Shot	Shot Sizes
UMCP12★	12	2 1/2	3 1/2	1330	1 1/2	6
UMCP20★	20	2 1/2	2 1/2	1220	1	6

★NEW FOR 1995




UMC™ CENTERFIRE RIFLE CARTRIDGES

- Moderately priced reliability
- Excellent choice for practice and semi-competition shooting

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
L223R5	223 Remington	55	MC
L30CR1	30 Carbine	110	MC
L762391★	7.62 x 39 mm	123	MC
L308W4	308 Win.	150	MC

★NEW FOR 1995

UMC™ AMMUNITION

UMC™ PISTOL AND REVOLVER
CARTRIDGES

- Dependable functioning in all actions
- Ideal practice and training rounds

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
L25AP	25 Auto, (6.35mm)	55	MC
L357M6	357 Magnum	110	Lead SWC
L357M12★	357 Magnum	125	JSP
L9MM3	9mm Luger	115	MC
L380AP	380 Automatic	95	MC
L38SUP	38 Super Auto (+P)(B)	130	MC
L38S5	38 Special	158	Lead RN
L38S11	38 Special	130	MC
L40SW3	40 S&W	180	MC
L44MG4	44 Remington Mag	240	Lead
L44MG7★	44 Remington Mag	180	JSP
L45AP4	45 Automatic	230	MC

★NEW FOR 1995




UMC™ RIMFIRE CARTRIDGES

- Hard-hitting long rifle target load with consistent velocity
- Features solid lead bullet that delivers superior accuracy

Order Number	Cartridge	Bullet Wt. Grs.	Bullet Style
UMC22	22 Long Rifle	40	MC

REMINGTON RELOADING COMPONENTS




209 PREMIER™ AND .410 PREMIER™ PRIMERS

- Offer consistent instant ignition
- 209 Premier™ Primers manufactured under exacting quality control standards
- Hot-burning, non-mercuric and non-corrosive mixture ensures complete powder burn and clean barrel
- .410 primers bring 209 performance and reliability to all .410 loads
- Both types of Remington primers feature all-brass primer cup and brass-plated battery cup, with paper-covered flash hole

Order Number	Description	Specifications
X22660	209 Premier™	12-, 20-, and 28-gauge target loads Selected 12-gauge field loads All 28-gauge field loads
X22664	.410 Premier™	All .410 target and field loads

REMINGTON RELOADING COMPONENTS

CENTERFIRE PRIMERS



- Produced from the highest quality, 100% American-made materials
- Kleanbore® primers and factory brass cases available for calibers from 17 Remington and 22 Hornet to 416 Remington Magnum and 458 Win. Mag.

Order Number	Description	Specifications
X22600	1 ½	Small Pistol
X22604	2 ½	Large Pistol
X22626	5 ½	Small Rifle
X22606	6 ½	Small Rifle
X22628	7 ½	Small Rifle BR
X22608	9 ½	Large Rifle
X22622	9 ½	M Magnum Rifle

PERCUSSION CAPS





- Positive, reliable ignition in all percussion firearms

Order Number	Description	Specifications
X22616	#10	Black Powder-Pistol
X22618	#11	Black Powder-Rifle

SHOTSHELL WADS




TARGET LOAD WADS



- Designed for precise clay target reloads
- Developed from famous Power Piston® wad
- For all four competitive gauges
- Feed reliably in all reloading tools

Order Number	Description	Specifications
RXP12	12-gauge	1 ½ oz.
FIG8"	12-gauge	1 ½ oz.
TGT12	12-gauge	1 oz.
RXP20	20-gauge	¾ oz.
PT28	28-gauge	¾ oz.
SP410	.410 bore	¾ oz.


FIELD LOAD WADS




- For wide variety of 10-, 12-, 16- & 20-gauge field loads
- Same precision construction as target load wads
- Original, factory-load component

Order Number	Description	Specifications
SP10	10-gauge	1 ½ oz., 2, 2 ½ oz.
R12L	12-gauge	1 oz.
R12H	12-gauge	1 ½ oz.
RP12	12-gauge	1 ½ oz.
SP12	12-gauge	1 ½ oz.
SP16	16-gauge	1 ½ oz.
SP20	20-gauge	1 oz.


ORIGINAL FACTORY UNPRIMED CASES




(17 Remington) U17REM




(223 Remington) U223




(243 Winchester) U243



(264 Winchester Magnum) U264



(280 Remington) U280




(30-06 Springfield) U3006



(308 Winchester) U308



(338 Winchester Magnum) U338



(416 Remington Magnum) U416MG




(458 Winchester Magnum) U458

CENTERFIRE RIFLE UNPRIMED CASES


- Produced from highest quality, 100% American-made materials
- Original, Remington® factory-quality cases
- Excellent reputation for multiple reload life
- Permit easy re-sizing, resist case stretching
- Offered in wide variety of rifle and pistol/revolver calibers
- URBR cases for bench rest shooters and also 7mm BR cases.

Order Number	Cartridge	Primer Pocket Size
U17REM	17 Remington	7 1/4
U22HRN	22 Hornet	6 1/4
U220S	220 Swift	9 1/4
U222R	222 Remington	7 1/4
U223	223 Remington (5.56)	7 1/4
U2250	22-250 Remington	9 1/4
U6MM	6mm Remington	9 1/4
U243	243 Win.	9 1/4
U2506	25-06 Remington	9 1/4
U250§	250 Savage	9 1/4
U270	270 Win.	9 1/4
U280	280 Remington	9 1/4
U7MM08	7mm-08 Remington	9 1/4
U7MMBR§	7mm BR Remington	7 1/4
U7MMAG	7mm Remington Mag.	9 1/4M
U30CAR	30 Carbine	6 1/4
U3030	30-30 Win.	9 1/4
U3006	30-06 Springfield	9 1/4
U300W	300 Win. Mag.	9 1/4M
U300WB	300 Wby. Mag.	9 1/4M
U76239	7.62 x 39mm	7 1/4
U308	308 Win.	9 1/4
URBR	Universal Remington Bench Rest	7 1/4
U8MMAG	8mm Remington Mag.	9 1/4M
U338	338 Win. Mag.	9 1/4M
U416MG	416 Remington Mag.	9 1/4
U4570	45-70 Government	9 1/4

§ = subject to stock on hand.



(10mm) U10MM




(32 S&W Long) U32SWL




(357 Magnum-brass) U3578



(380 Automatic Pistol) U380



(41 Remington Magnum) U41MAG



(44 Remington Magnum) U44MAG



(45 Automatic) U45AP

CENTERFIRE PISTOL AND REVOLVER UNPRIMED CASES


Order Number	Cartridge	Primer Pocket Size
U221	221 Remington Fireball®	7 1/4
U357B	357 Mag. (Brass)	5 1/4
U357MX	357 Remington Maximum	7 1/4
U9MLUG	9mm Luger Auto Pistol	1 1/4
U380	380 Automatic Pistol	1 1/4
U38SUP	38 Super Auto Colt (Nickel)	1 1/4
U38SPB	38 Special (Brass)	1 1/4
U10MM	10mm Auto (Nickel)	2 1/4
U40SW	40 S&W	5 1/4
U41MAG	41 Remington Mag.	2 1/4
U44MAG	44 Remington Mag.	2 1/4
U44SW	44 S&W Special	2 1/4
U45CLT	45 Colt	2 1/4
U45AP	45 Automatic	2 1/4
U45AR	45 Auto Rim	2 1/4

REMINGTON GUN SAFES

HIGHEST QUALITY PROTECTION FOR FIREARMS AND VALUABLES

Remington Premier Safes are the finest available for safeguarding firearms and all valuable possessions. The fully-recessed door and internal ball-bearing hinges provide complete protection against forced entry. The lock and all critical locking components are backed by extensive, drill-resistant hardplate. An inner wall of UL-listed fireboard protects contents against temperatures up to 1200°F.

NEW



PREMIER SERIES

SPECIFICATIONS

- 1" Door (Composite)
- 1" Active door bolts
- 3/8" Steel body
- Double fire protection
- 14-K Gold 3-spoke handle
- 14-K Gold S&G combination dial
- Key locking dial
- Top and bottom door bolts
- 6 Standard exterior colors (Classic Black, Burgundy, Arctic White, Midnight Blue, Metallic Brown, Forest Green)
- Choice of 3 interior carpet colors (Silver, Beige or Remington Green)
- Double gold pinstripping with corner scrolling
- Remington "Oldest Gunmaker" logo
- Available in three sizes

OPTIONS

- Quad-wall fire protection
- Electronic lock
- Interior lighting
- Choice of four interior shelf arrangements

ACCESSORIES

- Door-mounted pistol rack kit
- Goldenrod dehumidifier
- Safe anchoring kit
- Carpeted pallet cover

PREMIER SERIES SPECIFICATIONS

Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight w/Quad Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
									Universal	Easy-Out	Collectors	Executive
P-50	40 1/4" x 72 1/4" x 28"	29 1/4"	48	1370 lbs.	1540 lbs.	22-1"	1"	3/8"	24, 32, 36	17	56	5 Shelves
P-40	36 1/2" x 66 1/2" x 28"	29 1/4"	40	1090 lbs.	1220 lbs.	18-1"	1"	3/8"	24, 32, 36	17	48	5 Shelves
P-25	30 1/2" x 60 1/2" x 25"	27 1/4"	25	880 lbs.	1000 lbs.	16-1"	1"	3/8"	9, 18	13	30	4 Shelves


All Premier Safes Feature: U.L. Security Rating, "Uni-Body" door, laboratory tested fire protection, internal hinges, 1" locking bolts, S&G Bank type locks, drill-resistant hardplate, "Auto-Fire" Relockers, shielded bolts, Remington Logo, and a Full Lifetime Break-in Warranty.

REMINGTON GUN SAFES

**TOP PROTECTION—
AT AN IDEAL COMBINATION OF QUALITY AND COST**

Remington Classic Series Safes offer an excellent combination of guaranteed protection, attractive appearance and affordable price. Security features against forced entry include recessed door, internal ball-bearing hinges and extensive drill-resistant hardplate.

NEW



CLASSIC SERIES

SPECIFICATIONS

- ½" Door
- 1" Active door bolts
- 10 Gauge body
- Brass plated S&G combination dial
- Brass plated 3-Spoke handle
- 6 Standard exterior colors (Classic Black, Burgundy, Arctic White, Midnight Blue, Metallic Brown, Forest Green)
- 3 Interior carpet colors (Silver, Beige or Remington Green)
- Top and bottom door bolts
- Remington "Since 1816" logo
- Double gold pinstriping
- Vinyl door panel
- Available in four sizes

OPTIONS

- Double-wall fire protection
- Quad-wall fire protection
- 14K Gold Premier handle
- Key lock
- Carpeted door panel
- Electronic lock
- Choice of four interior shelf arrangements
- Interior lighting

ACCESSORIES

- Door-mounted pistol rack kit
- Goldenrod dehumidifier
- Safe anchoring kit
- Carpeted pallet cover

CLASSIC SERIES SPECIFICATIONS

Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight w/DBL Wall	Weight w/Quad Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
										Universal	Easy-Out	Collectors	Executive
C-45	36 ½"x72 ½"x28"	29 ½"	42	800 lbs.	980 lbs.	1110 lbs.	14-1"	½"	10 GA	24, 32, 36	17	48	5 shelves
C-35	36 ½"x60 ½"x28"	29 ½"	36	670 lbs.	800 lbs.	900 lbs.	12-1"	½"	10 GA	24, 32, 36	17	48	4 shelves
C-25	30 ½"x60 ½"x25"	27 ½"	25	580 lbs.	665 lbs.	745 lbs.	12-1"	½"	10 GA	9, 18	13	30	4 shelves
C-15	24 ½"x60 ½"x20"	22 ½"	16	420 lbs.	500 lbs.	560 lbs.	10-1"	½"	10 GA	11	8	20	4 shelves


All Classic Safes Feature: U.L. Security Rating, "Uni-Body" door, laboratory tested fire protection available, internal hinges, 1" locking bolts, S&G Bank type locks, drill-resistant hardplate, "Auto-Fire" relockers, shielded bolts, Remington Logo, and a Full Lifetime Break-in Warranty.

REMINGTON GUN SAFES

MIND-EASING SECURITY AT AN ECONOMICAL PRICE

Remington Sportsman Series Safes are an economical solution to the need for top-quality security for your most valuable possessions. While providing most of the basic protective features of other models, they permit wide flexibility in adding many options that can custom-tailor them to your needs.

NEW



SPORTSMAN™ SERIES

SPECIFICATIONS

- ⅝" Door
- 1" Door bolts
- 11 Gauge body
- Brass plated S&G combination dial
- LeGaurd brass handle
- Textured black finish only
- Single pinstripping
- Silver interior carpet

OPTIONS

- Double-wall fire protection
- Quad-wall fire protection
- Key locking dial
- Carpeted door panel
- Electronic lock
- Interior lighting

ACCESSORIES

- Door-mounted pistol rack kit
- Goldenrod dehumidifier
- Safe anchoring kit
- Carpeted pallet cover


SPORTSMAN SERIES SPECIFICATIONS

Safe Model	Dimensions (WxHxD)	Depth Overall	Volume (Cubic ft.)	Approx. Weight	Weight w/DBL Wall	Weight w/Quad Wall	Active Bolts	Door Thickness	Body Thickness	Gun capacity, number of shelves			
										Universal	Easy-Out	Collectors	Executive
S-25	30 ½"x60 ½"x25"	26 ½"	25	485 lbs.	565 lbs.	645 lbs.	10-1"	⅝"	⅝"	18	13	30	4 shelves
S-15	24 ½"x60 ½"x20"	21 ½"	16	360 lbs.	430 lbs.	490 lbs.	8-1"	⅝"	⅝"	11	8	20	4 shelves
S-10	22 ½"x60 ½"x18"	19 ½"	12	310 lbs.	370 lbs.	N/A	4-1"	⅝"	⅝"	11	-	17	4 shelves

All Sportsman Safes Feature: U.L. Security Rating, "Uni-Body" door, laboratory tested fire protection available, internal hinges, 1" locking bolts, S&G Bank type locks, drill-resistant hardplate, "Auto-Fire" relockers, shielded bolts, Remington Logo, and a Full Lifetime Break-in Warranty.

REMINGTON FOLDING KNIVES

NEW




"MASTER GUIDE" R1273 BULLET™ KNIFE

- Limited Edition collector knife
- Authentic reproduction of original Bullet™ Knife
- Double-honed 440 stainless steel blades
- Delrin® handles with appearance of original jugged bone
- Original nickel-silver cartridge shield inletted in handle
- Brass liners and nickel-silver bolsters & pins
- 4 1/4" spear and 3 1/4" pen blades
- Traditional blade etching and tang stamps

Order Number	Description
18540	"Master Guide" R1273 Bullet™ Knife

NEW





"MASTER GUIDE" POSTER

- Limited edition collector poster entitled "Rapid Action"
- Matched to "Master Guide" Bullet™ Knife
- Nostalgia art style of 1920s by artist Larry Duke
- Ideal for framing

Order Number	Description
18539	"Master Guide" Poster

NEW



STREN® ANGLER'S KNIFE & POSTER SET


- First of new, Limited Edition collector series
- Comes with matching collector poster entitled "All Lines Busy"
- 440 stainless steel blades with Scotchbrite finish
- Delrin® handles with appearance of original brown stag
- Nickel-silver round Stren® shield inletted in handle
- Remington logo blade etch and UMC™ circle tang stamp
- Brass liners and nickel-silver bolsters and pins
- Blades are 3 1/2" serrated-tip clip and 3 1/2" fish scaler with cap lifter

Order Number	Description
18496	Stren® Angler's Knife & Poster Set

REMINGTON FOLDING KNIVES - DELRIN® STAG FOLDING KNIVES

UNIVERSAL FEATURES FOR ALL REMINGTON DELRIN® STAG FOLDING KNIVES


- Nickel-silver bolsters
- "Remington" tang stamp
- Full lifetime warranty
- Brass liners
- Scotchbrite finish on all blades



UPLAND KNIFE (DELRIN® STAG)

- 3 7/8" closed length
- 440A stainless steel blade
- 2 3/8" clip blade
- Gut hook
- Remington shield and blade etch
- 12/20-gauge choke tool/screwdriver


Order Number	Description
18564	Upland Knife (Delrin® Stag)



WATERFOWL KNIFE (DELRIN® STAG)


- 4 1/4" closed length
- 440A stainless steel blades and tools
- 3" clip blade
- 2 1/8" serrated bone/cartilage blade
- 12/20-gauge choke tool/screwdriver
- Remington shield and blade etch
- Pin punch

Order Number	Description
18565	Waterfowl Knife (Delrin® Stag)



BIG GAME KNIFE (DELRIN® STAG)


- 5" closed length
- 440A stainless steel blade and saw
- 3 3/8" hollow ground clip blade
- 3 3/8" self-cleaning bone saw and paunch hook
- Double lockback design
- Remington shield and blade etch
- Furnished with leather sheath



Order Number	Description
18566	Big Game Knife (Delrin® Stag)

REMINGTON FOLDING KNIVES - DELRIN® STAG FOLDING KNIVES


GENTLEMEN'S KNIFE (DELRIN® STAG)



- 3" closed length
- 440A stainless steel blade
- New, 2 ¼" hollow ground clip blade
- Lockback design
- Remington shield and blade etch

Order Number	Description
18567	Gentlemen's Knife (Delrin® Stag)


PEANUT KNIFE (DELRIN® STAG)



- 2 ¾" closed length
- 440A stainless steel blade
- 2 ¼" clip blade

Order Number	Description
18568	Peanut Knife (Delrin® Stag)

WHITTLER KNIFE (DELRIN STAG)




- 3 ⅝" closed length
- 440A stainless steel blades
- 2 ¾" clip blade
- 1 ½" pen blade
- 1 ½" coping blade
- Remington shield and blade etch

Order Number	Description
18543	Whittler (Delrin® Stag)

REMINGTON FOLDING KNIVES - DELRIN® STAG FOLDING KNIVES


TRAPPER KNIFE (DELRIN® STAG)



- 4 1/8" closed length
- 440A stainless steel blades
- 3" clip blade
- 3" spey blade
- Remington shield and blade etch

Order Number	Description
18541	Trapper (Delrin® Stag)


EURO-UPLAND KNIFE (DELRIN® STAG)



- 3 7/8" closed length
- 440A stainless steel blades
- 2 3/8" clip blade
- 1 3/4" spey blade
- 2 3/4" fowl hook
- Clevis on bolster
- Remington shield and blade etch

Order Number	Description
18549	Euro-Upland (Delrin® Stag)


PEN KNIFE (DELRIN® STAG)



- 2 13/16" closed length
- 440A stainless steel blades
- 1 1/4" pen blade
- 1 15/16" clip blade
- Remington blade etch

Order Number	Description
18535	Pen Knife (Delrin® Stag)

REMINGTON FOLDING KNIVES - DELRIN® STAG FOLDING KNIVES



TUXEDO KNIFE (DELRIN® STAG)


- 3" closed length
- 440A stainless steel blades
- 1 5/8" spear blade
- 1 5/8" pen blade

Order Number	Description
18537	Tuxedo Knife (Delrin® Stag)

REMINGTON FOLDING KNIVES - LAMINATED WOOD FOLDING KNIVES

UNIVERSAL FEATURES FOR ALL REMINGTON LAMINATED WOOD FOLDING KNIVES

- Multi-color, resin-impregnated hardwood handles
- Brass liners
- Scotchbrite finish on all blades
- Nickel-silver bolsters
- "Remington" tang stamp
- Full lifetime warranty




UPLAND KNIFE (WOOD)

- 3 3/4" closed length
- 440A stainless steel blade and tools
- 2 3/8" clip blade
- Gut hook
- Remington shield and blade etch
- 12/20-gauge choke tool/screwdriver

Order Number	Description
18569	Upland Knife (Wood)

WATERFOWL KNIFE (WOOD)




- 4 1/4" closed length
- 440A stainless steel blade and tools
- 3" clip blade
- 2 1/8" serrated bone/cartilage blade
- 12/20-gauge choke tool/screwdriver
- Remington shield and blade etch
- Pin punch

Order Number	Description
18570	Waterfowl Knife (Wood)

REMINGTON FOLDING KNIVES - LAMINATED WOOD FOLDING KNIVES


BIG GAME KNIFE (WOOD)



- 5" closed length
- 440A stainless steel blade and saw
- 3 3/8" hollow ground clip blade
- 3 3/8" self-cleaning bone saw and gut hook
- Double lockback design
- Remington shield and blade etch
- Furnished with leather sheath

Order Number	Description
18571	Big Game Knife (Wood)


GENTLEMEN'S KNIFE (WOOD)



- 3" closed length
- 440A stainless steel blade
- New, 2 1/4" hollow ground clip blade
- Lockback design
- Remington shield and blade etch

Order Number	Description
18572	Gentlemen's Knife (Wood)

PEANUT KNIFE (WOOD)




- 2 3/4" closed length
- 440A stainless steel blade
- 2 1/8" clip blade

Order Number	Description
18573	Peanut Knife (Wood)

REMINGTON FOLDING KNIVES - LAMINATED WOOD FOLDING KNIVES


WHITTLER KNIFE (WOOD)



- 3 5/8" closed length
- 440A stainless steel blades
- 2 3/8" clip blade
- 1 1/2" pen blade
- 1 1/2" coping blade
- Remington shield and blade etch

Order Number	Description
18544	Whittler Knife (Wood)

TRAPPER KNIFE (WOOD)




- 4 1/8" closed length
- 440A stainless steel blades
- 3" clip blade
- 3" spey blade
- Remington shield and blade etch

Order Number	Description
18542	Trapper Knife (Wood)

"GRIZZLY" FOLDING LOCKBACK KNIVES - KRATON® HANDLES

UNIVERSAL FEATURES IN ALL NEW "GRIZZLY" FOLDING KNIVES

- Kraton® handles with Remington logo
- "Remington" blade etch & tang stamp
- Rugged black nylon sheath
- 440A stainless steel blades
- Hollow-ground blades with Scotchbrite finish
- Full lifetime warranty
- Single or double lockback design



"GRIZZLY" SERRATED EDGE SINGLE LOCKBACK


- Traditional single blade design
- 3 1/2" serrated clip blade
- 5" closed length
- Nylon sheath included

Order Number	Description
18664	"Grizzly" Single Blade Lockback, Serrated Edge

"GRIZZLY" FOLDING LOCKBACK KNIVES - KRATON® HANDLES**"GRIZZLY" STRAIGHT EDGE SINGLE LOCKBACK**


- Traditional single blade design
- 3 ½" straight edge clip blade
- 5" closed length
- Nylon sheath included

Order Number	Description
18663	"Grizzly" Single Blade Lockback, Straight Edge

**"GRIZZLY" SERRATED EDGE DOUBLE LOCKBACK**

- Unique double lockback design
- 3 ½" serrated clip blade
- 3 ½" bone saw and gut hook
- 5" closed length
- Nylon sheath included

Order Number	Description
18661	"Grizzly" Double Lockback, Serrated Edge

**"GRIZZLY" STRAIGHT EDGE DOUBLE LOCKBACK**

- Unique double lockback design
- 3 ½" straight edge clip blade
- 3 ½" bone saw and gut hook
- 5" closed length
- Nylon sheath included


Order Number	Description
18662	"Grizzly" Double Lockback, Straight Edge

CARBON STEEL FOLDING KNIVES - SAWCUT DELRIN® HANDLES

UNIVERSAL FEATURES IN ALL NEW 9500 SERIES FOLDING KNIVES

- Polished carbon steel blades
- Distinctive sawcut Delrin® handles
- Oval, nickel-silver Remington shield
- Brass liners
- Nickel-silver bolsters
- "Remington" tang stamp
- Full lifetime warranty

9501 STOCKMAN




NEW

- 2 7/8" clip blade
- 1 7/8" spey blade
- 2 1/8" sheep foot blade
- 4 1/4" closed length

Order Number	Description
18545	9501 Stockman

9502 MINI-STOCKMAN




NEW

- 1 1/2" clip blade
- 1 1/4" coping blade
- 1 1/8" pen blade
- 2 3/4" closed length

Order Number	Description
18546	9502 Mini-Stockman

9503 TRAPPER




NEW

- 2 7/8" clip blade
- 2 7/8" spey blade
- 4" closed length

Order Number	Description
18547	9503 Trapper

CARBON STEEL FOLDING KNIVES - SAWCUT DELRIN® HANDLES

9504 JACK KNIFE




- 2 5/8" clip blade
- 1 3/4" pen blade
- 3 1/4" closed length

Order Number	Description
18548	9504 Jack Knife

REMINGTON GIFT LINE


MONEY CLIPS



- 2 1/8" closed length
- 440A stainless steel blades
- 1 1/4" pen blade
- 1 1/4" nail file
- Stainless steel liners
- Choice of handle materials
 - Stainless steel with Remington logo
 - Malachite and pearl

Order Number	Description
18533	Money Clip (Stainless)
18534	Money Clip (Malachite/Pearl)

TUXEDO KNIFE (PEARL HANDLE)




- 3" closed length
- 440A stainless steel blades
- 1 5/8" spear blade
- 1 3/8" pen blade

Order Number	Description
18536	Pearl Handle Tuxedo Knife

REMINGTON FIXED BLADE SPORTSMAN™ KNIVES


SPORTSMAN™ CLIP BLADE KNIFE



- 4 1/4" clip blade
- 9 3/4" overall length
- Blade constructed of 440A stainless steel
- Choice of orange or black ergonomically-shaped Kraton™ handle
- Remington logo embossed on the side of handle
- Strong, flexible Kraton™ rubber provides weather and oxidation resistance
- Deep finger grips on handle provide control in wet or slippery conditions
- Furnished with black leather sheath with Remington logo on face

Order Number	Description
18560	Sportsman™ Clip Blade Knife - Black Handle
18562	Sportsman™ Clip Blade Knife - Orange Handle

SPORTSMAN™ DROP POINT KNIFE



- 4 5/8" drop point blade
- 9 3/4" overall length
- Blade constructed of 440A stainless steel
- Choice of orange or black ergonomically-shaped Kraton® handle
- Remington logo embossed on mark side of handle
- Strong, flexible Kraton® rubber provides weather and oxidation resistance
- Deep finger grips for wet or slippery conditions
- Furnished with black leather sheath with Remington logo on face

Order Number	Description
18561	Sportsman™ Clip Blade Knife - Black Handle
18563	Sportsman™ Clip Blade Knife - Orange Handle

BIRD AND TROUT KNIFE




- Kraton® black handle with ferrule hole
- 3 3/8" stainless steel clip blade
- Remington handle logo and tang stamp
- Deep finger grips on handle
- 8 1/8" overall length
- Leather sheath with plastic liner

Order Number	Description
18650	Bird and Trout Knife

REMINGTON FIXED BLADE KNIVES

BOOT KNIFE



NEW

- 3 1/2" spear blade, 440A stainless steel
- Resin-impregnated hardwood handle
- Nickel-silver handle rivets
- "Remington" tang stamp
- 7" overall length
- Leather sheath with boot clip

Order Number	Description
18665	Boot Knife

STREN® FILLET KNIVES




NEW

STREN® FILLET KNIVES - BY REMINGTON

- Kraton® black handle with Remington logo
- Handles with contoured finger grips and ferrule hole
- Double-tapered 440A stainless steel blades
- "Remington" tang stamp and Stren® blade etch
- Blade lengths of 6", 7 1/2" and 9"
- Thermoplastic sheath with drain hole

Order Number	Description
18651	6" Stren® Fillet Knife
18652	7 1/2" Stren® Fillet Knife
18653	9" Stren® Fillet Knife

REMINGTON LEATHER KNIFE SHEATHS



REMINGTON SHEATHS

- Available for Upland Knife, Waterfowl Knife and Big Game knives
- Made of high quality leather
- Remington logo embossed on front of sheath
- Snap closure

Order Number	Description
18504	Leather Sheath - Upland Knife
18505	Leather Sheath - Waterfowl Knife
18506	Leather Sheath - Big Game Knife

REMINGTON LUBRICANTS AND CLEANERS



WONDERLUBE™ ALL-PURPOSE LUBRICANT

- Unique formula is effective and versatile
- Environmentally-safe, non-CFC propellant
- Teflon® ingredient provides slick lubrication
- Removes moisture from metal pores
- Prevents rusting from moisture and elements
- Penetrates rusted threads of nuts and bolts
- Separates adhesives and tape
- Cleans off grit, grease and grime
- Exceptional performance at economical price
- Ideal for home, workshop, vehicles, boats
- Comes in 6-oz., 9-oz. and 12-oz. spray cans

Order Number	Description
18380	6-oz. WonderLube™
18381	9-oz. WonderLube™
18382	12-oz. WonderLube™



NEW

BRITE BORE™ SOLVENT/CLEANER

- Highly versatile solvent and cleaner
- Removes copper, lead & powder from barrels
- Removes lead and plastic wad deposits from choke tubes and barrel chambers
- Cleans carbon and powder residue from actions
- Sprays off grit, grease and grime
- Extension tube for easy application
- CFC-free, 6-oz. aerosol can

Order Number	Description
18394	6-oz. Brite Bore™ Solvent Cleaner



REM™ OIL

- Best firearm oil manufactured today
- Remington's exclusive formula contains Du Pont Teflon®
- Leaves thin, tough lubricating film
- Displaces and repels moisture and provides protection against rust and corrosion
- Smooth, reliable firearm performance ensured by extensive salt-fog exposure tests

Order Number	Description	Container Size/Type
26617	Rem™ Oil	1 oz. bottle
18393	Rem™ Oil	4 oz. can
24027	Rem™ Oil	10 oz. can

REMINGTON LUBRICANTS AND CLEANERS

REM™ DRI LUBE



- Keeps firearms working smoothly at temperatures as low as -40°
- Clean, no-stain formula contains Du Pont Teflon® lubricant
- No graphite residue
- Spray dries on contact
- Ideal for all sliding metal contact

Order Number	Description	Container Size/Type
18396	Rem™ DriLube	4 oz. Aerosol Can

REMINGTON BORE CLEANER



- Safest bore cleaner available
- Manufactured with natural elements suspended in mineral oil
- Contains no corrosive acids or harmful solvent chemicals
- Will not deteriorate bore or bronze bore brushes
- Removes carbon, lead, copper, and plastic wad fouling by mechanical action

Order Number	Description	Container Size/Type
24001	Bore Cleaner	1 oz. Squeeze bottle
18397	Bore Cleaner	4 oz. Squeeze bottle


REM™ ACTION CLEANER



- CFC-free formula provides superior cleaning and will not harm the environment
- Spray-cleans firearms actions and fire-control mechanisms without disassembly
- Dissolves caked-on lubricants, including grease, synthetic and petroleum based lubes
- Leaves dry, residue-free surface for safe operation

Order Number	Description	Container Size/Type
18395	Rem™ Action Cleaner	10.5 oz. Aerosol can

REMINGTON LUBRICANTS AND CLEANERS



NEW

REMINGTON SAFETY LOCK SYSTEM


- Positive security for your firearm at all times
- Disables action and/or secures firearm to stationary object
- Compatible with many types of firearms

Order Number	Description
18499	Safety Lock

SHOTGUN RIB SCOPE MOUNT SYSTEM

NEW

- Permits scope mounting on Remington vent rib 12-ga. barrels
- Cantilever design allows normal scope eye relief
- Converts vent rib field barrel for big game and turkey hunting
- Fast, easy installation
- Takes advantage of improved slug accuracy
- Accepts all 1" Weaver-style rings




Order Number	Description	Fits
18629	Shotgun Rib Mount System	M/870", 1100", 11-87" 12 ga. Vent Rib Barrels Only

REM™ CHOKE TUBES AND WRENCHES

FULL CHOKE TUBE


- Long-range choke delivers tight, well-placed shot patterns when shooting between 45-55 yards
- Ideal for ducks, geese and long-range pheasants
- Full Choke Tube puts 65-75% of pellets in 30" circle at 40 yards
- When used with steel shot, patterns are slightly tighter
- Available in 12-ga. (lead or steel); 12-ga. (lead only); and 20-ga.



Full Rem™ Choke Tube

Order Number	Description	Gauge
26451	Full Choke - Lead or Steel	12
26391	Full Choke - Lead only	12
26461	Full Choke	20

REM™ CHOKE TUBES AND WRENCHES




Modified Rem™ Choke Tube

MODIFIED CHOKE

- Versatile Rem™ Choke that delivers wider shot pattern for shooting at 25-45 yards
- Great for squirrels, rabbits, pigeons, doves, partridge, grouse, pheasant or wild flushing quail at medium range
- Also ideal for pass shooting ducks and geese with steel shot
- Offers 55-60% patterns in 30" circle at 40 yards
- Available in 12-ga. and 20-ga.

Order Number	Description	Gauge
26393	Modified Choke tube	12
26463	Modified Choke tube	20




Improved Cylinder Rem™ Choke Tube

IMPROVED CYLINDER CHOKE TUBE

- Short-range choke that delivers wider shot patterns for game within 35 yard range
- Perfect for rabbit, quail, woodcock, and pheasant over dogs
- Good choice for ducks and geese when used with steel shot
- Produces 45-50% patterns in 30" circle at 40 yards
- Available in 12-ga. and 20-ga.

Order Number	Description	Gauge
26395	Improved Cylinder	12
26465	Improved Cylinder	20



Skeet Rem™ Choke Tube


SKEET CHOKE TUBE

- Standard choke tube for skeet shooting
- Produces 60% pattern in 30" circle at 25 yards
- Available in 12-ga. and 20-ga.
- Also good for close-range upland birds

Order Number	Description	Gauge
26397	Skeet	12-ga.
26467	Skeet	20-ga.

REM™ CHOKE TUBES AND WRENCHES


IMPROVED SKEET



Improved Skeet Rem™ Choke Tube

- Slightly tighter choke for skeet shooting
- Throws 65% pattern in 30" circle at 25 yards
- Great choice for doubles or windy conditions
- Available in 12-ga. and 20-ga.

Order Number	Description	Gauge
26399	Improved Skeet	12
26469	Improved Skeet	20




Trap Full Rem™ Choke Tube

TRAP FULL

- Standard 16 yard trap choke
- Produces 65% patterns in 30" circle at 40 yards
- Available in 12-ga.
- Designed for use only in current Remington overbored trap barrels

Order Number	Description	Gauge
26401	Trap Full	12



Trap Extra-Full Rem™ Choke Tube


TRAP EXTRA-FULL

- Great for longer reach needed at 20-27 yard handicap yardages
- Offers consistent 70% patterns in 30" circle at 40 yards
- Available in 12-ga.
- Designed for use only in current Remington overbored trap barrels

Order Number	Description	Gauge
26403	Trap Extra Full	12

REM™ CHOKE TUBES AND WRENCHES


TRAP SUPER-FULL



Trap Super-Full Rem™ Choke Tube

- Tightest trap constriction for extremely tight patterns
- For back handicap yardages
- Produces 75% pattern in 30" circle at 40 yards
- Offered in 12-ga.
- Designed for use only in current Remington overbored trap barrels

Order Number	Description	Gauge
26405	Trap Super Full	12



Sporting Clays Rem™ Choke Tubes

SPORTING CLAYS TUBES

- Offer maximum flexibility for sporting clays, skeet, or general field shooting
- SC1 = Skeet; SC2 = Imp. Skeet; SC3 = Mod.; SC4 = Imp. Mod.; SC5 = Full
- Ends are knurled for easy changing without tools
- Fit any 12-ga. Rem™ Choke barrel

Order Number	Description	Gauge
26390	Sporting Clays 1 - Skeet	12
26392	Sporting Clays 2 - Imp. Skeet	12
26394	Sporting Clays 3 - Imp. Cyl.	12
26396	Sporting Clays 4 - Modified	12
26398	Sporting Clays 5 - Full	12

TURKEY SUPER-FULL



Turkey Super-Full Rem™ Choke Tube

- Constriction reduced to .665"
- When used with Premier® Magnum Turkey Loads, user can expect 85%+ patterns at 40 yards
- Front of tube is knurled for a good grip and easy removal and extends out beyond end of barrel by approximately one inch
- *Not for use with steel shot*

Order Number	Description	Gauge
26450	Turkey Super Full	12

REM™ CHOKE TUBES AND WRENCHES




Turkey Extra-Full
(12 ga.) Rem™ Choke Tube

TURKEY EXTRA-FULL

- Constriction is .687"
- Offers extremely tight patterns
- Use to obtain maximum pellet concentration at long range
- Delivers 80% patterns in 30" circle at 40 yards
- Available in 12-ga.
- *Not for use with steel shot*

Order Number	Description	Gauge
26452	Turkey Extra Full	12




Extended Rifled
Rem™ Choke Tube

RIFLED CHOKE TUBES

- Adds rifling to smooth bore barrels equipped for Rem™ Chokes
- These tubes improve accuracy and shot placement
- Adds rotational stability to both Foster-type and sabot slugs as they exit the muzzle
- Available in 12-ga., and 3 1/2" 12-ga. Extended Rifled versions

Order Number	Description	Gauge
26453	Rifled	12
18580	Extended Rifled	12




Rifled Rem™ Choke Tube

REM™ CHOKE SPEED WRENCHES

NEW


- Available in 12-ga. and 20-ga.
- New fishing reel-type handle for faster, easier choke tube changing

Order Number	Description	Gauge
18631	Choke Wrench	12
18632	Choke Wrench	20



REMINGTON RIFLE MAGAZINE CLIPS

NEW

NEW DETACHABLE MAGAZINE CLIPS
FOR MODEL 700™ BOLT ACTION RIFLES

- For new Model 700™ Detachable Magazine rifles
- Fast insertion of pre-loaded clips
- Quick release-removal with thumb and forefinger
- Locks in firmly during use
- Convenient means of carrying extra ammunition
- For short- and long-action calibers
- In blued, satin-blued and stainless versions


Order Number	Calibers
For Model 700™ BDL Detachable Magazine Blued Rifles	
18589	6mm, 243, 7mm-08, 308
18590	25-06, 270, 280 Rem., 30-06
18591	7mm Rem. Mag., 300 Win. Mag., 338 Win. Mag.
For Model 700™ BDL Detachable Magazine Stainless Steel Rifles	
18592	6mm, 243, 7mm-08, 308
18593	25-06, 270, 280 Rem., 30-06
18594	7mm Rem. Mag., 300 Win. Mag., 300 Wby. Mag., 338 Win. Mag.
For Model 700™ MTN Detachable Magazine Satin Blued Rifles	
18595	243, 7mm-08
18596	25-06, 270, 280 Rem., 30-06

REMINGTON RIFLE MAGAZINE CLIPS

MODELS FOUR™, 7400™, 742™,
740™, 74™ MAGAZINE CLIPS

- Fast insertion and removal
- Lock firmly into action
- Convenient means of carrying extra ammunition

Order Number	Caliber
26388	308, 6mm, 243
26378	280
26382	30-06, 270, 35 Whelen

MODELS SIX™, 7600™, 760™, 76™
MAGAZINE CLIPS

- Fast insertion and removal
- Lock firmly into action
- Convenient means of carrying extra ammunition

Order Number	Caliber
26370	7mm-08, 308, 6mm, 243, 257 Roberts
26372	280
26371	25-06, 30-06, 270, 35 Whelen


REMINGTON RIFLE MAGAZINE CLIPS



MODEL 788™ MAGAZINE CLIPS

- Fast insertion and removal
- Lock firmly into action
- Convenient means of carrying extra ammunition

Order Number	Caliber
26347	22-250 Rem.
26345	222 Rem.
26351	308 Win.
26349	243 Win.
26346	223 Rem.
26350	7mm-08 Rem.



RIMFIRE MAGAZINE CLIPS

- Fast insertion and removal
- Lock firmly into action
- Convenient means of carrying extra ammunition

Order Number	Model
18630	Model 522™ Viper™ - 10 shot
24914	581™, 541™ - 5 shot
29828	581™, 541™ - 10 shot
26543	Nylon 77™ - 5 shot
26542	Nylon 77™ - 10 shot

REMINGTON SYNTHETIC STOCKS



M/700™ ADL, BDL and MTN Synthetic Stock

NEW




M/870™ Synthetic Stock and Fore-end

NEW



M/1100™ & 11-87™ Synthetic Stock and Fore-end

NEW



M/Seven™ Synthetic Stock

SYNTHETIC STOCK UPGRADES
FOR RIFLES AND SHOTGUNS


- Manufactured by Remington
- Constructed of high-strength, fiberglass-reinforced synthetic material
- Won't bend or swell, impervious to moisture
- Scratch-resistant, non-glare black finish
- Integral sling swivel studs on rifle stocks
- Weigh under 2 lbs.
- Black rubber recoil pad
- Available for Model 700™ Rifles, and Model 870™, 1100™ and 11-87™ Shotguns
- No special bedding required for rifle stocks

Order Number	Description
18582	ADL Short Action
18581	ADL Long Action
18583	ADL Long Action - Magnum
18585	BDL Short Action
18584	BDL Long Action
18586	BDL Long Action Magnum
18588	Mountain Rifle Short Action
18587	Mountain Rifle Long Action
18597★	M/Seven™
18614★	M/870™ Stock and Fore-end
18610★	M/1100™, M/11-87™ Stock and Fore-end

★NEW FOR 1995

REMINGTON HARD GUN CASES

SHOTGUN HARD CASE




- Custom-formed, high-strength, two-barrel fitted gun case
- Designed specifically for Remington autoloading and pump action shotguns
- Includes sufficient space for shotgun receiver, two barrels, six Rem™ Chokes, choke tube wrench, magazine plug and additional accessories
- Case is airline approved and comes with sturdy padlock lug for security

Order Number	Description
18492	Shotgun Hard Case - 11-87™, 1100™, 870™

REMINGTON GUN CASES

GUN SOCK

- Specifically designed to protect gun during storage or travel
- Constructed of soft 100% cotton treated with silicone to guard against rust, dirt, and scratches
- In Remington Green with logo




Order Number	Description
18494	Gun Sock - Remington Green

REMINGTON SOFT GUN CASES

SPORTSMAN™ CASE

- 10 oz. cotton canvas exterior with leather grain vinyl accent
- Brushed knit nylon lining
- ¾" open cell foam padding
- Distinctive Remington logo patch
- Sizes: standard - 44", 48", 52"; scoped - 44", 46"



Order Number	Description
18701	44" Standard
18702	48" Standard
18703	52" Standard
18705	44" Scoped
18706	46" Scoped

MOSSY OAK® TREESTAND® CAMO CASE


- 7 oz. cotton canvas twill exterior
- "Remington" leather patch
- Outside zippered choke tube pocket with 4 elastic tube holders
- Brushed knit nylon lining
- 1" open cell foam padding
- Sizes: standard - 52"; scoped - 46"




Order Number	Description
18708	52" Standard
18710	46" Scoped

REMINGTON SOFT GUN CASES

SIGNATURE CASE



- 12 oz. canvas with 1200 denier propex trim exterior
- Outside zippered choke tube pocket with 4 elastic tube holders
- Corduroy lining
- 1" open cell foam padding
- Sizes: standard - 44", 48", 52"; scoped - 42", 44", 46"
- Also offered in 35" Takedown Shotgun version



Order Number	Description
18712	44" Standard
18713	48" Standard
18714	52" Standard
18715	42" Scoped
18716	44" Scoped
18717	46" Scoped
18739★	35" Takedown

★NEW FOR 1995

CLASSIC TWEED CASE



- Herculon tweed exterior, leather-grain vinyl trim
- Outside zippered choke tube pocket with four elastic tube holders
- Adjustable carrying strap
- Acrylic pile lining
- ½" closed cell foam padding
- Sizes: standard - 52"; scoped - 46"

Order Number	Description
18722	52" Standard
18724	46" Scoped

WILDLIFE CASE




- 1200 denier Propex nylon exterior
- Embroidery design: mallard duck on standard, whitetail deer on rifle case
- Large zippered accessory pocket with 4 elastic choke tube holders
- Acrylic pile lining
- ¾" open cell foam padding
- Sizes: standard - 48", 52"; scoped - 46"

Order Number	Description
18726	48" Standard
18727	52" Standard
18729	46" Scoped

REMINGTON SOFT GUN CASES

SOUTHWESTERN CASE

NEW




- Indian blanket mid-covering with leather grain vinyl ends
- Brushed knit lining and self-healing YKK zipper
- Padded wrap-around handle
- Sizes: standard - 48", 52"; scoped - 44", 46"

Order Number	Description
18735★	48" standard
18736★	52" standard
18737★	44" scoped
18738★	46" scoped

★NEW FOR 1995

AUSSIE OIL CLOTH CASE

NEW



- Oil-treated 10.10 army duck with fleece lining
- Distinctive top grain leather trim
- Padded handle with self-healing YKK zipper
- Sizes: standard - 48", 52"; scoped - 46", 48"


Order Number	Description
18731★	48" standard
18732★	52" standard
18733★	46" scoped
18734★	48" scoped

★NEW FOR 1995

REMINGTON SPORTS AND GUN CLUB BAGS

SIGNATURE DUFFLE BAG

NEW




- Tough, 12-oz. canvas, Propex nylon trim
- Remington green with Remington logo
- Adjustable carrying strap
- Size: 12" x 24"

Order Number	Description
18120★	Signature Duffle Bag

★NEW FOR 1995

REMINGTON SPORTS AND GUN CLUB BAGS

NEW



MOSSY OAK® LARGE DUFFLE BAG

- Roomy capacity for air or vehicle travel
- Tough Cordura® fabric, wrap-around handles
- Mossy Oak® Treestand® pattern
- YKK zipper with lock rings
- Size: 18" x 42"

Order Number


Description

18119★

Mossy Oak® Large Duffle Bag

★NEW FOR 1995

NEW



SHOOTER'S BAG

- Ample room for shooting gear and ammunition
- Propex nylon in Remington green color
- Distinctive "Remington" leather patch
- Multiple pockets with velcro closures
- Web sling carrying strap
- Measures 11" x 9 ½" x 9"

Order Number

Description

18110★

Shooter's Bag

★NEW FOR 1995

NEW



DIVIDED SHELL POUCH WITH BELT

- Propex nylon in Remington green color
- Distinctive "Remington" leather patch
- Two compartments for live shells and "empties"
- Adjustable belt with quick-release buckle

Order Number


Description

18108★

Divided Shell Pouch

★NEW FOR 1995

REMINGTON SPORTS AND GUN CLUB BAGS



NEW

MESH SHELL BAG


- Heavy duty nylon mesh in Remington green
- Distinctive "Remington" leather patch
- Large top opening, metal belt clip
- Capacity for 100 empty shells

Order Number	Description
18109★	Mesh Shell Bag

★NEW FOR 1995

NEW

SHOTGUN AND RIFLE SLINGS



- Durable Cordura® material, reinforced with nylon stitching
- Non-slip inside surface
- Padded for comfort, with 2 ½" x 16" pads and adjustable 1" nylon straps
- Rifle version fits 1" swivels
- Shotgun version attaches without swivels, with loops for pistol grip and barrel
- Color options: Mossy Oak® Treestand®, Brown Camo and Black

Order Number	Description
18125★	Shotgun Sling - Black
18123★	Shotgun Sling - Brown Camo
18121★	Shotgun Sling - Mossy Oak® Camo
18126★	Rifle Sling - Black
18124★	Rifle Sling - Brown Camo
18122★	Rifle Sling - Mossy Oak® Camo

★NEW FOR 1995

STREN® FISHING LINES

STREN® POWERBRAID™ KEVLAR®



- Exceptional strength per diameter
- Doesn't stretch, for instant hooksets
- High sensitivity, even in deep water
- Sinks lures and baits more quickly
- Ideal for flippin', pitchin', and downrigger trolling
- Abrasion-resistant braided multifilament
- In 15, 25, 35, and 50 lb. test

Colors	Pound Test
Natural	15, 25, 35 and 50
Green	15, 25, 35 and 50



STREN®

- High tensile, shock, and knot strength
- High abrasion resistance
- Super limpness and low memory for easy handling
- Controlled stretch
- Available in clear/blue, green, clear, and gold
- A graduated range of 2 to 80 lb. test

Colors	Pound Test
Clear/Blue Fluorescent	2, 4, 6, 8, 10, 12, 14, 17, 20, 25, 30, 40, 50, 80
Green	2, 4, 6, 8, 10, 12, 14, 17, 20, 25, 30,
Clear	2, 4, 6, 8, 10, 12, 14, 17, 20, 25, 30, 40, 50, 80
Golden Fluorescent	2, 4, 6, 8, 10, 12, 14, 17, 20, 25, 30, 40, 50, 80

STREN® MAGNATHIN®



- Low diameter, high strength
- Extra limp and flexible
- Superior casting
- Extremely sensitive
- 50% more line capacity on reel
- From 2 to 130 lb. test, depending on color

Type	Colors	Pound Test
Clear	Clear	2, 4, 5, 6, 8, 10, 12, 16, 20, 30, 40, 50, 80, 130
Moss Green	Moss Green	4, 5, 6, 8, 10, 12, 16, 20, 30
Walleye	Moss Green	4, 5, 6, 8, 10, 12

STREN® FISHING LINES

STREN® MAGNUM 7/20™



- Advanced oval design
- Maximum abrasion resistance for use in heavy cover
- Casts like 7 lb, strong as 20 lb.
- Very quiet, accurate lure entry
- For use on revolving spool reels only

Colors	Pound Test
Clear	7 lb. test, 20 lb. strength
Clear/Blue Fluorescent	7 lb. test, 20 lb. strength
Green	7 lb. test, 20 lb. strength

STREN® MAGNUM 14/40™



- Advanced oval design
- Maximum abrasion resistance for use in heavy cover
- Casts like 14 lb, strong as 40 lb.
- Very quiet, accurate lure entry
- For use on revolving spool reels only


Colors	Pound Test
Clear	14 lb. test, 40 lb. strength

STREN® SUPER TOUGH



- Maximum abrasion resistance
- Superior knot strength
- Extra strength for large trophy angling
- Wide pound-test range, 2 to 40 lb.

Type	Colors	Pound Test
Clear	Clear	2, 4, 6, 8, 10, 12, 14, 17, 20, 25, 30
Green	Green	6, 8, 10, 12, 14, 17, 20, 25, 30, 40

STREN[®] ACCESSORIESSTREN[®] HOOK FILE

- Constructed of high quality carbon steel
- Features ultra-fine cutting edge
- Stren[®] logo on handle

Order Number

HOFI

Description

Hook File

STREN[®] POWERBRAID[™] KIT

Compact kit includes:

- Includes 100 yds. 15, 25, 35 or 50 lb. test Powerbraid[™] Kevlar[™] line
- Tube of Lok-Knot[™] adhesive to ensure maximum knot strength
- 5-inch braided line scissors
- Knot guide and instruction booklet

Order Number

KNK

GKG

Description

Powerbraid[™] Kit - NaturalPowerbraid[™] Kit - GreenSTREN[®] LOK-KNOT[™] SYSTEM

- Knotless fishing line connection system
- Connections yield up to 100% of the line's rated strength
- Creates instant bonds that last in both fresh and salt water
- Recommended for use with Stren[®] Powerbraid[™] and other braided lines
- Can also be applied directly to fishing knots for reinforcement

Order Number

KNLO

Description

Lok-Knot[™]


STREN® ACCESSORIES



STREN® RETRACTABLE LINE CLIPPERS

- Spool pins conveniently on fishing vests and jackets
- Clipper pulls out 15" from spool for instant use
- One-hand accessibility
- For quick clipping & trimming of lines and leaders

Order Number	Description
CLIP	Line Clipper




STREN® FISH SCALE & TAPE MEASURE

- For weighing and measuring fish
- Accurate 50 lb. scale
- Retractable 40-inch tape measure
- Useful for many outdoor & indoor needs
- Easily stored in boats and vehicles

Order Number	Description
SCALE	Fish Scale

STREN® FILLET KNIVES




- Kraton® black handle with Remington logo
- Handles with contoured finger grips and ferrule hole
- Double-tapered 440A stainless steel blades
- "Remington" tang stamp and Stren® blade etch
- Blade lengths of 6", 7 1/2" and 9"
- Thermoplastic sheaths with drain hole

Order Number	Description
18651	6" Stren® Fillet Knife
18652	7 1/2" Stren® Fillet Knife
18653	9" Stren® Fillet Knife


STREN® ACCESSORIES

STREN® COMBO SET



- 6" long nose pliers and diagonal cutters
- Made of rugged carbon steel
- High-visibility EVA handles
- Comes with convenient nylon belt holster sheath

Order Number	Description
PLCO6	Combo



STREN® 6" LONG NOSE PLIERS

- Made of rugged carbon steel
- High visibility EVA handles

Order Number	Description
PLLO6	Pliers (6" Long)




BRAIDED LINE SCISSORS

- Ultra-sharp cutting edge designed for cutting and trimming Stren® Powerbraid™
- High visibility yellow handles

Order Number	Description
SCIS	Braided Line Scissors

STREN® ACCESSORIES

STREN® REEL STRIPPER



- Removes old line from reel quickly and conveniently
- Made of durable, impact-resistant plastic
- Fits easily into tackle boxes
- Runs on (2) C batteries (not included)


Order Number

Description

STR1

Reel Stripper

STREN® HOOK SHARPENER



- Quickly sharpens hooks sharper than new
- Made of durable, impact-resistant plastic
- Convenient lanyard loop on base
- Runs on one AA battery (not included)


Order Number

Description

HOSH

Hook Sharpener

STREN® 8" BENT NOSE PLIERS



- Made of high-quality carbon steel
- High visibility, sure-gripping EVA foam handles

Order Number

Description

PLLO8

Pliers (8" Bent)

Remington®

Remington Arms Company, Inc.
Delle Donne Corporate Center
1011 Centre Road
Wilmington, DE 19805-1270

Telephone numbers:
Consumer Information
(800) 243-9700

Arms Service - Parts and Repairs
(315) 895-3200
(800) 243-9700

Custom Shop
(315) 895-3288
(800) 243-9700


Accelerator, CBee, Core-Lokt, Duplex, Express, Fieldmaster, Fireball, Kleanbore, MagnaThin, Nitro Mag, Power-Lokt, Power Piston, Rangemaster, Remington, ShurShot, Slugger, Speedmaster, Sportsman, Stren, Targetmaster, Thunderbolt, UMC, Wingmaster and Yellow Jacket are trademarks registered in the U.S. Patent & Trademark Office by Remington Arms Company, Inc. Bronze Point, Bullet, Copper-Lokt, Copper Solid, Cyclone, Driving Band, Express-Steel, Figure 8, Golden, Golden Saber, High Impact, Leadless, Lead-Lokt, Lok-Knot, Magnum 7/14, Magnum 7/20, Marine Magnum, Model Seven, Model 11-87, Model 40-XB, 40-XBRR, 40-XC, 40-XR, 40-XRBR, Model 522, Model 541-T, Model 552, Model 572, Model 581-S, Model 700, Model 870, Model 90-T, Model 1100, Model 7400, Model 7600, Nitro 27, Nitro-Steel, Premier, Peerless, PowerBraid, Rem, Rem-Lite, Rustless, Seven, SP-10, Thunderbolt, UMC, Viper, Wetproof Wonderlube are trademarks of Remington Arms Company, Inc., Wilmington, DE 19805. Cordura, Imron, Kevlar, and Zytel are trademarks registered in the U.S. Patent & Trademark Office by E.I. DuPont de Nemours & Company (Inc.). A-Frame is a trademark of Swift Bullet Co. Mossy Oak®, Bottomland™, Greenleaf™, Fall Foliage™, Treestand®, ©1986, Haas Outdoors, Inc.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice.


Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm write Remington Arms Company, Inc., Ilion, New York 13357, for a free copy. Please specify the model and serial number.

The firearms herein have been shown with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open, and safety on.


REPRODUCTION LINE ART






PEERLESS™ OVER-UNDER SHOTGUN



MODEL SP 10™ MAGNUM



MODEL SP 10™ MAGNUM CAMO


MODEL 11-87™ PREMIER™ LC
(LIGHT CONTOUR)MODEL 11-87™ PREMIER™
FULLY-RIFLED CANTILEVER DEER GUNMODEL 11-87™ PREMIER™
SPORTING CLAYS

MODEL 11-87™ PREMIER™ SKEET


SHOTGUNS LINE ART




MODEL 11-87™ PREMIER™ TRAP




MODEL 11-87™ SPECIAL PURPOSE SYNTHETIC (SPS)




MODEL 11-87™ SPS - DEER




MODEL 11-87™ SPS FULLY RIFLED
CANTILEVER DEER GUN



MODEL 11-87™ SPS REM™ CHOKE CANTILEVER DEER GUN




MODEL 11-87™ SPS-T (ALL BLACK MATTE FINISH)




MODEL 11-87™ SPS-T CAMO


SHOTGUNS LINE ART




MODEL 11-87™ SPS CAMO




MODEL 11-87™ SPECIAL PURPOSE MAGNUM (WOOD)



MODEL 11-87™ SP MAGNUM DEER GUN WITH RIFLE SIGHTS



MODEL 1100™ LT-20



MODEL 1100™ 3" MAGNUM LT-20




MODEL 1100™ LT-20 RIFLE-SIGHTED DEER GUN




MODEL 1100™ YOUTH GUN LT-20

REPRODUCTION LINE ART



MODEL 1100™
FULLY RIFLED CANTILEVER DEER GUN




MODEL 1100™ 12-GA. SPECIAL FIELD



MODEL 1100™ SPECIAL FIELD LT-20



WINGMASTER® (LIGHT CONTOUR BBL)



MODEL 870™ WINGMASTER®
FULLY-RIFLED CANTILEVER DEER GUN



MODEL 870™ WINGMASTER® 20-GA.




MODEL 870™ WINGMASTER® 20-GA.
FULLY-RIFLED CANTILEVER DEER GUN


REPRODUCTION LINE ART




MODEL 870™ SPECIAL FIELD




MODEL 870™ MARINE MAGNUM™




MODEL 870™ SPS FULLY RIFLED DEER GUN




MODEL 870™ SPS
FULLY-RIFLED CANTILEVER DEER GUN



MODEL 870™ SPS REM™ CHOKE
CANTILEVER SCOPE MOUNT DEER GUN



MODEL 870™ SPS-T (ALL BLACK MATTE FINISH)



MODEL 870™ SPS-T CAMO


REPRODUCTION LINE ART



MODEL 870™ SPS CAMO



MODEL 870™ POLICE -
PLAIN BARREL W/BEAD SIGHTS




MODEL 870™ EXPRESS



MODEL 870™ EXPRESS™ SYNTHETIC
(12-GA. ONLY)



MODEL 870™ EXPRESS™ TURKEY




MODEL 870™ EXPRESS™ FULLY-RIFLED DEER GUN




MODEL 870™ EXPRESS™ DEER GUN


REPRODUCTION LINE ART



MODEL 870™ EXPRESS™ COMBO (12-GA.)




MODEL 870™ EXPRESS™ COMBO (20-GA.)




MODEL 870™ EXPRESS™ SMALL GAUGE (20-GA. ONLY)



MODEL 870™ EXPRESS™ YOUTH




MODEL 870™ EXPRESS™ YOUTH-DEER




MODEL 870™ EXPRESS™ HD

REPRODUCTION LINE ART



MODEL 700 ADL DELUXE




REMINGTON MODEL 700™ CLASSIC



MODEL 700™ BDL CUSTOM DELUXE




MODEL 700™ BDL CUSTOM DELUXE
LEFT-HAND



MODEL 700™ BDL SS (STAINLESS SYNTHETIC)




MODEL 700™ VS (VARMINT SYNTHETIC)




MODEL 700™ VS SF
(VARMINT SYNTHETIC STAINLESS FLUTED)


REPRODUCTION LINE ART




MODEL 700™ SENDERO SPECIAL




MODEL 700™ VLS (VARMINT LAMINATED STOCK)




MODEL 700™ MOUNTAIN RIFLE DM (DETACHABLE MAGAZINE)




MODEL 700™ BDL DM
(DETACHABLE MAGAZINE)



MODEL 700™ BDL DM-LH



MODEL 700™ BDL SS DM




MODEL SEVEN™ - SS
(STAINLESS SYNTHETIC)


REPRODUCTION LINE ART




MODEL SEVEN™ - LIGHTWEIGHT



MODEL SEVEN™ - YOUTH




MODEL 7400™ AUTOLOADING RIFLES




MODEL 7600™ PUMP ACTION RIFLE



MODEL 522™ VIPER™ AUTOLOADING 22 RIFLE




MODEL 552™ BDL DELUXE SPEEDMASTER®
AUTOLOADING 22 RIFLE




MODEL 572™ BDL DELUXE FIELDMASTER®
PUMP ACTION 22 RIFLE

REPRODUCTION LINE ART



MODEL 541-T™ BOLT ACTION RIFLES



SPORTSMAN 581-S™ BOLT ACTION RIFLE




1816 REMINGTON COMMEMORATIVE
FLINTLOCK RIFLE




MODEL 700™ AFRICAN PLAINS RIFLE



MODEL 700™ ALASKAN WILDERNESS RIFLE




MODEL 700™ SAFARI GRADE
(MONTE CARLO WOOD STOCK) RIGHT-HAND ONLY




MODEL 700™ SAFARI GRADE
(CLASSIC WOOD STOCK) RIGHT-OR LEFT-HAND ACTION

REPRODUCTION LINE ART



MODEL 700™ CUSTOM RIFLE




MODEL 40-XR™ CUSTOM SPORTER




MODEL 700™ CUSTOM KS
(KEVLAR® STOCK) MOUNTAIN RIFLE




MODEL 700™ CUSTOM KS
STAINLESS MOUNTAIN RIFLE (RIGHT-HAND ONLY)



MODEL 700™ CUSTOM KS SAFARI GRADE RIFLE
(RIGHT AND LEFT-HAND)




MODEL 700™ CUSTOM KS SAFARI
STAINLESS (RIGHT-HAND ONLY)



MODEL SEVEN™ CUSTOM KS


REPRODUCTION LINE ART




MODEL SEVEN™ CUSTOM MS
(MANNLICHER STOCK) RIGHT-HAND ONLY




MODEL 40-XR™ KS (KEVLAR® STOCK POSITION RIFLE)




MODEL 40-XRBR™ (KEVLAR® STOCK BENCHREST RIFLE)



MODEL 40-XR™ KS SPORTER






MODEL 40-XB™ RANGEMASTER®




MODEL 40-XB™ KS (KEVLAR STOCK)

REPRODUCTION LINE ART




BARRELED ACTIONS




REPRODUCTION LINE ART




SP DUPLEX® LEAD LOADS

PREMIER™ MAGNUM
TURKEY LOADS


NITRO MAG® SHOTSHELLS

EXPRESS® EXTRA LONG RANGE
SHOTSHELLSPREMIER™ MAGNUM NICKEL-
PLATED BUCKSHOT LOADS

EXPRESS® BUCKSHOT



EXPRESS® MAGNUM BUCKSHOT

PREMIER™ COPPER SOLID™
SABOT SLUGS

SLUGGER® RIFLED SLUG LOADS



NITRO-STEEL™ MAGNUMS




EXPRESS-STEEL™

PREMIER™ COPPER PLATED
FIELD LOADS


REPRODUCTION LINE ART

SHURSHOT® HEAVY
FIELD LOADSSHURSHOT® HEAVY
DOVE LOADS


REMINGTON TARGET LOADS

GAME LOADS, HEAVY GAME
LOADS, AND SPORT LOADSREMINGTON PREMIER™ STEEL
TARGET LOADS

CBEE® 22



HIGH VELOCITY 22




VIPER™ HYPER VELOCITY 22

REPRODUCTION LINE ART



YELLOW JACKET® LONG RIFLE
HYPER VELOCITY




TARGET STANDARD VELOCITY 22



22 THUNDERBOLT™




22 SUBSONIC



22 CYCLONE™



REMINGTON EXTENDED RANGE
CENTERFIRE RIFLE CARTRIDGES



REMINGTON SAFARI GRADE
CENTERFIRE RIFLE CARTRIDGES



CORE-LOKT® SOFT POINT
BULLET



POWER-LOKT® HOLLOW POINT
BULLET



MATCH CENTERFIRE CARTRIDGES



REMINGTON GOLDEN SABER™ HPJ
HIGH PERFORMANCE CENTERFIRE
PISTOL/REVOLVER CARTRIDGES

CORE-LOKT® POINTED SOFT
POINT BULLET




BRONZE POINT™ EXPANDING
BULLET






CORE-LOKT® - HIGH PERFORMANCE
CENTERFIRE PISTOL/REVOLVER
HUNTING CARTRIDGES



REPRODUCTION LINE ART

LEADLESS™ CENTERFIRE
PISTOL/REVOLVER CARTRIDGES

CENTERFIRE BLANK CARTRIDGES

UMC™ SHOTSHELLS -
DOVE LOADSUMC™ SHOTSHELLS -
PHEASANT LOADSUMC™ CENTERFIRE RIFLE
CARTRIDGESUMC™ PISTOL AND REVOLVER
CARTRIDGES


UMC™ RIMFIRE CARTRIDGES

209 PREMIER™ AND .410
PREMIER™ PRIMERS







CENTERFIRE PRIMERS




PERCUSSION CAPS



TARGET LOAD WADS



FIELD LOAD WADS




REPRODUCTION LINE ART




(17 REMINGTON) U17REM




(10MM) U10MM




(223 REMINGTON) U223




(32 S&W LONG) U32SWL



(243 WINCHESTER) U243




(357 MAGNUM-BRASS) U3578



(264 WINCHESTER MAGNUM) U264



(380 AUTOMATIC PISTOL) U380




(280 REMINGTON) U280




(41 REMINGTON MAGNUM) U41MAG



(30-06 SPRINGFIELD) U3006




(44 REMINGTON MAGNUM) U44MAG




(308 WINCHESTER) U308




(45 AUTOMATIC) U45AP



(338 WINCHESTER MAGNUM) U338




(416 REMINGTON MAGNUM) U416MG




(458 WINCHESTER MAGNUM) U458


REPRODUCTION LINE ART




PREMIER SERIES GUN SAFE




CLASSIC SERIES GUN SAFE





SPORTSMAN SERIES GUN SAFE




"MASTER GUIDE" R1273
BULLET™ KNIFE




"MASTER GUIDE" POSTER




STREN® ANGLER'S
KNIFE & POSTER SET



UPLAND KNIFE (DELRIN® STAG)




WATERFOWL KNIFE
(DELRIN® STAG)




BIG GAME KNIFE
(DELRIN® STAG)


REPRODUCTION LINE ART




GENTLEMEN'S KNIFE
(DELRIN® STAG)




PEANUT KNIFE
(DELRIN® STAG)




WHITTLER KNIFE
(DELRIN® STAG)




TRAPPER KNIFE
(DELRIN® STAG)




EURO-UPLAND KNIFE
(DELRIN® STAG)




PEN KNIFE
(DELRIN® STAG)




TUXEDO KNIFE
(DELRIN® STAG)




UPLAND KNIFE (WOOD)




WATERFOWL KNIFE (WOOD)




BIG GAME KNIFE (WOOD)




GENTLEMEN'S KNIFE (WOOD)




PEANUT KNIFE (WOOD)



WHITTLER KNIFE (WOOD)




TRAPPER KNIFE (WOOD)




"GRIZZLY" SERRATED EDGE
SINGLE LOCKBACK


REPRODUCTION LINE ART




"GRIZZLY" STRAIGHT EDGE
SINGLE LOCKBACK




"GRIZZLY" SERRATED EDGE
DOUBLE LOCKBACK




"GRIZZLY" STRAIGHT EDGE
DOUBLE LOCKBACK




9501 STOCKMAN




9502 MINI-STOCKMAN




9503 TRAPPER




9504 JACK KNIFE




MONEY CLIPS




TUXEDO KNIFE (PEARL HANDLE)




SPORTSMAN™ CLIP BLADE KNIFE



SPORTSMAN™ DROP POINT KNIFE




BIRD AND TROUT KNIFE



BOOT KNIFE



STREN® FILLET KNIVES-
BY REMINGTON



REMINGTON KNIFE SHEATHS

REPRODUCTION LINE ART



WONDERLUBE™ ALL-PURPOSE
LUBRICANT



BRITE BORE™
SOLVENT/CLEANER



REM™ OIL




REMINGTON BORE
CLEANER




REM™
ACTION CLEANER




REM™ DRILUBE™




REMINGTON SAFETY LOCK




MODIFIED REM™ CHOKE TUBE



FULL REM™ CHOKE TUBE




IMPROVED CYLINDER
REM™ CHOKE TUBE




SHOTGUN RIB SCOPE MOUNT
SYSTEM


REPRODUCTION LINE ART




SKEET REM™ CHOKE TUBE




IMPROVED SKEET REM™ CHOKE TUBE




TRAP FULL REM™ CHOKE TUBE



TRAP EXTRA-FULL REM™ CHOKE TUBE



TRAP SUPER-FULL REM™ CHOKE TUBE




SPORTING CLAYS REM™ CHOKE TUBES



TURKEY SUPER-FULL REM™ CHOKE TUBE




TURKEY EXTRA-FULL REM™ CHOKE TUBE




Extended Rifled Rem™ Choke Tube

Rifled Rem™ Choke Tube



REM™ CHOKE SPEED WRENCHES



DETACHABLE MAGAZINE CLIPS FOR MODEL 700™ BOLT ACTION RIFLES



MODELS FOUR™, 7400™, 742™, 740™, 74™ MAGAZINE CLIPS


REPRODUCTION LINE ART




MODELS SIX™, 7600™, 760™, 76™
MAGAZINE CLIPS



MODEL 788™ MAGAZINE CLIPS



RIMFIRE MAGAZINE CLIPS



M/700™ ADL, BDL AND MTN SYNTHETIC STOCK




M/870™ SYNTHETIC STOCK AND FORE-END



M/1100™ & 11-87™ SYNTHETIC STOCK
AND FORE-END




M/SEVEN™ SYNTHETIC STOCK




SHOTGUN HARD CASE




GUN SOCK



SPORTSMAN™ CASE




MOSSY OAK® TREESTAND® CAMO CASE



SIGNATURE CASE

REPRODUCTION LINE ART




SIGNATURE CASE




CLASSIC TWEED CASE




WILDLIFE CASE




SOUTHWESTERN CASE




AUSSIE OIL CLOTH CASE



SIGNATURE DUFFLE BAG




MOSSY OAK® LARGE DUFFLE BAG




SHOOTER'S BAG



DIVIDED SHELL POUCH
WITH BELT



MESH SHELL BAG



SHOTGUN AND RIFLE SLINGS

REPRODUCTION LINE ART



STREN® POWERBRAID™ KEVLAR®



STREN® MAGNUM 7/20™




STREN®



STREN® MAGNUM 14/40™




STREN® MAGNATHIN®



STREN® SUPER TOUGH


REPRODUCTION LINE ART




STREN® HOOK FILE




STREN® RETRACTABLE LINE CLIPPERS




STREN® POWERBRAID KIT



STREN® FISH SCALE & TAPE MEASURE




STREN® LOK-KNOT™ SYSTEM




STREN® FILLET KNIVES


REPRODUCTION LINE ART




STREN® REEL STRIPPER




STREN® TWO-PLIER COMBO SET




STREN® HOOK SHARPENER



STREN® 6" LONG NOSE PLIERS



STREN® 8" BENT NOSE PLIERS



STREN® BRAIDED LINE SCISSORS




Remington®

FIREARMS SAFETY IS EVERYONE'S RESPONSIBILITY

Remington.

C O U N T R Y




Remington®

FIREARMS SAFETY IS EVERYONE'S RESPONSIBILITY

Remington.

C O U N T R Y



Remington®


FIREARMS SAFETY IS EVERYONE'S RESPONSIBILITY

Remington®

FIREARMS SAFETY IS EVERYONE'S RESPONSIBILITY


Remington.

C O U N T R Y



Remington.

C O U N T R Y



Remington®

C O U N T R Y

Remington®

C O U N T R Y

Remington.

C O U N T R Y

Remington.

C O U N T R Y

Remington®

Remington®

Remington®

Remington®

Remington®

Remington®

IT'S WHAT YOU'RE SHOOTING FOR

IT'S WHAT YOU'RE SHOOTING FOR

Remington®

Remington®

IT'S WHAT YOU'RE SHOOTING FOR

IT'S WHAT YOU'RE SHOOTING FOR

NOTE: Size relationship and relative position of Remington logo *must* always remain as shown.