

THE REMINGTON PRODUCT CATALOG YOU HOLD IN YOUR HANDS OFFERS A LOOK INTO THE MOST REVOLUTIONARY LINE-UP OF NEW FIREARMS, AMMUNITION AND RELATED PRODUCTS EVER TO HIT THE MARKET. WE ARE VERY PROUD TO BRING YOU A LINE-UP OF NEW PRODUCTS THAT WILL REDEFINE PERFORMANCE IN SPORTING ARMS, AND WILL SHAPE FUTURE TRENDS IN THE INDUSTRY. AT THE SAME TIME, WE OFFER YOU THE RICHEST HISTORY IN FIREARMS MANUFACTURING WITH A LINE OF EXISTING PRODUCTS THAT IS UNPARALLELED IN QUALITY, DURABILITY AND UTILITY AFIELD.

WE ARE PRIVILEGED AS OUTDOORSMEN TO ENJOY THE BEAUTY AND BOUNTY OF THE WILD. MAKE IT A POINT THIS YEAR TO SHARE YOUR HUNTING HERITAGE WITH SOMEONE WHO HAS NEVER SPENT TIME AFIELD. LEAD BY EXAMPLE, AND INSTILL IN THEM THE SAFE, ETHICAL BEHAVIOR THAT IS EXPECTED BY THE HUNTING AND NON-HUNTING PUBLIC.

AS PART OF REMINGTON'S CONTINUED INTEREST IN PRESERVING YOUR HUNTING AND SHOOTING RIGHTS AND PRIVILEGES, REMINGTON HAS TAKEN THE INDUSTRY LEAD AS A CONTRIBUTOR TO THE HUNTING AND SHOOTING SPORTS HERITAGE FUND. A POR-TION OF WORLDWIDE SALES WILL BE CONTRIBUTED TO THE FUND TO FURTHER A NATIONAL EDUCATION AND COMMUNICATION CAM-PAIGN TO CREATE A GREATER AWARENESS AMONG THE MASS MEDIA AND THE PUBLIC.

Tommy Millner

TOMMY MILLNER PRESIDENT

INTERODDUCES



Bolt plug

The firearms and ammunition system of the future is here now. Remington's ground-breaking new EtronX™ System is the most significant advance in rifle and ammunition performance since the development of self-contained cartridges. For the first time, cased centerfire cartridges can be fired by a completely nonmechanical system that ignites primers by means of an electric pulse.

The electronic fire control has no moving parts other than the trigger - no

sear to be released or firing pin to move and strike the primer. Instead, an internal electric circuit is completed when the trigger is pulled. This sends an electrical charge through the system to our new. electrically responsive primer, igniting it instantaneously. The result is the fastest lock time of any rifle ever built. Only Remington® could bring you a gun and ammo

system this advanced.

Model 700™ EtronX™ System Components


New bolt assembly still provides

famous three rings of steel

EtronX™ primer in contact with firing p Insulated firing pin Trigger assembly with micro-switch

Key switch in pistol grip enables the entire system

Short-travel trigger activates micro-switch for instantaneous ignition



Speed-of-Light Ignition

In the Model 700 EtronXTM, putting the safety in the FIRE position permits firing, just as it would with a mechanical fire control. Closing the bolt on a chambered cartridge establishes contact between an electrically conductive firing pin and the primer. Pulling the trigger then signals the

electronic circuit and sends an instantaneous electrical pulse through the firing pin to the primer. The system also creates exceptionally crisp trigger pull with 36% less travel than standard triggers.

Instantaneous ignition with near-zero lock time virtually eliminates the effects of barrel movement after pulling the trigger. In fact, the bullet exits the barrel of the Model 700^{TM} EtronXTM before the firing pin has even hit the primer in a conventional rifle.


The system's power source is a replaceable nine-volt battery, located in the rifle's butt stock. A unique light-emitting diode on top of the grip indicates complete system status, including whether it is in the FIRE or SAFE mode, if a cartridge has been chambered, and battery status. An additional safety feature — a key switch with a removable key located in the bottom of the


pistol grip — must first be turned "ON" to enable the electronic system and permit firing.

The Model 700™ EtronX™ rifle retains all the other traditional aspects of our famous line of centerfire bolt-

action rifles. It includes the same features as the Model 700[™] VS SF with a stainless-steel barreled action, 26-inch fluted barrel, composite black synthetic stock and full-length aluminum bedding block. For 2000, the Model 700[™] EtronX[™] is chambered for the .220 Swift, .22-250 Remington and .243 Win.

EtronX™ Trigger Assembly





Current flows from end of firing pin into Etron X^{TM} primer contact



EtronX™ Ammunition

To complement our EtronX[™] rifles, we have developed a new line of EtronX[™] centerfire ammunition. New EtronX[™] ammunition includes three highly accurate, flat-shooting centerfire loadings: our Premier[®] Varmint .22-250 Remington and .220 Swift with 50-grain V-Max[™] polymer-tip bullets,

and our Premier® Ballistic

Tip® .243 Win. with a 90grain Nosler® Ballistic

Tip® bullet. The design
and construction of these
cartridges is identical to
standard centerfire
ammunition with one
significant exception.

Tip® bullet. The design
and construction of these
cartridges is identical to
standard centerfire
ammunition with one
significant exception.

They utilize our unique new electrically ignited EtronXTM primers, which contain a patented electrically conductive primer mix specially formulated to ignite reliably and evenly from the electrical pulse.

Because the EtronXTM primer is carefully calibrated to duplicate the performance of our standard primer, car-

tridges can be loaded with the same amount and type of powder as they would for a mechanical firing system, with virtually no change in pressure levels or velocities.

Premier® Varmint and Premier® Ballistic Tip® cartridges, combined with the near-zero lock time of the Model

even tighter accuracy performance than previously obtainable from over-the-counter rifles and ammunition.

And for those who reload their


centerfire ammunition,

thouse EtronXTM primers will


also be available as

components. They have identical ignition characteristics and external dimensions as standard large-rifle percussion primers. Shooters will be able to reload EtronX[™] ammunition by following the same published loading data they have been using for cartridges of the same caliber and bullet weight.

Section Through EtronX™ Case Head And Primer




Close-Up Of EtronX™ Firing Pin/Primer Contact



IMODEL ZOO' BOLL-ACTION RIFLES

SUPERIOR PERFORMANCE YOU CAN COUNT ON

In any critical comparison of bolt-action rifles, there is still no other that equals the design and performance provided by the Model 700". When it was introduced 38 years ago, it was ahead of its time. Now, as we begin a new century, it is still ahead of its time. This unique, reliable rifle provides superiority in every possible feature you might want in a bolt-action. The Model 700" remains the strongest bolt-action made, the most accurate out-of-the-box shooter, and retains the cleanest, most attractive lines you'll find anywhere on the range or in the field.





From the early models of the 1890s, basic bolt-action rifle design changed little for nearly 60 years. Then in the middle of this century, a major advance in design created the modern bolt-action. Named the Remington® Model 700TM, it was simpler, stronger, more reliable and


more accurate than any other rifle ever made. It still is.

Reasons for this can be found in the Model 700[™] design. A far more rigid, cylindrical receiver replaced the earlier flat-bottomed types. Besides adding stiffness, this design provides a greater and more consistent bedding contact area for the action

in the stock. Next came a counterbored bolt face that completely encloses the cartridge head with an unbroken ring of steel. That ring feeds inside the barrel chamber, which is further surrounded by the receiver. The resulting "three rings of steel" create the strongest action made.


This design also produced other benefits. A completely supported cartridge provides snugger chambers and more consistent alignment of the cartridge with the bore. That helps accuracy. And the unique Model 700TM bedding system is another key to its accuracy. It starts with more surface area from the cylindrical receiver. The barrel is then free-floated from the receiver to a contact point near the tip of the fore-end. This helps produce uniform barrel harmonics and more consistent performance from shot to shot.

These features enhance the inherent accuracy of the rifle. Two more help the shooter: the exceptionally crisp Model 700^{TM} trigger and 3.0 millisecond lock time minimize effects of shooter movement. The end result is a better-placed shot, and the secret to the now legendary Model 700^{TM} out-of-the-box accuracy.




Model 700s are also offered in a variety of styles and options to meet individual needs, preferences, and hunting conditions. These include our basic blind-magazine ADL™ style, with wood or synthetic stock and carbon-steel barrel; BDL™ style with wood or synthetic stock and carbon or stainless-steel barreled

action with hinged magazine floor plate, and DM versions with convenient detachable magazines. Other options include choices of American walnut, synthetic or laminated-hardwood stocks; carbon-steel and stainless-steel barreled actions; and mirror-image left-hand actions and stocks. (See page 36 for caliber listings.)



MODEL 700™ DESIGN FEATURES



Optional detachable magazine box is constructed of stainless steel for maximum durability and weather resistance

Recessed bolt face completely encloses cartridge head in 3 rings of steel for maximum protection against case rupture

RIFLE DIMENSIONS / AVERAGE WEIGHTS

Model at 300	Action Type		Overall	Ayg. Wt"(lb	Stock %	Stock Finish	BBL Matil	BBL*
700™ BDL™	Magnum ³	24"	44%"	71/2	– American .	Class	Carbon	Polished
	Long Action	22"	42'ሬ"	73/8	_ American . _ Walnut	G1055	Steel	Blue
	Short Action ²	22"	41%"	71/4				
700™ BDL™ DM	Magnum	24"	: 44%"	71/2		01		Polished
	Long Action	. 22"	42%"	73/6	American ,Walnut	GIOSS	Carbon Steel	Blue
	Short Action	22"	41%"	71/4				
700™ BDL™ SS	Magnum³	24"	44%"	71/2	Black	Matte	416	Satin
	Long Action	24"	441/2"	7³/a	Synthetic		Stainless	Stainless
700™ BDL™ SS DM¹	Magnum	24"	- 441/6"	71/4	– Plant		416	c .:
	Long Action	24"	44%"	73/a	BlackSynthetic	Matte	Stainless	Satin Stainless
	Short Action	24"	43%"	71/4				
700™ LSS	¹ Magnum³	24" -	441/4"	71/2	Grav	Gloss	416 Stainless	Satin
	Long Action	24"	44'6":	73/8	Läminated:			Stainless
700 th Classic	Short Action	24"	44%"	71/4	American Walnut	Satin	Carbon Steel	Polished Blue
700™ ADL™	Magnum	24"	44%"	71/2		c	; ; ; ;	D 15.44
	Long Action	22"	42'/5"	7³/a	- American Walnut	Satin	Carbon Steel	Polished Blue
	Short Action	22"	41%"	71/41				
700™ ADL™ Syn-	Magrium	24"	441/5"	71/4	10.31等点。		* * * * * ! !	14.44-
	Long Action	22"	42'/3"	73/6	Black Synthetic	Matte	Carbon	Matte Blue
	Short Action	22"2	41%"	7'/4	1012		3166	Diuc
700™ ADL™ Syn. Youth		20"	39%" ,	63/4	Black Synthetic	Matte	Carbon Steel	Matte Blue

1 Model 700" SS DM-B rifles with muzzle brake option have 25" overall barrel length.


2 24" barrel in 17 Remington, 222 Remington, 223 Remington, 22-250 Remington, and 25-06 Remington; 43% overall length.


3.26° barrel in .300 and .338 Remington Ultra Mag, 46'/, overall length.
For full caliber listings and L-H offerings, refer to page 36.

MODEL ZOO SPECHALTY RIFLES

MATCHED TO THE WAY YOU HUNT LIKE A CUSTOM RIFLE

For those whose hunting challenge is to reach out across long ranges, or whose ultimate stand is on the high ground, there are special Model 700° rifles designed to match your needs exactly. Two of these provide target-type barrel stability and length to combine steadier holding and maximum ballistic performance with near benchrest accuracy. Two others deliver traditional Model 700° accuracy in compact packages that lighten your load on long hikes or high climbs.





Any gunmaker can tack a heavy barrel onto a bolt action. But our Model 700TM Sendero[®] starts with the existing Model 700TM action advantages of strength, rigidity, fast lock time and crisp trigger pull. We then added a 26-inch varmint barrel — with the vibration-dampening weight for initial and repeat-shot accuracy, and the length to draw the maximum velocity and energy from big-game cartridges, both standard and magnum. The stiffer, steadier tar-

get barrel has Remington's snug chambers and hammer-forged uniformity, plus a 26" length to wring every increment of velocity and energy from the cartridge. On a rifle obviously designed for scope sights, the barrel is clean, without iron sights, and the receiver is drilled and tapped for mounts.

The Model 700[™] Sendero® SF (Stainless Fluted) combines a corrosion-resistant stainless-steel barreled action with longitudinal barrel flutes that cut weight by a half pound, retain rigidity, and increase heat-dissipation surface area. Both these rifles are set in a strong

Kevlar®-reinforced stock with a full-length aluminum bedding block that allows the barrel to float and brings benchrest accuracy to big-game hunting.

Ideal for hunting that involves serious hiking or climbing, our lightweight

Model 700™ Mountain Rifles utilize trim stocks and tapered barrels to deliver car-

bine-like fast handling with full-bore
range and accuracy. They include
both the standard Model 700TM
Mountain DM with detachable
magazine, and our handsome, element-resisting Model 700TM
Mountain LSS (Laminated Stock

Stainless) with stainless-steel barreled action and highly stable laminated stock.

RIFLE DIMENSIONS / AVERAGE WEIGHTS


RIFLE DIMEN					ar Parine and Travelle 1975 have	* := * * * * * * * * * * * * * * * * * * *	#4 - E2013a	5.22.18.65.6
Model	Action Type	Barrel, Length	Overall Length	Avg. :: Wt. (Ib	۶.), * Mat I * برد	Stock Finish	BBL Mat I	BBL* Finish
700™ Mtn. LSS	Long Action	22"	42½"	6¼	Brown	Satin	416 Stainless	Satin Stainless
	Short Action	22"	41%"	61/4	Laminated			
700™ Mtn. DM	Long Action	22"	421/6"	65%	American	Satin	Carbon Steel	Satin Blue
	Short Action	22"	415/8"	61/4	Walnut			
700™ Sendero®	Magnum	26"	46%"	9	Kevlar®-	Matte	Carbon Steel	Matte Blue
	Long Action	26"	465%"	9	Reinforced			
700™ Sendero® SF	Magnum	26"	46 ⁵ %"	81/2	Kevlar®-	Matte	416	Satin
	Long Action	26"	465h"	81/2	Reinforced		Stainless	Stainless

For full caliber listings refer to page 36.

MODEL ZOO" WARMINT REFLES

THE MOST ACCURATE VERSIONS OF THE WORLD'S MOST ACCURATE RIFLE

Remington® varmint rifles have been designed and built for one objective — superb, repeat-shot accuracy. They achieve this with an unmatched combination of elements. We start with the inherent strength and rigidity of our famous Model 700° cylindrical action. Added to that is a sophisticated bedding support for the action in the strongest, most stable stocks made. Each rifle is then fitted with an exceptionally rigid, hammer-forged target-type barrel in stainless and carbon-steel versions.



Stock choices for Model 700[™] Varmint rifles are extremely rigid and unaffected by the elements. Those of fiberglass com-

posite are strengthened by Kevlar® and graphite and are unaffected by temperature or humidity. These composite stocks feature an aircraft-grade aluminum bedding block that runs the full length of the receiver. And our wood

stocks provide exceptional strength and stability from laminated, alternating strips of resin-impregnated hardwood.

Barrel choices include heavy-contour carbon steel; stainless steel with the lighter-weight but expanded heat-dissipating surface of six longitudinally cut flutes, and our truly revolutionary new composite barrel. This encases a light-


weight stainless-steel liner inside an outer composite material of

epoxy-hardened graphite fiber.

The result is a combination of strength and rigidity that could be matched only by an all-steel barrel weighing many times more. But the real advantage comes from super-enhanced

heat dissipation that virtually eliminates barrel walk from heat build-up.

Built on the rigid Model 700[™] cylindrical action, these are the most accurate rifles we have ever produced for over-the-counter sale.



RIFLE DIMENSIONS / AVERAGE WEIGHTS


Model	Action Type	Barre Leng	l Overall th Length"	Avg. Wt.	Stock (lbs.) Mat'l	Stock Finish	BBL BBL BBL BBL BINSh
700™ VS SF	Short Action	26"	45'4"	81/2	Kevlar®- Reinforced	Matte	
700™ VLS	Short Action	26"	45%	93/8	Brown Laminated	Satin	Carbon Satin Steel Blue
700™ VS	Short Action	26"	45'4"	9¼	Kevlar®- Reinforced	Matte	Carbon Satin Steel Blue
700™ VS Composite	Short Action	26"	453/4	71/6	Kevlar®-/ Reinforced	Matte	Graphite Satin Composite


For full caliber listings and L-H offerings, refer to page 36.

MODEL SEVEN

STRENGTH, ACCURACY, AND BEAUTY IN COMPACT, FAST-HANDLING RIFLES

Based on its combination of portability and performance, the Model Seven" has often been called "the best whitetail deer rifle in America." In our new versions for the year 2000, it may well qualify as one of the most handsome. Wood-stocked versions now have actions bedded in Remington's attractive laminated stocks of warm, light and dark-brown tones. Added practicality and truly eye-catching beauty come in three new specifications that combine laminated-wood stocks with stainless-steel barreled actions.





We can describe the features of a Model Seven[™] in words, but you really have to hold this unique, compact rifle in your hands, carry it afield, and shoot it to fully appreciate its value. With its new, nicely balanced 20-inch barrel, laminated stock, and overall weight of under 6½ lbs., its easy-carrying portability and fast handling make it the perfect woods rifle. Yet it still has the rigidity of our Model 700[™] action to

provide exceptional accuracy for long-range shots. That accuracy is further enhanced by the element-resisting, unchanging zero of its synthetic or new laminated-wood stocks. For small to medium-game hunting, the Model SevenTM is really at home everywhere, from dense, forested cover to the wide open spaces.

Standard blued carbon-steel barreled actions are set in

a choice of either synthetic or laminated stocks and are available in five popular short-action calibers that include .223 Remington, .243 Win., .260 Remington, 7mm-08 Remington and .308 Win. Or you can get our handsome new Model Seven LSS with a combination of 416 stainless-steel barreled action and laminated stock for small to medium-game hunting in .22-250 Remington, .243 Win. and the versatile 7mm-08 Remington.

Finally, for youngsters or small-stature adults, the Model SevenTM Youth is available in four calibers with 1" shorter stock and carbon-steel barrel.

RIFLE DIMENSIONS / AVERAGE WEIGHTS


	Model	12.7	Barrel, Length	Overall Length	Avg. Wt.(lbs.)	Stock // Mat'l	Stock. Finish	BBL Mat'l 'e	BBL/ Finish
*	Model Seveni	LS	20*	391/4"	6'4	Brown Laminated	Satin	Carbon Steel	Polished Blue
*	Model Seven	LSS	20"	39'4"	61/4	Brown Laminated	Satin	416 Stainless	Satin Stainless
	Model Seven™	SS	20"	391/4"	61/4	Black Synthetic	Matte	416 Stainless	Satin Stainless
*	Model Seven™ Youth		20"	3834"	6¼	Hard- wood	Flat	Carbon Steel	Matte Blue
	For full caliber lis	stings	s refer t	o page 37.				★ New	For 2000

MODEL 7600 MODEL 7400 M

THE FAST-SHOOTING REPEATERS WITH SLEEK, MODERN LINES

For almost a hundred years, Remington® autoloading and pumpaction rifles have remained unchallenged in terms of reliability, accuracy and performance. When hunters wanted fast-shooting pumps or autos, they invariably turned to Remington. Today's Model 7600° and 7400° are not only handsome, they are thoroughly modern rifles too. Each action type has been constantly upgraded through a series of new and improved models. Today, they offer hunters rapid reloading speed without sacrificing demanding standards of accuracy and reliability.





Pride of craftsmanship is inherent in both our Model 7600[™] and Model 7400[™] rifles. It is created by the refined custom-style appearance of generously checkered American wal-

nut Monte Carlo stocks and fore-ends, and extensive fine-line engraving on the large receiver panels. Yet for rough workhorse use, each is also available in the option of strong synthetic stocks and undecorated receivers. For even faster handling and close-cover convenience, both rifles are produced in carbine lengths with 1.8½" barrels. And all versions include the rapidreloading flexibility of detachable magazines.

There is no faster-shooting repeater than our Model 7600™ pump-action rifle. Smooth, slick operation comes from twin action bars, close tolerances, and tack-driving accuracy from its

free-floated barrel. The result is a rifle that's equally at home in eastern forests, open prairies and western high country.

As the modern gas-operated successor to the famous Remington Model 8[™], our highly reliable, soft-shooting Model 7400[™] autoloader has earned its frequent description as "the deer hunter's deer rifle." All you need to do is aim, and squeeze the trigger.

RIFLE DIMENSIONS / AVERAGE WEIGHTS


Model 5	Barrel * Length*	Overall Length	Avg Wt (lbs.)	Stock Matil	Stock · · · · · · · · · · · · · · · · · · ·	∷BBL '''' Mat'l &	BBL ²
7600™	22"	425%"	716	American 'Walnut'	Satin or High Gloss	Carbon Steel	Polished Blue
7400 [™]	22"	425/4"	71/4	American Walnut	Satin or High Gloss	Carbon Steel	Polished Blue
7600™ Synthetic	22".	425%"	7,6	Black Synthetic	Matte	Carbon Steel	Matte Blue
7400™ Synthetic	225	42%"	7%	Black Synthetic	Matte	Carbon Steel	Matte Blue
7600™ Carbine (.30–06 only)	18%	391/4"	7%	American Walnut	Satin	Carbon . Steel	Polished Blue
7400™ Carbine (.30–06 only)	18'/."	39¼"	7/3/8	American Walnut	Satin	Carbon Steel	Polished Blue


For full caliber listings refer to page 37.

MODEL ZOO MUZZLELOADERS

THE CHALLENGE OF MUZZLELOADING IN TODAY'S FINEST RIFLE ACTION

Our Model 700" black powder rifles create a unique marriage of the past and the present. The challenge of black powder shooting is in the loading – one charge at a time from the front end. After that, you aim and fire as you do with any rifle. And that's when you count on your shot to be accurate and hit the mark. Model 700" muzzleloaders give you all the advantages of the world's finest bolt-action rifle — with proven strength, rigidity, fast lock time and accuracy. They let you load the old-fashioned way, but shoot with unmatched modern performance.





Remington® Model 700[™] ML in-line muzzleloading rifles bring you the best of two worlds. We've combined front-end loading with the most modern and successful bolt-action rifle ever designed, to create the finest muzzleloading rifles ever produced.

These rifles have the same look, feel and balance as a standard short-action Model 700™. The difference is in a

modified bolt and ignition system that utilizes a No. 11 percussion cap. Once loaded, they provide the strength and inherent accuracy of a centerfire rifle, with a remarkably fast lock time of just 3.0 milliseconds. They handle all types of muzzleloading ammunition with ease and accuracy — round balls, conical bullets and super-efficient sabot-encased bullets.

For rugged long-lasting use, each rifle is set in a strong, fiberglass-reinforced, synthetic stock with magnum-type recoil pad. Receivers are drilled and tapped for scope mounts. All Model 700TM ML rifles can handle up to 150-gr. equivalent of black powder.



Available separately from your Remington dealer is our Musket Cap Nipple for use with Pyrodex® pellets.

RIFLE DIMENSIONS / AVERAGE WEIGHTS

Mode		Lgth.	Lgth.	-Wt.	Stock Mat'l	Finish 🛴	BBL Mat'l	BBL Finish
700™	MLS	24"	421/6"	7%	Black Synthetic	Matte	416 Stainless	Satin Stainless
700™	ML	24"	42'/6"	73/4	Black Synthetic	Matte	Carbon Steel	Satin Blue
700™	MLS Camo	24"	42ነሪ"	73%	Synthetic	Mossy Oak® Break-Up	416 Stainless	Satin Stainless
700™	ML Camo	24"	4216"	73/4	Synthetic	Mossy Oak® Break-Up	Carbon Steel	Satin Blue
	ML Youth horter LOP)	21"	38%"	71/4	Black Synthetic	Matte	Carbon Steel	Satin Blue


Model 700th muzzleloaders are supplied with cleaning tube, combo breech plug and nipple wrench, ramrod handle, ramrod extension, weather shroud, allen wrench and patch jag. For full caliber listings, refer to page 37.

RIMETIRE

RUGGED, RELIABLE REPEATERS THAT LOOK AS GOOD AS THEY SHOOT

No shooting household should be without one of these durable, versatile and handsome rimfire repeaters from Remington®. Built on simple, time-proven designs, they are the perfect answer for casual shooting enjoyment, serious practice and successful small-game hunting. Their design and dimensions are ideally suited for every age group. They are the rifles that help turn young shooters into sharp-shooters, and help mature marksmen retain their shooting skills.





For those who still love the look and feel of traditional firearms, these two Remington rimfire rifles, in pump or autoloading actions, may well be the best of the breed. They combine richly blued carbon-steel barrels with stocks of generously checkered, gloss-finished American walnut.

Both rifles offer the convenience of highcapacity tubular magazines for an afternoon of plinking or extended practice sessions on the range. They also incorporate big-bore rifle features that make them ideal for small-game hunting or as camp guns for big-game hunts. Countless beginners have started their shooting careers with one of these reliable, versatile, small-bore rifles, learning valuable shooting techniques and gaining the field-hunting experience they can ultimately transfer to big-bore, centerfire rifles.

The Model 572™ BDL Fieldmaster® is the only pump-action .22 rimfire rifle made in America today. It is an ideal training gun for youngsters and the perfect companion gun for those who hunt with pump-action centerfire rifles and shotguns. It shoots shorts, longs, and long rifle cartridges interchangeably. Traditional features include a high-gloss Monte Carlo walnut stock with cut checkering, adjustable big-game sights, positive cross-bolt safety, high-luster bluing, and receiver grooved for scope mounts.

The classically styled Model
552™ BDL Speedmaster® is the only
American-made .22 autoloader that will
shoot shorts, longs, and long rifle cartridges
interchangeably. Its easy-loading tubular magazine makes it perfect for extended plinking

sessions. In addition, its adjustable big-

game sights or receiver-mount scope rails make it an excellent choice for serious small-game hunting and centerfire-substitute range practice. Like its pump-action cousin, the Model 552TM Speedmaster. Comes with a high-gloss, cutcheckered Monte Carlo walnut stock, positive cross-bolt safety and

deep-blued receiver and barrel finish. Handsome in appearance, reliable in performance, modern in design, yet built with old-fashioned quality, these are rifles for the present, and heirlooms for future generations.

RIFLE DIMENSIONS / AVERAGE WEIGHTS

Model 1	Action Mag:/G Type R Capaci			all 《Avg. Wt. th 』(lbs.)		Stock Matil	Stock Finish	BBL'	BBL
552™ BDL™ Deluxe Speedmaster®	Autoloading 15* (22 S. L. LR)	21"	40"	5%	5594	American Walnut 🛠	Gloss	Carbon Steel	Polished Blue
572™ BDL™ Deluxe Fieldmaster®	Pump 15' (22 S. L. LR)	1217	40"	5%	5624	American Walnut	Glass	Carbon Steel	Polished Blue


Nominal stock dimensions: (552™/572™): 13%" length of pull, 1%" drop at comb, 2%" drop at heel

MODEL 597

AUTOLOADING RIMFIRE RIFLES UNMATCHED IN DESIGN AND PERFORMANCE

The Remington® Model 597" is a revolutionary design development that raised the performance standards of rimfire autoloaders to a higher level than anyone had thought possible. It began as an R&D challenge that stated "Design a rimfire autoloader that is more than just a fast-shooting, short-range plinker. Design a gun that stands by itself — not only above other autoloaders, but above all other rimfire rifles of any action type." Once you see and shoot a Model 597", you'll learn how well that original challenge was met.





From the very beginning, we designed the Model 597™ for serious shooting. That meant more than just accuracy. It also meant functional reliability for high-volume shooting without a hang-up, optional extra power for legitimate small-game hunting, and the durability to last a lifetime, or several generations.

For superior accuracy from an autoloader, we designed in features usually restricted to bolt-action target guns: a free-floated barrel with highly uniform button rifling, and a new trigger design with nickel-Teflon®-plated sear and hammer for instant response and crisp let-off.

For functional reliability, the Model 597TM has a unique bolt guidance system of twin toolsteel rails that provide extremely smooth, laterally controlled travel. And all bolts are nickelplated for low friction and corrosion-free maintenance. Receivers are constructed of an exceptionally strong, lightweight metal alloy that provides additional low-maintenance durability.

To provide shooters with economical rimfire practice while retaining the heft and handling qualities of a bigger-bore centerfire, Model 597TM rifles combine generously sized pistol grips with beaver-style fore-ends for comfortable, hand-filling control.

For versatile sighting options, Model 597TM rifles have adjustable, big-game factory sights, while receivers are grooved for standard rimfire mounts, and drilled and tapped for special Weaver-type bases. Quick-release clip magazines hold 10 long rifle and 8 magnum rounds respectively.

The standard Model 597[™] combines a carbon-steel barrel with a one-piece, dark-gray synthetic stock.

The Model
597™ Sporter has the same barrel and receiver combination set in a walnut-toned hardwood stock.

The new Model 597™ Stainless Sporter mates the hardwood stock with a stainless-steel barrel and matching-color alloy receiver.

The Model 597[™] SS (Stainless Synthetic) houses our stainless-steel barrel and matching-color alloy receiver in a gray synthetic stock.

The Model 597TM LSS (Laminated Stock, Stainless) has the same stainless-steel barrel and alloy receiver with a handsome laminated-wood stock of light and dark-brown tones.



REMINGTON® MODEL 597[™] **DESIGN FEATURES**


Model 597" bolt travels on twin tool-steel Last shot hold open for positive guide rails for flawless functioning identification of empty chamber Patented drop-out style Unique attachment system Sear and hammer are nickel-Teflon® staggered box magazine rigidly joins barrel to receiver plated for crisp, smooth trigger pull assures reliable feeding for perfect alignment and and fast, easy reloading enhanced accuracu

The Model 597™ MAGNUM is a serious rimfire rifle that approaches small-bore. centerfire performance. It has a blued carbonsteel barrel and alloy receiver. A patented bolt of heavier, special alloy steel retains uniform

bolt speed with magnum ammunition. The weather-resistant black synthetic stock has factory-installed sling swivel studs.


The Model 597™ MAGNUM LS (Laminated Stock) is similar to the model above but with an elegant, gray-toned, laminatedwood stock that duplicates the strength and stability of a synthetic.

For the ultimate in accuracy, the Model 597™ Target and the Model 597™ Target Magnum combine 20-inch stainless-steel, heavy target barrels, target-type triggers and multi-color, laminated target-profile stocks with beaver-style fore-end. Chambered for either .22 Long Rifle or .22 Win. Mag. Rimfire.




597	¥	Autoloading	20"	40"	5%.	6550	1 2 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	Mat() Finis	
337		(.22 LR)		40	57.	0000	Gray Matte Synthetic	Steel Blue	
597'	N Sporter	Autoloading (.22 LR)	20"	40"	5%	6564	Hardwood Flat	Carbon - Satir Steel - Blue	
597	™ LSS	Autoloading (.22 LR)	20"	40"	5%	6556	Brown Satin	416 Satir Stainless Stair	
597	™ SS	Autoloading (.22 LR)	20: 1	40"	51/4	6565	Gray Matte	416 Satir Stainless Stair	
597	■ Stainless Sporter	Autoloading	20"	40"	51/2	6572	Hardwood Matte	416 Satir Stainless Stair	
597	™ Target	.22 LR	20"	39"	8	6552	Multi-Color, Satin	416 Satir	n
		.22 WMR	20" 💰	39"	83/6	6554	Laminated	Stainless Stair	nless
597	™ MAGNUM	Autoloading (.22 WMR)	20""	40"	6	6560	Gray Matte Synthetic	Carbon Satir Steel Blue	
597	™ MAGNUM LS	Autoloading (.22 WMR)	20"	40"	6	6566	Gray 42 1 Satin	Carbon Satir Steel	

(597"): 14" length of pull, 11/1" drop at comb, 21/1" drop at heel. (597" Target): 14%" length of pull, 1" drop at comb, 1%" drop at Monte Carlo, 3" drop at heel.



★ New For 2000






There are many sources for beautiful guns, and many specialized craftsmen to help create them. But none quite like the Remington® Custom Shop. Most custom gunmakers specialize in just one element of the gun — usually stock making, barrel making or engraving. Their own specialty is then combined with components obtained elsewhere, including a purchased action. The result can be very handsome. But the total is still a hybrid.

At the Remington Custom Shop, every part of the gun is created by the nation's oldest gunmaker and most-experienced craftsmen. We start with one of our own well-known and proven actions. Although custom guns can provide owners with the extra beauty of decoration and stock woods, the action remains the foundation that determines its ultimate performance and durability. And there are no actions with a longer, better-documented track record of sound design, strength and reliability than those of Model 700™ rifles, Model 40-X™ series target rifles, Model 11-87™ and Model 870™ shotguns, and others. Remington custom guns are built not only to look good, but to perform well. The bonus to those who invest in a Remington custom gun is that they can see what they are buying in external beauty and be comfortable with the known performance quality of what's underneath.

Actually, more custom centerfire rifles are built on Model 700TM actions than any other. And at our Custom Shop, they are





fitted with Remington's legendary barrels that are individually hand-turned, rifled, lapped and crowned.

Three classes of guns are available from the Remington® Custom Shop. Shooters can order a custom-made version of any existing Remington model in a wide variety of grades and custom options. These include a selection of increasingly fancy, handsomely grained stock woods, shaped to preferred styles and individual dimensions, with a choice of finish and hand-cut checkering patterns. Added to this are comparable choices of artistic metal decoration by our master engravers, including

optional gold inlay work.

On both newly ordered and alreadyowned Remington shotguns, the Custom Shop can add a number of options of special interest to clay target shooters. These include barrel porting, adjustable comb stocks, and the famous "Etchen" stock, designed by one of America's greatest all-around shotgunners.

We also produce a number of specialized, semi-custom guns in the Custom Shop.

These include such unique firearms as our Model 700™ African Plains Rifle, Alaskan Wilderness Rifle, Custom KS Mountain Rifle, Model 700™ Safari rifle and the

CUSTOM SHOP PRODUCTS

Model 1992 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Description
Model 40-XB™ Target Rifle	Single-shot or repeater target rifle with button-rifled 27%" stainless heavy barrel in 16 centerfire caliber choices from .220 Swift to .300 Remington Ultra Mag. Walnut stock, Kevlar®-reinforced stock, or laminated thumbhook stock.
Model 40-XR™ Rimfire Sporter	Single-shot button-rifled 24" carbon-steel barrel. Walnut sporter stock. Available in .22 Long Rifle, and new for 2000, .22 Win. Mag.
Model 40-XBBR™ Target Rifle	Single-shot benchrest-style rifle with button-rifled 24" stainless heavy barrel in five caliber choices from .22 BR Remington to .308 Win. Kevlar®-reinforced stock with flat bottom benchrest fore-end.
Model 40-XRBR" Target Rifle	Single-shot benchrest-style rifle with button-rifled 24" stainless heavy barrel in .22 LR only. Kevlar@-reinforced stock with flat bottom benchrest fore-end.
Model 40-XC™ Target Rifle	National Match Course rifle with button-rifled 24" stainless heavy barrel in 7.62 NATO only. Kevlar®-reinforced stock with palm stop rail. Loads from stripper clip.
Model 700™ KS Mountain Rifle	Kevlar®-stocked lightweight sporter with 24" stainless or carbon custom profile barrel in 13 calibers from .270 Win. to .375 H&H Mag. Select L-H versions available.
Model 700™ APR (African Plains Rifle)	Laminated-wood stock, 26" custom profile carbon-steel barrel in seven magnum calibers from 7mm Rem. Mag. to .375 H&H Mag.
Model 700™ AWR (Alaskan Wilderness Rifle)	Kevlar® stock, 24" custom profile, black Teflon®-plated stainless-steel barrel in eight magnum calibers from 7mm Remington Mag. to .375 H&H Mag.
Model 700™ Safari Rifle	Kevlar® or wood-stocked big-game rifle with 24" stainless or carbon heavy magnum barrel in 8mm Rem. Mag., .375 H&H Mag., .416 Rem. Mag., and .458 Win. Mag. Select L-H versions available.
Model Seven™ MS (Mannlicher Style) Rifle	Full-length Mannlicher-style-laminated-wood stock. 20" carbon-steel barrel chambered in 12 short-action calibers from .222 Rem. to .350 Remington Mag.
Rolling Block Mid-Range Sporter	Mid-Range Sporter Remington Rolling Block. American walnut stock, satin blue metal finish, buckhorn rear and blade front sight. 30", round carbon-steel barrel. Available options include half-round, half-octagonal barrel; original Remington rear tang-mounted vernier sights and front globe sight with spirit level; single set trigger; semi-fancy American walnut stock with steel Schnabel fore-end tip and steel butt plate; and case-colored receiver.
Rolling Block Silhouette Rifle	Meets NRA black powder cartridge rifle (BPCR) silhouette requirements. 30" heavy barrel chambered for .45-70 Government cartridge. Button-rifled at 1 turn in 18" twist rate. Single set trigger. Furnished clean with no sights. Tang-mounted vernier sight and front globe sight with spirit level optional.
Model 700™ Custom Model 7600™ & 7400™ Model SP-10™/11-87™ Model 1100™/870™	Three levels of custom grades for engraving, gold inlay, wood grade and finish, metalwork finish, recoil pad/butt plate, and dimensions.
Custom Shop Upgrades to New Guns	Numerous options including engraving/gold inlay, stock upgrades/ custom dimensions and finishes, barrel porting (shotguns) and muzzle brakes.

Call (800) 243-9700 for a catalog with additional detailed information about all our Custom Shop products and services.

Model Seven™ MS (Mannlicher Stock) rifle. These guns combine Custom Shop quality with features adapted to a particular style of hunting. Equally unique are the re-created No. 1 Rolling Block Mid-Range Sporter and new for 2000, a Silhouette Target version, as well as the stunningly beautiful Model 40-XR™ Rimfire Sporter.

Finally, there is the distinguished Model 40-XTM Target Rifle series in both centerfire and rimfire versions, with standard walnut,

laminated-wood, or composite synthetic stocks.

The purchase of a custom gun is a serious investment. A great comfort to those making such an investment through the Remington Custom Shop is their ability to discuss personally, at one source and in advance, the exact details, specifications, style and degree of decoration to be created in the gun of their dreams.

WODEL 300" IDEAL

THE PERFECTLY BALANCED DESIGN FOR TODAY'S WINGSHOOTING CHALLENGES

In creating the new Model 300" Ideal", we took maximum advantage of the opportunities existing in each design component for subtle advances, including barrels, receiver and stock. The result of the total is an "ideal" blend of refined features that add up to what we believe is the best-handling, most perfectly balanced, and most versatile over and under ever built.



The new Remington® Model 300™ Ideal™ was specifically designed for how over and unders are used today, and maybe for the next century. The result is a combination of balance, weight and pointing characteristics that is exactly what shotgunners desire.

Strength, reliability and lifetime durability were also prime requirements. In building a shotgun for the 21st century, we meant the entire century, and longer. But that's always been a design requirement of all Remington firearms. Maybe that's why there are so many of them still in use.

With strength and durability in mind, our designers started with the barrels. They are made of high-strength chrome-moly steel, and have our slender, light-contour profile, already famous for reducing weight and maintaining good balance on our other shotguns. Setting the two barrels closer together and reducing

their total height from top to bottom enabled us to create a lighter, less bulky assembly for slimmer styling and less weight. The low-profile top rib is 8mm wide and undercut. Brazed side ribs cover the barrel spacing for a traditional appearance.

The boxlock action of modified underlock design has two strong lug extensions flanking the middle of the bottom barrel. This further enhanced our ability to retain a shallow-profile receiver, closer to that of a side-by-side action. Two massive recoil lugs, located on each side of the top barrel, recess into scalloped receiver cuts directly ahead of the breech face. Triggers are mechanically set, and automatic ejectors are standard.

We also devoted considerable attention to how easily the Model 300TM IdealTM would come to the shoulder and point, and how comfortable it would feel when fired. The

answer was what we call a "shooter-friendly" stock of classic-style design. It has a straight comb for easy cheeking and slightly less drop at the heel to keep recoil in a straighter line. Adding further comfort is a non-slipping, English-style rubber recoil pad.

Other handling conveniences include a new, easier-to-use, positive closing fore-end latch design, and a faster-operating safety/bar-rel selector. A flick of the mid-safety barrel selector determines barrel firing order.

The overall appearance of the Model 300™ Ideal™ is handsome, and tastefully refined. Metal surfaces have a polished blue finish, and receiver panels are decorated with fine-line engraving. The American walnut stock has a satin finish and crisp cut checkering at 20 lines per inch. Barrel options include 26", 28" and 30" lengths, and include 1.C., Mod. and Full Rem™ Chokes.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Gauge	12
BBL Lengths/Order No.	30"/5229 28"/5231 26"/5233
Barrel Type	Light Contour Vent Rib Rem ^m Choke
Sights	Twin Bead
Metal Finish	High Polish Blued 2
Overall Length	47'4" (30"BBL) 45". (28"BBL) 42'4" (26"BBL)
Length of Pull	14º/16"
Drop (Comb)	1%"
Drop (Heel)	2"
Stock Material	American Walnut
Stock Finish	Satin
Avg. Wt. (lbs.)	7'h" (30"BBL) 7'h" (28"BBL) 7'h" (26"BBL)

* New For 2000

MODEL 11-87 super magnum

THE MODEL 11-87™ THAT HANDLES 23/4", 3" AND 31/2" SHELLS.

With all our autoloading shotgun experience, it was natural for us to bring Super Magnum capability to America's softest-shooting and most reliable autoloader. We took our time and did it right. Assuring functional reliability for three different shell lengths in a self-loader is a design task that takes time and careful testing. Feed the new Model 11-87 Super Magnum whatever length 12-gauge shells you wish — it'll handle them all flawlessly.



It's hard to believe that any 12-gauge autoloading shotgun could be as versatile as our new Model 11-87™ Super Magnum™. It is literally three shotguns in one, capable of handling the most appropriate 12-gauge payload for every kind of field gunning you might encounter. The game, shooting range and hunting conditions may change, but you don't have to change your shotgun. You simply change your ammunition — from 234" field loads, to either 3" or 31/2" magnums with the capacity and shot size to reach the highest-flying, largest-size passing waterfowl. Whatever length 12-gauge shells you feed into the Model 11-87™ Super Magnum™, it handles them reliably, and cycles the next shell into the chamber with typical Model 11-87™ smoothness. You can mix various length shells interchangeably in this versatile shotgun and it will still feed and function without a hitch.

Actually, there is one other change you

might make as game size and ranges vary. The Model II-87™ Super Magnum™ is fitted with our Rem™ Choke system so you can easily interchange choke constrictions for the one that best suits your needs. It comes with three Rem™ Chokes in I.C., Modified and Full constrictions.

The versatility of the Model 11-87™
Super Magnum™ results from the unique metering system of its gas-operated action.
With 2³4" field loads, an integral pressure relief valve remains closed, utilizing all of the shell's pressure to operate the action. When heavier or longer shells are used, the valve opens proportionately to release the extra, unneeded pressure — retaining the right amount to operate the action. This not only assures reliable handling of all shell lengths, but prevents excessive bolt velocity that could increase wear. This is the same system that hunters have been using for the past thirteen

years on the 11-87[™], and has proven to be the softest-shooting and most durable autoloading shotgun action ever designed.

This new Model 11-87[™] is available in two versions, each with a choice of 26" or 28" vent rib barrels. The Model 11-87[™] SP (Special Purpose) Super Magnum[™] has a cutcheckered walnut stock and fore-end with our non-reflective SP finish. The Model 11-87[™] SPS (Special Purpose Synthetic) Super Magnum[™] has a tough black synthetic stock and fore-end. Both versions have a non-reflective black matte finish on barrels and receivers, ivory front and steel mid-barrel beads, black rubber recoil pads, standard sling swivel studs, and padded Cordura[®] carrying slings.

The new Model 11-87™ Super Magnum™ is truly the "shotgun for all seasons."

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS


Model	SuperMonton?	11_87" SPS
Gauge	12 (31/5")	12 (31/2")
Mag. Capacity	3(31/4"), 4(23/4" & 3")	3(31/2"), 4(23/4" & 3")
BBL Lengths/ Order No.	28"/5305" 26"/5307	28"/5337 26"/5339
Barrel Type	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke
Sights	Twin Bead 🧀 🔠	Twin Bead
Metal Finish	Matte Non-Reflective	Matte Non-Reflective
Overall Length	48"(28"BBL) (45'¼"(26"BBL)	48"(28"BBL) 45¼"(26"BBL)
Length of Pull	14%	14"
Drop (Comb)	16"	1'6"
Drop (Heel)	216"	2ነለ"
Stock Material	American Walnut	Black Synthetic
Stock Finish	Satin ,	Matte
Avg. Wt. (lbs.)	8¼ lbs. (28*BBL) 8¼ lbs. (26*BBL)	8'4lbs. (28"BBL) 8'4lbs. (26"BBL)
		1 N C 2000


★ New For 2000

MODEL 11-87 PREMIER

COMBINING WORKHORSE RELIABILITY WITH CUSTOM-STYLE REFINEMENT

We are extremely proud of our Model 11-87th Premier® autoloading shot-guns. Because of their variety of options, we believe they provide the best combination of features ever offered to American shotgunners. In refined decoration and handsome appearance, they provide equal pride of ownership to you. They are built on the most versatile and reliable autoloading action available. And their carefully designed balance, handling qualities and recoil-absorbing gas system make them a true pleasure to carry and shoot afield.





For those who truly appreciate fine shotguns, the Model 11-87[™] Premier[®] is a pleasing blend of the past and the present. It combines exceptional reliability and versatility with the elegant appearance of costly high-grade shotguns.

Versatility is the most immediate benefit the Model 11-87[™]
Premier® brings to shooters. It handles all 12-gauge 2³/4" and 3" shells interchangeably, from light target or field loads to heavy
3" magnums. The same gun vou use today on a skeet field can be

used tomorrow in a goose blind. You simply select the appropriate shells. And our interchangeable Rem™ Choke system lets you quickly match the choke constriction to the range involved. That's versatility.

Durability and dependability are the hallmarks of the Model 11-87[™] Premier[®]. Trouble-free longevity comes from features like a simple internal design with heat-treated, fatigue-resistant parts, a chrome-plated bolt and a stainless-


steel magazine tube. To counteract the strain of heavy magnum shells, a unique relief valve maintains uniform gas pressure. With light loads, it stays closed, feeding the gas system enough pressure to cycle the action. With heavier loads, it opens progressively, allowing the excess gas to bleed off. The result is reliable functioning and uniform bolt velocity with all


and uniform bolt velocity with all loads. Also, the gas system is selfcleaning, minimizing maintenance.

Handsome appearance from its custom-grade wood finish and detailed engraving is what makes the Model 11-87™ Premier® a "premier"

shotgun. Stocks of nicely grained American walnut have generous, sharply cut checkering on pistol grip and fore-ends. And the broad receiver panels are elegantly decorated with a tasteful pattern of Remington's fine-line engraving.

For those who prefer the faster handling and lighter weight






of smaller-bore shotguns, there is also a scaled-down, 20-gauge Model 11-87TM

Premier[®]. It duplicates the reliability, versatility and refined good looks of the 12-gauge version, and similarly, handles all 2¾" and 3" shells interchangeably.

Now, in answer to years of shooter

requests, we are introducing two new Model 11-87™ Upland Specials in 12- and 20-gauge. They retain all the finish and functional features of standard versions, but with the fast-handling, quick-pointing characteristics of straight-grip, English-style stocks and 23" Rem™ Choke barrels.

REMINGTON® 11-87™ GAS OPERATING SYSTEM



SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	∏F8 7/ Recides?	11=87- Premier© (20+ga)	¶⊨37º Rienieo (l±11)	11=37/ Premier ^o Cantilever/Scope	≱11=8 7 F Upland\Special
	MAL 11 24 4			gMount(Deer)Gun	
Gauge	112.	20	/12	12	12, 20
Mag. Capacity	4.	4	4	4	4
BBL Lengths/ Order No.	30"/5287 28"/5289 26"/5291	28"/9591 26"/9593	28"/9909	21"/9831	23" 12-ga./5357 20-ga./5359
Barrel Type	Light Contour Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Light Contour Vent Rib Rem® Choke	Cantilever Scope Mount Fully Rifled	Light Contour (12-ga.) Vent Rib Rèm™ Choke
Sights	Twin Bead	Twin Bead	Twin Bead	_	Twin Bead
Metal Finish	High Polish Blued	High Polish Blued	High Polish Blued	High Polish Blued	High Polish Blued
Overall Length	50%" (30" BBL) (48%" (28" BBL) (46" (26" BBL)	48¼" (28" BBL) 46" (26" BBL)	48%	411/6"	43¼" (12-ga.) 43¼" (20-ga.)
Length of Pull	14%"	14"	144"	14"	14"
Drop (Comb)	11/2"	11/4"	11%"	13%"	11/3"
Drop (Heel)	121/2	21/4"	2%"	17/6"	21/6" 1
Stock Material	American Walnut American	Américan Walnut	American Walnut	American Walnut	American Walnut
Stock Finish/ Order No.	(Gloss (30" 28", 26") Satin (28" only/9873)	Gloss	Gloss	Satin	Satin
Avg. Wt. (lbs.)	7% (30", BBL) 7% (28", BBL) 7% (26", BBL)	7 (28" BBL) 6'4 (26" BBL)	7%	8	7'/ lbs. (12-ga.) 6'/ lbs. (20-ga.)


Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system and will not function with target or light field loads.


★ New For 2000

MODEL 870 WINGMASTER®

THE BEST-LOOKING, BEST-PERFORMING PUMP-ACTION SHOTGUN EVER MADE

No other shotgun in firearms history stands so far ahead of its competition as the Model 870° Wingmaster®. In fact, it is the best-selling shotgun of any action type in gunmaking history. This year, it celebrates its 50th anniversary. Yet its original design was so smooth, reliable and ahead of its time, that it is still the most modern pumpaction you can buy. Combine this with its clean lines, superb balance and handsome Wingmaster® appearance, and it will likely remain unchallenged for another 50 years.





The timeless Wingmaster® design combines all the rugged reliability of a Model 870TM action with custom-quality finish and decoration. The pistol grip and fore-end of its traditional American walnut stock are generously covered with tournament-grade cut checkering. And all Wingmaster® receiver panels are fully engraved with delicate, fine-line scrollwork.

For 2000, this hand-

some shotgun is available in a new Super Magnum™ version capable of handling 12-gauge 2¾", 3" and 3½" shells interchangeably.

Beneath the attractive Wingmaster® exterior is the proven, trouble-free Model 870™ action that shucks shells in and out with roller-bearing ease and smoothness. Because they practically never wear out, there are more Model 870s in use today than any other shot-

gun in history.

In the field, its classic balance and natural pointing qualities provide the handling speed for the most evasive upland birds. Yet it has the strength to handle the heaviest magnum loads for longrange waterfowl shooting.

For small-bore funciers, it is the only repeating shotgun still made in 20- and 28-gauge, and .410-bore.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

HERONIC CLEAN CHARLE		(12-ga.) 🦠 🐪 🕌	(Zu-ya.)	(20-ya.) (30.)	
Gauge	12 (31/8")	12	. 20	28	.410 Bore .
Mag. Capacity	3 (31/4"); 4 (23/4" & 3")	4	4	4	4.
BBL Lengths/ Order No.	28"/6975	30"/5053 Gloss Finish 28"/5055 Gloss Finish 26"/5057 Gloss Finish 28"/5063 Satin Finish	28"/5073 26"/5075	25"/5227	25"/4987
Barrel Type	Light Contour Vent Rib Rem™ Choke	Light Contour Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead .
Metal Finish	High Polish Blued	High Polish Blued	High Polish Blued	High Polish Blued	High Polish Blued
Overall Length	48'/ _{28"} [28" BBL]	50'h" (30" BBL) 48'h" (28" BBL) 46'h" (26" BBL)	48%" (28" BBL) 46%" (26" BBL)	45%"	45'/-"
Length of Pull	141/4"	14¼"	14"	14"	14"
Drop (Comb)	11/4"	1'/6"	11/2"	11/6"	1½"
Drop (Heel)	2'//."	21/2"	21/4"	2'/6"	21/4"
Stock Material	American Walnut	American Walnut	American Walnut	American Walnut	American Walnut
Stock Finish/	Gloss (28")	Gloss (30", 28", 26") Satin (28")	Gloss (26" BBL) Satin (28" BBL)	Satin	Satin
Avg. Wt. (lbs.)	7'ሉ (28" BBL)	7¼ (30" BBL) 7 (28" BBL) 6¾ (26" BBL)	6¼ (28" BBL) 6¼ (26" BBL)	6	6


All Model 870" Wingmaster® shotguns have 5-shot capacity and come furnished with a 3-shot plug.


★ New For 2000

MODEL 1100"

THE SHOTGUN THAT SET THE STANDARD FOR MODERN AUTOLOADING PERFORMANCE

This is the "break-through" shotgun that changed the way American shooters viewed and used autoloading shotguns. It was the first autoloader to combine the repeat-shot reliability of early-century models with the sleek, modern lines and handling qualities of revered double-barrel field guns. Its gas-operated action quickly earned shooter confidence for its dependability and universal acclaim for its light recoil. It continues to do so today.





Introduced as a shotgun "designed to make any shooter a better shot," the famous Model 1100™ has been doing just that ever since. Wherever you go for upland birds, waterfowl, turkeys or deer, you'll find the Model 1100™ — some new, some over 35 years old. It was the first autoloader with the reliability for serious clay target competition. The Model 1100™ has

won more skeet tournaments than any other autoloader, and is still winning them. There are good reasons for this — superb balance and handling, lifetime durability and comfortably light recoil. Those qualities are still available in a selection of fast-handling, synthetic-stocked field, deer and youth models.

12- and 20-Gauge

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS


Model A contract	1100"	1100™	1100™,LT-20	-1100™ LT-20 🐼 🐔	≰1100" LT-20
	Synthetic	Synthetic Rilly Rifled Cantilever	Synthetic Fully Rifled Rifle Signted	Synthetic :: Youth Gun A	Youth Synthetic Turkey Camo
124.35	47.14	Scope/Mount	Deer Gun		
Gauge	12, 20	12	20	20	20 (Magnum)*.
Mag. Capacity	4.5	4	4	4	4
BBL Lengths/ Order No.	.28" 12-ga./5369 26" 20-ga./5371	21"/5363	21"/5365	21"/5367	21"/5379
Barrel Type	Vent Rib Rem™ Choke (Mod Only)	Fully Rifled	Fully Rifled	Vent Rib Rem™ Choke (Mod. Only)	Nent Rib Rem™ Choke (Full Only)
Sights	Single Bead	Cantilever Scope Mount	Rifle Sights	Single Bead	Twin Bead
Metal Finish	Matte Black Non-Reflect	Matte Black Non-Reflect	Matte Black Non-Reflect	Matte Black Non-Reflect.	Matte Black Non-Reflect
Overall Length	48" (12-ga.) 46" (20-ga.)	411/2"	41"	40%"	40'/5"
Length of Pull	314"5", 75", 75", 25", 25", 25", 25", 25", 25", 25", 2	14"	14"	13"	13" 11.15
Drop (Comb)	14.	11/2"	11/6"	11/4"	11/4"
Drap (Heel)	24" :	17/6"	24"	2'/-"	21/2.
Stock Material	Black ************************************	Black Synthetic	Black Synthetic	Black Synthetic	Camo-Covered Synthetic
Stock Finish	Matte	Matte	Matte	Matte	RealTree® Advantage® Camo
Avg. Wt. (lbs.)	7 (12-ga) 6% (20-ga) 5 4 a	7%		6'4	641


^{3&}quot; Magnum is set up to handle heavy 20-ga, shotshells and will not function satisfactoril with target and field loads.

SPECIAL PURPOSE TURKEY GUNS

COVERT COMBINATIONS OF PAYLOAD, PRECISE SIGHTING AND PATTERN POWER

Matching wits with a wild gobbler takes total concealment, not a hint of movement, precise sighting and dense, heavy patterns once you pull the trigger. Remington® SP Turkey Guns offer the widest selection of features specifically designed to help you transport a tasty tom from the field to the freezer, and new sighting options further improve the odds of a wild-game family feast.






Remington® turkey guns have a special purpose – to convert one of those feathered forest phantoms into a family dinner. No game species is warier than the wild turkey. But no other turkey guns are better designed to help you win the game. For 2000, we've added two new sighting systems to improve your chances of putting your pattern on the bird, and putting the bird in the bag. Precision Leupold®/Gilmore LG-35 sights incorporate a single red dot with adjustments for point of impact and 11

different brightness settings. TruGlo® fiber-optic rifle sights provide precision line-up of a light-amplifying blaze orange front sight into a notched rear sight flanked by two light-gathering green beads.

Remington offers the broadest selection of versatile turkey gun options in existence. That selection includes eight different guns and four different models. Utilizing Leupold's new LG-35 Red Dot sights with our integrated cantilever mounts is the pump-action, Model 870™ SPS-T™ Super Magnum™ Camo (see chart 1, column 1, at right) with the widest selection of 12-gauge loadings ever possible in a single shotgun. The same Leupold® LG-35 Red Dot system is also available on our autoloading Model 11-87™ SPS-T™ Camo (chart 1, col. 2). Both these shotguns also remain available with standard twin



bead sights (chart 2, col. 1 & 2).

Now supplied with TruGlo® fiber-optic rifle sights are the Model 870TM SPS-TTM Synthetic (chart 1, col. 3) and the Model 11-87TM SPS-TTM Synthetic (chart 1, col. 4).

Then, our most formidable turkey gun is the SP-10[™] Magnum Turkey Camo (chart 2, col. 4), providing 10-gauge magnum power from shells carrying a full 21/4 ounces of shot.

Finally, for young or small-stature hunters, our famous Model 1100TM 20-gauge Youth Gun (chart 2, col. 3) provides the easy-handling balance of a shortened synthetic stock with a quick-pointing, 3-inch-chambered 21-inch barrel.




CHART 1 SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	★870™ : SPS-T™	★11-87™ SPS-T™	★ 870™ 	★ 11-87™ SPS-I™
	- Super Magnum™ Camo CL/RD	Camo CL/RD	Synthetic RS/TG	Synthetic RS/TG
Gauge	12 (3¼")	12	12	12
Mag. Capacity	3 (3½") 4 (2¾" & 3")	4	4	4
BBL Lengths/Order No.	23"/4954	21"/5331	20"/4881	21"/5327
Barrel Type	Cantilever Rem™ Choke	Cantilever Rem™ Choke	Rem™ Choke	Rem™ Choke
Sights	Red Dot	Red Dot	Rifle Sights	Rifle Sights
Metal Finish	Mossy Oak® Break-Up Camo	Mossy Oak [®] Break-Up Camo	Matte Black Non-Reflect.	Matte Black Non-Reflect
Overall Length .	44%"	421/4"	411/4"	421/2"
Length of Pull	14"	14"	14"	14"
Drop (Comb)	11/4"	11/4"	11/2"	11/2"
Drop (Heel)	176"	176"	1'/6"	17%"
Stock Material	Camo-Covered Synthetic	Camo-Covered Synthetic	Black Synthetic	Black Synthetic
Stock Finish	Mossy Oak® Break-Up Camo	Mossy Oak® Break-Up Camo	Matte	Matte
Avg. Wt. (lbs.)	9	81/2	71/4	8
				★ New For 2000

CHART 2
SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model *:	870*	.11÷87.**	1100" LT-20	SP-10™
	SPS-T™ Super Magnum™	SPS-T"	Synthetic	Magnum Turkey
	Camo	Camo	Youth YouTurkey Camo	Camo
Gauge	12 (3½")	12	20 (Magnum)**	10
Mag. Capacity	(3 (3'/4") 4 (2'/4" & 3")	4	1.4 	3
BBL Lengths/Order No.	23"/4968	21"/9664	21"/5379	23"/4827
Barrel Type	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib; Rem™ Choke (Full Only)	Vent Rib Rem™ Choke
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	Mossy Oak® Break-Up Camo	Mossy Oak® Break-Up Camo	Matte Black Non-Reflect	Mossy Oak® Break-Up Camo
Overall Length	44'/6"	42½"*	40%"	44'h"
Length of Pull	14"	14"	13"	14"
Drop (Comb)	11/41,	11/4"	114"	11/2"
Drop (Heel)	21/6"	21/6"	2½" · · · · ·	2'/6"
Stock Material	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic
Stock Finish	(Mossy Oak® Break-Up Camo	Mossy Oak® Break-Up Camo	RealTree® Advantage® Camo	Mossy Oak® Break-Up Camo
Avg. Wt. (lbs.)	174	8	64	101/2
e land, day 20 magniful about				

^{*} Includes 1" extended choke tube

^{**} All 3" chambers handle 2%" shells.

Note: Model 11-87 SPS and Model 870 SPS Turkey guns supplied with Turkey Super Full choke tube.


Note: 21" Model 11-87" Turkey and Deer barrels are not pressure-compensated. Not for use with target or light field loads.


Note: Model 870" SPS-T" Super Magnum" Camo supplied with Turkey Extra Full and Turkey Super Full.

Note: All Model 870 Super Magnums have 3% chambers except Deer barrel which has 3° chamber. Super Magnums can shoot 2%, 3° and 3% shells interchangeably.

SHOTGUNS OF UNMATCHED RELIABILITY WITH UNSURPASSED REACH AND POWER

Remington® Special Purpose Waterfowl guns give you a choice of the three most proven and reliable actions of their type. These include full 10-gauge magnum power from our unequalled Model SP-10° Magnum, the sure-functioning flexibility of our Model 11-87™ autoloader with 21/2 or 3" magnum shells, and the exceptionally versatile performance of our Model 870" SPS" Super Magnum" pump-action with 12-gauge 21/1, 3" and 31/2" shells.





Besides their combinations of payload power and versatility, our three Special Purpose Waterfowl guns offer you a variety of options in both stock material and finish for every preference or need. Among these are satin-finished American walnut, synthetic covered with Mossy

Oak® camo, or synthetic stocks with a nonreflective black finish. Barrels and receivers have either matching camo or non-reflective matte finishes. See the chart at right for options and specifications.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS


Gauge	10	10	10	12 (3ሤ")	12	12	12
Mag. Capacity	2,	2	2	3 (3'¼") 4 (2³¼" & 3")	4	4	4
BBL Lengths/ Order No.	26"/4822	30"/4808 26"/4812	26"/4809	26"/4952	· 28"/5269 26"/5271	26"/9662	28"/9905 26"/9906
Barrel Type	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke
Sights	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead	Twin Bead
Metal Finish	Matte Non-Reflective	Matte Non-Reflective	Mossy Oak® Break-Up Camo	Mossy Oak® Break-Up Camo	Matte Non-Reflective	Mossy Oak® Break-Up Camo	Matte
Overall Length	47'/6"	51½" (30" BBL) 47½" (26" BBL)	47¹/s"	46" (26" BBL)	481/4" (28" BBL) 46" (26" BBL)	46"	48%" (28" BBL 46" (26" BBL)
Length of Pull	14"	14"	14"	14"	14"	14"	141/4"
Drop (Comb)	1'%"	11/6"	11/6"	11/4"	1'6"	11%"	1%"
Drop (Heel)	2'/2"	21/2"	2'/6"	2'/6"	2'/ሪ"	21/5"	.2'h"
Stock Material	Black Synthetic	American Walnut	Camo-Covered Synthetic	Camo-Covered Synthetic	Black Synthetic	Camo-Covered Synthetic	American Walnut
Stock Finish	Matte	Satin	Mossy Oak® Break-Up Camo	Mossy Oak® Break-Up Camo	Matte	Mossy Oak® Break-Up Camo	Satin
Avg. Wt. (lbs.)	1034	11 (30" BBL) 10 ³ / ₄ (26" BBL)	10³¼	71/4	8¼ (28" BBL) 8¼ (26" BBL)	81/8	8¼ (28" BBL) 8¼ (26" BBL)

Important Note: Critical components - including the barrel, bolt assembly and trigger plate assembly of the Remington Model SP-10™ and other manufacturers' 10-gauge shotguns — are not interchangeable.

Note: All Model 870" Super Magnums have 31/5" chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 21/4", 3", and 31/4" shells interchangeably.

ZEROED-IN ACCURACY THAT LETS YOU PUT THE SLUG WHERE YOU'RE AIMING

Remington's state-of-the-art Special Purpose Deer guns bring rifle-like accuracy to deer hunting with a shotgun. It starts when you combine our fully rifled barrels or rifled Rem™ Chokes with our tight-grouping Copper Solid™ slugs. Adjustable rifle sights or a scope used on our cantilever mounts then permit zeroing in your shotgun to know exactly where your slug will hit at any reasonable range.





Our Special Purpose Deer guns are superbly equipped to help you fill your tag. Choose from options that include sophisticated sighting equipment, synthetic or walnut stocks, a choice of three Model 11-87™ autoloaders in fully rifled and


Rem" Choke versions, or our deadly accurate "Super Slug" Model 870™ SPS with its unique heavy barrel contour that improves accuracy dramatically and tames recoil.


SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870" SPS" ##	11-87%	₫€11≑87 ™ 〈	11-87	*2870" C
	Super Slug" S Fully Rifled	SP: Deer Gun	SPS" ###################################	SPS™ Fully Rifled	Marine ***
	Cantilever	v veer dun	Cantilever	Deer Gun	iviaynum.
	Scope Mount ///		Scope Mount		
TANK MARKET	Deer Gun		Deer Gun	hael du Poble	
Gauge	12 5	¹ 12	12	12	12
Mag. Capacity	4	4	4	4	6
BBL Lengths/Order No.	23"/4946	21"/9837	21"/9819	21"/9676	18"/5012
Barrel Type	Fully Rifled	Rem™ Choke ²	Fully Rifled	Fully Rifled	Cylinder 3
	New Contour	Deer	e contract		Choke 5
Sights	Cantilever	Rifle	Cantilever	Rifle	Single_*
	Scope Mount:	Sights	Scope Mount	Sights	Bead 🏂 💸
Metal Finish	Matte Black	Matte Black	Matte Black	Matte Black	Electroless
	Non-Reflect.	Non-Reflect.	Non-Reflect.	Non-Reflect.	Nickel-Plated
Overall Length	433/16	411/6"	41'4"	411/4"	38%".
Length of Pull	(14"	14'4"	14"	14"	14" ,
Drop (Comb)	14" 4 6 4 5 5	. 11/4"	11/3"	11/6"	11/4" (* 5%) - 5%
Drop (Heel)	11/4"	2'h".	11/4" [M. E. A.]	2'/6"	21/1
Stock Material	Black	American	Black.	Black	Black
	Synthetic	Wainut	Synthetic	Synthetic	Synthetic 4
Stock Finish	-Matte	Satin	Matte	Matte :	Matte
Avg. wt. (lbs.)	81:25-13	. 8	8'4.16	8	76
					

Note: Model 870* shotguns with 3* chambers handle 2½* shells.
! Will not accept law enforcement accessories. 2 Rifle-sighted Rem* Choke Deer shotguns supplied with a Rifled Choke tube and Improved Cylinder tube. Note: Model 11-87. Deer barrels are not equipped with a

pressure-compensating gas system, and will not function with target or light field loads.





The big winner when you buy any of these shotguns is your wallet. You get the proven action of a Model 870^{TM} — the most durable, best-selling shotgun in history, and still the world's most effective pump gun design. It costs you less because we didn't dress it up like a fancy wall-hanger. It's the toughest, most dependable, hard-working shotgun for hard-hunting owners. And the non-gloss finish or camo covering on these shotguns is exactly what you want for waterfowl, turkey or deer hunting.

However, underneath the practical outer appearance of an

Express® shotgun is the lifetime longevity and proven strength of a smooth-shucking Model 870TM. You get the same rugged receiver machined from a solid bar of steel, the same non-binding twin action bars, and the same strong lock-up. That legendary inherent strength is even more important in our 12-gauge, 3½" Super MagnumTM models.


And by designing an action that accommodates the big 3½" shells without stretching the receiver, Express® Super Magnums™ still have the clean classic lines, sure-handling between-

the-hands balance, and smooth natural-pointing qualities of all Remington® Model 870[™] pump shotguns.

Start with the practical economy of our Model 870TM Express® and add the exceptional versatility of a 12-gauge, 3½" Super MagnumTM action, and you have the unchallenged "best buy" of any shotgun currently produced.

Consider that these shotguns can handle any 12-gauge ammunition made—from heavy-payload 12-gauge, 3½" magnum shells all the way down to light 2¾" field or clay target loads. And the special bolt design in these guns retains the same length of cycle stroke for all shells.

In standard Model 870™ Express® Super Magnum™ shotguns with 26" or 28" vent rib, Rem™ Choke barrels, you can use the same shotgun for fast-flushing upland birds or darting mourning doves; larger, longer-range ringnecks and chukars; and still be able to chamber the heaviest charges available for outer-fringe ducks and geese. All you need to do is




change shells, and when appropriate, screw in a different Rem™ Choke.

In the turkey models, you can tailor the loads you use for any kind of gobbler situation. But these versatile pump guns are perfect for other game as well. Their 23" vent rib barrels also provide lightning-fast handling and easier carrying for close-cover upland birds.

Unquestionably, the most versatile of any Model 870™ Express® Super Magnum™ shotgun is the two-barrel Combo version. For deer hunting with slugs, you get a 20" fully rifled barrel with adjustable factory sights to provide maximum accuracy with modern sabot slugs. The second, 26" vent rib Rem™ Choke barrel puts you in business for every other type of shotgunning you choose.

And don't forget to make use of the optional versatility of our Rem™ Choke system with any of these super-powerful shotguns. Besides the convenience of changing choke constrictions for different ranges or shot sizes, you can convert any barrel to a deer barrel by interchanging our Rifled Rem™ Choke.




MODEL 870™ SUPER MAGNUM™ **DESIGN FEATURES**

Superior design and inherent strength of 870" receiver easily accommodates the power and longer length of 31/2" shells

Breakthrough bolt re-design keeps cucle stroke equal for all three sizes of 12-ga. shotshells

Model 870" Super Magnums 🗖



Trigger mechanism retains same dimensions and crisp feel of all 12-ga. Model 870s

Super Magnum" receiver is same size as all 12-ga. 870™ shotguns for similar balance

Magazine length unchanged for same balance point; capacity is three 31/2", and four 23/4" or 3" shells

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS


Model	870" # Express®	2870™ Express®	870™ * 3, 3. Express®	870" (Express® پار	870™ Express®
	Super Magnum	Super Magnum		Super 💸 🎉 👍	Super
100	Synthetic Turkey	Turkey, 5 Camo	, wagnum	Magnum" / / Synthetic	Magnum" ≟Combo
Gauge	12 (3'ь")	12 (3½")	12 (3¼")	12 (3½")	12 (3½")
Mag. Capacity	3 (3'/s") 4 (2''/s",&-3")	3 (3'4") 4 (2³4" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")	3 (3½") 4 (2¾" & 3")
BBL Lengths/ Order No.	23"/5106	23"/5104	.28"/5100	26"/5102	26" (Vent Rib)/5114 20" (Deer)
Barrel Type	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Turkey Extra Full)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Mod. Rem Choke (Vent Rib) Fully Rifled (Deer)
Sights	Twin Bead	Twin Bead	Single Bead	Single Bead	Single Bead (Vent Rib) Rifle Sights (Deer)
Metal Finish	Matte Black Non-Reflect	RealTree® Advantage® Camo	Matte Black Non-Reflect.	Matte Black Non-Reflect	Matte Black Non-Reflect
Overall Length	44%"2	44½" ²	48'/2"	46"	46" (Vent Rib) 40%" (Deer)
Length of Pull	14	14"	14"	14"	14"
Drop (Comb)	ህዝ"	11/4"	11%" 3-4-7	11/2"	11%"
Drop (Heel)	216	2'/₀"	21/5"	2'6"	2%"
Stock Material	Black Synthetic	Synthetic	Hardwood	Black Synthetic	Hardwood
Stock Finish	Matte	RealTree® Advantage® Camo	Satin	Matte	Satin
Avg. Wt. (lbs.)	MANA STATE	71/4	74	71/4	171/4
1 Comba Deer bassel has 3	# -bb * /				


Combo Deer barrel has 3" chamber. 2 includes 1" extended choke tube.

MODEL 870° EXPRESS

TOP-OF-THE-LINE PERFORMANCE AT BOTTOM-LINE PRICES

The Model 870" Express® gives you all the smooth-working reliability and durability of the best-selling, most highly regarded shotgun action ever made. But because it is dressed for work rather than show, it comes at a remarkably affordable cost. This "best buy" pump gun is offered in versions for every type of hunting, and in a variety of practical non-reflective or camo finishes.





A wise old saying states, "There's a time and place for everything." Maybe the unknown author was a hunter, because, when it's time to go hunting, that's the place for a Model 870™ Express® — America's pump gun.


This is a shotgun that was totally conceived for hunting — hard hunting. Sure, there's a place for your glossy-stocked, brightly blued, scattergun beauties. But not in a sleet-spattered duck blind, thorny-thick grouse cover, or the stony-steep slopes of chukar country. That's when you leave the elegant guns behind, and pack a Remington® Express® pump gun in your pick-up. They both go with the territory.

There's a lot of ingenious practicality to any Model 870™ Express®. These are definitely

"no frills" shotguns, without the extra embellishment of fancy finishes. That works for you in two ways. First, it cuts their cost, because when we eliminate the expense of American walnut and mirror-like polishing, we


pass the savings back to you. Second, the finish on these shotguns is designed to deal with more appropriate factors — like wear and weather. And in the field it gives you the added benefit of reflecting nothing, except your good sense in owning such a shotgun.

While all of our Express® shotguns have the right outside dress for the occasion, they also have the right stuff inside to do the job with the same unmatched durability and functional reliability of the legendary Model 870™ Wingmaster®. That's because beneath the



surface, the two are the same. They both have the same rugged receiver machined from a solid block of steel, the same smooth-functioning twin action bars, and the same strong lock-up of breech bolt lug into a massive barrel extension. So when you invest in the value of a Model 870[™] Express[®], you're getting one of the world's finest shotguns at a world-class price.

There are over 17 choices in the style and specifications of a Model 870™ Express®. Look at the charts. Whatever your hunting preferences, there's an Express® exactly tailored for you. In fact, it offers a variety of options as broad as those of any shotgun model made. Look for the one that matches your needs, 'expressly'.



SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	870™ Express®	870" Express®	870" Express®	870 ^m Express®	870™ Express®	870™ Express®	870" Express® Deer
	(12-ga.)	(20-ga.)	Synthetic	Turkey Camo	Turkey	Synthetic Fully Rifled Deer Gun	Deer
Gauge	12	20	12	12	12	12	12
Mag. Capacity	4	4	4	4	4	4	4
BBL Lengths/ Order No.	28"/5568 26"/5569	28"/5583 26"/5582	28"/5587 26"/5589	21"/5089	21"/5573	20"/5097	20"/5565 20"/5575
Barrel Type/ Order No.	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Mod.)	Vent Rib Rem™ Choke (Extra Full)	Vent Rib Rem™ Choke (Extra Full)	Fully Rifled	Imp. Cyl. Choke/5565 Fully Rifled/5575
Sights	Single Bead	Single Bead	Single Bead	Twin Bead	Twin Bead	Rifle Sights	Rifle Sights
Metal Finish	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black . Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect
Overall Length	48'አ" (28" BBL) 46'አ" (26" BBL)	481/2" (28" BBL) 461/4" (26" BBL)	48½" (28" BBL) 46½" (26" BBL)	42'/2"	421/4"*	401/s"*	40'%"
Length of Pull	14"	14"	14"	14"	14"	14"	14"
Drop (Comb)	11/4"	1'ሬ"	11/4"	11/4"	11/4"	11/4"	11/4"
Drop (Heel)	2¹/ሪ"	2'4"	2'/3"	2¹¼"	214"	1'4"	176"
Stock Material	Wood	Wood	Black Synthetic	Camo- Covered Syn.	Wood	Black Synthetic	Wood
Stock Finish	Flat .	Flat	Matte	RealTree® Advantage® Camo	Flat	Matte	Flat
Avg. wt. (lbs.)	7½ (28" BBL) 7¼ (26" BBL)	6¼ (28" BBL) 6¼ (26" BBL)	7% (28" BBL) 7% (26" BBL)	71/4	7%	7	71/4

* Includes 1" extended choke tube


Model	870™. Express® Left Hand	870" Express® Combo	870" Express® 12 Combo	870™ Express® HD	870" Express® Youth	870" : Express® Youth &	870" Express® Youth
*****		(12-ga.) 🦅 🐠	(20-ga) 📆 💥		in the second		Deer Gun
Gauge	12	12	20	12	20	20	20
Mag. Capacity	.4	4	4	4	4	4	4
BBL Lengths/ Order No.	28"/5577	28" (Vent Rib)/5571 26" (Vent Rib)/5578 20" (Imp. Cyl. Deer or Fully Rifled Deer)	28" (Vent Rib)/5585 26" (Vent Rib)/5597 20" (Imp. Cyl. Deer or Fully Rifled Deer)	18"/5549	21"/5561	21"/5091	20"/5555
Barrel Type	Vent Rib Rem™ Choke (Mod.)		Vent Rib Rem™ Choke (Mod.) I.C. Deer or Fully Rifled Deer	Cylinder Choke		Vent Rib Rem™ Choke (Full)	Fully Rifled
Sights	Single Bead		Single Bead (Vent Rit) Rifle Sights (Deer BBL)	Single Bead	Single Bead	Twin Bead	Rifle Sights
Metal Finish	Matte Black Non-Reflect	Matte Black Non-Reflect	Matte Black Non-Reflect	Matte Black Non-Reflect.	Matte Black Non-Reflect		Matte Black Non-Reflect
Overall Length	48%	48½", 46½" (Vent Rib) 40½" (Deer BBL)	48'h", 46'h" (Vent Rib) 40'h" (Deer BBL)	38'/2"	40'h"	401/4"	39'//,"
Length of Pull	14"	14"	34"	14"	13"	13"	.13"
Drop (Comb)	1,7,	11/4"	1%"	11/6"	11/4"	11/4"	11/6"
Drop (Heel)	2'6"	2'/-"	121/1.	21/6"	2'/4"	2'/4"	21/4"
Stock Material	Hardwood	Hardwood ,	Hardwood	Black Synthetic	Hardwood	Camo: Covered Syn.	Hardwood
Stock Finish	Hat	Flat -	Flat	Matte	Flat	RealTree® Advantage® Camo	Flat
Avg. Wt. (lbs.)	為之制	7½ (Vent Rib) 7¼ (Deer BBL)	6% (Vent Rib) 6% (Deer BBL)	.714	6	6	6
		camo 2 Will not accent					

SKEET, TRAP & SPORTING GLAYS

RECORD-SETTING CLAY TARGET GUNS THAT STAND THE TEST OF TIME

Whenever a clay target shooter refers to his shotgun as "Old Reliable," it's more than likely the shotgun is a Remington®. It may be one that's been used without interruption for thirty years, or one that has recently been rediscovered as still superior to a temporary replacement. That's not surprising. More clay target records have been set with currently available Remington shotguns than any others.





No company has a richer tradition in the clay target sports, or has built more successful and widely acclaimed shotguns for them than Remington. When competitive trapshooting started, Remington shotguns were the first


specifically made for the sport. And

competitive skeet shooting actually began at our own gun club. Those early squads were always filled with Remingtons.

In fact, if the names of gun models were also listed, the record books would be filled with the name Remington. More competitive skeet records have been set with the light-recoiling, flinch-preventing Remington Model 1100™ autoloader than any other shotgun. It's never gone away. Today, you'll find it showing up again in more and more championship shoot-offs.


Serious clay target shooters learn fast from experience.

And that experience is unquestionably behind the trend back to autoloading actions in 12-gauge clay target competition — trap, skeet and sporting clays. These high-volume shooting sports require lots of practice and often, several hundred targets





Model 870™ Wingmaster® Fiftieth Anniversary Classic Trap



Model 1100TM Classic Trap

To commemorate five decades of shotgunning excellence, we're offering the Limited Edition Model 870™ Wingmaster® Classic Trap gun with special fine-line scroll engraving complemented by a highly detailed gold shield and fiftieth anniversary gold ribbon. Inspired by Rudy Etchen, arguably one of the world's finest trapshooters and probably the biggest fan of the 870, the Wingmaster® Classic Trap is set up with a 30" light target Rem™ Choke barrel bored to standard .727" dimensions. Included are three special choke tubes: Singles (.027"), Mid Handicap (.034"), and Long Handicap (.041"). The fore-end and Monte Carlo stock are semi-fancy American walnut with deep-cut checkering and high-gloss finish.


The Model 1100T Classic Trap gun is graced with an original pattern of scroll engraving, and accented in gold with a beautiful bald eagle, the symbol of American freedom. It is stocked similarly to the Wingmaster® Classic Trap, and also carries a 30" light target Rem™ Choke barrel with standard .727" boring and the same special Rem™ Choke tubes.

in a day's competition. The comfortable, recoilreducing action of a Model 11-87™ or Model 1100™ autoloader cuts down fatigue and helps prevent the onset of the dreaded, 12-gauge "flinching bug."

This year, we've introduced three modernized versions of our most famous target guns. The new Model 1100TM Classic Trap autoloader combines classic pointing lines with a handsome, semi-fancy Monte Carlo stock of American walnut and distinctive, fine-line receiver engraving. It has a standard bore

(.727") 30", light target barrel with three trapoptimized, Rem™ Choke constrictions. Matching this, with similar specifications and high-quality finish, the new Model 870* Wingmaster® Classic Trap is a specially engraved 50th Anniversary offering.

The new Model 1100™ Sporting 12 provides timeless good looks in a light-recoiling sporting clays gun with a 28" target barrel and four extended Rem™ Choke constrictions. Model 1100™ Sporting shotguns are also available in 20 and 28 gauge.



SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model 🔑 🦪	k870"- "###**★1100" *****	★1100" \$ 1100" \$ \$ Sporting 12 Sporting 表	1100"	11-87" Premier®
	Classicinalis, classicinalis	Sporting 12 Sporting 5 20 Autoloader	28 Autoloader	Autoloader!
Gauge	12 12	12 20	28	12
Mag. Capacity	4 4 4	4 4	4	4
BBL Lengths/ Order No.	30"/4856, 30"/5333	28"/5315 28"/5399	25"/5407	30"/5263 28"/5259
Barrel Type	Vent Rib Rem™ Choke ² Rem™ Choke ²	Vent Rib Vent Rib Rem™ Choke Rem™ Choke	Vent Rib Rem™ Choke	Vent Rib Rem™ Choke¹
Sights	Twin Bead 5.5 Twin Bead	Twin Bead Twin Bead	Twin Bead	Twin Bead
Metal Finish	High Polish High Polish Blued	High Polish Blued Blued Blued	High Polish Blued	High Polish Blued (Nickel-Plated Receiver)
Overall Length	501/4" 501/4"	49"* 48%"*	453/4"	51¼"* (30" BBL) 49¼"* (28" BBL)
Length of Pull	14%"	143/16" 14"	14"	14³/ıs"
Drop (Comb)	111/6" 3 3 3 1/6"	11/4" 7, 6 3 11/4"	11/4"	11%"
Drop (Heel)	2" 2"	21/4" 121/6"	2'/6"	21/4"
Stock Material	Semi-Fancy American Walnut	Semi-Fancy Semi-Fancy American American Walnut Walnut	Semi-Fancy American Walnut	Semi-Fancy American Walnut
Stock Finish	Gloss Gloss	Gloss	Gloss	Satin
Avg. Wt. (lbs.)	8. 1 81/4	7	6%	7³¼ (30" BBL) 7⁵¼ (28" BBL)
ledudes sytema	ad ababa baba	•		. A Now For 2000


* Includes extended choke tube


¹ Model 11-87™ Target barrels are not equipped with a pressure-compensating gas system and are intended for use with target ammunition only (3% dr. powder, 1% oz. lead shot - max.). Use of heavier field loads will damage the oun, unless a Model 11-87 Premier® Field Grade extra barrel is installed. These guns are supplied with special Rem' Chokes - Singles (027"), Mid Handicap (.034"), and Long Handicap (.041"). Model 11-87" parrels are not interchangeable with Model 1100" barrels. See page 37 for information on extra barrels

REMAINGTON° YOUTH GUNS

MATCHED TO SMALLER SHOOTER SIZE AND EVERY SHOOTING CHALLENGE

Remington Youth Guns are serious guns, the very best we make, for serious shooting challenges. They are standard models simply shortened in length to provide comfortable balance and fit for smaller-stature shooters, either youngsters or adults. There are no compromises in their quality and no limitations on their performance capabilities. In rifle or shotgun form, they provide custom fit, without the custom cost.





Although we call it our "Youth Gun" line, these rifles and shotguns offer potential benefits to more than just young shooters. They are sized in stock length to fit youngsters who haven't yet reached their full growth, women who are smaller than the guys, and any compact-size adults that have long searched for a gun that fits them. All of these groups can now find a ready-to-shoot, high-quality rifle or shotgun from Remington®.

From our standpoint, it was no big deal. We simply cut back our standard stocks to a shorter, 13-inch length-of-pull, produced these on a regular production basis, and matched them to some of our best rifles and shotguns.

You can buy them over the counter — with no premium in price and no custom alterations.

Remember, too, that for young beginners, these can be lifetime guns.

When necessary, stocks can be lengthened or easily replaced by full-size, factory equivalents.

For virtually any kind of hunting or shooting, one of these guns is matched to the job. In centerfire rifles, for example, you have two choices. One is our legendary Model 700^{7} in a short-action, synthetic-stock version — chambered for the all-purpose .243 Win or the big-

game .308 Win. The other is our compact

Model Seven™ bolt-action — offered in a broad


choice of the .223 Remington (new for

this year), the .243 Win., the lightrecoiling .260 Remington, and
the 7mm-08 Remington,
described by some experts as
"the best all-around whitetail
deer cartridge in America."
We haven't overlooked shorterstature black-powder shooters of
all ages either. For them we offer

the in-line, bolt-action Model 700™

ML Youth.

Because good, between-the-hands balance is essential to the handling qualities of any gun, we didn't stop with just a shorter stock. For all the Youth rifles we make, we've balanced the shorter stock length on one end with a shorter, 20" barrel at the front to keep them from



becoming muzzle-heavy while retaining effective ballistics.


In Youth shotguns, we've gone even further in variety. We offer a total of five different specifications in two of the finest basic shotguns ever made — the autoloading Model 1100[™] and the pump action Model 870[™], all in 20-gauge versions. Our two Model 1100[™] Youth Guns are supplied with rugged synthetic stocks. There's a regular version with 2¾" chamber, and 21" vent rib, Rem™ Choke barrel. For years, this light-recoiling, easyhandling autoloader has been the favorite choice of instructors for teaching clay target shooting to youngsters and small-stature beginners.

Another choice is the Model 1100[™]
Turkey Camo 20-gauge Magnum with 3inch chambers. With stock and fore-end covered in Realtree® Advantage® camo, it's a

highly effective turkey gun. But its camo coating and Rem^{TM} Choke barrel let it double as an excellent waterfowl gun.

For an outstanding combination of proven quality and moderate cost, nothing comes close to our pump-action Youth Guns. All three of them are part of our "Best Buy" Model 870^{TM} Express® group. (See previous

pages on Express® shotguns.) They include a
standard field version, a Turkey
Model with camocovered stock, and
the Model 870™
Express® Youth
Deer Gun with a fully
rifled, rifle-sighted barrel.
All of these Model 870™ Youth Guns have
the added versatility of 3-inch chambers.



RIFLE DIMENSIONS / AVERAGE WEIGHTS

的物质的	Action Barrel Type Lengt	Overall h Length	"Avg." "Ņt. (I	Stock Stock bs.) Mar'i Finish	
Seven™ Youth	Short Action , 20"	38³¼"	6¼	Hardwood, Flat	Carbon Matte Steel Blue
700™ ADL™ Synthetic	Youth Short Action 20"	39%"	63/4	Black Matte	Carbon Matte
700™ ML Youth	- - 21"	38 %"	71/4	Synthetic	Steel Blue

For full caliber listings refer to pages 36 and 37.

SHOTGUN DIMENSIONS / AVERAGE WEIGHTS

Model	1100 [™] -LT-20- Å			870™	870™
		Youth Synthetic			Express® Youth
erutia ve e tra		Turkey Camo 🦓	≱Turkey Camo		Deer Gun 🧢 🦠
Gauge	20	20 (Magnum)*	20	20	20
Mag. Capacity	4 3 3 3 3 3	4	4	4	4
BBL Lengths/Order No.	21"/5367	21"/5379	21"/5091	21"/5561	20"/5555
Barrel Type	Vent Rib Rem [®] Choke (Mod.)	Vent Rib Rem™ Choke (Full)	Vent Rib Rem ^m Choke (Full)	Vent Rib Rem™ Choke (Mod.)	Fully Rifled
Sights	Single Bead	Twin Bead	Twin Bead	Single Bead	Rifle Sights
Metal Finish	Matte Black Non-Reflect	Matte Black Non-Reflect	Matte Black Non-Reflect.	Matte Black Non-Reflect.	Matte Black Non-Reflect
Overall Length	40%"	40'/6"	40%"	401/h"	391/2"
Length of Pull	(13".55" (15.55)	13"	13" 1" 19	13" .	13",
Drop (Comb)	11/2	11/4"	1.45	1%"	1167 . 16
Drop (Heel)	24" · 🖈	21/h" :	21/6"	2'/6"	21/2,
Stock Material	Black Synthetic	Camo-Covered Synthetic	Camo-Covered Synthetic	Hardwood	Hardwood
-Stock Finish	Matte	RealTree® Advantage® Camo	RealTree® Advantage® Camo	Flat	Flat
Avg. Wt. (lbs.)	6',	6¾	6	6	6

* Model 1100", 3", Magnum is set up to handle heavy 20-ga, shotshells including 3", and will not function satisfactorily with target and light field loads.

RIFLE SPECIFICATIONS

MODEL 700™ CENTERFIRE RIFLES

					104 48 7						Rifle Mode		100	i alle sa			VLS (Varmint	WWW.	VS (Varmini Synthetic)	
Calibers	Magazine Capacity	Barrel Length	Twist-R-H, 1 Turn In:	EtronX	Rifle (DM)	Rifle LSS	Sendero":	Sendero SFIS	BDL Stainless Synthetic DM	BDL Stainless Synthetic DM-B	BDL' Stainle Synthetic	(22).	ADL"	ADL Synthetic	BDL®	BDL" (DM)	Laminated Stock)	Composite Barrel	e → Carbon School Heavy BBL	Status Fluta B
.17 Rem.	5	24"	9"	_	_		-	-	_	-		_	_	_	6037	_	_	_	_	Z
.220 Swift	4	26"	14"	6400★	_				-	_	_		_		_		_		-	974
.222 Rem.	5	24"	14"						_	_		_	_	_	6023				_	Z
.22-250 Rem.	4	24"	14"	6402★	-			_	_			- 1		7512	6025				_	+
	4	26"	14"						_	_		_			-		7489	6301	9701-R★/7548-L	9773
.223 Rem.	5	24"	12"		_		_		_					7514	6027		-	_	-	0
	5	26"	12"			_	_	_	_	_	-	_			-		7491	6303	9703-R★/7549-L	972
.243 Win.	4	20"	9%"	6404★		-	_	_	_	_	_	_		7518 (Y)			_		_	
	4	22"	91/4"			_	_	_	-	-			_	7474	6029				. -	Ŋ
	4	26"	9%"			_					_	-	_		_		7495		_	49
6mm Rem.	4	26"	9¼"	_	_	_	_			_			_		_	-	7493			
.25-06 Rem.	4	22"	10"	_	5849	_	_	_	_		_		-	_	_	-	-	_	_	-
	4	24"	10"		_	-	_	_	6251			_	_		6031		_	_	_	
	4	26"	10"	-	_	_	9675	6199		_					_				-	
.260 Rem.	4	22"	9"		5845	6279	-	_	_		_		_	_	_		_			_
	4	24"	9"	_	-			_	6271		_		_	_	_	_	_	_	-	
.270 Win.	4	22"	10"		5851	6281		_	_	_	_		5771	7476	6033-R/5811-L	6123	_	_		_
	4	24"	10"	_	_	_	_	_	6253	-	9709	6293-L	_		_		_	_		
	4	26"	10"	_	_	_	9677	_	_		_	-	_	_	-				_	_
.280 Rem.	4	22"	9%"	_	5857								_		5797★			_		-
	4	24"	9%"				_	_	6255			_	_			_			_	
7mm-08 Rem.	4	22"	9%"	_	5855	6285	-	_	6963★	-	_	_	_	_	5799★	-	_		_	_
7mm Rem. Mag.	3	24"	9%"	_	_				6263		9692	5933-R/6297-L	5777	7480	6039-R/5815-L	6133		_	_	
	3	26"	9¼"		-	_	9679	7506	_			_		-	_		-	_	_	-
7mm STW	3	24"	9"		_			_	_	7544				_	_	_				_
	3	26"	914"	_	_	_	_	7502	_		-		-		_		_	-	-	-
.30-06	4	22"	10"	_	5859	6287	_		-	-		-	5773	7478	6035-R/5813-L	6129	_	-	_	
	4	24"	10"	_	_	-	_		6259	_	9717	6295-L		-	_		_	_	_	_
.308 Win.	4	20"	10"	-	_	_	-		_	_	_		_	7523 (Y)	_		_		-	
	4	22*	10"	_	_	-			_		_	_	5775	7516	_		~	-	_	
	4	26"	12"	_	-	-	_		_								7499	6307-L	9705-R★/7551-L	_
.300 Win. Mag.	3	24"	10"	_	-	_	_		6265	7539	9694	5935-R/6299-L	_	7482	6041	6137	_		_	_
	3	26"	10"	_			9681	7508	-	-		_	_	_			_	_		_
.300 Wby. Mag.	3	24"	12"	_					6267	-					-		_	_	_	
	3	26".	12"		-			7504	_	-				-				_		_
.300 Rem. Ultra Ma	ag. 3	26"	10"		_		_	6010		-	6099	5971-R/5973-L			6096-R/6107-L★					
.338 Win. Mag.	3	24"	10"	-			_				9696		-	_	6043		_			
.338 Rem. Ultra Ma	ag. 3	26*	10"	_		_		6317★			6101★	6289-R★/6291-L★	_	_	6089★		-	-	_	_
.375 H&H Mag.	3	24"	12"	_	_	_			_	_	9728		_	_						
Stock Dimensions: Length of Pull				13°4"	133%"	133/4"	13³ % "	133/4"	13¾*	13³¼"	131/4"	13¾"	13¾"	13¾"	133/4"	13¾"	13'/2"	13³¼"	133/4"	131/4"
Drop at Comb (from centerline of bore)			1º4"	3/4,,,	3/4"	5/8"	5/6"	'h"	<u>'/</u> '"	'//,"	'/ь"	1/6"	1/4"	1/5"	1/2"	15/16"	5/4"	·/4"	5/4"	
Drop at Heel (from centerline of bore)				11/4"	3/8"	3/6"	5/6"	5/8"	3/."	3/6"	3/4"	13/6"	13/4"	3/4"	13/6"	13/4"	13/16"	5/8"	5/2"	5/8"

R = Right-hand. L = Left-hand. Y = Youth. Youth model of ADL® Syn. has 1" shorter length of pull. All Model 700" and Model Seven® rifles come with sling swivel studs. The BDL® SS in .375 H&H Mag., ADL®, and Seven® are furnished with sights. The BDL® Stainless Synthetic (except .375 H&H Mag.), LSS, Mountain Rifles, Classic, Sendero® and Varmint guns have clean barrels. All Remington centerfire rifles are drilled and tapped for scope mounts. All model numbers listed are right-hand action unless otherwise noted.

★ New For 2000

NOTE: Model Seven™ Mannlicher is available from the Remington® Custom Shop through your local dealer.

GENUINE REMINGTON® FACTORY EXTRA SHOTGUN BARRELS

MODEL OZOM EVIDA BADDELC. SLOUAMBEDO

MODEL 870™ EXTRA BARRE		
Length & Choke	12÷ga.∜ <u></u>	_f 20-ga.* 🔭]
Field Grade, Vent Rib, Wingmaster®		
30" Rem™ Choke, Light Contour	6215	
30" Rem™ Choke	4576	_
28" Rem™ Choke, Light Contour	6217	_
28" Rem™ Choke	4580	4606
26" Rem™ Choke, Light Contour	6219	_
26" Rem™ Choke	4582	4608
Deer Barrel, Super Slug Cantilever Scope N		tour
23" Fully Rifled	4551/4563†	
Deer Barrel, Cantilever Scope Mount, Wind	master®	
20" Fully Rifled	4557	-
Deer Barrel, Rifle Sights		
20" Rem™ Choke²	4545	-
20" Rem™ Choke (L-H)2	4547	_
20" Fully Rifled	4558/4559†	· <u> </u>
20" Imp. Cyl.		4578
SP™ Deer Barrel, Cantilever Scope Mount		
20" Fully Rifled	6229	_
20" Rem™ Choke¹	6227	- .
SP™ Deer, Rifle Sights		-
20" Rem™ Choke²	4549	· <u>-</u> · ·
Express® Deer, Rifle Sights (20"), Imp. Cyl.	4622/4563†	(
Express® Deer, Fully Rifled, Rifle Sights (20		4609
SP™, Vent Rib		
30" Rem™ Choke	4590	· _
28" Rem™ Choke	6225	. = '
26" Rem™ Choke	4592	
Trap (2¾" chamber), 30" Rem™ Choke	4614	. –
Skeet (2¾" chamber), 26" Rem™ Choke	4612	_

Model 870™ extra barrels with 3" chambers used on Super Magnum™ and Magnum receivers will handle both 2%" and 3" shells only. Use only 2%" shells when these barrels are used on non-Magnum receivers. *20-gauge 870™ Lightweight barrels will not fit 20-gauge standard 870™ guns. I Cantilever Rem™ Choke Deer barrels supplied with Imp. Cyl. and Extended Rifled Choke tubes. 2 Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes. 3 Express® 20-ga, Fully Rifled Deer barrel has 21/4" chamber. Model 870™ extra barrels with 21/4" chambers will fit both Magnum and 21/4" receivers. Use only 21/4" shells in these barrels.

MODEL SP-10™ MAGNUM EXTRA BARRELS - 31/2" CHAMBER

Type A CAN A CAN A CAN	Length & Choke 🔌	10-ga 20-a
SP. Magnum, Vent Rib	30" Rem™ Choke	7594
SP™ Magnum, Vent Rib	26" Rem™ Choke	7598

REM™ CHOKE TARGET BARRELS

Rem™ Choke Target barrels have Trap Full, Extra Full and Super Full, or Skeet and Improved Skeet, plus wrench.

+ Clam pack version for extra barrel merchandiser. Call sales rep or (800) 243-9700 for details

PLEASE NOTE THE FOLLOWING AMMUNITION RECOMMENDATIONS FOR USE WITH THE MODEL 1100" STEEL SHOT BARREL.

When used with Model 1100™ Magnum shotguns:

- Use 2%" magnum or 3" magnum steel shotshells. - Use 21/4" magnum or 3" magnum lead shotshells.

When used with Model 1100" non-Magnum shotguns:
- Use 21/" magnum or 3" magnum steel shotshells.

- Use 21/4" magnum lead shotshells. Do not use 3" magnum lead shotshells 1 in non-Magnum Model 1100" shotguns, as this will cause extra wear and decrease the life of the gun.

MODEL 11-87™ EXTRA BARRELS - 3" CHAMBERS

Length & Chake	12-ġá. ∷	``^20-ga. े्
Deer Barrel', Cantilever Scope Mount		
21" Fully Rifled	9615/9535†	-
Deer Barrel', Rifle Sights		, , , , , , , , , , , , , , , , , , , ,
21" Fully Rifled	9606/9533†	9563³
21" Rem™ Choke ^z	9623	_
21" Rem™ Choke (L-H) ²	9625	
SP™ Deer Barrel, Cantilever Scope Mour	nt	
21" Fully Rifled	4645/9531†	
21" Rem™ Choke'	4647	-
SP™ Deer Barrel, Rifle Sights		
21" Rem™ Choke²	9627	_
21" Fully Rifled	9609	-
SP™ Magnum, Vent Rib		
30" Rem™ Choke	4638	_
28" Rem™ Choke	9611	_
26" Rem™ Choke	4640	
Premier®, Vent Rib		
30" Rem™ Choke, Light Contour	9600	_
30" Rem™ Choke	4642	_
28" Rem™ Choke, Light Contour	9602	_
28" Rem™ Choke	46 44	-
26" Rem™ Choke, Light Contour	9604	-
26" Rem™ Choke	4646	
Premier® Target Barrels (21/4"chamber only		t BBL note at left, below)
26" Rem™ Choke Skeet	4624	-
30" Rem™ Choke Trap .	4626	

1 Cantilever Rem™ Choke Deer barrels supplied with Imp. Cyl. and Extended Rifled Choke tubes. 2 Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cvl. Choke tubes.

Model 11-87" Deer barrels are not equipped with a pressure-compensating gas system, and will not function with target or light field loads.

Fitting Standard Barrels on Light Contour Shotguns - The fore-ends on our Light Contour Model 11-87™ shotguns are shaped to follow the curve of the slimmer-profiled LC barrel, which means that a standard Vent Rib or Deer barrel cannot be fitted to your gun unless you do one of two things: have your LC fore-end wood opened up by a competent gunsmith or stockmaker; or purchase a standard profile fore-end from our Arms Service Division by writing to: Arms Service Division, Remington Arms Co., P.O. Box 700, Madison, NC 27025-0700

MODEL 1100™ EXTRA BARRELS - 2¾" CHAMBERS

Length & Choke	12-ga.	, 20-ga:	LT-203
Field Grade, Cantilever Scope Mount			
21" Fully Rifled	6595/9587†	_	
Field Grade, Deer, Rifle Sights			
21" Fully Rifled	9570/9589†	_	
21" Rem™ Choke ²	9565	~	
21" Rem™ Choke (L-H)²	9567	_	· 10 .
21" lmp. Cyl.		4438	
SP™ Deer, Rifle Sights			
21" Rem™ Choke²	9571	-	
Steel Shot Barrel, 12-gauge (see ammunit	ion note at left)		
30" Rem™ Choke	9505	_	
26" Rem™ Choke	9509	_	
Field Grade, Vent Rib			
30" Rem™ Choke	4488		
28" Rem™ Choke	4464	4484	
26" Rem™ Choke	4466	4486	
Trap, Vent Rib (see note at left)		11.5	
30" Rem™ Choke	4492	– : · ·	
Skeet, Vent Rib (see note at left)			
26" Rem™ Choke	4490	_ `	
* <u>-</u>	THE STATE OF THE S		19111

NOTE: LT-20, 20-gauge Lightweight barrels (4400 Series) will not fit pre-1977 20-gauge Lightweight or standard 20-gauge Model 1100" shotguns. (Refer to parts list for pre-1977 barrels.) 1 Cantilever Rem* Choke Deer barrels supplied with Imp. Cyl. and new Extended Rifled

² Rifle-sighted Rem™ Choke Deer barrels supplied with Rifled and Imp. Cyl. Choke tubes.

MODEL 7400™

Calibers -	Twist = R-I	H, Walnut High-Glos	Walnut Satin	Black Synthetic	
243 Winchester	9%"	_	9755	9793	
270 Winchester	10"	9759	9757	9794	
280 Remington	9'4"		9761	9795	
30-06 Carbine	10"		9769	9783	
30-06	10"	9765	9763	9796	
308 Winchester	10"	-	9767	9797	
308 Winchester MODEL 7600			9767	9797	
			9767 4653	9797 5143	
MODEL 7600	IM				
MODEL 7600 243 Winchester	9½°	_ _ _ 4667 _	4653	5143	
MODEL 7600 243 Winchester 270 Winchester	91/8" 10"		4653 4655	5143 5145	
MODEL 7600 243 Winchester 270 Winchester 280 Remington	91/8" 10" 91/4"	- 4667 - - 4671	4653 4655 4663	5143 5145 5147	

MODEL SEVEN™

Calibers : Erroco			Seven Seven". LS 30 SS	
223 Remington	12"		4728★ 4745	4787★
.22-250 Remington	9%"	4758★	-: . (-	-
243 Winchester	9%"	4760★	4793★ 4739	4779★
260 Remington	9"	_	4734	4781★
7mm-08 Remington	914"	4762★	4795★ 4741	4783★
308 Winchester	10"		4789★ 4743	<u> </u>

Magazine capacity in .223 Rem. is 5, all others 4. All Model Seven™ barrel lengths are 20".

MODEL 700™ ML/MLS IN-LINE MUZZLELOADING RIFLES

Model	∷50 Ca		54 Cal.
ML	7572	1	(-1)
ML Youth	7574	•	
ML Camo	7586	• .	(-
MLS (Stainless BBL)	7580		7582
MLS Camo (Stainless BBL)	7588		-
Twist - R-H, 1 Turn In	28"	.)	28"

Model 700 muzzleloaders are supplied with cleaning tube, combo breech plug and nipple wrench, ramrod handle, ramrod extension, weather shroud, allen wrench, and patch jag.

LIMITED EDITION 1999 MODEL 700™ CLASSIC (Straight Comb, Short Action, 24" BBL, No Sights)

Model 3	Mag.	Capacity	Order No.	. Twis	t,≅R-H,	1 Turn In
★.223 Remington	5	-	6344	12"	1	

REM™ CHOKES

For a full-listing of genuine factory Rem™ Chokes, see chart in Accessories Section, page 67.

NEW! EXCLUSIVE REMINGTON® TWO YEAR WARRANTY

We are backing our commitment to quality with the industry's first Two-Year Limited Warranty against defects in material and workmanship. If it's a Remington, you can count on it.

★ New For 2000

UNEQUALLED POWER AND PERFORMANCE FOR SERIOUS BIG-GAME CHALLENGES

RAFILE AMMUNATION



The outstanding velocity and energy performance of our new Ultra Mag™ cartridges comes from their innovative case design that dramatically increases powder capacity. The increased volume comes from headspacing on the shoulder of the case rather than a belt. The result is a non-belted magnum, with a larger case diameter. Two more benefits of a non-belted case are improved accuracy and longer case life.

This year, we've expanded the Remington® Ultra Mag line with two new bullet options and a second caliber. The .300 Remington Ultra Mag now includes choices of 180-grain and 200-grain Nosler® Partition® bullets, and a new 180 grain Swift™ Scirocco™ boat tail spitzer bonded bullet.


The new .338 Remington Ultra Mag is the most powerful .338-caliber round available, and is loaded with the tough, reliable 250-grain Swift™

A-Frame™ bonded bullet. It delivers 12% greater muzzle energy than the Federal High Energy .338 Win. Mag. loading, and 25% greater muzzle energy than the Winchester Supreme .338 Win, Mag. It also retains flatter trajectory all the way out to 500 vards. With the high weight retention and controlled expansion of the 250grain Swift™ A-Frame™ bullet, the new .338 Ultra Mag has the power, penetration and energy-releasing expansion for reliable use on all North American big game and most world-wide big game.

PREMIER& III TRA MAGIM

	INCHIEN OF IN	— 141 €	10
	Caliber	Bullet . (grs.)	Wt. Bullet Type
	.300 Remington Ultra Mag	180	Nosler® Partition®
*	.300 Remington Ultra Mag	180	Swift™ Scirocco™
*	.300 Remington Ultra Mag	200	Nosler Partition
*	.338 Remington Ultra Mag	250	Swift™ A-Frame™ PSP

★ New For 2000



REMINGTON® ULTRA MAG™ BULLET CHOICES

SWIFT™ SCIROCCO™ (.300 ULTRA MAG™)

Precision-shaped polymer tip for reduced frontal air resistance

Jacket and core locked together with proven Swift™ bonding technology

> Long driving band for improved rotational stabilitu

NOSLER® PARTITION® (.300 ULTRA MAG™)

> Semi-protected exposed lead tip for initial expansion

Special crimp at jacket base locks in the rear core to resist firing deformation SWIFT™ A-FRAME™ (.338 ULTRA MAG™)

Pure lead core is bonded to pure copper jacket with proprietary process

> Swift A-Frame cross-member stops expansion at optimum diameter of 2x caliber



TRAJECTORY Comparison	Muzzle	100	200	300	40
.300 Remington Ultra Mag 180-gr. Scirocco ¹² Bonded		00 Remington Ultra M	ag with		
.300 Weatherby Mag 180-gr. PSP	-10" 180-gr.	Swift™ Scirocco™ Bo atter than the .300 Wb s.; and 26% flatter tha	onded shoots y. Mag at		
.300 Win Mag 180-gr. PSP	-20" Win.M	ag át 400 yds.!			

VELOCITY(ft./sec.) /ENERGY(ftlbs.)	Muzzle	100 yds	200 yds	300 yds	400 yds	500 yds
.300 Remington Ultra Mag 14 180-gr. Scirocco 14 Bonded*	3300/4352	3096/3831	2902/3365	2715/2947	2537/2572	2365/2235
.300 Weatherby Mag 180-gr. PSP	3120/3890	2866/3282	2626/2756	2398/2299	2182/1903	1977/1562
.300 Win Mag 180-gr. PSP	2960/3501	2745/3011	2540/2578	2344/2196	2157/1859	1978/1584

· 26" Barrel




Benefits worthy of the Remington name.

- No Annual Fee
- 3.9% Introductory Annual Percentage Rate (APR), for cash advance checks and balance transfers
- Credit line increase decisions in 30 minutes or less

Earn rebates on the things you need to enjoy Remington Country.^{††}

- The first time you use your card, you'll receive a Remington Bandit 4 Blade Camp Knife valued at \$19.99
- **Remington Rebate Certificates** every time you accumulate \$1,000 in new purchases
- Earn up to \$150 a year in rebates on Remington firearms, ammunition, knifes, gun care products-even Stren® fishing products



Complimentary gift with first use of card



FOLLOWING IN A TRADITION OF OUTDOOR PERFORMANCE — THE REMINGTON VISA® CREDIT CARD.

Print your name as you wou	ld like it to appear on eard. Please print clearly in black or blue in
	•
Address	
City	State ZIP
Social Security # -	- Birth date / /
Mother's maiden name	
Monthly housing payment \$,
Home phone ()	Your annual salary \$
(for security purposes) Business phone (Other income† +\$
Employer	Total household income \$ 2
(If self-employed, please state the nature of y	
Position	there other income
tAlimony, child support, or separate m	aintenance income need not be revealed if you do not wish it considered as a basis for re
Please send an additional car	
	rd at no extra cost for:
	1
	t t
1 12 12 12	t t
	vila – kita e li vila e mine e i d
	o 2000 - Katolio Mondacti walio kata Tanani
Relationship:	od o koto kilodopa kada Tarah
Relationship: X MY SIGNATURE MEANS THAT I AGREE	Date 1 /
Relationship:	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None.
Relationship: X MY SIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR)	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases.
Relationship: X MY SIGNATURE MEANS THAT I AGREE Annual fee	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None.
Relationship: X MYSIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR) Grace period for repayment	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases. At least 25 days, if each month, we receive payment in full of
Relationship: X MY SIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR) Grace period for repayment of balance for purchases Method of computing the	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases. At least 25 days, if each month, we receive payment in full of New Balance Total by the Payment Due Date. Average Daily Balance (including new transactions). Transaction fee for Bank and ATM cash advances: 3% of each
Relationship: X MY SIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR) Grace period for repayment of balance for purchases Method of computing the balance for purchases Transaction fees for cash advances and fees	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases. At least 25 days, if each month, we receive payment in full of New Balance Total by the Payment Due Date. Average Daily Balance (including new transactions). Transaction fee for Bank and ATM cash advances: 3% of each advance (minimum \$5), Transaction fee for credit card cash ac
X MYSIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR) Grace period for repayment of balance for purchases Method of computing the balance for purchases Transaction fees for cash advances and fees for paying late or	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases. At least 25 days, if each month, we receive payment in full of New Balance Total by the Payment Due Date. Average Daily Balance (including new transactions). Transaction fee for Bank and ATM cash advances: 3% of each cash advance (minimum \$5). Transaction fee for credit card cash advence (minimum \$5). Transaction fee for credit card cash advence (minimum \$5).
X MYSIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR) Grace period for repayment of balance for purchases Method of computing the balance for purchases	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases. At least 25 days, if each month, we receive payment in full of New Balance Total by the Payment Due Date.
X MY SIGNATURE MEANS THAT I AGREE Annual fee Annual Percentage Rate (APR) Grace period for repayment of balance for purchases Method of computing the balance for purchases Transaction fees for cash advances and fees for paying late or	Date / / TO THE CONDITIONS APPEARING ON THIS FORM. None. 14.99% for purchases. At least 25 days, if each month, we receive payment in full of New Balance Total by the Payment Due Date. Average Daily Balance (including new transactions). Transaction fee for Bank and ATM cash advances: 3% of each advance (minimum \$5). Transaction fee for credit card cash advance (minimum \$5). Late-payment fee: \$29. Over-the-credit-lim \$5, maximum \$30). Late-payment fee: \$29. Over-the-credit-lim \$5, maximum \$30). Late-payment fee: \$29. Over-the-credit-lim

3.9% OPTIONAL BALANCE TRANSFER
APR' Immediate Savings*

Exact transfer amount	\$,	-
Make transfer check payable to		
Exact transfer amount	\$,	•
Make transfer check payable to		

Please complete only if you have moved or changed employers in the last three years.

Previous address		
City	State	ZIP
Previous school or employer		Years there

1-MORE APR INFORMATION-

The current promotional Annual Percentage Rate (APR) offer for cash advance checks and balance transfers is 3.9% through your first four statement closing dates, commencing the month after your account is opened. When your minimum monthly payment is not received by its Payment Due Date, or when the promotional offer expires, whichever occurs first, your APR for both new and outstanding cash advance balances (consisting of cash advance check and balance transfer transactions) will be 14.99%. MBNA may allocate your payments to balances (including new transactions) with lower APRs before balances with higher APRs.
*-BALANCE TRANSFER INFORMATION-

The total value of balance transfers cannot be more than your available nne total value or balance transfers cannot be more than your available credit line. We will send you checks valued up to the available credit line. The checks may include full or partial payment of the sums you indicated above. Allow 2-4 weeks from application approval for receipt of checks. You should continue making minimum monthly payments to your creditors until you have received and forwarded the checks to them. Cash advances and balance transfers may not be used to pay off or pay down any MBNA* account.

-CONDITIONS-

I have read this application, and everything I have stated in it is true. I authorize MBNA America Bank, N.A. (MBNA) to check my credit, employment history, or any other information and to report to others such information and credit experience with me. I understand that the acceptance or use of any card issued will be subject to the terms of this application and the Credit Card Agreement that will be sent with the card, and I agree to be responsible for all charges incurred according to such terms.

Information about me or my account may be shared among MBNA and its related companies for marketing or administrative purposes. I may prohibit such sharing of information, other than information pertaining solely to transactions or experiences between me and MBNA for an MBNA-related company), by writing to MBNA at PO Box 15342, Wilmington, DE 19850 and including my name, address, home phone number and the applicable MBNA

account number(s).

I am at least 18 years of age. I consent to and authorize MBNA, any of its affiliates, or its marketing associates to monitor and/or record my telephone conversations with any of their representatives to better ensure quality service. I accept that MBNA may, at its discretion, periodically consider my account for automatic upgrade. The information in this application is accurate as of 11/99. The information may have changed after that date. For more current information, please call MBNA at 1-800-847-7378. TTY users, please call 1-800-833-6262.

MBNA and MBNA America* are federally registered service marks of MBNA America Bank, N.A. Visa is a federally registered service mark of Visa U.S.A. Inc., used pursuant to license. ©1999 MBNA America Bank, N.A.

11 New Remington Visa card Customers receive a Remington Bandit 4 Blade Camp Knife (a \$19.99 value) after using the account for a purchase, cash advance or balance transfer transaction. Please allow 8-10 weeks for shipment. Limit one knife per account. You'll also earn one (1) \$10 Remington Rebate Certificate for every \$1,000 in new net retail purchases (purchases less returns, credits and adjustments) charged to the card by you and your authorized user(s), if any. Cash advances, balance transfers, and the purchase of money orders, wire transfers, bets, lottery tickets, and casino gaming chips do not qualify. Certificates may be combined and used for up to 50% off the price of any Remington or Stren fishing line product(s) purchased during a single transaction. To obtain your rebate, send unexpired Certificate(s) to Remington Arms along with

the original register receipt and UPC code(s). Your rebate check will arrive within 8-10 weeks. Each account is subject to maximum annual rebate check total of \$150. This is a partial description of the program; complete information about the program will accompany the Certificate(s).

The terms of the reward program are subject to change by the sponsor, Remington Arms Company, Inc. the Remington Arms Rebate Certificate Program is the responsibility of Reminaton Arms Company, Inc. Reminaton and Stren are trademarks registered in the U.S. Patent and Trademark Office by Remington Arms Company, Inc.

PERFORMANCE

IN OUTDOOR

TRADITION

Support The Hunting and Shooting Sports Heritage Fund.

In response to new challenges from the anti-qun community, the National Shooting Sports Foundation has established the Hunting and Shooting Sports Heritage Fund to spearhead a national education and communications campaign that tells our side of the story to the mass media and the public.

With the goal of "creating a sustainable environment for the shooting sports in America," the fund will "shatter the silence" to create a greater awareness and understanding of our sports, and to correct distorted views of firearms, the companies that make them, and the millions of people who use them safely and responsibly. In addition, efforts will be directed toward a focused, professional response to legal, legislative and regulatory attacks that threaten our hunting and shooting sports heritage in America.

The Hunting and Shooting Sports Heritage Fund represents the greatest opportunity for the firearms industry to "take charge of tomorrow." Through the efforts of the Fund we have the chance to reverse misconceptions and correct misinformation about our sports, our products and our industry.

For more information on corporate and individual support, please visit our web site at www.hsshf.org.




UNITED STATES

NO POSTAGE

POSTAGE WILL BE PAID BY ADDRESSEE

MBNA AMERICA

EL PASO TX 79998-9937 PO BOX 981054







Renus BOD Services and Services

"REMINGTON, AMERICA'S OLDEST GUNMAKER"

A BEAUTIFUL NEW AUTHORIZED HISTORY OF THE REMINGTON ARMS COMPANY

A remarkably informative and beautiful new book on the history of the Remington Arms Company has just been published by Primedia of Peoria, IL. Titled "Remington, America's Oldest Gunmaker," it is the culmination of several years of intensive work and thousands of hours of research into both the Remington archives and historical public records.

The book's author is Roy Marcot, a noted firearms historian. In creating the book, Marcot drew heavily on the individual expertise of fellow members of the Remington Society of America, a national organization of Remington collectors and historians. Additional information was provided by a number of current and retired Remington employees.

Because much of Remington's history parallels and is inter-linked with that of the United States, the book becomes a history of both the company and the country. In addition to historical background, it is the most complete and detailed reference source on Remington firearms ever published, covering details of design, specifications and dates of introduction. Interspersed with this background are revealing portraits of the many famous gun designers associated with Remington. Chapter introductions by Richard Dietz add interesting historical perspective to the Remington story.

The book is beautifully illustrated throughout with rare historical photos, color photos of old and current Remington guns, paintings from the Remington art collection by early-century and current artists, and a period-defining collection of Remington advertising and promotional memorabilia.

This uniquely combined history and reference source is a treasure for all sportsmen, historians and firearms writers. At a retail price of \$79.95, it will be available at some book dealers or by mail order by calling 800-423-8495. Or, complete the form below and mail it to: Remington Arms Co. • P.O. Box 700 • Madison, NC 27025 • Attn: History Book.


ORDER FORM FOR A F CREMINGTON VAMERICA'S OLDE	IRST EDITION COPY OF ST GUNMAKER BY ROX MARCOTY
Bill To: (Please print) Name	Ship To: (If different from Bill To Information) We cannot ship to P.O. Boxes Name
Shipping Address	Shipping Address
City State	City
Zip/Postal CodePhone	Zip/Postal Code
Credit Card Information	Quantity @ \$79.95 each Subtotal \$
☐ Master Card ☐ Visa Card No. Expiration Date Authorized Signature	Applicable Sales Tax
	Total

Take a hunting trip to Remington Country every week. REMINGTON COUNTRY TELEVISION SERIES

Watch Remington Country television on TNN (The Nashville Network) Sunday evenings at 7:30 p.m. CST and Tuesdays, at midnight CST. Each week Remington Country journeys to different locations around the nation to hunt for America's most popular game — whitetail deer, elk, antelope, mule deer, waterfowl, upland and small game — celebrating the outdoors, sportsmanship, ethics and conservation. Segments will cover a wide variety of subjects including shooting tips from the Remington Pros, Remington Racing, shooting schools and new products for shooting, hunting and outdoor enthusiasts. Come next summer, no matter where you live, once a week you can get out into the best country the outdoors has to offer, Remington Country.



WELCOME TO REMERGRON GOUNTRY



Your Cyber-Guide to Remington Products. REMINGTON WEB SITE @ WWW.REMINGTON.COM

Now, nearly all you've ever wanted to know about Remington is just a mouse-click away. Visit us on the World Wide Web for in-depth information — and current updates — on Remington firearms, ammunition, accessories and other products, including special gun upgrades and one-of-a-kind craftsmanship available from our highly renowned custom shop. Or, read up on the rich history of "America's Oldest Gunmaker." Take a virtual trip to Remington Country today — at www.remington.com.

REMINGTON'SWIFT" PRIEMBER' SCHEROGCO'' BONDED

LONG RANGE ACCURACY AND TRAJECTORY.

ALL-RANGE EXPANSION AND PENETRATION



Just think of all the remarkable advances in bullet design and related performance of recent years: sleeker profiles with high ballistic coefficients for exceptionally flat trajectory and retained downrange energy; polymer tips that

slice through air resistance and initiate guaranteed expansion;

Bat tail bases that reduce drag;
Pered jackets and internal

ss-members that control expan-

sion and simultaneously limit it for deep pen-

With such available options, hunters wild often select the perfect bullet for their needs. In fact, some very good bullets combine two or more of these performance char-

acteristics - expanding their versatility.

But now Remington® has made the ultimate advance — with a new line of big-game ammunition that combines all of the best performance features developed over the last half-century in a single bullet. Our new Premier® Scirocco™ Bonded line of big-game centerfire

ammunition incorporates the
remarkable Swift™ Scirocco™
bonded bullet, unquestionably the most advanced bullet ever developed.

New Remington Premier® Scirocco™ Bonded ammuni-

tion now provides hunters with the ultimate combination of MOA accuracy, reach-out trajectory, reliable expansion and deep penetration for every situation from close-up encounters in black timber to the long ranges of unbroken prairies or distant ridges.

SWIFT™ SCIROCCO™

The Scirocco™ cut-away shows how the unique combined design features make our new Premier® Scirocco In line the most versatile and reliable big-game ammunition ever offered. The expansiongenerating polymer tip and the boat tail base combine to defy air resistance at one end, and reduce drag at the other. The progressively thickening, heavy-based, pure copper jacket is bonded to the lead core to preserve bullet integrity and retain over 75% of its weight at all velocities. Finally, the bullet's precise concentricity and secant ogive nose profile produce accuracy you would be proud of in match competition.

For 2000, Premier® Scirocco™


Bonded is being introduced in .300 Ultra

Mag™ and .30-06 Springfield loading,

with a 180-gr. bullet. Additional calibers

from .243 to .338 will follow as the

Premier® Scirocco™ family grows.



00 fps 2245 fps 1730 fps 1440 fp Swift™ Scirocco™ Bonded bullets expand reliably over a wide range of terminal velocities.




.30-06 Premier® Scirocco™
180-gr. Swift™ Scirocco™ Bonded
5 shots, 8", 100 yds.

PREMIER® SCIROCCO BONDED

Caliber 3 & Sales	Bullet Wt	Bullet Type
,★ .30-06 Springfield	180 :}	Swift™ Scirocco™ Bonded
★ .300 Remington Ultra Mag	(180]	Swift Scirocco Bonded

RIFILE ARMINITATION

A PREMIER QUALITY AMMUNITION LINE BUILT LIKE FINELY TAILORED HANDLOADS





PREMIER® SAFARI GRADE

Remington® Premier® Safari Grade centerfire ammunition is virtually custom-made for situations where there can be no compromise in ammunition quality, reliability or performance. The

key element in Safari Grade ammunition is the exclusive use of Swift™ A-Frame™ dual-core bullets. Basically, Swift bullets do everything a big-game hunter could possibly require under the most challenging conditions. They expand reliably even at long-range decreased velocity, but don't over-expand, even at short-range high velocities.

Bullet integrity is 100%, with no break-up, creating 95 to 100% weight retention and deep penetration even with 2x caliber expansion.



The combination of Swift's A-Frame construction and proprietary bonding process produces extremely uniform, controlled expansion to 2x caliber

PREMIER® PARTITION®

The high ballistic coefficients and uniform concentricity of these bullets deliver outstanding accuracy and flat trajectory. Overall, Remington® Premier® Partition® ammunition is one of the most versatile all-situations ammunition lines ever developed. Offered with effective bullet weights in seven outstanding biggame calibers, the Premier® line raises the performance of standard calibers a notch higher, while preserving bullet integrity with the high energy levels of magnum calibers.



30-06 Premier® Partition® 180-gr. Nosler® Partition® 5 shots, .8", 100 yds.



Progressively thickening tapered jacket for controlled expansion

The integral partition supports the mushrooming core above and preserves the integrity of the rear core to retain more than half original weight

Lead alloy dual-core construction provides dependable mushroom ing above and total rear-core integrity below the integral jacket . cross-member

Special crimp at incket base locks in the rear core to resist firing deformation



Partition bullets mushroom completely while providing high weight retention and deep penetration

PREMIERS PARTITIONS


PREMIER PARTI	IION*	
Caliber	Bullet Wt. (grs.)	Bullet Type 🚓 🌃
.260 Remington	125	Nosler® Partition®
.270 Win.	150	Nosler Partition
7mm Remington Mag.	160	Nosler Partition
.30-06 Springfield	180	Nosler Partition
.308 Win.	180	Nosler Partition
.300 Win. Mag.	180	Nosler Partition
.338 Win. Mag.	210	Nosler Partition

PREMIER® SAFARI GRADE


		Wt. Bullet Type
.270 Win.	140	Swift™ A-Frame™ PSP
7mm STW	140	Swift A-Frame PSP
7mm Remington Mag.	160	Swift A-Frame PSP
.30-06 Sprgfld.	180	Swift A-Frame PSP
.300 Win. Mag.	200	Swift A-Frame PSP
.300 Wby. Mag.	200	Swift A-Frame PSP
8mm Remington Mag.	200	Swift A-Frame PSP
.338 Win. Mag.	225	Swift A-Frame PSP
.375 H&H Mag.	300	Swift A-Frame PSP
.416 Remington Mag.	400	Swift A-Frame PSP
.458 Win. Mag.	450	Swift A-Frame PSP

Progressively thickening jacket controls mushrooming in a uniform and predictable manner for totally dependable on-game

> Protected rear core provides momentum for deep penetration on tough game



Swift A.Frame" cross-member stops expansion at optimum diameter of 2x caliber






Remington's Premier® Ballistic Tip® centerfire ammunition line utilizes the highly sophisticated, modern design of Nosler® Ballistic Tip® bullets. In ten different calibers, it provides the flattest-shooting, most accurate group of medium-bore cartridges ever offered in factory-loaded form. Near-perfect bullet concentricity provides match-type accuracy well below the minute-of-angle standard. Exceptionally flat trajectories result from the highest ballistic coefficients ever produced for hunting use. The combination of a polycarbonate tip and specially tapered jacket provides instant but controlled expansion at all ranges.

© MPREMIER® BALLISTIC TIP®

WE INCLINITE IN DE	<u> </u>	5110 111
S aliber	Büllet \ (grs.)	Wt Bullet Type
3 43 Win.	90	Nosler® Ballistic Tip®
€60 Remington	120	Nosler Ballistic Tip
2 70 Win.	1140	Nosler Ballistic Tip
.280 Remington	140	Nosler Ballistic Tip
mm-08 Remington	140	Nosler Ballistic Tip
mm Remington Mag.		Nosler Ballistic Tip
308 Win.	165	Nosler Ballistic Tip
30-06 Sprgfld.	150	Nosler Ballistic Tip
.30-06 Sprgfld.	165	Nosler Ballistic Tip
.300 Win. Mag.	[180]	Nosler Ballistic Tip
.338 Win. Mag.	200	Nosler Ballistic Tip



7mm Remington Mag., 150-gr. Premier® Ballistic Tip,® 5 shots. .6", 100 vds.



PREMIER® BOAT TAIL

Our Premier® Boat Tail centerfire ammunition line utilizes the most reliable and efficient boat tail bullets made. Their proprietary design combines





Premier Boat Tail design produces fully developed, uniform mushrooms at a wide range of terminal velocities.

high aerodynamic efficiency with reliable expansion to 1.7x original diameter and high weight retention of over 70%. This preserves long-range velocity and energy while delivering game-anchoring bullet performance. The result is dependable, predictable performance for every possible variable you might encounter, including range, hunting conditions, game types and shot difficulty.




PREMIER® BOAT TAIL

Caliber .	Büllet Wi (grs.)	Bullet Type
6mm Remington	100	PSP Boat Tail
.243 Win.	2100°	PSP Boat Tail
.270 Win.	140	PSP Boat Tail
280 Remington	140	PSP Boat Tail
7mm-08 Remington	140	PSP Boat Tail
7mm Remington Mac	1. 140	PSP Boat Tail
.308 Win		-PSP Boat Tail
:30-06 Sprgfld	165	PSP Boat Tail
.300 Win. Mag. 👍	190	PSP Boat Tail
.300 Wby. Mag. 🛒	∦190.∑	PSP Boat Tail




30-06, 165-gr.
Premier® Boat Tail,
5 shots. 7". 100 vds.



PREMIER® VARMINT

For distant, small targets you need half-minute-of-angle accuracy and flat trajectory that minimize errors in range

estimation. By utilizing the latest advances in bullet design, our Premier® Varmint ammunition line delivers both. In fact, it adds nearly a football field of



effective range for small-game shooting.

The unique combination of a polymer tip and the boat tail design of Hornady V-Max[™] bullets reduces drag to create the highest group of ballistic coefficients ever available in small varmint calibers.

PREMIER® VARMINT

LIZEMIETZ A	VIVIAIIIA	
Caliber, **	Bullet Wt	Bullet Type
.220 Swift	50	V-Max™ Boat Tail
.222 Remington	50	V-Max Boat Tail
.223 Remington	50 %	V-Max Boat Tail
.22-250 Remington	50	V-Max Boat Tail
6mm Remington	[₁₇₅ ¹ √	V-Max Boat Tail
.243 Win.	75	V-Max Boat Tail



243 Win., 75-gr.


Premier® Varmint V-Max,

5 shots, .4", 100 yds.

Remington EXZPRESS

A TIME-PROVEN RECORD OF PERFORMANCE PERFECTLY TARGETED TO YOUR GAME

ROFFLE AMMUNITION



EXPRESS® CORE-LOKT® SOFT POINT



Core-Lokt® bullet design is the original controlled expansion big-game ammunition

that earned the title of "The Deadliest Mushroom in the Woods." It still merits that description today, 61 years after its introduction. The soft-point shape provides a broad frontal area for high-energy impact and rapid expansion to nearly twice original diameter. But the progressively thickening jacket is locked to the lead core at mid-section, preventing separation or break-up.




30-06, 180-gr., Express® Core-Lokt® Soft Point, 8", 100 vds



EXPRESS® CORE-LOKT® POINTED SOFT POINT

These game-tested loads remain as modern today as any rifle ammunition made. They were the first to combine reliable, controlled expansion with the flat-shooting, velocity-preserving benefits of spitzer-shaped bullets. With the development of high-power centerfire cartridges, they set the stage for successful long-range hunting. When asked what biggame ammunition they use, countless veteran hunters still reply "Core-Lokt® PSP loads, of course. Why change? They've never failed me."



Pointed Soft Point, .7", 100 vds



EXPRESS® BRONZE POINT™ TIPPED BULLETS

Introduced by Remington,
Bronze Point™ bullets were
the first to utilize a tipped design.
They continue to provide exceptional
long-range performance on mediumsized game such as deer, sheep, goats and
antelope. Their sleek profile generates flat
trajectory and retains high velocity and
energy at long ranges. On impact, the
bronze tip is driven backward to create
rapid expansion that is controlled to optimum diameter.




Express[®] Bronze Point

8", 100 yds.

EXPRESS® POWER-LOKT® HOLLOW POINT BULLET


Another break-through development by Remington, Power-Lokt® hollow-point bullets offer unmatched performance for small-game and varmint hunting. In their revolutionary design, a thin copper jacket is electrolytically bonded to the lead core. The result is near-perfect concentricity and gyroscopic balance that creates the kind of benchrest accuracy usually possible only from custom-made bullets. The thin jacket produces instant fragmentation on impact.





UINAC° AMMUNITION

A TRADITIONAL, UNCOMPROMISED VALUE OF ESTABLISHED QUALITY AND RELIABILITY



UMC® is the oldest self-contained ammunition brand in America. It played a major role in the westward expansion of the nation during the 19th century. And it is still being produced today — continuing a legendary reputation for quality manufacture, dependable performance and exceptional value. We are proud to continue that tradition with today's line of UMC® centerfire rifle and pistol ammunition.

UMC® HANDGUN CARTRIDGES

Caliber	Order Nov	rimer lo.	Wt (grs)	Bullet Style	Velo Muz 45	city (ft.	/sec) */ 100 yds. •	Ene Muz	gy (ft. 50 yds	lbs.) \$1 100 y	Vid-range Trajectory ds:450 yds:100 yds
.25 Auto Pistol (6.35mm		11/4		Metal Cașe	760	.,	659 ;	64	56	48	2.0" 8.7"
.32 Auto	L32AP ::	11/4	71.	Metal Case	905	855	810	129	115	97	1.4" 5.8" b
.357 Magnum	L357M12	51/4	125	JSP	1450	1240	1090,	583	427	330	0.6". 2.8"~
9mm Luger	L9MM3	11/4	115	Metal Case	1135	1041	973	329	277	242	0.9" 4.0"
.380 Auto	L380AP	11/4	95	Metal Case	955	865	785	190	160	130	1.4" 5.9"
.38 Super ACP	L38SUP	11/2	130	Metal Case	:1215	1099	1017	426	348	298	- 0.8" 3.6" ⁷
.38 Special	L38S5 "."	11/2	:158	Lead Rnd Nose	755	723	692	200	183	168	2.0" 8.3"
.38 Special	L38S11	11/2	130,	Metal Case	950	913	879 ;	261	240	223	↓1.2" . ". 4.8"
.40 S & W	L40SW3	5%	180	Metal Case	985	936	893	388	350	319	1.4" 5.0"
.40 5 & W	L405W4,	51/2	165	Metal Case	1150	1040	964 1	485	396	340	1.0" 4.0"
.357 Sig.	L357S1 {	51/2	125	Metal Case	1350	1146	1018	506	422	359	是0.7。 , ≉3.3
10mm Auto	L10MM6	21/2	180	Metal Case	1150	-1063	: 998	529	452	398	60.9 2 3.7 A
.44 Rem. Mag.	L44MG7	21/4	180	JSP	1610	1365	5 1175 [†]	1036	745	551	0.5" 2.3"
.45 Auto	L45AP4	21/4	(230	Metal Case	835	800	767	356	326	300	\$ 1.6", ÷ 6.8", i

MUMC® CENTERFIRE RIFLE CARTRIDGES

0002960

ż	Calibar	Orden No.	rimer Nos	WL BI (grs.) Si	llat yb	Veloc Muz 10	ity (ft O yds 2	/sec), (00)yds	Muz i	rgy (ft 00,yds	lbs.)部 200 yd	Sh 50	ort-Trani 100 🖟	je Traje 150 kg	ctory (200	inlinche 250	s) 300	
Ä	.223 Remington																	
Ž		L762391																
₹	.30 Carbine	L30CR1	6,7	110] N	/C	1990	567	236	1412	600	373	0.6	zero :	4.2 21	2.9	7254	8.6	\$.
D	.308 Win.	L308W4																
	.30-06 Sprgfld.																	
	.303 British	L303B1	914	174 N	/C	2475	209	1960	2366	1885	1484	0.7	1242	ero 😷	32	8.7 _{0.2} 1	6.7	૽ૺ

UMC® HANDGUN CARTRIDGES

By concentrating on the most popular loadings, we can maintain a high level of manufacturing efficiency that translates into a truly economical value for shooters. Nevertheless, our UMC®



handgun ammunition covers a broad spectrum of 14 loadings in 12 different pistol and revolver calibers. You won't find more dependable performance anywhere. For shooters, there's no reduction in quality, only an increase in value.

UMC® RIFLE CARTRIDGES

For practice, target shooting and training exercises, our UMC $^{\otimes}$ centerfire rifle ammunition is loaded with metal-case bullets in six highly popular military-linked calibers.

These include the harder-to-find 7.62x39mm, .303 British and .30 Carbine rounds for related rifles, as well as three other American standards. The entire line offers an outstanding value to bring down the cost of high-volume shooting.



THE MOST ADVANCED PERFORMANCE IN THE BROADEST LINE AVAILABLE




they really need. You can choose from a complete variety of traditional bullet styles, as well as from some of the most advanced and

sophisticated handgun ammunition currently made for the critical demands

> of handgun hunting and law enforcement use. All are assembled from the highest quality components with careful quality control assuring not only functional reliability in all handgun actions,

but the exact end-use characteristics your application requires. The quality you get comes from experience. After all, we've been making centerfire handgun ammunition longer than any other manufacturer.



Nose profiles designed to function smoothly in semi-autos

Nose cuts designed for controlled mushrooming at wide range of velocities

Remington® offers the broadest line of pistol and revolver ammunition avail-

able. That's because no other type of ammunition has a greater variety of potential applications. From the breadth of our line, there is a special loading tailored specifically to virtually every one of those applications. This includes choices based on calibers, bullet weights, bullet styles and combinations of all these. Consequently, there's never any need for those who select

from our line to make compromises



velocity uniformity

IACKETED HOLLOW POINT The full-length jacket and hollow-point construction provide controlled expansion with good penetration while assuring dependable function in autoloading pistols.



FULL METAL CASE A general-purpose bullet for all autoloading pistols assures reliable feeding and function.



SEMI-JACKETED HOLLOW POINT Features a unique scalloped jacket design engineered to combine optimum expansion with controlled penetration for maximum energy transfer.



LEAD HOLLOW POINT Anall-lead bullet that delivers immediate expansion.



SOFT POINT Exposed lead soft point provides deeper penetration with less expansion than semijacketed hollow points.



LEAD ROUND NOSE Our versatile, generalpurpose bullet for all revolvers.



SEMI-WADCUTTER LEAD A hard-hitting lead bullet with clean wadcutter definition on paper targets.



WADCUTTER MATCH For precise target shooting and easier scoring, our Targetmaster® wadcutter delivers great accuracy and precision paper-cutting performance.

CORE-LOKT' HIGH PERFORMANCE P&R HUNTING AMMUNITION

Caliber 💮 🔭 🐍	Order No.+ Pri	mer No. 🗆	Wt. (grs.	Muz.	50 yds.	100 yds:	Muz	50 yds.	100 yds.	50 yds.	100 yds
.357 Magnum	RH357MA	51/4	165	1290	1189	1108	610	518	450	0.7"	3.1"
.44 Rem. Mag	RH44MGA	21/2	275	1235	1142	1070	931	797	699	0.8"	3.3"
	Rifle Ballistics	20" BBL		1580	1427	1293	1524	1243	1020	0.5"	2.2"





Small-volume nose cavity produces rapid expansion



Spiral nose cuts and thick jacket control mushroom for maximum energy transfer

Solid lead core protected by thick copper jacket



REMINGTON® PREMIER® GOLDEN SABER™ HPJ

(HIGH PERFORMANCE JACKET)

Caliber	Wt (grs.)	Bullet Style (32,")
.357 Mag.	125	Golden Saber™ BJHP
9mm Luger	, 124	Golden Saber BJHP
9mm Luger (+P)	124	Golden Saber BJHP
9mm Luger	147	Golden Saber BJHP
.380 Auto	102	Golden Saber BJHP
.38 Special (+P)	125	Golden Saber BJHP

.40 S&W	165	Golden Saber™ BJHP
.40 S&W	180	Golden Saber BJHP
.45 Auto	185	Golden Saber BJHP
.45 Auto (+P)	185.	Golden Saber BJHP
.45 Auto	230	Golden Saber BJHP

Bottom of rifling groove



Top of rifling land


The bullet diameter directly ahead of the Driving BandTM is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving BandTM engages the rifling. The result: match-grade accuracy and reduced barrel friction that conserves velocity.





DISINTEGRATOR™ LEAD-FREE FRANGIBLE BULLET AMMUNITION

			i Wit(gra)	Muz.	locity (ft 50 yds:	/sec) (i00,yds	Energy (ft-lbs.) (Muz. 50 yds. 100 yds.)	Mid-rang 50 yds g	e Trajectory 100 yds 2
58mm Luger	LF9MMA	11/4	101	1220	1092	1004	334 267 226	9"	3.6"
340 S & W	LF40SWA	5%	141	1135	1056	996	349 🛴 311 🖟	.9"	3.9"
945 ACP	LF45APA	21/4	(175	1020	923	851	404 331 2281	1.2"	5.1"









Disintegrator™ bullets break up instantly against hard surfaces, leaving behind fine metal particles and thin copper plating

CORE-LOKT® HANDGUN LEGENDARY CONTROLLED EXPANSION DESIGN FOR HANDGUN HUNTING

Now handgun hunters can benefit from the same type of game-stopping performance delivered for years by our Core-Lokt® centerfire rifle ammunition. You get comparable bullet performance that combines dependable mushrooming with controlled, limited expansion. The result is preserved bullet integrity and weight retention for effective penetration at handgun ammunition velocities. Thick copper jacket controls expansion and maximizes weight retention for deep penetration

Precise bore alignment and match-grade accuracy achieved from reduced bullet nose diameter Nose cut completely through for fully developed mushrooms over wide range of velocities

Nickel-plated cases extract easily and function flawlessly

Primer and mouth are waterproofed for maximum reliability

GOLDEN SABER™ HPJ A REMARKABLE ADVANCE IN HANDGUN BULLET PERFORMANCE

Golden Saber[™] High Performance Jacket (HPJ) pistol and revolver ammunition is an outstanding example of Remington's innovative design in bullet technology. For law enforcement and home security applications, it successfully combines four critical elements of handgun bullet performance — match-type accuracy, deep penetration, maximum expansion and virtually 100% weight retention. No bullet has ever been able to meet all these performance parameters so completely. The perfect round for personal defense.

Exclusive brass jacket controls mushroom and releases energy over longer distance

> Primer and mouth _ waterproofing for long-term reliability

Reduced nose diameter allows precise bore alignment for enhanced accuracy

the second secon

Nose cuts go completely through jacket for better mushroom initiation over widest range of practical velocities

Cases nickel-plated for reliable feed and function in all types of pistols

Treated powders suppress muzzle flash

Primers are tripleinspected during _ manufacturing process


DISINTEGRATOR $^{\mathbf{M}}$ LEAD-FREE AMMUNITION INSTANT AND COMPLETE BREAK-UP WITH NO RICOCHET OR LEAD RESIDUE

Our DisintegratorTM lead-free ammunition combines reliable lead-free primers with advanced, non-lead bullet manufacturing technology that is ideal for all environments where airborne lead or spent lead recovery is an issue. And the proprietary




What is left after Disintegrator bullets impact metal backstop

frangible bullet design provides complete disintegration against any mild steel target or backstop



RIFLED SLUGS & BUCKSHOT

TIGHT GROUPS & DENSE PATTERNS
THAT LET YOU SHOOT WITH CONFIDENCE



From the rifle-like accuracy of our Copper Solid sabot slugs to the concentrated, game-dropping patterns of our buffered buckshot loads, our deer-hunting shells now let you shoot with the confidence once possible only with a rifle.

PREMIER® COPPER SOLID" SABOT SLUGS

	Index/EDI	Gauge.	Shell:	Slug (oz.	Wt.) ⁄z l	Vel Viuz	ocity (ft./ 50 yds:	sec.) 100 yds:	Enc Muz	rgý (ftlbs.) 50 yds. 100 yds.	Drop 50 yds.	(in.) 100 yds.
	PR12MCS	12	3"	1	1	550	1408	1283	2331	1923 1597	0.0+	-2.9
	PR12CS	12	23/4"	1	1	450	1320	1208	2040	1689 1417	0.0 [†]	-3.5
*	PR20CS	20	21/4	. 3/6	- 1	500	1360	1240	1444	1187 . 7986 -	0.0 [†]	-3.1

SLUGGER® RIFLED SLUGS

SP12RS-5P	K12	23/4"	11	1560	1175	977		2364	-10.7
SP12MRS	.12	3"	1	1760	1345	1075		3009	-8.3
SP12SRS	12	23/4"	1	1680	1285	1045		2741	-9.0
SP16RS	16	23/4"	4/5	1600	1175	965		1989	-10.6
SP20RS	20	23/4"	1/4	1580	1240	1034		1515	-9.8
SP41RS	.410	2'//"	'k ·	1830	1335	1040	•	651	-8.2
REDUC	CED F	RECOIL	RIFL	ED S	LUG				
RR12RS	12	23/4"	1	1200	989	873		1398	-15.8

PREMIER® NICKEL-PLATED BUCKSHOT

Index/EDI No.	Gauge	Shell Length	Powder Dr. Eq	Velocity (ft./sec.@3 ft.)	Buckshot Size	Pellet Count
12HN	12	3"	4	1210	- 00	15
12SN	12	23/4"	4	1290	00	12
12N	12	23/4"	334	1325	00	9
20N3	20	23/4"	23/4	1200	3	20

EXPRESS® BUCKSHOT

Index/EDI No.	Gauge	. Shell Length	Powder Dr. Eq.	Velocity (ft./sec.@3 ft.)	Buckshot Size	Pellet Count
1235B	12	31/2"	Max.	1125	00	18
12HB	12	3"	4	1225	000, 00, 4	10, 15, 41
12SB	12	21/4"	4 ,	1290	00	12
12B	12	254"	33/4	1325	000, 00, 0, 1, 4	8, 9,12,16, 27
20B	20	23/4"	23/4	1200	3	20

 † 0.0 indicates yardage at which shotgun was sighted in.

★ New For 2000

PREMIER® COPPER SOLID™ SABOT SLUGS

Our Copper Solid Sabot Slugs deliver 2x expansion and virtually 100% weight retention. They consistently deliver 2½", 5-shot groups at a hundred yards from our fully rifled barrels.



SLUGGER® RIFLED SLUGS

The accurate, game-stopping performance and uniform velocities of our 12-gauge Slugger® Rifled Slug loads results from a combination of slightly oversize slug diameter for better sealing against the barrel wall, and more efficient gas sealing behind the slug.

PREMIER® NICKEL-PLATED BUCKSHOT

Reminel

The extra-hard nickel-plated pellets in our Premier® Buckshot loads are designed to provide deep penetration with dense, evenly balanced patterns that are 25% tighter than those of normal buckshot.




EXPRESS® BUCKSHOT

Our Express® Buckshot remains one of the great values in deer-hunting shotgun loads. A combination of heavy cushioning behind the shot column and granulated polymer buffering helps maintain pellet roundness for concentrated, balanced patterns.

STEEL SHOTSHELLS

PERFORMANCE THAT FILLS YOUR BAG
WITHOUT EMPTYING YOUR WALLET



and producing a wide variety of choices in gauges, payloads and pellet sizes. We've been designing, testing and improving steel shot loads for almost 30 years, and their performance shows it. Our zinc-galvanized steel pellets provide dense, full patterns and game-dropping penetration.


NITRO-STEEL" HIGH VELOCITY MAGNUM LOADS (ZINC-GALVANIZED STEEL)

NS12HV	-12	3"	Magnum	1500	.1%	BB, 2, 4
NITRO-	STEEL"	MAGNL	м ѕнотѕн	ELLS (ZIN	IC-GALVANIZ	ED STEEL)
NS10M	10 .*	31/4**	Magnum	1260	6 124 1	TT, T, BBB, BB, 1, 2
NS1235	, 12	3%"	Magnum	1300	19/16	T, BBB, BB, 1, 2
NS12HM	12	3"	Magnum	1265	11/4	TT, T, BBB, BB, 1, 2, 3, 4
NS12M	12 -	3" ·	Magnum	1375	1717	T, BBB, BB, 1, 2, 3, 4
NS12S	12	23/4"	Magnum	1275	MAN AND	T, BBB, BB, 1, 2, 3, 4

Note: In "TT" and "BBB" loads, shot charge is determined by pellet count rather than weight. Actual pellet counts are listed on the ammunition box.

Magnum

EXPRESS:	STEEL™_	EXTRA L	ONG RANGE	SHOTSHELLS	(ZINC-C	SALVANI	ZED STEEL) 🧐
SSP12	@ 12 S	21/4"	Max. 🔭	1365	1/6	BB, 1,	2, 3, 4, 6
SSP12L	12	21/4,"	Max 🤭 {	1375	的為這	2, 3, 4	6
SSP16 .	1.16	21/4"	Max	1300	215/16	2, 4	
SSP20	20 1	21/	Max 🛒	.1425	4.2	2, 4, 6	· "你是我的



NITRO-STEEL™ HIGH VELOCITY MAGNUM LOADS

The key to successful waterfowl hunting, particularly the larger birds like Canada geese and wary, long-range snow geese, is to use a combination of larger-size steel pellets with high retained velocity and energy levels at reasonable ranges. The only way to create an increase in long-range energy is to start the pellets off faster, right out of the muzzle. That's exactly what we've done with our High Velocity Nitro-Steel Magnum loads. They deliver the highest initial velocity currently available, while maintaining sufficient pellet counts for effective pattern density. Offered in both 12-gauge 3" and 3½" magnum loadings.



NITRO-STEEL™/EXPRESS-STEEL™

These are the steel loads designed for every type of waterfowl hunting and weather conditions. Our Nitro-Steel™ Magnum loads have greater hull capacities for the heavier charges and larger pellets you need for big ducks and geese. Our Express-Steel™ loads, in standard shell lengths,



provide sufficient capacity and a variety of pellet sizes for everything from small, teal-size ducks to full-bodied mallards.

Rustless™ zinc-galvanized steel shot prevents pellet corrosion and clumping, while primer and crimp treatments aid in water resistance.

MAGNUMI SHOTSHELM

LONG-RANGE POWER AND PAYLOAD OPTIONS FROM 10-GAUGE MAGNUM TO .410 BORE



Matched to your favorite shotgun and bore size, we offer a "can't miss" selection of field-proven magnum and long-range shotshells that are equally well-matched to your favorite game. Within their capacity, each combines the hard shot and pelletprotecting features that provide the pattern density needed to col-

lect when you connect.

PREMIER® MAGNUM COPPER-PLATED TURKEY LOADS

Index/EDI No.	Gauge	Shell: Length	Powder Dr. Eq.	Velocity (ft./sec.@ 3f	Ounces (t.) of Shot	Shot Sizes
P10HM	10	3'4"	41/2	1210	21/4	4, 6
P1235M	12	3'ሌ"	Max	1150	. 24	4, 6
P12XHM	12	3"	Max.	1175	2	4, 5, 6
P12SM	12	23/4"	Max.	1260	. 1'ራ	4, 5, 6
P20XHM	20	3"	Max.	1185	11/4 🛬	6

MP12H	12	3"	Max.	1210	. 17/4	4×6
MP125	12	23/4"	Max.	1260	1'/4	4x6

NITRO M	1AG® BUF	FERED I	MAGNUMS		_	·
NM10H	10	3'4"	4'/4	1210	21/4	4
NM12H	12	3"	Max.	1210	17/4	2, 4, 6
NM12	12	3"	4	1280	15%	4, 6
NM12S	12	21/4"	Max.	1260	1%	2, 4, 6
NM20H	20	3"	Max	1185	11/4	4, 6
NM20S	20	2'4"	Max.	. 1175	1%	4, 6
EXPRES	S® EXTRA	LONG	RANGE SHO	OTSHELLS		
SP12	12	21/4"	33/4	1330	11/4	BB, 2, 4, 5, 6, 7 / 6, 9
SP16	16	2,7,,,	34	1295	11/6	4, 6, 7/6
SP20	20	21/4"	2³/4	1220	1	4, 5, 6, 7 ¹ / ₂ , 9

EXPRES	SS® EXTR	A LONG	RANGE	<u>SHOTSHELLS</u>		
SP12	12	21/4"	3³¼	1330	11/4	BB, 2, 4, 5, 6,
SP16	16	21/4"	31%	1295	11/4	4 6 7 4

SP16	16	2,7,	3¼	1295	11/6	4, 6, 7'h
SP20	20	2¼"	2³/4	1220	1	4, 5, 6, 7 ¹ / ₂ , 9
SP28	28	21/4"	21/4	1295	. ³/₄	6, 7'h
SP410	.410	21/3"	Max.	1200	1/2	4, 6, 7%
SP413	.410	3"	.Max.	1135	11/16	4, 6, 7/2

PREMIER® MAGNUM TURKEY LOADS

Our Premier® Magnum Turkev Loads combine every advantage to help deliver both penetrating power and dense patterns. To keep every pellet in the pattern, our magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston® shot cup wad.



PREMIER® DUPLEX® MAGNUMS

By layering No. 4 shot over No. 6s, our unique Duplex® shells handle variable ranges by combining retained energy and penetration from the larger pellets with pattern density from the smaller ones. The result is superb pattern balance and broad versatility for turkey

and other game.



In these original buffered magnum shotshells, the heavy payloads of extra-hard shot are packed with shock-absorbing polymer buffering and enclosed in our patented Power Piston® wad to provide dense, even patterns and uniform shot strings.





EXPRESS® EXTRA LONG RANGE

Our Express® shells are the time-proven choice for hunting a wide variety of game birds ranging from quail to large, flushing pheasants. Available in a broad selection of loadings, from 12-gauge to .410 bore, with shot sizes ranging from BBs all the way down to 9s.

ULPLAIND SEIOTSEIELLS

TOP QUALITY AND BEST VALUE ECONOMY FOR FEATHERED OR CLAY TARGETS

BARBER - R 0002966

These are the shotshells you should always have on hand.

Their outstanding value makes them easy to buy and their exceptional versatility meets a wide variety of 12-month shooting options. Decide today for a visit tomorrow to your favorite hunting grounds or game preserve and the shells you need will be ready. Use them to fill your bag at high vol-

ume dove hunting without emptying your wallet. And the same shells will fill in perfectly for any-season visits to trap, skeet or sporting clays ranges.

SHURSHOT® HEAVY FIELD AND HEAVY DOVE LOADS

Index/EDIA	Gauge	Shell Length	Powder Da Esp	Velocity (ft./sec:@3i		Shot Sizes
RP12H	12	23/4"	:31/4	1220	A142	6, 7½, 8
R12HD	12	23/4"	3'4	1255	167	6, 71/4, 8
R20HD	20	23/4"	21/4	1165	되는 사람이	6, 7¼, 8
LEAD G	AME LOAD	os			·	
HGL12	、12 译例	23/4"	334	1330	1/43/51	4, 6, 7 /
HGL16	£16 🥳	23/4"	(3'4 °)	1295	[1%][[6]]	6
HGL20	20 72	23/4"	234	1220	THE	4, 6, 71/4
⊃ GL12	/12 日	23/4"	43'4"	1290	1 (48)	6, 7½, 8
GL16	16	23/4"	2 h	1200	17.47	6, 7½, 8
GL20	20 %	23/4"	21/6	1225	77 1991	6, 71/4, 8
. GL410°	£410 (6)	23/4"	Max.	1200	7/A 7/2 P/3	6
GL410 packet	d 20 rounds per bo	x .		1	1	
PROMO	TIONAL S	TEEL GA	ME LOADS		<u> 8</u>	
GSTL12	12	23/4"	131/201	1325	NAME OF THE PARTY	7
⋖ GSTL20	20	23/4"	12%	1200	DA MARIA	7
SPORT	LOADS			,		er i de la companya d La companya de la co
R12SL	12	23/,7	34	1290	T	8
R20SL	20	23/4"	2632	1225	The state of	.8
				1 1 1 1 1	the state of the state of	

SHURSHOT® HEAVY FIELD AND HEAVY DOVE LOADS

ShurShot® has been one of the most respected names in American upland gunning for decades. The ideal balance of powder equivalents to shot charges in our Heavy Field and Heavy Dove loads combines appropriate velocity and near-perfect patterns with light recoil for effective high-volume, small-bird hunting. They are available in 12- and 20-gauge in a choice of No. 6, 7½ and 8 shot.



LEAD AND STEEL GAME LOADS

For a wide variety of field gunning, these budget-stretching loads include the same quality components as other Remington® shotshells, and are available in four different gauges to match up with your favorite upland shotguns. Lead shot selection ranges from 4s to 8s. And for upland hunting in areas with steel shot requirements, there are also steel loads in 12- and 20-gauge.


SPORT LOADS

In both 12- and 20-gauge, these economical shells are versatile multi-purpose loads for a variety of shotgunning applications. Built with our Power Piston[®] wad and plastic Unibody[™] hulls, and loaded with No. 8 shot, they perform effectively for skeet, trap and sporting clays, or quail, doves and woodcock.



TARGET LOADS

UNEQUALLED FIRST-FIRED RELIABILITY UNMATCHED HI-VOLUME RELOADABILITY



Every element of Remington's Premier® Nitro 27® and STS® target loads is engineered to give you first-fire performance and long-term reloadability. Whether your game is Trap, Skeet, or Sporting Clays, 12-ga. down to .410, we'll keep you right on target with the highest-quality double-tabled shot, perfectly matched powders, and the best hull design on the market. Shoot the best — shoot Premier® STS® and Nitro 27®.

TRAP LOADS

Index/EDI No.	Gauge/ Bore (Load Type	Shell Length	Powder Dr. Eq.	Velocity (ft./sec.@3ft.)	Ounces 500 of Shot	Shot
STS121	12	Premier® STS® Target	234"	2³/4	1185	1	714, 8, 814
STS12LR	12	Premier STS Low Recoil	23/4"	2,4	1100	11/4	7'4, 8
STS12L	12	Premier STS Light Target	23/4"	23/4	·1145:	11/6	71/4, 8, 81/4
STS12LH	12	Premier STS Light Handicap	23/4"	3	1200	11/4	7'ለ 8
STS12NH	12	Premier Nitro 27® Handicap	234"	HNDCP	HNDCP	11/4	7% 8
★STS12IT	12	Premier STS International	23/4"	31/4	1325	24 qm. (% oz.)	71/4
SKEET	LOA	DS					
STS121	12	Premier® STS® Target	, 234"	23/4	1185	1	9
STS12L	12 .	Premier STS Light Target	· 23/4"	2³/4	1145	11/4	9
STS12H	12	Premier STS Heavy Target	234"	3	1200	11/4	9
★STS12IT	_12	Premier STS International	23/4"	31/4	1325	24 gm. (1/2 oz.)	8'/
STS20	20	Premier STS Target	234"	2'h	1200	²/ ₆	. 9
STS20H	20	Premier STS Target	. 23/4"	_	1200	1	9
STS28	28	Premier STS Target	23/4"	2	1200	3/4	9.
STS410	.410	Premier STS Target	2ነራ"	MAX	1200	'ሉ	9
SPORT	ING	CLAYS LOADS					
STS20SC	20	Premier® STS® Target	23/4"	2'h	1200	7/k	8
STS28SC	28	Premier STS Target	23/4"	2	1200	3/4	8 .
STS410SC	.410	Premier STS Target	21%"	MAX	1200	¹A.	814
STEEL	TAR	GET LOADS					
STS12LS	12	Premier® STS® Steel	2³¼"	23/4	1145	1 1/8	7
STS12HS	12	Premier STS Steel	23/4"	3	1200	11/4	61/2, 7
STS20LS	20	Premier STS Steel	2³4"	21/2	1200	7h	7
PIGEO	N LO	ADS					
STS12P	12	Premier® STS® Pigeon	23/4"	31/4	1220	11/4	7%.8



PREMIER® NITRO 27®
HANDICAP TRAP LOADS

For back-fence Trap and long-range Sporting Clays targets, these are the loads that deliver consistent handicap velocity and pattern uniformity to break the toughest targets.



PREMIER® STS® TARGET LOADS


Available in all gauges, our Premier® STS® shells are the most reliable, consistent and most reloadable shells you can shoot. Trophy-winning performance and unmatched reloadability — get both with Premier® STS®.



★ New For 2000

PREMIER® STS® STEEL TARGET LOADS

These steel target loads smash clay birds so well you won't know the difference. They're available in 12- and 20-gauge versions designed to replicate our STS® lead load performance using steel pellets for Skeet, Trap and Sporting Clays.





RELOADING COMPONENTS

THE QUALITY TO BUILD YOUR LOADS AS WELL AS WE BUILD OUR OWN



209 PREMIER® STS® PRIMERS
Our 209 Premier® STS® primers bring an important performance advantage to shotshell reloaders — more uniform velocities. The nominal velocity of any given reloading formula is actually an average of variances from the highest to lowest. Extensive comparative tests have shown that our new 209 Premier® STS® primers, in comparison to others, create reductions of up to 40% in the high-to-low spread of reload velocities. That might just change your good score to a perfect one. 209 Premier® STS® primers are interchangeable with 209-P primers. Check powder manufacturers for recommendations.






KLEANBORE® CENTERFIRE PRIMERS

Remington® Kleanbore® centerfire primers built their reputation among benchrest shooters who demanded reliable uniformity. Our secret is uncompromising manufacturing care that produces every primer sub-component to exceptionally tight dimensional tolerances, assembles these precise-fitting components with the care of a Swiss watch, and subjects each lot to 100% visual inspection and critical ballistic tests. They now include our new EtronX™ electrically responsive primers. See pages 2-5 for more information.

REMINGTON CARTRIDGE BRASS

Our centerfire cartridge cases have long been recognized by all reloaders, including highly critical benchrest shooters and high-volume varmint shooters, as the longest-lasting and most easily formed in the industry. They are carefully drawn and formed from specially alloyed high-quality brass to provide consistently exact internal volume and multi-reload resistance to case stretching, brittleness and splitting. For smooth but snug primer seating, our primer pocket tolerances are held to just .001". Finally, closely monitored case neck annealing time and temperatures assure easier re-sizing to exact original dimensions for smoother feeding and chambering as well as longer reloading life.





SHOTSHELL COMPONENT WADS

The development of our famous Power Piston® one-piece shot cup and wad column dramatically improved shotgun shell performance in terms of pattern quality and more reliable gas sealing. And it is available to reloaders to reduce pellet deformation and help them to duplicate the performance of factory loads. We produce component Power Piston® wads for everything from 10-gauge magnums down to tiny .410-bore loads. And for specially tailored 12-gauge clay target loads, we offer our exclusive Power Piston® Figure 8™ wad for standard loads, and our TGT-12 wad for today's light-recoiling 1-oz. loads.

Note: Careless or incorrect handloading is dangerous. Improperly made handloads may cause the barrel or breech of any firearm to burst, which can result in serious personal injury. Safety note: Always follow published reloading specifications.

AMWUNITION

MADE TO THE SAME RIGID STANDARDS AS OUR CENTERFIRE AMMUNITION



No manufacturer has longer experience or has made more advances in rimfire ammunition design and performance than Remington®. We give it the same manufacturing care as our other ammunition. We produce the widest variety of rimfire loadings for every possible end use. This year, we've partnered with internationally famous Eley, Ltd. for three new offerings of superbly accurate, medal-winning competition rimfire ammo.



Premier . 22 Win. Mag.




.22 Win. Mag. PSP



.22 Win. Mag. JHP

.22 Win. Mag.								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
★ .22 Win, Mag. Premier®	PR22M1	33	V-Max™ Boat Tail	2000	1730	1495		293	219	164		0.6	0.0	-4,3
.22 Win, Mag.	R22M1	40	Jacketed Hollow Point	1910	1610	1350	·····	324	230	162		0.9	0.0	-5.7
.22 Win. Mag.	R22M2	40	Pointed Soft Point	1910	1600	1340	2.*	324		159	- 1	1.0	0.0	-5.8
Remington®/Eley Competition							1					Mid-rang	e Trajecto	ry (100 yds)
★.22 Match Xtra Plus	RE22MXP	40	Lead Round Nose	1085	1006	941		105	90	79			4.5"	
★.22 Club Xtra	RE22CX	40	Lead Round Nose	1085	1006	941		105	90	79 ,			4.5"	
★.22 Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941		105	90	. 79			4.5"	
.22 Cal. Rimfire			:									Mid-rang	e Trajecto	ry (100 yds)
Subsonic														
.22 Subsonic Long Rifle	SUB22HP	38	Hollow Point	1050	965	901		93	79	69	100		4.7"	
Target									•.					
.22 Long Rifle	6122/6100+	40	Lead	1150	1048	976		117	98	85			4.0"	
High Velocity Golden™ Bullet	,													
.22 Long Rifle	1522/1500+	40	Lead	1255	1113	1017		140	110	92			3.4"	
.22 Long Rifle	1622/1600+	36	Hollow Point	1280	1117	1010		131	100	82			3.5"	
.22 Short	1022	29	Lead	1095	982	903		77	62	52			4.5"	
Hyper Velocity			•											
.22 Yellow Jacket® Long Rifle	1722	33	Truncated Cone H. Point	1500	1247	1075		165	114	85			2.8"	
.22 Viper® Long Rifle	1922	36	Truncated Cone Solid	1410	1198	1056		159	115	89			3.0"	
Hi-Speed														
.22 Thunderbolt® Long Rifle	TB 22A	40	Lead	1255	1113	1017		140	110	92			3.4"	
.22 Cyclone™ Long Rifle	CY 22HP	36	Hollow Point	1280	1117	1010		131	100	82			3.5"	





Subsonic LR



· Target LR



Cyclone™ LR



Golden™ Bullet



Yellow Jacket® Hyper Velocity LR



Viper® Hyper Velocity LR



Thunderbolt LR




Golden™ Bullet LRHP Golden™ Bullet LR



					Veloc	ity (ft./	sec.)	Ener	gy (ft	-lbs.)	Mid-ran	ge Traje	ctory
	Order		Weight	Bullet		50	100		50	100	50	100.	
Caliber	No.	No.	(grs.)	Style	Muzzle	yds.	yds.	Muzzle	<u> </u>	yds.	yds.	yds.	B.L.
25 (6.35mm) Auto. Pistol	R25AP	11/2	50	Metal Case	760	707	659	64	56	48	2.0"	8.7*	2"
32 S&W	R32SW	11/2	88	Lead	680	645	610	90	81	73	2.5*	10.5*	3"
32 S&W Long	R32SWL	11/z	98	Lead	705	670	635	115	98	88	2.3"	10.5"	4*
32 (7.65mm) Auto. Pistol	R32AP	11/2	71	Metal Case	905	855	810	129	115	97	1.4"	5.8"	4"
357 Mag. (Vented Barrel Ballistics)	R357M7	51/2	110	Semi-Jacketed Hollow Point	1295	1094	975	410	292	232	0.8"	3.5"	4.
	R357M1	51/2	125	Semi-Jacketed Hollow Point	1450	1240	1090	583	427	330	0.5"	2.8*	4"
	GS357MA	51/2	125	Brass-Jacketed Hollow Point	1220	1095	1009	413	333	283	0.8"	3.5"	4"
Jan Jan Williams	RH357MA	1 5/2 -	165	JHP Core-Lokt	1290	1189	- 1108	610	518 .	, 450	0.7"	3.1	81/8
	R357M2	51/2	158	Semi-Jacketed Hollow Point	1235	1104	1015	535	428	361	0.8"	3.5"	4"
	R357M3 R357M5	51/2	158	Soft Point	1235	1104	1015	535	428	361	0.8"	3.5	4"
		51/2	158	Semi-Wadcutter	1235	1104	1015	535	428	361	0.8"	3.5"	
San Land And Provide	R357M10	51/2	180	Semi-Jacketed Hollow Point	1145	1053	985	524	443	388	0.9"	3.9"	8 1/9
Omm Luger Auto. Pistol	R9MM1	11/2	115	Jacketed Hollow Point	1155	1047	971	341	280	241	0.9"	3.9"	4"
	R9MM10 R9MM2	11/2	124	Jacketed Hollow Point Metal Case	1120	1028	960 971	346	292	254 259	1.0"	4.1"	4"
	R9MM3	11/2	115	Metal Case	1135	1030	973	329	277	242	0.9	4.1 4.0"	4"
	R9MM6	11/2	115	Jacketed Hollow Point (+P)†	1250	1113	1019	399	316	265	0.8*	3.5"	4"
	R9MM8	11/2	147	Jacketed Hollow Point (Subsonic)	990	941	900	320	289	264	1.1"	4.9"	
····· - · · · · · · · · · · · · · · · ·	R9MM9	11/2	147	Metal Case (Match)	990	941	900	320	289	264	1.1*	4.9*	- 4-
· 1、4、50、3、55等最高的10、5	LF9MMA	11/2	101	Disintegrator Plated Frangible	1220	1092	1004	334	267	226	. 0.9	3.6"	- 4"
A Charles Self & Property of the Control of the	GS9MMB	11/2	124	Brass-Jacketed Hollow Point	1125	1031	963	349	293	255	1.0"	4.0"	4"
	GS9MMC	1 /2	147	Brass-Jacketed Hollow Point	990	941	900	320	289	264	1.1"	4.9"	4"
	GS9MMD	11/2	124	Brass-Jacketed Hollow Point (+P)+	1180	1089	1021	384	327	287	0.8"	3.8"	4"
380 Auto. Pistol	R380AP	11/2	95	Metal Case	955	865	785	190	160	130	1,4"	5.9*	4"
	R380A1	11/2	88	Jacketed Hollow Point	990	920	868	191	165	146	1.2"	5.1"	4-
	GS3808	11/2	102	Brass-Jacketed Hollow Point	940	901	866	200	184	170	1.2*	5.1	4
38 S&W	R38SW	11/2	146	Lead	685	650	620	150	135	125	2.4*	10.0"	4"
38 Special (Vented Barrel Ballistics)	R38S10	11/2	110	Semi-Jacketed Hollow Point (+P)#	995	926	871	242	210	185	1.2"	5.1*	4"
	R38516	11/2	110	Semi-Jacketed Hollow Point	950	890	840	220	194	172	1.4"	5.4"	4"
	R38S2	11/2	125	Semi-Jacketed Hollow Point (+P)+	945	898	858	248	224	204	1.3"	5.4*	4"
	GS38SB	11/2	125	Brass-Jacketed Hollow Point (+P)+	975	929	885	264	238	218	1.0"	5.2"	4"
	R38S3	11/2	148	Targetmaster® Lead WC Match	710	634	566	166	132	105	2.4"	10.8"	4"
	R38S5	11/2	158	Lead (Round Nose)	755	723	692	200	183	168	2.0"	8.3*	4"
	R38S14	11/2	158	Semi-Wadcutter (+P)†	890	855	823	278	257	238	1.4"	6.0"	4"
	R3856	11/2	158	Semi-Wadcutter	755	723	692	200	183	168	2.0"	8.3"	4-
	R38S12	11/2	158	Lead Hollow Point (+P)+	890	855	823	278	257	238	1,4"	6.0	47
38 Short Colt	R38SC	11/2	125	lead	730	685	645	150	130	115	2.2	9.4	6"
357 Sig.	R35751	51/2	125	Jacketed Hollow Point	1350	1157	1032	506	372	296	0.7*	3.2"	4*
40 5&W	R40SW1	51/2	155	Jacketed Hollow Point	1205	1095	1017	499	413	356	0.8"	3.6*	4"
	R40SW2	51/2	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5	4*
元の研究を記される。	LF40SWA	∿ 5'/2 °	晚141号	Disintegrator Plated Frangible	. 1135,	1056 .	. 9 96	403	349	311	· · 0.9".	739";	, j\4_
	GS40SWA	-, 51/2	165	Brass-Jacketed Hollow Point ,	1150	1040	964	485	396	340	1.0"	4.0"	4"
	GS40SWB	51/2	180	Brass-Jacketed Hollow Point	1015	960	914	412	368	334	1.3*	4.5"	4"
41 Rem. Mag. (Vented BBL Ballistics)	R41MG1	21/2	210	Soft Point	1300	1162	1062	788	630	526	0.7	3.2"	4"
14 Rem. Mag. (Vented BBL Ballistics)	R44MG5	21/2	180	Semi-Jacketed Hollow Point	1610	1365	1175	1036	745	551	0.5"	2.3"	4"
	R44MG2	21/2	240	Soft Point	1180	1081	1010	741	623	543	0.9"	3.7	4*
	R44MG3	21/2	240	Semi-Jacketed Hollow Point	1180	1081	1010	741	623	543	0.9"	3.7	4"
				JHP Core-Loke Market					797.		1. 80 W		
4 S&W Special	R44SW	21/2	246	Lead	755	725	695	310	285	265	2.0"	8.3"	6"
5 Colt	R45C	21/2	250	Lead	860	820	780	410	375	340	1.6"	6.6"	5"
	R45C1	21/2	225	Semi-Wadcutter	960	890	832	460	395	346	1.3"	5.5*	5*
15 Auto.	R45AP2	21/2	185	Jacketed Hollow Point	1000	939	889	411	362	324	1.1*	4.9"	5"
	R45AP4	21/2	230	Metal Case	835	800	767	356	326	300	1.6"	6.8"	5"
	R45AP7	21/2	230	Jacketed Hollow Point (Subsonic)	835	800	767	356	326	300	1.6"	6.8"	5"
	I FACADAS	BM21/3/98	22175 TO	Disintegrator Plated Frangible	1020 f	923	851 983	CY404	# 331 4	23 281/ 3	的是第1.2 字	±45.1° √	** 5
											~		
		2'/2		Brass-Jacketed Hollow Point	1015 875	951	. 899 795	423	372 355	332	1.1"	· 4.5"	- 5

†Ammunition with (+P) on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.



Premier® Safari Grade

Premier® Partition®

Premier® Ballistic Tip®

Premier® Boat Tail

Premier® Varmint

Premier® EtronX™

These tables were calculated by computer. A standard scientific technique was used to predict trajectories from the best available data for each round. Trajectories shown typify the ammunition's performance at sea level, but note that they may vary due to atmospheric conditions and the equipment.

All velocity and energy figures in these charts have been derived by using test barrels of indicated lengths.

Ballistics shown are for 24" barrels, except those for .30 carbine and .44 Remington Magnum, which are for 20" barrels. These barrel lengths were chosen as representative, as it's impractical to show performance figures for all barrel lengths.

The muzzle velocities, muzzle energies and trajectory data in these tables represent the approximate performance expected of each specified loading. Differences in barrel lengths, internal firearm dimensions, temperature, and test procedure can produce actual velocities that vary from those given here.

CENTERFIRE RIFLE VELOCITY VS. BARREL LENGTH

Muzzle Velocity Range (ft./sec.)	Approx. Change in Muzzle Velocity per 1" Change in Barrel Length (ft./sec.)
2000-2500	10
2500-3000	20
3000-3500	30
3500-4000	40

- 1. Determine how much shorter, or longer, your barrel is than the test barrel.
- 2. In the left column of the above table, select the muzzle-velocity class of your cartridge.
- To the right of that class, read the approximate change in velocity per inch of barrel length.

- 4. Multiply this number by the difference in the length of your barrel from that of the test barrel.
- 5. If your barrel is shorter than the test barrel, subtract this figure from the muzzle velocity shown for your cartridge.
- 6. If your barrel is longer, add this figure to the muzzle velocity shown.

The trajectory figures shown in these ballistic tables are the rise or drop, in inches, of the bullet from a direct line of sight at selected yardage. Sighting-in distances have been set at 100 to 250 yards.

The line of sight used is 1½" above the axis of the bore. Since the rise or drop figures shown at the stated yardage are points of impact, you must hold low for positive figures, high for negative figures.

Many shooters who use the same cartridge often, find it helpful to commit the rise and drop figures for that cartridge to memory, or tape them to their rifle stock. That way, they know instantly the right "hold" as soon as they estimate the target's range.

FOOTNOTES:

Specifications are nominal. Ballistics figures established in test barrels

Individual rifles may vary from test-barrel specifications.

 Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.


- † .280 Rem. and 7mm Express® Remington are interchangeable.
- † Interchangeable in .244 Remington.
- Bullet does not rise more than 1" above line of sight from muzzle to sighting in range
- 2 Bullet does not rise more than $3^{\prime\prime}$ above line of sight from muzzle to sighting-in range.

NOTE: "zero" indicates yardage at which rifle was sighted in.

Cafiber	Index/EDI Number	Wt.	Bullet Style
		(grs.)	
.17 Remington .22 Hornet	R17R2	25 · 45	Hornady Hollow Point
.22 Hornet	R22HN1		Pointed Soft Point
220 5	R22HN2	45 50	Hollow Point
220 Swift	R22051		Pointed Soft Point
	FRVZZUSA EN	* 15U.2	'V-Max" Boat Tail & A A A A A A A A A A A A A A A A A A
	R222R1	50 eg	
222 Remington	R222R3	50	Pointed Soft Point
with the survey of the survey of the			Hollow Point Power-Lokt
223 Remington	PRVZZZNATO		V-Max Doat language
223 neglington (e.s. as as	R223R1	55	Pointed Soft Point
	R223R2	55	Hollow Point Power-Lokt
	R223R3	55	Metal Case
	R223R6	62	Hollow Point Match
.22-250 Remington	R22501	55	2 :
.22-230 Nemington	R22502	55	Hollow Point Power-Lokt
## 12 m (* 2)			V-Máx" Boát Táil
25.45.45.25.25.25.25.25.25.25.25.25.25.25.25.25	EL2250A ★		V-Max Boat Tail
.243 Win.	R243W1	80	Pointed Soft Point
.273 99111.	R243W2	80	Hollow Point Power-Lokt®
	R243W3	100	Pointed Soft Point Core-Lokt®
The said of the said of the			V-Max", Boat Tail
0 mark 1986, 48, 637, 148, 447, 5	PRT243WC	90	Nosler® Ballistic Tip®
Park Charles Street, C			Nosler® Ballistic Tip®
Burgarian Tarang Kabupatèn Barang Barang Barang Barang	DDD 121A/A	100	Pointed Soft Point, Boat Tail;
6mm Remington #	R6MM4	100	Pointed Soft Point Core-Lokt®
A METAL CONTRACTOR OF THE PARTY	PROGRAMOA	1004	V-Max", Boat Tail * * * * * * * * * * * * * * * * * * *
	R25202		
.25-20 Win. .250 Savage	R250SV	86 100	Soft Point Pointed Soft Point
.257 Roberts	R2503V	117	Soft Point Core-Lokt®
		100	Pointed Soft Point Core-Lokt®
.25-06 Remington	R25062 R25063	120	Pointed Soft Point Core-Lokt®
C Furr Fundish			Pointed Soft Point Core-Lokt®
6.5x55 Swedish	R65SWE1 R260R1	140	Pointed Soft Point Core-Loke
.260 Remington	PRT260RC		Nosler® Ballistic Tip®
· Parada in the			Nosler® Partition®
.264 Win. Mag.	R264W2	140	Pointed Soft Point Core-Lokt®
.270 Win.	R270W1	100	Pointed Soft Point
.270 44111.	R270W2	130	Pointed Soft Point Core-Lokt®
······································	R270W3	130	Bronze Point*
	R270W3	150	Soft Point Core-Lokt®
Berry Co. Actes assessing the			Swift A-Frame" PSP
		140	
1. 18 18 18 19 1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PRT270WB	140	Nosler® Ballistic Tip®
	PRP270WD		Nosler® Partition*
		140	Pointed Soft Point Core-Lokt®
7mm Mauser (7x57) 7x64	R7MSR1	175	
7mm-08 Remington	R7X642 R7M082	120	Pointed Soft Point Core-Lokt® Hollow Point
711111-00 Itemington	R7M081	140	Pointed Soft Point Core-Lokt®
<u> </u>			Pointed Soft Point, Boat Tail
a	PRT7M08RA	140	Nosler® Ballistic Tip®
.280 Remington†	R280R3	140	Pointed Soft Point Core-Lokte
.260 Kellingtons		150	Pointed Soft Point Core-Lokte
	R280R1	165	Soft Point Core-Lokt®
	R280R2 PRB280RA 4		Pointed Soft Point, Boat Tail
		140	
7mm Reminaton Maa	PRT280RA	140	Nosler® Ballistic Tip® Pointed Soft Point Core-Loke®
7mm Remington Mag.	R7MM4	150	Pointed Soft Point Core-Lakte Pointed Soft Point Core-Lakte
	R7MM2		
	R7MM3	175	Pointed Soft Point Core-Lokt®
	PRB7MMRA	140	Pointed Soft Point, Boat Tail
	DDT~1414C	150	Noster® Ballistic Tip®
FAST III W. T.	PRT7MMC		C A. C W DCD
And the second of the second	PRP7MMRA	160	Swift A-Frame PSP
	PRP7MMRA PRP7MMA	160 160	Nosler® Partition®
7mm STW	PRP7MMRA	160 160 140	

Primer			Velocity	(ft./sec.)						Energy	ftlbs.)					Short-rai	nge¹ Trajecti	ory*			-	Lor	ig-range² Ti	aiectory*			Barrel
Number	Muzzle	100 yds.	200 yds.	300 yds.	400 yds.	500 yds	s. N	Muzzle	100 yds.			400 yds	s. 500 yds.	50 y	ds. 100 yds		. 200 yds.		. 300 yds	. 100	yds. 150		ls. 250 yd		400 yds.	500 yds.	Length
71/2	4040	3284	2644	2086	1606	1235	77.77.	906	599	388	242	143	85	-0.3	0.3	zero	-1.3	-3.8	-7.8	1,				-3.3	-16.6	-43.6	24"
6'/2	2690	2042	1502	1128	948	840		723	417	225	127	90	70	-0.1	zero	-2.1	-7.1	-16.0	-30.0	1			-12.4	-25.8	-74.2	-162.0	24"
61/2	2690	2042	1502	1128	948	840		723	417	225	127	90	70	-0.1	zero	-2.1	-7.1	-16.0	-30.0	1,			-12.4	-25.8	-74.2	-162.0	
97/2	3780	3158	2617	2135	1710	1357		1586	1107	760	506	325	204	-0.2	0.3	zero	-1.4	-4.0	-8.2	0.			-2.3	-6.2	-20.1	-46.1	24"
	3780	3321	2908	2532	2185	1866		1586	1224	939	711	530	387	-0.3		zero	-1.2	-3.3	-6.7	0.				-5.0	-15.4	-33.2	24"
91/1	3780	3321	2908	2532	2185	1866		1586	1224	939	711	530	387	-0.3	0.3		-1.2	-3.3	-6.7	- 0.			-1.9	-5.0	-15.4	-33.2	24
9 //2	3140	2602	2123	1700	1350	1107		1094	752	500	321	202	136	0.1	0.3	zero	-2.3	-6.5	-13.1	1.3			-3.6	-9.7	-31.7	-72.8	24"
7'/2	3140	2635	2182	1777	1432	1172		1094	771	529	351	228	152	0.1	0.7	zero	-2.2	-6.2	-12.5	1.3			-3.6	-9.2	-29.6	-67.1	
71/2	3140	2744	2380	2045	1740	1471.	· · · · · · · · · · · · · · · · · · ·				464	336 ·	240	0.1	0.7	zero	-2.2 -1.9		-12.5 -10.7					-9.2 -7.8	-23.9		045
71/2		2889	2514					1094	836	629										1.0						-51.7	24"
71/2	3300			2168	1851	1568		1209	-927	701	522	380		-0.1	0.5	zero	<u>∵ -1.7≶</u>	4.8		-0.			-2.6	-6.9	21.2	45.8	.24"
71/2	3240	2747	2304	1905	1554	1270		1282	921	648	443	295	197	-0.1	0.6	zero	-2.0	-5.6	-11.2	1.			-3.1	-8.2	-26.2	-58.6	
7'/2	3240	2773	2352	1969	1627	1341		1282	939	675	473	323	220	-0.1	0.6	zero	-1.9	-5.4	-10.7				-3.0	-7.9	-24.8	-55.1	24"
7'/2	3240	2759	2326	1933	1587	1301		1282	929	660	456	307	207	-0.1	0.6	zero	-1.9	-5.5	-11.0	1.			-3.1	-8.1	-25.5	-57.0	
71/2	3025	2572	2162	1792	1471	1217		1260	911	643	442	298	204	0.2	0.7	zero	-2.3	-6.5	-12.9	1.5			-3.6	-9.4	-29.9	-66.4	24"
91/2	3680	3137	2656	2222	1832	1493		1654	1201	861	603	410	272	-0.2	0.3	zero	-1.4	-4.0	-8.1	1,:			zero	-3.3	-15.5	-38.3	
91/2	3680	3209	2785	2400	2046	1725		1654	1257	947	703	511	363	-0.2	0.3	zero	-1.3	-3.7	-7.4	1,1			zero	-3.0	-13.7	-32.8	24"
91/2	3725	3272 -	2864	2491	2147	+ 1832		1540	1188	910.		512	372	0.3		zero	-1.2	* -3. 5 -	-7.0	1. 11. 14. 14. 14. 14.				-2.8	-12.8	30.4	24"
91/2	3725	3272	2864	2491 '	2147	.1832		1540	1188	910 .	689	512	• 372	-0.3	0.3	zero ,		3.5	-7.0	<i>.</i>			··· zero	-2.8		-30.4	24
91/2	3350	2955	2593	2259	1951	1670		1993	1551	1194	906	676	495	-0.1	0.5	zero	-1.6	-4.5	-8.8	2.			zero	-3.5	-15.8	-37.3	
91/2	3350	2955	2593	2259	1951	1670		1993	1551	1194	906	676	495	-0.1	0.5	zero	-1.6	-4.5	-8.8	2.			zero	-3.5	-15.8	-37.3	
91/2	2960	2697	2449	2215	1993	1786		1945	1615	1332	1089	882	708	0.1	0.7	zero	-2.0	-5.4	-10.4	1.0			-2.9	-7.5	-22.1	-45.4	24"
9//2	3375	3065	2775.	2504	2248		3,36,2	1897	1564	1282	1044	842	i≠ 671 ÷	ৣ৺ ি৻৾ ৢ :-0.1	- 0.4	>,∵zero ;	1.4	`-4.0 ·	7.8	2.	0	1.8	zero	₃ -3.0	13.3	."-30.6 .	24"
91/2	3120	2871	2635	2411	2199	1997		1946	1647	1388	1162	966	797	-0.1	0.5	zero	-1.7	-4.5	-8.9	1.			-2.5	-6.4	-18.8	-38.3	
9'/1	3120	. 2871		2411	2199	1997	ryjin e sje	1946	1647	1388	1162	966	797		0.5	zero	v · ,−1:7; ;	4 -4.5	- 8.9	y., "" 1.	4 1.	zero	-2.5	-6.4	··18.8	-38.3	. 24"
9'/2	2960	2720 ·	2492	2275	2069 -	1875		1945	1642	1378	1149	950	780	0.1	0.7	zero	. '-19	.∘5.3	-10.1	2.	B 3.2	2 . 23	zero'	-3.8	-16.6	-37.6	3, 3, 4, 4
91/2	3100	2829	2573	2332	2104	1889		2133	1777	1470	1207	983	792	-0.1	0.6	zero	-1.8	-4.8	-9.3	1.4	4 1.3	zero	-2.6	-6.7	-19.8	-40.8	
91/2	, 13400s	3088	2797	2524	2267	t, 2026:	minute in	1925	∵1587 _* ∴	.1303.5	x1061	.i. 856	683	M. A. M. 0.1	. 0.4 x	zero		3.9	>4-7.6 :=	s - 1/2 % (2.11)	9 2.:	1.7	zero	3.0	#13.1	. ; _≂ 30.1,	24
91/2	3100	2852	2617	2394	2183	1982.1		2134	1806	1521	1273	1058	872	-0.1	.0.5	zero	-1.7	-4.7	-9.0	1.	4 ' 1.:	3. zero	-2.6	-6.5	-19.1	-38.9	
61/2	1460	1194	1030	931	858	797		407	272	203	165	141	121	zero	-3.5	-13.2	-30.0	-54.7	-89.1	zer	0 -7.9	-22.9	-45.8	-78.5	-173.0	-315.5	24"
91/2	2820	2504	2210	1936	1684	1461		1765	1392	1084	832	630	474	-0.1	zero	-1.3	-4.1	-8.7	-15.3	2.0	0 1.8	zero	-3.6	-9.2	-27.7	-58.6	24"
91/2	2650	2291	1961	1663	1404	1199		1824	1363	999	718	512	373	-0.1	zero	-1.6	-5.2	-10.5	-19.5	2.	6 2.3	3 zero	-4.1	-11,7	-36.1	-78.2	24"
91/2	3230	2893	2580	2287	2014	1762		2316	1858	1478	1161	901	689	-0.1	0.5	zero	-1.7	-4.6	-9.1	1.:	3 1.3	zero	-2.6	-6.6	-19.8	-41.7	
91/2	2990	2730	2484	2252	2032	1825		2382	1985	1644	1351	1100	887	0.1	0.6	zero	-1.9	-5.2	-10.1	1.1	6 1.4	zero	-2.8	-7,2	-21.4	-44.1	24"
91/2	2550	2353	2164	1984	1814	1654		2021	1720	1456	1224	1023	850	-0.1	zero	-1.5	-4.8	-9.9	-17.0	2.4	4 2.1	zero	-3.9	-9.8	-27.0	-57.8	24"
91/2	2750	2544	2347	2158	1979	1812		2351	2011	1712	1448	1217	1021	0.3	0.8	zero	-2.3	-6.1	-11,7	1,	9 1.7	7 zero	-3.3	-8.3	-24.0	-47.2	24"
9'/2	2890	2688	2494	2309	2131	1962		2226	1924	1657	1420	1210	1025	0.2	0.7	zero	-2.0	-5.4	-10.2	1.	7 1.5	5 zero	-2.9	-7.3	-21.1	-42.5	
91/2	2875	2669	2473	2285	2105	1934		2294	1977	1697	1449	1230	1037	0.2	0.7	zero	* -2.0 s.:	5.4	-10.4	1.7	1 1.5	' 'zero	-2.9	-7.4	·- 1-21.4 ·	-43.4	- :
91/2 M	3030	2782	2548	2326	2114	1914		2854	2406	2018	1682	1389	1139	0.1	0.6	zero	-1.8	-5.0	-9.6	1.			-2.7	-6.9	-20.2	-41.3	24"
91/2	3320	2924	2561	2225	1916	1636		2448	1898	1456	1099	815	594	-0.1	0.5	zero	-1.6	-4.6	-9.1	2.:			zero	-3.6	-16.2	-38.5	
91/2	3060	277G	2510	2259	2022	1801		2702	2225	1818	1472	1180	936	0.1	0.6	zero	-1.8	-5.1	-9.8	1.			-2.8	-7.0	-20.9	-43.3	
91/2	3060	2802	2559	2329	2110	1904		2702	2267	1890	1565	1285	1046	-0.1	0.6	zero	-1.8	-4.9	-9.5	1.			-2.7	-6.8	-20.0	-41.1	
91/2	2850	2504	2183	1886	1618	1385		2705	2087	1587	1185	872	639	0.3	0.8	zero	-2.4	-6.7	-13.0	2.0			-3.6	-9.4	-28.6	-61.2	24"
:91/2:0	2925.		2394	2152				2659	2186			\$1150 P		0.2			****:-2.1 .* :		-10.9	A 7754781					23.2		734.07
91/2	2960	2749	2548	2355	2171			2723	2349	2018	1724					zero	11.9	÷5.1	1		6		-2.7		-20.1	-40.7	4,4
91/2	2960	2754	2557	2366	2187.	2014		2724	2358	2032	1743	1487	1262	0.1	0.6	zero	-1.9	-5.0	-9.7	1.			-2.7	-6.9	-20.0	-40.3	
91/2	2850	2652	2463	2282	2108	1942		2705	2343	2021	1734	1480	1256	0.2		zero	-2.0		-10.5	5 3			-3.0	-7.5	-21.6		S. 20 (Sec.)
91/2	2660	2435	2221	2018	1827	1648		2199	1843	1533	1266	1037	844	-0.1	zero	-1.4	-4.4	-9.1	-15.8	2.			-3.6	-9.2	-27.4	-55.3	24"
91/2	2650	2445	2248	2061	1883	1716		2728	2322	1964	1650	1378	1144	-0.1	zero	-1.4	-4.3	-9.0	-15.6	2			-3.6	-9.1	-26.4	-53.5	24"
91/2	3000	2725	2467	2223	1992	1778		2398	1979	1621	1316	1058	842	0.1	0.6	zero	-1.9	-5.3	-10.2	1.			-2.9	-7.3	-21.7	-44.9	24"
91/2	2860	2625	2402	2189	1988	1798		2542	2142	1793	1490	1228	1005	0.2	0.7	zero	-2.1	-5.7	-11.0	1,3			-3.1	-7.8	-22.9	-46.8	
1 ,91/2	2860	2656.	2460				The same of the same		2192	(1881 (1606	1363		7.0.2		zero	·			(4) (1) (2) (4)					-21.7.		Sept 19 17
91/2	2860	2670	2488	2313	2145	1984		2543	2217	1925		1431	1224	0.2	0.7	zero	-2.0	-5.4	-10.3	1.			-2.9	-7.3	-21.2	-42.6	
91/2	3000	2758	2528	2309	2102	1905		2797	2363	1986	1657	1373	1128	0.1	0.6	zero	-1.9	-5.1	-9.8	1.			-2.8	-7.0	-20.5	-42.0	
$\frac{9n}{9\frac{1}{2}}$	2890	2624	2373	2135	1912	1705		2781	2293	1875	1518	1217	968	0.1	0.7	zero	-2.1	-5.8	-11.2	1.			-3.1	-8.0	-20.5	-48.8	
91/2	2820	2510	2220	1950	1701	1479		2913	2308	1805	1393	1060	801	-0.1	zero	-1.3	-4.1	-8.6	-11.2	2.1			-3.1	-8.0	-23.b -27.4	-48.8 -57.8	24*
972	30004	2789	2588	2395	√2211 ∆															2. (3) n = 1, 15 (\$1.			-3.6 (j. : ::-2.7.			-39.4 a,	
																											<u>0, 33 a 333 6 1</u>
91/2	3000	2804	2616	2436 2458	2263 . 2243	2039		2797 3133	2655	2128	1848 1878	1564	1368		0.6	zero		-4.8 -4.4	-8.5		5 1.3			6.8	-19.0 -14.2	-38.2	
9½M 	3175	2830	2568	2320	2085	1866		3221	2667	2196	1792	1448	1192	-0.1 -0.1		zero	-1.6 -1.6	-4.6	-8.5	2.:				-3.2 -6.6	-14.2	-32.0 -43.4	24*
91/2 M	2860	2645	2440	2244	2085	1879		3178	2718	2313	1956	1644	1372	-0.1		zero	-2.1	-5.6	-10.7							-44.8	
91/2M	2000	4045		2244 32642 ***	4U5/	10/5	Lister of Alberta	3170	2715	4313	1220	1044 S4720	13/2	0.2 • ماداد المحادث	0.7	Zero	-Z.I	-3.0 (34) / 3.64	-1U./	1. 数: 為:(元)42.	7 1.	5 zero	-3.0	-7.6	-22.1	-44.8	5 15 1 0 0 0 5 2 5 3 4 1
			2777	2547.4	A 22.02	2200	da established all for	2222	2025	(ZJ45)	2152	1007	1010	0.1	0.5	A X = ZELO %	1.0 m	9654.2 P	281-8.27	2001 2001 E-30612.	الم اند 🚽 ۵	ا.1.6 در در در در در					
91/2 M	3110	2912																		1.				-5.9			
																				MAD AND A 1							
									2690																		
91/2 M			2818												0.4		-1.4		-7.6	2.					-12.8		24"
M 2/12 M 2/16	東南モン コ25 漢	JUZU 3	MZ135	海軍240/30	Z 2 15 A	13/0 B	ETTAL PROPERTY AND ADDRESS OF THE PARTY.	ひょうひ 教育	KY0343	以といと生命語	1032 X	Mg1 020 3	8월1215 獨	·····································	於英語文(U.4)省	Mar Yelo &	外的第三人名	1 8 A	WAY - O.U.	0厘米4两条四厘多数以外2.	10/4/2002	8.1经验验证据 C	- extra zero s	が発展して	13.6%		For 2000

★ New For 2000



Premier® Ultra Mag[™] Premier® Ballistic Tip® Premier® Safari Grade

Premier® Partition®

Premier® Boat Tail

Premier® Varmint Premier® Scirocco™ Bonded

FOOTNOTES:

Specifications are nominal. Ballistics figures established in test barrels. Individual rifles may vary from test-barrel specifications.

- * Inches above or below line of sight. Hold low for positive numbers, high for negative numbers.
- Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range.
- ² Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range NOTE: "zero" indicates yardage at which rifle was sighted in.

VENTED TEST-BARREL BALLISTICS

This Remington®-patented, industry-accepted method provides data that more precisely reflect actual use of revolver ammunition. It considers cylinder gap, barrel length, powder position, and production tolerances. Although our final values differ from conventional figures, the ammunition is unchanged. Key elements of our patented procedure include: (a) horizontal powder orientation; (b) cylinder gap: .008"; (c) barrel length: 4".

INTERCHANGEABILITY CHART

Cartridges within groups shown are interchangeable. Other substitutions should not be made without specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

22 Remington Special 22 Win. Model 1890 in a .22 Win. Mag. Rimfire but not conversely CENTERFIRE 25-20 Remington 25-20 WC.F. 25-20 Win. High Speed 25-20 Marlin 25 WC.F. Somm Rem. 244 Remington 25 Automatic 25 Automatic 25 Automatic 25 Automatic 25 Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.22 W.R.F22 Remington Special .22 Win. Model 1890 in a .22 Win. Mag. Rimfire but not conversely CENTERFIRE .25-20 Remington .25-20 W.C.F25-20 Win25-20 Win. High Speed .25-20 Marlin .25-20 Marlin .25-20 Marlin .25 Automatic .25 Remington .280 Remington .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win30-30 Win. Accelerator (SEE NOTE A) .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65num) Automatic Pistol 7.65num Automatic Pistol	CIMPIRE	
22 Win. Model 1890 in a .22 Win. Mag. Rimfire but not conversely CENTERFIRE 25-20 Remington 25-20 WC.F. 25-20 Win. High Speed 25-20 Marlin 25 W.C.F. Somm Rem. 244 Remington 25 Automatic 25 Remington 26 (6.35mm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	22 Win. Model 1890 in a .22 Win. Mag. Rimfire but not conversely CENTERFIRE .25-20 Remington .25-20 W.C.F25-20 Win. High Speed .25-20 Warlin .25-20 Marlin .25-20 Marlin .25 Automatic .30-30 min Rrowning .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65 mm) Automatic Pistol	22 W.R.F.	
but not conversely CENTENFINE 25-20 Remington 25-20 W.C.F. 25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25 W.C.F. Somm Rem. 244 Remington 25 Automatic 26 (6.35mm) Automatic Pistol 3.35mm Browning Tamm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	but not conversely CENTERFIRE 25-20 Remington 25-20 W.C.F. 25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25 W.C.F. 6num Rem. 244 Remington 25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35num) Automatic Pistol 6.35num Browning 7num Express® Remington 280 Remington 30-30 Sav. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Win. Accelerator* 30-30 Win. High Speed 30 W.C.F. 32 Colt Automatic 32 Auto. Colt Pistol (ACP) 32 (7.65num) Automatic Pistol	22 Remington Special	
CENTERFIRE 25-20 Remington 25-20 WC.F. 25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25 WC.F. Domn Rem. 244 Remington 25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	CENTERFIRE .25-20 Remington .25-20 W.C.F. .25-20 Win25-20 Win. High Speed .25-20 Marlin .25 W.C.F. 6mm Rem24 Remington .25 Automatic .25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65nm) Automatic Pistol	22 Win. Model 1890 in a .22 Win. Mag. Rimf	ire
25-20 Remington 25-20 W.C.F. 25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25-20 Marlin 25-20 Marlin 25-20 Marlin 24-1 Remington 25 Automatic 25 Automatic 25 Automatic 25 Automatic 25 Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	25-20 Remington .25-20 W.C.F25-20 Win25-20 Win. High Speed .25-20 Marlin .25-20 Marlin .25-20 Marlin .25-20 Marlin .25-20 Marlin .25-20 Marlin .25 Autonatic .26 Autonatic .27 Autonatic .28 Autonatic .28 Remington .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win30-30 Win40-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65 mm) Automatic Pistol	but not conversely	_
25-20 W.C.F. 25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25-XC.F. Somm Rem. 244 Remington 25 Automatic 26 (6.35mm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	25-20 W.C.F. 25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25 W.C.F. 6mm Rem. 244 Remington 25 Autonatic 25 Autonatic 25 Autonatic 25 Autonatic 25 Autonatic 25 Autonatic 26 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin 30-30 Win. High Speed 30 W.C.F. 32 Colt Automatic 32 Auto. Colt Pistol (ACP) 32 (7.65nun) Automatic Pistol	Centerfire_	
25-20 Win. 25-20 Win. High Speed 25-20 Marlin 25 W.C.F. Domm Rem. 244 Remington 25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 3.35mm Browning Tomm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25-20 Win25-20 Win. High Speed .25-20 Marlin .25 W.C.F. 6mm Rem244 Remington .25 Automatic .25 Automatic .25 Automatic .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25-20 Remington	
25-20 Win. High Speed 25-20 Marlin 25 W.C.F. Somm Rem. 244 Remington 25 Automatic 25 Auto. Colt Pistol (ACP) 26 (6.35mm) Automatic Pistol 5.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25-20 Win. High Speed .25-20 Marlin .25 W.C.F. 6mm Rem244 Remington .25 Auto. Colt Pistol (ACP) .25 (5.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25-20 W.C.F.	
25-20 Marlin 25 W.C.F. Somm Rem. 244 Remington 25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 5.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25-20 Marlin .25 W.C.F. 6mm Rem244 Remington .25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25-20 Win.	
25 W.C.F. Somm Rem. 244 Remington 25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30.30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25 W.C.F. 6mm Rem244 Remington .25 Automatic .25 Automatic .25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning .7mm Express® Remington .280 Remington .30-30 Sav30-30 Win30-30 Win4celerator* (SEE NOTE A) .30-30 Marlin .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25-20 Win. High Speed	
omin Rem. 244 Remington 25 Automatic 25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35nm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	6mm Rem244 Remington .25 Automatic .25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25-20 Marlin	
244 Remington 25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.244 Remington .25 Automatic .25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25 W.C.F.	_
25 Automatic 25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 3.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25 Automatic .25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.05mm) Automatic Pistol	mm Rem.	
25 Auto. Colt Pistol (ACP) 25 (6.35mm) Automatic Pistol 5.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25 Auto. Colt Pistol (ACP) .25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .30-30 Sav30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .33 (7.55mm) Automatic Pistol	244 Remington	_
25 (6.35mm) Automatic Pistol 5.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.25 (6.35mm) Automatic Pistol 6.35mm Browning 7mm Express® Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25 Automatic	
5.35mm Browning 7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	6.35mm Browning 7mm Express® Remington .280 Remington .30.30 Sav30.30 Win30.30 Win. Accelerator* (SEE NOTE A) .30.30 Marlin .30.30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	25 Auto. Colt Pistol (ACP)	
7mm Express® Remington 280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	7mm Express® Remington .280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65 mm) Automatic Pistol	25 (6.35mm) Automatic Pistol	
280 Remington 30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.280 Remington .30-30 Sav30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65 mm) Automatic Pistol		_
30-30 Sav. 30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.30-30 Sav30-30 Win. Accelerator* (SEE NOTE A) .30-30 Win. High Speed .30-30 W.F30-32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	mm Express® Remington	
30-30 Win. 30-30 Win. Accelerator* (SEE NOTE A) 30-30 Marlin	.30-30 Win30-30 Win. Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win. High Speed .30 W.C.F32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65nm) Automatic Pistol	280 Remington	_
30-30 Win, Accelerator* (SEE NOTE A) 30-30 Marlin	.30-30 Win, Accelerator* (SEE NOTE A) .30-30 Marlin .30-30 Win, High Speed .30 W.C.F32 Colf Automatic .32 Auto, Colf Pistol (ACP) .32 (7.65mm) Automatic Pistol	30-30 Sav.	
30-30 Marlin	.30-30 Marlin .30-30 Win. High Speed .30 W.C.F. .32 Colf Automatic .32 Auto. Colf Pistol (ACP) .32 (7.65mm) Automatic Pistol	30-30 Win.	
	.30-30 Win. High Speed .30 W.C.F. .32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	•	
30-30 Win. High Speed	.30 W.C.F. .32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	30-30 Marlin	
	.32 Colt Automatic .32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol	30-30 Win. High Speed	
	.32 Auto. Colt Pistol (ACP) .32 (7.65mm) Automatic Pistol		
	.32 (7.65mm) Automatic Pistol		
•			
	7.65mm Automatic Pistol		
7 65mm Automatic Pistol		7.65mm Automatic Pistol	

7.65mm Browning (not interchangeable with 7.65mm Luger)

.32 Short Colt in .32 Long Colt but not conversely
(SEE NOTE C)
.32 S&W in .32 S.& W. Long but not conversely
.32 S&W Long
.32 Colt New Police
.32 Colt Police Positive
.32 W.C.F. (SEE NOTE A)
.32 Win. (SEE NOTE A)
.32-20 Win. High Speed (SEE NOTE A)
.32-20 Colt L.M.R
.32-20 W.C.F (SEE NOTE G)
.32-20 Win. and Marlin
.38 S.&W.
.38 Colt New Police
.380 Webley
.38 Colt Special
.38 S&W Special
.38 Special Targetmaster®
.38 S&W Special Mid-Range (SEE NOTE D)
.38 Special (+P) (SEE NOTE B)
.38-44 Special (+P) (SEE NOTE B)
.38 Special
.38 Special Flat Point
.38 Short Colt in .38 Long Colt but not conversely.
Both can be used in .38 Special
.38 Marlin
.38 Win. (SEE NOTE A)
.38 Remington (SEE NOTE A)
.38-40 Win.
.38 W.C.F. (SEE NOTE A)

.38 Automatic in .38 Super (+P)
but not conversely
.380 Automatic
9mm Browning Short (Corto Kurz)
9mm Luger (SEE NOTE E)
9mm Parabellum
.44 S&W Special (SEE NOTE F)
.44 Marlin
.44 Win.
.44 Remington
.44-40 Win.
.44 W.C.F.
.45-70 Government
.45-70 Marlin, Win.
45-70-405
NOTE A: High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.
NOTE B: Ammunition with (+P) on the case head- stamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer.
NOTE C: Not for use in revolvers chambered for .32 S&W or .32 S&W Long.
NOTE D: All .38 Special cartridges can be used in .357 Magnum revolvers but not conversely.
NOTE E: 9mm sub-machine gun cartridges should no be used in handguns.
NOTE F: .44 Russian and .44 S&W Special can be used in .44 Remington Magnum revolvers but not conversely.
NOTE G: Not to be used in Win. M-66 and M-73.

	Index/EDI	Wt.	Bullet
Caliber	Number	(grs.)	Style
30 Carbine	R30CAR	110	Soft Point
30-30 Win. Accelerator®	R3030A	55	Soft Point
30-30 Win.	R30301	150	Soft Point Core-Lokt®
	R30302	170	Soft Point Core-Lokt®
	R30303	170	Hallow Point Core-Lokt®
300 Savage	R30SV2	150	Pointed Soft Point Core-Lok
	R30SV3	180	Soft Point Core-Lokt® .
30-40 Krag	R30402	180	Pointed Soft Point Core-Lok
308 Win.	R308W1	150	Pointed Soft Point Core-Louis
	R308W7	168	Boat Tail HP Match
	R308W2	180	Soft Point Core-Lokt®
	R308W3	180	Pointed Soft Point Core-Lord
A second		180	Nosler® Partition®
The Committee of the Co			
eerser <u>ing van eersterstad oor de eers</u>	PRT308WB	165	Nosler® Ballistic Tip®
30-06 Springfield Accelerator®		55	Pointed Soft Point
30-06 Springfield	R30061	125	Pointed Soft Point
oc-us springificia	R30062	150	Pointed Soft Point Core-Lokt
	R30063	150	Bronze Point"
	R3006B	165	Pointed Soft Point Core-Lokt®
	R30064	180	Soft Point Core-Lokt®
	R30065	180	Pointed Soft Point Core-Lokt®
	R30066	180	Bronze Point
	R30067	220	Soft Point Core-Lokt®
	PRT3006A	150	Nosler® Ballistic Tip®
THE STATE	PRB3006SA 3		Pointed Soft Point, Boat Tail
	.PRT3006B	165	Nosler® Ballistic Tip®
A CONTROL OF THE PROPERTY OF THE			Swift A-Frame PSP
	PURSON CONTRACTOR	CA ONE	SMP5-000-
	DDDDOOGA	100	Nosler® Partition®
300 Win. Mag.	R300W1	150	Pointed Soft Point Core-Lokt®
300 Will. Wag.	R300W1	180	Pointed Soft Point Core-Lokt®
	PRT300WA	180	Nosler® Ballistic Tip®
লকাতে লাভিডিড ডক্ট্রেল হার্টিট			Pointed Soft Point, Boat Tailers
			Swift", A. Frame." PSP
300 Wby. Mag.	R300WB1	180	Pointed Soft Point Core-Lokt®
			Pointed Soft Point, Boat Tail
			Swift A-Frame PSP
300 Remington Ultra Mag			
CAN THE PROPERTY OF	3PR300UM245	$r_{rZ}UUM$	
303 British			
303 British	R303B1	180	Soft Point Core-Lokt®
303 British 7.62x39mm	R303B1 R762391	180 125	Soft Point Core-Lokt® Pointed Soft Point
303 British 7.62x39mm 32-20 Win.	R303B1 R762391 R32201	180 125 100	Soft Point Core-Lokt® Pointed Soft Point Lead
303 British 7.62x39mm 32-20 Win. 32 Win. Special	R303B1 R762391 R32201 R32WS2	180 125 100 170	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt®
303 British 7.62x39mm 32-20 Win. 32 Win. Special Brim Remington Mag. 10 2020	R303B1 R762391 R32201 R32WS2 RSBMMRA	180 125 100 170 -200	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP
303 British 7.62x39mm 32-20 Win. 32 Win. Special Brim Remington Mag (*) (*) (*) Brim Mauser	R303B1 R762391 R32201 R32WS2 * RSBMMRA	180 125 100 170 -200	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP (80%) Soft Point Core-Lokt®
303 British 7.62x39mm 32-20 Win. 32 Win. Special Brim Remington Mag. 10 2020	R303B1 R762391 R32201 R32W\$2 ' RSBMMRA: R8M\$R R338W1	180 125 100 170 -200 170 225	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift? A-Frame®.PSP. **** Soft Point Core-Lokt® Pointed Soft Point Core-Lokt®
303 British 7.62x39mm 32-20 Win. 32 Win. Special Bmm Remington Mag. 10 10 10 10 10 10 10 10 10 10 10 10 10	R303B1 R762391 R32201 R32WS2 RSBMMRA R8MSR R338W1 R338W2	180 125 100 170 -200 170 225 250	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt®
303 British 7.62x39mm 32-20 Win. 32 Win. Special Brim Remington Mag (*) (*) (*) Brim Mauser	R303B1 R762391 R32201 R32WS2 RSBMMRA R8MSR R338W1 R338W2 RS338WA	180 125 100 170 -200 170 225 250 -225	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift® A-Frame® PSP Swift® A-Frame® PSP
303 British 7.62x39mm 32-20 Win. 32 Win. Special Bmm Remington Mag. (1924) 338 Win. Mag.	R303B1 R762391 R32201 R32WS2 RSBMMRA R8MSR R338W1 R338W1 R338W2 RS338WA PRT338WB	180 125 100 170 -200 170 225 250 -225 200	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift." A-Frame." PSP*** Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Noster® Ballistic Tip®
303 British . 62x39mm 32-20 Win. 32 Win. Special 8mm Remington Mag.	R303B1 R762391 R32201 R32WS2 RSBMMRA R8MSR R338W1 R338W2 R5338W4 PRT338WB PRP338WC	180 125 100 170 -200 170 225 250 -225 200 210	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift? A-Frame? PSP. 3/4/47 Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift? A-Frame? PSP. 3/4/47 Nosler® Ballistic Tip® Nosler® Partition®
303 British 7. 62x39mm 7. 62x39mm 7. 62x39mm 7. 62x30mm	R303B1 R762391 R32201 R32W52 RSBMMRA. R8MSR R338W1 RS338W2 RS338WA PRT338WB PRT338WB	180 125 100 170 -200 170 225 250 225 200 210	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Ballistic Tip® Swift® A-Frame® PSP®
303 British 7. 62x39mm 7. 62x39mm 7. 62x39mm 7. 62x30mm	R303B1 R762391 R32201 R32WS2 RSBMMRA - R8MSR R338W1 R338W2 RS338WA - PRT338WB PRT338WB PRP338WC RR338WB - RR338WB	180 125 100 170 -200 170 225 250 225 200 210 2250 150	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift® A-Frame® PSP Nosler® Ballistic Tip® Nosler® Partition® Swift® A-Frame® PSP Swift® A-Frame® PSP Nosler® Partition®
303 British 7.62x39mm 32-20 Win. 32 Win. Special 8mm Remington Mag. 38mm Mauser 338 Win. Mag. 338 JREmington JUltra Mag. 338 JREmington	R303B1 R762391 R32201 R32WS2 'RSBMMRA R8MSR R338W1 R338W2 RS338WA PRT338WB PRP338WG ERR338UM1 RFR338WM1 RFR338WM1 RFR338WM1 RFR35R1 R35R1	180 125 100 170 -200 170 225 250 225 200 210 2250 150 200	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift? A-Frame? PSP *** Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift. A-Frame. PSP Nosler® Ballistic Tip® Nosler® Partition® Swift. A-Frame. Swift. A-Frame. Swift. A-Frame. Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt®
303 British 7.62x39mm 32-20 Win. 32 Win. Special 8mm Remington Mag. 38mm Mauser 338 Win. Mag. 338 JREmington JUltra Mag. 338 JREmington	R303B1 R762391 R322201 R32WS2 RSBMMRA. R8MSR R338W1 R338W2 R5338WA PR7338WB PR7338WB PR7338WB R7535R1 R35R1 R35R1 R35R2 R35WH1	180 125 100 170 -200 170 225 250 -225 200 210 150 200 200	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Noster® Ballistic Tip® Noster® Ballistic Tip® Noster® Ballistic Tip® Swift: As-Frame: Pointed Soft Point Core-Lokt® Swift: As-Frame: Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt®
303 British 7.62x39mm 7.62x30mm 7.62x30mm 7.62x30mm 7.62x30mm 7.62x30mm 7.62x30mm 7.62	R303B1 R762391 R32201 R32WS2 RS8MMRA - R8MSR R338W1 R338W2 RS338WA PRT338WB PRP338WC ERR338UMINS RS5R1 R35R1 R35R2 R35WH1 R35WH3	180 125 100 170 -200 170 225 250 210 210 150 200 250	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Bartition® Swift® A-Frame® PSP® Soft Point Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt®
303 British 7.62x39mm 32-20 Win. 32 Win. Special 8mm Remington Mag. 338 Win. Mag. 338 Win. Mag. 338 Bernington Ultra Mag. 35 Remington 35 Whelen 375 H&H Mag.	R303B1 R762391 R32201 R32WS2 R58MMRA. R8MSR R338W1 R338W2 RS338WA PRT338WB PRT338WB PRF338WB R7838UM1 R35R1 R35WH1 R35WH1 R35WH1 R35WH1	180 125 100 170 -200 170 225 250 -225 200 210 -250 200 200 250 270	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift" A-Frame" PSP *** Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift" A-Frame" PSP *** Noster® Ballistic Tip® Noster® Partition® Swift A-Frame Swift A-Frame Swift A-Frame Soft Point Core-Lokt®
303 British . 62x39mm . 62x39mm . 32-20 Win 32 Win. Special . 8mm Remington Mag 338 Win. Mag 338 Win. Mag 338 JRemington Ultra Mag 35 Remington . 35 Whelen . 375 H&H Mag.	R303B1 R762391 R322201 R32WS2 R58MMRA R8MSR R338W1 R338W2 R5338WA PRT338WB PRT338WB R78338UM1 R35R1 R35R1 R35WH3 R35WH3 R35WH3 R35WH3 R35WH3 R35WH3 R35SWH3	180 125 100 170 -200 170 225 250 210 -2250 150 200 200 250 270 300	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosle® Ballistic Tip® Nosle® Partition® SWIFT A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point A-Frame® PSP
303 British 7. 62x39mm 7. 62x39mm 7. 62x39mm 7. 62x39mm 7. 62x39mm 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7	R303B1 R762391 R322201 R32WS2 RSBMMRA. R8MSR R338W1 R338W2 R533BWA PR7338WB PR7338WB PR7338WB PR7338WG SFR38WG SFR38WG R535R1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1 R35K1	180 125 100 170 -200 170 225 250 210 -2250 150 200 200 200 270 300 400	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Partition® Swift: A-Frame: PSP ** *** Pointed Soft Point Core-Lokt® Soft Point Core
303 British 7.62x39mm 7.62x30mm 7.62	R303B1 R762391 R32201 R32WS2 RS8MMRA R8MSR R338W1 R338W2 RS338WA PRT338WB PRT338WB RPR338WM RR338UM1 R35R1 R35R1 R35R1 R35W13 R3	180 125 100 170 200 170 225 250 210 225 200 210 250 250 270 270 300 400 200	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Partition® Swift® A-Frame® PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Soft Point Soft Point Swift® A-Frame® PSP Swift® A-Frame® PSP Soft Point
303 British 7.62x39mm 7.62x30mm 7.62	R303B1 R762391 R32201 R32WS2 R58MMRA. R8MSR R338W1 R338W2 RS338WA PR7338WB PR7338WB PR7338WB RR7338UM1 R35R1 R35R1 R35WH3 R35WH3 R35WH3 R35WH3 R35F4 R35F4 R35WH3 R35WH3 R35WH3 R35WH3 R35F4 R35WH3 R35F4 R35WH3 R35F4 R35WH3 R35F4 R35WH3 R35WH	180 125 100 170 220 170 225 250 225 200 210 2200 250 200 200 200 250 200 20	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift" A-Frame® PSP *** Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift" A-Frame® PSP Nosler® Ballstic Tip® Nosler® Partition® Swift A-Frame® Swift A-Frame® Soft Point Core-Lokt® Fointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Soft Point Soft Point Swift" A-Frame® PSP Swift" A-Frame® PSP Swift" A-Frame® PSP Soft Point Semi-Jacketed Hollow Point
303 British 7.62x39mm 7.62x30mm 7.62	R303B1 R762391 R322201 R32WS2 R58MMRA. R8MSR R338W1 R338W2 R5338WA PR7338WB PR7338WB R78338WA R78338WA R78338WA R78338WH1 R35R1 R35R1 R35WH3 R35R1 R35WH3 R35R1 R35WH3 R35R1 R35WH3 R35R1 R35WH3 R35R1 R35WH3 R35R1 R35WH3	180 125 100 170 220 170 225 250 210 2250 210 2250 200 250 270 300 400 200 200 210 225 200 210 225 200 210 225 200 210 225 200 210 225 200 210 210 210 210 210 210 210	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Partition® SWIFT: A-Frame: PSP.** Pointed Soft Point Core-Lokt® Soft Point Core-Lok
303 British 7.62x39mm 7.62x30mm 7.62	R303B1 R762391 R762391 R32WS2 RSBMMRA R8MSR R338W1 R338W2 R5338WA PR7338WB PR7338WB PR7338WB R835R1 R35R1 R35R1 R35R1 R35R1 R35SH1 R35WH3 R37SM1 R37SM1 R34WG2 R44MG6 R44MG6 R44MG6 R44MG2	180 125 100 170 170 170 225 250 210 225 200 200 200 200 270 300 200 200 200 200 200 200 200 200 20	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Ballistic Tip® Nosler® Barlistic Tip® Swift: A-Frame. Soft Point Core-Lokt® Soft Point
303 British 7.62x39mm 32-20 Win. 32 Win. Special Smim Remington Mag. 338 Win. Mag. 338 Win. Mag. 338 Remington 35 Remington 35 Whelen 375 H&H Mag. 416 Remington Mag. 44 Remington Mag.	R303B1 R762391 R326201 R32WS2 R32WS2 R58MMRA. R338W1 R338W2 R5338WA PR7338WB PR7338WB PR7338WB PR7338WB RR338UMINS R836R2 R35WH1 R35WH3 R35WH3 R35FMA R34H6RA R44MG6 R44MG6 R44MG6 R44MG3 R144MGA	180 125 100 170 200 170 225 250 210 250 200 200 250 270 270 300 200 200 200 210 240 240 275	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Swift" A-Frame". PSP. *** Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift" A-Frame". PSP. ** Nosler® Ballistic Tip® Nosler® Ballistic Tip® Nosler® Partition® Swift" A-Frame". PSP. ** Soft Point Core-Lokt® Soft Point Soft Point Swift" A-Frame". PSP. ** Swift" A-Frame". PSP. ** Swift" A-Frame". PSP. ** Swift" A-Frame". PSP. ** Soft Point Semi-Jacketed Hollow Point Soft Point Semi-Jacketed Hollow Point JHP Core-Lokt®
303 British .62x39mm .62x39mm .32-20 Win32 Win. Special .55 Brim Remington Mag538 Win. Mag538 Win. Mag55 Remington .55 Whelen .57 H&H Mag416 Remington Mag44 Ad Win44 Remington Mag.	R303B1 R762391 R326201 R32WS2 R58MMRA. R8MSR R338W1 R338W2 RS338WA PRT338WB PRT338WB PRF338WC CRR338UM1 R35R1 R35R1 R35SH1 R35SH1 R35SH1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35WH	180 125 100 170 200. 170 225 250 210 2250 200 200 250 270 200 200 250 270 200 200 250 270 200 200 250 270 200 200 250 270 200 200 200 200 200 200 250 270 200 200 200 200 200 200 200 200 20	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift, A-Frame, PSP Nosler® Ballistic Tip® Nosler® Partition® Swift, A-Frame, PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Pointed Soft Point Soft Point Swift, A-Frame, PSP Soft Point Swift, A-Frame, PSP Soft Point
303 British .62x39mm .62x39mm .32-20 Win32 Win. Special .55 Brim Remington Mag538 Win. Mag538 Win. Mag55 Remington .55 Whelen .57 H&H Mag416 Remington Mag44 Ad Win44 Remington Mag.	R303B1 R762391 R762391 R32WS2 R32WS2 RS8MMRA. R8MSR R338W1 R338W2 R5338WA PR1338WB PR7338WB PR7338WB R8MSR R358H1 R35WH1 R35WH3 R35FN1 R35WH3 R35FM1 R35WH3 R375M1 R35WH3 R44MG6 R44MG2 R44MG2 R44MG3 RH44MG4 R445OL	180 125 100 170 200 170 225 250 225 200 210 200 250 200 250 270 300 200 200 200 200 200 272 270 200 200 2	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Nosler® Ballistic Tip® Nosler® Ballistic Tip® Nosler® Ballistic Tip® Swift: A-Frame: PSP.** Soft Point Core-Lokt® Soft Point Semi-Jacketed Hollow Point Soft Point Semi-Jacketed Hollow Point Jacketed Hollow Point Jacketed Hollow Point Jacketed Hollow Point Jacketed Hollow Point
303 British 7.62x39mm 32-20 Win. 32 Win. Special Brim Remington Mag. 338 Win. Mag. 338 Win. Mag. 338 Remington Ultra Mag. 35 Remington 35 Whelen 375 H&H Mag.	R303B1 R762391 R326201 R32WS2 R58MMRA. R8MSR R338W1 R338W2 RS338WA PRT338WB PRT338WB PRF338WC CRR338UM1 R35R1 R35R1 R35SH1 R35SH1 R35SH1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35FR1 R35WH3 R35WH	180 125 100 170 200. 170 225 250 210 2250 200 200 250 270 200 200 250 270 200 200 250 270 200 200 250 270 200 200 250 270 200 200 200 200 200 200 250 270 200 200 200 200 200 200 200 200 20	Soft Point Core-Lokt® Pointed Soft Point Lead Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Swift, A-Frame, PSP Nosler® Ballistic Tip® Nosler® Partition® Swift, A-Frame, PSP Soft Point Core-Lokt® Pointed Soft Point Core-Lokt® Pointed Soft Point Pointed Soft Point Soft Point Swift, A-Frame, PSP Soft Point Swift, A-Frame, PSP Soft Point

Index/EDI


					400 yds.			e 100 yds		<u> </u>					<u> </u>			: 300 yds.	100 yd:				<u> </u>		500 yds.	
61/2	1990	1567	1236	1035	923	842	967	600	373	262	208	173	0.6	zero	-4.2	-12.9	-27.2	-48.6	zero	-4.2	-12.9	-27.2	-48.6	-116.6	-225.5	20
91/2	3400 2390	2693 1973	2085 1605	1570	1187	986 974	1412		521 858	301 565	172 399	316	-0.1	0.6	zero	-2.2	-6.2	-13.2	1.7	1.6	zero	-3.5	-9.9	-34.3	-83.3	2
91/2	2200	1895	1619	1381	1191	1061	1902 1827	1355	989	720	535	425	0.2	zero	-2.4 -2.7	-7.6 -8.3	-16.1 -17.1	-28.8 -29.9	1.6	zero zero	-4.3 -4.6	-12.1 -12.6	-24.0 -24.5	-64.2 -62.6	-133.2 -125.3	2
91/2	2200	1895	1619	1381	1191	1061	1827		989	720	535	425	0.3	zero	-2.7	-8.3	-17.1	-29.9	1.8	zero	-4.6	-12.6	-24.5	-62.6	-125.3	
91/2	2630	2354	2095	1853	1631	1432	2303	1845	1462	1143	806	685	-0.1	zero	-1.5	-4.8	-10.1	-17.6	2.4	2.1	zero	-4.1	-10.4	-30.9	-64.6	
91/2	2350	2025	1728	1467	1252	1098	2207	1639	1193	860	626	482	0.2	zero	-2.3	-7.1	-14.7	-25.9	1.5	zero	-4.0	-10.9	-21.3	-54.8	-110.3	2
91/2	2430	2213	2007	1813	1632	1468	2360		1610	1314	1064	861	0.1	zero	-1.8	-5.6	-11.6	-18.6	1.2	zero	-3.2	-8.5	-15.0	-39.9	-76.7	7
91/2	2820	2533 2493	2263	2009	1774	1560 1823	2648 2678		1705	1344	1048	810 1239	-0.1	zero	-1.2	-3.9	-8.4	-14.7	2.0	1.7	zero	-3.4	-8.8	-26.2	-54.8	
91/1	2620	2274	1955	1666	1414	1212	2743		1998 1527	1713	799	587	-0.1 -0.1	zero	-1.3 -1.7	-4.1 -5.3	-8.5 -10.7	-14.7 -19.7	2.1	2.3	zero	-3.4	-8.6 -11.8	-24.7 -36.3	-49.9 -78.2	
91/2	2620	2393	2178	1974	1782	1604	2743		1896	1557	1269	1028	-0.1	zero	-1.5	-4.6	-9.5	-16.5	2.3	2.0	zero	-3.8	-9.7	-28.3	-57.8	- 3
91/2	2620	2436	2259	2089	1927	1774	2743		2039	1774	1485	1257	-0.1	zero	-1.4	-4.4	-9.1	-15.6	2.2	1.9	zero	-3.6	-9.0	-26.0	-52.4	. 2
91/2	2700	2497	2303	2117	1941	1773	\2670	2284	1942	1642	1379	1152	-0.1	zero	-1.3	-4.1	-8.5	-14.8	2.0	1.8	zero	-3.4	-B.6	-25.0	-50.6	. 2
91/2	2700	2613	2333	2161	1996	1838	2672		1995	1711	1460	1239	0.1	zero	-1.3	-4.0	-6.4	-14.4	2.0	1.7	zero	-3.3	-8.4	-24.3	-48.9	
91/2	4080	3484	2964	2499	2080	1706	2033	1482	1073	763	528	355	-0.4	0.2	zero	-1.0	-3.0	-6.2	1.4	1.8	1,4	zero	-2.6	-12.2	-30.0	2
91/2	3140 2910	2780 2617	2447 2342	2138	1853 1843	1595 1622	2736		1662 1827	1269 1445	953 1131	706 876	-0.1 0.2	0.6	zero	-1.9 -2.2	-5.2 -5.9	-10.1 -11.4	1.5	1.4	zero	-2.8 -3.2	-7.4 -8.2	-22.4 -24.4	-47.6 -50.9	
91/2	2910	2656	2416	2189	1974	1773	2820		1944	1596	1298	1047	0.2	0.7	zero	-2.2	-5.6	-10.8	1.7	1.5	zero	-3.2	-7.7	-22.7	-46.6	
9'/2	2800	2534	2283	2047	1825	1621	2872		1909	1534	1220	963	0.3	0.8	zero	-2.3	-6.3	-12.1	2.0	1.7	zero	-3.4	-8.7	-25.9	-53.2	
91/1	2700	2348	2023	1727	1466	1251	2913		1635	1192	859	625	-0.1	zero	-1.5	-4.9	-10.3	-18.3	2.4	2.1	zero	-4.3	-11.0	-33.8	-72.8	
91/2	2700	2469	2250	2042	1846	1663	2913		2023	1666	1362	1105	-0.1	zero	-1.3	-4.2	-8.8	-15.4	2.1	1.8	zero	-3.5	-9.0	-26.3	-54.0	:
91/2	2700	2485	2280	2084	1899	1725	2913		2077	1736	1441	1189	-0.1	zero	-1.3	-4.2	-8.7	-15.0	2.1	1.8	zero	-3.5	-8.8	-25.5	-52.0	
91/2	2410 2910	2130 2696	1870 2492	1632 2298	1422 2112	1246 1934	2837 2821	2216	1708 2070	1301	988 1485	758 1247	0.1	zero 0.7	-2.0 zero	-6.2 -2.0	-12.9 -5.3	-22.4 -10.2	1.3	zero 1,5	-3.5 zero	-9.5 -2.9	-18.4 -7.3	-46.4 -21.1	-91.6 -42.8	
		2592	2394	2204	2023	1852	2872		2100	1780	1500		0.1	0.7	zero (1.8	1.6	zero	/-3.1	-7.9	-23.0	-46.6	
91/2	2800	2609	2426	2249	2080	1919	2873		2155	1854	1588	1350	0.2	0.8	zero	-2.1	-5.7	-10.9	1.8	1.6	zero	-3.1	-7.7	-22.3	-45.0	
91/2	2700 🕾	2465	. 2243 .	2032	1833	1648	🦂 2913	2429	2010			>1085 1	,						2.1	1.8	zero	-3.6	-9.1	-26.6	-54.4	
<u> </u>	2200	2522		2186			29)						4. sp. 4. s046									> 4366	1870 1271			
91/2	2700 3290	2512 2951	2332 2636	2160 2343	1995	1837 1816	2913 3605		2174	.1864	1590	1349	-0.1	zero	./÷1.3	-4.0			2.0	1.7	zero	3.3	-B.4	-24.3 -	-48.9	
91/2 M 91/2 M	2960	2715	2482	2262	2052	1856	3501	2900 2945	2315	1828	1425	1098	-0.1 0.1	0.5	zero zero	-1.6 -1.9	-4.4 -5,1	-8.7 -9.8	2.7	3.1	zero 2.2	-2.4 zero	-6.3 -3.7	-18.9 -15.9	-39.5 -35.6	
		-2725	2502	2289	2087	1896	3501		2501	2094		1436	0.1	0.6	, zero,	-1.9		-10.0	1.6	1.4	zero	-2.8	-7.2	-21.0	-42.8	
91/2 M	2960	2774	2595	2424	2259	2100	3501	3075	2692	2348	2039	1762	0.1	.0.6	zero	-1.8	-4.9	-9.4	1.5	1.4	zero	-2.6	-6.7	-19.3	-38.7	
		2691	2506	2327	2156	1993	3511	3055	2648	2285	1961	1675	0.2	0.7	zero	,-2.0	-5.3	-10.2	1.7	1.5	zero	-2.9	-7.2	-20.8	42.0	44.4
91/2 M . 18 30					1971		3544				1726	1416.	: ;;;;;60.2*;	€ 0.8			-5.9		. जुल्ला के 1.8 °	∴1.6	zero	⁵ ∕;-3.2 <i>'</i> ·.	-8.0		-47.8	ક પરિદેશ
91/2 M 91/2 M	3120 3030 %	2866	2626 2638	2398	2181 2279	1976 2110	3890 3873		2755	2298 2542	1902	1561	0.0	0.5	zero zero	-1.7 -1.7	-4.6 -4.7	-9.0 -9.0	1.4 1.4 يىر	1.3	zero	-2.5 -2.6	-6.4 -6.4	-18.9 -18.6	-38.7 1 -37.6	
91/2 M					2053		~3799 ~									-1.7				30-1.5	zero	-2.8	-7.4	-21.6	-44.2	35.
9/2M	3250	3037	2834	2640	2454														2 4 W				€3.0	6 12.7	2/28/5	
9/AM %																			20 2 0 1 2 0 1							
9½(M) 9½	3025» 2460	2826	1817	1542	1311	1137	2418		1319	950	687	517	0.0	zero	-2.0	-5.8	-13.2	-23.3	1.3	zero	-3.1	-9.9	-19.3	-49.9	-100.8	
71/2	2365	2062	1783	1533	1320	1154	1552		882	652	483	370	0.1	zero	-2.2	-6.7	-14.0	-24.5	1.5	zero	-3.8	-10.4	-20.1	-51.3	-102.5	
61/2	1210	1021	913	834	769	712	325	231	185	154	131	113	zero	-5.9	-20.0	-43.3	-77.4	-122.4	zero	-11.1	-31.6	-62.6	-104.7	-226.7	-410.6	
91/2	2250	1921	1626	1372	1175	1044	1911	1393	998	710	521	411	0.3	zero	-2.6	-8.0	-16.7	-29.3	1.7	zero	-4.5	-12.4	-24.1	-62.1	-125.3	
	32900 cm²		2361	2115	1885		3734						0.2			·-, -2.1			1.8.	1.1.6		191 1	8.0	-23.9	-49.6	1.72
91/2 91/2 M	2360 2780	1969 2572	1622 2374	1333	1123 2003	997 1832	2102 3860		993 2815	671 2383	476 2004	375 1676	-0.2 -0.3	zero	-2.4	-7.6 -2.2	-16.1 -5.9	-28.6	1.6	zero	-4.4	-12.0	-23.7 -8.1	-62.8 -23.4	-128.9 -47.5	
91/2 M	2660	2456	2261	2075	1898	1731	3927	3348	2837	2389	1999	1663	-0.3	0.8 zero	zero -1.4	-4.3	-8.9	-11.4 -15.4	1.9	1.7	zero	-3.2 -3.5	-8.9	-25.4	-52.7	
							3871												12 a		, zero ,			-25.2	-54.1	
91/2 M	2950	2724	2509	2303 .	2108	1922	3866	3295	2795	2357	1973	- 1641	, 0.1	0.6	zero	-1.9	-5.2	-10.0	1.6	1.4	zero	-2.8	-7.1	-20.8	-42.4	7
	2830	2602	2385	2179	1983	1798	3734		2653 -	2214			-0.2	∴ «zero`	-1.1	-3.6	-7.7	-13.4	. 1.8	.1.6	zero	-3.1	-7.9	-23.2	-47.4	
	2860)		2440)		2057		4540												17							
91/2	2300	1874 1698	1506 1376	1218	1039	934	1762 1921	1169 1280	755 841	494 577	359 445	291 369	0.3	zero	-2.7	-8.6 -10.7	-18.2 -22.6	-32.6 -40.1	1.8	zero	-4.9 -6.1	-13.7 -16.7	-27.1 -33.0	-72.5 -86.6	-150.4 -174.8	
91/2 M	2675	2378	2100	1842	1606	1399	3177	2510	1958	1506	1145	869	-0.1	zero zero	-3.5 -1.5	-10.7	-22.6 -9.9	-40.1	2.3	zero 2.0	zero	-16.7	-33.0	-30.8	-64.9	- :
91/2 M	2400	2197	2005	1823	1652	1496	3197		2230	1844	1515	1242	0.1	zero	-1.9	-5.7	-11.8	-20.4	1.3	zero	-3.2	-8.6	-16.6	-40.0	-76.3	
91/2 M	2690	2420	2166	1928	1707	1507	4337	3510	2812	2228	1747	1361	-0.1	zero	-1.4	-4.5	-9.4	-16.4	2.2	1.9	zero	-3.8	-9.7	-28.7	-59.8	
																			2.7							
m-0-45													E. S.	4-7-60	Part and Par				(2011)					-115		
2'/2 2'/2		1006 1477	900	982	756 880	699 802	629 1719		360 622	300 450	254 361	217 300	zero	-5.8 -1.6	-20.0 -7.1	-44.6 -17.9		-126.1 -60.2	zero zero	-11.3 -4.8	-33.1 -14.7	-64.1 -31.2	-108.7	-235.2 -131.3	-422.3	
		1380	1114	970	878	806	1650		661	501	411	346	zero	-2.1	-8.7	-21.2		-67.7	zero	-5.6	-17.0	-35.4	-61.4	-143.0	-269.9	
	1760	1380	1114	970	878	806	1650		661	501	411	346	zero	-2.1	-8.7	-21.2		-67.7	zero	-5.6	-17.0	-35.4	-61.4	-143.0	-269.9	
	1580	1293	1093	976	896	832	1524		730	582	490	422	1,4	zero	-6.6	-19.4		-67.5	zero	-6.6	-19.4	-39.2	-67.5	-210.8	-280.8	
91/2	2350	1815	1377	1087	941	846	2942		1010	630	472	381	0.2	zero	-3.2	-9.7		-37.8	2.2	zero	-5.4	-15.4	-31.4	-86.7	-180.0	
91/2	1810	1497	1244	1073 977	969 918	895 869	2182 1590		1031	767 858	625 758	533 679	Zero Zero	-1.3 -4.0	-6.6 -14.5	-16.5 -32.0		-54.1 -90.6	zero zero	-4.6 -8.5	-13.8 -24.0	-28.6 -47.4	-50.1 -78.6	-115.7 -169.4	-219.1 -301.3	
													zero 0.3						2610 53-48-4-48-5-5-41.8 3							
																			A Section of State States and Control of Section 1981.					73	★ New	
																									- ACM	

BLACK POWDE

MOITINUMINI

& ACCESSORIES

ENHANCING A REVERED TRADITION WITH MODERN QUALITY & PERFORMANCE




With Remington® black powder ammunition and accessories, the original challenge and loading routine of muzzleloading hasn't changed. You still load from the front end, one charge at a time. What we have changed with modern improvements is the accuracy and game-anchoring performance of the ammunition with our sabot-encased bullets, standard bullets, perfect round balls and hot ignition caps. Our equally modern accessories bring greater speed, convenience and efficiency to both loading and cleaning.

PERCUSSION CAPS

Reliable in all weather conditions, our No. 10 and 11 percussion caps have been improved to generate up to 40% more

Remington



flame volume.



PREMIER® COPPER SOLID™ BULLETS WITH SABOTS



Encased in a .50-caliber sabot, the deep hollow point cavity and spiral nose cuts of the 289-gr.

.45-caliber Copper Solid™ bullet deliver optimum penetration, virtually 100% weight retention, and nearly 2x caliber expansion. You can't get a better combination of accuracy and on-game performance.



CORE-LOKT® 20-PACK

Convenient, easy-handling plastic box carries 20 Core-Lokt® bullets with sabots. Each bullet and sabot assembly is held in its own compartment, and the lid snaps closed for secure toting.



CORE-LOKT® BULLETS WITH SABOTS



Take our Core-Lokt® · jacketed hollow point handgun hunting

bullet, then add our four-segment, one-piece sabot. The result is one of the most accurate and effective muzzleloading bullets ever developed. In .357 to .44 caliber, with .45, .50 and .54 caliber sabots, in weights of 165-303 grains.



GAMEMASTER" BULLETS



Remington isn't a newcomer to muzzleloader bullet production, and these lead bullets prove it. Each one is

uniformly pre-lubed for cleaner handling, easier loading, and minimal barrel leading. They are sized for barrels of .45 to .58 caliber, in bullet weights from 285 to 535 grains.




PREMIER® GOLDEN" LEAD ROUND BALLS Remington has taken extra

steps to assure the spherical concentricity and uniformity of these round balls in both size and weight. A special alloy adds hardness for deep penetration and maximum expansion. Brass plating allows cleaner handling and reduces barrel leading. They're available in eight caliber choices from .32 to .58.



GAMEMASTER™ 20-PACK

Convenient, sturdy plastic box carries 20 Gamemaster bullets. Each bullet is held in its own compartment, and the lid snaps closed for secure toting.






MUSKET NIPPLE Allows use of larger tophat or English-style musket caps for igniting hotter loads. Threaded to replace the standard nipple of any Model 700™ ML rifle.

VORTEX™ BORE CLEANER

Five-minute, non-toxic, one-step black pow der bore cleaner. Quick, convenient, re-usable and won't harm blued or stainless metals or wooden stocks.



BRASS BULLET STARTER/BALL & PATCH PULLER COMBO TIPS

These 2-in-1 accessories make it easy to push a snug-fitting bullet down the bore, or to extract a bullet, ball, or patch safely if necessary.



BRONZE BORE BRUSH



BORE SWAB



CLEANING JAG



PATCH WORM



BREECH BRUSH



NIPPLE WRENCH



NIPPLE PICK



BALL PULLER



SS NIPPLE



CYCLONE™ QUICK STARTER



BLACK POWDER CLEANING KIT .50 & .54 CALIBER

BLACK POWDER SHOOTING ACCESSORIES

Remington has developed a broad selection of loading, shooting, cleaning and maintenance items to meet the needs of percussion and in-line muzzleloader shooters, including three types of camo-pattern bags for easy field transport.

MODEL 700™ BOLT DISASSEMBLY TOOL

- · Aids safe removal of firing pin/spring assembly
- · Black synthetic material won't scratch bolt bluing
- Simple two-hand operation



PRE-LUBED PATCHES



WONDER WADST



BLACK-OUT™ CLEANING SYSTEM



THREE-IN-ONE TOOL



WONDER LUBE®



BORE CLEANER




CYCLONE™ BELT BAG



BLACK POWDER POSSIBLES BAG



THE PERFECT BLEND OF STRENGTH, PRACTICALITY AND BEAUTY



REMINGTON® SAFES

Remington offers homeowners the peace of mind that comes from knowing they have invested in the finest security storage system money can buy.


Our Flex Interior System provides unparalleled freedom to arrange interior shelves in any one of four ways to hit your particular needs. Each Premier., Classic , E. Series, and Sportsman safe comes hirnished with the "Executive" interior : layout (see below). By rearranging the shelves and a

rack cover, the interior can be made to accommodate long guns as the "Universal" interior.


Éven quicker access to gun storage is available by converting to the Easy-Out interior with another simple rack cover move. Finally, removal o both rack covers creates the "Collector" interior with space for as many as 47 guns: Our Flex Interior is for the homeowner with a variety of valuables, and provides the option to expand and adapt as additional items and keepsakes are acquired.


"E" SERIES (ELECTRONIC LOCK)


In terms of design, construction, and appearance, the "E" Series offers the greatest value in our line. For the ultimate in convenience and security, all "E" Series safes are supplied with electronic locks. Each one receives multiple coats of rust-resistant primer and three coats of high-gloss polyurethane enamel for a lustrous, durable finish. Our Flex Interior System allows for unmatched shelf configuration choices. The threespoked handle is 14K gold-plated for both beauty and durability. All "E" Series safes feature a U.L. security rating, a 1" composite door, Double-Wall fire protection, mocha interior, internal ball-bearing hinges, 1" locking bolts, electronic digital lock, drill-resistant multi-layered hardplate, triple relockers, whisper-quiet bolt protectors, Remington logo, and limited lifetime break-in warrantv.




INTERIOR SHELVING CONFIGURATIONS - 4-IN-1 INTERIOR DESIGN PREMIER™, CLASSIC™, "E" SERIES, & SPORTSMAN™ (SHOWN WITH EXTRA TOP SHELF)









Flex Interior System for Premier™, Classic™, "E" Series and Sportsman™ allows customized shelving arrangements to optimize storage capabilities.


R 2196542


CLASSIC™ SERIES Our Classic™ safes provide a perfect balance of quality and cost by incorporating many of the features found in our Premier™ safes at a moderate price. Features include brassplated 3-spoke handle and combination dial, a U.L. security rating, a 1/4" recessed Uni-body door, laboratorytested Double-Wall fire

protection, your choice of



mocha or gray fabric interior, internal ball-bearing hinges, 1" locking bolts, Sargent & Greenleaf bank-type locks, drill-resistant 1/4" hardplate, triple relockers, whisper-quiet bolt protectors, Remington logo, and limited lifetime break-in warranty.







"TROPHY" SERIES


Our new, moderately priced "Trophy" series comes in a choice of two different sizes to suit your individual homeowner requirements. The seamless body is constructed of 12-gauge steel. Other features include a U.L. security rating, recessed Uni-body door, gold-plated handle and key dial, laboratory-tested Double-Wall fire protection, mocha fabric interior, internal ball-bearing hinges, 1" locking bolts, U.L.-listed Group 2 locks, whisper-quiet bolt protectors, Remington logo, and limited lifetime break-in warranty.

"TROPHY"

T-8










SPORTSMAN TM SERIES

At a practical, economical price, the Sportsman™ series has proven anti-entry devices that include goldplated handle and key dial, a U.L. security rating, a 1" composite door, standard laboratory-tested Double-Wall fire protection, gray fabric interior, internal ballbearing hinges, 1" locking bolts, U.L.-listed Group 2 lock, drill-resistant 1/4" hardplate, triple relockers, whisper-quiet bolt protectors, Remington logo, and limited lifetime break-in warranty.





REMINGTON SAFE SPECIFICATIONS

Safe (a) Model	Dimensions (WxHxD)	Depth V Overall	Volume (Cubic ft.)	(Approx. Weight	Active Bolts	Door Thickness	Body Mickness	Flex 4. Universal	Flex Easy_Out	Flex Collector	Fléx de Executive	Flex Interior	Flex Fabric	Type of a
Premier™ P-50	40½" x 72½" x 28"	297/,"	48	1220 lbs.	15-1"		10 ga.	26-Gun	17-Gun	-43-Gun	7 Shelves	Velour	Beige or Silver	Flex
Classic™ C-35	36½" x 60½" x 28"	297,	36	730 lbs	11-1"		11 ga.	24-Gun	17-Gun	41-Gun	4 Shelves	Fabric //	Mocha or Gray	Flex
、"E" Series ★E-23	301/2" x 601/2" x 22"	241/2	23	500 lbs i	5-1"		11 ga.	15-Gun	10-Gun	25-Gun	4 Shelves	Fabric	Mocha	Flex
"Trophy" T-8 T-4	24" × 30" × 20" 18" × 24" × 16"	22½" 17½"	8	240 lbs. 160 lbs.	3-1" 2-1"	2 ³ /16"	12 ga. 12 ga.	n/a n/a	n/a n/a	n/a n/a	2 Shelves 1 Shelf	. Fabric Fabric	Mocha Mocha	Exec Exec
Sportsmar ★S-17	1 [™] 24½" x 60½" x 20"	22½	17	470 lbs.	4-1"		12 ga.	9/9	n/a	18-Gun	4 Shelves	Fabric	Gray	Flex

Beige velour interior with green or burgundy exterior. Silver velour interior with black exterior.

★ New For 2000

^{**} Mocha fabric interior with green or burgundy exterior. Gray fabric interior with black exterior.

OPTIONS AND ACCESSORIES

U-L-ELISTED BURGLARPROOF

the business never steal a dime — , — trying to knock the lock off; (4) Laboratories (U.E.). Since 1921 Sold mechanism
U.E. has tried to outsmart and Sold Mechanism. security devices in America. Using ... withstood U.L.s rigorous. state-of-the-art techniques, theydrilling, hammering,

Today the best safe cracker in State of test each safe to its limit by A

chiseling, punching, prying and tampering tests. You can feel



in all tests and proudly bear th U.L. security certification.

OPTIONS AND ACCESSORIES FOR EVERY INDIVIDUAL PREFERENCE AND NEED






BRASS LAMP



Gun Lock



SHELF PISTOL RACK (4- & 8-GUN)



TRIGGER BLOCK



ELECTRONIC DIGITAL LOCK



INTERIOR DUPLEX OUTLET



PALLET COVER



DOOR-MOUNTED PISTOL RACK

Interior Color Choices



Mocha Fabric





Gray Fabric



Beige Velour

Exterior Color Choices



Classic Black

Taupe






Forest Green



Gray Granite Textured (Športsman™ only)




Certified Fire Protection By Omega Point Labs Our Triple-Wall fire protection package is one of the finest available, meeting Omega Point Laboratories' fire-rating certification for protecting fire-sensitive paper items, and available on all Premier™ safes. We install two continuous layers of U.L.-listed 5/8" insulation, and a Palusol® fire-seal door gasket.

Contents are protected up to 1200°F for 30 minutes more than enough protection from most home fires. This type of protection is also ideal for firearms, coins, and similar items.

R 2196544

remington FIEARING Protection

EFFECTIVE SOUND BARRIERS THAT HELP
GOOD SHOOTERS REMAIN GOOD LISTENERS



2000


R2000™ ELECTRONIC THIN MUFF

These new electronic ear muffs monitor sound selectively.

They block out loud reports and other sounds above 84

decibels. But they let through, and can even enhance, normal conversation with individual muff controls.

Lightweight, thin-profile muffs seal snugly around the ears. And the headband can be adjusted to fit all head sizes, even over caps. (Batteries included.)



These 10 oz. lightweight muffs provide the world's highest noise-reduction rating of 31. Soft foam muffs pivot independently on the wide padded headband for a comfortable fit, and create a tight seal around the ears for maximum protection.



RANGEMASTER® EYE AND HEARING PROTECTION SYSTEM

"UVEX" goggles flip up and down easily, even over eyeglasses, to add eye protection to these comfortable, foam-padded muffs with a NRR of 26.



M-29 EAR MUFFS

A high level of sound protection and long-wearing comfort features: deep foam-lined cups provide total coverage without compressing the outer ear, and oversized foam cushions with a padded headband make these muffs extremely comfortable. NRR of 29.

M-28 EAR MUFFS

Our highest-rated, super-compact folding mulfs store easily when not in use. Soft foam construction and light weight make them ideal for extended wear. Furnished with convenient belt clip for easy toting. NRR of 28.



M-24 EAR MUFFS

These three-position mults feature comfortable vinyl cushions that make an effective seal around the ear and are easily removed for maintenance. NRR of 25.



PC-27 INSERT PLUGS


Designed for repeated use, and constructed of soft sound-attenuating material, our PC-27 plugs fracture air waves and reduce sound intensity. NRR of 27(also available uncorded).



P-30 INSERT PLUGS


These convenient, disposable plugs are made of comfortable self-adjusting foam. Their smooth tapered surface allows quick, easy insertion and comfortable wear. NRR of 30.


THE CUTTING EDGE OF QUALITY WITH SIZES AND BLADES FOR EVERY TASK



REMINGTON'S RICH TRADITION OF KNIVES

During the first half of the last century, Remington® knives carved out a legendary position in American outdoors tradition. Remington became the nation's leading producer of quality cutlery with an incredible array of models and patterns. In one form or another examples were carried among those of virtually every trade or profession. The most famous, and the ones with the greatest collector value, are the unique "Bullet" knives with the distinctive cartridge shield on the handle. The original Remington cutlery line became a casualty of the company's World War II conversion to exclusive military production. But today, its presence has been re-established - not only with a new series of the famous "Bullet" knives, but with a wide selection of finely crafted sportsman, utility and executive knives.





2000 "NAVIGATOR" BULLET KNIFE


The new 2000 "Navigator" Bullet Knife is the most distinctive yet of the current series - combining several classic design features of the past with superior, modern materials of the present. The 2000 "Navigator" is a single-blade lockback in the unique Barlow style. The 41/4-inch clip blade with a back scaler is made of 440A stainless steel. Traditional markings include the Remington logo etched beneath the blade nail mark and stamped on both sides of the bolster, and a Remington/UMC® circle tang stamp. Handles of durable Delrin® replicate original jigged bone. The Bullet shield, bolster, liners and pins are all made of nickel silver.

	2000	"NAVIGATOR"	BULLET™ KNIFE	
	Knife Patt	ern 🖟 🧸 Blade 😘 🖟	Length	
*	Barlow	Clip	5" Closed; 93/14" Overall	
			★ New For 2000	,

RATTLESNAKE™ "ONE-HANDERS"

We've all been there — a line to cut, but one of your hands is occupied and you can't let go to open your knife. With our new Rattlesnake M One-Hander lockbacks, a simple push on the oval thumbhole opener and you're good to go.





RATTLESNAKE™ "ONE-HANDER"

	Handle V 9	Blades	Closed Length
*	Camo	Drop Point, Saw	51/4"
*	Camo	Drop Point	514"
	Black Nylon	Serrated Edge Drop Point	51/4"
	Black Nylon	Drop Point, Saw	51/4"
	Black Nylon	Drop Point, Saw with Gut Hook	5'4"
	Black Nylon	Saw	51/4"
	Black Nylon	Serrated Edge Clip	5'%"
			Man. Fax 2000

★ New For 2000

R 2196546

TITANIUM-COATED TACTICAL KNIVES

These easy-handling new knives combine the convenience of one-hand opening, lockback safety and quick-access belt/boot clips. Construction includes titanium-coated blades, liners, and spline screws, as well as rugged, checkered "G10" handles.



			The same of the sa
_		NIUM TACTICAL "ONE-I	
Ŀ	landle	Blades & Ball State Control	CONTRACTOR NAME OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNE
*(310	Titanium-Coated Spear with Back Saw	51%"
*(310	Mini Spéar	41/6"
•			New For 2000

SPORTSMAN™ KNIVES

Knife Pattern	Blades/Handle Overall Length
Sportsman™	Clip/Black 91/6"
Sportsman	Drop Point/Black 934"
Sportsman	Drop Point with Gut Hook/Black 93/16"
Bird & Trout	Clip/Black 81/6"
Boot Knife	Blade/Hardwood Resin-impregnated 7"



SPORTSMAN™ KNIVES

These fixed-blade knives feature blades of 440A stainless steel in a variety of designs and handle colors to meet any need.

BANDIT™ KNIVES

Smooth black synthetic handles,

gold logo, and quality construc-

tion married with a collection

of the most useful blades you could ever want in

an economy-priced knife.

BANDIT	™ KNIVES	
Knife Pattern	Blades Prof. The Blades	Closed Length
★ Gentleman's	Clip	3"
Barlow	Clip, Pen	31/4"
Peanut	'Clip	23/4"
Trapper	Clip	3'4"
4-Biade Camp	Spear, Punch, Can Opener, Cap Lifter & Screwdriver Combo	31/4"
6-Blade Camp	Spear, Clip, Can Opener, Cap Lifter & Screwdriver Combo Corkscrew, Leather Punch	35%"
	4.41	

GENTLEMAN'S

BANDIT

★ New For 2000

FIXED-BLADE HUNTING KNIVES

Our high-performance ATS knives have hollow-ground blades made of tough ATS 34 tool steel, and a choice of Kevlar®impregnated nylon or laminated-wood handles. Our Conquest™ knife has a 4" cutting blade, full-length tang, and handsome rosewood handle. Leather sheath included.




FIXED-BLADE HUNTING KNIVES

Knife Pattern	Blades/Handle	Overall	ength)
Conquest™	Clip/Rosewood	8"	
ATS 34	Drop Point/Multi/Color/Wood	8"	

GRIZZLY™ KNIVES

Single Lockback	Serrated Edge Clip	5"	
Single Lockback	Clip	5"	
Single Lockback	Drop Point with Gut Hook	5"	
Double Lockback	Serrated Edge Clip Bone Saw & Gut Hook	5,"	
Double Lockback	Straight Edge Clip Bone Saw & Gut Hook	5"	




GRÍZZLY LOCKBÁCKS

It's hard to find a tougher, more versatile knife than our Grizzly. Though compact, it opens up and locks to the size and strength of a large fixed-blade knife. Rugged RemGrip™ handles provide a non-slip grip for tough outdoor jobs.

GENUINE STAG KNIVES

All three of these beautiful folding knives are constructed of the highest-quality materials, including 440A stainlesssteel blades with brass liners, and nickel-silver bolsters and pins. All complemented by genuine stag handles.




GENUINE STAG KNIVES

Knife Pattern	Blades No. 11	Closed Length
Barlow	Turkish Clip	. 3ነለ"
Trapper	Spey, Clip	4"
Lockback	Turkish Clip	4"


REMINGTON° KINIKVIES

FOR BOONDOCKS TO BOAT DOCKS
AND BUSINESS BOARDROOMS



DELRIN®-HANDLE FOLDING KNIVES

Our family of traditionally styled Delrin®-handle folders now includes a one-hander version built on the standard "Big Game" knife frame. In all, there are 12 Delrin® knives, from small pocket to full-size hunting versions.



DEL	RIN®	FOL	DING	KNIVES

Knife Pattern	Blades	Closed Length
One-Hander	Drop Point	5"
One-Hander	Drop Point "Mini"	354"
Tuxedo	Spear, Pen	3"
Canoe	Spear, Pen	354"
3-Blade Stockman	Clip, Spey, Sheepfoot	3%"
Gentleman's	Clip	3"
Pen	Clip, Pen	3"
Whittler	Clip, Pen, Coping	3º/4"
Upland	Clip, 12/20 Gauge Choke Tool/ Screwdriver, Gut Hook	37/4"
Trapper	Clip, Spey	414"
Waterfowl	Clip, Serrated Bone/Cartilage Blade 12/20 Ga. Choke Tool/Screwdriver, Pin Punch	4¹¼"
Camp	Spear, SS Punch, Can Opener, Screwdriver/Cap Lifter	31%,,



EXECUTIVE KNIVES

Tuxedo	Spear, Pen/Mother-of-Pearl	3"
Money Clip	Pen, Nail File/Stainless Steel	21/6"
Letter Opener	5'/," Blade/Mother-of-Pearl, Malachite	9'/' Overall



9500™ SERIES FOLDING KNIVES

Knife Pattern	Blades	Closed Length
Barlow	Clip, Pen	3³¼ "
2-Blade Skinner	Clip, Spey	31/4"
Mini Stockman	Clip, Coping, Pen	2³¼ "
Trapper	Clip, Spey	4"
Stockman	Sheepfoot, Clip, Spey	41/4"

STREN® FIXED & FOLDING FILLET KNIVES




STREN™ KNIVES

Knife Pattern	Blade	sir 使使感染
Fillet	14"	Elongated Clip
	6"	Elongated Clip
	716"	Elongated Clip
	, 9*:	Elongated Clip
Folding Fillet	51/4"	Elongated Clip


REMINGTON CAMP AXE

There is no more important tool in camp than a sharp, compact axe for making kindling, driving stakes or field-dressing game.




SEOTGUN ACCESSORIES

CUSTOMIZED TOOLS THAT LET YOU MAINTAIN YOUR SHOTGUN LIKE A GUNSMITH



STOCK AND FORE-END WRENCHES

Ideal for inspecting, cleaning or changing parts on Remington® shotguns. Stock wrenches for Model 870^{TM} , 1100^{TM} , and $11-87^{TM}$ shotguns can be inserted into the butt stock channel beneath the butt plate to remove stocks. They have recessed screwdriver blades to fit nuts firmly and precisely. Opposite end T-handles are capped with easy-to-hold synthetic balls. The fore-end wrench for Model 870^{TM} shotguns has a notched blade to fit matching slots inside the front part of the



EXPRESS® UPGRADE KIT

Stored in a hard plastic box, this convenient field companion for Remington shotguns includes Improved Cylinder and Full RemTM Chokes, a Choke Tube Speed Wrench, and a 1-oz. bottle of RemTM Oil.

MODEL 870™ FORE-END WRENCH






ADVANCED 12-GA. CHOKE TUBE WRENCH

The T-handle speed knob of this wrench spins choke tubes in and out quickly and positively. A bore guide aids proper seating of the wrench, aligns it properly, and allows complete engagement of its tool-steel blade with the choke tube notches.

REM™ CHOKE TUBES AND WRENCHES

	12-ga	20-ga
Turkey Super Full (lead shot only)	•	•
Turkey Extra Full (lead shot only)	•	
Turkey Extended Straight Rifled	•	
Full (12-ga. steel or lead, 20-ga. lead only)	•	•
Modified (steel or lead)	•	•
Improved Cylinder (steel or lead)	•	•
Sporting Clays SC1 - Skeet (steel or lead)	•	•
Sporting Clays SC2 – Imp. Cyl. (steel or lead)	•	•
Sporting Clays SC3 – Light Mod. (steel or lead)	•	•
Sporting Clays 4-Piece Combo set	•	
Skeet (steel or lead)	•	•
Improved Skeet (steel or lead)	•	
Trap Full' (lead shot only)	.•	
Trap Extra Full' (lead shot only)	•	
Trap Super Full' (lead shot only)	•	
Extended Rifled	•	
Rifled	•	
Advanced Choke Tube Wrench	•	
Standard Wrench •		•
1 Specially designed for use in Reminoton trap barrels only		★ New For 2000





CLEANING MITS & FIREARM CARE ACCESSORIES

THE BEST THERE IS TO PRESERVE
YOUR GUN'S APPEARANCE AND PERFORMANCE



UNIVERSAL




REMINGTON® CLEANING KITS


To keep your firearms performing like new, make a small investment in factory-designed cleaning equipment. Offered for rifles, shotguns, pistols, and for universal use, our four SportsmanTM kits contain everything you need for complete firearm care, including our rugged all-metal cleaning rods. They're complemented by a wide selection of separately packaged bore brushes and swabs, aluminum slotted tips and various-sized cleaning patches in cotton and cotton "G.I." material.

RIFLE

SHOTGUN

PISTOL






CLEANING PATCHES In 100% cotton & cotton "G.I." .22 to .45 cal. and .410 bore to 12-ga.



UTILITY BRUSHES

Available with either nylon
or phosphor-bronze bristles.



ADAPTER/SLOTTED TIPS
Rifle-to-Shotgun adapter (top)
Pistol/Rifle — packed w/kits (middle)
Shotgun — packed w/kits (bottom)



SPORTSMANTM CLEANING RODS Aluminum construction for a long life of hard use. Furnished in rifle, pistol and shotgun versions with slotted tip for use as a patch puller.

BORE BRUSHES/SWABS

The first step to a clean bore. These premium-quality phosphor-bronze bore brushes are designed to effectively loosen and remove build-up and fouling residues from the bore of most guns.



RIFLE .22 to .45 cal.



SHOTGUN .410 bore to 10-ga.



PISTOL .22 to .45 cal.



100% cotton

68





BRITE BORE™

Remington Bright Bore™ is a versatile cleaner for barrels, choke tubes and actions. A handy,

take-anywhere 2-oz. bottle is packed with all Sportsman™ Cleaning Kits.

BORE CLEANER

Removes carbon, lead, copper and plastic wad fouling by mechanical action. Non-acidic. non-corrosive, completely natural elements won't damage bores or bore brushes. Comes in 4-oz. squeeze bottle.



Teflon® base provides a tough, non-congealing film without the residue of dry graphite lubes. Keeps firearms functioning

dependably to -40°F. Available in easy-to-use 4-oz. aerosol can.




REM™ ACTION CLEANER

Spray-cleans dirt, powder residue, and caked lubricants from disassembled actions and fire-control mechanisms with ease. Dries quickly and leaves no residue. CFC-free formula comes in 10.5-oz. can with jet-spray extension tube.



This full mil spec cleaner, lubricant, and protector is the most advanced breakthrough in synthetic oil formulas. Cleans corrosion, grime, grease and dirt from metal, and prevents deposits from attaching to the surface. Lubricates and prevents wear on moving metal parts, even under high-speed, high-friction conditions. Comes in 6-oz. pump spray bottle.





benches to help make gun cleaning easier, faster and less messy. They have a soft, acrylic surface material that won't scratch guns or the table underneath and that helps keep small parts or screws from rolling away or falling off. The absorbent top material traps and holds up to eight times its weight in fluids, while a non-slip vinyl bottom forms a barrier to prevent spilled fluids from soaking through. Rem Pad Gun Cleaning Mats come in Remington green, are machine-washable, and are furnished in two sizes - 12"x28", and 16"x54".



The most versatile gun oil you can buy. It cleans dirt and grime from exposed metal surfaces, displaces non-visible moisture from metal pores, and protects internal and external metal parts from rust and corrosion. Its exclu-

> sive Teflon® formula provides a tough, thin, long-lasting lubricating film that keeps actions working smoothly by reducing metal-to-metal wear. Comes in 1-oz. squeeze bottle for field use and 4-oz. and 10-oz. aerosol.



Remineto

Rem

REMENGTOR ACCESSORIES

ORIGINAL FACTORY QUALITY TO EXPAND AND ENHANCE YOUR GUN'S PERFORMANCE







FACTORY PARTS


Keep your Remingtons up to peak performance by always using Remington parts and accessories.



MAGAZINE CLIPS



CENTERFIRE MAGAZINE CLIPS



REM™ RAC GUN RACKS

RemTM Rac Gun Racks provide a practical means of holding and storing firearms in pick-up trucks, vans, RV trailers, boats, utility and other outdoor vehicles. One version uses simple, firm-gripping suction cups for mounting on any flat surface. The other utilizes industrial-quality double-stick adhesive for attachment. The brackets themselves include security straps, and are lined with non-scratching heavy-duty rubber.


SUCTION CUP



UNIVERSAL 870™/1100™/11-87™ RIGHT AND LEFT-HANDED SCOPE MOUNT

SHOTGUN SCOPE MOUNT

Our lightweight, easily installed shotgun scope mount is perfect to add the magnification and precision of scope sighting to your shotgun. To attach the shotgun mounts to the receiver, simply remove the front and rear trigger plate pins and use the replacement pins that also attach and support the scope mount. Several cross slots atop the mount for Weaver-type rings allow adjustments for desired eve relief.






STRAIGHT-RIFLED TURKEY CHOKE & TRUGLO® FIBER OPTIC SIGHTS


Our Extended Straight-Rifled Turkey Super Full Rem™ Choke enhances patterns by stabilizing the shot cup/wad as it exits the barrel. The light-gathering TruGlo® Magnum "Gobble Dot" sight system uses fiber optic technology to "amplify" the available light for a precise sight picture.





MODEL 597™ SCOPE MOUNTING RAIL

WHERE YOU WILL BECOME A BETTER SHOOTER





There are no secrets to being a top shotgunner, just proven techniques that work if someone shows them to you. That's the purpose of the Remington Shooting School. Our unique REM method of instruction (Reading the target. Eve contact and

Movement) provides shooters with solid recall of what they learn. Whether your interest is trap, skeet, sporting clays or wingshooting, the Remington Shooting School will help you develop and perfect your own natural abilities while enjoying a top-flight program. The staff is made up of experienced NSCA-certified instructors and guest clay-target champions. A comprehensive 3-day agenda covers shooting techniques and proper gun fit and choke selection, as well as other important factors such as proper eye focus and mental attitude. The school has locations in

upstate New York and Orlando, Florida, and our new expanded program takes the Remington Shooting School on the road to Reno, Nevada; Chicago and Bloomington, Illinois; and Hawaii. The 3-day all-inclusive value-packed instructional program offers you fun, fine food, first-class accommodations, and unlimited targets and ammo. Class sizes are limited and filling fast, so call today for additional information, locations and dates: (800) 742-7053.





STREN® EXTRA STRENGTH™

- · Stren's strongest monofilament line
- . 60% or more stronger than label rating
- · Balanced properties
- · Universal applications



STREN® FLUOROCARBON

- · New 100% fluorocarbon line that's essentially invisible under water
- · Made from an advanced casting formula for smooth easting and handling
- · High abrasion resistance
- · Low stretch to sense more strikes
- · UV ray-resistant
- · High tensile strength
- · Available in 250 yd. spools

ORIGINAL STREN®

- · High tensile, shock and knot strength
- · High abrasion resistance
- Controlled stretch
- 2- to 80-lb. test
- · Proper limpness and low memory for easy handling
- · Available in clear, clear/blue, lo-vis green & hi-vis gold



STREN® SENSOR®

- · Lowest stretch of any mono line
- · High sensitivity
- · Extra hook-setting power
- · Excellent abrasion resistance
- · 4- to 20-lb. test
- · Available in clear and green

STREN® EASY CAST™

- · Superior strength
- · Exceptional castability
- · Patented construction
- · Advanced filament technology · Excellent abrasion resistance
- · 4- to 30-lb. test
- · Available in green, clear, coffee & clear/blue

STREN® SUPER TOUGH™

- · Maximum abrasion resistance
- · Superior knot strength
- · Extra strength for large trophy angling
- 2- to 40-lb. test
- · Available in clear & lo-vis green



STREN® MAGNATHIN®

- · Low diameter, high strength
- · Extremely limp & flexible
- · Superior casting
- · Maximum lure action
- · More line capacity on reel
- · 2- to 130-lb. test
- · Available in clear, moss green and walleye gree

STREN® HIGH IMPACT™

- · Monofilament
- · Tournament (IGFA Class)
- · Mono & fluorocarbon leaders
- · Sleeves & swager
- · Available in clear, gold, lo-vis green, and new hi-vis green











A GREAT LINE-UP OF SHOOTING AND HUNTING CLOTHING, CAMPING PRODUCTS AND DECORATIVE ACCESSORIES FOR A LIFE IN THE OUTDOORS.



BRUNSWICK CORPORATION
OUTDOOR RECREATION GROUP
6101 East Apache Street
Tulsa, OK 74115
(918) 831-6233

APPAREL, AIR MATTRESSES, BACKPACKS,
CAMOUFLAGE BAGS, CAMPING FURNITURE,
CANVAS BAGS, GUN/ARCHERY/FISHING RACKS,
SLEEPING BAGS, STOOLS, TENTS,
WADERS AND WADER ACCESSORIES





THE ALLEN COMPANY P.O. Box 445 525 Burbank Street Broomfield, CO 80038-0445 (303) 469-1857




GUN CASES, HUNTING AND ARCHERY ACCESSORIES

CALENDAR PROMOTIONS 1010 South Ninth Avenue Washington, IA 52353 (319) 653-6535




REMINGTON® CALENDARS

FABER BROS., INC. 4141 South Pulaski Rd. Chicago, IL 60632 (773) 376-9300




REMINGTON® RODS, REELS AND COMBOS

GOLDEN STATE INTERNATIONAL 300 Market Street Oakland, CA 94607-3032 (510) 893-6789



MEN'S AND LADIES' WRISTWATCHES,
POCKET WATCHES AND ALARM CLOCKS



SMOKY MOUNTAIN KNIFE WORKS P.O. Box 4430

Sevierville, TN 37864 (423) 453-5871 (800) 251-9306

NOSTALGIC DECORATOR SIGNS MADE OF EMBOSSED TIN AND PORCELAIN; CERAMIC MUGS; OUTDOOR THERMOMETERS



UNITED STATES PLAYING CARD CO.

4590 Beech Street Cincinnati, OH 45212 (513) 396-5700

PLAYING CARDS







GEAR BOX, INC.

4515 20th Avenue S.W. Cedar Rapids, IA 52404 (319) 390-1405

DIE-CAST REPLICAS






OLYMPIC OPTICAL

3975 Vantech Drive, Suite 2 Memphis, TN 38115 (901) 794-3890

FISHING GLÄSSES, BIKING GLASSES. SHOOTING GLASSES, SUNGLASSES. SAFETY GLASSES, SAFETY GOGGLES




OUTDOOR CAP COMPANY, INC.

1200 Melissa Lane Bentonville, AR 72712 (888) 884-4868




VINTAGE EDITIONS, INC.

88 Buff Lane Taylorsville, NC 28681 (828) 632-4185




DECORATIVE WOODEN BOXES, WOODEN TRAYS, TRASH CANS, FRAMED MIRRORS, SIGNS, CANDY/GUM DISPENSING MACHINES AND SCREEN-PRINTED GLASSWARE



3110 Ranchview Lane Plymouth, MN 55447 (612) 559-1092





NORTH AMERICAN FOOTWEAR 1325 Eagandale Ct., Ste 100 Eagan, MN 55121 (651) 405-8265

REMINGTON® BOOTS AND SHOES




HEAD GAMES PUBLISHING 7646 Golden Triangle Drive Eden Prairie, MN 55344 (612) 942-5202

CD-ROM COMPUTER GAMES







Driving For The Winners Circle!

Remington is proud to join forces with Dale Earnhardt and Dale Earnhardt, Jr. on their quest for the NASCAR Winston Cup title. In a six-year deal beginning in 2000, Remington and the Earnhardts will unite in their passion to be the best.

Lifelong hunters, outdoorsmen and Remington shooters, Dale Earnhardt and Dale Earnhardt, Jr., as spokesmen, will share "Remington Country" with millions of NASCAR fans. Remington will also be a proud associate sponsor on the #8 Budweiser car driven by Dale Earnhardt, Jr.

"Like Remington, the Earnhardt family has a rich hunting heritage. As avid outdoorsmen and shooters, Dale and Dale, Jr. are more than

spokesmen, rather core users that can speak with authority to the quality of the Remington name. We are thrilled to be a significant part of the Earnhardt family," says Tommy Millner, CEO and President of Remington.

So join the most famous name in NASCAR and the best-known brand in the outdoors in the hunt for a Winston Cup trophy!

300, 9500, ADL., Accelerator, BDL., Bandit, Brite Bore, Bronze Point, Bullet, Classic, Conquest, Copper Solid, Copper-Lokt, Core-Lokt, Cul-M-Rite, Cyclone, Disintegrator, Driving Band, Duplex, Express, Etron X. Express-Steel, Fieldmaster, Figure 8, Gamemaster, Golden, Golden Saber, Grizzly, Gun Club, High Impact, Ideal, Kleanbore, Lead-Lokt, Lok-Knot, Magnathin, Marine Magnum, Model Seven, Model 11-87, Model 40-XB, Model 40-XB, Model 40-XR, Model 40-XR, Model 40-XR, Model 40-XRBR, Model 51-T, Model 552, Model 572, Model 572, Model 581-S, Model 597, Model 700, Model 700, Model 7400, Model 7600, Model F-10, Nitro CLP, Nitro CLP, Nitro Mag, Nitro-Steel, Peters, Power-Lokt, Power Piston, Premier, Quick Look, R, R2000 and R2000 logo, Rangemaster, Rattler, Rattlesnake, Rem. Rem DriLube, RemGrip, Rem-Lite, Remington Remington Racing, Remington Shooting School logo, Rustless, Sendero, Sensor, ShurShot, Slugger, SP, SPS, SPS-T, Speedmaster, Sportsman, STS, Stren, Stren Fish logo, Subsonic, Super Magnum, Super-Tough, Targetmaster, Thunderbolt, Ultra Mag, UMC, Unibody, Viper, Vortex and Vortex logo, Wetproof, Wingmaster and Yellow Jacket are trademarks of Remington Arms Company, Inc., Madison, NC 27025, Cordura, Delrin, Inc., Nesler, Tellon and Zytel are trademarks of DuPont. Swift, A-Frame and Scirocco are trademarks of Hornady, Inc. Nesler, Partition, Solid Base and Ballistic Tip are trademarks of Nosler, Inc. Advantage and Real Tree are trademarks of Spartan-Realtree Products, Inc. Black-Out, Capmaster, Cyclone, Wonder Lube, and Wonder Wads are trademarks of Cx-Yoke Originals, Inc. Kraton is a trademark of Shall. Easy Cast is a trademark of Shalls. Easy Cast is a trademark of Shalls easy Cast is a trademark of Tru-Glo, Inc. Leupold is a trademark of Leupold & Stevens, Inc.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company, Inc., 870 Remington Drive, Madison, NC 27025, for a free copy. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open, and safety on.

We support:



Consumer Information, Arms Service, Parts and Repairs, and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com



For more information visit: www.nssf.org