




NEW SUPERCELL™ RECOIL REDUCTION: SO EFFECTIVE, OUR PUMP GUN BEATS THEIR AUTOS.



Ten years of rigorous R&D has produced a recoil pad far superior to anything the world has seen before. So effective in fact, our Model 870 pump shotgun now produces 54% less recoil than competing autoloaders with their factory pads. Welcome the most effective recoil pad on the planet, the 21st Century's most remarkable development in recoil reduction. SuperCell.™

Look for the logo — SuperCell recoil pads are standard equipment on select products for 2009. Also available as an accessory (page 89).



Absorbs force more efficiently than any pad in the world. "Kick" is reduced to a gentle push.



Lightweight and tough. Also enhanced with a smooth surface for rapid gun mounting.

Our pump gun now kicks less than their auto. SuperCell cuts the recoil and crushes the hype of other systems like no other.

THE WORLD'S MOST EFFECTIVE RECOIL

PAD. This year, the new SuperCell™ recoil pad will single-handedly revolutionize the shooting sports. Its development marks the beginning of a new era in which a pump-action Model 870 produces up to 54% less recoil force than competing autoloaders. Where high-velocity magnum rifles become mild, and introducing new shooters to our sport is smoother and less intimidating. A time of better first shots, and faster second and third shots.

RECOIL'S HOLDING CELL. SuperCell technology is the product of 10 years' rigorous R&D by the top recoil-suppression experts in the industry. Using a complex matrix of millions of SuperCells, this advanced polymer construction harnesses and releases energy over a much longer time period. Rearward force of your gun is reduced from a "kick" to a gentle push and muzzle travel is diminished, resulting in the softest shooting experience possible. All from a pad that's extremely lightweight, durable and enhanced with a smooth surface for rapid gun mounting.


MAKING RECOIL-REDUCTION HISTORY.

AGAIN. For more than 200 years, we've pioneered better shooting through improved recoil reduction. Beginning in 1885 with rubber pads, vented pads in 1948, TPE (thermoplastic elastomer) pads in 1987, and now with SuperCell, an entirely new technology that will forever change the way recoil is harnessed. Welcome to the SuperCell era.

BARBER - R 0003143


MODEL 870° WITH SUPERCELL™ VS. MODEL 870 WITH COMPETITORS' PADS.

"Felt recoil" is peak force vs. the amount of time that force is applied to the shoulder. By spreading force over a longer period than any other pad, SuperCell is proven most effective at reducing felt recoil. We fitted the competitors' pads to our Model 870 – SuperCell dominated.



OUR PUMP BEATS THEIR SEMI-AUTOS.

By distributing force over a longer time period, SuperCell helped our Model 870 produce up to 54% less recoil than a competitor's autoloading shotgun with factory pad. The Model 11-87 with SuperCell™ was the softest shooting of all shotguns tested.



WWW.REMINGTON.COM/SUPERCELL

Log on, watch the video, and see more conclusive proof SuperCell is this century's most remarkable development in recoil reduction.









Highlights of pad comparison.

WENCHII OF PULL SYSTEM



MIN

Now stendard on all

Compact shotguns, our new Adjustable Length of Pull System makes it simple to tailor the fit of your firearm — all the way up to standard size. This system allows the LOP to grow with youngsters and be modified to the precise specification of all shooters of smaller stature. A total 1° of adjustment brings compact builstocks (1° shorter LOP than standard) up to standard size in 44° and 44° increments.

It's also available as an accessory for use on other Remington firearms.

RAFE INCHANDERS:

- · Time MP LOOP strategies
- · One 44 LOP Spacer
- े श्रियां प्रस्ति होते हैं। स्वीताती श्रीयां स्वीतिक स्वीतिक स्वातिक स्वातिक स्वातिक स्वातिक स्वातिक स्वातिक स्व
- ં મિક્કિ જે માં કે માટે કે મા

EVOSTEXTENTA COSTOS SOCIETA CONTRACTOR SOCIETA SOCIETA

Our SinuShot¹²⁰ pistol gip stock affords right- and left-handed shorters equal levels of shorting comfort and rock-steady aim. I Developed to meet the demands of dear, furthey and predator lumbs. Namely, increased maneuverability and extended-range precision.

Proving to be one of the most latiral developments in shotgun technology since the 3 ½° 12-gauge chambering, the new Shurshot stock is redefining latiral range and handling case. Look for it on many Model 870 and

Model 11-37 shotgans this year. (See page 39.)





THE NEW MODEL 887" NITRO MAG.

GOLD STANDARD IN BLACK ARMOR.

REMINGTON® RE-DEFINES PUMP SHOTGUN TECHNOLOGY

Born of the gunmaking expertise that brought you the best-selling, most trusted shotgun of all time - the Model 870™ - the new Model 887™ Nitro Mag is an armor-clad warrior here to carry the torch of our great pump-gun legacy through the most extreme conditions on earth. The most durable and reliable Remington. shotgun ever built, it has no external surfaces to rust. Our exclusive ArmorLokt™ construction process seals the receiver and barrel in a vault of weather-impervious synthetic armor, so you can wipe it down with your wet dog or a decoy bag at the end of the day. Its overmolded surface is built to withstand abrasion in the trenches, whether that's barbed wire, gnarly thorns or the bottom of a Jon boat. And when it's time for action, our revolutionary new SuperCell recoil pad so effectively reduces rearward force that it makes a 3" mag 12 gauge feel like a light field load. This is our softest-shooting pump gun ever. That means enhanced confidence on the first shot and smoother, faster follow-ups.


Because the Model 887 Nitro Mag's design is inspired by the strength and dependability of our Model 870, you can count on it to cycle flawlessly and stand up to abuse like no other. Similar to

the Model 870, its receiver is manufactured from solid steel, and the barrel is hammer-forged. Our ArmorLokt process packages it all under a weather-impermeable outer shell. Twin steel action bars ensure smooth, positive chambering and ejection for the long haul. And the sleek receiver design, awesome balance and

natural pointing characteristics spell trouble for any bird within reach of its 12-gauge 3 ½" Super Magnum capability. The extremely rugged synthetic stock and fore-end are ergonomically contoured to offer a

positive grip and comfortable handling. Swivel studs are built-in.

For 2009, we're offering two versions. The all-black **Model 887 Nitro Mag** has a 28" barrel with a solid rib. It comes with a Modified Rem™ Choke. Our new high-tech waterfowl widowmaker, the **Model 887 Nitro Mag Waterfowl Camo** is dressed from butt to bore in vivid, high-detail Advantage MAX-4 HD™ camouflage. It has a 28" barrel with a solid rib, and comes with an extended Over Decoys Rem Choke that's optimized for non-toxic waterfowl loads. Both versions feature a Hi-Viz™ front sight with interchangeable fiber-optic light tubes to maximize visibility for the conditions.





No shotguns have won more titles, or are better equipped for the high-volume regimen of today's elite shooters. Prepare to see record scores crushed at a rapid rate by our latest upgrade to the lineup — the new **Model 1100™ Premier Sporting** series. Featuring nickel receivers with intricate fine-line embellishments and gold accents, they're as aesthetically impressive as they are sweet to point and shoot. Gold triggers and a custom Premier Sporting hard case complete the package. The Premier is offered alongside our original **Model 1100 Sporting** shotguns. Both the Model 1100 Sporting and Sporting Premier series offer discriminating shooters 12, 20, 28 and 410 options with semi-fancy American walnut stocks and fore-ends, vent-rib Rem™ Choke barrels and four Briley™ extended chokes as standard equipment.

Our **Model 1100 Competition** is super-tuned for the competitive scene. By overboring the 30" barrel and lengthening the forcing cones, we improved shot-to-shot pattern consistency and made what was one of the softest-recoiling actions in the world even easier on your shoulder. The receiver and all internal parts feature a nickel-Teflon's finish for the smoothest, most reliable cycling ever. It's optimized for 2 3/4" target loads and light field loads. Its optional adjustable comb can be fine-tuned to your shooting preference, and the barrel has a 10mm target-style rib. All these, plus a host of other upgrades, transform an already legendary design into an unstoppable force at the range.

Generations of die-hard competitors have made our **Model 1100 Classic Trap** and famous **Model 870TM Classic Trap** venerable mainstays. From 16s to the very back line, they continue to shoot their way to the top of major events every year.




TRUSTED IN HISTORY, ENGINEERED FOR THE FUTURE.

Soft recoil, dependability, balanced pointing characteristics — the Model 1100^{TM} G3 is all that made the original Model 1100 America's most trusted semi-auto shotgun, only better.

Available in 12 and 20 gauge, its improved, technologically advanced gas system cycles 2 3/4" and 3" magnum loads with equal efficiency. By coating key internal parts with Teflon, we've created an action that's easier to clean, smoother and more reliable. The PVD-coated receiver adds durability and a great new look. Felt recoil is reduced and pattern consistency is improved by the overbored barrel.

Then there's Realwood,* our exclusive high-grade walnut construction that meshes genuine American walnut with carbon reinforcements for striking looks that will withstand extreme abuse.

No autoloader has folded more birds or crushed more targets than the venerable Model 1100. We're proud to announce the legacy has advanced — welcome the next generation — the Model 1100 G3.



complete model listings and specifications, see page 95.

*ProBore Chokes are not interchangeable with Rem ** Chokes.

BARBER - R 000314

• All models equipped with 5 choke tubes (ProBore® on 12 ga., Rem® Choke on 20 ga.)

Insignia "R" on grip cap
 Comes with custom gun case




RUT TO STRUT,
IN EVERY STAND, BLIND AND FIELD
BETWEEN.

No matter the season, our Sportsman[®] answers the call with the lethal blend of speed, reliability and smooth operation that has made the Model 11-87[™] a standout since its introduction. These are workhorse shotguns built to our legendary and uncompromising standards for autoloader performance. This year's lineup includes 12- and 20-gauge field versions, 12- and 20-gauge fully rifled slug guns with cantilever barrels in black and camo, a 20-gauge compact model with adjustable length-of-pull system, as well as specialized options for turkey and waterfowl.

Consider the Model 11-87 Sportsman ShurShot™ Camo Cantilever 2008's deer season MVP. Featuring our ShurShot™ synthetic pistol-grip stock, it launches 2 ³/4" or 3" 12-gauge slugs with ambidextrous accuracy. Right- and left-handed shooters alike will marvel at the exceptional comfort, maneuverability and rock-steady hold offered by this new stock design. The SuperCell™ recoil pad tames hard-hitting slug rounds with unmatched efficiency. Its superior shock absorption, when combined with the soft-shooting Model 11-87 action, facilitates rapid, accurate followup shots and gives you more confidence on your first shot. It's dressed from butt to bore in Realtree Hardwoods® HD™ camo and has a 21" barrel that's quick to point. A built-in cantilever mount makes adding optics a cinch. With its unfailing reliability, superior handling characteristics and breadth of line, the Model 11-87 Sportsman is redefining semi-automatic shotgun performance, year after year, buck after bird.

MODEL 11-87TM

SPORTSMAN® SUPER MAGNUM




THE QUICKEST & SMOOTHEST IN SUPER MAGNUM STRENGTH.

When it's time to reach out and crush a big bird, reach for the awesome speed, bone-crushing power and swift pointing characteristics of our Model 11-87tm Super Magnum. Offered in specialized waterfowl and turkey configurations, as well as in a standard black synthetic version with a 28" RemTM Choke barrel, these shotguns tame the biggest, baddest 3 ½", 12-gauge rounds with a soft-shooting action and our revolutionary new ultra-shock-dissipating SuperCell Mercoil pad. Along with world-renowned dependability, these shotguns are equipped with a wealth of specialized features for your game of choice.

Our new Model 11-87 Sportsman Super Magnum Waterfowl definitely looks the part with full Mossy Oak[®] Duck Blind [™] camo coverage. The 28" Rem Choke barrel features a HiViz[®] interchangeable sight system for rapid sight acquisition in low-light conditions. And the included Wingmaster HD [™] Specialized Waterfowl choke tubes are a lethal ticket when the birds are cupped and committed.

The Model 11-87 Sportsman Super Magnum ShurShot* Turkey is the cutting edge in comfort and precision shot placement. Our new ambidextrous ShurShot synthetic pistol-grip stock provides right- and left-handed shooters alike with a rock-steady hold and awesome maneuverability. Its design also aids in lessening felt recoil. When you combine this attribute with the world-leading recoil-suppressing capability of our new SuperCell recoil pad, you have one soft-shooting machine. The quick-pointing 23" barrel has fully adjustable TruGloth fiber-optic sights for pinpoint shot placement. We've also included a Wingmaster HD Turkey extended Rem Choke that'll help you flatten gobblers at the farthest reaches of shotgun range.





For serious extended-range shotgunners, the

Model SP- 10^{TM} is the ultimate in lethality – from duck blinds to the turkey woods and everywhere in between. Its $3\frac{1}{2}$ " 10-gauge payloads are significantly superior in patterning efficiency to 12-gauge $3\frac{1}{2}$ " guns, and even produce less felt recoil. It features a corrosion-resistant gas-operated action in which a small cylinder – not the entire piston – moves, helping dampen rearward force. Ultra-reliable and smooth, it's the only shotgun worthy of the ultimate bird-leveling payload.

Ducks and geese beware: The big gun is now available with the state-of-the-art wetlands concealment — new Mossy Oak[®] Duck Blind [™] camouflage. The **Model SP-10[™] Waterfowl** features a 26" Rem[™] Choke barrel with a high-visibility fiber-optic sight system, and comes with a full set of three Briley extended specialized waterfowl choke tubes.

Our **Model SP-10 Thumbhole** camo will reach out and bust a tom in grand fashion. Its thumbhole stock, adjustable Williams[®] fiber-optic Fire Sights[™] and handy 23" barrel make it the ultimate gobbler stopper. It's also fully dressed in Mossy Oak[®] Obsession[™] camo.

The Model SP-10 Magnum Camo and Model SP-10 Magnum Satin come equipped with 26" or 30" vent-rib Rem™ Choke barrels with twin beads and interchangeable Full and Modified Rem chokes. Choose from a Mossy Oak® Obsession or a traditional wood-stocked Satin finish.

TACTICAL SHOTGUNS

OUR TACTICAL SHOTGUN FAMILY KEEPS GROWING.

Year after year, Remington tactical shotguns are the #1 choice of law enforcement agencies across the country. They are rugged, ultra-dependable and continually evolve as they're called to serve in new, increasingly demanding environments. Built on our legendary pump action that's become the gold standard for high-risk applications, the Model 870 Express Tactical with extremely durable "hammered" gun-metal-grey powder-coat finish, has a quick-pointing 18 ½" barrel and includes our extended ported Tactical Rem Choke. It packs a full 7 rounds of 2 3/½" or 3" 12-gauge firepower with the factory-installed 2-shot extension. The Model 870™ Express® Tactical with XS® Ghost Ring Sights is optimized for rapid target acquisition and precise shot placement with the XS blade sight and XS Ghost Ring sight rail (fully adjustable for windage and elevation), which accepts optics and sight systems as well. Both models have black synthetic stocks and fore-ends with sling swivel studs. Receivers are drilled and tapped.


The **Model 870™ Tactical Desert Recon** series shotguns are equipped with Tiger Stripe Products[®] Digital Tiger™ Desert camo stocks and fore-ends, and military-style olive drab powder-coated metalwork. Choose from two different stock designs, 18" or 20" barrels and two- or three-shot magazine-tube extensions. Both come with our special ported Tactical Extended Rem™ Choke tube.

Our all-black Model 870 SPS Tactical shotguns are offered with 18" and 20" barrels, three stock options, including a Knoxx[®] SpecOpsTM folding stock with recoil-reducing springs and two- or three-shot magazine-tube extensions. All Model 870 tactical shotguns are chambered for 2 ³/₄" and 3" 12-gauge rounds. The famous Model 1100 TM Tactical shotguns come with our standard stock or the Knoxx SpecOps SpeedFeed[®] IV pistol-grip stock and a choice of 18" or 22" barrels. They're chambered for 2 ³/₄" 12 gauge.



MODEL 870
WINGMASTER®

SuperCell RECOIL PAD



AS TIMELESS AND DEPENDABLE AS YOUR LOVE FOR THE SOUND OF WINGS.

Sure as autumn arrives, the Model 870 TM Wingmaster ^B rises to meet another day in the upland fields and woods of America. The Model 870 is so smooth and reliable that today — nearly 60 years after its introduction — it's still the standard by which all pump shotguns are measured. With a receiver machined from a solid billet of steel, it is the model of enduring strength. True to its original design, the pump glides with silky surety on two twin action bars for the utmost in positive chambering and ejection. These characteristics, along with its flawless balance and natural pointing qualities have made the Model 870 the best-selling, most trusted shotgun of all time — of any action type, from any manufacturer. As the most aesthetically refined representative of our prestigious pump-action family, the Model 870 Wingmaster is a true American icon.

Available in 12 gauge 2 3/4" and 3", 20 and 28 gauge, and .410 bore, it has a custom-quality finish and handsome American walnut woodwork. The receiver and barrel are richly blued and highly polished for classic appeal. We also offer a broad selection of barrel and choke options to fit your application. Our Premier Dealers can step the aesthetic appeal up a notch with a version featuring a high-gloss claro walnut stock and fore-end, as well as a handsome pheasant and duck scene embellishment engraving on the receiver.

MODEL 870[™] EXPRESS®

AMERICA'S FAVORITE PUMP SHOTGUN.

Its solid, dependable action makes it America's favorite, and our continual upgrades make it the most advanced, well-rounded family of pump shotguns around. Along with continually evolving designs, this shotgun's superiority is a matter of rugged dependability, great pointing characteristics and versatility. In fact, the Model 870™ has been the standard for slide-action performance for almost 60 years.

Our new Model 870 Express® ShurShot™ Synthetic Turkey is optimized for big birds with the revolutionary ShurShot synthetic pistol-grip stock. It's contoured to accommodate both right- and left-handed shooters, while offering an incredibly steady-aiming platform that handles like lightning and lessens felt recoil. The 21" barrel adds to its superb maneuverability, and the Turkey Extra Full Rem™ Choke channels maximum payload to the sweet spot. Mossy Oak® Obsession™ coverage on the stock and fore-end keeps you concealed.

With our Model 870 Express ShurShot Synthetic Fully Rifled Cantilever, the buck stops a lot farther out than you ever imagined. It features the incredible stability and comfort of our ambidextrous ShurShot stock and a 23" fully rifled barrel. Now available in 20 gauge.

MODEL 870™ EXPRESS®

SHURSHOT™ SYNTHETIC CANTILEVER

Available in: 12 and 20 gauge (2 12 and 3")

For complete model listings and specifications, see pages 96-97.

Stock Stock

Now available in 20 gauge.

From a solid steel block to roller-bearing smooth.
Every Model 870." receiver is machined from a single block of solid steel for unmatched strength. Just one of the many reasons it's the most proven, popular and reliable shotgum action in the world.

BARBER - R 0003153

233-



Introducing the most dependable slide action of all time in three advanced designs that will go the distance with deadly precision, whether your target is the crease behind a buck's shoulder or a big red head. We've built the industry's finest rifled slug guns for years, but our new 12-gauge Model 870TM SPSTM ShurShotTM Synthetic Super Slug advances deer-leveling technology to farther reaches and smaller group sizes than ever before possible. Even more so when paired with high-performance ammunition like our Premier AccuTip sabot slugs. Because barrel stability is key to extended-range accuracy, this shotgun's barrel is of extra-heavy, 1" diameter configuration and measures a full 25 ½." It's also pinned to the receiver to control vibration for rifle-like, shot-to-shot consistency. Five longitudinal flutes keep weight and heat buildup to a minimum while bolstering barrel rigidity. Six Parabolic UltragonTM rifling grooves with a 1-in-35" twist optimize slug flight. But much more than just the ultimate accuracy-enhancing barrel design, this shotgun provides the rock-steady aim and outstanding pointability of our ambidextrous ShurShot pistol-grip synthetic stock. New on the Super Slug stock for 2009, rubberized overmolding at the pistol grip and extended fore-end offer a sure hold in adverse conditions. For unmatched shooting comfort, we added the SuperCellTM recoil pad. The receiver is drilled and tapped, and the included Weaver rail makes adding optics a cinch. Sling swivel studs are built in.

The Model 870 SPS ShurShot Synthetic Fully Rifled Cantilever is an outstanding long-range rig with a fully rifled 23" barrel equipped with a cantilever mount. Its Realtree® Hardwoods HD™ ShurShot stock delivers the best in both stability and maneuverability, and has sling swivel studs built-in.

Our **Model 870 SPS ShurShot Synthetic Turkey** is fully covered in Realtree APG[™] HD[™] camo and delivers 3 ¹/₂" Super Magnum[™] payloads with lethal authority at the longest ranges. It features our ShurShot [™] synthetic pistol-grip stock and 23" barrel for awesome maneuverability. The fully adjustable TruGlo² fiber-optic sights and an extended Wingmaster HD[™] Turkey Rem[™] Choke maximize pattern placement.






MODEL 870™ SPS™ SHURSHOT™
SYNTHETIC SUPER SLUG
(Scope and rings not included)

TUPER TILUG



MODEL 870™ SPS™ SHURSHOT™ SYNTHETIC SUPER SLUG

Available in: 12 gauge (2 1/3" and 3")



SuperCell

Four 3-shot groups @ 100 yards with Model 870 Super Slug using Premier* AccuTip Bonded Sabot Slug 12-gauge ammunition.



Extend your range. Elevate your expectations.

No rifled slug gun you've put a shoulder to will boost your confidence in the woods like our new Model 870TM
Super Slug, and the proof's on the paper. Test groups with our Premier® AccuTip Sabot Slugs are consistently the tightest of any rifled slug gun we've ever produced. This fall, let Remington® slug shotgun and ammunition technology redefine your lethal range.






For complete model listings and specifications, see page 97.

MODEL 870 "SPS"
SHURSHOT SYNTHETIC
SUPER SLUG

FEATURES

- 25 1/2" extra-heavy, 1"-diameter barrel with longitudinal flutes for reduced weight
- Barrel is pinned to the receiver for the utmost in shot-to-shot stability
- Parabolic Ultragon™ rifling with a 1:35" twist
- · Built on the famous Model 870 action
- Accepts 2 3/4" and 3" 12-gauge slugs
- ShurShot pistol-grip stock and fore-end with rubberized overmolding at grip areas
- · SuperCell recoil pad
- Drilled and tapped for scope mounts with Weaver rail included
- · Sling swivel studs built-in




I AM THE LEGENDARY MODEL 700."

I AM THE STANDARD

BY WHICH ALL OTHERS ARE MEASURED AND CONTINUALLY FALL SHORT.

When the Model 700 was introduced more than 45 years ago, it was ahead of its time, and it's even more so today. With enhancements such as our new X-Mark Pro^{TML} Adjustable Trigger, the TriNyte^{TML} Corrosion Conticol System and the continual addition of hot new calibers, barrel contours and stock designs; the strongest and most accurate line of factory-built rifles in the world, is now also the most technologically advanced and versatile. We're proud of the Model 700's heritage — the superior out-of-the-box accuracy, the rock-solid dependability and the generation it's linked to. But we're even more excited about where it's headed.



WHAT LEGENDS ARE MADE OF.

A breakthrough design in every sense, the Model 700TM emerged in 1962 as the first major advancement in the bolt-action rifle category since the 1890s. It was a long-awaited answer to the desires and demands of the hunting and shooting public — a supremely accurate rifle with sleek lines that was built to handle the higher pressures of the latest cartridge innovations. Since then, it has established itself as the most accurate and most popular factory-built rifle in American firearms history.


While there are many claims about accuracy in hunting rifles, the Model 700's heritage speaks louder than any words. Generations of hunters and shooters agree no other production rifle shoots tighter groups with so many bullets and loadings — right out of the box. Its inherent ability to place shots in a tiny cluster is what makes it the envy of every other riflemaker. But much more than that, it is the #1 bolt-action platform of choice for military and law-enforcement sniper units, and custom gunmakers worldwide. It has won more NRA Hunting Rifle Championships than any other firearm, and it's taken big game on every continent in the world.

FIRING ON ONE STOUT. FLAWLESS CYLINDER.

he Model 700 the is engineered with a cylindrical eceiver, instead of the traditional flat-bottom ype. Machined from solid-steel bar stock, this esign provides enhanced rigidity and strength while forming a more consistent bedding area for the action in the stock. This regulates harmonics and also helps bring the barrel to rest in the same place shot after shot. All of which translates to bullets hitting the paper with near identical point of impact, shot after shot

HOW MILLISECONDS PUT IT DECADES AHEAD

With the dramatic increase in precision of our manufacturing processes and the introduction of our X-Mark Pro Trigger system, the exceptionally crisp Model 700 trigger assembly gets better every year. And it's been the best in the industry since its creation. Our ultra-fast lock time of 2.5-3.0 milliseconds is the best in the industry today, greatly minimizing the effects of shooter movement for improved on-game and on-target results. New for 2009, the X-Mark Pro Adjustable. An externally adjustable trigger, with 2 lbs. range of adjustment, set at 3 1/2 lbs. pull.



3-RINGS-OF-STEEL

The strongest action in the world. Without question, the Remington Model 700 rifle is the strongest action ever conceived. Close the bolt and your cartridge is locked in a triple-reinforced vault of steel. The action's unique design also fully supports your cartridge, creating a tighter, more precise fit in the chamber and more exact alignment with the bore

THE LEGEND CONTINUES.

The Model 700 has been a standout since it introduction = at the range, in the field and on the rack – but its guts are what makes it the legendary fixture it is today. All its superior design elements come together with unmatched precision in our nation's longest-running manufacturing facility Each rifle is then sent out into your hands where the next great chapter is written





LEADING THE WAY ANYWHERE, ANYTIME.


When you build the world's best production hunting rifle, depend is high and the places it's called to serve are as diverse as it's owners. For this reason, the Model 700th family has evolved and the most complete and highly adapted rifle line available in the total today. There are stainless, rich blued and matte finishes to choose from with a variety of stock options, including came and colored synthetic. With options from the 17 Remingtonth Fireball all the way up to the devastating 458 Win Mag, the range of calibers is unrivaled in the industry. Our nail-tough TriNyteth Corrosion Control System is the ultimate weapon against extreme conditions. And the revolutionary X-Mark Proth Trigger is now externally adjustable for a clean break at the preferred weight of all shooters.





Extreme conditions require an elite gun. And the latest flagship of the Model 700™ fleet, the Model 700 XCR (Xtreme Conditions Rifle), is ready for any task you are. It's simply the most durable hunting rifle ever built. Our proprietary new TriNyte¹™ Corrosion Control System makes the Model 700 XCR virtually impervious to the most extreme conditions on earth. Using a combination of ultra-potent corrosion-inhibiting materials and an innovative application process, the TriNyte System launches firearm protection far beyond its previous limits. Our new finish delivers scratch and corrosion resistance dramatically superior to standard stainless steel as well as that of any other gun sold today.

The Model 700™ XCR is optimized for sure handling in adverse climates. Its feature-laden synthetic stock is a technological marvel that looks and feels the part with patented Hogue rubber overmolding featured at the grip and fore-end areas. This revolutionary technology helps give you a positive grip in the slickest environments. And shots are made infinitely more comfortable with our SuperCell™ recoil pad — the most effective on the market today. Our X-Mark Pro™ Trigger System gives you a level of crispness and shot control once only available through high-dollar customization. This year, deliver your appointed rounds with the new standard in rugged endurance, the Model 700 XCR. Everyone else will be waiting it out at home.



TRINYTE™ CORROSION CONTROL

SYSTEM. (Patent Pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most

effective barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility. Available in a variety of finish colors.



As proved in a rigorous saltwater test by an independent laboratory, our armor-tough, multi-layer TriNyte'* coating forms a virtually impenetrable barrier to corrosion. It's the most effective on the planet, in fact.



Competition (stainless steel)

TRIGGER IS NOW EXTERNALLY

ADJUSTABLE. It breaks like glass, has virtually zero creep and offers a level of shot control unmatched by any factory trigger today.





The X-Mark Pro™ Trigger delivers true custom-grade performance in a production trigger, and for 2009 is user-adjustable with readily available tools. Not that you'll feel the need. This year's version will also come from the factory with a lighter average pull weight — 3 ½ with 2 lbs. range of adjustment. While others use gadgets and add-ons to hide inconsistencies, Remington eliminates them

with state-of-the-art manufacturing techniques and the tightest possible production tolerances. A mirror-like finish on its components enhances corrosion resistance and adds to its breaks-like-glass feel. The externally adjustable X-Mark Pro Trigger is now standard equipment on new Model 700™ and Model Seven™ rifles.



For more information, visit www.remington.com





POINTING THE WAY TO PEAK ACCURACY & PERFORMANCE FOR MORE THAN 47 YEARS.

The Remington Model 700,™ a rifle with no equal, and a superior performer in every way. Its accuracy and dependability have become the standard by which all other centerfire rifles are measured and continually fall short. Still the most accurate out-of-the-box rifle made, the Model 700 brings its famous action and renowned consistency to this diverse family of guns. All are newly equipped with our externally adjustable X-Mark Pro trigger system.

With our armor-tough TriNyte® Corrosion Control System, the Model 700 XCR is the most durable rifle ever built. And, this year's special Limited Edition Rocky Mountain Elk Foundation Model is dressed in the Realtree® AP™ camo pattern and chambered for 30-06 Springfield - a caliber famous for its ability to make short work of big game.


We've also added the Model 700 CDL™ with a distinctive high-polish blued finish. It's offered in our three best-selling chamberings - the 270 Win, 30-06 Sprg. and 7mm Remington Magnum. Our line of Model 700 CDL SF rifles, offered in a wide range of chamberings. has become extremely popular. This year's Model 700 CDL SF Limited Edition comes in the mild-recoiling, but deadly 257 Roberts. The workhorse Model 700 SPS™ line is as solid and dependable as ever, and we're proud to keep the Buckmasters Edition, including the "Young Bucks" version, filling freezers across America.





TriNyte® Corrosion Control System (Patent pending). Consisting of electroless nickel and proprietary PVD, this armor-tough, multi-layer coating is the world's most effective

barrier against rust and abrasion for firearms, yet is only a fraction of a human hair in thickness. The only thing you'll notice is the near invincibility. Available in a variety of finish colors.








When our triangular barrel contour made its debut in varmint/target weight on the Model 700 TR, it was deemed one of the most innovative barrel designs conceived. We're proud to unveil its big-game evolution, the **Model 700 XHR** (Xtreme Hunting Rifle), firmly seated atop the food chain with the renowned accuracy and supreme strength of our Model 700 action as its foundation. Pick it up, and the first thing you'll notice is the impeccable balance. With a magnum contour barrel crafted in our patent-pending triangular formation, the rifle seems to point itself. This barrel design allows us to shave weight while maintaining the rigidity of a traditional round barrel. And the weight that remains is in all the right places. Plus, its surface area facilitates rapid cooling for more accurate follow-up shots. Not that you'll need them. Like all new Model 700s, the XHR features our new externally adjustable X-Mark Pro trigger system that comes set from the factory with 3 ½ lbs. pull, and can be easily fine-tuned to your preference — by you.

Its cutting-edge performance and looks don't stop at the barrel. The Realtree APT APT Camo synthetic stock is equipped with patented Hogue overmolding accents at the grip and fore-end areas for comfort and a firm hold in adverse conditions. Then we added the world's most effective recoil pad — SuperCell — that reduces rifle kick to a gentle push. The barrel and action are finished in durable satin black oxide. A hinged floorplate magazine and jeweled bolt round out the impressive list of features. Gain the ultimate lethal advantage with the new Model 700 XHR.



THE MOUNTAIN DIDN'T GET ANY SMALLER, IT JUST SEEMS THAT WAY.

We know the high country demands high standards, that's why we've built the all-new, amazingly light Model 700TM Alaskan Ti. Weighing only 6 ½ pounds long action and 6 pounds short action — it's the ultimate rifle for high-altitude spot-and-stalk hunting. The key to its lightweight feel starts with a titanium receiver that's impervious to weather (drilled and tapped for mounts), incredibly strong and half the weight of steel. Complementing the super-light receiver is a bolt featuring spiral-cut flutes and a 24" magnum contour barrel with light-varmint-style fluting. The action is pillar bedded for outstanding shot-to-shot consistency. Its premium Bell & Carlson stock features their MaxxGuard finish for enhanced durability.

Another favorite for those high-country pack-in hunts is the aptly named **Model 700 Mountain Rifle**. Extremely lightweight, it features a compact stock and tapered barrel to deliver fast, carbine-like handling with full-bore range and accuracy. Its sleek lines, classic shape and superb feel have made it one of our most popular rifles.







X-MARK PRO ADJUSTABLE TRIGGER

MODEL 700™ XHR Available in: 243 Win. 25-06 Remington, 270 Win. 7mm-08 Remington, 7mm Remington Mag. 300 Win Mag. 7mm Remington Ultra Mag. 30-06 Sprg, 300 Remington Ultra Mag

For complete model listings and specifications, see page 99.



TRIANGULAR BARREL WITH 1/4" COUNTER-BORE MUZZLE





CARBON STEEL ACTION / JEWELED BOLT

MODEL 700 XHR FEATURES

- · Patent-pending 24" or 26" triangular barrel in magnum contour
- New X-Mark Pro Adjustable Trigger system
- · Rugged synthetic stock in Realtree® AP™ HD™ camo
- · Hogue® overmolded accents on grip and fore-end
- · Extremely durable satin black oxide metal finish
- · Polished blue jeweled bolt
- · Hinged floorplate
- · Patented SuperCell™ recoil pad







For all those cursed with perfectionism, we'd like to present a permanent fix. The tack-driving new Model 700TM Target Tactical rifle is a confluence of family traits borrowed from our world-class Model 700 tactical, target and varmint rifles that come together like five shots in one hole. With its triangular VTR barrel configuration and Bell & Carlson Medalist Varmint/Tactical stock, its looks are nearly as remarkable as its ability to print tiny groups. The 26" barrel has a ¼" counterbored muzzle to protect the rifling and stabilize bullet flight. It is also 5-R hammer-forged with tactical/target-style rifling like that used in our famous M-24 military rifles for the utmost in shot-to-shot consistency. Our externally adjustable X-Mark Pro trigger adds to the impeccable control. And its stock has a fully adjustable comb and length of pull with a tapered fore-end for minute elevation adjustments on a rest. All of its accuracy-enhancing features are built on the legendary Model 700 foundation.

Although it has all the renowned design aspects and industry-leading out-of-the-box accuracy of a Remington varmint rifle, the **Model 700TM Sendero SF II** is chambered for long-action magnum cartridges for extended-range, big-game performance. It's equipped with a high performance composite stock reinforced with aramid fibers, featuring a contoured beavertail fore-end with ambidextrous finger grooves and palm swell. A full-length aluminum bedding block creates an accuracy-enhancing platform for its barreled action. For rapid cooling and reduced weight, its 26" heavy contour barrel features six longitudinal flutes.




"Why yes, that's really five shots." Tell your friends it's genetics. Fact is, when it comes to precision, there's no finer pedigree in the industry than Remington' varmint rifles. And with the introduction of our new Model 700TM SPS Warmint, staking claim to our legendary accuracy is a more attainable feat than ever.

The Model 700 SPS Varmint is capable of punching tiny groups straight out of the box because it's built on the Model 700 action, the most solid, dependable and trusted in existence.

Its 26" heavy contour barrel is perfectly matched to its high-velocity caliber offerings, including the hot new 17 Remington* Fireball. Plus. the ergonomically designed black synthetic stock has a vented beavertail fore-end for enhanced grip, reduced weight and better heat dissipation. And, sharp predator eyes won't spot the tough, non-reflective matte blued finish on the barrel and receiver. Other standard features include a hinged floorplate magazine, sling swivel studs, and a drilled and tapped receiver. The Model 700 SPS Varmint is destined to leave a lasting impression on any varmint that crosses its line of sight.

5-R Tactical Rifling 1 in 11 114'



MODEL 700™ TARGET TACTICAL (Scope, base and rings not included)



MODI

MODEL 700™ TARGET TACTICAL Available in: 308 Win

MODEL 700™ XCR TACTICAL LONG RANGE RIFLE Available in: 223 Remington, 300 Win Mag, 308 Win

> MODEL 700™ XCR COMPACT TACTICAL RIFLE Available in: 223 Remington. 308 Win


MODEL 700 ** SENDERO SF II

Available in: 264 Win Mag, 7mm Remington Mag,
7mm Rem Ultra Mag, 300 Win Mag, 300 Rem Ultra Mag

For complete model listings and specifications, see pages 100-101

MODEL 700 TARGET TACTICAL FEATURES

- 26" VTR triangular barrel profile with 1/4" counter-bore
- 5-R hammer-forged tactical target rifling (based on M-24 rifling)
- Bell & Carlson Medalist Varmint/Tactical stock with adjustable comb and length of pull
- Tactical style bolt knob
- · All steel hinged floorplate
- X-Mark Pro™ Adjustable trigger :



MODEL MOSE COS.

MODEL 700™ SPS™ VARMINT

Available in: 17 Remington Fireball, 204 Ruger. 22-250 Remington. 223 Remington, 243 Win, 308 Win

MODEL 700⁻⁻⁻ SPS ⁻⁻⁻ VARMINT (Left-Hand) Available in: 17 Remington Fireball. 22-250 Remington. 223 Remington. 243 Win. 308 Win




FEATURES

- Newly designed SPS Varmint stock with vented beavertail fore-end
- · Dual front sling swivel study included (one rear)
- 26" heavy-contour barrel (0.820" muzzle 0.D.)
- Legendary Model 700 ™ action
- Drilled and tapped for scope mounts



For complete model listings and specifications



STUNNING FROM THE BENCH, LETHAL IN THE FIELD.

Built on the famous Model 700™ cylindrical action, Remington® Varmint rifles are the most accurate factory-built models we produce. You'll be stunned by the degree of precision you get straight out of the box. The varmints won't be so lucky.

If you value tiny groups and the big-time weather resistance of stainless steel and synthetic, consider our new Model 700TM Varmint Stainless Fluted (SF) an instant treasure. Its 26" heavy-contour barrel is fluted for weight reduction while maintaining rigidity and rapid cooling. We also added a concave dish crown that protects the rifling lands and promotes tack-driving bullet flight. The rugged synthetic stock has overmolded panels for a sure grip and a vented beavertail fore-end that keeps air flowing around the barrel. There are dual front swivel studs for sling and bipod.


The new Model 700TM VTRTM Desert RECON (in Digital Desert camo) and the Model 700TM VTRTM feature our patent-pending triangular barrel contour that offers reduced weight over traditional heavy barrels, yet delivers optimum heat dissipation and rigidity. Our Model 700TM VL SS is equipped with a laminated thumbhole stock for enhanced stability, comfort and durability. Vents in its semi-beaver tail fore-end facilitate rapid cooling of the heavy-contour stainless barrel. For those who prefer a more traditional varmint rifle, there's the time-tested Model 700TM VLSTM with its classic laminated stock and satin-blued barrel.

There's also the Model **700 VS SF™ II**, a finely tuned machine with full-length aluminum bedding block that creates an ultra-stable, accuracy-enhancing platform. Further improving its shot-to-shot consistency is a 26" heavy contour barrel that's fluted for rapid cooling. Its high performance composite stock is reinforced with aramid fibers and features a contoured beavertail fore-end, ambidextrous finger grooves and a palm swell. Twin front swivel studs accommodate a sling and a bipod.












It's the latest, greatest edition of out-of-the-box accuracy and hunting performance from Remington e — now in stainless steel with a rugged Realtree' APTM HDTM camo stock. An upgrade of our famous Model 710, the new **Model 770** is the perfect choice for any hunter looking to fast-forward through the process of selecting a scope and components. It comes with a pre-mounted and boresighted 3-9x40mm riflescope. But most importantly, it's built to our rigorous standards for accuracy and reliability. Simply choose your ammo and you're ready to shoot.


It features the same great action and barrel as our Model 710 (based on the Model 700TM) with super-accurate button rifling, and a more durable magazine latch. Other advancements include a new, ergonomically contoured stock with a raised cheekpiece for rapid scope-to-eye alignment, and grips textured in all the right places for superior shot control.



YOU NEED A QUICK ONE-TWO
THREE-FOUR-FIVE ...

Maybe you flinched? Or the animal turned at the last split-second? Either way, our Model 7600[™] centerfire rifle will get you back on target — instantly. Because not only are they built to deliver legendary Remington[®] first-shot accuracy, they're also designed for ultra-fast follow-up shots — without ever having to unshoulder your rifle.


Our ever-popular **Model 7600** is one of the most proven deerslayers in the woods. It has a 22" barrel, a four-round magazine and is available in wood and durable synthetic models. All of our centerfire pumps feature quick-release magazines and Remington's rotary bolt lock-up design for exceptional strength, safety and reliability.







MODEL R 25 MODULAR







Remington brought the hunting-rifle prowess, and a leading manufacturer of modular repeating rifles introduced us to the 308 Win platform. What emerged is a masterwork of game-dropping performance and hunt-specific features that will load any camp's meat pole with unrivaled efficiency — the new Model R-25. An advanced, highly lethal blend of accuracy, fast follow-ups and light recoil chambered for three of today's most popular short-action hunting cartridges — 243 Win, 7mm-08 Remington and 308 Win. This rifle is everything varmint and predator hunters love about our R-15 in a beefed-up design that easily handles cartridges suitable for big-game hunting.

For peak accuracy, its precision-crafted 20" ChroMoly barrel is free-floated within the machined aluminum fore-end tube. Six longitudinal flutes forward of the gas block keep weight to a minimum and facilitate rapid heat dissipation. The barrel also features a recessed hunting crown to protect the rifling and aid in more consistent bullet flight. When it's time to make the shot, the R-25's ergonomic pistol-grip gives you unmatched control and rock-steady aim. As a whole, this rifle has a balanced, stable design that makes it deadly from the offhand position. True to our hunting market, the traditional two-stage trigger found on AR-platform rifles has been exchanged for a crisp, single-stage version that comes from the factory set at $4^{1}/2$ to 5 lbs.

Its carefully tuned upper and lower are machined from rugged aluminum forgings. The entire gun is dressed in Mossy Oak[®] Treestand [™] camo that makes it virtually invisible in the field. We included a 4-round magazine, and the R-25 is compatible with DPMS 308 Win-type magazines and accessories. Front and rear sling swivel studs are installed.




BARBER - R 0003175



In the field, patience is a virtue, but when it's time to take action, sometimes you need the speed of a Model 750.™ Its improved gas system provides faster, smoother cycling. And its balanced low-profile design handles like lightning. Rapid follow-ups are its specialty, but famed Remington one-shot accuracy comes standard.

The **Model 750[™] Woodsmaster[™]** features a restyled American walnut stock and fore-end with machine-cut checkering. Felt recoil is diminished by its ultra-efficient gas operated action.

For added durability in all conditions, the **Model 750 Synthetic** features all the Model 750 improvements only with a synthetic stock and fore-end. Go ahead, throw that narrow window wide open with the quickest gun in the woods, the Model 750.



The speed with which they zip out rounds is rivaled only by the striking appearances of our new additions to this venerable, semi-auto rimfire lineup. Easily the most advanced rimfire rifle ever built, the Model 597TM represents the first technological breakthrough in the category in 35 years.

Because our Model 597 action is #1 in autoloading rimfire reliability and out-of-the-box accuracy, it was only natural we develop the Model 597 TVP (Target-Varmint Plinker) to take full advantage of the superior design. Truly the ultimate 22 target-rifle platform, this tack-driver features a 20" stainless heavy barrel and a laminated thumbhole stock that's contoured to accommodate right- and left-handed shooters with equal comfort. It offers impeccable balance for offhand shooting.

The new-for-2009 **Model 597 FLX**TM leads the way in concealment with a FLX Digital camo stock. To game, the pattern assumes the detail and definition of surrounding limbs, leaves and shadows for near invisibility. Speaking of turning heads,

our Mossy Oak® Blaze Orange camo and Mossy Oak Pink camo Model 597 are perhaps the most distinctive rimfires ever built. All have 20", standard-contour carbon steel barrels and TruGlo® fiber-optic front sights.






FEATURES

- Improved gas-operated action for slick, super-fast cycling -
- Stylish American walnut or black synthetic stock and fore-end
- · Stellar balance and a streamlined design for fast target acquisition
- 22" barrel with iron sights (18 1/2" on the Carbine,
- Receiver drilled and tapped for Model 7400 scope mounts
- Exceptional action strength rotary-bolt lock-up-
- Now with sling swivel studs

For complete model listings and specifications, see page 102.



MODEL 597" TVP" Available in: 22 LR









For complete model listings and specifications, see page 103.

FEATURES

- Bolt-guidance system features twin, tool-steel guide rails:
- Offered in both textured finish synthetic or laminated wood stocks
- · Non-glare matte finish
- · Patented, 10-shot metal detachable magazine, 8-shot for magnum.
- · Last-shot, hold-open bolt for added safety
- TruGlo® fiber-optic sights on camo models
- · Scope rail included on Model 597™ TVP and Yellow Jacket

hammer are Tetlon*/

smooth trigger pull

rigidly joins barrel to receiver



Patented drop-out style staggered-stack box magazine assures reliable leeding and nickel-plated for crisp, · fast, easy reloading

BARBER - R 0003177

BARBER - R 0003178
MODEL 552 \(^1\)/572 \(^1\)




LOOKING FOR A CLASSIC RIMFIRE? CHOOSE YOUR MASTER.

For those who still love the look and feel of a classic rimfire rifle, our Model 572TM BDLTM Fieldmaster⁸ and Model 552TM BDL Speedmaster⁸ may be the finest available today. They combine richly blued carbon steel barrels with generously checkered high-gloss American walnut woodwork. But their beauty truly shines through a five-shot cluster – their tack-driving accuracy has made them an enduring customer favorite.

The versatile Model 572TM BDLTM Fieldmaster[®] is one of the most popular pump-action 22 rimfires made in America today. It handles 22 short, 22 long and 22 long rifle cartridges interchangeably. Other features include big-game sights, a positive cross-bolt safety and a grooved receiver for scope mounts.

The lightning-quick **Model 552™ BDL™ Speedmaster®** is the only American-made 22 autoloader that handles 22 short, long and long rifles interchangeably. It's also equipped with iron sights, a positive crossbolt safety and a receiver grooved for scope mounts.

LEFT-HANDED RIFLES






Nowhere will you find as broad a selection of left-handed centerfires. Remington[®] is proud to offer these specially configured Model 700[™] rifles so everyone can experience the legendary accuracy and dependability of our flagship bolt action. This year, we've expanded the lineup with our new Model 700[™] SPS[™] Left-Hand featuring a black matte finish and rugged synthetic stock. And we still offer the industry's first and only left-handed rifle made specifically for youth and small-stature shooters, Model 700[™] SPS[™] Compact Synthetic. Along with our unrivaled standards for out-of-the-box accuracy, all include the new X-Mark Pro[™] Trigger system for the highest degree of crispness and shot control you can get from the factory.

The Model 700™ SPS™ Varmint sports a 26" heavy-contour barrel complemented by a vented beavertail fore-end for rapid cooling and improved shot-to-shot consistency. It comes in five great short-action calibers including the hot 4,000-fps 17 Remington Fireball. Other standard features include a non-reflective black matte finish, hinged floorplate magazine, sling swivel studs and a drilled and tapped receiver.

The **Model 700™ CDL™** is the quintessential hunting rifle, embodying the best in traditional good looks, as well as our leading-edge standards for precision, durability and cartridge chamberings. The **Model 700™ SPS™ Compact Left-Hand** has a 1" shorter length of pull, swift-handling 20" barrel and is offered in two venerable big-game calibers: 243 Win and 7mm-08 Remington.



BARBER - R 0003180 COMPACT FIREARMS



FOR EVERY TRADITION, THERE IS A BEGINNING.

Offered on all 2009 Compact firearms, our new Adjustable Length of Pull System offers a full 1" of adjustment, so any compact model can be tailored to shoolers between sizes and grow with youngsters – all the way up to standard LOP.



- . Two 14" LOP spacers
- One 1: LOP spacer
- Corresponding screw lengths to accommodate 3 different lengths
- · Full 1' of adjustment

Young shooters are more likely to become stewards of the shooting sports if they start with a gun that fits properly. Exactly why we crafted our standard, premium-grade stocks with a shorter length of pull, then fit them to some of our finest firearms. For 2009, all compact firearms are equipped with our new Adjustable Length of Pull System. So, fit can be customized to youngsters as they grow, and adults requiring a shorter length of pull can tailor compact firearms to their specific needs. Rifles feature 20" barrels and youth shotguns have 21" barrels (20" for deer gun).


The **Model 770™ Compact** is the ultimate first centerfire. The next generation of the hunt-ready Model 710, it's chambered for the mild-recoiling 243 Win and comes out of the box with a pre-mounted, boresighted 3-9x40mm scope.


Other centerfires include our workhorse, short-action Model 700[™] SPS™ Compact Synthetic. Now in a left-handed version chambered for 243 Win and 7mm-08 Remington, it's the first-ever southpaw youth rifle offering. Our Managed Recoil 7mm-08 Remington ammunition is the perfect complement to this addition. Our Model 700 SPS Buckmasters "Young Bucks" Compact comes in 243 Win, and features a specially engraved floorplate and Realtree® Hardwoods® Grey HD™ stock.

You wanted some "wow" factor for young ladies, and we answered with the new 20-gauge Model 870™ Express® Compact in Mossy Oak® Pink Camo. We also offer our 20-gauge Model 870 Express Compact with Realtree Hardwoods® HD™ stock and fore-end, as well as our new 20-gauge Model 870 Express Compact Jr. in black synthetic. All Jr. offerings have a 1" shorter length of pull than standard compact models. The gas-operated action of the 20-gauge Model 11-87™ Sportsman® Compact makes it the ultimate light-recoiling compact shotgun.










Where your zeal for fine equipment is surpassed by only your love for the shooting sports, you owe it to yourself to visit the Remington Custon linep. The 1,000-yard rifle, 40 shots in the bull, an ultra-specialized companion to your hunt of a lifetime, stunning aesthetics and once-in-a-lifetime exclusion, — no matter the aspiration, we singularly craft long arms to meet and exceed the most elevated standards for excellence. With unparalleled eye for detail and an adherence to old-world-style craftsmanship, our highly select group of gun articans hone components, engrave and accurize to a benchmark fittingly described as perfection. We employ the most advanced gunmaking equipment available today to fulfill a wide range of critical applications, with the unyielding constants being supreme accuracy and robust integrity to last a lifetime and more.


For more information, visit www.remingtoncustomshop.com.

Legends aren't mass produced, they're made one at a time.

Envy no one: Turn your dreams into cold hard, handcrafted reality with two of the finest big-game rifles in the world today. The Model 700 Alaskan/African Wilderness Rifle II (AWR II) and Model 700 North American Custom. Designed and built by hand in the Remington Custom Shop by the most skilled gunsmiths and firearm engineers in the industry, they take the Model 700's world-renowned accuracy to a level that can only be achieved through personal attention. Expect sub-MOA groups* and every component and contour optimized to perform flawlessly, at the highest level possible, no matter the pursuit. For a lifetime and more.

The Model 700 AWR II is not only a thing of beauty, it is built to endure the harsh, unpredictable land it's named for. The barrel, action, bolt and stanless steel trigger guard and floorplate assembly feature our black TriNyte coating – the most durable and corrosion resistant firearm metal finish available today. It has a custom-turned hammer-forged barrel fashioned with longitudinal flutes that reduce weight and accelerate heat dissipation. Barrels are then mated to "blue printed" actions to achieve our guaranteed accuracy standards. The super-premium Bell & Carlson synthetic stocks have a full-length aluminum bedding block. With this rigid, precise support for the action and barrel, positioning and harmonics are highly regulated to achieve impeccable shot-to-shot consistency. At the squeeze, you'll experience the printable of crispness and control with our Model 40-X" adjustable trigger that is tuned and set in the Custom Shop at a breakt-like-glass. 3 lbs. And the chamberings available are as diverse as your possible pursuits.






The rifles in this series are far-reaching testimony to our entrenchment in the factical community, superior R&D and full-time commitment to augmenting a trained marksman's skills. The Model XM3 Rifle System, chambered for 308 Win, is fully rigged and ready to launch sub-MOA strikes out to 1,000 yards. Incorporating today's most advanced technologies, it is an unparalleled fusion of compact sizing. light weight, accuracy and range designed from the ground up by Lt. Col. USE-C Ret. Norman A Chandler II of IBA under contract with the Defense Advanced Research Projects Agency (DARPA). His system starts with the legendary Model 40 & 30 action platform. The receiver is mounted to a compact, 18 ½" stainless steel (mil-gauged) Hart barrel featuring a 1:10 twist with six grooves. It is match chambered and threaded to accept SureFire's muzzle brake/sound suppressor adapter. Titanium is used for the action, recoil lug. Picatinny rail mount and scope rings to recuce overall weight. A Nightforce NX3 3.5-15x 50mm illuminated mil-dot reticle scope is the ultimate in target detection. The lightweight stock is custom-designed by IBA and McMillan (A1-3) with removable length-of-pull spacers, plus forward grooves on the fore-end for a sure grip. It facilitates installation of the UNS Mount designed for night vision mounting. Proven dependable after 500 hours of saltwater testing, the Man-O-War metal finish is available in black and OD green.


Hand-built in the Remington Custom Shop on our venerable 40-X action, the fully equipped Model 40-XSTM Tactical Rifle System comes with a Harris' bi-pod, world-class Leupold optics. Turner" AWS tactical sling and swivels in a PelicanTM hard case. Its 416 stainless steel, 24" barreled action is coated with our proprietary non-reflective black polymer for protection, then custom-bedded in a McMillan A5 series stock with adjustable length of pull. This rifle and our Model 40-XBTM Tactical sit firmly atop the food chain in accuracy and dependability wherever they are called to serve.


The tack-driving Model 40-XBTM TDR (Target Deployment Rifle) and Model 40-XBTM TIR (Target Interdiction Rifle) have premium, match-grade stainless stead barrels that are hand-lapped for the utmost in consistency. Both are equipped with custom-tuned match triggers and feature built-in Surefire muzzle brakes.




When you have a life-long passion for precision, nothing says you've arrived like a five-shot group you can cover with a dime, and very few rifles on earth can elevate you to this stage in life as quickly as our Model 40-X[™] series. Built on our world-famous Model 40-X action, the very same action that's dominated benchrest competitions since its creation in 1962, these rifles are handcrafted in the Remington Custom Shop to deliver the pinnacle of shot-to-shot consistency. The blueprinted action is impeccably squared to the barrel, and the barreled action is then hand-fitted and epoxy-bedded into the stock, creating a solid, exacting piece of machinery best compared to surgical equipment. An external adjustment on the 40-X trigger gives you a 1 ½- to 3 ½-lb, range, with a special 2-oz, trigger available as an option for select models. The stainless steel barrels are button rifled and hand lapped, then finished with a concave crown.

Our Model 40-XB Rangemaster has a satin-finished American walnut stock with a front swivel block and fore-end guide rail. The Model 40-XB Rangemaster Thumbhole has a two-tone brown laminated hardwood stock with a satin finish and a rock-steady thumbhole grip stock. Aramid-fiber-reinforced fiberglass forms the stock of the Model 40-XBTM KS. For both the Model 40-XB Rangemaster and Model 40-XB KS, the metalwork is all stainless steel for right-handed models. The left-handed model has a blued carbon steel receiver. All Model 40-X series rifles are available in a broad selection of chamberings.









MODEL 40-X CUSTOM RIFLE FEATURES · Custom button-rifled barrels produced from stainless steel bar stock in the Remington Custom Shop All barrels are air-gauged and hand lapped Receivers are trued for precise cartridge alignment " · Custom-tuned externally adjustable target triggers (40-X triggers) All actions are glass bedded and hand fit to the stock · Each rifle undergoes a rigorous evaluation and inspection process including targeting • All rifles .30 caliber and smaller must deliver 1/2-MOA accuracy or better prior to shipment




When you're holding a Model 547 ** Custom, quality of life tends to increase in proportion to the number of rounds you fire. These rifles deliver guarantes **/r" groups or better at 50 yards, and do it with striking aesthetics and the substantial feel of a centerfire. Available in your choice of 22LR or 17 HMR or by special request 22 magnum and 17 Mach 2. They're based on our famous Model 504 with many performance-enhancing details that only come with personal attention from our select group of industry-leading gunsmiths and firearm engineers. At the heart of their astounding accuracy is a button-rifled Shilen' bar ! These hand-lapped barrels start with a high-precision chamber (match-grade in 22LR offering) and are finished with a concave dish or target crown to protest the rifling and better stabilize bullets. Barrels are then locked to the solid-steel receiver with an advanced clamp design for the utmost in strength and stability. Lovers of the Model 700 will appreciate that the bolt has been expertly configured to mirror our legendary centerfire's. And before the rifles leave the factory triggers are hand-tuned to a crisp 3-lb. pull.

The Model 547 "C" Grade has a sleek, C Grade contoured barrel with highly refined C-grade woodwork adorned with traditional cut checkering, then finished and polished by hand. It is complemented by a rich, high-polish-blued receiver and barrel. Our Model 547 Target has an 18 ¼" stainless steel Shilen barrel with a heavy target contour. It has a target-style walnut stock built with the painstaking attention to detail that makes our Custom Shop craftsmen the best in the business. The Model 547 Classic has a redesigned fine-quality walnut stock virtually identical to the Model 700 CDL's, with a straight comb, elegant black grip cap and fore-end tip, and cut checkering. No matter which you choose, the Model 547 Custom is truly the rifle of a lifetime, and untold thousands of rounds.








If you dream it, we can build it.

When your vision for a custom firearm extends well beyond the blueprint, enlist our elite group of highly skilled craftsman to bring the dream to fruition. A Remington Custom Shop High Grade rifle or shotgun is anything you want it to be. Our in-house master engraver will work with you produce all desired patterns and degrees of coverage, from standard to full customization. Your stock can be crafted to any



MODEL 547 *** CUSTOM "C" GRADE







MODEL 547 ™ CUSTOM TARGET




MODEL 547™ CUSTOM CLASSIC

All Rimfire Series Firearms available in 22 LR and 17 HMR. Special request in 22 magnum and 17 Mach 2.

MODEL 547 CUSTOM BIFLE F E A T U R E S

- "Buffed" high polish blued action and button-rifled 22" Shilen barrel
- · Match chamber (22LR) with concave "dish" crown
- Stylish bolt handle modeled after the popular Model 700 bolt handle
- Integrated one piece bolt-handle and cocking piece,
- Redesigned stock with black fore-end tip and grip cap and "CDL Style" checkering
- · Custom Shop tuned trigger set at 3 lbs.
- Guaranteed accuracy: 1/2" 5-shot group @ 50 yards with gallery tested target included








- in nension and hand-checkered to your exact specifications.
- Cose from the world's finest selection of wood, all the
- violate up to the most highly figured. We will finish and polish
- 11 hand to match your desired sheen and colonization.
- H. Inhout an intricate design yould like placed in 24 karat
- go: Hay? Nothing is out of reach. At Remington Custom
- Ship precision engineering and artistry perfectly meld to
- exh guncraft in its highest form



Don Taihot Master Engrave:

Build your dream gun today at www.remingtoncustomshop.com

For nearly a century. Half the Parker Gineliant. American firearms. Today. legacy continues. The AAHE 25 Constitution is built to your specifications using the original Change. Parker Co. blueprints and drawings, and priced at \$49 fbl. We're proud to say the very few of these shorgons that can be offered are available exclusively from the Remingroup. Arms Co. Visit our Web site at www.parkergunmakers.com or e-mail us at parker@remington.com.



PREMIER CORE-LOKT **ULTRA BONDED®**



THE NEW STANDARD OF ACCURACY IN

BONDED HUNTING BULLETS. Premier* Core-Lokt* Ultra Bonded* is a bullet in a class of its own. It is the first and only bullet to successfully maximize the best features of

two great types of hunting bullet construction. It delivers the extreme accuracy and retained energy you would expect from a tipped bullet, in combination with the outstanding penetration and weight retention that only a bonded, non-tipped bullet could deliver. This unique design provides the hunter a Premier bullet that yields devastating on-game performance from 50 to 500 yards. Premier Core-Lokt

Ultra Bonded – the new standard in high-performance hunting bullets.

CORE-LOKT' ULTRA BONDED' EXPANDS RELIABLY AT ALL REASONABLE HUNTING DISTANCES.



50 Yards





100 Yards






200 Yards





400 Yards

30-06 SPRG, 150-GR, PREMIER3 CORE-LOKT! ULTRA BONDED." 5 SHOTS. .6", 100 YDS.




More deadly, Bonded jacket/core design with 2x diameter expansion and up to 95% weight retention for ultimate on-game performance.

The finest big-game bullet in the world is now available to handloaders

(See page 66 for complete listings.)



	TO THE		
PREMII	ER' CORE-LON	IT: ULTRA BO	NDED ¹
223 Remington	PRC223R4	62	Core-Lokt* Ultra Bonded
243 Win	PRC243WC	100	Core-Lokt* Ultra Bonded
25-06 Remington	PRC2505RA	115	Core-Lokt* Ultra Bonded
260 Remington	PRC260RB	140	Core-Lokt' Ultra Bonded
270 Win	PRC270WB	140	Core-Lokt* Ultra Bonded
6.8mm Rem SPC	PRC68R4	115	Core-Lokt* Ultra Bonded
7mm Remington Mag	PRC7MMRA	140	Core-Lokt* Ultra Bonded
7mm Remington Mag	PRC7MMRC	160	Core-Lokt Ultra Bonded
7mm Remington SA UM	PR7SM1	140	Core-Lokt* Ultra Bonded
7mm Remington SA UM	PR7SM4	160	Core-Lokt Ultra Bonded
7mm Rem. Ultra Mag	PR7UM1	140	Core-Lokt* Ultra Bended
7mm Rem. Ultra Mag	PR7UM2-P2	160	Core-Lokt* Ultra Bended
30-06 Springfield	PRC3006A	150	Core-Lokt* Ultra Bended
30-06 Springfield	PRC3006B	168	Core-Lokt* Ulira Bonded
30-06 Springfield	PRC3006C	180	Core-Lokt* Ultra Bonded
300 Win Mag	PRC300WA	150	Core-Lokt' Ultra Bonded
300 Win Mag	PRC300WC	180	Core-Lokt* Ultra Bonded
308 Win	PRC308WA	150	Core-Lokt* Ultra Bonded
308 Win	PRC308WC	180	Core-Lokt* Ultra Bunded
300 Remington SA UM	PR300SM1	150	Core-Lokt* Ultra Bonded
300 Remington SA UM	PR300SM4	180	Core-Lokt* Ultra Bonded
300 Remington Ultra Mag	PR300UM4	180	Core-Lokt Ultra Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Core-Lokt* Ultra Bonded
338 Win Mag	PRC338WA	225	Core-Lokt' Ultra Bonded




PREMIER ACCUTIP

PRECISELY THE BIG-GAME BULLET OF YOUR

DREAMS. It's the most accurate, polymer-tipped big-game bullet available today. Along with match-grade precision, it delivers an unprecedented combination of laser-flat trajectory and devastating terminal performance. AccuTip bullets expand quickly - producing an awesome level of transferred energy - to dispatch medium and big game with lightning authority. A thicker jacket and harder lead core regulate weight retention and optimize penetration. Make the switch and, trust us, big game won't know what hit 'em.

13 Win	PRA243WA	95	Accutio
60 Remington	PRA260RA	120	AccuTip Boat Tail
70 Win	PRAZ70WA	130	AccuTip Boat Tail
30 Remington	PRA280RA	140	AccuTip Boat Tail
nm-08 Remington	PRA7M08RB	140	AccuTip Boat Tail
nm Remington Mag	PRA7MMRB	150	Accutin Boat Tail
Remington AR	PRA30RAR1	125	АссиТір
IO WSM	PRA3DOWSMC	180	AccuTip Boat Tail
-D6 Springfield	PRA3006A	150	AccuTip Boat Tail
-D6 Springfield	PRA30068	165	AccuTip Boat Tail
-06 Springfield	PRA3066C	180	AccuTip Boat Tail
0 Win Mag	PRA300WC	180	AccuTip Boat Tail
O Remington Ultra Mag	PRA300UM1-P1	150	AccuTip Boat Tail
8 Win	PRA308WB	165	AccuTip Boat Tail


NEW



PREMIER® SCIROCCO BONDED

THE TOUGHEST POLYMER-TIPPED BULLET

AVAILABLE. The remarkable Swift ™ Scirocco™ Bonded bullet maintains its status as the industry leader in bonded tipped bullets by delivering the highest ballistic coefficient of any bullet of its kind for the flattest trajectory and maximum retained energy. Combine that with unsurpassed accuracy and superior weight retention, Premier® Scirocco is unquestionably the most effective bonded, tipped bullet to sit atop a factory load. When a tougher tipped bullet is needed, turn to Scirocco.





30-06, 180-GR. PREMIER? SWIFT" SCIROCCO** BONDED 5 SHOTS, .8", 100 YDS.

SWIFT™ SCIROCCO™ BONDED BULLETS EXPAND RELIABLY OVER A WIDE RANGE OF TERMINAL VELOCITIES.









PR	EMIER' SCIROC	CO™ BOND	ED
243 Wiπ	PRSC243WA	90	Sciroccs** Bonded
270 Win	PRSC270WA	130	Scirocco ** Bonded
7mm Remington Mag	PRSC7MMB	150	Scirocce ** Bonded
7mm Remington Ultra Mag i	PRSC7UM1	150	Scirocco " Bonded
30-06 Springfield	PRSC3006C	150	Scirocco ** Bonded
30-06 Springfield	PRSC3005B	180	Scirocco ** Bonded
300 Win Mag	PRSC300WB	180	Scirocco™ Bonded
300 WSM	PRSC300WSMB	180	Scirocca " Bonded
308 Win	PRSC308WB	165	Scirocce™ Bonded
300 Remington Ultra Mag	PR300UM5	150	Scirocco Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco™ Bonded
300 Remington Ultra Mag	PR300UM3-P2	180	Scirocca™ Bonded

ACCUTIP

PREMIER® ACCUTIP-V

PINPOINT DETONATION. Expect dynamite results. In varmint calibers,

AccuTip-V combines superb flight characteristics and match-grade accuracy with a design

optimized for explosive on-game results. At impact, AccuTip's gold polymer tip is driven rearward causing the thin jacket and soft lead core to fragment violently. First and foremost, though, it gets there precisely shot after shot - it's the most accurate varmint bullet you can shoot.




AccuTip component bullets are now available to handloaders. (See page 66 for complete listings.)



Thin jacket and soft lead core disintegrate and cause massive terminal damage at all ranges

ACCUTIP-V



	PREMIER	· ACCUTIP-V	
17 Remington Fireball	PRA17FB	20	Accultip-V
17 Remington	PRA17RA	20 !	Accutip-V
204 Ruger	PRA204A	32	AccuTip-V
204 Ruger	PRA204B	40	AccuTip-V Boat Tail
221 Remington Fireball	PRA221FB	50	AccuTip-V Boat Tall
22 Hornet	PRA22HNA	35	AccuTip-¥
222 Remington	PRA222RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RB	50	AccuTip-V Boat Tail
223 Remington	PRA223RC	55	AccuTip-V
22-250 Remington	PRA2250RB	50	AccuTip-V Boat Tail
43 Win	PRA243WB	75	AccuTip-V Boat Tail

AccuTio-V: Varmint-Specific Cartndge:

PREMIER DISINTEGRATOR VARMINT



FRANGIBLE AND LEAD-FREE. EXPLOSIVELY VOLATILE ON GAME.

Now you see him. Now you don't. Introducing new Disintegrator *Varmint. Loaded with new lead-free frangible bullets that meet the requirements of non-toxic hunting areas, this ammunition delivers radical, explosive expansion that shatters the capabilities of conventional lead core/copper jacketed bullets. Because they break into tiny fragments at impact, Disintegrator Varmint bullets will




tolerances combined with our industry-leading components produce tiny groups on paper as well. Get the supreme accuracy you expect from Remington with spectacular on-game results in two popular calibers: 223 Remington and 22-250 Remington, both with 45 gr. JHP bullets.

		THE TON		W.	
		DISINTEGRAT	OR" VARI	TNIN	
NEW	223 Remington	DV223RA	45		Jacketed Iron Core HP
NEW	22-250 Remington	DV22250RA ,	45	:	lacketed Iron Core HP

BARBER - R 0003192 30 REMINGTON® AR

> HITS LIKE A 308.

CARRIES LIKE A 223.




FIRST IN THE FIELD:

THE WORLD'S ONLY 30-CAL. BIG-GAME CARTRIDGE FOR THE LIGHTWEIGHT R-15 PLATFORM.

ONLY FROM REMINGTON.

Now for the first time, Remington® brings you 30 caliber hunting performance in a lightweight R-15 modular repeating rifle. Our new 30 Remington® AR cartridge produces big-game-dropping ballistics similar to the venerable 308 Win. with pressures perfectly suited to our lightweight R-15 platform. Comparable terminal power was once only available in the heavier AR-10 platform. This cartridge is the ultimate synergy of our ammunition and firearms expertise, as its development forever changes the shape of both categories, creating a revolutionary new big-game hunting system. Our lightweight R-15 platform — its minimal recoil, rapid follow-ups, easy maintenance and inherent accuracy — chambered for a cartridge that will put down deer-sized game with gusto. This year's offerings include the most trusted big-game bullet of all time, Core-Lokt, the pinnacle of polymer-tipped accuracy, AccuTip and an economical UMC loading. As a cartridge, the 30 Remington AR breaks new ground. In conjunction with our R-15 modular repeating rifle, it marks the beginning of a

new era in the deer woods of North America.



MODEL R-15 (Scope and base not included)

NEW NEW NEW

_	30 REMI	NGT	N' AR		
30 Remington AR	PRA3ORAR1	1	125].	AccuTip
30 Remington AR	R30RAR1		125		Core-Loki, PSF
30 Remington AR	L30RAR1	:	123		MC UMC

RIFLE CARTRIDGES

PREMIER® COPPER-SOLID



PURE ACCURACY AND DEVASTATING TERMINAL RESULTS - UNLEADED.

For 2009, Big Green is proud to launch a truly superior bullet design onto the lead-free scene. While our new Copper Solid complies with non-toxic regulations, it dispatches big game with lightning authority in any neck of the woods. It delivers extremely deep penetration with nearly 100% weight retention and has a sleek ogive profile with a polymer tip and boat tail base that gives it outstanding flight characteristics. In fact, it's one of the finest extended-range lead-free hunting bullets we've

ever offered due to its extremely high ballistic coefficient. At impact, the polymer tip acts as a wedge, plowing through a built-in expansion chamber and initiating a mushroom that's consistently 1.8x bullet diameter — creating a large terminal wound channel from close range to the farthest reaches of your shooting ability. For the pinnacle of shot-to-shot consistency, these rounds are loaded using our industry-leading manufacturing processes and Remington Premier Gold Box™ components.



		COLCA		
		PREMIER' COP	PER-SOLID"	
NEW	243 Win	PCS243WB	80	Copper Solid Tipped
NEW	270 Win	PCS270WA	130	Copper Solid Tipped
NEW	7mm Remington Mag	PCS7MMA	140	Copper Solid Tipped
NEW	30-06 Springfield	PCS3006A	150	Copper Solid Tipped
NEW	_300 Win Mag	PCS300WA	150	Copper Solid Tipped
NEW	308 Win	PCS308WA	150	Copper Solid Tipped


PREMIER® MATCH


IF THERE WERE A STRONGER WORD THAN ACCURATE, WE'D USE IT HERE.

Ever hear the phrase, "you could drive tacks with 'em?" Well, they're probably talking about Remington. Premier. Match ammunition. Using only match-grade bullets, Premier Match ammunition employs special

loading practices to ensure world-class performance and accuracy with every shot. Maybe some day there will be a stronger word than accurate to describe Premier Match.

Until then we'll continue to prove it on paper.





REMINGTON*


ULTRA MAG.™

BIG GAME'S HIGHER POWER.

REMINGTON' ULTRA MAG."

A revolution in high-performance big-game ammunition. In each of its calibers, the Remington Ultra Mag™ cartridges produce the highest velocities, the flattest trajectories and the highest energy levels available to big-game hunters today. This is due to their large case capacities and innovative, non-belted magnum case designs. These cases hold dramatically more powder and align with unmatched precision within the bore, making the world's most lethal family of cartridges the most accurate, as well. Available in the most trusted bolt-action rifle of all time — the Model 700™ — the Ultra Mag™ family is a truly superior gun and ammunition system geared for today's most discriminating hunters.

INNOVATIVE CASE DESIGN RESULTS IN A "NON-BELTED MAGNUM" WITH A LARGER CASE DIAMETER, WHICH ALLOWS FOR DRAMATICALLY INCREASED POWDER CAPACITY.





7mm Remington* Ultra Mag. ** With a muzzle velocity over 3,450 lps. it's one

of the flattest-shooting big-game rounds on the planet – flatter than 7mm STW, flatter than a 22-250 varmint load. It's the perfect choice for long-range shots on any Morth American big game.

375 Remington' Ultra Mag."
The ultimate in stopping power,
With over 5.000 ft-lbs of energy
at the muzzle, it delivers more
energy at 200 yards then 375
H&H at 100 yards – and with
the same flat-shouting trajectory
as a 150-grain 270 Win load.

300 Remington: Uitra Mag. 1th
The extreme standard for big game. With a 180-grain bullet, it delivers a muzzle veiocity of 3.250 fps with 2.160 ft-lbs retained energy at 500 yards. That's right, a trained marksman could knock an elk off its feet at nearly a quarter of a mile.

338 Remington* Ultra Mag. ™
An excellent cartridge for bear, elk and moose, Loaded with a 250-grain bullet, it delivers over 600 ft-lbs greater muzzle energy than 338 Win Mag and retains a flatter trajectory all the way out to 500 yards.



300 Remington SA UM

300 Reminaton SA UM

SHORT-ACTION ULTRA MAG.™

Magnum performance in a lightweight, short-action firearm and ammunition package. Premier² Short-Action Ultra Mag[™] cartridges offer ballistic performance equivalent to the two most popular belted magnums – 300 Win Mag and 7mm Remington Mag – in a fast handling short-action rifle. They feature a highly efficient case design that duplicates or exceeds belted magnum ballistics with less powder, in turn, generating less felt recoil.

Plus, they're inherently more accurate. The cartridge headspaces off the shoulder of the case, rather than a belt, promoting more precise bore alignment. It's big-time performance in a little package.

harmony and the same of the same	the property was a second		the manager to the contract of
	REMINGTON'	ULTRA MAG"	
7mm Remington Ultra Mag	PR7UM)	140	Core-Lokt: Ultra Bonded
7mm Remington Ultra Mag	PR7UM5	175	A-Frame"" PSF
300 Remington Ultra Mag	PR300UM5	150	Scirocco'" Bonded
300 Remington Ultra Mag	PR300UM3	180	Scirocco " Bonded
300 Remington Ultra Mag	PR300UM4	180	Core-Lokt ' Ultra Bonded
300 Remington Ultra Mag	RS300UM2	200	A-Frame " PSI"
338 Remington Ultra Mag	PR338UM1	j 250	A-Frame** PSP
338 Remington Ultra Mag	PR338UM2	250	Care-Lakt: PSF
375 Remington Ultra Mag	PR375UM2	270	Soft Point Homady
375 Remington Ultra Mag	PR375UM3	300	A-Frame ** PSP
REMINO	TON' SHORT-	ACTION ULTR	A MAG"
7mm Remington SA UM	PR7SM1	140	Core-Lokt: Ultra Bonded
7mm Remington SA UM	PR7SM2	150	Core-Lokt* PSP
7mm Remington SA UM	PR7SM4	160	Core-Lokt' Ultra Bondes
300 Remington SA UM	PR300SM1	150	Core-Lots Ultra Bondes

PR300SM2

Core-Lokt' PSP


Core-Lokt: Ultra Bondeć

POWER LEVEL® AMMUNITION


One gun. One chambering. The ballistic characteristics of three cartridges.

Power Level® Ammunition allows you to incrementally tailor the performance of your rifle and ammunition to match your intended game species and hunting range, similar to the way shotgunners use 2 ³/²", 3" and 3 ³/²" loads. The point of impact between Power Level loads stays within 2" out to 200 yards, so you'll have little to no scope adjustment when changing Power Levels. Now when you choose the 7mm or 300 Remington Ultra Mag,™ you're getting three guns in one. Simply put, never before has one cartridge offered this kind of versatility.

POINT OF IMPACT ACROSS ALL POWER LEVELS WITHIN 2", OUT TO 200 YARDS.



THE CONCEPT - SHOTGUN/SHOTSHELL



THE IDEA - APPLIED TO THE CENTERFIRE RIFLE



One Cartridge
3 Performance Levels

Performance Equivalent

Power Level* I

Power Level* I 30-06 Springfield Performance Equivalent

4

	CIL.			L,	
PR7UM1	7mm Ultra Mag		7mm Ultra Mag	140	Core-Lokt* Ultra Bonded*
PRSC7UM1	7mm Ultra Mag	tu	7mm Ultra Mag	150	Scirocco Bonded
PRSC7UM5	7mm Ultra Mag	10	7mm Ultra Mag	175	A-Frame"*
PR300UM5	300 Ultra Mag	10	300 Ultra Mag	150	Scirocco" Bonded
PR300UM3	300 Ultra Mag	III	300 Ultra Mag	180	Scirocco " Bondeti
PR300UM4	300 Ultra Mag	H	300 Ultra Mag	180	Core-Lokt * Ultra Bonded *
RS300UM2	300 Ultra Mag	till	300 Ultra Mag	200	A-Frame"
PR7UM2-P2	7mm Ultra Mag	- 11	7mm Remington Mag	160	Core-Lokt Ultra Bonded !
RS300UM2-P2	300 Ultra Mag	11	300 Win/300 WSM	180	Core-Lokt! Ultra Bonded'
RS300UM3-P2	300 Ultra Mag	li li	300 Win/300 WSM	180	Sciracco™ Bonded
R7UM1-P1	7mm Ultra Mag	T	. 270 Win	140	Core-Lokt"
PRA300UM1-P1	300 Ultra Mag		30-06 Springfield	150	AccuTip**
R300UM1-P1	300 Ultra Mag		30-06 Springfield	150	Core-Lokt?

POWER LEVEL® III

MAXIMUM ENERGY — EXTREME RANGE

- 300 Remington Ultra Mag[™] performance
- The biggest, toughest game at extreme ranges



Simply the biggest, baddest, flattest-shooting 30 caliber in production today. At 200 yards, it delivers 485 ft.-lbs. more energy than the 300 Wby Mag and 28% more energy than the 300 Win Mag or 300 WSM.

POWER LEVEL[®] II

MAGNUM ENERGY — EXTENDED RANGE

- 300 Win Mag, 300 WSM performance
- Medium and large big game at extended ranges



With velocity and down range ballistics that mirror the 300 Win Mag and 300 WSM, Level II is ideal for elk, muleys or whitetails at extended range.

POWER LEVEL* I

TERMINAL ENERGY -LONG RANGE

- 30-06 Springfield performance
- Whitetail-sized game out to long range



Performs identically to the 30-06, the caliber that's dropped more big game than any other. The optimum deer hunting Power Level – coast to coast.



Remington[®] Core-Lokt[®] – a reputation deserved. Hunters with a knack for filling their deer tag tend to have more than success in common. They trust their hunt to Remington[®] Core-Lokt.[®] For more than six decades, it has remained the leader in centerfire deer ammunition. And deservedly so.


The Core-Lokt bullet design is the original controlled-expansion bullet — and one of the most effective ever developed. Its progressively tapered copper jacket is locked to a solid lead core, promoting perfectly controlled expansion and high weight retention for absolutely dependable on-game results. You'll find its time-proven performance in both soft point and pointed soft point versions — and in a range of bullet weights for virtually every centerfire hunting caliber made.



The Deadliest Mushroom in the Woods™


CORE-LOKT SOFT POINT

CORE-LOKT*
POINTED
SOFT POINT



REMINGTON® RIFLE

Proof of our dedication to providing you with the widest selection of centerfire ammunition in the industry, our Rifle series consists of a multitude of calibers and popular bullet styles to match your specialized hunting and shooting pursuits. All assembled with premium components and the ultra-tight tolerances that put more home reloading presses on the back shelf than any other brand. Remington Rifle.



R762391

PR7SM3

R32201

RM338LMR1

R35WH3

R375MI

PR375UM2

RAAAM

R4570L

R4570G

125

160

100

250

250

270

270

240

300

405

Pointed Soft Point

Lead

Scenar

Pointed Soft Point

Soft Point

Soft Point

Soft Point

emi-Jacketed Hollow Point

Soft Point

7.62x39mm

32-20 Win

35 Wheler

444 Martin

45-70 Government

45-70 Government


338 Lapua Mag

375 H&H Mag

7mm Rem SA Ultra Mag

375 Remington Ultra Mag

	ALL PROPERTY.				
BRONZE POINT: TIPPED					
270 Win	R270W3	130	Bronze Point Tipped		
30-06 Springfield	R30063	150	Bronze Point Tipped		
30-06 Springfield	R30066	180	Bronze Point Tipped		



BRONZE POINT TIPPED

Introduced by Remington,* these were the first bullets to utilize a tipped design. Exceptional long-range performance on medium-sized game. Sleek profile generates flat trajectory. On impact, the bronze tip is driven backward to create rapid, but controlled expansion.






Aerodynamic tip for superior long-range ballistics and rapid expansion



POWER-LOKT HOLLOW POINT

Another breakthrough from Remington.\(^\) Express\(^\) Power-Lokt\(^\) delivers unmatched performance for small game and varmint hunting. The thin copper jacket is electrolytically plated to the lead core for near-perfect concentricity and gyroscopic balance. The result? Dead-on, benchrest-


type accuracy with instant fragmentation



243 WIN, 80-GR.
REMINGTON POWER-LOKT HOLLOW POINT,
.5", 100 YDS.



Plated copper jacket for superior accuracy and instant fragmentation on impact



	POWER-LOKT	HOLLOW P	OINT
222 Remington	R222RJ	50	Power-Lokt Hollow Point
223 Remington	R223R3	55	Power-Lakt Hallow Point
243 Win	R243W2	80	Power-Lokt Hollow Point



MANAGED-RECOIL®

REDUCE RECOIL TO IMPROVE YOUR

At some point, all shooters feel the negative effects of recoil. Some hunters experience the frustration of missing a target because of flinching. Others know the aggravation of losing the opportunity for a second shot because of the time it takes for scope recovery. Then there's the shoulder pain after a day of hunting or practicing, which may deter future practice sessions. To fight these effects of recoil, Remington³ developed Managed-Recoil⁴ ammunition.

The Managed-Recoil ammunition succeeds where other recoilcontrol ammunition fails. Past attempts at curbing recoil have focused solely on the amount of gunpowder in the ammunition. Remington's Managed-Recoil focuses on the entire cartridge by incorporating a specially designed bullet built to perform at lower velocities.

FEATURES

- Fully effective hunting performance with less than 50% of the recoil of standard cartridges
- · Less anticipation of recoil
- Increased shooter confidence and improved shot placement
- · Quicker scope recovery for faster second shot placement
- Point of aim is within 2" of a standard cartridge at 100 yards
- · Target practice without the recoil pounding
- Specially designed bullets are optimized to deliver 2x expansion with over 75% weight retention on shots out to 200 yards

FULLY EFFECTIVE ENERGY AND EXPANSION OUT TO 200 YARDS:







100 yards




150 yards



CHIEFFEE

200 yards

WANAGEU-KE (




YOUTH AND WOMEN. Managed-Recoil® allows youth and women to practice and hunt effectively and comfortably with half the recoil. It even lets you use an existing gun without readjusting the scope because "point of aim — point of impact" is nearly identical to standard cartridges at 100 yards.

PRACTICE MAKES PERFECT. For target shooters and hunters who target shoot to improve their performance, Managed-Recoi cartridges provide more time on the range, without the bruises to prove it. After your practice session, you can switch to full-pow ammunition without scope adjustment.

MANAGED-RECOIL® COPPER SOLID™ SABOT SLUG.

The best-selling terminal performance and accuracy of our Copper Solid Slugs is now available in Managed-Recoil loads. With 40% less recoil, they're perfect for anyone who wants outstanding on-game results without the rearward punch.



Or, use them to sight-in, then step up to full loads. There's no finer slug load for young or recoil-sensitive hunters.



MANAGED-RECOIL® SLUGGER® RIFLED SLUG.

Managed-Recoil* Slugger* Rifled Slugs offer remarkably effective performance with 45% less felt recoil than full velocity Sluggers. With effective energy out to 80 yards, these 1-ounce slugs easily handle the majority

of shotgun deer hunting ranges. Also

check out Managed-Recoil Buckshot;
 it's an ideal close-range performer.

	5,1		1.2		. 5		1 J.	377 273				
Disanc			MA		-RECC	IL. SLUGG	ER' RI	FLED	SLU	3	7	
RL12RS	<u> </u>	- 12	<u>-</u> -	21/2	!	1200	DI I OI C	1				Rifled Stug
	_			MA	NAGE	D-RECOIL'	BUCKS	HUI				
RL128K90	ļ	12	!	2 1/2	ļ	1200	I	-	ł	8	ı	00 BK

MARY 3MANSHIP IN THE FIELD.

to full velocity loads.

No scope readjustment necessary. Remington* Managed-Recoil* Point of Impact is nearly identical


Point of impact comparison

at 100 yards.

30-06 Sprg. 125-grain Managed-Recoil

> 30-06 Sprg. 150-grain PSP Core-Lokt

May not operate all recoil or gas-operated firearms




HUNTING WITH CONFIDENCE. Managed-Recoil* Rifle ammunition is designed for fully effective hunting performance out to 200 yards with less than half the recoil of a standard load. A shooter not anticipating the heavy recoil of a full load can better place a first shot on a game animal, and quickly re-acquire the target for a follow up shot.

RECOIL-SENSITIVE HUNTERS. For shooters that are unable or unwilling to tolerate the recoil of a standard cartridge on the range or on the field, Managed-Recoil * Cartridges are the perfect solution. Effective performance with half the recoil.


50% LESS RECOIL.

Remington' Managed-Recoil' centerfire cartridges deliver 50% less recoil than standard velocity ammunition. Managed-Recoil 270 Win, 308 Win and 30-06 actually deliver less recoil than a standard velocity 243 Win!



LETHAL PUNCH OUT TO 200 YARDS.

Managed-Recoil* rounds pack a lethal punch at the most common deer-hunting ranges. In fact, their energy levels exceed 1,100 ft.-lb. at 200 yards. Managed-Recoil 30-30 delivers 919 ft-lb. at 100 yards and is fully effective on deer-sized animals out to 125 yards.



						5000					GA	F		a V	100°	严强		
		Art Carrier or	J	MAI	NAGED-F	SECOIL C	ENTERF	IRE RIF	LE C			er Drumperiode un	manufacture & see 18 of		· Constitution of the cons			
260 Remangton	RL2601	140	Core-Lokt* PSP	2300	2206	2115	2024	1935	Ţ	1544	1512	1389	1273	1165	0.1	ZETO	-2.1	-6.3
7mm-03 Remington	RL7M081	140	Core-Lokt* PSP	2300	2195	2095	1995	1895	1	1644	1498	1361	1235	1118	0.2	zero	-2.1	-6.5
270 Win.	RL270W2	115	Core-Lokt* PSP	2710	2558	2412	2270	2133		1875	1671	1485	1315	1161	0.1	zero	-1.6	-4.8
30-30 Win,	RL30301	125	Core-Lokt PSP	2175	1993	1820	1658	1508		1313	1102	919	763	5 31	0.3	zero	-3.0	-9.1
30-G6 Springfield	RL30052	125	Core-Lokt PSP	2660	2495	2335	2182	2034	i	[964	1727	1513	1321	1148	-0.1	zero	-1.5	-4.9
300 Win, Mag,	RL300W1	150	Core-Lokt PSP	2650	2509	2373	2241	2113	,	2339	2097	1875	1672	1486	-0.1	zero	-1.5	-4.7
308 Win.	RL308W1	125	Core-Lokt PSP	2660	250 i	2348	2199	2057		1964	1736	1529	1342	1174	-0.1	zero	-1.5	-4.9
Imm Remirgton Mag.	RL7MM4	140	Core-Lokt: PSP	2710	2594	2432	2372	2255	i	2283	2092	1915	1749	1595	0.0	zero	-1.5	-4.5
300 Remington Ultra Mag.	RL300UM1	150	Core-Lokt PSP	2815	2669	2528	2391	2258		2639	2372	2127	1903	1698	0.3	0.8	zero	-2.3

MANAGED-RECOIL* BUCKHAMMER* LEAD SLUGS. Managed-Recoil* Technology has been applied to Remington's most devastating lead slug. We've reduced felt recoil by over 40% to make the BuckHammer* easier on the shooter without sacrificing its on-game performance. The Managed-Recoil BuckHammer 12-gauge slug travels at a fast 1,350 fps at the muzzle and maintains an impressive 1,032 ft-lb.

of deer-stopping energy at 100 yards. The 20-gauge, at 1,275 fps., delivers 746 ft.-lb. of energy at 100 yards. Standard



BuckHammer and Managed-Recoil BuckHammer slugs are designed for use with fully-rifled barrels or rifled choke tubes.

		P	MANAG	ED-RECO	IL, BOCK	CHAMMER	LEAD SLI	J.C.	E.		
RL12LSS	12	2 %	1.6	1350	1107	972	1991	1340	1032	0.0	-5.5
RL20LSS	20	2 /:	7-	1275	1057	938	1379	948	746	0.0	-6.2

PISTOL & REVOLVER



EVERY APPLICATION, ONE BRAND. Remington® has been making centerfire handgun ammunition longer than anyone. It should then come as no surprise that we offer the broadest line of pistol and revolver ammunition available. With loadings tailored to virtually every potential shooting application, our line includes vast choices of calibers, bullet weights, bullet styles and combinations of all these. Choose from a complete range of traditional bullet styles, as well as from some of the most sophisticated handgun bullets made. All cartridges are assembled from the highest quality components - with meticulous quality control - to assure reliability in all handgun actions.

GOLDEN SABER" HPJ



DEAD-SERIOUS BULLET INNOVATION.


A superior bullet for when the stakes are at their highest. Designed for law enforcement and personal defense, the Golden Saber ™ High Performance Jacket successfully combines: match-type accuracy, deep penetration, maximum expansion and near 100% weight retention.


				REMMINGTON	1 P&R	MMUN	NOITIN						-
5 (6.35mm) Auto.	R25AP	1%	50	Metal Case	760	707	659	64	56	48	2.0	8.7*	2"
2 S&W	R32SW	1%	88	Lead Round Nose	680	645	610	90	81	73	2.5°	10.5	3-
2 S&W Long	R32SWL	11%	98	Lead Round Nose	705	670	635	115	98	88	2.3	10.5	. 4
2 (7.65mm) Auto.	R32AP	1%	71	Metal Case	905	855	810	129	115	97	1.4*	5.8*	; #
57 Mag.**	R357M7	5 ½	110	Semi-Jacketed Hollow Point	1295	1094	975	410	292	232	0.8	3.5	. 4
	R357M1	514	125	Semi-Jacketed Hollow Point	1450	1240	1090	583	427	330	0.5	2.8	i e
	R357M2	5 ½	158	Semi-Jacketed Hollow Point	1235	1104	1015	535	428	361	0.8	3.5	į .
•	R357M3	51/2	158	Soft Point	1235	1104	1015	535	428	361	0.8	3.5*	
	R357M5	5 1/1	158	Semi-Wadcutter	1235	1104	1015	535	428	351	0.8	3.5*	1
,	R357ML0	5 15	180	Semi-Jacketed Hollow Point	1145	1053	985	524	443	388	0.9*	3.9	۶.
num Luger	R9MM1	11/2	115	Jacketed Hollow Point	1155	1047	971	341	280	241	0.9*	3.9*	4
•	R9MM3	1 1/2	115	Metal Case	1145	1048	978	335	280	244	· 0.9*	4.0	4
	R9MM6	11/2	115	Jacketed Hollow Point +P #	1250	1113	1019	399	316	265	0.8	3.5*	
	R9MM2	11%	124	Metal Case	1110	1030	971	339	292	259	1.0	4.1	
	R9MM8	1 1/4	147	lacketed Hollow Point (Subsonic)	990	941	900	320	289	264	1.1	4.9	4
80 Auto.	R380A1	136	88	Jacketed Hollow Point	990	920	868	191	165	146	1.2	5.1	
	R380AP	11/2		Metal Case	955	865	785	190	160	130	1.4"	5.9	
8 S&W	R38S₩	1.14	145	Lead Round Nose	685	650	620	150	135	125	2.4	10'	4
8 Special**	R38S10	1 1/2	110	Semi-Jacketed Hollow Point + P ‡	995	926	871	242	210	185	1.2	5.1*	4
	R38S16	11/2	110	Semi-Jacketed Hollow Point	950	890	840	220	194	172	1.4	5.4*	. 4
	R38S2	11/2	125	Semi-Jacketed Hollow Point + P ‡		898	858	248	224	204	1.3*	5.4	1 4
	R38S3	174	148	Targetmaster* Lead WC Match	710	634	566	166	132	105	2.4*	10.8	1 4
	R38S5	1 1/2	158	Lead Round Nose	755	723	692	200	183	168	2.0*	8.3*	1 4
	R38S6	1%	158	Semi-Wadcutter	755	723	692	200	183	168	2.0	8.3	4
	R38S12	11/2	158	Lead Hollow Point + P ±	890	855	823	278	257	238	1.4	6.0	4
8 Short Calt**	R38SC	17	125	Lead Round Nose	730	685	645	150	130	115	2.2	9.4	6
O S&W	R40SW1	5 1/2	155	Jacketed Hollow Point	1205	1095	1017	499	413	356	0.8	3.6	4
0 3011	R40SW2	5 ½	180	Jacketed Hollow Point	1015	960	914	412	368	334	1.3"	4.5	1
I Rem, Mag.**	R41MG1	2 %	210	Soft Point	1300	1162	1062	788	630	526	0.7"	3.2*	4
4 Rem. Mag.**	R44MG2	21/2	240	Soft Point	1180	1081	1010	741	623	543	0.9*	3.7	4
T INCHE BIOG.	R44MG3	21/2	240	Semi-Jacketed Hollow Point	1180	1081	1016	741	623	543	0.9*	3.7°	4
4 S&₩ Special**	R44SW	21/2	246	Lead Round Nose	755	725	695	310	285	265	2.0*	8.3"	6
4 3&11 3pecial 5 Cott**	R45C1	2 1/2	225	Semi-Wadcutter	960	890	832	460	395	346	1.3	5.5*	5
J WIL	R45C	21/2	250	Lead Round Nose	860	820	780	410	375	340	1.6	6.6*	5
5 Auto.	R45AP2	21/2	185	Jacketed Hollow Point	1000	939	889	411	362	324	1.1"	4.9*	5
o nulli.	R45AP4	21/2	230	Metal Case	835	800	767	356	326	300	1.5	6.8	5
	PTACEN	27:	230	VZEISI CRZE	ວວ	auu	101	330	320	300	1.0	0.0	,

‡Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer "lest Barrel Length" "Vented Barrel Ballstics"

			PREMIE	R! GOLDE	N SABER	"" HPJ (HIGH	PERFO	RMANCE	JACKET)				
357 Magnum*	GS357MA	5 1/2	125	1220	1095	1009		413	333	283	\top	0.8~	3.5	T	4"
9mm Luger	GS9MMB	1 1/2	124	1125	1031	963		349	293	255	i	1.0"	4.0"		4" .
	G\$9MMC	1 1/2	147	990	941	900	į	320	289	264	!	1.17	4.9"	İ	4"
9mm Luger (+P)	GS9MMD	1 1/2	124	1180	1089	1021	,	384	327	287		0.8	3.8"	•	4"
380 Auto.	G2380B	11/2	102	940	901	866	i	200	184	170	!	1.2"	5.1"	İ	4"
38 Special (+P)*	GS38SB	1 1/2	125	975	929	885	i	264	238	218		1.0"	5.2		4"
40 S&W	GS40SWA	5 1/2	165	1150	1040	964	-	485	396	340		1.0~	4.0~		4"
	GS40SWB	5 1-2	180	1015	960	914		412	368	334		1.3"	4.5"		4"
45 Auto.	GS45APA	2 1/2	185	1015	951	899		423	372	332	1	1.1"	4.5"		5~
	GS45APB	2 1/2	230	875	833	795		391	355	323		1.5"	6.1~		5"
45 Auto. (+P)	GS45APC	2 1/2	185	1140	1042	971		534	446	388		1.0~	4.0	1	5~

‡Anymuntion with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this carnidge and so recommended by the gun manufacturer.
*Note: These ballistics reflected vented barrel.





The bullet diameter directly ahead of the Driving Band " is reduced from groove to bore diameter, so the bullet is precisely aligned before the Driving Band engages the rifling. The result: match-grade accuracy and reduced barrel triction that conserves velocity.

The high-performance jacket expands to a larger diameter than lead core – over 1.6x diameter. Minimal lead deformation retains energy for deeper penetration.



Pistol and Revolver Interchangeability chart is located on page XX.

LOOK FOR UMC IN MONEY-SAVING LARGE-QUANTITY

PACKAGING.

6.8*

6.8*

6.2

1.6

1.6

1.5

UMC® AMMUNITION

UM HANDGUN CAPTRIDGES.

All UMC ammunition is American-made in Lonoke. Arkansas, using first-quality factory-fresh brass and clean-shooting Kleanbore primers to provide the best value for practice, personal defense and hunting.



UMC RIFLE CARTRIDGES.

Made in the USA, value-priced and ideal for high-volume shooting, our UMC centerfire rifle ammunition is loaded in seven popular calibers, including the 30-06 Sprg, 308 Win, 7.62x39mm, 30 Carbine and 303 British. The 45- and 50-grain jacketed hollow point loads in 223 Remington and 22-250 Remington are perfect for varmint hunters. Now available

in 17 Remington Fireball and 30 Remington AR (New for 2009).

UMC : SADLESS" HANDOUN CARTRIDGES.

A must have for shooters that frequent indoor ranges, economical UMC* LeadLess™ cartridges virtually eliminate lead exposure at the firing line. Specially designed bullet actually prevents the vaporization of lead from the bullet's base upon firing. Standard



bullet weights
duplicate the ballistics of conventional loads.

UMC. HANDGUN CARTRIDGES 9mm Luger L9MM 1135 0.9 194042 17 124 MC 1100 1030 971 339 292 259 1.0 4.1* LSWW3 17 335 280 115 MC 1145 1048 244 0.9 40 978 LGMM9 147 990 941 900 320 289 264 4.9 MC 1.1 10mm Aut L10MM6 2 7 180 1150 1063 529 452 0.9 3.7 MC 25 Auto (6.35mm) L25AP 50 MC 760 707 659 64 56 48 2.0 8.7 32 Auto L32AP 17 71 MC 905 855 810 129 115 97 1.4 5.8 L357M12 357 Magnum** 51/ 125 JSP 1450 1240 1090 583 427 330 0.6 2.8 357 Sig. L357S1 51 125 MC 1350 1146 1018 506 422 359 0.7 3.3 L357S2 57 125 1032 372 1350 1157 506 296 0.7 3.2 IHP 38 Super Auta + P L38SUP 130 MC 1215 1099 1017 426 348 298 9.8 3.6" 38 Special + P* 13852 1/ 125 JHP 945 898 858 248 224 204 1.31 5.4 38 Special** 17 692 183 8.3* 13855 158 IRN 755 723 200 168 2.0* L38S11 17 743 1.7* 7.2 130 MC 790 766 173 163 153 380 Auto L380AP 17 955 785 190 160 5.9 95 865 1.4" 40 S & W L40SW2 5% 180 IHP 3015 960 914 412 368 334 1.3 4.5 L#05W3 57 180 MC 940 898 392 353 1.1" 4.9 990 322 L40SW4 5/ 165 MC 1150 1040 485 396 4.0 44 Remington Mag* L44MG7 24 180 JSP 1610 1365 1175 1036 745 551 0.5 2.3 45 Auto L45AP1 27 185 MC 1015 955 907 423 375 338 1.1* 4.8

767

767

805

326

325

361

-300

300

331

356

35û

395

200

					ńwc.	CENTE	RFIRE	IFLE CA	RTRIDO	GES						
17 Remington Fireball	L17FBV	7 ½	25	JHP	3850	3280	2780	823	597	429	0.0	0.9	0.9	zero	-2.0	-5.
223 Ramington	L223R3	1%	55	MC	3240	2759	2326	1282	929	660	-0.1	0.6	zero	-1.9	-5.5	-1 i
	L223R7	1%	45	JHP	3550	2953	2430	1259	871	590	-0.1	0.4	zero	-1.7	-4.8	-9.
	L223R8	1%	50	JHP	3425	2899	2430	1302	933	655	-0.1	0.5	zero	-1.7	-4.9	-9.
	L223R9	7%	62	CTFB	3100	2734	2396	1323	1029	790	0.1	0.6	zero	-1.9	-5.4	-10
22-250 Remington	L22503	9 ½	45	JHP	4000	3340	2770	1598	1114	767	, -0.3	0.2	zero	-1.2	-3.5	-7.
	L22504	9 %	50	JHP	3820	3245	2739	1620	1169	833	-0.1	0.8	0.9	zero	-2.0	-5.
7.62x39mm	L752391	1%	123	MC	2365	2060	1780	1527	1159	865	0.1	zero	-2.2	-6.8	-14,1	-24.
30 Carbine	L30CR1	6 ×	110	MC	1990	1567	1236	967	600	373	0.6	zero	-4.2	-12.9	-27.2	-48
30 Remington AR	L30RAR1	7%	123	MC	2800	2464	2152	2141	1658	1264	0.9	2.1	1.9	ZETO	-3.8	-9.
808 Win,	L308W4	9 V:	150	MC	2820	2533	2253	2648	2137	1705	-0.1	zero	-1.2	-3.9	-8.4	-14
0-06 Springfield	L30062	9 %	150	iv.C	2910	2517	2342	2820	2281	1827	-0.2	2810	-1.1	-3.6	-7.7	-13
303 British	L303B1	9 %	174	: MC	2475	2209	1960	2366	1885	1484	0.1	ZETO	-1.9	-5.9	-12.2	-21

itose profile designed to function smoothly in all action types

Full-length
Copper
Jacket
Powder
blended for
consistent
velocity

reloadable brass case



Clean-shnoting. Enclosed base virtually eliminates airborne lead at firing line

Solid lead core
protected by thick
copper jacket



airborne lead -- Note: These ballistics reflect vented barrel.

L45AP4

L45AP7

L45GAP4

45 GAF

2:/

2/

27

230

230

230

MC

JHP

MC

835

835

880

800

800

841

			UMC	LEADL	ESS" HA	ANDGUN	I CARTRI	DGES				
9mm Luger	LL9MM11	1 %	115	FNEB	1145	1048	978	335	280	244	0.9*	4.0
	LLSVIM2	17.	124	FNEB	1100	1030	971	339	292	252	1.0	4.1*
	LLSMM9	1%	147	: FNEB	990	941	900	320	289	264	1.1*	4.9*
357 Magnum**	LL357M1	5 1/2	125	FNEB	1450	1240	1090	583	427	330	0.5"	2.8
38 Special**	: LL38S17	11/2	125	FNEB	850	822	796	201	188	176	1.4	5.4*
38 Special + P = =	LL38S2	17	125	FNEB	975	935	899	254	242	224	1.2	1,9*
380 Auto	LL380AP2	1.8	95	FNEB	955	865	785	190	160	130	1.4°	5.9
40 S & #/	11.40SW5	5/	130	FNEB	990	940	398	392	353	322	1.i*	4.5
45 Auto	LL45AP8	2 1/:	230	FNEB	835	800	767	356	326	390	1,6"	6.81

- rouse: mese painsurs renect vented parrel.

CIFB=Closed Trip Flat Base I IAC = Metal Case I FMEB = Flat Hose Enclosed Base I JHP = Jacketed Hollow Point I ISP = Jacketed Soft Point I LRM = Lead Round Hose

BARBER - R 0003203 RIMFIRE

PREMIER GOLD BOX"

RIMFIRE. Premium rimfire cartridges supertuned for accuracy and terminal performance. Available in 17 HMR and 22 Win Mag, Premier Gold Box Rimfire Ammunition is loaded with AccuTip-V polymer-tipped bullets for incredible shot-to-shot consistency, flat trajectory and explosive expansion. Upgrading your rimfire rifle or handgun is as easy as shooting the right ammo. Think Premier Gold Box.







COMPETITION/TARGET RIMFIRE. When it comes to competition-grade rimfire ammunition, there's only one name good enough to share the Remington* brand — Eley. A company with a reputation for the world's most accurate and reliable rimfire ammunition, Eley, Ltd. has teamed up with Remington to offer three grades of their premier 22 long rifle ammunition for the serious target shooter: Target

Rifle, Club XTRA and the elite Match EPS.







	7	L 5.			die.							1237	25.5		
Rimfire Magnum						PF	REMIER' GO	LD BOX RIM	AFIRE						
Premier* 17 HMR		PR17HM1	1	17	AccuTip-V	2550	2212	1901		245	185	136	0.1	0.0	-2.6
Premier* 22 Win Mag	- ;	PR2ZM1		33	AccuTip-V	2000	1730	1495		293	219	164	0.6	0.0	-4.5

				(E)		Link				المراجع ا		1.		ا الاستال
Z LP. Remington/Eley				CO	MPETITION/T	ARGET RIM	FIRE							
Match EPS	RE22EPS	40	Lead Flat Nose	1025	1006	941		105	90	79	- !	0.3	0.0	-7.1
Club Xuz	RE22CX	40	Lead Round Nose	1085	1005	941		105	90	79		0.3	0.0	-7.1
Target Rifle	RE22T	40	Lead Round Nose	1085	1006	941	i	105	90	79		0.3	0.0	-7.1

^{**} Note: Sight heigh: 1.5 above axis of bore.



 ${\mathbb F}$ (WIFIRE. Prairie dogs. Tin cans. Or a bulls-eye. No matter what you put in your sights, Remington* offers the perfect 22 rimfire ammunition for any occasion.

Remington rimfire ammunition delivers the quality you expect. That's because we put the same level of care

into making our rimfire ammunition as we do our centerfire ammunition, so you'll get the maximum performance from every shot.

Remington 22 Magnum	R22M1	40	Jacketed Hollow Point	\neg	1910	1610	1350	$\neg \vdash$	324	230	162	: 0.9	0.0	-5
Remington 22 Magnum	R22M2	40	Pointed Soft Point	\top	1910	1600	1340	1	324	227	159	1.0	0.0	-5
22 LR Hyper Velocity	tri	Mã.										e dire		
Yellow Jacket	1722/1700÷	33	Truncated Cone Hollow Point	\neg	1500	1247	1075	:	165	114	85	-0.2	0.0	4
Vicer	1922/1900÷	36	Truncated Cone Solid		1410	1198	1056		159	115	39	-0.i	0.0	-4
22 Short High Velocity	<u>' </u>											<u> </u>		
Reimington Golden Bullet	1022/1000÷	29	Plated Lead Round Nose		1095	982	903		77	62	52	0.3	0.0	-7
22 LR High Velocity														
Remington Golden Buffet	1522/1500+	40	Plated Lead Round Nose		1255	1113	1017		140	110	92	0.0	0.0	-5
Ramington Golden Bullet	1622 ÷/1600 ÷ ÷	36	Plated Hollow Point	i	i 280	1117	1010	:	131	100	82	0.0	0.0	-5
Thurserbolt*	TB-22A+-+	40	Round Nose		1255	1113	1017		140	110	92	0.0	0.0	-5
Cyclone:	CY-22HP + + +	36	Hollow Point		1280	1117	1010	1	131	100	82	0.0	0.0	-5
Game Load	GL-22HP	36	Hollow Point		1280	1117	1010		131	100	32	0.0	0.0	-5
22 LR Standard Velocity					-		-		_		-			
Target	6122/5100÷	49	Round Nase	:	1150	1048	976	T	117	98	85	0.2	0.0	-6
22 LR Subsonic **														
Subsonic	SUB22HP/SUB22HPI ÷	38	Hollow Paint	-	1050	965	901	T	93	79	69	0.3	0.0	-7

* Mate. Tythi height 1.5" above axis of bore. — These 22's available in slide-open plassic packs of 100. — Available in 525 round and 550 round bulk packs. — + — Available in 500 round bulk packs.

BARBER - R 0003205 COMPONENTS

REMINGTON' RELOADING COMPONENTS. If you reload your own cartridges, then you shouldn't settle for anything but the best reloading components in the business - Remington. We offer industry-leading products that are changing the way sportsmen think about reloading.



PREMIER" CORE-LOKT* ULTRA BONDED^a BULLETS. Combine world-class accuracy, with bonded bullet toughness to give unmatched on-game performance. Core-Lokt Ultra Bonded - the new performance standard for your big game hunting handloads.





PREMIER' ACCUTIP BULLETS. Top off your handloads with the most accurate polymer-tipped bullet available today. Near-perfect concentricity and an overall ballistically superior design make it one of the flattest-shooting bullets in the world. Choose AccuTip for big-game hunting or AccuTip-V for awesome performance on varmints.



CORE-LOKT BULLETS.

"The Deadliest Mushroom in the Woods," now a handloading component. It's the original controlled-expansion big-game bullet, delivering massive energy transfer as it expands to nearly 2x original diameter. For dead-sure reliability choose Core-Lokt

bullets for your hunting handloads.

У.	
	į
	1

	CENTERFIRE PRIMERS
X22600	1 1/2 Small Pistol
X22604	2 1/2 Large Pistol
X22626	5 1/: Small Pistol
X22606	6 1/2 Small Pistol
X22628	7 1/: Small Rifle BR
X22608	9 1/- Large Rifle
X22622	9 1/: M Magnum Rifle
ETRONX*	ELECTRIC CENTERFIRE PRIMERS
XEL22610	9 1/: Large Rifle (Electric)

Indu/EU No											
CONSL	MER PACK BA	GGE	D RIFLE	BULLETS							
RB2241	224		45	HP HP							
RB2242	224	1	50	PSP							
RB224P1	224		50	PLHP							
RB2244	224	T	55	MC							
RB2243	224	T	55	PSP							
RB224P2	224	Т	55	PLHP							
RB2247	224	Ī	62	HP Match							
RB243P1	243	Т	80	PLHP							
RB2432	243	1	80	PSP							
RB2682	6.8mm	i	115	MC							
RB3085	308	T	150	MC							
RB303B	' 310 (303 Brit.)	;	180	SP Core-Lokt							
RB3231	8mm	1	185	PSP Core-Lokt							
RB4571	457		300	SJHP							
CONSU	CONSUMER PACK BAGGED PISTOL BULLETS										
RB9MM3	9mm	1	115	MC							
RB9MM1)	9mm		115	FNEB							
RB9MM5	9mm		115	JHP							
RB9MM2	9mm	:	124	MC							
RB9MM8	9mm	-	147	JHP							
RB380AP	356 380 Auto	i	95	MC							
RB38S11	356 38 Special	1	130	MC							
RB357M7	357/38	1	110	SJHP							
RB357M1	357/38	T	125	SJHP							
RB357M2	357/38	-	158	SJHP							
RB40SW1	40/10mm	:	155	JHP							
RB40SW3	40/10mm	:	180	MC							
RB40SW5	40/10mm	T	180	FNEB							
RB40SW2	40/10mm	Ť	180	JHP							
RB41MG1	41	Ť	200	SJHP							
RB44MG6	44	ī	210	SJHP							
RB44MG3	44	\top	240	SJHP							
RB45AP4	45 Automatic	Ť	230	MC							
RB45AP8	45 Automatic	1	230	FNEB							
RB45AP7	45 Automatic	Ť	230	IHP							

	STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE
	NSUMER PACK RIFLE BRASS
RC17FB	17 Remington Fireball
RC17R	17 Remington
RC204R	204 Ruger
RC22H	22 Hornet
RC221FB	221 Remington Fireball
RC222R	222 Remington
RC223R	223 Remington
RC2250R	22-250 Remington
RC220S	220 Swift
RC243W	243 Win
RC6MMR	6mm Remington
RC2506R	25-06 Remington
RC2520W	25-20 Win
RC257R	257 Roberts
RC65S	6.5x55 Swedish Mauser
RC260R	260 Remington
RC68SPCR	6.8mm Remington SPC
RC270W	270 Win
RC270WSM	270 WSM
RC7M08R	7mm-08 Remington
RC7MMG	7mm Remington Magnum
RC7MMRS	7mm Remington SA Ultra Magnum
RC7MMRA	7mm Remington Ultra Magnum
RC280R	280 Remington
RC3030W	30-30 Win
RC300RS	300 Remington SA Ultra Magnum
RC300RA	300 Remington Ultra Magnum
RC3006	30-06 SPRG
RC300WM	300 Win Mag
RC300WSM	300 WSM
RC303B	303 British
RC308W	308 Win
RC3220W	32-20 Win
RC8MSR	8mm Mauser
RC8MMG	8mm Remington Magnum
RC338W	338 Win Mag
RC338RA	338 Remington Ultra Magnum
RC350R	350 Remington Magnum
RC35W	35 Whelen
RC375H	375 H&H Magnum
RC375RA	375 Remington Ultra Magnum
RC4440W	44-40 Win
RC4570G	45-70 Government
CON	SUMER PACK PISTOL BRASS
RC357MG	357 Magnum
RC357X	357 Maximum
RC9MM	9mm Luger
RC38AS	38 Super Auto+P
RC38SP	38 Special

CONSU	MER PACK PISTOL BRASS (cont.)
RC40SW	40 S&W
RC41RA	41 Remington Magnum
RC44RA	44 Remington Magnum
RC44SW	' 44 S&W
RC45C	45 Coft
RC45A	45 Auto
RC454C	454 Casull

			141	-2000
PREMIER*	CORE-LOKT! UL	TRA BO	IDEC	BULLETS
RBC2433	243/6mm	100	ļ	PSP
RBC2571	25	115		PSP
RBC2642	26/6.5mm	140		PSP
RBC2682	27/6.8mm	115		PSP
RBC2772	27/6.8mm	140	- 1	PSP
RBC2841	28/7mm	140		PSP
RBC2843	28/7mm	160		PSP
RBC3081	30	150		PSP
RBC3082	30	168	i	PSP
RBC3083	30	180		PSP
RBC3381	338	225		PSP
F	REMIER' ACCU	ITIP BUL	LETS	
RBA1771	17	20	1	AccuTip-V
RBA2042	20	40		AccuTip-V
RBA2241	22	50		AccuTip-V
RBA2242	22	55		Accutip-V
RBA2431	24/6mm	75	1	AccuTip-V
RBAZ432	24/6mm	95		AccuTip
RBA2642	26/6.5mm	140	1	AccuTip
RBA2771	27	130		AccuTip
RBA2841	28/7mm	140	-	AccuTip
RBA2842	28/7mm	150		AccuTip
RBA3081	30	150	1	AccuTip
RBA3082	30	165	•	AccuTip
RBA3083	30	180	1	AccuTip
	CORE-LOKT	BULLET:	3	
B2432	24/6mm	100	1.	PSP
B2571	25 1	100		PSP
B2462	26/6.5mm	140	I	PSP
B2772	27	130	T	PSP
B2842	28/7mm	150		PSP
B3081	30	150		PSP
B3083	30	180		PSP
B30301	30	156	٦	SP

BR = Bench Rest | FNEB = Flat Nose Enclosed Base HP = Hallow Point | JHP = Jacketed Hollow Point | MC = Metal Case PLHP = Power Lakt Hollow Point | PSP = Pointed Soft Point SJHP = Semi-Jacketed Hollow Point | SP = Soft Point


12-gauge

PREMIER® ACCUTIP BONDED SABOT SLUG

to get results. Available in 2 3/4" or 3" 12-gauge and 20-gauge versions.

HEY PUNCH HUGE HOLES WITH PINPOINT CCURACY, AND IT'S ALL ABOUT THE TIP.

The AccuTip doesn't just look intimidating, it's flattening whitetails and competitors in the tipped-slug market with devastating ferocity. And this lineup now delivers knockouts in the middleweight category with the addition of our new 20-gauge loads. Guided by our Power Port™ Tip, these bonded sabot slugs hit with a degree of accuracy and terminal performance unmatched by any other we've tested. It is a true masterpiece of aerodynamics that consistently prints tiny 100-yard groups and transfers tremendous knockdown force to the farthest reaches of shotgun range. At 58-cal, our 12-gauge version is the largest tipped slug you'll find anywhere. In field testing, both the 12- and 20-gauge versions produced gaping wound channels and crumpled every deer they touched with a single shot. Spiral nose cuts, bonded construction and a high-strength cartridge-brass jacket come together on game to create large, perfect mushrooms with over 95% weight retention from 5 to 200 yards. With performance as revolutionary as its appearance, this is one deer-hunting tip sure



The Premier* AccuTip slug exhibits impressive accuracy at all ranges. (5-shat @ 100 yds. with 1.2" groups)



Power Port " Tip for accuracy assurance

Patented spiral nose cuts - for controlled expansion

Solid lead core bonded to the jacket for high weight retention

Cartridge brass jacket
for high strength

20 GAUGE.	260	GRAIN.	.45	CALIBE
-----------	-----	--------	-----	--------

		ر در در . : 1															
						PRI	EMIE	R: A	CCUTIP	BONDED	SABOT SI	LUGS					
PRA12	-	12		2 1/:	385-	g.		1850	1611	1401	2925	2218	1677		2.7	3.5	0.0
PRA12HA		12		3	, 385-	gr.	1	1900	1656	1439	3986	2344	1771		2.5	3.4	0.0
PRA20	:	20	i	23/1	250-	g.		1850	1610	1399	1976	1496	1130	;	2.7	3.5	0.0
PRA20M		20	7	3	260-	ø.		900	1555	!438	2084	1581	1193	1	2.5	3.4	0.0

^{† 0.0} inducates yardage at which shotgun was sighted in.

NEW

be just what the doctor ordered.


HIGH-PERFORMANCE SABOT SLUGS

PREMIER CORE-LOKT ULTRA
BONDED SABOT SLUGS. This is one slug that's anything but sluggish when it comes to performance. The Remington Core-Lokt Ultra Bonded is a sleek, ultra-fast, flat-shooting shotgun sabot slug that's virtually in a class of its own. With incredible accuracy, it delivers a 385-grain, .50-caliber, jacketed, bonded bullet that yields near 100% weight retention and expands to 2x in diameter.

Designed for use in fully rifled barrels only, the Core-Lokt?

Ultra Bonded offers a high-tech blend of sabot power and surgical precision that could







SLUGS. The best-selling terminal performance and accuracy of our Copper Solid Slug is now available in a reduced recoil load. With 40% less recoil, they're perfect for anyone who wants outstanding on-game results without the rearward punch. Or, use them to sight-in, then step up to full loads. There's no finer slug load for young or recoil-sensitive hunters.



CO		EDUL			10.11	· Ch			00		
		PREMIER.	CORE-L	OKT. N	TRA BONI	DED' SAE	OT SLU	GS			
12	2 1/:	385-gr. į	1900	1770	1648	3086	2682	2325	1.8	2.4	0.0
j 20	2 1/2	260-gr. 1	1900	1750	1615	2084	1774	1506	2.0	2.7	0.0
		PRE	MIER C	OPPER	SOLID" S	ABOT SL	UGS				
12	2 1/2	l	1450	1320	1208	2040	1689	1417	0.01	-3.5	
12	3	1	1550	£408	1283	2331	1923	1597	, 0.0 ⁺	-2.9	
20	24:	1/1	1500	1360	1240	1444	1187	986	0.0*	-3.1	_
MANAGED RECOIL COPPER SOLID' SABOT SLUG											
12	2 1/:	1	1200	[113	1046	1400	1204	1063	0.0	-5.5	
	12 12 12 20	20 2 ½. 12 2 ½. 12 3 20 2 ½.	PREMIER 12 2½ 385-g. i 20 2½ 266-g. j PRE 12 2½ 1 12 3 1 12 3 ½ 20 2½ ¼ MANAG	PREMIER CORE-L 12 2½ 385-g: 1900 20 2½ 266-g: 1900 PREMIER C 12 2½ 1 1450 12 3 1 1550 20 2½ ¼ 1500 MANAGED RECC	PREMIER CORE-LOKT UL 12 21/1 385-gr. 1900 1770 20 27/1 260-gr. 1 1900 1750 PREMIER COPPER 12 21/1 1 1450 1320 12 3 1 1550 1408 20 21/1 1/1 1500 1360 MANAGED RECOIL COP	PREMIER' CORE-LOKT' ULTRA BON 12 2 ½ 385-gi 1900 1770 1648 20 2 ½ 266-gi 1900 1770 1615	PREMIER: CORE-LOKT: ULTRA BONDED: SAE 12 2½ 385-g; 1900 1770 1648 3086 20 2½ 266-g; 1900 1750 1615 2084 PREMIER: COPPER SOLID: SABOT SL. 12 2½ 1 1450 1320 1208 2040 12 3 1 1550 1408 1283 2331 20 2½ ½ 1/1 1500 1360 1240 1444 MANAGED RECOIL: COPPER SOLID: SABOT SL. MANAGED RECOIL: COPPER SOLID: SABOT SL. MANAGED RECOIL: COPPER SOLID: SABOT SL.	PREMIER CORE-LOKT ULTRA BONDED SABOT SLU	PREMIER CORE-LOKT ULTRA BONDED SABOT SLUGS 12 2 ½ 385-gr 1900 1770 1648 3886 2682 2325 20 2 ½ 260-gr 1900 1750 1615 2084 1774 1506	PREMIER CORE-LOKT ULTRA BONDED SABOT SLUGS 12 2 ½ 385-g 1900 1770 1648 3066 2682 2325 1.8	PREMIER CORE-LOKT ULTRA BONDED SABOT SLUGS 12 2 ½ 385-gr. 1900 1770 1648 3086 2682 2325 1.8 2.4 20 2 ½ 266-gr. 1900 1750 1615 2084 1774 1506 2.0 2.7 PREMIER COPPER SOLID SABOT SLUGS 12 2 ½ 1 1450 1320 1208 2040 1689 1417 0.01 -3.5 12 2 ½ 1 1450 1320 1208 2040 1689 1417 0.01 -3.5 12 3 1 1550 1408 1233 2331 1923 1597 0.01 -2.5 20 2 ½ ½ 1500 1360 1240 1444 1187 986 0.01 -3.1 MANAGED RECOIL COPPER SOLID SABOT SLUG

^{0.0} indicates yardage at which shotgun was sighted in

PREMIER'
COPPER SOLID"
SABOT SLUGS. The

unique, all-copper shotgun deer load. Designed specifically for use in fully rifled barrels. Outstanding on-game performance with 2x

caliber expansion and virtually 100% weight retention. Consistently delivers 2 1/2", 5-shot groups at 100 yards.



HIGH-PERFORMANCE LEAD SLUGS


ECKHAMMER* **LEAD SLUGS**. When it's time to put the hammer down, this lead slug delivers a devastating one-two punch of precision and explosive power. Specifically designed for rifled barrels and rifled choke tubes, it has an <u>attached</u> stabilizer that optimizes

flight to produce 3-inch, 100-yard groups. And weight retention at impact is consistently 100 percent. Choices include 12- and 20-gauge full-power and Managed-Recoil® versions. This season, put that big buck down for the count with the hardest-hitting, most accurate lead slug in the woods. BuckHammer:®

The BuckHammer's lead slug offers near 100% weight retention with full 12-gauge (.73 cal.) diameter.



The innovative design of the stabilizer allows the BuckHammer* to deliver 3" groups at 100 yards with 13% more energy than any other lead slug on the market. (3", 1 ½ oz. 12 gauge)





The BuckHammer* Lead Slug exhibits impressive accuracy by putting 100 shots inside an amazing 3 '!:" group at 100 yards. (2 '!:", 1 oz. 20 gauge)

		Control of	. Com	C	EM:				170	TM		Er
				BUCK	HAMME	R: LEAD	SLUGS					
SP12LSS	12	2 3/4	1 1/4	1550	1320	1145	2935	2177	1600	0.0	-3.6	_
SP12MLSS	12	3	1 %	1500	1234	1059	3232	2281	1710	0.0	-4.0	
SP20LSS	20	2 3/4	1	1500	1159	995	2236	1461	1074	0.0	-4.6	_
SP20HLSS	20	3	1	1550	1245	1051	2470	1592	1135	0.0	-4.1	-
			MANA	ED-REC	OIL' BUO	KHAMMI	R' LEAD	SLUGS				
RL12LSS	12	2 3/:	1 %	1350	1107	972	1991	1340	1032	0.0	-5.5	_
RL20LSS	20	2 1/2	74	1275	1057	938	1379	948	746	0.0	-6.2	_

			SLŲ	GGER! HI	GH VELO	CITY RIFLE	D SLUGS				
SPHV12RS	12	2 1/:	7/4	1800	1252	978	2751	1517	813	0.01	-4.1
SPHV12MRS	12	3	74	1875	1302	998	2989	1442	847	0.0*	-3.7
SPHV2ORS	20	2 3/4	Y:	1800	1321	1037	1575	848	523	0.01	-3.6
				SLUG	GER' RIF	LED SLUG	5				
SP12RS	12	2 1/4	1	1560	1175	977	2361	1340	926	0.0	-4.8
S12SRS	12	2 1/2	1	1680	1285	1045	2738	1605	1059	0.0	-3.8
S12MRS	12	3	1	1760	1345	1075	3005	1753	1121	0.01	-3.4
SPIERS	. 16	2 1/:	:/ !	1600	1175	965	1989	i072	724	0.0	-4.3
SP2ORS	20	2 3/:	3/1	1580	1240	1034	1513	931	648	0.0†	-4.2
SP41RS	.410	2 :/:	1/2	1830	1335	1040	654	348	211	0.01	-35



SLUGGER HIGH VELOCITY PIFLED SLUGS.

This higher velocity slug exits the barrel at 1,800 fps. 13% faster than standard 1 oz. slugs. The $^7/_3$ oz. Slugger High Velocity delivers more energy at 50 yards with flatter trajectory on deer than standard 1 oz.

slugs. Produced in most popular slug loadings $-2 \frac{1}{4}$ " and 3" 12 gauge and 2 $\frac{1}{4}$ " 20 gauge. Designed for the avid deer hunter using smooth bore guns.



SLUGGER' RIFLED SLUGS.

Remington's most popular, accurate, hard-hitting slug. Slightly oversized for great smooth-bore shotgun performance, resulting in better sealing against the barrel wall for greater accuracy.



EXPRESS MAGNUM AND EXPRESS' BUCKSHOT.

One of the great values in shotgun deer loads. A combination of heavy cushioning behind the shot column and a granulated polymer buffering helps maintain pellet roundness for tight, even patterns.

	EXPRES	S' MAGNUM B	UCKSHOT LOA	DS - BUFFERE)						
12SB00	12	2 1/1	1290	00	12						
12HB000	12	3'	1225	000	10						
12HB00	12	3"	1225	00	15						
12HB4	12	3*	1225	4	41						
1235B001	12	3:/:	1125	00	18						
	EXPRESS: BUCKSHOT LOADS - BUFFERED										
128000	12	21/2	1325	900	8						
12B001	12	21/:*	1325	00	9						
1280	12	23/:*	1275	0	12						
12B1	12	2 /:	1250	1	16						
12B4	12	2%	1325	4	27						
20B3	20	21/2	1220	3	20						
		MANAGED-I	RECOIL' BUCK	ТОН							
RL12BK00	12	2 1/2	1200	00	8						

¹ Utilizes Remington* Power-Piston one-piece wad

WINGWASTER HD


DROP-DEAD BETTER.

Drop-dead better - that's the key. No matter what your hunting passion waterfowl, turkey or varmints - Wingmaster HD® has the power to fuel it.

This hard-hitter stretches the kill zone with an ultra-tuned combination of density, shape and energy. At 12.0 grams/cc, it's 10% denser than lead; the scientifically proven optimum density for pellet count and pattern density. Plus, its smooth, round shape delivers awesome aerodynamics and sustained payload energy. It all adds up to the most devastating patterns possible.

Wingmaster HD is nearly as soft as steel shot, which makes it easier on your barrel. And it's more responsive to chokes, allowing you to open up the pattern for close-range hunting or stretch shotgun range to its farthest reaches.

Absolutely no shotshell on the market can touch Wingmaster HD at long range. All of its revolutionary characteristics - optimized density, ultra-round shape and consistent size - come together on game with an unmatched level of deadly force. Patterns with Wingmaster HD will put 60% of the pellets in a 30" circle at 60 yards. Waterfowl, turkey and varmints don't know harm's reach yet. It's Wingmaster HD.



Wingmaster HD® Waterfowl and Predator Payloads

FEATURES


- HD = Heavy Density
- 12.0 g/cc density for optimal combination of pellet count and pattern density
- · Proprietary composite of Tungsten-Bronze-Iron
- · Round, consistent pellets:
- Travel straighter and longer
- Improve long-range lethality
- Tighter patterns
- More even pellet distribution
- · Uniform pellet density
- · Softer pellets are easier on your barrel and more responsive to chokes
- · Better patterns at long and short ranges more lethal than lead
- · Approved for waterfowl hunting by the USF&W and Canada

Non-toxic, 56% denser than steel and 10% denser than lead, it's the most lethal choice whatever you're shotgunning for:

WATERFOWL • TURKEY • PREDATORS

THE ULTIMATE EXTENDED-RANGE PAYLOAD


· Denser patterns



BARBER - R 0003209



F245					
数字	* 1		i rigal		
RW108	WINGMASIER	ID! WAIERFU	OWL PAYLOADS -	- 10 ROUNDS	
RW108	:	1	1200	1 11	; 6B
RW104	10	3 /:	1300	1 %	2
RW104			 	!	1 4 4
RW125#	. 12	2 1/.	1325	17,	6
RW1256				!	<u>i</u> <u>b</u> 2
RW122	12	,	uen	10	2 i 4
RW126	12	3	1450	1 1/4	•
RW125		<u>_</u>	 		6 2
RW12M2 RW12M4		, ,		111	į 2
RW12Ma	: 12	3	1450	1 1/4	<u>.</u> 6
RV12HMB			 	<u> </u>	: 6 BB
RW12HM8 RW12HM2			1		;
RW12HM2 RW12HM4	12	3	1300	1 1/:	2
RV1235MB			 	!	4
RW1235M2					8B
RW1235M2 RW1235M4	. 12	3 -/:	1300	1%	2
RW1235M6			İ		4
RW20SM4			<u> </u>	!	6
RVI20SM6	20	2 1/.	1300	1	4
RW20M6				<u>:</u>	<u>-</u>
RIY20M6	20	3	1300	17,	1 4
				1	5 0 DED DOY
RW12HMH4	NGMASTER HD	! MAGNUM TI	URKEY PAYLOAD	S - 5 ROUNU	
RV12HMH4	12	3	1225	1%	1 4
RV1235HM4					- 5
RW20HM4		3 ½		174	4
N I ZUFIMA	29	3	1185	17:	
Numa		HD: PREDATO	OR PAYLOADS -		
RW12V1	12	3	1300	11/2	ſ
RW1235VT	12 İ	3./-	1350	17/	ī




Steel Magnum - 12-ga., 3" - 1 3/a oz., #3 shot

Remington.

12.0 G/CC - BEST PELLET MATERIAL DENSITY.

Testing proves Wingmaster HD[®] delivers the best combination of pellet energy and pattern density.






MORE UNIFORM WEIGHT.


Wingmaster HD's smooth, round pellets are extremely aerodynamic. They are uniform in weight and true to listed shot size.

NITES-STEEL WATERFOWL

THE MIGRATION'S STEEL WALL.

Short or long, Nitro-Steel'[§] stops 'em dead with tight, consistent patterns and premium zinc-plated steel pellets — it's premium performance at a very reasonable price. And we make it in a wide range of loads to suit any hunt — 10 to 20 gauge, maximum payloads and high velocities. Trust your dollar to a legend. Remington'[§]





SHOTSHEL

- · Loaded with top-quality, premium steel shot
- · Zinc-plated shot to prevent corrosion
- Wetproof[™] sealed at primer and mouth
- · High-velocity and magnum loadings
- Complete line for all waterfowl hunting situations

		talon.			
	NITR	O-STEEL HIGH	VELOCITY MA	GNUM LOADS	
NS10M	10	3 1/:	1260	: 1%	T. BRE. BB. 2
NS12HVS	12	2:/.	1390	1 /4	2.4
NS12S	12	2 1/4	· 1275	: 11/4	BE. 2. 4
NS12HV	12	3	1550	1 1/	BB, 2-4
NS12M	12	3	1450	1 1 1/4	T, BBB, 58 1, 2, 3, 4
NS12HM	12	3	1300	1 7	T, BBB, BB 2, 3, 4
NS1235HV	12	3 1/2	1550	11/4	T, B&B. BB. 2
NS1235	12	3 1/: .	1300	, 1%	T, BBE. EE. 2
NS16HV	16	21/:	1300	11/34	2.4
NS20HVS	20	2 '/:	1425	1 1:	2.4
NS20M	: 20	: 3	1330	1	2.4

SPORTSMAN' HI-SPEED" STEEL LOADS



HIGH VELOCITY, HIGH VALUE.

- Economical, Hi-Speed™ steel loads
- · Waterfowl loads for every hunting situation
- Upland loads for use in non-toxic zones and for practice shooting
- · Shot size selection to match your game

	1		à }};	LEGO.	9184 U.S.		gen Ga
	SI	PORTSMAN	I HIS	PEED" ST	TEEL LO	ADS	
SSTHV10	10	31/:	:_	1500		1 3/4	BB, 2
SST12	12	2:/:		1365		1	6.7
SST12S	12	2 1/:	•	1375		1 1/6	2,4
SSTHV12H	12	3		1550		1-/-	BB. 2. ₫
SSTHV12HM	12	3		1400	į	1%	BB. 1, 2, 3, 4
SST12HM	12	3		1300	i	1 %	88.2
SSTHV1235	12	31/2	1	1550		1 1/1	BB. 2
SST20	20	21/:	1	1425		1/.	7

LEAD MAGNUMS

PREMIER: HIGH VELOCITY MAGNUM COPPER-PLATED BUFFERED TURKEY LOADS.

The high-performance lead load for avid turkey hunters. 3" and 3 1/2" 12-gauge payload leaves the muzzle at 1,300 fps. Delivers hardhitting knockdown power. Loaded with our Power Piston® one-piece wad and Magnum-grade Copper-Lokt[§] lead shot for dense patterns and deep penetration.

PREMIER MAGNUM COPPER-PLATED BUFFERED

TURKEY LOADS. Our original Magnum turkey loads. As fine a lead shotshell as you can carry in the woods. Magnum-grade Copper-Lokt® shot is cushioned with special polymer buffering and further protected by our Power Piston. one-piece wad for dense, even patterns. Delivers superb performance and devastating knockdown power out of tightly constricted turkey chokes.





NITRO MAG* BUFFERED MAGNUMS.

Excellent for turkey or long-range pheasants. Heavy payloads of Magnum-

grade shot are packed with polymer buffering and enclosed in our patented Power Piston® one-piece wad to provide dense, even patterns and uniform shot strings.

PPEMIER* DUPLEX MAGNUM COPPER-PLATED BUFFERED LOADS.

A specialized layering of Magnum-grade Copper-Lokt[®] No. 4 shot over No. 6

shot. Larger pellets deliver excellent retained

energy and penetration, while smaller pellets enhance pattern density. Awesome versatility for uncertain shooting distances on turkeys and late-season pheasants.



PREMIER:	HIGH VELOCI	TY MAGNUM	COPPER-PLATED	TURKEY LOADS	- BUFFERED
PHV12M	12	3	1300	1%	4. 5. 6
PHV1235M	12	3 1/:	1300	! 2	4.5
PREM	MIER' MAGNU	VI COPPER-PL	ATED LEAD TURK	(EY LOADS - BUI	FFERED
P10HM	10	3 1/:	1210	2 1/:	4
P12SM	12	2 ½	1260	1-/:	4, 5, 6
P12XHM	12	3	1175	2	4, 5. 6
P1235M	12	3 ⅓:	1150	2 1/2	4.6
P20XHM	20	3	1185	1 1/2	6
PF	REMIER DUPL	EX' MAGNUN	COPPER-PLATED	LOADS - BUFF	ERED
MP12S	12	2 1/4	1260	1 1/:	4x6
MP12H	12	3	1210	1 1/4	4x6
		NITRO MAG	LOADS - BUFFER	RED	
NM12S	12	2 1/4	1260	11/2	2, 4. 6
NM12	12	3	1280	17/	4. 6
NM12H	12	3	1210	17/2	2. 4. 6
NM26S	20	2 1/:	1175	1 1/4	4, 5
NM20H	20	3	1185	1 1/4	4.6
	NITRO	TURKEY! M.	AGNUM LOADS -	BUFFERED	
NT12S4	12	2 1/4	1250	17/4	4
NT12S5	12	2 1/:	1250	17/:	5
NT12H	12	3	1210	1%	4. 5. 6
NT1235	12	3 %:	1300	2	4, 5, 5
NT20M	20	3	1185	11/4	5

NITRO TURKEY



NITRO TURKEY EXTENDED RANGE BUFFERED MAGNUMS.

- · Nitro Mag² extra-hard lead shot
- · Patterns over 80% with Super Full choke
- · Patterns like copper-plated shot
- · Value price



BARBER - R 0003212

UPLAND0003213

NITRO PHEASANT' LOADS.

For pattern, energy and performance, nobody beats Nitro Pheasant. The best of our Pheasant load offerings, Nitro Pheasant uses Remington's own Copper-Lokt* copper-plated lead shot with high antimony content, the hardest lead we make for hunting. Hard shot stays rounder for truer flight, tighter patterns and greater penetration. So when it comes to bringing down tough birds like pheasant, you need a load that delivers maximum pattern density and lethal energy—you need Nitro Pheasant. Available in both high velocity and magnum loadings in both 12 and 20 gauge.



PHEASANT LOADS.

For the broadest selection in game-specific upland lead shotshells, Remington⁴ Pheasant Loads are the perfect choice. Their high velocity and long-range performance are just right for any pheasant hunting situation. Standard high-base payloads include 12, 16, and 20 gauge.




SHURSHOT HIGH BASE PHEASANT LOADS.

The renowned ShurShot brand is available in a new high-base offering. ShurShot High Base Pheasant offers an ideal balance of velocity and payload to create near-perfect patterns, while its lower recoil helps to minimize fatigue over a long day in the field.



EXPRESS EXTRA LONG RANGE LOADS.

Time-proven performance for all upland game. The choice of experienced small game hunters across the country because our Express line offers the best balance of payload and performance. Available in a



BARBER - R 0003213







LEAD GAME LOADS.

Budget-stretching shotshells for a wide variety of hunting. Available in 410 bore, 20-, 16- and 12-gauge loadings.

PORT LOADS.

Economical, multi-purpose loads. Built with our premium Power Piston* wad and plastic Unibody hulls. Loaded with No. 8 shot. Ideal for skeet, trap and sporting clays, as well as quail, doves and woodcock.

EYEEL GAME AND PARGET LOADS.

Specifically designed for upland birds and clay target shooting where mandated. One ounce of steel No. 7 has nearly the same pellet count as 1 ½ oz. of lead No. 8. Perfect combination of velocity and pattern density at normal distances.





N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N 1E W N	2-1-
N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N	'Š
N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W N E W E W N E W N E W E W N E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E W E	
NF2HM 12 3 1350 1½ 4,5 120 1 120 1 130 1 1½ 130 1 1½ 130 1 1½ 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 130 1 1 1 130 1 1 1 130 1 1 1 1 130 1 1 1 1 1 1 1 1 1	
NP20 20 2 ½ 1300 1 5.6 NP20M 20 3 1185 1½ 5.5 EXPRESS' EXTRA LONG RANGE LOADS SP12 12 2 ½ 1330 1½ 86, 2.4.5, 6.7 SP15 16 2 ½ 1295 1½ 4.6.7 ½ SP20 20 2 ½ 1220 1 4.5.6, 7 ½ SP28 28 2 ½ 1295 ½ 6.7 ½ SP410 A10 2 ½ 1250 ½ 4.6.7 ½	
NF20M 20 3 1185 1½ 5.6 EXPRESS' EXTRA LONG RANGE LOADS SP12 12 2½ 1330 1½ 86, 2.4.5, 6.7 SP15 16 2½ 1295 1½ 4.6.7½ SP20 20 2½ 1220 1 4.5.6.7 ½ SP28 28 2½ 1295 ½ 6.7 ½ SP410 A10 2½ 1250 ½ 4.6.7 ½ SP410 A10 2½ SP410 A10 2½ SP410 A10 SP410	
EXPRESS' EXTRA LONG RANGE LOADS SP12 12 2 ½ 1330 1½ 88, 2, 4, 5, 6, 7 SP15 16 2 ½ 1295 1½ 4, 6, 1½ SP20 20 2 ½ 1220 1 4, 5, 6, 7 ½ SP28 28 2 ½ 1295 ½ 6, 7 ½ SP410 A10 2 ½ 1250 ½ 4, 6, 7 ½	
SP12 12 2 ½ 1330 1½ 86, 2, 4, 5, 6, 7 SP15 16 2 ½ 1295 1½ 4, 6, 1½ SP20 20 2 ½ 1220 1 4, 5, 6, 7½, 5 SP28 28 2 ½ 1295 ½ 6, 7½, 5 SP410 A10 2 ½ 1250 ½ 4, 6, 7½	
SP15 16 2 ½ 1295 1 ½ 4,6,1 ½ SP20 20 2 ½ 1220 1 4,5,6,7 ½ SP28 28 2 ½ 1295 ½ 6,7 ½ SP410 A10 2 ½ 1250 ½ 4,6,7 ½	
SP20 20 2 ¼ 1220 1 4.5.6.7 ½. SP28 28 2 ¼ 1295 ½ 6.7 ½. SP410 .410 2 ½ 1250 ½ 4.6.7 ½.	/i. 9
SP28 28 2 ½ 1295 ½ 6.7 ½ SP410 .410 2 ½ 1250 ½ 4,6.7 ½	
SP410 4.10 2 ½ 1250 ½ 4.6.7 ½	<u> </u>
SP413 410 3 1135 EA 4.5.7.A	
0, 10 1 110 1 16 4, 0.1 15	
PHEASANT LOADS	
PL12 12 2 ½ 1330 1 ½ 4.5.6,7 ½	
PL16 : 16 2 ½ 1295 : 1 ½ 5	
PL20 20 2 1/4. 5.6,7 1/2	
SHURSHOT' HIGH BASE PHEASANT LOADS	
R12P 12 2 % 1220 1 % 4.5	
SHURSHOT' HEAVY DOVE LOADS	
R12HD 12 2 ½ 1255 1 1/4 6, 7 ½, 8	
R20HD 20 2 /: 1165 1 5.7 /: 8	
PROMOTIONAL GAME LOADS	
GL12 12 2 1/. 1290 1 6.7 1/L 8	
GL16 16 2 1/2 1200 1 6,7 1/2, 8	
GL20 20 2 1/4 1225 1/4 6,7 1/4. 8	
GL410" .410 2 /: 1200 1/: 6	
SPORT LOADS	
R12SL 12 2 1/: 1290 1 8	
R20SL 20 2 / 1200 / 8	
STEEL GAME AND TARGET LOADS	
NEW GLSTL12 12 2 1/2 1325 1 7	
NEW GLSTL29 29 2 /: 1325 /: 7	

+20-round b

BARBER - R 0003215 TARGET LOADS

PREMIER* NITRO 27* HANDICAP TRAP LOADS.

Designed for long-yardage trapshooting and long-range sporting clays, our custom powder blend, Power Piston® wad and Premier® STS® primer mix have improved the Nitro 27's performance allowing more consistent velocities, 15% better pattern performance and softer

Premier

recoil. So if you're looking for tremendous targetbreaking performance, choose the improved Nitro 27.



GUN CLUB® TARGET LOAD LINE.

An excellent choice for economical shooting. These high-quality shells are loaded with the same care as our top-of-the-line STS* loads and feature a Power Piston* wad and the reliable STS* Primer mix. Many shooters are discovering that they can get acceptable reloading life while stretching their shooting dollar.

PREMIER* STS* TARGET.


The standard in target shooting reliability. Absolutely consistent from shot to shot. Bar none, the most reliable, most reloadable shells you can shoot. Available in 12, 20, 28 gauge and 410 bore.



NEW



MANAGEDRECOIL* STS*
TARGET. Dramatically reduced recoil — 40% less in the 12-ga. load — with target-grinding STS* consistency and pattern density. Ideal for new shooters and recoil-sensitive individuals.



COMPETITORS AT THE GRAND CHOOSE REMINGTON AS THEIR WINNING AMMUNITION.

Great champions think alike. For the sixth year in a row, shooters who used Remington shells won more trophies than competitors using other brands at the 2008 ATA Grand American World Trapshooting Championship. And for good reason! Remington STS® and Nitro 27® target loads

provide softer recoil, better pattern performance, and more consistent velocities (not to mention the most reloadable hull on the market). Isn't it time you switch to Remington and step into the winner's circle?

FEDERAL SESSOR	00.000000000		का कार्या स्ट्रा	N SEE SANGER	AN ANY DESCRIPTION	44 200 20 20	SOT DE LA COMPANION DE LA COMPANION DE LA COMPANION DE LA COMPANION DE LA COMPANION DE LA COMPANION DE LA COMP
III . •		in line				977	- 2
	P	REMIER' STS' TARGET LOA	DS – EX				
STS121	12	Premier STS Target	2 1/:	2 3/4	1185	11	7 1/2, 8, 8 1/2
STS12LR	12	Premier STS Low Recoil	2 1/2	2 %	1100	11/4	8
STS12L	12	Premier STS Light Target	2 1/4	2 1/4	1145	11/4	7 1/2, 8, 8 1/2, 9
STS12LH	12	Premier STS Light Handicap	23/:	3	1200	1%	7 1/1, 8
STS12NH1	12	Premier Nitro 27 Handicap	2 1/2	HNDCP	1290	1	7 1/1, 8
STS12NH	12	Premier Nitro 27 Handicap	23/:	HNDCP	1235	1%	· 7 ½. 8
STS12NSC	12	Premier STS Nitro Sporting Clays	23/:	Max	1300	11/4	7:/:, 8
STS12P	12	Premier STS Pigeon	2 1/2	3 1/:	1235	17:	7 1/2
STS20LR	20	Premier STS Low Recoil	2 3/2	2 1/2	1135	1/;	9
STS20SC	20	Premier STS Target	2 1/4	2 1/2	1200	1/2	8
STS20	20	Premier STS Target	23/4	2 1/:	1200	1/a	9
STS28NSC	28	Premier STS Nitro Sporting Clays	2 1/1	2 1/4	1300	3/2	7 1/2
STS28SC	28	Premier STS Target	2 3/4	2	1200	4/:	8
STS28	28	Premier STS Target	2 1/2	2	1200	1/:	9
STS410NSC	.410	Premier STS Nitro Sporting Clays	2 1/2	Max	1300	1/:	8
STS410SC	.410	Premier STS Target	2 1/:	Max	1200	4	81/2
STS410	.410	Premier STS Target	2 1/:	Max	1200	<i>y</i> :	9
		MANAGED-REC	OIL ² STS	' TARGET	LOADS		
RLSTS12	12	Managed-Recoil STS Target	21/4	_	1100	1/2	8 1/2
RLSTS20	20	Managed-Recoil STS Target	23/:	_	1100	7/5	8 1/2
		GUN CLU	IB ² TAR	GET LOADS	<u> </u>		
GC121	12	Gun Club	2 1/4	21/4	1185	1	7 1/1, 8
GC12t	12	Gun Club	23/1	23/2	1145	1%	7 1/2.8.9
GC12	12	Gun Club	2 3/4	3	1200	1 1/1	71/:.8
GC20	20	Gun Club	2 1/4	21/2	1200	1/1	7 1/2. 8.9


COLLECTIBLES

2009 "BIG DADDY BARLOW"" BULLETS KNIFE

- RB1242 Daddy Barlow pattern
- Blade material/options 440 high carbon stainless steel (Ladder Damascus Blade also available — Limited Offering)
- Blade measurements 4" clip blade with long nail pull and a 2 1/2" per blade with long nail pull
- Closed measurement 5"
- Handle material/points of interest Amber saw cut bone with bullet shield. The distinctive large bolster that the Barlow pattern is known for has the Remington logo stamp.
- Made in the USA







BOY SCOUTS OF AMERICA® KNIFE

- · First Boy Scouts of America knife created since 1940
- · Original RS3333 scout pattern created in 1923
- · Made with tooling from the original Remington Bridgeport, Conn. factory
- Undergoes over 115 hand operations
- · Shipped in the same hinged cardboard box design (1923 - 1940)
- Includes booklet containing original advertising pieces and articles
- The first of many other BSA patterns to come
- Made in the USA

REMINGTON® CUTLERY COLLECTORS CLUB "KNIFE OF THE YEAR"

Remington Arms Company is proud to introduce the Remington Cutlery Collector's Club (RCCC). The inaugural "Knife of the Year" is certain to be an addition to your collection. The R103 was the first knife ever made by Remington Cutlery in 1920 and serves as the first in a long series of RCCC's "Knife of the Year."

The R103 has two 440 stainless steel blades and a perfectly reproduced handle made from the original iig used on many Remington Cutlery knives between 1920 and 1940. Passed down over many generations and multiple company buy-outs, many of these patterns are made using the original tooling. Every RCCC knife is Made in the USA and carries the last published tang stamp before closing the doors in 1940, as well as the Remington trademark blade etch.

A RCCC membership is required to purchase this knife and other special-offer knives. For product details, special offers and specific membership information, visit www.remingtoncutlery.com or mail in your request for more information to: Remington Cutlery Callector's Club, 870 Remington Drive, Madison, NC 27025.





www.remingtoncidlery.com - info on club do non + membership

BARBER - R 0003216


BARBER - R 0003217

PREMIER™ TACTICAL KNIVES


TANGO® SERIES I (FIXED)

- Overall length 10 1/2"
- Blade material 5 1/4; Civilian: 440C stainless steel PTFE-Teflon* coated blade with etched Remington* logo; Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo; Military: N690 stainless steel DLC coated blade with etched Remington* MPD logo
- Blade options Drop, Clip and Tanto
- Handle material G-10
- Sheath Civilian: Cordura; Law Enforcement: M.O.L.L.E.; Military: M.O.L.L.E. plus leg extension
- · All sheaths come in Black










ZULU® SERIES I (FIXED)


- Overall length − 10 ½"
- Blade material 4 5/4"; Civilian: 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo; Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington? LE logo; Military: N690 stainless steel DLC coated blade with etched Remington® MPD logo
- Blade options Drop, Clip and Tanto
- · Handle material Anodized aluminum with 3M non-slip inserts
- Sheath Civilian: Cordura; Law Enforcement: M.O.L.L.E.; Military: M.O.L.L.E. plus leg extension
- · All sheaths come in Black
- Made in Italy





PREMIER™ TACTICAL KNIVES

TANGO® SERIES II (FOLDER)

- Closed measurement 4 3/4"
- Blade material − 3 ⁵/₈"; Civilian: 440C stainless steel PTFE-Teflon[®] coated blade with etched Remington® logo; Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington® LE logo; Military: N690 stainless steel DLC coated blade with etched Remington® MPD logo
- Blade options Drop, Clip and Tanto
- Handle material G-10
- Made in Italy 🛭 🗸










ZULU® SERIES II (FOLDER)

- Closed measurement 4³/₂"
- Blade material 3 ³/₃"; Civilian: 440C stainless steel PTFE-Teflon³ coated blade with etched Remington* logo; Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington* LE logo; Military: N690 stainless steel DLC coated blade with etched Remington® MPD logo
- Blade options Drop, Clip and Tanto
- Handle material Anodized aluminum with 3M non-slip inserts
- Made in Italy







ECHO: SERIES II (FOLDER)

- Closed measurement 4 1/2"
- Blade material 4 1/2"; Civilian: 440C stainless steel PTFE-Teflon® coated blade with etched Remington® logo; Law Enforcement: 440C stainless steel Mill Spec: Mil-C 13924 blade with etched Remington* LE logo; Military: N690 stainless steel DLC coated blade with etched Remington MPD logo
- Blade options Drop, Clip and Tanto
- Handle material Anodized aluminum with 3M non-slip inserts
- Made in Italy 🛚 🖫





LAW ENFORCEMENT (Drop)



MILITARY (Tanto)


BARBER - R 0003218

PREMIER™ HUNTING KNIVES

ELITE HUNTER' SERIES I (FIXED)

- Overall length − 9 ½/ε"
- Blade material 440C stainless steel with satin finish, 4 1/3" long, 4mm thick
- Blade options Drop Point and Clip Point
- Handle material 6061 aircraft aluminum scales with optional insets
- Handle options 3M^t non-slip, Olive Wood and Genuine Stag insets
- Sheath Black and Brown handmade Italian leather sheath with belt loop (sheath color is depicted by inset option)
- Made in Italy 💵






ELITE HUNTER* SERIES II (FOLDER)

Closed measurement − 4 ¹/₂"


- Blade material 3mm thick 440C stainless steel with satin finish
- Blade options Single: 3 ³/ɛ" Drop Point
 Single: 3 ³/ɛ" Clip Point | 2-Blade: 3 ³/ɛ" Drop Point
 and 3 ¹/ɛ" heavy duty Saw | 3-Blade: 3 ³/ɛ" Drop
 Point, 3 ¹/ɛ" heavy duty Saw, and 3 ³/ɛ" Gut Hook
- Handle material 6061 aircraft aluminum scales with optional insets
- Handle options 3M[®] non-slip, Olive Wood, and Genuine Stag insets
- Sheath Black and Brown handmade Italian leather hip holster custom fit to single, 2-Blade or 3-Blade options (holster color is depicted by inset option)

• Made in Italy & B



OLIVE WOOD (1-Blade)







Black Hip Holster



Brown Hip Holster



NON-SLIP (3-Blade)

BARBER - R 0003220 KNIVES

"SHOOT LIKE A GIRL ... IF YOU CAN!

SERIES KNIVES

- 440 high carbon stainless steel blades with mirror finish
- · Smooth pink bone handle
- Made in the USA









R-113 Peanut (2 7/8" Closed) (Clip)

HERITAGE SERIES


The Remington Arms Crest Shield, found on the front bolster of each Heritage Series knife, represents a tradition dating back to the 1800s. From 1888 to 1914, this crest could be found on every firearm manufactured by Remington Arms Co., Inc.

- Handle options Green Jigged Bone and Laminated Wood, nickel silver bolsters and thick brass liners
- Blade materials 440 high carbon stainless steel and hollow ground
- Made in the USA

--- GREEN JIGGED BONE













MINI PEN

(2 1/2" Closed)

(Clip and Pen)

and Pin Punch)



(Drop Point)





MINI TOOTHPICK (2 7/: " Closed)




(Clip and Spey)

LAMINATED WOOD ---

















R-21



R-51 GENTLEMEN'S (3" Closed) (Drop Point)





(Clip and Pen)





THE PERSON NAMED IN


KNIVES

SPORTSMAN™ SERIES F.A.S.T.* (FIXED)


- Blade material/options 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade Length 5 3/4", 3.9mm thick
- Handle material Anodized aluminum scales with rubberized coating riveted to a solid one piece 3.9mm thick tang with lanyard hole
- Handle options Black, Mossy Oak® Obsession®, Mossy Oak® Blaze Orange (New for 2009) or Realtree® Advantage® MAX-4 HD™
- Overall length 10 1/2"
- Sheath Heavy duty black nylon sheath with belt loop











SPORTSMAN™ SERIES F.A.S.T.* (FOLDER)

- · Fast Action opening with a Soft Touch handle
- Blade material/options 440 stainless steel with bead blast finish or black oxidized coating with a serrated/straight combo edge
- Blade lengths Large: 3 5/8" | Medium: 3 1/8"
- Handle material Anodized aluminum scales with rubberized coating; includes pocket clip and lanyard hole
- Handle options Black, Mossy Oak® Obsession,® Mossy Oak®
 Blaze Orange (New for 2009) or Realtree® Advantage® MAX-4 HD™
- Closed measurement Large: 5" | Medium: 4 1/8"



STAINLESS STEEL BLACK BLADE MOSSY OAK® BLAZE ORANGE HANDLE






STAINLESS STEEL BLADE MOSSY OAK® BLAZE ORANGE HANDLE

















KNIVES - R 0003222

SWIFT-LOKT 2.0 (FOLDER)

- Closed measurement 4 ¹/2" (Large), 3 ²/8" (Medium)
- Blade material Cryogenically tempered AUS8 high carbon bead blasted stainless steel with thumb stud, Large: 3 1/2" long; Medium: 3" long
- Blade options Clip, Drop and Tanto
- · Handle material Aluminum with dark gray anodized finish and tactile rubber inlays with bead blasted stainless steel pocket clip
- · Patented assisted opening system using nine long beam springs for superior power and speed
- · Cold-forged liner lock with enlarged lock surface
- · Patent pending slide safety system






Nine stout springs assist the blade to open position with lightning speed.

WINGMASTER" MULTI-TOOL

- · The ultimate waterfowl/upland multi-tool
- · Scissor head with bone notch cut-out and lock
- 3" saw
- 1 3/4" blade
- Guthook
- Choke tube wrench (12- and 20-ga.)
- · LED push button light

· Ergonomic handles with rubber inserts for easy grip



DOVE/QUAIL CLEANING SET

- Caping knife overall length 5 1/3
- Hook overall length: 4 1/4"
- Needle nose scissors overall length: 4 1/2"
- · All three tools fit into a black nylon sheath with belt loop



DUCK/PHEASANT CLEANING SET

- Caping knife 440 stainless steel with bead blast finish and measures 63/4" long
- Hook overall length 7th
- Scissors bone notch cut out for clipping wings with ease and measures 6"
- · All three tools fit into a black nylon sheath with belt loop



BIG GAME SKINNER SET


- Knife material one piece 440 stainless steel knives with mirror finish and have a finger ring for easy carry and grip
- Gut hook Easy to sharpen hook measures 7 1/4"
- Skinner overall length: 7 3/8"
- Caping blade overall length: 6 1/2"
- All three knives fit snug in a heavy duty black nylon sheath with belt loop



SPORTSMANTM SERIES (FIXED)

- Overall length 9 3/4" (Drop, Skinner, Skinner Clip), 93/8" (Clip), 9 3/16" (Drop w/Gut Hook)
- Blade material 420HC (high carbon) stainless steel with etched Sportsman™ Series logo
- Blade Length 4 5/8" (Drop. Drop w/Gut Hook), 4 1/4" (Clip), 4 9/16" (Skinner), 3 11/16" (Skinner Clip)
- Blade options Drop and Gut Hook
- · Handle material Black synthetic non-slip
- · Sheath Black leather





EXCURSION (FIXED)

- Overall length 9 5/8" (Clip), 9 1/2" (Gut Hook)
- Blade material 420 stainless steel PTFE-Teflon® coated and etched Remington® logo, Clip: 4 1/2" long, Gut Hook: 4 1/4" long
- Blade options Clip and Gut Hook
- Handle material Injection molded black rubber with 420 SS frame
- Sheath Cordura with belt loop
- Made in Italy





D. C. L. D. E. C. E. C. E. WORKERS

INSIGNIA EDITION™ (FIXED)

- Overall length 8"
- Blade material 440 stainless steel, 3 1/2" long
- Blade options Drop and Gut Hook
- Handle material Black Laminate and Burl Wood with Sportsman™ Series medallion inlayed in handle
- Sheath Black leather





INSIGNIA EDITION" (FOLDER)

Handle options — Black Laminate and Burl Wood with Sportsman™ Series medallion inlayed in handle
 Blade materials — 440 stainless steel







BLACK LAMINATE

(Dran)




















TECTONIC CTI" (FIXED)

- Overall length 7 ½" (Clip), 6½" (Clip & Drop w/Trigger Ring™)
- Blade material 420HC stainless steel blades with titanium coating and etched Sportsman™ Series logo, 3 1/4" long (Clip), 3 1/2" long (Clip & Drop w/Trigger Ring™)
- Blade options Drop and Gut Hook
- Handle material Carbon Fiber
- Sheath Paddle style ABS plastic













TECTONIC CTITS (FOLDER)

(Quick Release

- Closed measurement 7 1/2" (Large), 5 1/4" (Small)
- Blade material 420HC stainless steel blades with titanium coating and etched Sportsman™ Series logo, 3 1/4" long (Large), 2 1/4" long (Small)
- Blade options Large and Small Clip
- · Handle material Carbon Fiber
- Push button closure and pocket clip



CLEANING KITS

FAST SNAP GUN CLEANING SYSTEM

- · Available in shotgun, rifle and pistol
- Features the Fast Snap T-handle (Patent Pending) for easy handling and better cleaning
- · Thoroughly cleans all parts of your shotguns, rifles and pistols
- · Compact semi-soft case for convenience when cleaning
- · Each kit contains tools necessary for specific type of firearm
- · All kits contain Rem® Oil, Bore Light and patches






TARGETMASTER™ DELUXE KIT

- 52-piece (true count) kit has all you need includes 100 patches
- Sturdy aluminum case with positive latches
- 3 sets of 3-piece rods: Rimfire rod (17-22), Centerfire rod (22 and up) and Shotgun/ muzzleloader rod
- Adapters allow for cleaning of handguns (17-50)




UNIVERSAL ALL-A-ROUND KIT

- Cleans all your shotguns, rifles and pistols (22 caliber to 12 gauge)
- Contains an assortment of brushes, 3-piece brass rod, patches, patch puller and waterproof/stain resistant Rem Pad
- Portable cleaning station packaged in a polyethylene storage tube that hangs on a peg or sits on a shelf for convenience
- · Chemicals not included



SPORTSMAN^{TSI} UNIVERSAL KIT

- 27-piece (true count) cleaning kit — includes 50 patches (22 caliber to 12-gauge)
- 3-piece brass rod accepts standard #8-32





FIELDMASTER KIT

Brass 3-piece rod with

swiveling handle

Rem[®] Oil (1-oz.) and

Brite Bore™ (2-oz.)

12 and 20 gauges

An assortment of bronze

bore brushes for 22, 270 and 30 calibers as well as





REMINGTON CLEANING KITS READILY ACCEPT STANDARD #8-32 CLEANING BRUSHES, MOPS JAGS AND STANDARD SHOTGUN BRUSHES/MOPS. (THE RIMFIRE ROD IN THE TARGETMASTER ACCEPTS.17 COMPONENTS, AND HAS AN ADAPTER FOR #8-32 ACCESSORIES.)

GUN STORAGE & CLEANER

BORE LIGHT

- Ideal for inspecting used firearms, cleaning firearms and inspecting bore for obstructions
- Includes both curved and straight light tubes
- LED light eliminates intense glare



MODEL 365 MINI DEHUMIDIFIER

- Protects up to 60 days before recharging is necessary
- Self-contained unit requires no wiring or extension cords




REM DRI™ 35 DESICCANT

- Removes moisture to prevent rust corrosion and eliminates odors in gun safes and cabinets
- · No electricity required
- · Rechargeable for multiple uses



REM² PAD GUN CLEANING MATS

- Surface material won't scratch guns or tabletops
- Absorbent top material traps and holds up to eight times its weight in fluids



CABLE LOCK

- · Fits most shotguns, rifles and pistols
- California approved

TRIGGER BLOCKS





Remington's Moistureguard™ VCI/Oil Blend is the most scientifically advanced formula for TECHNOLOGY lubricating and protecting metal surfaces and

equipment from rust and corrosion. It's the perfect combination of our premium Rem® Oil rust preventative and new Volatile Corrosion Inhibitor (VCI), providing ultimate protection against the harshest of elements. Designed for long term protection, it should be the last application prior to storing any metal equipment.

MOISTUREGUARD" CEM: OIL

- VCI
- · Uses Volatile Corrosion Inhibitor Technology
- · Guards your hunting, fishing and marine gear from rust and corrosion
- · Protects all metals from rust and corrosion
- · Displaces moisture
- · Lubricates, cleans and protects
- · Built from Rem Oil
- Available in: 6 oz. spray pump





Uses Volatile Corrosion Inhibitor Technology

6cc multi-purpose grease syringe

- · Safe on all metal surfaces
- Instantly provides superior long-lasting lubrication and protection
- Penetrates into smallest cracks and crevices

MOISTUREGUARD" REM CLOTH

- · Uses Volatile Corrosion Inhibitor Technology
- 10" x 10" multi-purpose cloth wipe
- · Instantly protects all metals from rust and corrosion

MCISTUREGUARD" GUN PLUGS

- Uses Volatile Corrosion Inhibitor Technology
- · Protects all metals from rust and corrosion
- · Place in chamber or mount in gun cabinet/safe to protect gun VCI
- Leaves no scent or residue
- 30 cubic feet of protection
- Use as a snap cap
- Available in: 12 gauge, 20 gauge, Centerfire and New for 2009 - Pistol Plugs (Offered in Universal and 22 caliber)

MOISTUREGUARD" SUPER SAFE PLUG

- Uses Volatile Corrosion Inhibitor Technology
- Protects all metals from rust and corrosion
- Place or hang in gun cabinet/safe

 Superior storage protection VCI Leaves no scent residue

216 cubic feet of protection for up to one year



CLEANING CHEMICALS

REM OIL

- Cleans dirt and grime from exposed metal surfaces while displacing non-visible moisture from metal pores
- · Protects internal and external metal parts from rust and corrosion
- Exclusive Teflon formula provides a thin, long-lasting film that keeps actions working smoothly by reducing metal-to-metal wear
- Available in: 10 oz. aerosol can, 4 oz. aerosol can, 2 oz. bottle with child resistant cap in footed clamshell and 1 oz. squeeze bottle in footed clamshell







REM OIL WIPES

- 6" x 8" wipe cloth saturated with Rem Oil
- · Available in: 12 Count Clampack, 100 Count Display and New for 2009 - 60 Count Pop-up Canister (with large 7"x8" wipes)

REM® ACTION & SHOTGUN CLEANER

- · Easily cleans dirt, powder residue and caked-on lubricants from disassembled actions and fire-control mechanisms (Rem Action)
- Dries quickly and leaves no residue (Rem Action)
- Cleans trigger groups, gas ports, choke tube threading, receivers, chambers, barrels and magazine tubes (Shotgun)
- Dissolves powder residue, fouled lubricants, burnt carbon deposits and gunk (Shotgun)
- · Blasts away gummy caked on grime from hard to reach areas such as ejectors, firing pin assemblies, trigger components and bolt recesses (Shotgun)
- Available in: 10.5-oz. can with jet-spray extension tube (Rem Action)
- · Available in: 18-oz. aerosol can (Shotgun Cleaner)





REM® DRILUBE®

- · Teflon-based lubricant provides a tough, non-congealing film without the residue of dry graphite lubes
- Keeps firearms functioning dependably to -40°F
- Available in: 4 oz. aerosol can

BRITE BORE " SOLVENT

- · Dissolves carbon and powder fouling, removes copper, lead and plastic deposits
- · Handy size for field range use
- Low odor contains no CFC's
- · Available in: 6 oz. can, 4 oz. jar and 2 oz. bottle





40-XTH BORE CLEANER"


- · Formerly Remington Bore Cleaner
- 40-X name ties into the products origins in Precision Benchrest Shooting
- · Formulated for rifles to improve cleaning, accuracy and performance
- Fast and easy to use no soaking or foul odors
- · Available in: 2 oz. white oval bottle with child resistant cap and 4 oz. squeeze bottle

CLEANING PATCHES

- For all shotguns, black powder guns, rifles and rimfire rifles
- 100% cotton
- · Enclosed in polybag for easy carrying in the field
- · Pre-sized for optimum cleaning




PACKAGED FACTORY PARTS




CHOKE TUBE BAG

- · Holds six flush or extended chokes
- · Pocket with zipper for wrench
- · Heavy-duty zippered Cordura pouch
- Belt loop for carry convenience






Comes in 12 and 20 gauge



INTEGRAL SCOPE MOUNTS

- · Available in black or silver
- Z-2 alloy construction -50% stronger than aluminum



30c 7;

- Super strong design base & lower ring Black Power
- Secure attachment TORX[®] grade 8tactical screws
- Fits all Remington Model 700's
- Made in the USA



SHOTGUN SCOPE MOUNTS

- · Easy to install and lightweight
- · Perfect for adding magnification and the precision of scope sighting
- Fits all Model 11-87, 1100 & 870 shotguns



MODEL 59718 SCOPE RAIL

- · One piece scope mount rail
- Allows use of Weaver-type rings for full-size 1" scope
- · Lightweight and easy to install
- · Made in the USA



MODEL 1100 11/11-87 11 GAS SYSTEM KIT

- · Genuine factory replacement parts
- · Nickel-plated piston/piston seal
- Teflon®-coated barrel seals



SHOTGUN PLUG

• Fits most Remington 12-gauge shotguns




UNIVERSAL MAGAZINE CAP

- Fits all 12, 16 and 20 gauge Model 870's, Model 1100's and Model 11-87's
- Allows you to add a sling to your
- Remington shotgun



Visit www.remington.com for our complete line of packaged factory parts.

ADJUSTABLE LENGTH OF PULL KIT



Kit includes:

- Two 1/3" LOP spacers
- One 1/2" LOP spacer
- Corresponding screw lengths to accommodate 3 different lengths

For more information on the Adjustable Length of Pull Kit, see page 3.

SUPERCELL™ RECOIL PAD

OUR PUMP BEATS THEIR
SEMI-AUTOS. The world's most
effective recoil pad. So potent, in fact, it
single-handedly helped our Model 870
generate up to 54% less recoil than our
leading competitors' autoloading shotguns with
factory pads. Its millions of tiny Super Cells absorb
and release energy over a longer time period to create
a more comfortable shooting experience than was ever before
possible with conventional materials.
(For more information, see pages 2-3.)

STOCKS/ FORE-ENDS

MODEL 870 % 11-87 SHURSHOT

- · Ambidextrous design for turkey, deer and predator hunters
- · Ergonomic grip for solid shot placement
- Lightweight synthetic construction
- Available in Black and Mossy Oak ⁸ Obsession [™]
- · Comb designed for perfect eye-alignment with sights and/or scope
- Molded in sling swivel stud





MODEL 870™





MODEL 870™ Mossy Oak® Obsession™

MODEL 870," 1100 & 11-87"

- Available in Black and Mossy Oak* Break-Up*
- 16-ga. and 12-ga. Adult and Compact





MODEL 1100™ Mossy Oak® Break-Up®







MCDEL 700" & MODEL SEVEN"

· Available in Black synthetic



Visit www.remington.com for our complete line of stocks & fore-ends.


R-15 ACCESSORIES



RECOIL PAD

MINI RISER

- Full Advantage[®] Max-1 HD™
- · Fits any Picatinny rail
- · Larger screw for more clamping power
- Made from aircraft quality aluminum and hardcoated to Mil. Specs.
- 1.3" long





1/2" PICATINNY RISER

- Full Advantage[®] Max-1 HD™
- 3/4" long

5-ROUND ALUMINUM MAGAZINE


- Full Advantage® Max-1 HD™
- Made with Chrome Silicon Spring and magpul gen Il follower







4" FORE-END RAIL

- Full Advantage[®] Max-1 HD™
- Made from aircraft quality aluminum and hardcoated to Mil. Specs.
- · Standard picatinny configuration
- · Co-witness with flat top upper receiver
- Mounting screws included
- ¹/₃" tall









and Shooting Accessories THE ALLEN COMPANY P.O. Box 445 525 Burbank St. Broomfield, CO 80038 303-469-1857

Gun Cases, Paper Targets

allencompany.net remington.com/huntshoot

Tin Signs

AMERICAN SPORTSMAN SIGN CO. 4808 Chilton Court Columbia. MO 65203 573-449-9077 americansportsmansign.com remington.com/lodgecabin

ATV Accessories

ARCTIC CAT P.O. Box 810 Thief River Falls, MN 56701 218-681-8558 arcticcat.com remington.com/atv

Wildlife Feeders and A Digital Game Cameras

BA PRODUCTS
602 Fountain Parkway
Grand Prairie, TX 75050
800-847-8269
remingtonfeeders.com
remington.com/wildlife

Outdoor Clothing

THE BRINKMANN CORPORATION
7633 East 63rd. Pl., Ste. 300
Tulsa, OK 74133
877-525-9070
brinkmann.net
remington.com/apparel

Food Plot Products, Scent Lures and Game Calls

BUCK EXPERT
262. Principale. C.P. 10
Saint-Benjamin
Quebec GGM 1NO
Canada
418-594-6393
buckexpert.com
remington.com/wildlife

Calendars

CALENDAR PROMOTIONS / GLOBAL MARKETING
1000 Highway 4 South
Sleepy Eye, MN 56085
800-533-0498
countrygallerycalendars.com
remington.com/lodgecabin

Plastic Molded Decoys

CASL INDUSTRIES
P.O. Box 1280
Clayton, CA 94517
925-685-5055
caslindustries.com
remington.com/huntshoot

Sporting Dogs

COASTAL PET PRODUCTS
911 Leadway Ave.
Alliance, OH 44601
800-321-0248
coastalpet.com
remington.com/pets

Cutlery – European Markets CONSORZIO CONTELLINAI

MANIAGO
Via Della Republica, 21
33085 Maiaso (PN)
Italy
Tel: +39-0427732803
remington.com/cutlery

Air Rifles & Soft Air Rifles CROSMAN CORP.

Route 5 & 20 East Bloomfield, NY 14443 585-657-6161 crosman.com remington.com/airguns

Tin Signs, Magnets, License Plates and Light Switch Covers

6831 Ridge Road Wadsworth, OH 44281 330-239-0500 desperate.com remington.com/lodgecabin

DESPERATE ENTERPRISES, INC.

E. Remington & Sons Revolvers

E. REMINGTON & SONS BY
U.S. FIRE-ARMS MFG. CO. INC.
48 First Street
P.O. Box 1816
Ilion, NY 13357
860-296-7441
e-remington-sons.com
remington.com/replicas

Socks

FOX RIVER MILLS
P.O. Box 298
Osage. IA 50461
800-247-1815
foxsox.com
remington.com/footwear

Sporting Sunglasses & Disposable Lighters

HALPERN 8290 Amwiler Road Atlanta, GA 30360 800-624-5280 remington.com/personal

Action Figures

HUNTER DAN P.O. Box 103 Greencastle, IN 46135 765-655-1400 hunterdan.com remington.com/toys

Dog Kennels

KENNEL AIRE N4 W31844 Whitetail Run Delafield. WI 53018 800-346-0134 kennel-aire.com remington.com/pets

Gun Safes and Cabinets

US MARKETS LIBERTY SAFE AND SECURITY. INC.
1199 West Utah Ave.
Payson. UT 84651
800-247-5625
libertysafe.com
remington.com/safes

EUROPEAN MARKETS

HARTMAN TRESORE AG & CIE
AmZiegenberg 3
D-33106 Paderborn
Germany
Tel: +49 0 5251174444
remington.com/safes


Area Rugs, Mats and Carpet


MILLIKEN & CO. 201 Lukken Industrial Dr. West La Grange, GA 30240 800-342-5539 remington.com/lodgecabin











Headwear

OUTDOOR CAP COMPANY, INC. 1200 Melissa Lane Bentonville. AR 72712 800-826-6047 outdoorcap.com remington.com/apparel

Heavy Cotton & Fleece Graphic T-Shirts

PARAMOUNT
P.O. Box 9 #1 Paramount Drive
Bourbon, MO 65441
800-255-4287
remington.com/apparel

Eye & Hearing Protection, Safety Gloves, Hard Hats, Vests and Footwear

RADIANS
7580 Bartlett Corp Drive
Bartlett, TN 38133
901-388-7776
radiansinc.com
remington.com/safetygear
remington.com/footwear

Flashlights, Lanterns, Headlights & Spotlights

RAYOVAC 601 Rayovac Drive Madison. W. 53711 608-275-4835 rayovac.com remington.com/lodgecabin

Remington Branded Custom Trucks & SUV's

REGENCY CONVERSIONS
2800 Golden Triangle Boulevard
Fort Worth. Texas 76177
888-899-7171
regencyrep.com
remington.com/customtruck

Specialty Gifts

S. B. INC. 203 E. Mill St. Amboy. IN 46911 877-616-7495 harvest-farms.com remington.com/lodgecabin

Knife Storage Cases, Rolls, Packs and Zipper Pouches

SMOKEY MOUNTAIN
KNIFE WORKS
2320 Winfield Dunn Pkwy
Sevierville. TN 37876
865-433-5871
eknifeworks.com
remington.com/cutlery

Meat Snacks, Steak Snacks, Beef Jerky & Sausage Sticks

TRAIL STEAKS
4295 Cromwell Road, Suite 205
Chattanooga, TN 37421
877-875-3759
trailsteaks.com
remington.com/food

Decorative Wooden Collectables

VINTAGE EDITIONS, INC. 88 Bluff Lane Taylorsville, NC 28681 800-662-8965 vintageeditions.com remington.com/lodgecabin

Treestands

W.I.C. – REMINGTON
TREESTANDS
P.O. Box 382
Windom, MN 56101
remingtontreestand.com
remington.com/huntshoot

Game Calls

WILDGAME INNOVATIONS
101 Cason Road
Broussard, LA 70518
337-839-6267
remington.com/gamecalls

Fine Art Prints


WINFIELD GALLERIES
748 Hanley Industrial Court
St. Louis, MO 63144
314-645-7636
remingtonartwork.com
remington.com/lodgecabin


Wallpaper Borders & Bathroom Accessories

YORK WALLCOVERINGS
P.O. Box 5166
York, PA 17405
717-846-4456
yorkwall.com
remington.com/lodgecabin

Lighters and Lighter Accessories

ZIPPO
33 Barbour
Bradford, PA 16701
814-368-2700
zippo.com
remington.com/personal





8






BARBER - R 0003229

FOR MORE INFORMATION OR LICENSEE OPPORTUNITIES,

CONTACT US AT 336-548-8535 OR VALUEDPARTNER@REMINGTON.COM







State of the state of the state of	Company V	7,55		-	12.2.1.	-	-0.0	E. 7.13E.	94.	7.02	(2-/hi)		-63.3			Y COUNTY					. :		
Land State of the		376		إسسا	والأساح	(*) CH		- CO (C)	Ċ) . CO. *	o l	N. H. J.			Sm.		7	P		33.5	CTEST
17 Remington Fireball	PRA17FB	20	Acculip-V	71/2	4000	3380 284	0 2360	1930 1555	710	507 358	247 165	107	-0.3 0.2	0.0 -	1.1 -3	1.3 -6.8	1.6	2.0 1.	5 0.0	-2.8	-13.5	-33.8	
2, 1,2,	L17FBY	25	UMC* Jacketed Hollow Point	71/2	3850	3280 278	0 2330	1925 1569	823	597 429	301 206	137	0.0 0.9	0.9 z	ero -2	.0 -5.4	1.7	2.1 1.	6 zéro			-34.7	0.185
17 Remington	PRA17RA	20	Accutio-V	11/2	4250	3594 302	8 2529	2081 1684	802	574 407	284 192	126	-0.4 0.1	ZETO -	0.9 -2	.8 -5.9	1.3	1.7 1.	3 zero			1	0.193
1) Hannigton	Ri7R2	25	Hollow Point	71/:	4040	3428 289		1993 1517	906	652 465	325 221		-0.1 0.8		ero -1		1.5	1.9 1.				-29.2	0.185
2017		32		71/2					1268	937 689					0.9 -2		0.6					-32.0	0.187
204 Ruger	PRA204A		Acculip-V		4225	3632 311																-28.9	0.210
	PRA204B	40	AccuTip-V Boat Tail	11/2	3900	3451 304			1351	1058 824	636 489		-0.3 O.2		1.0 -2		0.7	0.7 ze			-13.2	-28.1	0.275
22 Homet	PRA22HNA	35	Acculip-V	61/2	3100	2271 159	1 1127	924 806	747	401 197	99 66		-1.5 zem			3 -25.5	-1.5	zero -3	.5 -10.4	-22.3	-65.4	155.3	0.109
	R22HN1	45	Pointed Soft Point	61/2	2690	2042 150	2 1128	948 840	723	417 225	127 90	70	0.0 zero	-2.1 -	7.1 -16	6.0 -30.0	1.4	zero -4	.3 -12.4	4 -25.8	-74.	1620	0.130
	R22HN2	45	Hollow Point	6⅓	2690	2042 150	2 1128	948 840	723	417 225	127 90	70	0.0 zero	-2.1 -	7.1 -19	5.0 -30.0	1.4	zero 4	.3 -12.4	-25.8	-742 -	1620	0.150
220 Swift	R220S!	50	Pointed Soft Point	9:/2	3780	3158 261	7 2135	1710 1357	1586	1107 760	506 325	204	0.0 0.3	29.00 -	1.4 -4	.0 -8.2	0.4	1.0 ze	ro -2.3	-6.2	-20.1	-46.1	0.175
221 Rem. Fireball	PRA221FB	50	Acculip-V Boat Tail	71/2	2995	2605 224	7 1918	1622 1368	996	753 560	408 292	208	0.2 0.7	ZEST0 -	2.2 -6	.1 -12.1	1.8	1.7 ze	ro -3.4	-8.8	-27.1	-58.8	0.238
222 Remington	R222R1	50	Pointed Soft Point	11/-	3140	2602 212	3 1700	1350 1107	1094	752 500	32: 202	136	0.1 0.7	zero -	2.3 -6	5 -13.1	1.9	1.7 20	ro -3.6	-5.7		-72.8	0.175
	R222R3	50	Power-Loat: Hallow Point	71/2	3140	2635 218	2 1777	1432 1172	1094	771 529	351 228	152	0.1 0.7	zero -	2.2 -6	.2 -125	1.8	1.6 ze				-57.1	
	PRA222RB	50	Acculin-V Boat Tail	71/2	3140	2744 239		1740 1471	1094	836 629	464 336		0.1 0.6		1.9 -5		1.6	1.5 ze					0.162
000 D									1259	847 554			!		1.7 -5		2.5	3.0 2				-51.7	0.242
223 Remington	DV223RA	45	Jacketed Iron-Tin Core HP	71/2		2911 235			-!	_			0.1 0.5				•					.54.7	0.161
	L223R3	55	UMC* Metal Case	71/2	3240	2759 232		1587 1301	1282	929 660	456 307		0.0 0.6		1.9 -5		1.6	1.5 ze				-57.0	0.202
:	L223R7	45	UMC* Jacketed Hollow Point	11/2	3550	2953 243	0 1964	1559 1241	1259	871 590	385 243	3 154	-0.1 0.4	ZETO -	1.7 -4	.8 -9.7	2.4	2.9 2.	2 zero	-4.0	-19.3	493	0.173
	L223R8	50	UMC* Jacketed Hollow Point	7 1/2	3425	2899 243	0 2007	1633 1324	1302	933 655	447 296	195	-0.1 0.5	zero -	1.7 -4	.9 -9.9	1.3	1.3 29	ro -2.8	-7.3	-23.4	-52.7	0.192
	PRA223RB	50	Accultip-V Boat Tail	71/2	3410	2989 260	5 2252	1928 1635	1291	992 753	563 413	297	-0.1 0.4	zero -	1.5 -4	.4 -8.7	2.2	2.6 2	0 zero	-3.4	-15.7	-37.5	0.242
	PRA223RC	55	Accultip-V	71/2	3240	2854 250	0 2172	1871 1598	1282	995 763	576 427	312	0.2 0.6	ZETO -	1.8 -5	.1 -9.9	1.5	1.4 Ze	ro -2.8	-7.1	-21.7	-45.3	0.255
	R223R1	55	Pointed Soft Point	7 1/2	3240	2747 230	4 1905	1554 1270	1282	921 648	443 295	197	0.0 0.6	zero -	2.0 -5	.6 -11.2	1.6	1.5 ze	m -3.1	-8.2	-26.2	-58.6	0.197
[R223R2	55	Power-Lok: Hollow Point	71/:	3240	2773 235		1627 1341	1282	939 675	473 323		0.0 0.6		1.9 -5		1.5	1.4 ze				-55.1	0.209
	R223R3	55	Metal Case	71/2	3240	2759 232		1587 1301	1282	929 660	456 307		0.0 0.6		1.9 -5		1.6	1.5 ze				-57.f	0.202
	PRC223R4	62		71/2	3100	2695 232			1202	1000 743	541 388				2.0 -5		1.7	1.5 ze				-54.8 :	
,		<u>-</u>	Core-Lokt* Ultra Bonded "	-					<u> </u>														0.234
	R223R6	62	Hollow Point Maten	71/:		2572 216			1260	911 643	442 298		0.2 0.7		2.3 -6		1.9	1.7 ze				-66.4	0.205
	L223R9	62	Closed Tip Flat Base	71/2	3100	2734 239		1795 1537	1323	1029 790	597 444		0.1 0.6		1.9 -5		1.6	1.5 ze				-50.1	0.261
	RM223R1	69	MatchKing* BTHP	7 //:	3000	2720 245		1975 1758	1379	1133 925	747 598		0.1 0.6		1.9 -5		1.6	1.5 ze				-45.4	0.336
	RM223R3	77	MatchKing BTHP	7½	2788	2539 230	3 2081	1871 1675	1329	1102 907	740 598	480	0.3 0.8	zero -	2.3 -6	.2 -12.0	2.0	1.7 ze	ro -3.4	-8.5	-25.1	-51.7	0.362
22-250 Remington	L22503	45	UMC* Jacketed Hollow Point	91/2	4000	3340 277	0 2266	1819 1440	1598	1114 767	513 331	207	-0.3 0.2	ZBTO -	1.2 -3	.5 -7.2	1.6	2.1 1.	6 zero	-3.0	-145	-36.7	0.173
	L22504	50	UMC* Jacketed Hollow Point	91/2	3820	3245 273	9 2286	1878 1523	1620	1169 833	580 392	258	0.1 0.9	0.9 z	ero -2	.1 -5.6	1.8	2.2 1.	7 zero	-3.1	-14.6	-36.1	0.192
	DV22250RA	45	Jacketed Iron-Tin Core HP	91/2	4000	3293 269	0 2159	1696 1320	1598	1084 723	466 287	174	0.0 0.9	0.9 z	ero -2	.1 -5.8	1.7	2.2 1.	7 zero	-3.2	-15.7	-40.6	0.161
	PRA2250RB	50	AccuTip-V Boat Tail	91/2	- 3800	3339 292	5 2546	2198 1878	1603	1238 949	720 536	392	0.0 0.8	0.9 (0.0 -1	.9 -4.9	1.6	2.0 1.	5 zero	-2.7	-122	-29.1	0.242
	R22501	55	Pointed Saft Point	91/2	3680	3137 265	6 2222	1832 1493	1654	1201 861	603 410	272	0.0 0.3	Z610 -	1.4 -4	.0 -8.1	1.9	2.4 1.	8 zero		-15.5	-383	0.197
6mm Remington [∓]	R6MM4	100	, Core-Lokt' Pointed Soft Point	91/2	3100	2829 257			. 2133	1777 [470			0.0 0.6		1.8 -4		1.4	1.3 ze				-40.8	0.356
243 Win.	PRA243WB	75	Accutip-V Boat Tail	91/2	3375	3065 277		2248 2008	1897	1564 1282			0.0 0.4			.0 -7.8	2.0	2.4 1				-30.6	0.330
END FINE	R243W1	80	Pointed Soft Point	91/2	3350	2955 259		1951 1670	1993	1551 1194			0.0 0.5		1.6 -4		22	2.7 2				-37.3	0.255
		_				·											-						
	R243W2	80	Power-Lokt Hollow Point	9 7/2	3350	2955 259		1951 1670	1993	1551 1194			0.0 0.5		1.5 -4		2.2	2.7 2				-37.3	0.255
	PCS243WB	80	Copper Solid Tipped	9 1/2	3350	3011 269		2128 1872	1993	1610 1291			-0.1 0.4			.2 -8.2	2.1	2.5 1.				-33.1	0.299
	PRSC243WA	90	Swift Scirocco" Bonded	91/2	3120	2871 263		2199 1997	1946	1647 L388	1162 966	797	0.0 0.5	zero -	1.7 -4		1.4	1.3 ze				-38.3	0.390
	PRA243WA	95	AccuTip	91/2	3120	2847 259	0 2347	2118 1902	2053	1710 1415	1162 946	763	0.0 0.5	zero -	1.7 -4	.6 -9.2	0.5	1.3 ze	ro -2.7	-6.6	-19.5	-40.2	0.355
	PRC243WC	100	Core-Lokt* Ultra Bonded**	9 1/2	2960	270 9 247	1 2246	2033 1832	1945	1629 1356	1120 917	745	0.0 0.5	2ero -	2.0 -5	.3 -10.3	1.6	1.5 ze	ro -2.9	-7.3	-21.6	-44.3	0.373
	R243W3	100	Core-Lokt Pointed Soft Point	91/2	2960	2697 244	9 2215	1993 1786	1945	1615 1332	1089 882	708	0.1 0.7	zero -	2.0 -5	.4 -10.4	1.6	1.5 ze	ro -2.9	-7.5	-22.1	-45.4	0.356
25-06 Remington	R25062	100	Core-Lokt* Pointed Soft Point	91/2	3230	2893 258	0 2287	2014 1762	2316	1858 1478	1161 901	689	0.0 0.5	zero -	1.7 -4	.6 -9.1	1.3	1.3 ze	0 -2.6	-6.6	-19.8	-417	0.292
	PRC2506RA	. 115	Core-Lokt" Ultra Bonded"	91/2	3000	2751 251	6 2293	2081 1881	: 2298	1933 [616	1342 110	6 903	0.1 0.6	zero -	1.9 -5	.1 -9.9	1.6	1.4 ze	ro -2.8	-7.1	-20.7	-425	0.380
	R25063	120	Core-Lokt* Pointed Soft Point	91/:	2990	2730 248	4 2252	2032 i825	2382	1985 1644	1351 110	0 887	0.1 0.6	zero -	19 -5	.2 -10.1	1.6	1.4 zer	ro -2.8	-7.2	-21.4	-44.1	0.362
25-20 ₩irr.	R25202	86	Soft Point	61/:	1460	1194 103		858 797	407	272 203	165 141		zero -3.5		0.0 -54		zero	-7.9 -22				315.5	0.190
250 Savage	R250SV	100	Pointed Soft Point	9 1/2		2504 221			1765	1392 1084			0.0 zero		4.1 -8		2.0	1.8 ze				-58.6	0.285
257 Roberts	R257	117	Core-Lokt' Soft Point	97:	2650	2291 196		1404 1199	1824	1363 999			0.0 zero		52 -10		2.€	2.3 zer				-78.2	0.240
6.5x55 Swedish	R65SWE1	140	Core-Lokt: Pointed Soft Point	9 /2	2550	2353 216		1814 1654		1720 1456			0.0 zero		4.8 -9		2.4	2.1 Zes				-57.8	0.435
	R65MM2	120		91/2 M		2905 262				2248 1830					1.8 -4		2.7	3.0 2.				-37.5 -35.3	0.323
6.5mm Remington Mag	PRA260RA	-	Core-Lekt' Pointed Soft Point						2392								<u> </u>						0.480
260 Remington		120	Accutip Boat Tail	91/2		2697 251			. 	2083 1807			0.1 0.7		1.8 -4		1.6	1.5 zes				-41.7	
	R260R1	140	Core-Lokt Pointed Soft Point	91/2		2544 234			2351		1448 121		0.3 0.8		23 -6		1.9	1.7 zer				-47.2	0.435
	PRC260RB	140	Core-Lokt" Ultra Bonded"	91/2		2554 236			2351		1484 126		0.3 0.8		2.2 -6		1.9	1.7 zer				-47.6	0.457
_	RL2601	140	Core-Lokt* Pointed Soft Point	91/2		2171 199			1731	1465 1232			0.1 zero		5.9 -12		2.9	2.5 zes				-68.9	0.435
264 Win. Mag.	R264W2	140	Core-Lokt' Pointed Soft Point	9:/2 H		2782 254			-	2496 2018			0.1 0.6		1.8 -5		1.5	1.4 28				-413	0.334
6.8mm Rem. SPC	R68R1	115	Open Tip Match (OTM)	91/2	2625	2373 213	5 1911	1702 1513	1759	1437 1163	932 740	584	0.4 1.0	zero -7	2.7 -7	.3 -14.1	23	2.0 zer	o -3.9	-10.0	-29.6	-61.2	0.344
:	R68R2	115	Metal Case	91/2	2625	2329 205	3 1797	1565 1363	1759	1385 1076	825 625	474	0.5 1.0	zero -	29 -7	.8 -15.1	2.5	2.1 zer	o -4.2	-10.6	-32.4	-68.3	0.292
	RM68R1	115	MatchKing BTHP	9 1/2	2625	2365 211	9 1889	1676 1484	1759	1428 1147	911 717	562	0.5 1.0	zero -:	2.7 -7	.4 -14.3	2.4	2.1 ze	o -4.0	-10.1	-30.1	-62.5	0.333
	PRC68R4	115	Core-Lokt* Ultra Bonded**	9:/2	2625	2332 205	8 1805	1574 1372	1759	1389 1082	832 633	481	0.5 1.0	2010 -	28 -7	.8 -15.0	2.5	2.1 zes	0 -4.2	-10.7	-32.2	-67.8	0.295
270 Win.	R270W1	100	Pointed Soft Point	9-/2	3320	2924 256			2448	1898 1456		594	0.0 0.5		1.6 -4.		2.3	2.8 2.0			-16.2	-38.5	0.252
İ	RL270W2	115	Core-Lokd* Pointed Soft Point	91/2		2412 213							0.1 200			0.0 -17.8	!		7 -7.4			-70.1	0.295
	PRA270WA	130	Acculing Boat Tail	91/2	3050	2845 263			2702	2335 2009			0.0 0.5		1.7 -4.		1.4	1.3 zer				-37.7	0.447
	PRSC270WA	130	Swift Scirocco* Bonded	91/2		2838 262			2702		1697 143		0.0 0.6		1.7 -4.		1.4	1.3 zer				-38.2	0.433
	R270W2	130	<u> </u>	91/2		2776 251					1472 118						<u>: </u>						
	R270W3	!	Core-Lokt' Pointed Soft Point	!					2702				0.1 0.6		1.8 -5		1.5	1.4 zer				-43.3	0.336
		130	Bronze Point	\$1/ <u>:</u>		2802 255			2702		1565 128		0.0 0.6		.8 -4		1.5	1.3 zer				-41.1	0.372
		130	Copper Solid Tipped	91/2		2837 262			! .				0.0 0.6	<u> </u>	.74		2.4	2.8 2.1				-33.2	0.431
		140	Core-Lokt* Ultra Bonded**	91/2	2925	2657 242		1975 1771	2659		1495 1217		0.1 0.7		2.0 -5.		1.7	1.5 zer				-46.4	0.350
		140	Swift A-Frame* PSP	91/2	2925	2652 239	4 2152	1923 1711	2659	2186 1782	1439 115	910	0.2 0.7	ZE10 -2	2.1 -5.	.6 -10.9	1.7	1.5 22	0 -3.1	-7.8	-23.2	48.0	0.339
	R270W4	150	Core-Lokt' Soft Point	91/2	2250	2504 218	3 1886	1518 1325	2705	2087 [587	1185 872	639	0.3 0.8	ZESTO -7	2.4 -6.	.7 -13.0	2.0	1.8 261	v -3.6	-Ç.4	-28.6	-61.2	0.26!
270 WSM	R270WSM1	130	Core-Lokt' Soft Point	91/: M	3285	2986 270	7 2444	2196 1963	3114	2573 2114	1724 139	2 1112	-0.1 0.4	<i>16</i> 10 -	1.5 -4	2 -8.2	2.1	2.5 1.5	Zero	-3.2	-14.1	-32.2	0.335
280 Remington*	PRA280RA	140	АссиТир	91/2	3000	2804 261	7 2437	2265 2099	2797	2444 2129	1846 159	1369	0.1 0.6	ZETO -	.8 ·-4	8 -9.2	25	29 2	zero	-3.4	-14.8	-33.0	0.486
			·											_								<u> </u>	

Part	Type Type Type Type Type Type Type Type		76.3	THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON OF TH	THE PERSON		TOTAL CONTROL			27.2	5.557.77.7	561267	V. 244.4.3	CONTRACTOR OF	200000000000000000000000000000000000000	arve.	erra vaccantiva	and the same	SE 120	75750	elve:	T SEE TO	20.00		-	CONTRACTOR OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE
Part			In			*	100		ملح تار		2011	-	(Ω)						-		1					
1565 16 16 16 16 16 16 16		R290R3	140	Care-Lakt * Pointed Soft Point	gl/	3000	2750 2529	7309 7309						173 1178	0.1	116	7ED -1.9	ن دونندگاند -5.1	-9.8	1.5	المنتخة ا	7900	28	7 () -20	5 426	0.390
Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part	200 treatment and an		150	Care-Lokt* Pointen Soft Point	g!/s					1 2781	2293	1875						-5.8 -	112							0.346
Section Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property Property	:									+					+											0.290
Final Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part	20 Danis 1				1																					0.343
	Jam-12 registrem									_!																<u> </u>
Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Cont																										0.390
Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Process Control Pr					-						•	<u> </u>				0.7										0.486
Fig. 16 10 10 10 10 10 10 10		RL7M081	140	Core-Lokt* Pointed Soft Point	91/2	2361	2151 1951	1764	1590 1433	1732	1437	1183	967 7	86 638	0.1	2010	-20 -6.0	-124 -	21.3	3.0	25	zero ·	-4.8 -1	22 -35	i6 -728	0.390
Part	imm Rem Magnum	PRC7N#MRA	140	Core-Lokt* Ultra Bonded "	9 /- M	3175	2934 2707	2490	2283 2086	3133	2676	2277	1927 16	20 1353	0.1	0.5	zero -1.6	-4.3	8.4	1.3	1.2	zero ·	2.4	5.0 -17	.7 -36.0	0.409
Part	-	R7MM4	140	Care-Lakt" Pointee Scill Point	97:M	3175	2923 2684	2458	2243 2039	3133	2655	2240	1378 1	64 1292	0.0	0.5	zem -1.5	-4,4	-8.5	2.2	2.6	1.9	zero -:	3.2 -14	.2 -32.0	0.390
Part	ĺ	RL7MM4	140 8	Core-Lokt* Pointed Soft Point	91/2M	2710	2482 . 2265	7059	1865 1683	2283	1915	1595	1318 . 10	181 880	-0.1	2010 - 1	1.1 4.2	·-8.7	15.1	0.9.	ZETG	-2.4	65 -1	25+ :-30	18 . 59.2	0.388
Part		PCS7MMA	140	Copper Solid Topped	9 /1	3175	2964 2762	2570	2385 2208	3133	2730	2372	2053 1	68 1516	-0.1	0.5	zero -1.5	4.2	-8.1	2.1	2.5	1.8	zero -	3.1 -1.	1.2 -29.5	0468
Part			150			3110				3221	2852			148 1704			7P00 -1.6	-4.3	-8.2						0 -340	0.533
Part	1			· · · · · · · · · · · · · · · · · · ·						+					-i				-+							0.486
Professor 1			!	<u></u>						ļ		<u> </u>						_						<u> </u>		0.530
Part	į				اـــــــــــــــــــــــــــــــــــــ										-			_								
Temper Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part										<u> </u>																0.346
Table Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part			160	Care-Lokt' Ultra Bonded "	!					3091			1887 1			0.5										0.415
The Purple 1989 1.0 Consist Unit Source 1984 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0		R7NM3	175	Care-Lakt* Pointed Soft Point	97aM	2880	2 5 45 2440	27/44	2057 1879	3178	2718	2313	1956 1	44 1372	0.2	0.7	zero -2.}	-5.£ -	10.7	1.7	1.5	zero ·	-3.0 -	7.6 -22	.1 -44.8	0.427
94.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	7mm Mauser (7x57)	R7NSR1	140	Care-Lakt* Pointed Soft Point	97:	2660	2435 2221	2018	1327 1648	2199	1843	1533	1266 1	37 844	0.0	ZETO	-1.4 -4.4	-9.1	15.8	2.2	1.9	zero ·	-3.6 -	9.2 -27	7.4 -55.3	0.390
Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Prof		PR7SM1 -	140	Core-Lokt: Ultra Bonded "	9 ½ M	3175	2934 2707	2490	2283 2086	3133	2676	2217	1927 1	20 1353	0.1	0.5	zero -1.6	-4.3	-8.4	1.3	1.2	zero	-2.4 -	6.0 -17	7.7 -36.0	0.409
Tries Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Proce	SA Ultra Mag	PR7SM2	150	Care-Lake: Pointed Soft Point	9 1/2 M	3110	2831 2558	2321	2087 1967	3221	2669	2197	1793 1	50 1161	0.0	0.5	zera -1.7	-4.8	-9.3	25	29	2.1	zero -	3.6 -15	3.7 -35.9	0.346
Tries Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Processing Proce	Ì	PR7SM4 .	160 .	Care-Lakt" Ultra Bonded""	9 1/2 M	2960	2733 2518	2313	2117 1931	3112	2654	2252	1900 1	92 1323	. 0.1	0.6	zera -1.9	-5.2	9.9	2.7	3.1	2.2	zero -:	3.7 -16	5.2 -36.5	0.414
Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Professor Prof	John Rem Ultra Viso													_					- 1	_						0.409
Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part	- ,				-																					0.533
Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche Marche M					-																					0.333
Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part Part																					_					
Section Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Signate Sign										-																0.414
38 May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap May gap gap May gap May gap May gap gap gap May gap gap gap gap gap gap gap gap gap gap	POWER LEVEL I	R7UM1-P1	140		9 ½ M	3600	2768 2549	2339	2139 1950	2797	23882	2019	1700 1	122 !181	0.1	0.6	zero -1.3	-5.0	-9.6	2.5	3.0	2.2	zero -	3.5 -1	5.8 -35.6	0.409
Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Program Prog	30 Cartine	L30CR1	110	UMC * Metal Case	61/2	1990	1567 1236	1035	923 842	967	600	373	262 2	08 173	0.6	zero	-4.2 -12.9	-27.2 -	48.6	2.8	zero	-7.3 -	20.4 -4	0.3 -10	5.6 -211.8	0.166
250 May 1 25 Control of Point Scriptor 71		R30CAR	110	Soft Point	61/3 !	1990	1567 1236	1035	923 842	967	500	373	262 2	08 173	0.6	zero	-4.2 -12.9	-27.2 -	48.6	zero	4.2	-12.9 -	27.2 -4	8.6 -[1	7.1 -225.5	0.166
1.109981 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129 129	30 Remingion AR	PRA3GRAR1	125 .	Acculing Boat Tall	11/2	2800	2531 2278	2039	1816 1610	2176	1778	1440	1153 9	15 719	0.3	9.8	zero -2.3	-6.3 -	12.2	2.0	1.7	zero ·	-3.4 -	8.7 -25	i.8 -53.5	0.335
3.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	-	R3CRAR1	125	Care-Lokt Pointed Soft Point	11/2	2800	2465 2154	1867	1606 1380	2176	1686	1288	967 7	15 529	0.3	1.9	zero -2.5	-6.9 -	13.4	2.1	1.9	zero ·	-3.3 -	9.7 -29	.4 -62.7	0.267
Richard 19	•	L3GRAR!	123	Metal Case	7-/2	2800	2464 2152	1864	1603 1376	2141	1658	1264	948 7	01 517	0.3	0.9	zero -2.5	-6.9	13.5	2.1	1.9	zero ·	-3.8 -	9.7 -29	3.5 -62.9	0.266
Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure Figure F	30-30 Win.	RL30301'	125	Core-Lokt* Pointed Soft Point	.91/2	2175	1820 : 1508	1255	-1082 · 975	1313	919 -	631	437 - 3	25 264	△0.3 🕏	2e10	3.01 9.1	19.1	33.7	2.0	zero 1	-5.2	14.1 7-2	78 :-72	25" 146.9	0.215
Righting 171 Curs-Later Subh Paine 91/1 200 205 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181 181	ļ			The Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Co	1. 1. 1	. 7 . 2	- C. C. C.	e seed :	400 200	75 F		24.7.		1,11,11	*. F.	.7	-24 -76	-16.1	28.8	15	78f0	43 -	12.1 -2	40 6	2 -133.2	0.193
3-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	ļ																									
39-40 Nove	į																									0.254
30 65 Sep Accessers 20065 55 Priemer Sach Pour 91/2 4086 384 254 249 389 270 770 803 142 1073 783 28 355 4.8 4.8 2 2 240 1.0 1.5 1.4 20 2.0 2.0 1.0 1.5 1.4 20 2.0 2.0 1.0 1.5 1.4 20 2.0 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.4 20 2.0 1.0 1.5 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.5 1.5 20 2.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	20.40.15																									0.383
Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supplicit Supp												<u>-</u> -														
Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig. 1998 Fig.					' -					_;					+											0.197
MC Metal Case 91/1 2210 2317 2342 2024 1831 1852 2328 2111 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2211 1934 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328 2328	30-96 Sporgfield	R30061		Pointed Soft Point	-	3146										0.5	zero -1.9									0.258
PRISCORNE 150 Smit Sciences Bonder 1911 2910 2866 2472 2886 2111 1914 2200 2471 2891 2896 2472 2896 2473 2797 2891 2892 2483 2897 2797 2891 2892 2483 2897 2797 2893 2892 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2	i	RL30062	125.	Core-Lokt* Pointed Soft Point	9/27	2660	2335 2034	₂₆ 1757	1509 1300	1964	(1513.	1148	856 6	32 469	0.1	ZETO .	-1.5 . :49	-10.4	18.3	1.0	ZEFO.	-2.9	7.8	52 -3	3.9 78.0	~0.267
PRINCIPAN 150 Accuming Resent Teal 94/5 2910 2865 2473 2707 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2870 2		L30062	150	UMC* Metal Case	91/2	2910	2617 2342	2084	1843 1622	2820	2281	1827	1446 1	31 876	-0.2	zero	-1.1 -3.6	-7.7 -	13.5	1.6	1.6	zero	-3.2 -	8.2 -24	1.4 -50.9	0.314
R30062 150 Core Later Pointed Sait Point 91/2 1916 2517 2312 2383 1813 1622 2320 2381 1873 1455 1313 1875 0.2 0.7 2807 -2.2 -5.9 -1.1.4 1.8 1.5 2807 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2 -3.2	Ī	PRSC3006C	150	Swift Scirocco Bonded	91/2	2910	2696 2492	2298	2111 1934	2820	2421	2069	1758 1	85 1246	0.1	0.7	zero -2.0	-5.3 -	10.2	1.6	1.5	zero	-2.9 -	7.3 -2	.1 -42.3	0.435
83063 150 Bonze-Poins 91/1 2916 855 2415 138 175 175 280 234 1544 1596 1298 1047 02 07 1290 -2.0 -5.6 -10.8 1.7 15 200 3.0 -1.7 -227 -455 PRC3006A 150 Cone-Loist Ultra Bonded" 91/2 1290 878 2458 248 248 188 188 230 230 1886 1498 1188 933 02 07 1290 -2.1 -5.8 -11.2 1.8 16 120 20 -7.7 4218 445 PRC3006A 150 Cone-Loist Ultra Bonded" 91/2 1290 878 2458 248 248 1880 880 880 880 1880 1880 1881 1881		PRA3006A	150	Accutin Boat Tail	91/2	2910	2686 2473	2270	2077 1893	2820	2403	2037	1716 1	36 1193	0.1	0.7	zero -2.0	-5.4 -	10.3	1.7	1.5	ZETG ·	-29 -	7.4 -2	1.5 -43.7	0.415
R30063 150 Bonze-Poins 91/1 2916 2656 2416 2139 1974 1773 2200 2349 1944 1956 1289 1047 102 07 1290 -2.0 -5.6 -10.8 1.7 1.5 1.5 2200 -3.0 -1.7 -2.27 -4.56 -1.0 -2.0 -2.0 -2.0 -2.0 -3.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1	ţ	R30062	150	Core-Lakt* Pointed Soft Point	91/2	2910	2617 2342	2083	1843 1622	2820	2281	1827	[445]	131 876	1 0.2	0.7	zero -2.2	-5.9 -	11.4	1.8	1.5	zero	-3.2 -	8.2 -24	1.4 -50.9	0.314
PRISONA 150 Core-Lock** Users Border** 9½ 2910 251 280 1221 1829 1674 280 280 1830 1830 1830 183 33 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	Ì																									0.365
PRISONGA 150 Cooper Sold Tippeed 91/1 2910 2878 2438 2438 2438 2438 2438 2438 2438 243	į																	_								0.331
PRASONSE 165 Accuring Buest Fast 9½ 2800 297 2403 217 2009 1870 2872 2470 2115 1800 1523 1281 120 203 2880 220 230 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 240 24																										0.400
RS006R 155 Consist Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Soft Point Soft Soft Point Soft Soft Point Soft Soft Point Soft Soft Point Soft Soft Point Soft Soft Point Soft Soft Point Soft Point Soft Point Soft Point Soft Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point																										0.447
PRICOCOCC 153 Cora-Lakt 'Utra Bonded' 9/t 280 245 280 275 280 280 275 280 280 275 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 280 28	1																		-							
PRASCORC 180 Accurring Boart Tail 91/1 2725 239 280 2188 2024 1807 2907 2905 2256 2256 1914 1637 1393 0.3 0.8 2000 2.3 2.3 2.1 1.15 0.9 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0																			-							0.339
RS306A 180 Swift Frame 'PSP 9 ½ 2700 245 243 2032 1833 1648 2913 242 2010 1650 1343 1085 0.0 æro -1.3 4.2 -8.9 -1.5 4.2 1.1 8 æro -3.5 -9.1 -2.6 -5.44 2 -9.2 -9.2 -9.2 -9.2 -9.2 -9.2 -9.2 -9	·-				! :																					0.356
PRISCORDE 180 Core-Lock: Utra Bonded: "9½ 2700 290 270 182 1704 291 291 291 291 291 291 291 291 291 291	ſ	PRA3006C	180	Acculip Boat Tail	91/2	2725	2539 2360	2188	2024 1867	2967	2576	2226	1914 1	37 1393	0.3	8.0	zero -2.3	-6.1 -	11.6	0.9	2.0	zero	-3.3 -	8.2 -2	3.7 47.7	0.480
PRSC30068 180 Swift Scioncoc Bonded 9 ½ 2700 252 251 285 2022 1875 2203 231 242 2203 1875 192 339 625 0.0 ero -1.3 -4.0 -8.3 -1.42 2.0 1.7 ero -3.3 -8.3 -2.3 -4.7 -2.0 -3.3 -3.3 -3.3 -4.3 -2.3 -2.3 -3.3 -3.3 -3.3 -2.3 -2.3 -2	Ī	RS3006A	180	Swift A-Frame * PSP	91/2	2700	2455 2243	2032	1833 1648	2913	2429	2010	1650 1	343 1085	0.0	zero	-1.3 -4.2	-8.9	15.4	2.1	1.8	zero	-3.5 -	9.1 -2	5.6 -54.4	0.377
R30064 160 Core-Lotat: Soft Form 91/2 2700 248 2703 248 2703 1777 1465 1251 2703 2483 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893		2903006C .	180	Core-Loks: Ultra Bonded "	31/2	2700	2480 2270	2070	1882 1704	2913	2457	2059	1713 1	115 116L	0.0	79TO	-1.3 -4.2	-8.7	15.1	2.1	1.8	zero	-3.5 -	8.9 -2	5.8 -52.7	0.402
R30064 160 Core-Lotat: Soft Form 91/2 2700 248 2703 248 2703 1777 1465 1251 2703 2483 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2485 2893 2703 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893 2893	İ	PRSC30068	180 :	Swift Scirocco® Bonded	91/2	2700	2522 2351	2186	2028 1878	2913	2542	2208	1910 1	44 1409	0.0	PETO	-1.3 -4.0	-8.3 -	14.2	2.0	1.7	Z910 ·	-3.3 -	8.3 -2	3.9 47.9	0.500
R30065				· · · · · · · · · · · · · · · · · · ·	·																					0.248
R30066 180 3crze Porte 9/1: 2700 2485 2290 2084 1889 1725 210 2466 2077 1736 1441 1129 0.0 zero -1.3 -4.2 -8.7 -15.9 2.1 i.8 zero -3.5 -8.8 -2.55 52.0 R30067 229 Core-Ladat Soft Point 9/1: 2410 2130 1870 1852 1422 1245 2337 2216 1703 1830 1830 1835 1852 1130 1830 1830 1830 1830 1830 1830 1830	-									-i					+				-							0.383
R30NF7 220 Core-Labat Soft Front 9½ 2419 2430 1870 1852 1422 1245 2337 2216 1702 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870 1870	-									!																0.412
97. Sarage ROSSY2 150 Core-Lotal: Pomied Srit Psint 9/r. 2530 254 205 1631 152 293 1815 142 293 1815 142 123 142 1091 109 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259 259	-																									
#190 Min Mag R300W1 150 Gove-Loth't Pounted Soft-Point 19½ M 3290 250 2634 2344 2055 1810 3615 2639 2311 1821 1426 1091 109 0.5 2870 -1.5 -4.4 -8.7 -1.2 1.2 2870 -2.4 -6.3 -1.89 -39.8	500 c.																									-!
R3300N1 150 Core-Lick* Printed Sett Print 150 Core-Lick* Printed Sett Print 150 2573 2113 1370 1645 1446 2339 1875 1886 1154 902 696 -0.1 2870 -1.5 -4.7 -9.9 -1.72 1.0 2870 -2.7 -7.4 -1.43 -35.8 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3 -70.3																										0.314
PCSSOWMA 150 Corre-Licit: Ultra-Bonderd** 9½M 3259 2567 2566 2384 2129 1873 3605 2591 2366 1893 1496 1158 -0.1 0.5 2870 -1.5 -4.3 -8.5 1.2 1.2 2870 -2.4 -5.1 -1.84 -3.85	an Hin Mag	R300W1	150	Core-Lakt* Pointed Soft Point	9½M	3290	2950 2634	2340	2055 1810	3605	2897	2311	1823 1	120 1091	0.0	0.5	zero -1.5	-4.4	-3.7	1.3	1.2	Zere	-2.4 -	6.3 -11	8.9 -39.8	0.294
PSSS00MA 150 Copper Solid Tipped 9½ 3250 3037 2759 2572 2557 2152 3605 3072 2608 2204 1850 1542 -0.1 0.4 zero -1.4 -4.0 -7.7 2.0 2.4 1.8 zero -3.0 -12.9 -29.2 PSSS300M6 180 Swift Scircozo Bondest 9½ 12 2900 2774 2595 2424 2259 2100 3501 3075 2692 2348 2039 1762 0.1 0.6 zero -1.8 -4.9 -9.4 1.5 1.4 zero -2.6 -6.7 -19.3 -38.7	Ī	RL300W1	150 -	Core-Lakt® Pointed Soft Point	91/2	2650	2373 2113	1870	1646 : 1446	- 2339	1875	1486	1164 9	02 696	-0.1	zero	-154.7	-99 ,	17.2	1.0	ZETO -	-2.7	7.4	43 -3	5.8 -70.3	0.314
PSSS00MA 150 Cooper Softd Topped 9 ½ 3290 3037 2799 2572 2557 2152 3605 3072 2608 2204 1850 1542 4.0 0.4 2810 -1.4 4.0 -7.7 2.0 2.4 1.8 eard -3.0 -129 -292 PSSS300M6 180 Swift Scircozo Bondes 9 ½ M 2990 274 2595 2424 2259 2100 3501 3075 2692 2348 2039 1762 0.1 0.6 2810 -1.8 -4.9 -9.4 1.5 1.4 2810 -2.6 -6.7 -19.3 -38.7	Ì	PRC300WA	150	Core-Loka: Ultra Bonded 19	91/2M	3290	2967 2666	2384	2120 1873	3605	2931	2366	1893 1	196 1168	-0.1	0.5	zero -1.5	-4.3	-8.5	1.2	1.2	ZEID	-2.4	5.1 -1	3.4 -38.5	0.310
PRSC300MB 180 Swift Scirocco Bonded 9:1/2-M 2990 2774 2995 2424 2259 2100 3501 3075 2692 2348 2039 1762 0.1 0.6 zero -1.8 -4.9 -9.4 1.5 1.4 zero -2.5 -6.7 -19.3 -38.7	İ				1																					
<u> </u>	!														 -											0.507
) FINLANDING 100 - WIR-TANG WHI BORRES 371 M 290 WH 200 CESH 2015 1915 1901 ESH 2001 ESH 2011 2015 2103 HIST 1498 9.1 9.5 200 - 1.3 -1.2 -1.0 2.1 3.1 2.1 200 - 3.8 -1.5 -1.5 -1.5	ļ				<u> </u>		·								<u> </u>											
		muumt	16U	MIN-TOKE (NEAS ROUGED.)	9-72 M	C3500	1114 2005	2234	ars 1913	1 3501	29/1	4366	ZIUJ ł	J1 1448	9.1	0.0	æ9 -1.9	·1.2 ·	10.9	<i>L.I</i>	J.I	44	то -	ا- مد	u.+ -5/.U	j v.=02

Mote: These ballistics reflected a test barrel length of 24° except those for 30 Carbine and 44 flemington Magnum which are 20° barrels. Specifications are nominal. Ballistics ligures established in test barrels. Indirary if rifles may vary from test barrel results. "zero" indicates yerdage at which rifle was sighted in.

<u>}-)1.</u>

indirects in the stary receives the tast exetts. The conditions above or below fine of sight, Hold low for positive numbers, high for negative numbers. The conditions and Train Express. Reministon are interchangeable.

5 dmm Reministon and 214 Reministon are interchangeable.

1 Bullet does not rise more than 1° above line of sight from muzzle to sighting in range.

2 Bullet does not rise more than 3° above line of sight from muzzle to sighting in range.

12. ja	Managed-Recoil (pages 60-61)
	Premier* Copper Solid* (page 53)
	Premier * Core-Lokt * Ultra Bonded* (page 48
	Premier* Disintegrator* Varmint (page 51)

Premier * Match (pages 53)

 Premier * AccuTip (pages 50-51)
Premier* Scirocca Bonded (page 50)
Swift A-Frame PSP
UMC* (page 63)

AND THE REAL PROPERTY.					200	A STATE	100	1		S. 182572	CAV.			₹		A Charle		- 1		-
		, (C)			3	O.E.				心 的	O.C.	EBA	1.4		<u> </u>				\Box	
300 Ván Mag (out.)		180	Accutip Boat Tait	91/2 M		2764 257		2224 2058		1976 1693	01 06	zero -1.8			1.5 1.4		-2.7 -6.8	-19.6	39.5	043
	R300W2	180	Core-Lokt* Pointed Soft Point	9½M	!	2715 248		2052 1856	3501 2945 2463 2044		0.1 0.6	zero -1.9			1.5		-2.9 -7.4	-21.3	43.7	(32
	RS300WA	200	Swift A-Frame `PSP	9½ M		2595 237		1971 1786		1726 1416	0.2 0.8	zero -2.2		<u>-</u> -	1.6	2000	-3.2 -30	-23.4	47£	EJG:
300 M2H	R300WSM1	150	Core-Lakt" Pointed Soft Point	91/:M	3320	2977 266		2087 1830	3671 2952 2356 1851	1451 1116	-0.1 0.4	zero -1.5			1.2 1.2		-26 -62	-18.5	-35.0	(254
	PRA3DOWSMB	180	Acculity Boat Tail	9½M	3010	2812 262		2265 2097	3621 3159 2746 2378		0.1 0.6	zero -1.8			2.5 2.9	2.1	zero -3,4	-14.8	-329	0430
	PRSC300WSM	180	Swift Scirocco® Bonded	9½M	2980	2793 261	4 2442	2276 2116	3549 3118 2730 2382	2070 1790	0.1 0.6	zero -1.8			1.5 1.3	ZETO	-2.5 -6.6	-19.0	-38.1 1	0507
308 Martin Express	R306ME	150	Soft Point	91/:		2275 187		1239 1057	2473 1724 1165 768	511 372	0.0 zero	-1.6 -5.3			2.1 2.3		4.8 -127	-49,8	-91.5	6155
308 Wh.	RL308W1	125	Core-Lakt* Pointed Soft Point	91/2	2660	2382 212	1 1878	1653 1453	1964 1575 1249 978	759 586	-0.1 zero	-15 47		7.1 1	1.0 2000	-2.7	-7.3 -14.1	-35.5	69.5	031!
	L308W4	150	UMC" Metal Case	9 1/2	2820	2533 226	3 2010	1775 1561	2648 2137 1705 1345	1049 811	-0.1 zero	-1.2 -3.9	-8.4 -1	4.7 2	2.0 1.7	Zeno	-3.4 -8.8	-26.2	54.8	0314
	PRSC308WA	150	Swift Scirocoo® Bonded	91/5	2820	2611 241	2219	2037 1863	2648 2269 1935 1640	1381 1156	Q.D zero	-1.1 -3.6	-7.6 -i	3.2	1.8 1.6	zem	-3.ì -7.E	-22.7	45.0	0.435
	PRC308WA	150	Core-Lakt' Ultra Bonded "	91/2	2820	2546 228	6 2046	1819 1611	2648 2159 1744 1394	1102 864	0.2 zero	-1.2 -3.9	-8.2 -1	4,4	1.9 1.7	Zere	-3.4 -8.5		-53.1	0.331
	R306W!	, 150	Core-Lokt* Pointed Soft Point	91/1	2820	2533 226	3 2009	1774 1560	2648 2137 1705 1344	1048 810	0.0 1970	-1.2 -3.9	-8.4 -1	4.7 2	2.0 1.7	zero	.34 -52		-54.£	1312
	PCS308WA	150	Copper Solid Tipped	91/2	2820	2593 237	5 2171	1975 1791	2648 2238 1881 1569	1299 1068	0.2 0.8	zero -2.2	-5.9 -1	1.3	1.8 1.6	zero	-3.2 -8.0	-23.4	47.8	0.400
	PRA308WB	165	AccuTip Boat Tail	91/2	2700	2501 231	1 2129	1956 1792	2670 2292 1957 1661	1401 1176	-0.1 2220	-1.3 -4.1	-8.5 -1	4.7 2	2.0 1.8	zero	-3.4 -8.6		-50.1	0447
	RM30SW7	168	MatchKing* BTHP	91/:	2680	2493 231	4 2143	1979 1823	2678 2318 1998 1713	1460 1239	0.0 zero	-1.3 -4.1	-8.5 -1	4.7 2	2.1 1.8	Zero	-3.4 -8.5		-4c c	0475
	RM308W8	175	Matchling: BTHP	9 1/2	2609	2433 226	1 2102	1946 1798	2644 2300 1992 1716	1472 1256	0.4 0.9	zero -2.5	-6.7 -1	2.8 2	2.2 1.9	zero	-3.5 -9.6		-51.9	6.495
	PRC308WC	180	Core-Lokt' Ultra Bonded "	9%	2620	2404 219	8 2002	1818 1644	2743 2309 1930 1601	1320 1080	0.0 zero	-1.4 -4.5	-9.4 -1	6.3	2.3 2	zero	-3.8 -9.5		-56.4	6:05
	R308W2	180	Core-Lakt: Soft Point	91/2	2620	2274 195	5 I566	1414 1212	2743 2056 1527 1109	799 587	0.0 zero	-1.7 -5.3	-11.2 -!	9.7	2.5 2.3	zero	-4.6 -11.		-78.2	0.241
	R308\43	, 180	Core-Lott: Pointed Soft Point	94:	!	2393 217		1782 1504		1269 1028	0.0 zero	-1.5 -4.6			2.3 2.0	zero	-3.8 -9.7		-57.8	0383
300 Wby, Mag.	R300WB1	180	Core-Lakt' Pointed Soft Point	91/: M		2866 262		2181 1976	<u>' </u>	1902 1561	0.0 0.5	zero -1.7			1.4 1.3		-2.5 -6.4		-35.7	6355
303 British	L303B1	174	UMC* Metal Case	91/2		2209 196		1520 1338	2366 1885 1484 1155	893 692	0.1 ZESTO	-1.9 -5.9			2.8 2.4		47 -115		-74.3	E315
	R303B1	180	Core-Lakt' Saft Point	91/2	2460	2124 181	7 1542	1311 1137	2418 1803 1319 950	587 517	0.1 zero	-2.0 -6.3	-13.2 -2		1.3 zero	-3.6	-9.8 -10.1		.99.9	6347
7.62x39mm	L762391	123	UMC* Metal Case	9 1/2		2060 178		1315 1150	1527 1159 865 638	472 361	0.1 zero	-2.2 -6.8			1.5 zero		-10.4 -20.3		103.0	0.256
	R76Z391	125	Pointed Soft Point	9 /:	<u></u>	2062 178		1320 1154	1552 1180 882 652	483 370	0.1 zero	-2.2 -6.7		<u>-</u>	.5 zero		-10.4 -20.3		102.5	
300 Remington	PR300SM1	1 150	Core-Lokt' Ultra Bonded'	9 1/2 M		2901 262		2112 1880		1485 1177	0.1 0.5	zero -1.6			1.3 1.2		-2.5 -6.4		-39.6	6.267 6.330
Short Action	PR300SM2	, 165	Core-Lokt Poined Soft Point	9-/:M		2792 252		2040 1819	3464 2856 2339 1898	1525 1213	0.1 0.6	zero -1.8			1.5 1.4		-2.7 -7.0		-55.6 -42.1	
Ultra Mag	PR300SM4	180	Core-Lold* Ultra Bonded**	9 1/2 M		2727 250		2094 1904		1753 1449	0.1 0.6	zero -1.9			1.6 1.4		-28 -7.1			6339
	RM300SH7	190	MatchKing: BTHP	91/2 M	<u></u> -	2725 255		2239 2089	3547 3133 2758 2420		0.1 0.5	zero -1.9		 -	1.6 1.4		-27 -6.9		-42.6 -35.8	0.435
300 Remington	PR300UM5	150	Swift Scirocca Bonded	9 1/2 M		3208 298		2556 2358	3964 3427 2956 2541		0.0 0.3	zero -1.2			1.7 2.1				-25.3	0533
Ultra Mag	PR300UMS	180	Swift Scirocco Bonded	9 ½ M	 	3048 285		2495 2325		2487 2160	0.0 0.4	zero -1.4			2.0 2.3		zero -2.6 zero -2.8		-27.3	0.435
POW	NER PR300UM4	180	Core-Lokt: Ultra Bonded'	91/:M		2988 274		2287 2076		2088 1721	0.0 0.4	zero -1.4		}-	2.1 2.5		zero -3.1		-30.7	0500
	RS300UM2	200	Swift A-Frame* PSP	9 1/2 M		2791 256		2138 1942			0.0 04				1.5 1.4		-2.7 -6.8		-40.7	0.382
. —	PR300UM2-P		Core-Lokt Ultra Bonded**	9½M		2742 251		2096 1902	3549 3004 2528 2114		0.1 0.6	zero -1.8 zero -1.9			1.6 1.4		-28 -7.1		-42.4	0395
POW LEVE	WEN.	100	CONFIGNI UNIS DUNCEL	2 /: m	2300	2/4Z 231.	2300	2030 1302	3343 3004 2320 2114	1733 1443	0.1 0.0	2010 -1.3	*J.1 -	2.2 2	1.0 1.4	TCIO	-2.0 -7.1	-20.7	-42.4	0320
		l ion	Curit Common Dondori	1 nl/-aa	2000	2702 201	4 2442	2276 2116	2540 2110 2720 2202	2070 1700	01 05	tern 10	40 1	2 1	5 12	TOTO	26 60	10.0	201	0.007
	TR3000005-F	_ -	Swift Scirocco® Bonded	91/2M		2793 261		2275 2116			0.1 0.6	zero -1.8			1.5 1.3		-2.6 -6.6		-38.1	0.507
POW	PRA300UML-	1 150	AccuTip Boat Tail	9 ½ M	2910	2686 Z47	3 2270	2077 1893	2820 2403 2037 1716	1436 1193	0.1 0.7	zero -20	-5.4 -1	0.3 1	1.7 1.5	ZETO	-29 -7.4	-21.5	437	0.415
POW	PRA300UM1-PI	150	AccuTip Boat Tail Core-Lokt: Pointed Soft Point	9½M 9½M	2910 2910	2686 247 2617 234	3 2270 2 2083	2077 1893 1843 1622	2820 2403 2037 1716 2820 2281 1827 1445	1436 1193 1131 876	0.1 0.7	zero -2.0 zero -2.2	-5.4 -1 -5.9 -1	0.3 1	1.7 1.5 1.8 1.6	ZETO ·	-2.9 -7.4 -3.2 -8.2	-21.5 -24.4	43.7 -50.9	0415
LEVE	PRAGOOUM!-P! RL300UM!-P! RL300UM!->	150 150 150	Accurity Boat Tail Core-Loke Pointed Soft Point Core-Loke Pointed Soft Point	9 ¹ / ₂ M 9 / ₂ M 9 ¹ / ₂	2910 2910 2815	2686 247 2517 234 2528 225	3 2270 2 2083 8 2005 ,	2077 1893 1843 1622 1770 1556	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339	1436 1193 1131 876 1043 806	0.1 0.7 0.2 0.7 0.3 0.8	zero -2.0 zero -2.2 zero -2.3	-5.4 -1 -5.9 -1	0.3 1 1.4 1 2.3 2	1.7 1.5 1.8 1.6 2.0 1.8	ZETO ZETO	-29 -7.4 -3.2 -8.2 -3.5 -8.8	-21.5 -24.4 -26.4	-43.7 -50.9 -55.1	0415 0514 0314
32-20 Yrin.	PR300UM1-PI R1300UM1-PI R1300UM1 -> R32201	21 150 150 150 100	Accultip Boat Tail Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Lead	9½M 9½M 9½ 6½	2910 2910 2815 1210	2686 247 2617 234 2528 225 1021 913	3 2270 2 2083 8 2005 ,	2077 1893 1843 1622 1770 1556 : 769 712	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154	1436 1193 1131 876 1043 806 ; 131 113	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7	zero -2.0 zero -2.2 zero -2.3 -19.7 -43.1	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1	0.3 1 1.4 1 2.3 2 22.2 z	1.7 1.5 1.8 1.6 2.0 1.8 ero -11.2	zero : zero : 2 - 31.7	-29 -7.4 -3.2 -8.2 -3.5 -8.8 -62.7 -105.	-21.5 -24.4 -26.4 2 -228.5 -	-437 -509 -55.1 [0415 0314 20314 3015
32-20 Win. Special	PRA300UM1-PI R300UM1-PI R3200UM1 - PI R32201 R32WS2	150 150 150 100 170	Accutip Boat Tail Core-Lokt Pointed Soft Point Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point	9½M 9½M 9½ 6½ 9½	2910 2910 2815 - 1210 2250	2686 247. 2617 234. 2528 2258 1021 913 1921 162	3 2270 2 2083 8 2005 , 834 6 1372	2077 1893 1843 1522 1770 1556 : 769 712 1175 1044	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710	1436 1193 1131 876 1043 806 131 113 521 411	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero	zero -2.0 zero -2.2 zero -2.3 -19.7 -43.1 -2.6 -8.0	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1 1 -16.7 -2	0.3 1 1.4 1 2.3 2 22.2 2 9.3 1	1.7 1.5 1.8 1.6 2.0 1.8 ero -11.2 1.7 zero	zero : zero : 2 -31.7 : -4.5	-29 -7.4 -3.2 -8.2 -3.5 -8.8 -62.7 -105 -12.4 -24.1	-21.5 -24.4 -26.4 ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	-43.7 -50.9 -55.1 [] 416.8 125.3	0.415 0.314 0.314 0.156 0.239
32-20 Vnn. 32 Vnn. Special 8mm Rem. Magnum	PRASOUMI-PI R300UMI-PI R300UMI-PI R3200UMI-PI R32201 R322VS2	P1 150 150 150 100 170 200	Accurity Boart Tail Core-Loke* Pointed Soft Point Lead Core-Loke* Soft Point Core-Loke* Soft Point Swift A-Frame* PSP	9½M 9½M 9½ 6½ 9½	2910 2910 2815 1210 2250 2900	2686 247. 2617 234. 2528 225. 1021 913 1921 162. 2623 236.	3 2270 2 2083 8 2005 8 834 6 1372 1 2115	2077 1893 1843 1622 1770 1556 1769 712 1175 1044 1885 1672	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3054 2476 1987	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.2 0.7	zero -2.0 zero -2.2 zero -2.3 -19.7 -43.1 -2.6 -8.0 zero -2.1	-5.4 -1 -5.9 -1 1 -6.4 -1 1 -76.9 -1 1 -16.7 -2 -5.8 -1	0.3 1 1.4 1 2.3 2 22.2 2 9.3 1 1.2 1	1.7 1.5 1.8 1.6 2.0 1.8 ero -11.2 1.7 zero 1.8 1.6	zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : ze	-29 -7.4 -3.2 -8.2 -3.5 -8.8 -62.7 -105 -12.4 -24.1 -3.1 -8.0	-21.5 -24.4 -26.4 2 2 -228.5 - 1 -62.1 - -23.9	-50.9 -55.1 [] 416.8 125.3 -49.6	0.415 0.314 0.314 0.156 0.739 0.332
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Mauser	PRASOUMI-PI REL R300UMI-PI RL300UMI-PI RL300UMI-PI RL300UMI - PI R32201 R32WS2	21 150 150 150 150 150 170 200 170	Acculin Boat Tat Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point	9½M 9½M 9½ 6½ 9½ 9½	2910 2910 2815 1210 2250 2900 2360	2686 247. 2617 234. 2528 2258 1021 913 1921 1622 2623 236. 1969 1623	3 2270 2 2083 8 2005 , 834 6 1372 1 2115 2 1333	2077 1893 1843 1622 1770 1556 : 769 712 1175 1044 1885 1672 1123 997	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671	1436 1193 1131 876 1043 8061,, 131 113 521 411 1577 1241 476 375	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.2 0.7 0.2 zero	zero -2.0 zero -2.3 zero -2.3 -19.7 -43.: -2.6 -8.0 zero -2.1 -2.4 -7.6	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1 -16.7 -2 -5.8 -1 -16.1 -2	0.3 1 1.4 1 2.3 2 22.2 2 29.3 1 1.2 1 18.6 1	1.7 1.5 1.8 1.6 2.0 1.8 ero -11.2 1.7 zero 1.8 1.6 1.6 zero	zero : zero : zero : 2 -31.7 : -4.5 : zero : -4.4	-29 -7.4 -3.2 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24.1 -3.1 -8.0 -12.0 -23.0	-21.5 -24.4 -26.4 _{2.5} 2 -228.5 - 1 -62.1 - -23.9 1 -62.8 -	43.7 -50.9 -55.1 1 410.8 -125.3 -49.6 128.9	0.415 1 0.314 2 0.166 0.279 0.332 0.265
32-20 Vnn. 32 Vnn. Special 8mm Rem. Magnum	PRASOUMI-PI RESOUMI-PI	21 150 150 150 100 170 200 176 225	Acculin Boat Tail Core-Loke Pointed Soft Point Core-Loke Pointed Soft Point Lead Core-Loke Soft Point Swift A-Frame PSP Core-Loke Soft Point Swift A-Frame PSP	9½M 9½M 9½ 6½ 9½ 9½ 9½M 9½M	2910 2910 2815 1210 2250 2900 2360 2785	2686 247. 2617 234: 2528 2258 1021 913 1921 162: 2623 236 1969 162: 2517 226	3 2270 2 2083 8 2005 . 834 6 1372 1 2115 2 1333 5 2029	2077 1893 1843 1622 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3871 3165 2565 2057	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.2 0.7 0.2 zero 0.0 zero	zero -2.0 zero -2.2 zero -2.3 -19.7 -43.1 -2.6 -8.0 zero -2.1 -2.4 -7.6 -1.2 -4.0	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1	0.3 1 1.4 1 2.23 2 22.2 2 2.22 2 2.3 1 2.3 1 2.3 1 2.3 1 3 3 1.2 1 8.6 1 4.8 2	1.7 1.5 1.8 1.6 2.0 1.8 2.0 1.8 2.0 -11.2 1.7 zero 1.8 1.6 1.6 zero 2.0 1.8	zero : 2 -31.7 : -4.5 : zero : -4.4 : zero	-29 -7.4 -3.2 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24.1 -3.1 -8.0 -12.0 -23.1 -3.5 -8.8	-21.5 -24.4 -26.4] ₃ 2 -228.5 - -62.1 - -23.9 7 -62.8 - -26.1	43.7 -50.9 -55.1 1 410.8 125.3 -49.6 128.9 -54.1	0.415 0.314 0.156 0.235 0.332 0.337
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Mauser	PRASOUM1-PI RCS00UM1-PI RCS00UM1-PI RCS00UM1-PI RCS00UM1-PI RCS00UM1-PI RCS2V52 RCS2V52 RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWWA RCSSWW	21 150 150 150 100 170 200 170 225 225	Accultip Boat Tail Core-Loke* Pointed Soft Point Core-Loke* Pointed Soft Point Lead Core-Loke* Soft Point Swift A-Frame* PSP Core-Loke* Soft Point Swift A-Frame* PSP Core-Loke* Soft Point	9½M 9½M 9½ 6½ 9½ 9½M 9½M 9½M	2910 2910 2815 1210 2250 2900 2360 2785 2780	2686 247. 2517 234. 2528 225. 1021 913 1921 162. 2623 236. 1969 162. 2517 226.	3 2270 2 2083 8 2005 , 834 6 1372 1 2115 2 1333 6 2029 4 2184	20/7 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3054 2476 1987 2102 1463 993 671 3871 3165 2565 2057 3860 3305 2815 2383	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.2 0.7 0.2 zero 0.0 zero 0.0 0.8	zero -2.0 zero -2.2 zero -2.3 -19.7 -43.3 -2.6 -8.0 zero -2.1 -2.4 -7.6 -1.2 -4.0 zero -2.2	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1	0.3 1 1.4 1 2.3 2 2.2 2 2.3 1 2.1 1 2.3 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4 1 2.4	1.7 1.5 1.8 1.6 1.8 1.6 2.0 1.8 1.6 2.0 1.8 1.6 2.0 1.8 1.6 2.0 1.8 1.6 2.0 1.8 1.6 2.0 1.8 1.9 1.7	zero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2ero : 2e	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105 -12.4 -24 -3.1 -8.0 -12.0 -23.0 -3.5 -8.8 -3.2 -6.1	-21.5 -24.4 -26.4 2 -26.5 - -62.123.9 -62.626.1 -23.4	-437 -50.9 -55.1[2] 410.8 -125.3 -49.6 128.9 -54.1 -47.5	0415 0314 0166 0225 0332 0.332 0.337 0.431
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Mauser	PRASOUMI-PI RELI RODUMI-PI RESOUMI-PI RESOUMI PRASOUMI PI RESOUMI PRASOUMI PI RESOUMI PRASOUMI PI RESOUMI PRASOUMI PI RESOUMI PRASOUMI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSIVI PRESISSI	21 150 150 150 100 170 200 170 225 225 225	Accultip Boat Tail Core-Lokit "Pointed Soft Point Core-Lokit" Pointed Soft Point Lead Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Soft Point Core-Lokit "Dinted Soft Point Core-Lokit" Ultra Bonded"	9½M 9½M 9½ 6½ 9½ 9½ 9½ 9½ 9½ 9½ 9½ 9½ 9½ 9½ 9½	2910 2910 2815 1210 2250 2900 2360 2785 2780	2586 247. 2517 234. 2528 2254 1021 913 1921 162. 2623 236 1969 162. 2517 2264 2572 2374 2582 2399	3 2270 2 2083 8 2005 , 834 5 1372 1 2115 2 1333 5 2029 4 2184 2 2210	20/7 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871	2820 2403 2037 1716 2820 2281 1827 1445 2639; 2127, 1698 1339 325 231 185 154 1911 1393 998 710 3734 3054 2476 1987 2102 1463 993 671 3871 3165 2565 2057 3860 3305 2815 2383 3860 3329 2858 2440	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.2 0.7 0.2 zero 0.0 zero 0.0 0.8 0.2 0.8	zero -220 zero -227 zero -23 -19,7 -41,1 -2,6 -8,0 zero -21 -2,4 -7,6 -1,2 -4,0 zero -2,2 zero -2,2	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1 1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1	0.3 1 1.4 1 2.3 2 22.2 2 9.3 1 1.2 1 8.6 1 4.8 2 1.4 1 1.2 1	1.7 1.5 1.8 1.6 2.0 1.8 2.0 1.8 2.0 1.8 2.0 2.0 1.7 2ero 1.8 1.6 2.0 1.8 1.9 1.7 1.9 1.6	zero : 2 - 31.7 -4.5 zero : 4.4 zero : 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	-29 -7.4 -32 -8.2 -35 -8.8 -62.7 -105. -12.4 -24. -3.1 -8.0 -12.0 -23.1 -3.5 -8.8 -3.2 -6.1 -3.2 -7.9	-21.5 -24.4 -26.4 - 2.2 2 -228.5 - 62.1 -23.9 1 -62.8 -26.1 -23.4 -23.4	-437 -509 -551[] 416.8 -125.3 -49.6 128.9 -54.1 -47.5 -46.5	0415 0314 0314 0155 0325 0332 037 0431 0455
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Mauser 338 Win. Mag	PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! - PRASOUM! -	21 150 150 150 100 170 200 176 225 225 250	Accultip Boat Tail Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Lead Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Pointed Soft Point Core-Lokit "Ultra Bonded" Core-Lokit "Pointed Soft Point	9½M 9½M 9½ 6½ 9½ 9½M 9½M 9½M 9½M 9½M	2910 2910 2815 1210 2250 2900 2360 2785 2780 2780	2586 247. 2617 234. 2528 225. 1021 913 1921 162. 2623 236. 1969 162. 2517 2264 2572 237. 2582 239. 2456 226.	3 2270 2 2083 8 2005 . 834 6 1372 1 2115 2 1333 6 2029 4 2184 2 2210	2007 1893 1843 1522 1770 1556 : 765 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3871 3165 2565 2057 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2389	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1676 2071 1748 1999 1663	0.1 0.7 0.2 0.7 0.3 0.8 zero 5.7 0.3 zero 0.2 0.7 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero	zero -20 zero -22 zero -23 zero -23 zero -23 -19,7 -43,1 -2.6 -8.0 zero -21 -2.4 -7.6 -1.2 -4.0 zero -22 zero -22 -1.4 -4.3	-5.4 -1 -5.9 -1 -6.4 -1 1 -76.9 -1 1 -76.9 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -8.9 -1	0.3 1 1.4 1 2.3 .4 22.2 2 22.2 2 2.3 .4 2.3 .4 2.3 .4 2.4 .1 1.4 .1 1.2 .1 1.5 .4	1.7 1.5 1.8 1.6 2.0 1.8 2.0 1.8 2.0 1.8 1.7 zero 1.8 1.6 2.0 1.8 1.0 1.7 1.9 1.6 2.1 1.9	zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : zero : ze	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24.1 -3.1 -8.0 -12.0 -23.7 -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9	-21.5 -24.4 -26.4 (3) 2 -26.562.1 -23.9 7 -62.8 -26.1 -23.4 -23.0 -26.0	437 -509 -55.1[1] 416.8 125.3 -49.6 128.9 -54.1 -47.5 -46.5 -52.7	0415 0314 0166 0175 0132 0205 0337 0435 0456 0431
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Mauser	PRASOUM: PRASOUM: RELI RESOUM: RESOUM: RESOUM: RESOUM: RESOUM: RESOUM: RESEMMRA RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RESSEM: RES	21 150 150 150 100 170 200 176 225 225 225 250	Accultip Boat Tail Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Lead Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Pointed Soft Point Core-Lokit "Ultra Bonded" Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point	9½M 9½M 9½ 6½ 9½ 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815 · 1210 2250 2900 2360 2785 2780 2780 2660 2860	2586 247. 2617 234. 2528 2258 1021 913 1921 1622 2623 236. 1969 162. 2517 2264 2572 2374 2582 2393 2456 226.	3 2270 2 2083 8 2005 . 834 6 1372 1 2115 2 1333 6 2029 4 2184 2 2210 1 2075 3 2249	2077 1893 1843 1622 1770 1556 1770 1556 1717 1175 1044 1885 1672 1123 997 1806 1605 2003 1832 2036 1871 1898 1731 2064 1887	Z8Z0 2403 2037 1716 28Z0 22Z1 16Z7 1445 2639 21Z7 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2658 2440 3927 3348 2837 2389 4540 3888 3314 2807	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748 1999 1663 2363 1977	0.1 0.7 0.2 0.7 0.3 0.8 zero 5.7 0.3 zero 0.2 0.7 0.2 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero	zero -20 zero -22 zero -23 zero -23 zero -21 -26 -80 zero -21 -2.4 -7.6 -1.2 -40 zero -22 zero -22 zero -22 zero -22	-5.4 -1 	0.3 1 1.4 1 2.3 2 22.2 2 23.3 1 23.4 1 23.4 1 24.4 1 25.4 2 26.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6 1 27.6	1.7 1.5 1.8 1.5 2.0 1.8 2.0 1.8 2.0 1.8 1.7 2ero 1.8 1.6 2.0 1.8 1.9 1.7 1.9 1.6 2.1 1.9 1.7 1.5	zero	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24. -3.1 -8.0 -12.0 -23.1 -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9 -3.0 -7.5	-21.5 -24.4 -26.4	-43.7 -50.9 -55.1 [2] 410.8 .125.3 -49.6 128.9 -54.1 -47.5 -46.5 -52.7 -44.7	0415 0314 0156 0156 0337 0431 0431 0431
32-20 Win. Special 8mm Rem. Magnum 8mm Mauser 338 Win. Mag 338 Reminigton Ultra Mag	PRASOUMI-PI REL RICOMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOUMI-PI RESOU	P1 150 150 150 100 170 200 170 225 225 225 250 250	Accultip Boat Tail Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Lead Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Pointed Soft Point Core-Lokit "Ultra Bonded" Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Swift A-Frame" PSP	9½M 9½M 9½ 6½ 9½ 9½M 9½ 9½M 9½M 9½M 9½M 9½M	2910 2910 2815 - 1210 2250 2900 2360 2785 2780 2780 2660 2860 2860	2586 247. 2517 234. 2528 225. 1021 913 1921 162 2623 236. 1969 162. 2517 2264 2572 237. 2582 239. 2456 226. 2647 2444 2645 2444	3 2270 2 2083 8 2005 . 834 6 1372 1 2115 2 1333 6 2029 4 2184 2 2210 1 2075 3 2249	2077 1893 1843 1522 1770 1556 712 1175 1044 1885 1672 1123 997 1806 1605 2003 1832 2036 1871 1898 1731 2064 1887 2057 1879	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3871 3165 2565 2057 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2389 4540 3882 3314 2807 4540 3882 3332 2794	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748 1999 1663 263 1977 2347 1960	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.0 0.7 0.0 zero 0.0 zero 0.0 0.8 0.2 0.8 0.0 zero 0.0 zero 0.0 zero	2870 -200 2870 -223 2870 -23 -19.7 -43.1 -2.6 -8.0 2870 -2.1 -2.4 -7.6 -1.2 -4.0 -2.2 -2.4 -4.3 -2.4 -4.3 -2.2 -2.4 -2.3 -2.2 -2.4 -2.3 -2.2 -2.4 -2.3 -2.2 -2.2 -2.2 -2.2 -2.2 -2.2 -2.2	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -8.9 -1 -5.6 -1 -5.6 -1	0.3 1 1.4 1 2.3 22.2 2 2.3 3 1.2 1 8.6 1 4.8 2 1.4 1 1.2 1 5.4 2 0.6 1 0.7 1	1.7 1.5 1.8 1.6 2.0 1.8 2.0 1.8 1.7 zero 1.8 1.6 2.0 1.8 1.9 1.7 1.9 1.6 2.1 1.9 1.7 1.5 1.7 1.5	ZETO ZETO 2 -31.74.5 ZETO4.4 ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO ZETO	-29 -7.4 -3.2 -8.2 -3.5 -8.8 -62.7 -105 -12.4 -24 -3.1 -8.0 -12.0 -23 -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9 -3.0 -7.5 -3.0 -7.6	-21.5 -24.4 -26.4 -27.5 -26.4 -27.5 -62.1 -23.9 -62.6 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1	-43.7 -50.9 -55.1 [] 410.8 . 125.3 -49.6 128.9 -54.1 -47.5 152.7 -44.7 -44.9	0415 0314 0156 0235 0337 0431 0431 0431 0427
32-20 Vin. 32 Vin. Special 8mm Rem. Magnum 8mm Mauser 338 Vin. Mag 338 Remington Ultra Mag 338 Lapua Magnum	PRASOUMI-PI R300UMI-PI R300UMI-PI R320UMI-PI R320UMI-PI R32WS2 PR338WA R338WA	21 150 150 150 100 170 200 170 225 225 225 250 250 250	Accultip Boat Tat Core-Lokt "Pointed Soft Point Core-Lokt" Pointed Soft Point Lead Core-Lokt" Soft Point Swift A-Frame" PSP Core-Lokt" Soft Point Swift A-Frame" PSP Core-Lokt" Pointed Soft Point Core-Lokt" Ultra Bonded" Core-Lokt" Pointed Soft Point Swift A-Frame" PSP Scener	9½M 9½ 6½ 9½ 9½ 9½ 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815 1210 2250 2900 2360 2785 2780 2780 2660 2860 2860 2960	2686 247.7 2517 234.2 2528 225.1 1021 913 1921 162 2623 236.1 1969 162.2 2517 2266 2517 2262 239.2 2456 226.2 2647 244.2 2645 2444 2620 2683	3 2270 2 2083 8 2005 , 834 6 1372 1 2115 2 1333 6 2029 4 2184 2 2210 1 2075 3 2249 0 2244 3 255!	2007 1893 1843 1622 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2057 1879 2423 2295	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2389 4540 3882 3314 2807 4540 3882 3333 2794 4863 4412 2996 3613	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748 1999 1663 2633 1977 2347 1960 3259 2932	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.0 0.7 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.1 0.6	2870 -200 2870 -223 2870 -23 -19.7 -43.1 -2.6 -8.0 2870 -2.1 -2.4 -7.6 -1.2 -4.0 -2.2 -2.4 -4.3 -2.2 -1.4 -4.3 -2.2 -1.4 -4.3 -2.2 -2.2 -2.2 -2.2 -2.2 -2.2 -2.2 -2	-5.4 -1 -5.9 -1 -6.4 -1 -7.6 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -5.6 -1	0.3 1 1.4 1 2.3 2 2.2 2 2.2 2 2.3 3 1.2 1 8.6 1 8.6 1 1.2 1 1.2 1 5.4 2 0.6 1 0.7 1 8.9 1	1.7 1.5 1.8 1.6 2.0 1.8 2.0 1.8 2.0 1.8 2.0 1.8 2.0 1.8 1.6 220 2.0 1.8 1.6 220 2.0 1.8 1.9 1.7 1.9 1.6 2.1 1.9 2.1 1.9 2.1 1.5 3.7 1.5 4.7 1.5	Zero	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -2.6 -3.1 -8.0 -12.0 -23.3 -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.5 -3.0 -7.5 -3.0 -7.6 -2.5 -6.3	-21.5 -24.4 -26.4 -27.5 -27.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.9	437 -50.9 -55.1 1 125.3 -49.6 1 128.9 -46.5 1 -52.7 -44.7 -44.9 -35.4 -35.4 -50.9 -35.4 -50.9 -35.4 -50.9 -35.4 -50.9 -35.4 -50.9 -35.4 -35.4 -50.9 -35.4 -50.9 -35.4 -50.9 -35.4 -50.9 -35.4 -50.9 -35.4 -35.4 -50.9 -35.4 -35.4 -50.9 -35.4 -35.4 -50.9 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.4 -35.	0415 0314 0156 0235 0237 0256 0337 0431 0431 0431 0431
32-20 Win. Special 8mm Rem. Magnum 8mm Mauser 338 Win. Mag 338 Reminigton Ultra Mag	PRASOUM:- PRASOUM:- R300WI:- R300WI:- R300WI:- R32WS2 R32WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA R338WA	21 150 150 150 100 170 200 176 225 225 225 250 250 250 250	Accultip Boat Tail Core-Lokit "Pointed Soft Point Core-Lokit "Pointed Soft Point Lead Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Soft Point Swift A-Frame" PSP Core-Lokit "Pointed Soft Point Core-Lokit "Ultra Bonded" Core-Lokit "Pointed Soft Point Swift A-Frame" PSP Scenar Core-Lokit "Pointed Soft Point	9½M 9½M 9½ 9½ 9½ 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815 1210 2250 2900 2360 2785 2780 2780 2660 2860 2860 2960 2300	2686 247. 2517 234. 2528 22558 22528 2255 1021 913 1921 1622 2623 236 1969 162. 2517 2264 2572 237. 2582 239. 2456 226. 2647 244. 2645 2444 2620 268.	3 2270 2 2083 8 2005 8 8 34 5 1372 1 2115 2 1333 6 2029 4 2184 2 2210 1 2075 3 2249 0 2244 3 2551 5 1218	2007 1893 1843 1622 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1039 934	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2389 4540 3882 3314 2807 4540 3882 3303 2794 4663 4412 2995 3613 1762 1169 755 494	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748 1999 1663 2633 1977 2347 1950 3259 2932 359 291	0.1 0.7 0.2 0.7 0.3 0.8 2ero 5.7 0.3 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero	2870 -200 2870 -220 2870 -23 2870 -23 2970 -41 2070 -21 2070 -21 2070 -22 2070 -22 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -21 2070 -27 2070 -1,7	-5.4 -1 -5.9 -1 -6.4 -1 -6.4 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3	0.3 1 1.4 1 2.3 2 2.2 2 2.3 3 1.2 1 1.2 1 1.4 1 1.2 1 1.4 1 1.2 1 1.4 1 1.2 1 1.3 1 1.4 1 1.5 1 1.6 1 1.7 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8 1 1.8	1.7 1.5 1.8 1.6 2.0 1.8 2.0 1.8 2.0 1.8 2.1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Zero : 22-731.7 . 4.5 . Zero : 4.4 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 . Zero : 22-70 .	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24.1 -3.1 -8.0 -12.0 -23.3 -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9 -3.0 -7.5 -3.0 -7.5 -3.0 -7.5 -3.1 -7.9	-21.5 -24.4 -26.4] § 2 -228.5 -2 -228.5 -2 -22.1 -23.9 -26.1 -23.4 -23.0 -26.6 -22.0 -22.1 -17.9 1 -73.0	437 509 551 1 1 1 1 1 1 1 1	0415 0314 0156 0225 0337 0431 0431 0431 0427 056 0431
32-20 Vin. 32 Vin. Special 8mm Rem. Magnum 8mm Masg. 338 Win. Mag. 338 Remington Ultra Mag. 338 Leoua Magnum 35 Remington	PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRASOUM! PRA	21 150 150 150 100 170 200 170 225 225 225 250 250 250 250 250 250 25	Accurity Boart Tail Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point	9½ M 9½ M 9½ M 9½ 9½ 9½ M 9½ M 9½ M 9½ M	2910 2910 2815 . 1210 2250 2900 2360 2780 2780 2780 2660 2860 2860 2960 2300 2300	2686 247. 2517 234. 2528 2258 1021 913 1921 162. 2623 236. 1969 162. 2517 226. 2517 226. 2526 239. 2456 226. 2647 244. 2645 2441 2620 268. 1874 1504	3 2270 2 2083 8 2005 8 34 5 1372 1 2115 2 1333 6 2029 4 2184 2 2210 1 2075 3 2249 0 2244 3 2551 5 1218	2007 1893 1843 1622 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1605 2003 1837 1898 1731 2064 1887 2067 1879 2422 2295 1039 934 1001 911	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1293 998 710 3734 3054 2476 1987 2102 1463 993 671 3871 3165 2655 2057 3860 3305 2815 2333 3860 3329 2858 2440 3927 3348 2837 2389 4540 3882 3314 2807 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577	1436 1193 1131 876 1043 8061 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748 1899 1663 2563 1977 2347 1960 3259 2932 445 369	0.1 0.7 0.2 0.7 0.3 0.8 2ero -5.7 0.3 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero	2870 -200 2870 -220 2870 -23 2870 -23 -19,7 -41,1 -2.6 -8.0 2870 -21 -2.4 -7.6 -1.2 -4.0 2870 -22 2870 -22 2870 -2.1 2870 -2.0 2870 -1,7 -2,7 -8,6 -3,5 -10,3	-5.4 -1 -5.9 -1 -6.4\(-1) -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 7 -22.6 -4	0.3 1 1.4 1 1.2 2.3 2.2 2 2.2 2 2.2 2 2.3 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1.2 1 1 1.2 1 1 1.2 1 1 1 1 1 1 1 1 1	1.7 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.7 2 2 2 2 1.8 1.8 1.6 1.6 2 2 2 2 2 1.8 1.9 1.7 1.7 1.5 1.9 1.6 1.9 1.7 1.5 1.9 1.6 1.9 1.7 1.5 1.5 1.8 1.8 1.8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Zero	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24.1 -3.1 -8.0 -12.0 -23.3 -3.2 -6.1 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9 -3.0 -7.5 -3.0 -7.5 -3.1 -7.9 -3.1 -7	-21.5 -24.4 -25.4 () 2 -25.56.21 -23.9 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.9 1 -73.0 3 -85.5	437 4509 551° 4108 1233 496 1289 5541 1289 5527 447 449 1508 1748	0.415 0.514 0.514 0.515 0.525 0.337 0.455 0.451 0.451 0.457 0.555 0.154 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155
32-20 Vin. 32 Vin. Special 8mm Rem. Magnum 8mm Mauser 338 Vin. Mag 338 Remington Ultra Mag 338 Lapua Magnum	PRAGOUM!- PRAGOUM!- R3200M!- R3200M!- R3200M!- R32052 PR38WARA R338WA R338W4 PRC338WA R338W2 PR338WA R338W2 PR338UM1 PRC338WA R338W2 R338W2 R338W3 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4 R338W4	150 150 150 150 150 150 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170	Accurity Boart Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Fointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point	9½M 9½M 9½ 9½ 9½M 9½M 9½M 9½M 9½M 9½M 9½	2910 2910 2815 · 1210 2250 2360 2360 2785 2780 2660 2860 2960 2300 2300 2300 2675	2686 247. 2517 234. 2518 2258 2258 1021 913 1921 162. 2623 236. 1969 162. 2517 226. 2517 226. 2517 226. 2545 244. 2645 244. 2620 268. 1874 1500 1698 1376 2378 2100	3 2270 2 2083 8 2005 4 834 6 1372 1 2115 2 1333 6 2029 4 2184 2 2210 1 2075 3 2249 0 2244 3 2551 6 1218 6 1140	2007 1893 1843 1622 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1605 2003 1832 2003 1832 2054 1887 2057 1879 2423 2295 1039 934 1001 911 1606 1399	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3054 2476 1987 2102 1463 993 671 3871 3165 2655 2057 3860 3305 2815 2383 3860 3329 2858 2440 3927 3388 3314 2897 4540 3882 3303 2794 4663 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506	1436 1193 1131 876 1043 8061 131 113 521 411 1577 1241 476 375 1633 1286 2004 1676 2071 1748 1999 1653 2363 1977 2347 1960 3259 2932 359 291 445 369 1145 869	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.0 2zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero	2870 -200 2870 -220 2870 -23 -19.7 -43.1 -2.6 -8.0 2870 -2.1 -2.4 -7.6 -1.2 -4.0 -2.2 -2.2 -2.2 -1.4 -4.3 -2.3 -2.7 -2.7 -8.5 -3.5 -10.1 -1.5 -4.7	-5.4 -1 -5.9 -1 -6.4 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1	0.3 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1.14 1 1 1 1 1 1 1 1 1	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.7 1.7 1.5 1.5 1.6 1.8 1.6 1.6 1.6 1.7 1.9 1.6 1.8 1.6 1.9 1.7 1.9 1.6 1.8 1.5 1.9 1.7 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 - 31.7 2 -	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24. -3.1 -8.0 -12.0 -23.) -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9 -3.0 -7.5 -3.0 -7.6 -2.5 -6.3 -13.7 -27.1 -16.7 -33.0 -16.8 -33.1	-21.5 -24.4 -26.4 -26.4 -27.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.2 1 -73.0 3 -85.5 -66.9	437 509 551 1 1 1 1 1 1 1 1	0.415 0.514 0.514 0.515 0.525 0.337 0.431 0.451 0.427 0.575 0.154 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155 0.155
32-20 Vin. 32 Vin. Special 8mm Rem. Magnum 8mm Masses 338 Win. Mag 338 Remington Ultra Mag 338 Lapua Magnum 35 Remington 35 Whelen	PRAGOUNI- PRAGOUNI- R3200M, R3200M, R3200M, R3200M, R3200M, R3200M, R3200M, R320M, R338WA R338WA R338WA R338WA R338WA R338WA R338WI PRC338WA R338WA R338WI PRC338WA R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI R338WI	150 150 150 150 150 150 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170 170	Accurity Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point	9½M 9½M 9½ 6½ 9½ 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2910 2815 1210 2250 2900 2360 2785 2780 2660 2860 2860 2960 2300 2080 2675 2400	2686 247. 2517 234. 2528 225. 1021 913. 1921 162. 2623 236. 1969 162. 2517 226. 2572 237. 2582 239. 2456 226. 2647 244. 2620 268. 1874 1500. 1698 1376. 2378 2100. 2197 200:	3 2270 2 2083 3 2005 . 834 5 1372 1 2115 2 1333 2 2029 2 2210 2 2210 2 225 3 2249 3 2551 5 1218 5 1218 5 140 9 142 9 142	2007 1893 1843 1622 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1605 2003 1832 2004 1887 12064 1887 12064 1887 1209 314 1001 911 1606 1399 1652 1436	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3624 2476 1987 2102 1463 993 671 3871 3165 2565 2057 3860 3305 2815 2383 3927 3348 2837 2389 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844	1436 1193 1131 876 1043 8061 131 113 521 411 1577 1241 476 375 1633 1286 2004 1676 2071 1748 2363 1967 2347 1960 3259 293 445 369 1145 869 1515 1242	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.0 2 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.1 zero 0.1 zero	zero -20 zero -22 zero -23 -19.7 -41.3 -26 -80 zero -21 -1.2 -40 -1.2 -40 zero -22 zero -22 -1.4 -4.3 zero -2.0 zero -1.1 -2.7 -8.6 -3.5 -10.1 -1.5 -4.7 -1.9 -5.7	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -76.9 -1 -76.1 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -8.9 -1 -5.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1	0.3 1 1 1 1 1 1 1 1 1	1.7 1.5 1.5 1.6 1.7 1.5 1.5 1.7 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	2870 2 - 31.7 4.5 2870 2870 2870 2870 2870 2870 2870 2870	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24. -3.1 -8.0 -12.0 -23.) -3.5 -8.8 -3.2 -6.1 -3.2 -7.9 -3.5 -8.9 -3.0 -7.5 -3.0 -7.6 -2.5 -6.3 -13.7 -27.1 -16.7 -33.0 -16.8 -33.1 -8.6 -16.6	-21.5 -24.4 -26.4 -26.4 -27.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.9 1 -73.0 3 -85.5 -86.9 5 -40.6	437 509 551 1 1 1 1 1 1 1 1	0415 0314 0314 0156 0225 0332 0207 0431 0431 0431 0431 0427 0431 0427 0431 0427 0431 0431 0447 0456 0456 0456 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457 0457
32-20 Y/m. 32 Y/m. Special 8mm Rem. Magnum 8mm Mauser 338 W/m. Mag 338 Remington Utra Mag 338 Leous Magnum 35 Remington 35 Remington 35 Remington	PRASIDUM	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Core-Lokt* Fointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815 : 1210 2250 2250 2360 2785 2780 2780 2860 2860 2860 2960 2080 2080 2080 2080 2080 2080 2080 20	2686 247.7 2617 2342 2528 22528 2529 22528 2520 23620 2622 2622 2517 2517 2527 2372 2526 2252 2626 2442 2626 2442 2627 2520 2628 2442 2629 2620 2620 2622 2623 2624 2624 2625 2625 2442 2626 2442 2627 2622 2623 2623 2624 2624 2625 2424 2626 2424 2627 2622 2623 2623 2624 2624 2625 2424 2626 2424 2627 2622 2622 2623 2623 2624 262	3 2270 2 2083 3 2005 , 834 5 1372 1 1155 2 1333 5 2029 4 1 2184 2 2 2210 2 2244 3 2551 5 1218 5 1140 1 1842 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843 5 1843	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2067 1879 2422 2295 1003 934 1001 911 1606 1399 1652 1496	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2389 4540 3882 3303 2794 4663 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639	1436 1193 1131 876 1043 8061 131 113 521 411 1577 1241 476 375 1633 1286 2004 1676 2071 1748 1999 1663 2353 1977 2347 1960 1259 2932 359 291 445 369 1145 869 1515 1242 1250 547	0.1 0.7 0.2 0.7 0.3 0.8 2ero -5.7 0.3 zero 0.0 2zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero	zero -20 zero -22 zero -23 -19.7 -41.3 -26 -80 zero -21 -2.4 -7.5 -1.2 -40 zero -22 zero -22 zero -21 zero -1.7 -2.7 -8.5 -3.5 -10.0 -1.5 -4.7 -1.9 -5.7 -1.3 -4.2	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -16.1 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -	0.3 1 1 1 1 1 1 1 1 1	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.8 1.6 1.8 1.9 1.7 1.9 1.6 1.9 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2 - 31.7 2 - 31.7 3 - 4.5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-29 -7.4 -32 -8.2 -3.5 -8.8 -62.7 -105. -12.4 -24.1 -3.1 -8.0 -3.2 -6.1 -3.2 -6.1 -3.2 -7.9 -3.5 -8.5 -3.0 -7.5 -3.0 -7.5 -2.5 -6.3 -13.7 -27.1 -16.7 -33.0 -16.8 -33.1 -8.6 -16.6 -3.6 -9.4	-21.5 -24.4 -26.4 -26.4 -23.9 -26.1 -23.9 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.2 -73.0 -86.5 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9 -86.9	437 509 5551 2 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 1	045 Gil Gil Gil Gil Gil Gil Gil Gil Gil Gi
32-20 Vin. 32 Vin. Special 8mm Rem. Magnum 8mm Masses 338 Win. Mag 338 Remington Ultra Mag 338 Lapua Magnum 35 Remington 35 Whelen	PRASOUNI- PRASOUNI- PRASOUNI- RESOUNI- PRESOUNI- PRESOUNI- PRESOUNI- PRESOUNI- PRESOUNI- PRESOUNI- PRESOUNI- RESOUNI-	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815	2686 247.7 2617 2342 2528 2252 2526 2252 2526 2362 2622 2622 2517 2262 2572 237.7 2526 2262 2264 244 2426 244 2582 239.9 2645 244 1806 242 1818 150.0 1819 137.7 2373 200.0 2471 2182 2333 206.0	3 2270 2 2083 3 2005 , 834 5 1372 1 2115 2 1333 5 2029 4 2184 2 2210 2 220 1 2075 3 2249 3 2551 5 1218 6 1140 1 1842 5 1823 6 1921	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 1898 1731 1898 1731 1899 1944 1001 911 1606 1399 1652 1496 1657 1879	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 988 710 3734 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2389 4540 3882 3303 2794 4663 4412 3995 3513 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900	1436 1193 1131 876 1043 8061 131 113 521 411 1577 1241 476 375 1633 1286 2004 1576 2071 1748 1999 1653 2853 1977 2847 1950 3259 291 445 369 1145 869 1515 1242 1250 947 1403 1039	0.1 0.7 0.2 0.7 0.3 0.8 2ero -5.7 0.3 zero 0.0 2.7 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.0 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.1 2.8 0.8 0.8 0.8 0.8 2.8 0.8 2.8 0.8 2.8 0.8 2.8 0.8 2.8 0.8 2.8 0.8 2.8	zero -20 zero -22 zero -23 -19.7 -41.1 -26 -80 zero -21 -2.4 -7.5 -1.2 -40 zero -22 zero -22 zero -21 zero -2.1 zero -2.7 -8.5 -3.5 -1.5 -4.7 -1.9 -5.7 -1.3 -42 zero -28	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -16.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -7.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -7.6 -1	0.3 1 1.4 1 1.2 2.3 2.5 2.2 2 2 2 2 2 2 2 2	1.7 1.5 1.5 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6	2870 2870 4.4.5 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.4 -26.4 -26.4 -23.9 -26.1 -23.9 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.2 -72.0 -86.5 -86.9 -86.9 -86.9 -92.3 -32.3	437 509 551 2 108 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 128 12	045 031 032 015 025 032 037 045 045 045 045 045 045 045 045 045 045
32-20 Vin. 32 Vin. Special 8mm Rem. Magnum 8mm Mauser 338 Win. Mag 338 Reminigton Ultra Mag 338 Lapua Magnum 35 Reminigton 35 Whelen 350 Reminigton Mag 375 HBH Mag.	PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI - PRASOUMI -	21 150 150 150 100 170 120 120 120 120 120 120 120 120 120 12	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Soft Point Core-Lokt* Pointed Soft Point Soft Point Soft Point Soft Point Swift A-Frame* PSP	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815	2686 247. 2517 2342 2528 2252 2526 2252 2527 2362 2528 2399 1929 1626 2517 2517 2527 237 2545 2264 2444 350 2182 249 2183 240 2197 202 2197 202 2247 2181 2333 206 2349 205 2441 245 2452 245 2464 340 2470 248 248 249 249 240 240 240 241 241 242 243 243 244 244 244 245 246 246 247 247 248 248 249	3 2270 2 2083 3 2005 6 834 6 1372 1 2115 2 1333 5 2029 4 2184 2 2210 2 2075 5 1218 5 1140 1 1842 5 1823 5 1921 1 1842 5 1823 5 1921 1 1835	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1879 2067 1879 2063 9934 1001 911 1606 1399 1652 1496 1578 1461 1530 1317	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 2894 4540 3882 3303 2794 4863 4412 2895 3613 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2532 1977 2347 1960 359 291 445 369 1145 369 1515 1242 1209 547 1403 1039 1786 1415	0.1 0.7 0.2 0.7 0.3 0.8 2ero 5.7 0.3 zero 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.0 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8 0.8	zero -20 zero -22 zero -23 -19.7 -41.1 -26 -80 zero -21 -2.4 -7.5 -1.2 -40 zero -22 zero -22 zero -21 zero -2.1 zero -2.1 zero -2.1 -2.7 -8.5 -1.5 -4.7 -1.9 -5.7 -1.3 -4.2 zero -2.8 -1.7 -5.2	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -16.1 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1	0.3 1 1.4 1 1.2 2.3 2.2 2 2 2 2 2 2 2 2	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.9 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2870 2870 4.4.4 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.4 -26.4 -26.4 -23.9 -62.6 -23.9 -62.6 -23.4 -23.0 -26.0 -22.0 -22.1 -17.2 -73.0 -85.5 -86.9 -86.9 -96.0 -22.3 -32.3 -32.3 -32.2	437 437 437 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£ 440£	0415 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C3
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Mauser 338 Win. Mag 338 Remington Ultra Mag 338 Lepua Magnum 35 Remington 35 Whelen 350 Remington Mag 375 Remington 375 Remington	PRASOUMI- PRASOUMI- PRASOUMI- REL1 RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESO	21 150 150 150 100 170 120 120 120 120 120 120 120 120 120 12	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Soft Point Soft Pointed Soft Point Soft Point Soft Point Soft Point Soft Point Swift A-Frame* PSP Soft Point	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2815, 1 1210 2250 2900 2360 2785 2780 2780 2660 2860 2860 2860 2080 2080 2080 20	2686 247.7 2517 2342 2528 2252 2525 2252 2526 2362 2526 2362 2517 2262 2572 237.7 2572 237.7 2545 2264 2444 85.0 2187 2187 2187 2197 2219 202 2471 2182 2471 2182 2472 2182 2473 2182 2474 2182 2475 2263 2476 2472 2477 2182 2478 2472 2479 2472 2471 2182 2472 2182 2473 2182 2474 2182 2475 2182 2482 2182 2483 2183 2494 2494 <tr< td=""><td>3 2270 2 2083 3 2005 834 6 1372 1 2115 2 1333 5 2029 4 2184 2 2210 2 2075 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 121</td><td>2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1000 911 1606 1399 1652 1496 1578 1451 1530 1317 1637 1458</td><td>2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3374 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 289 4540 3882 3303 2794 4863 4412 2895 369 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 5041 3922 3010 2272</td><td>1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2533 1977 2347 1960 359 291 445 369 1145 369 1515 1242 1209 547 1403 1039 1785 1415 1689 1245</td><td>0.1 0.7 0.2 0.7 0.3 0.8 2ero 5.7 0.3 zero 0.0 0.8 0.0 0.8 0.0 2ero 0.0 0.8 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.0 2ero 0.1 2ero 0.0 2ero</td><td>2870 -200 2870 -202 2870 -223 2870 -231 -19,7 -41,1 -26 -80 2870 -21 -2,4 -7,5 -12 -4,0 -200 -21 -2,4 -4,3 -2,0 -2,1 -4,3 -2,0 -2,1 -4,3 -3,5 -10,1 -1,5 -4,7 -1,9 -5,7 -1,3 -4,2 -2,7 -8,5 -2,8 -2,7 -8,5 -1,3 -4,2 -2,7 -8,5 -1,3 -4,2 -1,5 -2,7 -1,3 -4,2 -2,7 -5,2 -1,7 -5,2 -2,7 -5,2 -1,7 -5,2 -2,7 -5,2 -1,7 -5,2 -2,7 -5,2 -2,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -2,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2</td><td>-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1</td><td>0.3</td><td>1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.9 1.7 1.9 1.6 1.8 1.8 1.9 1.7 1.9 1.6 1.8 1.8 1.9 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8</td><td>2870 2870 4.4.5 2870 2870 2870 2870 2870 2870 2870 2870</td><td>-29 -7.4 -32 -2.2 -35 -8.8 -627 -10.5 -124 -2.2 -3.1 -8.0 -3.2 -3.1 -3.2 -3.2 -3.3 -7.5 -3.5 -8.5 -3.0 -7.5 -1.6 -7.3 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6</td><td>-21.5 -24.4 -26.4 -26.4 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -26.0 -22.0 -27.0 -86.5 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9</td><td>437 437 437 440£ 440£ 440£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£</td><td>045: 0314 0156 0215 0225 0225 0227 0245 0451 0451 0451 0451 0451 0452 0451 0452 0451 0452 0451 0452 0452 0453 0453 0453 0453 0455 0455 0456 0457 0457 0457 0458 0457 0458 0458 0458 0458 0458 0458 0458 0458</td></tr<>	3 2270 2 2083 3 2005 834 6 1372 1 2115 2 1333 5 2029 4 2184 2 2210 2 2075 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 1218 5 121	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1000 911 1606 1399 1652 1496 1578 1451 1530 1317 1637 1458	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3374 3654 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2858 2440 3927 3348 2837 289 4540 3882 3303 2794 4863 4412 2895 369 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 5041 3922 3010 2272	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2533 1977 2347 1960 359 291 445 369 1145 369 1515 1242 1209 547 1403 1039 1785 1415 1689 1245	0.1 0.7 0.2 0.7 0.3 0.8 2ero 5.7 0.3 zero 0.0 0.8 0.0 0.8 0.0 2ero 0.0 0.8 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.0 2ero 0.1 2ero 0.0 2ero	2870 -200 2870 -202 2870 -223 2870 -231 -19,7 -41,1 -26 -80 2870 -21 -2,4 -7,5 -12 -4,0 -200 -21 -2,4 -4,3 -2,0 -2,1 -4,3 -2,0 -2,1 -4,3 -3,5 -10,1 -1,5 -4,7 -1,9 -5,7 -1,3 -4,2 -2,7 -8,5 -2,8 -2,7 -8,5 -1,3 -4,2 -2,7 -8,5 -1,3 -4,2 -1,5 -2,7 -1,3 -4,2 -2,7 -5,2 -1,7 -5,2 -2,7 -5,2 -1,7 -5,2 -2,7 -5,2 -1,7 -5,2 -2,7 -5,2 -2,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -2,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2 -1,7 -5,2	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1	0.3	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.9 1.7 1.9 1.6 1.8 1.8 1.9 1.7 1.9 1.6 1.8 1.8 1.9 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	2870 2870 4.4.5 2870 2870 2870 2870 2870 2870 2870 2870	-29 -7.4 -32 -2.2 -35 -8.8 -627 -10.5 -124 -2.2 -3.1 -8.0 -3.2 -3.1 -3.2 -3.2 -3.3 -7.5 -3.5 -8.5 -3.0 -7.5 -1.6 -7.3 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6 -7.2 -1.6	-21.5 -24.4 -26.4 -26.4 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -26.0 -22.0 -27.0 -86.5 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9	437 437 437 440£ 440£ 440£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£ 449£	045: 0314 0156 0215 0225 0225 0227 0245 0451 0451 0451 0451 0451 0452 0451 0452 0451 0452 0451 0452 0452 0453 0453 0453 0453 0455 0455 0456 0457 0457 0457 0458 0457 0458 0458 0458 0458 0458 0458 0458 0458
32-20 Win. 32 Win. Special 8mmi Rem. Magnum 8mmi Mem. Magnum 8mmi Mem. Mag 338 Reminigton Ultra Mag 338 Leoua Magnum 35 Reminigton 35 Whelen 350 Reminigton Meg 375 HSH Meg 375 Reminigton Ultra Mag 375 Reminigton Ultra Mag	PRASOUMI- PRASOUMI- PRASOUMI- REL1 RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESO	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Scenar Core-Lokt* Pointed Soft Point Scenar Core-Lokt* Pointed Soft Point Soft Point Soft Point Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 2120 2250 2900 2360 2780 2780 2660 2860 2860 2990 2000 2000 2000 2000 2000 2000 20	2686 247.7 2517 2342 2528 2252 2525 2252 2526 2252 2622 2362 2517 2562 2572 277 2542 2264 2645 2444 2618 2402 2619 247 2619 247 2619 247 2620 265 2621 262 2622 262 2623 262 2624 262 2625 262 2627 262 2628 262 2629 262 2620 262 2620 262 262 262 262 262 262 262 262 262 262 262 262 262 262 262 262 262 <	3 2270 2 2083 3 2005 834 5 1372 1 2115 2 1333 5 2029 4 2184 2 2210 2 205 3 2249 3 2551 5 1218 5 1410 1 823 1 921 1 835 1 947 3 2035	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1001 911 1606 1399 1652 1496 1578 1451 1530 1317 1637 1458 1578 1442	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 988 710 3374 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2582 2440 3927 3348 2837 289 4540 3882 3303 2794 4863 4412 2995 503 1921 1280 841 571 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 5041 3922 3010 2272 50	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1676 2071 1748 1999 1663 2532 1977 2347 1960 3259 291 1445 369 1145 869 1515 1242 1250 547 1403 1039 1786 1415 1689 1245 2210 1757	0.1 0.7 0.2 0.7 0.3 0.8 200 5.7 0.3 200 0.2 0.7 0.2 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200	zero -20 zero -22 zero -23 -19,7 -41. -26 -80 zero -21 -2,4 -7,6 -1,2 -40 zero -22 zero -22 zero -21 zero -2,1 -2,7 -8,5 -3,5 -10,1 -1,5 -4,7 -1,3 -4,2 zero -2,8 -1,3 -4,2 zero -2,8 -1,5 -2,7 -1,5 -4,7 -1,5 -2,7 -2,6 -2,8 -2,7 -3,8 -3,5 -10,0 -1,5 -4,7 -1,3 -4,2 -2,0 -2,2 -2,0 -2,2 -2,0 -2,2 -2,0 -2,2 -1,3 -1,2 -1,3	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -16.1 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1	0.3 1 1.4 1.1 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.9 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2870 2870 31.7 4.5 2870 2870 2870 2870 2870 2870 2870 2870	-29 -7.44 -32 -2.55 -3.56 -3.67 -3.75 -3.68 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.75 -3.7	-21.5 -24.4 -26.4 -26.4 -27.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -26.0 -22.1 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2 -77.2	437 -509 -551° -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -1	0415 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C3
32-20 Win. 32 Win. Special 8mmi Rem. Magnum 8mmi Rem. Magnum 8mmi Mauser 338 Win. Mag 338 Reminigton Ultra Mag 338 Leoua Magnum 35 Reminigton 35 Whelen 350 Reminigton Mag 375 H&H Mag 375 Reminigton Ultra Mag 416 Rem. Magnum	PRASOUMI- PRASOUMI- PRASOUMI- REL1 REQUITION RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RES	21 150 150 150 170 170 170 170 170 170 170 170 170 17	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Soft Point Soft Point Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Swift A-Frame* PSP	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 1210 2250 2900 2360 2785 2780 2660 2860 2860 2960 2080 2080 2080 2080 2775 2690 2776 2760 2776 2776 2776 2776 2776 277	2686 247.7 2517 234.2 2528 225.2 2529 225.2 2520 236.2 2622 236.2 2517 26.2 2517 27.2 252 23.2 2545 26.4 2645 24.4 2628 28.2 2629 28.2 2721 20.2 2721 21.2 2721 21.2 2722 22.2 2723 20.2 2724 21.2 2725 22.2 2726 22.2 2727 21.2 2728 22.2 2729 22.2 2720 22.2 2721 21.2 2722 22.2 2723 22.2 2724 22.2 2225 22.2 2226 22.2 2222 222.2 2	3 2270 2 2083 3 2005 834 5 1372 1 2115 2 1333 6 2029 4 2184 2 2210 2075 3 2249 3 2551 5 1140 0 1842 5 1823 6 1921 1 1780 1 1835 1 1947 3 2035	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2422 2295 10300 1911 1606 1399 1652 1496 1578 1451 1530 1317 1637 1458 1578 1442 1882 1624	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 988 710 3734 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2333 3860 3329 2582 2440 3927 3348 2837 289 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 504	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2553 1977 2347 1960 2559 2932 445 369 1145 869 1515 1242 1250 547 1403 1039 1786 1415 1689 1245 2210 1757 2214 1775	0.1 0.7 0.2 0.7 0.3 0.8 2ero 5.7 0.3 zero 0.0 0.8 0.0 0.8 0.0 2ero 0.0 0.8 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.0 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.1 2ero 0.0 2ero 0.1 2ero 0.0 2ero	2870 -200 2870 -202 2870 -223 2870 -233 -19,7 -41,1 -26 -80 2870 -21 -24 -7,5 -12 -40 2870 -22 2870 -22 2870 -20 2870 -21 2870 -20 2870 -1,1 -2,7 -8,6 -1,5 -4,7 -1,9 -5,7 -1,3 -4,2 2870 -2,8 -1,7 -5,2 2870 -2,4 -1,9 -5,9 -5,9 -5,9 -5,9 -5,9 -5,9 -5,9 -5,9	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -15.7 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -10.8 -1 -6.3 -1 -6.4 -1 -12.1 -2	0.3 1 1.4 1.1 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.6 1.8 1.9 1.7 1.9 1.6 1.8 1.8 1.9 1.7 1.9 1.6 1.8 1.8 1.9 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	2870 2870 4.4.5 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.4 -26.4 -26.4 -27.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.3 -36.5 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9 -66.9	437 -509 -551° -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -100 -1	0415 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C312 C3
32-20 Win. 32 Win. Special 8mmi Rem. Magnum 8mmi Mem. Magnum 8mmi Mem. Mag 338 Reminigton Ultra Mag 338 Leoua Magnum 35 Reminigton 35 Whelen 350 Reminigton Meg 375 HSH Meg 375 Reminigton Ultra Mag 375 Reminigton Ultra Mag	PRASOUMI- PRASOUMI- PRASOUMI- REL1 RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESO	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Scenar Core-Lokt* Pointed Soft Point Scenar Core-Lokt* Pointed Soft Point Soft Point Soft Point Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 1210 2250 2900 2360 2785 2780 2660 2860 2860 2960 2080 2080 2080 2080 2775 2690 2776 2760 2776 2776 2776 2776 2776 277	2686 247.7 2517 2342 2528 2252 2525 2252 2526 2252 2622 2362 2517 2562 2572 277 2542 2264 2645 2444 2618 2402 2619 247 2619 247 2619 247 2620 265 2621 262 2622 262 2623 262 2624 262 2625 262 2627 262 2628 262 2629 262 2620 262 2620 262 262 262 262 262 262 262 262 262 262 262 262 262 262 262 262 262 <	3 2270 2 2083 3 2005 834 5 1372 1 2115 2 1333 6 2029 4 2184 2 2210 2075 3 2249 3 2551 5 1140 0 1842 5 1823 6 1921 1 1780 1 1835 1 1947 3 2035	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1001 911 1606 1399 1652 1496 1578 1451 1530 1317 1637 1458 1578 1442	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 988 710 3374 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2383 3860 3329 2582 2440 3927 3348 2837 289 4540 3882 3303 2794 4863 4412 2995 503 1921 1280 841 571 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 5041 3922 3010 2272 50	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2004 1676 2071 1748 1999 1663 2532 1977 2347 1960 3259 291 1445 369 1145 869 1515 1242 1250 547 1403 1039 1786 1415 1689 1245 2210 1757	0.1 0.7 0.2 0.7 0.3 0.8 200 5.7 0.3 200 0.2 0.7 0.2 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200	zero -20 zero -22 zero -23 -19,7 -41. -26 -80 zero -21 -2,4 -7,6 -1,2 -40 zero -22 zero -22 zero -21 zero -2,1 -2,7 -8,5 -3,5 -10,1 -1,5 -4,7 -1,3 -4,2 zero -2,8 -1,3 -4,2 zero -2,8 -1,5 -2,7 -1,5 -4,7 -1,5 -2,7 -2,6 -2,8 -2,7 -3,8 -3,5 -10,0 -1,5 -4,7 -1,3 -4,2 -2,0 -2,2 -2,0 -2,2 -2,0 -2,2 -2,0 -2,2 -1,3 -1,2 -1,3	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -16.1 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -5.6 -1 -18.2 -3 -7 -22.6 -4 -9.9 -1 -11.8 -2 -9.0 -1 -10.8 -1 -10.8 -1 -6.4 -1 -12.1 -2	0.3	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.1 1.7 1.7 1.5 1.6 1.8 1.6 1.6 1.6 1.7 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2870 2870 2 31.7 4 4.5 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.5 -24.5 -26.4 -2.28.5 -62.1 -23.9 -62.8 -26.1 -23.0 -26.0 -22.0 -22.1 -17.2 -17.2 -17.2 -17.3 -26.9 -26.9 -26.1 -27.3 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.9 -36.	437 -509 -551° -1 -1 -1 -1 -1 -1 -1	0415 C312 C312 C312 C315 C115 C125 C337 C337 C45 C45 C45 C45 C45 C45 C45 C45 C45 C45
32-20 Win. 32 Win. Special 8mmi Rem. Magnum 8mmi Rem. Magnum 8mmi Mauser 338 Win. Mag 338 Reminigton Ultra Mag 338 Leoua Magnum 35 Reminigton 35 Whelen 350 Reminigton Mag 375 H&H Mag 375 Reminigton Ultra Mag 416 Rem. Magnum	PRASOUMI- PRASOUMI- PRASOUMI- REL1 REQUITION RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RESEMBLA RES	21 150 150 150 170 170 170 170 170 170 170 170 170 17	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Ultra Bonded** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Scenar Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Soft Point Soft Point Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Swift A-Frame* PSP	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 1210 2250 2900 2360 2785 2780 2660 2780 2860 2960 2080 2080 2775 2690 2776 2690 2760 2760 2760 2760	2686 247.7 2517 234.2 2528 225.2 2529 225.2 2520 236.2 2622 236.2 2517 26.2 2517 27.2 252 23.2 2545 26.4 2645 24.4 2628 28.2 2629 28.2 2721 20.2 2721 21.2 2721 21.2 2722 22.2 2723 20.2 2724 21.2 2725 22.2 2726 22.2 2727 21.2 2728 22.2 2729 22.2 2720 22.2 2721 21.2 2722 22.2 2723 22.2 2724 22.2 2225 22.2 2226 22.2 2222 222.2 2	3 2270 2 2083 3 2005 834 5 1372 1 2115 2 1333 6 2029 4 2184 2 2210 2075 3 2249 3 2551 5 1218 6 1140 7 1842 6 1823 6 1921 7 1760 1 1836 1 1947 7 2035 2 1763	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2422 2295 10300 1911 1606 1399 1652 1496 1578 1451 1530 1317 1637 1458 1578 1442 1882 1624	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 988 710 3734 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2333 3860 3329 2582 2440 3927 3348 2837 289 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506 3197 2680 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 504	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2553 1977 2347 1960 2559 2932 445 369 1145 869 1515 1242 1250 547 1403 1039 1786 1415 1689 1245 2210 1757 2214 1775	0.1 0.7 0.2 0.7 0.3 0.8 2270 5.7 0.3 2870 0.2 0.7 0.2 2870 0.0 2870 0.0 2870 0.0 2870 0.0 2870 0.0 2870 0.1 2870 0.1 2870 0.1 2870 0.1 2870 0.0 2870 0.1 2870 0.0 2870 0.1 2870 0.0 2870 0.1 2870 0.1 2870 0.0 2870 0.0 2870 0.1 2870 0.0 0.8	2870 -200 2870 -202 2870 -225 2870 -225 2870 -225 2870 -227 2870 -227 2870 -227 2870 -227 2870 -227 2870 -227 2870 -227 2870 -23 2870 -247 -247 -257 -257 -257 -257 -257 -257 -257 -25	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -16.1 -2 -5.8 -1 -16.1 -2 -8.5 -1 -5.9 -1 -5.9 -1 -5.6 -1 -7.6 -1 -7.6 -4 -7.6 -4 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1 -7.6 -1	0.3 1 1.4 1.1 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.8 1.6 1.1 1.7 1.7 1.5 1.6 1.8 1.6 1.6 1.6 1.7 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2870 2870 2 31.7 4 4.5 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.5 -24.5 -26.4 -2.22.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.4 -23.4 -23.6 -26.0 -22.0 -22.1 -17.9 -17.9 -73.0 -86.5 -66.9 -66.9 -66.9 -30.3 -30.2 -27.9 -26.1 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.9 -41.	437 -509 -551° -1 -1 -1 -1 -1 -1 -1	045 C312 C312 C312 C315 C115 C115 C117 C115 C117 C117 C117 C1
32-20 Win. 32 Win. Special 8mmi Rem. Magnum 8mmi Rem. Magnum 8mmi Mauser 338 Win. Mag 338 Reminigton Ultra Mag 338 Leoua Magnum 35 Reminigton 35 Whelen 350 Reminigton Mag 375 H&H Mag 375 Reminigton Ultra Mag 416 Rem. Magnum	PRASOUMI- PRASOUMI- PRASOUMI- REL1 RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESO	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Lead Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Bonted Soft Point Core-Lokt* Utila Bonded*** Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Sort Point Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Swift A-Frame* PSP Soft Point	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 1210 2250 2900 2360 2785 2780 2660 2860 2860 2860 2080 2080 2775 2690 2522 2900 2760 2400 1760	2686 247.7 2517 234.2 2528 225.2 2529 225.2 2520 236.2 2622 236.2 2517 26.2 2527 27.2 2542 26.2 2643 24.4 2644 24.2 2625 26.2 2626 26.2 2627 26.2 2628 26.2 2629 26.2 2630 26.2 2641 21.2 2642 22.2 2653 24.4 2644 24.2 2655 24.2 2647 21.2 2658 22.2 2659 22.2 2650 22.2 2651 22.2 2652 22.2 2653 22.2 2654 22.2 2655 22.2 2656 22.2 2	3 2270 2 2083 3 2005 - 834 5 1372 1 2115 2 1333 6 2029 4 2184 2 2210 2075 3 2249 3 2551 5 1218 6 1140 0 1842 6 1823 6 1921 0 1750 1 1836 1 1941 1 2035 1 1947 3 2035 1 1763	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1885 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1039 931 1652 1496 1576 1496 1578 1451 1530 1317 1637 1458 1578 1442 1822 1524 1579 1414 878 806	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 988 710 3734 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2333 3860 3329 2582 2440 3927 3348 2337 2389 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2508 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 5041 3922 3010 2272 50	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2532 2932 2539 2932 445 369 1145 869 1515 1242 1259 547 1403 1039 1786 1415 1689 1245 2210 1757 2214 1775 411 346	0.1 0.7 0.2 0.7 0.3 0.8 200 5.7 0.3 200 0.2 0.7 0.2 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 20	2870 -200 2870 -202 2870 -225 2870 -225 2870 -225 2870 -227 2870 -227 2870 -227 2870 -227 2870 -227 2870 -227 2870 -227 2870 -23 2870 -247 -247 -257 -257 -257 -257 -257 -257 -257 -25	-5.4 -15.9 -16.4 -176.9 -176.9 -116.1 -25.8 -116.1 -28.5 -15.9 -15.9 -15.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -17.6 -1.	0.3 1 1.4 1.1 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.	1.7 1.5 1.5 1.6 1.7 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2870 2870 1.4.5 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.5 -24.5 -26.4 -2.28.5 -62.1 -23.9 -62.8 -26.1 -23.4 -23.0 -26.0 -22.0 -22.1 -17.9 -7.30 -85.5 -66.9 -66.9 -66.9 -66.9 -67.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.	437 4509 5551° 2 410.8 125.3 496.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5 128.5	045 0312 0315 015 015 017 025 027 045 045 045 046 047 046 047 047 047 047 047 047 047 047 047 047
32-20 Win. 32 Win. Special 8mmi Rem. Magnum 8mmi Rem. Magnum 8mmi Mauser 338 Win. Mag 338 Reminigton Ultra Mag 338 Reminigton 35 Reminigton 35 Whelen 350 Reminigton Mag 375 Reminigton Ultra Mag 375 Reminigton Ultra Mag 415 Rem. Magnum 44 Rem. Magnum	PRASOUMI- PRASOUMI- PRASOUMI- REL1 RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- PRESOUMI- PRESOUMI- RESOUMI-	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Soft Pointed Soft Point Soft Pointed Soft Pointed Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Soft Point Semi-Lecketed Hollow Point Semi-Lecketed Hollow Point	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 1210 2250 2900 2360 2785 2780 2660 2860 2860 2860 2080 2080 2080 2775 2690 2522 2900 2760 2400 1760 2350	2686 247. 2517 234. 2528 225. 2529 225. 2520 23. 2622 23. 2517 26. 2527 27. 2524 26. 2645 24. 2646 24. 2617 21. 2628 26. 2639 20. 2641 24. 2642 26. 2643 24. 2644 150. 2647 21. 2648 24. 2649 24. 2641 24. 2642 26. 2643 24. 2644 24. 2647 24. 2648 24. 2649 24. 2640 24. 2641 24. 2642 24. 2643 24. 2644 24.	3 2270 2 2083 8 2005 8 34 5 1372 1 2115 2 1333 5 2029 1 2184 2 2210 1 2075 3 2249 3 2551 5 1218 5 1140 1 1825 1 1825 1 1927 1 1780 1 1835 1 1937 1 2035	2007 1893 1843 1522 1770 1556 : 769 712 1175 1044 1883 1672 1123 997 1808 1605 2003 1832 2036 1871 1898 1731 2064 1887 2067 1879 2423 2295 1039 934 1001 911 1606 1399 1652 1436 1578 1451 1530 1317 1637 1458 1578 1442 1822 1524 1822 1524 1878 806	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1393 998 710 3734 3054 2476 1987 2102 1463 993 671 3860 3305 2815 2333 3860 3329 2858 2440 3927 3348 2337 2389 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2508 2230 1844 3419 2711 2122 1639 4338 3347 2543 1900 4238 3462 2802 2245 5041 3922 3010 2272 50	1436 1193 1131 876 1043 806 131 113 521 411 1577 1241 476 375 1633 1286 2071 1748 1999 1663 2831 1977 2347 1950 2259 2932 359 291 445 369 1515 1242 1250 947 1403 1039 1786 1415 1689 1245 2210 1757 2214 1775 411 346 411 345	0.1 0.7 0.2 0.7 0.3 0.8 200 5.7 0.3 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 200 0.0 20	2870 -200 2870 -220 2870 -23 2870 -23 2870 -21 2870 -21 2870 -22 2870 -22 2870 -22 2870 -22 2870 -22 2870 -20 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21 2870 -21	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -76.9 -1 -76.8 -1 -76.1 -2 -8.5 -1 -76.9 -1 -76.9 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -	0.3 1 1.4 1 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.1 1.7 1.7 1.5 1.5 1.6 1.6 1.6 1.6 1.6 1.7 1.7 1.5 1.6 1.6 1.7 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.5 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2870 2870 2 31.7 4.5 2870 2870 2870 2870 2870 2870 2870 2870	29	-21.5 -24.4 -26.4 -26.4 -23.9 -26.1 -23.9 -26.1 -23.9 -26.1 -23.0 -26.0 -22.0 -27.0 -73.0 -3.85.5 -86.9 -40.0 -22.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.	437 509 5511 1253 410.8 1253 496 1285 541 1285 541 150.8 175.4 150.8 175.4 150.8 175.4 150.8 175.4 150.8 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4 175.4	045 C312 C312 C312 C312 C315 C315 C317 C317 C317 C317 C317 C317 C317 C317
32-20 Win. 32 Win. Special 8mm Rem. Magnum 8mm Rem. Magnum 8mm Mauser 338 Win. Mag 338 Remington Ultra Mag 338 Lepua Magnum 35 Remington 35 Whelen 350 Remington Mag 375 Remington Ultra Mag 475 Remington 48 Rem. Magnum 44 Rem. Magnum	PRASOUMI- PRASOUMI- PRASOUMI- REL1 RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- RESOUMI- PRESOUMI- PRESOUMI- RESOUMI-	21 150 150 150 150 150 150 150 150 150 15	Accultip Boat Tail Core-Lokt* Pointed Soft Point Lead Core-Lokt* Pointed Soft Point Swift A-Frame* PSP Core-Lokt* Soft Point Swift A-Frame* PSP Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Core-Lokt* Pointed Soft Point Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Soft Point Swift A-Frame* PSP Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point Soft Point	9½M 9½M 9½M 9½M 9½M 9½M 9½M 9½M	2910 2910 2910 2815 2250 2900 2360 2785 2780 2780 2860 2860 2860 2960 2080 2080 2080 2775 2690 2775 2690 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760 27760	2686 247.7 2617 2342 2528 22528 2529 22528 2520 2362 2602 2662 2619 162 2511 2261 2527 2377 2645 22626 2645 2464 2647 2402 2687 2402 2688 2402 2689 2402 2680 2402 2681 2402 2682 2682 2683 2684 2694 2686 2695 2687 2697 2688 2698 2698 2699 2698 2690 2698 2690 2698 2690 2698 2791 2698 2898 2698 2998 2698 2998 2698 2998 2698 2998	3 2270 2 2083 8 3 2005 8 34 5 1372 1 2115 2 1333 5 2029 1 218 3 2249 3 2551 5 1218 5 1140 1 182 1 1835 1 1927 1 1836 1 1947 3 2035 2 1763 3 2035 4 1970 4 1973	2007 1893 1843 1622 1770 1556 : 769 712 1175 1044 1888 1672 1123 997 1808 1608 1608 1608 1891 1898 1731 2064 1887 2067 1889 1001 911 1606 1399 1652 1496 1678 1461 1530 1317 1650 1317 1650 1317 1651 1442 1822 1524 1879 1444 1878 806 1878 806	2820 2403 2037 1716 2820 2281 1827 1445 2639 2127 1698 1339 325 231 185 154 1911 1323 998 710 3734 3054 2476 1987 2102 1463 993 671 3871 3165 2565 2533 3860 3305 2815 233 3872 3348 2837 2389 4540 3882 3303 2794 4863 4412 3995 3613 1762 1169 755 494 1921 1280 841 577 3177 2510 1958 1506 3197 260 2230 1844 3418 3347 2543 1900 4238 3462 2802 2245 4318 3347 2532 1844 3418	1436 1193 1193 1194 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195 1195	0.1 0.7 0.2 0.7 0.3 0.8 zero -5.7 0.3 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.0 zero 0.1 0.6 0.3 zero 0.2 0.7 0.1 0.6 0.3 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.1 zero 0.3 zero 0.1 zero 0.3 zero 0.3 zero 0.3 zero 0.3 zero 0.3 zero 0.3 zero 0.3 zero 0.3 zero 0.3 zero	2870 -200 2870 -220 2870 -23 -19.7 -43.1 -2.6 -8.0 2870 -2.1 -2.4 -7.6 -1.2 -4.0 -2.2 -2.2 -2.2 -2.2 -2.2 -2.2 -2.3 -3.5 -10.1 -1.5 -4.7 -1.3 -4.2 -2.3 -2.3 -2.3 -2.3 -2.3 -2.3 -2.3 -2	-5.4 -1 -5.9 -1 -6.4 -1 -76.9 -1 -76.9 -1 -76.9 -1 -76.9 -1 -76.8 -1 -76.1 -2 -8.5 -1 -76.9 -1 -76.9 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -1 -76.6 -	0.3 1 1.4 1 1.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2	1.7 1.5 1.5 1.8 1.6 1.8 1.6 1.1 1.7 1.5 1.5 1.8 1.6 1.6 1.7 1.7 1.5 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.6 1.6 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	2870 2 31.7 4.4.5 2870 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570 2 2570	29	-21.5 -24.4 -26.4 -26.4 -23.9 -62.1 -23.9 -62.8 -26.1 -23.0 -26.0 -22.0 -22.1 -17.2 -73.0 -3-85.5 -86.9 -40.0 -22.3 -32.1 -32.2 -22.3 -32.2 -22.2 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.3 -32.2 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.3 -32.	437 509 551 2 1253 410.8 1253 496 1285 541 1285 541 150.8 175.4 150.8 175.4 175.4 175.4 175.4 175.4 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 175.5 17	045 0312 0315 015 015 017 025 027 045 045 045 046 047 046 047 047 047 047 047 047 047 047 047 047

Note: These ballistics reflected a test barrel length of 24° except those for 30 Carbine and 44 Remingto
Magnum which are 20 barrels. Specifications are nominal. Ballistics figures established in test barrels
Individual rifles may vary from test barrel results. "zero" indicates yardage at which rifle was sighted in

Managed-Recoil (pages 60-61)	
 Descript Compan Colid"	

Premier Match (pages 53)

Premier* Copper Solid* (page 53) Premier * Core-Lokt * Ultra Bonded * (page 48)

Premier* Disintegrator* Var-int (page 51)

Premier * AccuTip (pages 50-51) Premier* Scirocco" Bonded (page 59)] Swift A-Frame™ PSP

UMC ² (page 63)

Core-Lokt! (pages 56-57)

numruous mes way ver i ruon tesa usare restus. Teen indicates yanage at winch mie wat sig "Inches above or below line of signi. Hold low for positive mumbers, high for negative numbers. † 200 Remington and 7mm Express, Remington are interchangeable. † Grum Remington and 244 Remington are interchangeable. † Bullet does not rise more than 1" above line of sight from muzzle to sighting-in range. 2 Bullet does not rise more than 3" above line of sight from muzzle to sighting-in range.

SHOTGUN SPECIFICATIONS

COMPANION STO	GAUGE/BORE	MAG. CAPACITY	BELLENGTH/ ORDER NO.	BARREL TYPE ⁵	ZIGHTS	RECEIVER Finish	OVERALL Length	LENGTH OF PULL	ORGP (COMB)	DROF (HEEL)	STOCK MATERIAL	STOCK FUGSH	AVG. WT. (LBS.)
100 Competition	12	4	30"/ 26919	Vent Rib ProBore [®] Choke	Twin Bead	Nickel	50 1/4"	14 1/4"	1И:	2 №	Semi-Fancy Arner, Walnut	Hi-Glass	81/1
100° Competition w/Adjustable Comb Stock)	12	4	30"/ 26923	Vent Rib ProBore* Choke	Twin Bead	Nickel	50 1/4*	14 ¹ /4*	Adj.	Adj.	Semi-Fancy Amer. Walnut	Hi-Gloss	814
370" Wingmaster* Classic Trap	12	4	30"/ 24857	11. Contour Vent Rib Rem Chake ¹	Twin Bead	High Polish Blued	50 <i>Y</i> ?	14 1/2"	1 7/16"	2*	Semi-Fancy Amer. Walnut	Hi-Gloss	8 14
1100" Classic Trap	12	4	30*/ 25333	Lt. Contour Vent Rib Rem Chake 1	Twin Bead	High Polish Blued	50 ½°	14 1/2"	1 1/15	2*	Semi-Fancy Amer, Walnut	Hi-Gloss	8 14
1100 Premier Sporting 12	12	4	28"/ 82842	Lt. Contour Vent Rib Rem ⁻ Choke ²	Twin Bead	High Polish Blued	49"	14 3/16"	11/2"	21/:	Semi-Fancy Amer. Walnut	Hi-Gloss	8
1100 Premier Sporting 20	20	4	28"/ 82846	Lt. Contour Vent Rib Rem Choke 2	Twin Bead	High Polish Blued	49"	14"	177	2 1/2*	Semi-Fancy Amer. Walnut	Hi-Gloss	7
1100" Premier Sporting 28	28	4	27"/ 82854	Vent Rib Rem Chake 2	Twin Bead	High Polish Blued	47 ¥:"	14"	192	2 7:	Semi-Fancy Amer. Walnut	Hi-Gloss	614
1100 Premier Sporting 410	410 bore	4	27"/ 82858	Vent Rib Rem - Choke 2.6	Twin Bead	High Polish Blued	47 ¾*	14"	11/7	21/2	Semi-Fancy Amer. Walnut	Hi-Gloss	6 1/4
100 Sporting 12	12	4	287/ 25315	Lt. Contour Vent Rib Rem * Choke 2	Twin Bead	High Polish Blued	49"	14 ¥15"	11/2	2 1/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	8
100" Sporting 20 (LT)	20	4	28"/ 25399	Lt. Contour Vent Rib Rem Choke 2	Twin Bead	High Polish Blued	49"	14"	11/7	21/2"	Semi-Fancy Amer. Walnut	Hi-Gloss	7
100 Sporting 28	28	4	27°/ 29583	Vent Rib Rem Chake 2	Twin Bead	High Polish Blued	47 ¾"	14"	177	2 /:	Semi-Fancy Amer. Walnut	Hi-Gloss	61/2
100" Sporting 410	410 bore	4	27"/ 29549	Vent Rib Rem * Choke 2.6	Twin Bead	High Polish Blued	47 1/4"	14*	177	27	Semi-Fancy Amer, Walnut	Hi-Gloss	6 1/4

MODEL.	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE ²	SIGHTS	RECEIVER FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	STOCK Material	STOCK FINISH	AVG. WT. (LBS.)
1100 G3	12	4	26*/ 26416 28*/ 26418 28*/ 82901 (L)	Vent Rib, Proflore ⁹ Chake ¹	Twin Bead	PVD Coated	46 '/4" 48 '/4" 48 '/4"	14 1/4"	11/2*	2 1/2"	Realwood® Semi-Fancy Carbon Fiber Walnut Laminate	Hi-Gloss	81/8 81/4 81/4
1100 G3	20	4	26"/ 27449 28"/ 27451	Vent Rib, Rem Choke ¹	Twin Bead	PVD Coated	46 // 48 //	14 1/4"	11/2	2 //:	Realwood® Semi-Fancy Carbon Fiber Walnut Laminate	Hi-Gloss	7 ½ 7 ½

MODEL	GAUGE	MAG. CAPACITY	BBL LENGTR/ Orber No.	BARREL TYPE 3	SIGHTS	METAL FINISH	OVERALL Lengtr	LENGTH OF PULL	BROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STDCK FINISH	AVG. WT. (LBS.)
11-87" Sportsman" Synthetic	12 12 20 20	4	28"/ 29879 26"/ 29881 28"/ 29825 26"/ 29827	Vent Rib Rem Choke Mod ²	Single Bead	Matte Black, Non-Reflective	48" 46" 48" 46"	14*	11/2*	2 1/2*	Synthetic	Matte Black	8 1/4 8 1/8 7 1/4 7 1/5
1-87 Sportsman Camo	12 20	4	28"/ 29895 26"/ 29917	Vent Rib Rem ² Chake Mod ²	Single Bead	Mossy Oak* New-Breakup*	46"	14*	1½'	1 1/3"	Synthetic	Mossy Oak New-Breakup	8½ 7½
11-87" Sportsman" Super Mag	12	4	28"/ 83604	Rem* Choke Mod	Twin Bead	Matte Black, NR	48*	14"	1 1/2"	1 ½°	Synthetic	Matte Black	8!4
1-87" Sportsman" Super Mag Vaterfowl	12	4	28*/ 83603	Vent Rib Rem Choke ⁴	HīViz * Single Bead	Mossy Oak* Duck Blind*	47 3/4"	13 ⅓*	L1/2*	1 %t*	Synthetic	Mossy Oak* Duck Blind*	81/4
.1-87" Sportsman" Super Mag y/ShurShot" Stock (Turkey)	12	.4	23"/ 83601	Rifte Sights	TruGlo® Rifle Sights	Realtree* APG~ HD~	43*	13 1/4"	I ½"	2"	Synthetic	Realtree*	71/4
1-87" Sportsman "Synthetic //ShurShot Stock	12	4	21"/ 83602	Fully Rifled	Cantilever Scope Mount	Realtree* Hardwoods* HD*	43*	13 ¾"	1 1/2"	2*	Synthetic	Realtree* Hardwoods~ HD~	8
1-87 Sportsman Synthetic Deer	12 20	4	21*/298581 21*/298771	Fully Rifled	Cantilever Scope Mount	Matte Black, Non-Reflective	41*	14*	11/2"	11/6*	Synthetic	Matte Black	8½ 7½
1-87" Sportsman" Compact Synthetic 5	20	4	2178367624	Vent Rib Rem Choke Mod ²	Single Bead	Matte Black, Non-Reflective	40 1/4*	Adį.	11/2"	2 1/2"	Synthetic	Matte Black	61/2
1-87" Sportsman" Compact Camo ⁵	20	4	21 / 83626	Vent Rib Rem * Choke Mod 2	Single Bead	Mossy Oak* New Break-Up*	40 1/4"	Adj.	1 ///*	2 1/2"	Synthetic	Mossy Oak* New Break-Up*	61/2

MODEL.	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FUNISH	OMERALL LENGTH	LENGTH OF PULL	OROP (COMB)	OROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. WT.
SP-10" Magnum ²	10	2	30°/ 24808	Vent Rib Rem Choke ¹	Twin Bead	Matte Black Non Reflect.	51 1/2"	14"	1 1/2"	2 ½′	Satin American Walnut	Satin	11
SP-10 ⁻ Thumbhole Camo ²	10	2	23"/ 81000	Rifle Sight Rem * Choke4	FireSights	Mossy Oak* Obsession*	44 1/2"	14 1/2"	1%	1 3/4"	Laminate	Mossy Oak* Obsession*	11
SP-10" Waterfowl Camo ²	10	2	267/81001	Vent Rib Rem Choke 3	HiViz*	Mossy Oak* Duck Blind**	47 1/2"	14"	1 1/2	21/2*	Synthetic	Mossy Gak* Duck Blind**	101/4
SP-10" Camo RC/VT ²	10	2	26"/ 24828	Vent Rib Rem * Choke 1	Twin Bead	Mossy Oak* Obsession'	47 1/2"	14"	1 //	21/2	Synthetic	Mossy Oak* Obsession*	101/4

Woda erze kiu:	owern'	nerio	AND MAY	SIONS//AVERA	eswalering						and the same	7.7.7.5	
MECCEL	GADGE	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL Length	LENGTH OF PULL	(COME)	EROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVGAVI. (LBS.)
887 Nitro Magnum SPS		4	28"/ 82500	Solid Rib RC ** Mod Choke	HiViz®	Armort.ekt**	48*	14"	11/2"	2 /2"	Synthetic	Matte Black	71/8
887" Nitro Magnum SPS Waterfowl Camo	12	4	28"/ 82502	Solid Rib RC** WF Choke	HiViz⁵	ArmorLokt	48*	14"	11/2"	21/:	Synthetic	Realtree ^{e.} Advantage ^{e.} Max-4 HD	71/2

SHOTGUN SPECIFICATIONS BARBER - R 0003234

MODEL	GAUGE	MAS. CAPACITY	ORDER NO.	BARREL TYPE	SIGHTS	EIKISH	OVERALL LENGTH	LENGTH OF PULL	(COMB)	OROP (HEEL)	STOCK MATERIAL	STOCK FIRISH	ar.
870" Express' Tactical (w/Grey Powder Coat Finish)	12	7	18 7:7 81202	Rem** Choke 2	Single Bead	Grey Powder Coat	38 1/7	14*	1 %	2 / 2	Synthetic	Alatte Black	7
870" Express' Tactical (w/XS' Ghost Ring Sights)	12	7	18 1/1/81198	Rem'" Choke ²	XS* Ghost Ring	Blasted Black Oxide	38 V.	14*	197	217	Synthetic	Mana Black	 1
870" Express! Synthetic Tactical	12 -	7	18 7:7 25549	Rem" Choke	Single Bead	Blasted Black Oxide	38 ½″	13 ⅓	175	217	Synthetic	ki atte Black	7
870" Express' Synthetic Tactical (1-Round Capacity)	12	7	18 1/1/ 25077	Rem™ Choke	Single Bead	Blasted Black Oxide	38 W	13 %*	115	2 98	Synthetic	Matte Black	7
870 Express' Synthetic Tactical (7-Round w/Knoxx Spec-Ops Stock)	20	7	18 ½7 81 180	Rem ^{**} Choke	Single Bead	Blasted Black Oxide	38 ½°	Adj.	1 1/2	2"	Synthetic	Mage Black	
870' Express' Synthetic Tactical (7-Round Capacity)	20	7	18 1/27 81 100	Rem" Choke	Single Bead	Blasted Black Oxide	38 ⅓	13 ¾	122	237	Synthetic	Mage Black	
870" Desert RECON Speedfeed 1*	12	7	187/81420	Rem* Choke ²	Single Bead	OD Green Powder Coat	38 1/2	13 1/4*	116	2 17	Synthetic	Desert Digital	
870" Desert RECON Speedfeed ! IV*	12	8	207/81421	Rem¹″ Choke ²	Single Bead	OD Green Powder Coat	40°	13 32*	11/	2 1/2	Synthetic	Desert Digital	·
870 TAC-2 SpecOps Stock	12	6	18'/ 81400	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.	177	21/2	Synthetic	Mane Black	
870" TAC-2 Folding Stock	12	6	18°/ 81402	Fixed Cylinder	Single Bead	Blasted Black Oxide	Adj.	Adj.			Synthetic	Мале Васк	
1100 TAC-2 SFIV Stock	12	6	187 82800	Fixed Imp. Cylinder	Single Bead	Blasted Black Oxide	38 14	14*	11/7	2 ₩	Synthetic	Matte Stati	
1100 TAC-4	12	8	22"/ 82801	Rem [™] Choke ¹	HiViz*	Blasted Black Oxide	42 VT	14"	1 17	2 1/5	Synthetic	Matte Back	

MODET	GAUGE/BORE ²	MAG. Capacity	BBL LENGTR/ Order ko.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	OROP (HEEL)	STOCK Material	STOCK FINISH	AVC. V
Wingmaster*	12	4	28"/26927 26"/26929	Light Contour Vent Rib Rem Choke ¹	Twin Bead	High Polish Blued	48 ½: 46 ½*	14 1/4"	1/2	2 1/5*	American Walnut	H-Gost	7 6 %
Vingmaster*	20	4	28"/ 26947 26"/ 26949	Vent Rib Rem Choke ¹	Twin Bead	High Polish Blued	48 ½" 46 ½"	14*	116	2 1/2"	American Walnut	Gatir 28 H⊸Gross (2e +	£33 #3
Vingmaster*	28 (2 3/2")	4	25"/24983	Vent Rib Rem: Chake 1	Twin Bead	High Polish Blued	45 1/2"	14*	175	2 1/2	American Walnut	Satur	ĉ
Vingmaster*	410 Bore (3*)	4	25*/24991	Vent Rib Modified	Twin Bead	High Polish Blued	45 1/2"	16"	135	2 14	American Walnut	Saire	541

1 HOTE: All Model 870. Wingmaster: and Model 870. Wingmaster: Super Magnum: shotguns with a Rem. Choke barrel come equipped with Improved Cylinder, Modfied and Full Rem. Choke tubes.

2 Model 870. Wingmaster: shotguns have 3 chambers, unless otherwise noted, and will cycle 21/1; and 3 shotshells, 410 bore will cycle both 21/1; and 3 shotshells.

MODEL	EAUGE ¹	MAG. CAPACITY	BBL LENGTH/ ORDER NO.	BARREL TYPE	sigirts	METAL FINISH	LENGTH	OF PULL	OROP (COMB)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	AVG. (LB)
870 Express	12	4	28"/25568 267/25569	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 ½. 46 ½.	14"	11/2	2 1/31	Laminate	Saun	7 t
870" Express: Magnum w/ShurShot"	12 (3")	4 (2 ½ & 3")	21"/81114	Vent Rib Rem Choke (Turkey Extra Full)	Twin Bead	Mossy Oak* Obsession*	42 1/2*	13 1/4*	1 1/2	2'	Synthetic	Mossy Oak Obsession	7
870° Express° Magnum w/ShurShot°	12	4	23"/81118	Fully Rifled	Single Bead	Matte Black Non-Reflect	44 1/2	13 3/2*	177	2*	Synthetic	Maite Black	7
870- Express	20	4	281/25583 261/25582	Vent Rib Rem Chake (Mod)	Single Bead	Matte Black Non-Reflect	48 ½ 46 ½	14"	11/2	2 //	Laminate	Saen	£
870" Express' Lam. Compact	20	4	217/255615	Vent Rib Rem Chake (Mod)	Single Bead	Matte Black Non-Reflect	40 1/2	13"	11/2	2 1/41	Laminate	Sam	6
870° Express: Synthetic	12	4	281/25587 261/25589	Vent Rib Rem Chake (Mod)	Single Bead	Matte Black Non-Reflect	48 1/1 45 1/1	14"	198	2 1/7	Synthetic	Matte Black	7
870" Express' Turkey Camo	12	4	217/25152	Vent Rib Rem Choke Turkey (Extra Full)	Twin Bead	Matte Black Non-Reflect	42 1/2	14"	11/7	2 1/2"	Synthetic	Mossy Oak Break-Up	7
870" Express' Compact	20	4	217/81148	Vent Rib Rem Chake (Mod)	Single Bead	Matte Black Non-Reflect	40 1/5	13 · Adj.	11/2"	2 1/2*	Synthetic	Matte Black	
870 - Express' Compact Camo	20	4	21"/81166	Vent Rib Rem Choke (Mod)	Single Bead	Realtree® Hardwoods HD"	40 1/5	13" Adj.	11/2"	2 1/2"	Synthetic	Realtree* Hardwoods HD	
870" Express* Jr. Compact ⁴	20	4	18 1/1/ 81161	Vent Rib Rem Choke (Full)	> Single Bead	Matte Black Non-Reflect	37 1/6	12" Adj.	11/2"	2"	Synthetic	Matte Black	:
870" Express: Compact Pink Blaze Camo	20	4	21"/ 81150	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	40 1/5	13" Adj.	11/2"	2 ∀:*	Synthetic	Mossy Oak Blaze Pink Camo	
870" Express: Synthetic Fully Rifled Deer	12	4	201/ 25097	Fully Rifted	Rifle Sights	Matte Black Non-Reflect	40 1/2	14*	172	1 7/8°	Monte Carle Synthetic	Mate Black	
870" Express: Deer	12	4	207/ 25565	Fixed Imp. Cyl. Choke	Rifle Sights	Matte Black Non-Reflect	40 VT	14*	11/2	1 1/2	Monte Carlo Laminate	Satir	7
870" Express* Fully Rifled Deer	12	4	207/ 25575	Fully Ritled	Rifle Sights	Matte Black Non-Reflect	40 V:	14"	11/17	17%	Monte Carlo Laminate	Satiri	j
870° Express* Synthetic Fully Rifled Cantilever	12 20	4	237 25090 1877 25183	Fully Rifled Heavy Contour Fully Rifled	Cantilever Scope Mount	Matte Black Non-Reflect	43 ½* 38 ½*	14*	172	1 1/2"	Monte Carlo Synthetic	Matte 8lack	
870" Express' Left Hand	12	ι	287 25577	Vent Rib Rem* Choke (Mod)	Single Bead	Matte Black Non-Reflect	48 1/2	14*	11/2"	2 ∀2	Laminate	Satin	
870" Express" Synthetic 18"	12	4	187 25549	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	38 1/2	14"	j 1/2"	2 1/2"	Synthetic	Marte Stack	
870" Express' Synthetic 2-Shot w/Knoxx SpecOps Stock	20	6	187 81180	Fixed Cylinder Choke	Single Bead	Matte Black Non-Reflect	Adj.	Adj.	172	2 1/2"	Synthetic	Watte Black	
870" Express* Synthetic with 7-Round Capacity ²	12 20	6 6	187/25677 187/81100	Fixed Cylinder Chake	Single Bead	Matte Black Non-Reflect	38 V?	14'	11/2	2 /:	Synthetic	Matte Black	6

MODEL	GAUGE 1	EAPLOTTY	BRI. LENGTH/ORDER NO.	BARREL TYPE	SIGHTS	METAL Fortsk	OVERALL LEGGTH	LENGTH OF PULL	020P (COM3)	DROP (HEEL)	STOCK MATERIAL	STOCK FINISH	(153.)
370" Express" Combo	12	4	26"(Vent Rib)/20" (Fully Rifled Deer)/25578	Vent Rib Rem Chake (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	48 1/4" (Vent Rib)	ì 4 *	177	21/2	Laminate	Setur	7 %: (Deer 6
70" Express' ombo	20	4	26"(Vent Rib)/20" (Fully Rifled Deer)/25597	Vent Rib Rem Chake (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Rifle Sights (Deer BBL)	Matte Black Non-Reflect	46 1/2" (Vent Rib)	14'	i ½'	21/2	Laminata	Sauri	6 M: (Dear i
70° Express' Syn. compact Combo	20	4	21*(Vent Rib)/25659 20*(Fully Rifled)/25659	Vent Rib Rem Chake (Mod.) Fully Rifled Deer	Single Bead (Vent Rib) Riffe Sights (Deer BBL)	Matte Black Kon-Reflect	40 1/2" (Vent Rib) 39 1/2" (Deer BBL)	!3"	17	21/1	Synthetic	Matte Black	ó (Vern Ri á (Leer 88

SHOTGUN SPECIFICATIONS

	GAUGE 2	MAG. CAPACITY	BB1. LENGTH/ ORDER NO.	MENTEL MPE	SIGHTS	METAL FIXISH	OVERALL LENGTH	OF PULL	DRGP (CONS)	OROP (HEEL)	STOCK MATERIAL	EDG ZE	AYG.W (LBS.
oress* ng Waterfowl Camo ³	12 (3 1/2")	3 (3 ½") 4 (2 ½" & 3")	28"/81111	Yent Rib Rem Choke ⁴	HiViz *	Mossy Oak* Duck Blind	48*	14"	1%	2 V2*	Synthetic	Mossy Oak Duck Blind	11/
ess' Super Mag	12 (3 1/2")	3 (3 2) 4 (2 14 & 3)	28"/ 25100	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reilect	48*	14"	17.	2 V2"	Laminate	Satin	7 9
eress* ag Synthetic	12 (3 V±)	3 (3 ½*) 4 (2 ½* & 3*)	26°/ 25102 28°/ 25103	Vent Rib Rem Choke (Mod)	Single Bead	Matte Black Non-Reflect	46° 48°	14'	17/2	2 V2*	Synthetic	Matte Black	17 17
ress* ag Combo	12 (3 ½") ¹	3 (3 ½°) 4 (2 ½° & 3°)	267/25114	Vent Rib Rem Choke (Mod) Fully Rifled (Deer)	Single Sead (Vent Rib) Rille Signts (Deer)	Matte Black Non-Reflect	46" (VR) 40 1/2" (Deer)	14*	1 N.	21/2*	Laminate	Satin	14

TODEL BYOF ST.	KILLION.	<u>ब्बर</u> ्गाप	ग्राउट होन्य	in alogai	nomite enqu	SWATTHEWEIGH	8					******	
	GAUGE	MAG. CAPACITY	BBL LENGTH/ ORDER MO.	BARREL TYPE	SIGHTS	METAL FIXISH	OVERALL LENGTH	LENGTH OF PULL	ORGP (COMB)	OROP (HEEL)	STOCK Material	STOCK FINISH	AVG.WT. (LBS.)
£3" Warine Magnum • 2	12 ¹	6	18*/ 25012	Cylinder Choke	Single Bead	Electroless Nickel-Plated	38 %	14"	114	2 ⅓	Synthetic	Matte Black	7 1/2
23° ICS Marine Magnum	121	- 6	187/81308	Cylinder Choke	Single Bead	Black TriNyte	38 💇	131/2	17.	2 i/i	Synthetic	Matte Black	7 %
. dest 579. Manne Magnum inote	ons have 3" chambe	ers and will cycle 2	• and 3' shorshells or	nly. 2 Nill not accept certa	un law enforcement accesso	or <u>as</u> .					_		

on.	GAUGE	MAG. CAPACITY	BBL LENGTH/ Order Ho.	BARREL TYPE	SIGHTS	METAL FINISH	OVERALL LENGTH	LENGTH OF PULL	CCOMB)	DROP (HEEL)	XXXII MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
## SP-T Super Mag	12 (3 ½°) ¹	3(3 %). 4(2 1/4* 8 3*)	23*/25189	Rifle Sight Rem ^{**} Choke ²	TruGlo*	Mossy Oak Obsession	44 1/2"	14 Vi	1 Ver	2 1/2	Laminate	Mossy Oak Obsession	8¾
ETA. SAS. Suber Slnd	[2 (3 ¹) ¹	4(2½*&3*)	25 1/7/82101	Fully Rifled Extra Heavy (Fluted)	Drilled & Tapped	Black	47.	13 ½	1 1/2"	2*	Synthetic	Mossy Oak Treestand	71/4
179" SPS" Super Mag Turkey «ShurShot" Stock	12 (3 ½*) ¹	4(2¾*&3*)	23'7 81061	Wingmaster HD Extended Rem® Choke	TruGla •	Realtree * APG * HD	44 1/5"	13 ½"	1 %*	2*	Synthetic	Realtree ' APG HD	7⅓
50" SPS" Cantilever Synthetic	12 (3")1	4(2½"&3")	23"/82100	Fully Rifled Cantilever	Cantilever Scope Mount	Realtree* Hardwoods HD	44 1/2"	13 1/4*	1 /1"	2*	Synthetic	Realtree ' Hardwoods HD	71/4
ETO - SPS Super Mag Camo ³	12 (3 注") ¹	3(3 %"), 4(2% & 3')	23"/81060	Rifle Sight Rem: Choke ²	Fire Sights	Realtree · APG HD	44 1/2"	Adj.	1%	2分	Synthetic	Realtree* APG HD	71/4
79" SPS-T Super Mag Camo ³	12 (3 ½r) ¹	3(3 %*), 4(2 %* 8 3*)	23"/ 25007	Vent Rib Rem - Choke 2	Twin Bead	Mossy Oak Obsession	44 Ver	14*	1 %	2 vi	Synthetic	Mossy Oak Obsession	71/4
78" XCS (Xtreme Conditions)	12 (3 ½*)	3(3 %). 4(2 % 8 3")	28"/ 81309	Vent Rib Rem" Choke 4	Twin Bead	Matte Black	48 ½*	13¾	1 72	2 W.	Synthetic	Matte Black	7½

143 and 3 chambers also humber 2 shalls. 2 Note: Supplied with Turkey Super Full choice tube. 1 Hote: All Model 670 Super Magnums have 5 / "chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums also Culture 2 chamber. Super Magnums have 5 / "chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums also Culture 2 chamber. Super Magnums have 5 / "chambers except Deer barrel which has 3" chamber. Super Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

1 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

2 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

3 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

3 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

3 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

3 Hote: All Model and Magnums can shoot 2 / , 3" and 3 //" shells interchangeably.

3 Hote: All Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Model and Mo

RIFLE SPECIFICATIONS

	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWAST R-H 1 Turh IK	OVERALL LENGTH	LENGTH OF PULL	(COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL Finish	STOCK MATERIAL	STOCK Finish	AYG. V (LBS
	25-06 Remington	4	24"	10*	44 ½"	13 14	1 %"	1 1/5	Stainless w/TriNyte*	TriNyter Satin	Black Synthetic w/Overmold	Matte	73
	270 Win	4	24*	10'	44 ½*	13 %:	1 1/2"	1 1⁄5*	Stainless w/TriNyte*	TriNyte [*] Satin	Black Synthetic w/Overmold	Matte	73
	270 WSM	3	24"	10	44 ½°	13 %	1 %;"	141	Stainless w/TriNyte*	TriNyte: Satin	Black Synthetic 4/Overmold	Matte	73
	7mm-08 Remington	4	24	9 ½:	43 1/4"	13 14"	11/4"	1 48*	Stainless w/TriNyte*	TriNyte: Satin	Black Synthetic w/Overmold	Matte	73
	7mm Remington Mag	3	26	9 1/2	46 ½*	13 42*	1.44	1 1/3*	Stainless w/TriNyte*	TriNyte: Satin	Black Synthetic w/Overmold	Matte	7
	7mm Reministon Ultra Mag "	3	26	9 14*	46 %r	13 %	174	1 75.	Stainless w/TriNyte*	TriNyte' Sasin	Black Synthetic w/Overmold	Maite	7
	30-06 Springfield	4	24	10"	44 W.C	13 1/1"	124	1 14	Stainless #/TriNyte*	TriNyte' Satin	Black Synthetic w/Overmold	Realtree" AP"" HD "	7
	30-06 Springfield	4	24"	10*	44 ¥:*	13 %"	134	1 ½;"	Stainless w/TriNyte ⁴	TriNyte: Satin	Black Synthetic w/Overmold	M:atte	73
	100 WSM	3	24"	10"	44 9:1	13 %	196	11/1	Stainless w/TriNyte*	TriNyte: Satin	Black Synthetic w/Overmold	Marte	73
	100 Win Mag	3	26*	10*	46 V:"	13 %	177	1 %	Stainless w/TriNyte*	Tr Nyter Satin	Black Synthetic w/Overmold	Marte	75
	300 Remington Ultra Mag "	3	26*	<u>i</u> 0.	46 ₩	13 %	1 %	14:	Stainless w/TriNyte*	TriNyter Satin	Black Synthetic w/Overmoid	Matte	73
_	138 Remington Ultra Mag "	3	26"	10	46 12"	13 %	1 %	144	Stainless w/TriNyte'	TriMyter Satio	Black Synthetic w/Overmold	Matte	7
	138 Win Mag	3	26	10	46 V:"	13 %	1 1/2*	1 %	Stainless w/TriNyte*	TriNyte: Satin	Black Synthetic w/Overmold	Matte	7
	175 H&H	3	24	12	46 72* - 12	13 %	1 58"	1 1/2"	Stainless w/TriNyte	TriNyte: Satin	Black Synthetic w/Overmold	Matte	7 :
	175 Reministra Ultra Mag *** rean Signs - AR RUSEF Rusey Mountain	3	2±	12*	46 7.71	13 13"	1 57	1 1/2"	Stainless w/TriNyte*	TriNyte: Satin	Black Synthetic w/Overmold	Matte	7

	7.005	CILCE	Mai	ier e	IĀIS			74 4 Q						
34455	CALIBER		MAG. APACIIT	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	OROP (COMB)	OROP (HEEL)	BARREL Material	HZDNI4	STOCK MATERIAL	STOCK FIRESH	ATG. WT. (LBS.)
14167	223 Remingten		5	20-	9,	39 ¼*	13%	132	17:	Stainless w/TriMyte*	Black TriNyte	Amarid Fiber Reint.	OD Green	1₩
-	308 Win		4	20	12	39 1/4"	13 %	1%*	176	Stainless w/TriNyte*	Black TriNyte*	Amarid Fiber Reinf.	OD Green	1%

RIFLE SPECIFICATIONS BARBER - R 0003236

ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL FINISH	STOCK AUXTERIAL	STOCE AT
25787	243 Win	4	22*	914	41 %*	13 ½	J.	1 %	Carbon Steel	Polished Blue	American Walnut	Stass
25791	270 Win	4	22*	10	42 🚈	13 ⅓:	ì	1 %	Carbon Steel	Palished Blue	American Walnut	Gloss
25803	7mm Remington Mag	3	24*	9 1/2"	44 14."	13 %	J.	l i⁄i	Carbon Steel	Polished Blue	American Walnut	Grass
25793	30-06 Springfield	4	22*	10.	42 34"	13 %	J.	14:	Carbon Steel	Palished Blue	American Walnut	6 255
26410	300 Remington Ultra Mag™	3	26*	10	46 ½*	13 î î	ľ	1 ¥i	Carbon Steel	Polished Blue	American Walnut	Gess

Violes.	WE COLA !	- D. J	* (4 € 0) ** (4 € 2)			V.							, e
DRDER NO.	CALIBÉR	MAG. Capacaty	BARREL LENGTH	TWIST - R-H 1 turk in	OVERALL LENGTH	LEXIGTH OF PULL	(COMB)	DROP (HEEL)	BARREL MATERIAL	BARKEL Finish	STOCK MATERIAL	210C).	AYG. WY.
27101 (L)	223 Remington	5	24"	12	43 ⅓*	13 %	114	114	Carbon Steel	Satin Bive	American Walnut	Sett	74
27007	243 Win	4	24"	9 %	43 ½*	13 9th	1 %	186	Carbon Stee!	Satin Blue	American Walnut	Saur	7+2
27103 (L)	243 Win	4	24"	3 M.	43 1⁄2*	13 liti	11/1	1 ⅓t	Carbon Steel	Satin Blue	American Walnut	Saun	7 ¥:
27009	25-06 Remington	4	24"	10	44 1/2"	13 🖓	11/4	1 %	Carbon Steel	Satin Blue	American Walnut	Satur	71:
84080	270 Win	4	24*	10	44 ½*	13 ⅓	1 14	194	Carbon Steel	Polished Blue	American Walnut	Satir	714
27011	270 Win	4	24*	10'	44 ½*	13 (4)	174	1 41	Carbon Steel	Satin Blue	American Walnut	Satir	710
27105 (L)	270 Win	4	24*	10'	44 1/2"	13 ⅓′	1%	144	Carbon Steel	Satin Blue	American Walnut	3307	71:2
27015	7mm-08 Remington	4	24*	9 1/2	43 ትቴ"	13 🚉	151	174	Carbon Steel	Satin Blue	American Walnut	250.	73:
84082	7mm Remington Mag	3	26"	9 (4	46 1/2"	13 (4)	11/1	11/4	Carbon Stee!	Polished Blue	American Walnut	Saur	7 h
27047	7mm Remington Mag	3	26*	9 1/4	46 1/5"	13 ⅓1	114	1 %	Carbon Steel	Satin Blue	American Walnut	Satiri	7'⁄3
27109 (L)	7mm Remington Mag	3	26*	9 7/4	46 1/2*	13 145	1141	14	Carbon Steel	Satin Bius	American Walnut	Sauc	71/4
27051	7mm Remington Ultra Mag™	3	26"	914	46 ½°	13 ⅓*	1 1/4	1 1/4	Carbon Steel	Satin Blue	American Walnut	Satir	7 Yi
27017	30-06 Springfield	4	24"	10"	44 1/2"	13 ⅓:	1 नि	14	Carbon Steel	Satir. Blue	American Walnut	Satir	737
84081	30-06 Springfield	4	24"	10	44 1/2"	13 %	114	1 1/4	Carbon Stee!	Polished Blue	American Walnut	Satin	714
27107 (L)	30-06 Springfield	4	24*	10	44 1/2"	13 🗟	134	1 %	Carbon Steel	Saturi Blue	American Walnut	Satin	735
27049	300 Win Mag	3	26*	10°	46 1/2*	13 ∀3′	114	1 34	Carbon Steet	Satin Blue	American Walnut	Satin	74
27053	300 Remington Ultra Mag"	3	26"	10.	46 1/5"	13 141	1 ₩	1 %	Carbon Steel	Satin Blue	American Walnut	Satin	7 ½
27111 (L)	300 Remington Ultra Mag'"	3	26"	10-	46 15"	13 등	146	1%	Carbon Steel	Satin Blue	American Walnut	Satin	7 îv:
27019	35 Whelen™	4	24*	16"	44 ½°	13 /₫	1 14	114	Carbon Steel	Satin Blue	American Walnut	Satin	7₩
(L) Left-hand m	odel												

GRDER NO.	CALIBER	MAG. CAPACITY	BARREL	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH of Pull	DROP (COMB)	(HEEL)	BARREL MATERIAL	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. W (LBS.)
84020	257 Roberts	4	24*	10	43 1/6"	13 1/2	1 7/1"	1 3/8"	416 Stainless	Satin Stainless	American Walnut	Satın	7 % t
84019	257 Weatherby Mag	3	26"	10	46 √2"	13 1/2	190	1 %"	416 Stainless	Satin Stainless	American Walnut	Satin	7 3/1
84014	270 Win	4	24*	10	45 ⅓*	13 년*	198	1 %*	416 Stainless	Satin Stainless	American Walnut	Satin	71⁄±
84013	270 WSM	3	24"	10	43 1⁄2"	13 1/5	135	1 1/1"	416 Stainless	Satin Stainless	American Walnut	Satin	71/4
84012	7mm-08 Remington	4	24"	9 l/c	43 1⁄€"	13 1/2	1 1/4	1 3/9"	416 Stainless	Satin Stainless	American Walnut	Satin	7⅓
84016	7mm Remington Mag	3	26*	9 1/6	46 3/2*	13 1/4	1 1/8"	1 %:"	416 Stainless	Satin Stainless	American Walnut	Satio	7 ⅓
84015	30-06 Springfield	4	24"	10	44 1/2"	13 ld	1 75	1 1/5	416 Stainless	Satin Staintess	American Walnut	Satin	7 ⅓:
84017	300 WSM	3	24*	iO	43 ½*	13 1/5	1 76	11/4"	416 Stainless	Satin Stainless	American Walnut	Satin	71/1

ORDER NO.	CALIFER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BAFREL MATERIAL	BARREL FINSH	STOCK MATERIAL	STOCK FINISH	AVG. WT
84200	17 Remington Fireball	5	24*	9	43 1/8"	13 %	1 1/3"	114	Carbon Steel	Matte Blue	Black Synthetic	Matte	71/4
27351	223 Remington	5 .	20"	918	39 %*	12 ¾s	1 👬	1 1/2	Carbon Stee!	Matte Blue	Black Synthetic	Matte	7
27475 (C)	243 Win	4	20"	9 Vi*	39 1/2"	12 1/4	1 78	l ¥i	Carbon Steel	Matte Biue	Black Synthetic	Matte	7
84150 (C) (L)	243 Win	4	20"	9 🙌	39 1⁄2"	12 %	1 14	1 ₹:	Carbon Steel	Matte Biue	Black Synthetic	Matte	7
27355	243 Win	4	24"	9 ⅓'	43 ∜€*	13 %	1 1/1	1 14	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 in
27361	270 Win	4	24*	10*	44 1/2"	13 %	1 %	1 🚧	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 ½
W 84177 (L)	270 Win	4	24*	10-	44 1/2"	13 %*	1 1/4	1 %	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 78
27331	270 WSM	3	24*	10-	43 1/8"	13 Hr	1 1/8	1 1/1	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 3/2
27391 (C)	7mm-08 Remington	4	20"	91/4*	39 ½*	12 ⅔***	1 ½	1 hir	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
84151 (C) (L)	7mm-08 Remington	4	20~	9 44*	39 ₩*	12 ¥t*	1 1:	1 %	Carbon Steel	Matte Blue	Black Synthetic	Matte	7
27357	7mm-08 Remington	4	24"	9 √₁*	43 ¥£*	13 14"	1 Vi	1 1/1	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 V2
27385	7mm Remington Mag	3	26"	9 //*	46 1/2*	13 %**	114	1 3/5'	Carbon Steel	Matie Blue	Black Synthetic	Matte	7 %
¥ 84179 (L)	7mm Remington Mag	3	26"	9 1/4*	46 1/2"	13 14"	114	1 14	Carbon Steel	Matte Blue	Black Synthetic	Matte	752
84152	7mm Remington Ultra Mag	3	25"	9 74	46 1/5"	13 %	1 !1'	1 1/2*	Carbon Steel	Matte Blue	Black Synthetic	Matte	7%
27363	30-06 Springfield	4	24*	10*	44 1/2*	13 %"	1 14"	1 1/:	Carbon Steel	Matte Slue	Black Synthetic	Matte	7 1/2
¥ 84178 (L)	30-06 Springfield	4	24"	10	44 1/2"	13 %"	1 14"	1 1/2	Carbon Steel	Matte Blue	Black Synthetic	Matte	73%
27333	300 M2W	3	24"	10"	43 ¾′	13 ⅔"	1 1/2"	1 1/2"	Carbon Steet	Matte Blue	Black Synthetic	Matte	7 3/1
27387	300 Win Mag	3	26'	10	46 54"	13 %	1 1/2"	1 1/2"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/ 5
w 84180 (L)	300 Win Mag	3	26*	10	46 95"	13 1/3"	1 1/2"	1 1/2*	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 %€
27359	308 Win	4	24"	10-	43 14"	13 1/2"	1 16"	1 1/2"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 V:
27389	300 Remington Ultra Mag	3	26	10-	46 1/2"	13 1/2"	11/2"	1 12*	Carbon Steel	Matte Blue	Black Synthetic	Matte	7%

RIFLE SPECTPICATIONS -

KO	CALIBER	CLPRCITY	BARREL LEKGTH	TWIST — R-H 1 Turn in	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	(HEEL)	BARREL MATERIAL	BAHREL Finish	STOCK MATERIAL	STOCK FIXISH	AYG. 1 (LBS
	243 Win	4	24*	9 🕢	43 1/8"	13 1/4*	I W	[3/1 *	Carbon Steel	Matte Blue	Synthetic	Realtree* Hardwoods* HD**	71
(C)	243 Win	4	20*	9 1/3*	39 54*	12 1/4"	[1/5"	l ¾*	Carbon Steel	Matte Blue	Synthetic	Realtree' Hardwoods' HD''	
	270 Win	4	24"	10*	44 1/1"	13 ½"	1 1/4.	1 34"	Carbon Steel	Matte Blue	Synthetic	Realtree* Hardwoods* HD**	7
	7mm-08 Remington	4	24*	9 1/4"	43 54*	13 1/4°	114	[}/ /*	Carbon Steel	Matte Blue	Synthetic	Realtree* Hardwoods* HD**	. 7
	7mm Remington Mag	4	26"	9 \/1°	46 1/2"	13 ⅓*	177	1 %"	Carbon Steel	Matte Blue	Synthetic	Realtree* Hardwoods* HD**	7
	30-06 Springfield	4	24*	10*	44 1/2"	13 ₩.	174	1 3/4"	Carbon Steel	Matte Blue	Synthetic	Realtree* Hardwoods* HD**	7
	300 Win Mag	3	26*	10-	46 1/2"	13 1/2"	1 1/8"	1 3/5"	Carbon Steel	Matte Blue	Synthetic	Realtree* Hardwoods* HD**	7

MODE	700 SPS STAINL	ESS :											
GEDER NO.	CALIEER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	EROP (COM3)	OROP (HEEL)	BARREL ' Material	BARREL Furish	STOCK MATERIAL	STOCK FIXOSH	AVG. WT. (LRS.)
27131	204 Ruger	5	24*	12"	43 56"	13 1/2*	1 1/1	1 3/3"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/4
27133	223 Remington	5	24*	12"	43 54"	13 1/6"	1 1/4*	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 V:
27135	22-250 Remington	4	24°	14"	43 5%	13 34"	11/1	1 1/1"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 <i>Y</i> :
27263	243 Win	4	24*	9 1/1"	43 5/8"	13 1/9"	1 7/1*	1 1/11	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/4
27251	25-06 Remington	4	24"	10*	44 ½°	13 1/3"	1 1/4"	1 34*	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/1
27267	270 Win	4	24"	10"	44 ½°	13 1/3"	1 Vs*	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	73/1
27253	270 WSM	3	24"	10"	44 1/2"	13 1/6"	1 1/4"	1 3/5"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/2
27265	7mm-08 Remington	4	24"	9 1/4"	43 9/8°	13 1/2"	1 ¼°	1 7 1*	416 Stainless	Matte Stainless	Black Synthetic	Matte	7 1/4
27271	7mm Remington Mag	3	26*	3 N.	46 ½°	13 1/1"	1 //	1 1/1"	416 Stainless	Matte Stainless	Black Synthetic	Marte	7%
84300	7mm Remington Ultra Mag	3	26*	3 N.	46 1/2"	13 3/8"	1 1/8"	1 3/1"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/1
27269	30-06 Springfield	4	24"	10"	44 1/2"	13 ⅓*	1 1/2"	1 1/4"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/1
27255	300 WSM	3	24*	10*	44 1/2"	13 1/4"	1 14"	1 1/4"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/1
27273	300 Win Mag	3	26*	10"	46 ½°	13 3/1"	174'	1 1/4"	416 Stainless	Matte Stainless	Black Synthetic	Matte	7%
27136	308 Win	4	24*	10*	43 1/8"	13 7/8"	1 1/3"	1 3/1"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/4
27140	300 Remington Ultra Mag	3	26	10"	46 1/2"	13 1/3"	1 1/3"	1 3/8"	416 Stainless	Matte Stainless	Black Synthetic	Matte	71/2

MODEL	700 SPS DM					Janes.			100			## P	** **
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	OROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Funsh	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)
27338	243 Win	4	24"	9 1/2"	43 1/1"	13 1/4"	11/4"	1 1/5"	Carbon Steel	Matte Blue	Black Synthetic	Matte	71/1
27335	270 Win	4	24*	10"	44 1/2"	13 1/1"	1 1/2"	1 1/1"	Carbon Steel	Matte Blue	8lack Synthetic	Matte	71/1
27341	7mm-08 Remington	4	24*	₫ N:*	43 1/4"	13 3/8"	1 1/8"	1 3/5"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/4
27343	7mm Remington Mag	3	26"	9 1/1"	46 1/2"	13 3/8"	11/2"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	71/4
27337	30-06 Springfield	4	24*	10"	44 1/2*	13 34"	1 1/2"	1 3/8"	Carbon Steel	Matte Blue	Black Synthetic	Matte	7 1/1
27339	300 Win Mag	3	26*	10*	46 1/2"	13 1/4"	1 м.	1 1/1	- Carbon Steel	Matte Blue	Black Synthetic	Matte	7%

MODEL	Z00, XHR (XTREM	HUNTI	NG RIFL	E) .			45.2	3					
GROER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	OROP (COMB)	DROP (HEEL)	BARREL Material	. BARREL Finish	STOCK MATERIAL	STOCK FINISH	AYG. WT.
84400	243 Win	4	بح "22	77 9 1/4°	41 5%*	13 1/4"	1 1/1	1 1/4"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree* AP" HD"*	7 1/1
34401	25-06 Remington	4	22° ZU	' 10°	42 1/2"	13 1/4"	1 W.	1 % "	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree! AP™ HD™	71/2
34402	270 Win	4	żz ζυ.	10	42 1/2"	13 1/1"	1 74*	1 1/4"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree! AP" HD"	7 <i>V</i> 2
34403	7mm-08 Remington	4	2 2" ?(/	′ 9 ¼°	41 1/4"	13 1/4"	1 1/8"	1 1/6"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree* AP** HD**	7 ¥4
34404	30-06 Springfield	4	22-54	^ 10°	42 1/2"	13 1/8"	1 1/8"	1 3/8"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree* AP** HD **	71/2
34465	7mm Remington Mag	3	25 24	" g ½•	44 1/2"	13 ¾°	1 1/9"	1 ¥**	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree* AP" HD"	73/1
34406	300 Win Mag	3	25. 24	′′ 10"	44 1/2"	13 1/4"	1 %'	1 1/1"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree* AP™ HD™	734
34407	7mm Remington Ultra Mag	3	26"	9 1/2"	46 1/2"	13 1/4"	11/1"	1 3/4*	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree! AP" HD"	7 1/1
34408	300 Remington Ultra Mag	3	26*	10*	46 1/2"	13 1/4"	1 1/3*	1 1/2"	Carbon Steel	Matte Blue	Synthetic w/Overmold	Realtree* AP™ HD™	7%

138	ZOO, ALASKAN T		Dacos	roit ?			1004		· 基础的 电	North Control			Mr. 62.5
Z	CILIBER	IAIG. CAPACITY	BARREL LEMETH	TWIST — R-H 1 TURN BY	OVERALL LENGTH	LENGTH OF PULL	OROP (COM3)	OPOP (HEEL)	BARREL MATERIAL	RAFREL FDUSH	STOCK MATERIAL	STOCK FUNISH	AVG. WT
	25-05 Remington	4	24*	10"	44 1/2"	13 1/4*	1 1/4*	1 1/2"	416 Stainless	Satin Stainless	Aramid Fiber Synthetic	Matte	6 1/4
	270 Win	4	24"	10"	44 1/2"	13 1/8"	11/1	1 3/1"	416 Stainless	Satin Stainless	Aramid Fiber Synthetic	Matte	6 ⅓:
_	270 WSM	3	24*	10*	43 1/1"	13 1/2"	1 1/1"	1 1/1"	416 Stainless	Satin Stainless	Aramid Fiber Synthetic	Matte	6
	280 Remington	4	24*	10*	44 VZ	13 1/4"	11/8"	1 1/3"	416 Stainless	Satin Stainless	Aramid Fiber Synthetic	Matte	6 1/4
	7mm-08 Remington	4	24*	9 1/2"	43 1/6"	13 1/1"	1 1/4"	1 1/2"	416 Stainless	Satin Stainless	Aramid Fiber Synthetic	Matte	6
	Jmm Remington Mag	3	24*	91/4"	44 1/2"	13 1/1"	1 /1"	1 1/4"	416 Stainless	Satin Stainless	Aramid Fiber Synthetic	Matte	6 1∕4
_	30-06 Springfield	4	24*	10°	44 V:"	13 1/2"	1 1/1"	1 3/1	416 Stainless	Satin Stainless	Aramid Filter Synthetic	Matte	6 1/2
_	300 Win Mag	3	24"	10"	44 V7	13 3/8"	11/5	1 3/8"	416 Stzinless	Satin Stainless	Aramid Fiber Synthetic	Matte	. 61/
_	300 WSM	3	24*	10"	43 1/5"	13 1/4"	1 1/2"	1 1/3"	416 Stzinless	Satin Stainless	Aramid Fiber Synthetic	Matte	6

RIFLARBER ROJELGATIONS

10003	700 NOUNTAIN	niaes es											
ORBER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST - R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINTSH	STOCK MATERIAL	STOCE FINISH	AYG. WT.
26281	270 Win	4	22*	10"	42 }**	13 %*	118	1 1/2"	416 Staintess	Saun Stainless	Brown Laminated	Satus	6%
84270	280 Remington	4	22*	10"	42 ½*	13 ∜\$*	1 1/2	1 14"	416 Stainless	Satur Stainless	Brown Laminated	Salin	61/4
26285	7mm-08 Remington	4	22*	9 Pa*	41 ½°	13 14	1 1/4*) i&*	416 Stainless	Satin Stainless	Brown Laminated	Satin	5½
26287	30-06 Springfield	4	22*	10-	42 V.*	13 H	1 ½	1 %	416 Stainless	Satin Stainless	Brown Laminated	Satin	63%

	dona	OCH MICHARINA	ien.		STATE									
	ORDER NO.	CALIEER	MAG. Capacity	BARREL LENGTH	TWIST - R-H 1 TURN IN	OVERALL LENGTH	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARRÉL MATERIAL	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AYG. WI. (LBS.)
≅w	84456	308 Win	4	26	11/4"	45 34*-	13 %*	1 1/4*		Carbon Steel	Matte Blue	Amarid Fiber Reinf	00 Green	114
- (Adjustable Length	of Pull and Comp				· 		<u> </u>						

\$1,00 a	700 XEIFTAE	HEALLON	enchie	ENIPS)							医骨髓 医髓病	*	
ORDER ND.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
84460	223 Remington	5	26*	9-	45 ¼*	13 ⅓*	1341	155	Stainless w/TriNyte*	Black TriNyte*	Amarid Fiber Reinf.	OD Green	81/2
84461	308 Win	4	26'	12.	45 ¾i"	13 ⋈*	1.4	1.65	Stainless w/TriNyte*	Black TriNyte	Amarid Fiber Reinf.	00 Green	844
84462	300 Win Mag	. 3	26	10"	45 1/4"	13 1/4*	194	1.15*	Stainless w/TriNyte [*]	Black TriNyte	Amarid Fiber Reinf.	00 Green	81/2

	700 SESTYARIA	MAG.	BARREL	TWIST — R-H	OVERALL	LENGTH	DROP	DROP	BARREL	BARREL		STOCK	AVG. WT.
ORDER NO.	CALIBER	CAPACITY	LENGTH	1 TURN IN	LENGTH	OF PULL	(CDMB)	(HEÉL)	MATERIAL	FINISH	STOCK MATERIAL	FINISH	(LBS.)
84213	17 Remington Fireball	5	26*	9"	46 1/4"	13 1/2	1 1/2*	11/4*	Carbon Steel	Matte Blue	Black Synthetic	Maite	81/6
84225 (L)	17 Remington Fireball	5	26*	9-	46 ½*	13 %	1 1/2"	1 ∛έ"	Carbon Steel	Matte Blue	Black Synthetic	Matte	81/4
84214	204 Ruger	5	26"	12"	46 1/2"	13 ½°	1 1/2"	1 %**	Carbon Steel	Matte Blue	Black Synthetic	Matte	814
84216	22-250 Remington	4	26"	14"	46 1/2"	13 1/4"	1 ⅓'	1 ∛έ"	Carbon Steel	Matte Blue	Black Synthetic	Matte	81/2
84226 (L)	22-250 Remington	4	26	14	46 1/2"	13 %*	Li⁄t"	1 1/4	Carbon Steel	Marte Blue	Black Synthetic	Matte	814
84215	223 Remington	5	26'	12	46 1/2"	13 3/2"	1.4"	1 1/6"	Carbon Steel	Matte Blue	Black Synthetic	Matte	81/2
84227 (L)	223 Remington	5	26'	12"	46 ½°	13 3/2"	1 10°	1 %	Carbon Steel	Matte Blue	Black Synthetic	Matte	81/2
84217	243 Win	4	26"	9 1/2"	46 1/2"	13 ¾'	1 1/3"	1 ₩*	Carbon Steel	Matte Blue	Black Synthetic	Matre	81/2
84228 (L)	243 Win	4	26"	9 14"	46 1/2"	13 ⅓"	1 1/2"	1 1/6*	Carbon Steel	Matte Blue	Black Synthetic	Matte	81/5
84218	308 Win	4	26"	12'	46 1/2*	13 %	1 1/6	1 1/8*	Carbon Steel	· Maite Blue	Black Synthetic	Matte	8:2
84229 (L)	308 Win	4	26"	12.	46 1/2"	13 1/2"	1 1/6	1 3/6°	Carbon Steel	Matte Blue	Black Synthetic	Matte	81/2

Mona	ZOUZVIESKIŲ	MEHOLE											
ORBER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH Of Pull	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
27443	204 Ruger	5	26*	12*	45 ¾"	13 1/4*	1 1/4"	2 3%*	416 Stainless	Polished Stainless	Brown Laminated	Satin	914
27447	22-250 Remington	4	26*	14"	45 ¾*	13 1/2"	1 14	2 %**	416 Stainless	Polished Stainless	Brown Laminated	Satin	91/2
27445	223 Remington	5	26'	12	45 ¾1"	13 1/2"	1 7/2	2 ¾	416 Stainless	Polished Stainless	Brown Laminated	Satin	91/4

1	MODEL	ZOOF VALIGORIA		जे होति	i)									
Γ	ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENSTH	TWIST — R-H 1 Turh (b	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL Finish	STOCA MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
NEW	84384	223 Remington	5	27	9"	41 ½°	13 ⅓*	1 1/2"	1 %*	Carbon Steel	Matte Blue	Digital Tiger " TSP Desert Camo	Matte	735
NEW	84385	308 Win	5	22*	12*	41 1/1 "	13 1/2"	1 1/2"	1 1/2*	Carbon Steel	Matte Blue	Digital Tiger " TSP Desert Camo	Matre	714
NEW	84367	17 Remington Fireball	5	22*	9*	41 %*	13 ¾*	1 35"	1 %**	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	715
- {	84369	204 Ruger	5	22°	12"	41 ∜**	13 ₩"	1 1/8"	1 1/6"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	715
- {	84370	223 Remington	5	22	977	41 1/6"	13 i⁄ε :	1 1/2"	114	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	114
- {	84373	22-250 Remington	4	22	14	41 ½°	13 1/1	1147	1 1/2	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Matte	7 V:
NEW	84368	243 Win	4	22*	9 1/4"	41 1/6"	13 ⅓'*	1 1/2*	1 1/4"	Carbon Steel	Matte Blue	OD Green Synthetic w/Overmold	Marte	71/2
- [84371	308 Win	4	22*	12"	41 1/8	13 3/2*	1 1/2	1 1/2	Carbon Steel	Matte Blue	OD Green Synthetic w/Cvermold	Matte	7½

Modal	TOP USTUDI	NATED ST	9.0				5.5.1Z:	那位在					
ORDER NO.	CALIEER	MAG. CAPACITY	BARREL LENGTH	TWIST — R-H 1 Turn in	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	ORDP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FRHSH	AVG. (LE:
27467	204 Ruger	5	26,	12"	45 ¾	13 1/2"	1	1 1/2*	Carbon Steel	Satin Blue	Brown Larninated	Satiri	93
27491	223 Remington	5	26	12-	45 1/1"	13 F4'	l'	1 1/4"	Carbon Steel	Satin Blue	Brown Laminated	Satin	اق
27489	22-250 Remington	4	26*	14'	45 ¾*	13 1/2	1"	1 %	Carbon Steel	Satin Blue	Brown Laminated	Satur	9
7495	243 Win	4	26*	914	45 1/4"	13 1/2"	1*	1 %	Carbon Steel	Satin Blue	Brown Laminated	Satin	و
7499	308 Win	4	26*	12-	45 1/4*	13 1/5	1.	1 1/2*	Carbon Steel	Satin Blue	Brown Laminated	Şatın	9

RIFLE SPECIFICATIONS

MODEL	700 ⁻⁷ VS SF [I	1. The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th											
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL Length	TWIST — R-H 1 Turn in	OVERALL LENGTH	LEKGTH OF PULL	(COME)	GROP (HEEL)	BARREL MATERIAL	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AYG. WT. (LBS.)
34352	17 Remington Fireball	- 5	26*	9*	45 ¾*	13 V2"	1 1/4"	172"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 1/2
26333	204 Ruger	5	26*	12"	45 ¥:"	13 7:	I W	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	81/3
26339	220 Swift	4	26"	14"	45 1/4"	13 14*	F.V.	11/4"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	874
26337	223 Remington	5	26.	12*	45 ¾*	13 ½*	1 1/4°	L₩*	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	81/1
26335	22-250 Remington	4	26"	14*	45 ¥1°	13 1/2*	1 W*	1 1/3	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8 V i

	700 SENDERO S												
ORDER NO.	CALIBER	MAG. CAPACITY	BARREL LENGTH	TWIST - R-H L TURN IN	OVERALL LENGTH	LENGTH OF PULL	OROP (CGMB)	OROP (HEEL)	BARREL MATERIAL	BARREL FINISH	STOCK MATERIAL	STOCK FINISH	ENG. WT. (LBS.)
27307	264 Win Mag.	3	26*	9,	45 1/4"	13 1/7	1 1/4*	174	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	814
27311	7mm Remington Mag	3	26"	9 %	45 🔆	13 1/5"	1 7	1 1/2	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	814
27315	7mm Rem Ultra Mag "	3	26*	9 ¼·	45 ¥4*	13 1/3"	1 74'	1 ½	416 Staintess	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	81/2
27313	300 Win Mag	3	26	10"	45 *:*	13 1/2	1 V:	1 99*	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	81/2
27318	300 Rem Ultra Mag™	3	26*	10	45 ¾*	13 1/5"	1 👫	1 1/2"	416 Stainless	Polished Stainless	H.S. Precision Black Amarid Fiber Reinf.	Matte	8₩

VODE	700 VARMINTS	F									THE STATE OF	e e	X
ORDER NO.	CALLBER	MAG. CAPACITY	BARREL LENGTH	TWIST - R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	GROP (COMB)	OROP (HEEL)	BARREL MATERIAL	BARREL FWOSH	STOCK MATERIAL	STOCK FUNISH	AVG. WT. (LBS.)
84340	17 Remington Fireball	5	261	9"	45 } ⁄₄*	13 1/4"	1 1/8"	1 1/1"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	81/2
84341	204 Ruger	5	26"	12"	45 ¾	13 14"	1 //	1 1/8"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 ⅓
84342	22-250 Remington	5	26*	14*	45 1/1"	13 1/4"	1 1/4"	1 1/1	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	8 1/2
84343	223 Remington	5	26,	12*	45 ¥r	13 ⅓*	1 1/1"	1 1/4"	416 Stainless	Polished Stainless	Synthetic w/Overmolded Grip Panels	Matte	81/2
84344	220 Swift	4	26*	14*	45 -71"	13 1/4"	1 1/1"	1 1/1"	416 Stainless	Polished Stanless	Synthetic w/Overmolded Grip Panels	Matte	81⁄2

(/OD=	SEVEN CDL					- T					7798.077		
ORDER NO.	CALIBER	MAG, Capacity	BARREL LENGTH	TWIST — R-H 1 TURN IN	OVERALL Length	LENGTH OF PULL	OROP (COMB)	DROP (HEEL)	BARREL MATERIAL	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AVG. WT. (LBS.)
85900	17 Remington Fireball	5	20*	9-	39 1/4"	13 ¾"	1 1/4"	1 1/2"	Carbon Steel	Satin	Walnut	Satin	61/2
26417	243 Win	4	20"	9 Vá*	39 ¼"	13 1/4"	1 1/4*	1 %"	Carbon Steel	Satin	Walnut	Satin	61/2
25419	260 Remington	4	20°	9.	39 1/4"	13 1/4"	1 /1"	1 92"	Carbon Steel	Satin	Walnut	Satin	6∻2
26361	270 WSM	3	22'	10"	39 1/4"	13 14*	1 W*	1 1/4"	Carbon Steel	Satin	Walnut	Satin	6½
26421	7mm-88 Remington	4	20"	g 1⁄2*	39 ¼*	13 1/3"	1 %"	1 %*	Carbon Steel	Satin	Walnut	Satin	61/2
26367	300 WSM	3	22"	10"	39 1/4"	13 ½*	1.90	1 1/2"	Carbon Steel	Satin	Walnut	Satin	61/2
26423	308 Win	4	20	10"	39 ¼"	13 ¥s*	1 1/4"	1 1/2*	Carbon Steel	Satia	Walnut	Satin	61/2
26369	350 Remington Magnum [†]	4	20*	16'	41 1/4"	13 ¾"	1 %	1 1/2"	Carbon Steel	Satin	Walnut	Satin	7 ½s
† 350 Remingt	on Magnum has 20' barrel with sights. INC	OTE: Model Seven M	lannlicher is av	adable from the Remin	gton* Custom Shop t	trough your local d	ealer.						

Mode		IR (HER Y
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — #-H 1 Turn in	OYERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FINISH	AYE, WT. (LBS.)
85950	17 Remington Fireball	5	22'	9.1/8" / (-	39"	13 1/3*	1 %"	1 1/2"	Carbon Steel	Mossy Oak* Brush*	Synthetic	Mossy Oak Brush	7
85951	204 Ruger	5	22"	9 W 122	39"	13 ¼*	1 1/4.	1451	Carbon Steel	Mossy Oak* Brush*	Synthetic	Mossy Oak Brush	7
85952	223 Remington	5	22'	911 11:2	39*	13 1/8"	1 1/4"	172*	Carbon Steel	Mossy Oak' Brush'	Synthetic	Mossy Oak* Brush*	7
85953	22-250 Remington	4	22*	91/2 /: //4	39*	13 ¾1	174	1 1/2"	Carbon Steel	Messy Oak* Brush*	Synthetic	Mossy Oak · Brush ·	7
85954	243 Win	4	22*	9 1/1"	39*	13 1/5"	l Vi	1 1/4	Carbon Steel	Massy Oak* Brush*	Synthetic	Mossy Oak* Brush*	7

77.4											are and the	Mark orb	(1) (1) (1) (1)
ORDER NO.	770 BOLT ACTIO	MAG. CAPACITY	BARREL LENGTB	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (BEEL)	BARREL Material	BARTEL Firish	STOCK HATERIAL	STOCK FINISH	AYC. WT. (LBS.)
85630	243 Win	4	22	9 %	42 1/2"	13 1/1"	11/5"	1 1/3"	Carbon Steel	Matte	Black Synthetic	Matte	81/2
85637 (C)	243 Win	4	20'	9 1/8"	39 1/2	12 %	1 75	124	Carbon Steel	Matte	Black Synthetic	Matte	8 ⅓
85632	270 Win	4	22*	10*	42 V2*	13 1/2"	11/6*	1 3/5"	Carton Steel	Matte	Black Synthetic	Matte	81⁄2
85631	7mm-08 Remington	4	22*	9 1/1	42 1/2"	13 1/2"	1 19*	1 7/1"	Carbon Steel	Matte	Black Synthetic	Matte	8 V:
85635	7mm Remington Mag	3	24*	9 ½r	44 1/2"	13 ½*	176	11/4"	Carbon Steel	Matte	Black Synthetic	Matte	81/2
85633	30-06 Springfield	4	22*	10'	42 1/2"	13 1/1"	1 1/3"	1 1/3"	Carbon Steel	Matta	Black Synthetic	Matte	81/2
85636	300 Win Mag	3	24*	10"	44 1/2	13 ⅓•	179*	1 91"	Carton Steel	Maite	Black Synthetic	Matte	814
85634	308 Win	4	22	10°	42 V2"	13 1/8"	174	[½;*	Carbon Steel	Matte	Black Synthetic	Matte	8 %
t Average weigh	t includes scope (C) Compact mo	odel											

RIFLE SPECIFICATIONS

MODEL	770 STAINLESS E	OLT ACT	ION RII	LE 🍀									100
ORDER NO.	CALIBER	MAG. Capacity	BARREL LENGTH	TWIST — R−H 1 TUR# IN	OVERALL LENGTH	LENGTH OF PULL	(COMB)	BROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK FORSH	ATE. WT. (185.) 1
85655	270 Win	4	22*	10*	42 1/1	13 1/1 °	1 1/4*	1 3/1"	416 Stainless Steel	Matte	Synthetic	Realtree* AP* HD**	81/2
85657	7mm Remington Mag	3	24'	9 1/1*	44 1/2"	13 14"	1 1/3°	1 1/4*	416 Stainless Steel	Matte	Synthetic	Realtree: AP" HD"	81/2
85656	30-06 Springfield	4	22*	10*	42 1/2"	13 14"	1 1/4*	1 1/4"	416 Stainless Steel	Matte	Synthetic	Realtree * AP™ HD~	814
85658	300 Win Mag	3	24°	10	44 V?"	13 1 1*	1 1/1"	1 1/1 *	416 Stainless Steel	Matte	Synthetic	Realtree * AP ** HD**	81/2
† Average weig	tit includes scope												

Participation from the Control	PUMP AC	an a nation land the least team		14000	74	OKENIII.	LENGTH		2000	BURBEL	BARREL			
MODEL	ORDER NO.	CALIBER	CAPACATY	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	OF PULL	(COMB)	DROP (HEEL)	MATERIAL.	FINISH	STOCK MATERIAL	STOCK Finish	AYG. WI.
7600"	24653	243 Win	4	22"	9 1/2"	42 ¥t*	13 1/2*	1 1/15"	2 1/4*	Carbon Steel	Polished Blue	Americas Walnut	Satin	71/1
7600	24655	270 Win	4	22"	10*	42 ¥8*	13 1/2"	1 1/15°	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2
7600	24667	270 Win	4	22*	10"	42 ¾t"	13 1/2"	l ¥15"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	High Gloss	71/3
7600" Carbine	24661	30-06 Springfield	4	18 1/2*	10*	39 1/2"	13 1/2"	1 3/16"	2 1/1°	Carbon Steel	Polished Blue	American Walnut	Satin	71/2
7600~	24657	30-06 Springfield	4	22°	10*	42 ¼ '	13 1/2"	1 ¥16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2
7600°	24671	30-06 Springfield	4	22-	10-	42 ¥£	13 1/2"	1 V 16"	2 ¼*	Carbon Steel	Polished Blue	American Walnut	High Gloss	71/2
7600	24659	308 Win	4	22"	10"	42 ¥°	13 1/2	1 ₹16"	2 1/4"	Carbon Steel	Polished Blue	American Walnut	Satin	71/2
7600" Synthetic	25143	243 Win	4	22*	9 1/8"	42 ¥£	13 1/2"	1 ³∕i₅*	2 1/1"	Carbon Steel	Matte Blue	Black Synthetic	Matte	71/2
7600 Synthetic	25145	270 Win	4	22*	10*	42 ¥8*	13 1/2"	1 ∛15*	2 1/4"	Carbon Steel	Matte Blue	Black Synthetic	Matte	71/2
7600" Synthetic	25149	30-06 Springfield	4	22"	10"	42 5/2 *	13 1/2"	l ¥16*	2 1/4*	Carbon Steel	Matte Blue	Black Synthetic	Matte	714
7600 Synthetic	25151	308 Win	4	22*	10"	42 ¾*	13 1/2"	l ¥16"	2 1/4*	Carbon Steel	Matte Blue	Black Synthetic	Matte	71/2
7600" Synthetic Carbine	25153	30-06 Springfield	4	18 1/2"	10"	39 V 1"	13 1/2"	1 ¥16"	2 1/2	Carbon Steel	Matte Blue	Black Synthetic	Matte	734
† Equipped with iron sights										_				

MODEL	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURN IN	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCK Finish	AVG. WT. (LBS.)
W R-15 Hunter	60100	30 Remington AR	4	22*	10*	40 V.*	13 1/4"	1 1/1°	1 3/8"	Carbon Steel	Matte	Synthetic	Realtree* AP** HD**	7 1/4
W R-15 VTR Byron South Signature Edition	60009	223 Remington	5	18"	9"	36 V/*	13 ¾*	1 1/2*	1 1/6"	Carbon Steel	Matte	Synthetic	Advantage* MAX-1 HD**	7 1⁄4
W R-15 VTR SS Varmint	60007	223 Remington	5	24"	9"	42 V:"	13 ¾*	1 1/8*	1 1/6"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ½
W R-15 VTR Thumbhole	60012	223 Remington	5	24*	9°	42 1/4"	13 3/6	1 1/4"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 1/2
R-15 VTR Predator	60000	204 Ruger	5	22"	12*	40 1/4"	13 1/2"	11/4	1 3/2"	Carbon Steel	Matte	Synthetic	Advantage* MAX-1 HD**	7 ¾:
R-15 VTR Predator	60001	223 Remington	5	22"	9"	40 1/4"	13 3/4"	1 1/4"	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD™	7 ¾
R-15 VTR Predator Carbine	60002	204 Ruger	5	18*	12"	36 1/2*	13 ¾°	1 1/1*	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage* MAX-1 HD**	6 1/4
R-15 VTR Predator Carbine .	60003	223 Remington	5	18"	9"	36 1/2"	13 34*	1 1/4*	1 3/8"	Carbon Steel	Matte	Synthetic	Advantage® MAX-1 HD**	6 ¾
R-15 VTR Predator Carbine - CS	60004	204 Ruger	5	18*	12*	33 ¼r - 36 ¼*	11 34" - 14 34"	1 1/4"	1 1/4"	Carbon Steel	Matte	Synthetic	Advantage* MAX-1 HD™	6 ¾
R-15 YTR Predator Carbine - CS	60005	223 Remington	5	18"	9"	33 1/4" - 36 1/4"	11 1/2 - 14 1/2	1 1/2*	1 1/2"	Carbon Steel	Matte	Synthetic	Advantage* MAX-1 HD**	6 ¾

	MODEL R-25	MODULAR	REPEATING RIFL	E					1						
	MODEL	ORDER NO.	CALIBER	MAG. Capacity	BARREL Length	TWIST — R-H 1 TURM DE	OVERALL LENGTH	LENGTH OF PULL	DROP (COMB)	DROP (HEEL)	BARREL Material	BARREL FUNISH	STOCK MATERIAL	STOCK Fransh	AVG, WT. (LBS.)
NEW	R-25	60030	243 Win	4	20*	10*	38 1/4*	13 3/2*	1 1⁄4"	1 36°	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 1/4
NEW	R-25	60031	7mm-08 Remington	4	20°	9 1/4"	38 W°	13 3/ r	1 1/4"	1 3/8"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand™	7 1⁄:
NEW	R-25	60032	308 Win	4	20°	10°	38 1/1"	13 34*	1 1/1"	1 34"	Carbon Steel	Matte	Synthetic	Mossy Oak® Treestand **	7 ⅓:

MODEL 750 AUTO	LOADING	CENTERFIRE	RIFLE										
MODEL	ORDER NO.	CALIBER	TWIST R-H 1 TURN IN	BARREL LENGTH	OVERALL Length	LENGTH OF PULL	OROP (COMB)	DROP (HEEL)	BARREL Material	BARREL FIRESH	STOCK MATERIAL	STOCK FIXESH	AYG. WT. (LBS.)
750" Woodsmaster"	27055	243 Win	914	22*	42 51 °	13 1/2"	1 1/2"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/1
750" Woodsmaster"	27059	270 Win	91/4"	22*	42 54	13 1/2"	1 %"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 ₩
750" Woodsmaster"	27061	30-06 Springfield	9 1/2"	22*	42 5/8"	13 1/2"	1 94"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	714
750" Woodsmaster"	27057	308 Win	10"	22*	42 % *	13 1/2"	1 1/1"	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 ⅓
750" Woodsmaster"	27063	35 Whelen	16"	22*	42 1/8 *	13 1/2"	1 %*	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/1
750" Woodsmaster" Carbine	27077	30-06 Springfield	10"	18 1/2"	39 1/4"	13 1/2"	1 5%	2 ⅓'	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750" Woodsmaster" Carbine	27075	308 Win	10"	18 1/2"	39 1/4"	13 1/2"	1 1/t*	2 1/2"	Carbon Steel	Polished Blue	Walnut	Satin	7 1/4
750" Woodsmaster" Carbine	27079	35 Whelen	16*	18 1/2"	39 W	13 1/4"	1 14*	2 1/2	Carbon Steel	Polished Blue	Walnut	Satin	7 V:
750 Synthetic	85682	243 Win	9 1/8"	22	42 ¥*	13 1/2"	1 1/1"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 14
750° Synthetic	85685	270 Win	91/8"	22*	42 1/1	13 1/2"	1 14"	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2
750° Synthetic	85686	30-06 Springfield	91/8	22*	42 1/1 *	13 1/2"	1 1/2"	2 1/2	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 ½
750° Synthetic Carbine	85687	30-06 Springfield	10"	18 14*	39 1/1"	13 1⁄4′	11%	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/4
750" Synthetic	85683	308 Win	10"	22*	42 W	13 ⅓'	1 5%	2 1/2"	Carbon Steel	Matte Blue	Synthetic	Matte Black	7 1/2
750° Synthetic Carbine	85684	308 Win	10"	18 ¼'	39 1/8"	13 1/2"	1 1/2"	2 ⅓*	Carbon Steet	Matte Blue	Synthetic	Matte Black	7 ₩

IFLE SPECTFICATIONS

ODEL 597													
OEL	ORDER NO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL Length	OVERALL LENGTH	LENGTH OF PULL	(COM2) DEGE	DROP (KEEL)	BARREL Material	BARREL FINISH	STOCK MATERIAL	STDCK FINISH	AYG. WT. (LBS.)
7" TVP	80852	Auto (22 LR)	10	20'	40°	14"	1 1/2"	2 74"	Stainless Steel	Matte	Shady Camo Laminate	Satin	\$ 1/2
i7" FLX	80864	Auto (22 LR)	10	20"	40°	14"	1 //."	2 ⅓*	Carbon Steel	Matte	Next * Digital FLX	Camo	51/2
17 Blaze Camo	80853	Auto (22 LR)	10	20°	40"	14"	1 1/2*	2 /1"	Carbon Steel	Matte	Mossy Oak® Blaze	Сато	\$ Vá
17" Pink Camo	80854	Auto (22 LR)	10	20,	40*	14*	114	5 ¼,	Carbon Steel	Matte	Mossy Oak* Pink	Camo	51/2
77	26550	Auto (22 LR)	10	20"	40°	14"	17/1"	2 V:*	Carbon Steel	Matte	Gray Synthetic	Matte	51/2
7 Scope Camba	26513	Auto (22 LR)	10	20"	40"	14*	1 1/2*	2 1/4*	Carbon Steel	Matte	Gray Synthetic	Matte	5 1/4
7 Magnum	26560	Auta (22 WMR)	8	20*	40"	14"	1%.	2 /1'	Carbon Steel	Matte	Black Synthetic	Matte	51/2
7" HB LS Magnum	26581	Auto (22 WMR)	8	20*	40°	14*	1 //*	2 V:"	Carbon Steel	Matte	Brown Laminate	Satin	6

MODEL 552 /572				V					an wa				
NODE1	ORDER MO.	ACTION TYPE (CALIBER)	MAG. CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	CROP (COMB)	BROP (HEEL)	BARREL Material	BARREL Finish	STOCK MATERIAL	STOCE FINISE	AYG, WT. (LBS.)
52" BBL Deluxe Speedmaster*	25594	Auto (22, S, L, LR)	15*	21"	40°	13 1/3"	1 1/1"	2 79"	Carbon Steel	Palished Blue	American Walnut	Gloss	5}⁄ι
72" BDL Deluxe Fieldmaster*	25624	Pump (22, S, L, LR)	15*	21.	40°	13 ½	1 1/5"	2 %**	Carbon Steel	Polished Blue	American Walnut	Gloss	5¾
i72" BDL Smoothbore	29829	Pump (22. S. L. LR)	15*	21"	40*	13 1/1"	177	2 1/1"	Carbon Steel	Palished Blue	American Walnut	Gloss	5¾
* Capacity is 15 on 22 Long Rifle. 17 o	n 22 Long, and 20	on 22 Short											

[NTERCHANGEABILITY CHART. Cartridges within groups shown are interchangeable. Other substitutions should not be made

rithout specific recommendation of the firearms manufacturer since improper combinations could result in firearm damage or personal injury.

RIMFIRE	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)	CENTERFIRE (CONT.)
22 W.R.F.	6.35mm Browning	32 Short Colt in 32 Long Colt but not conversely	38 Colt Special	38 Automatic in 38 Super +P - but not conversely
22 Remington Special	7mm Express, Remington	(SEE NOTE C)	38 S&W Special	380 Automatic
22 Win. Model 1890 in a 22 Win. Mag. Rimfire	280 Remington	32 S&W in 32 S&W Long but not conversely	38 Special Targetmaster*	9mm Browning Short (Corte Kurz)
- but not conversely	30-30 Sav.	32 S&W Long	38 S&W Special Mid-Range (SEE NOTE D)	9mm Luger (SEE NOTE E)
CENTERFIRE	30-30 Win.	32 Colt New Police	38 Special +P (SEE NOTE 6)	9mm Parabellum
25-20 Remington	30-30 Win. Accelerator* (SEE NOTE A)	32 Cott Police Positive	38-44 Special + P (SEE NOTE B)	44 S&W Special (SEE NOTE F)
25-20 W.C.F.	30-30 Martin	32 W.C.F. (SEE NOTE A)	38 Special	44 Martin
25-20 Win.	30-30 Win. High Speed	32 Win. (SEE NOTE A)	38 Special Flat Point	44 Win.
25-20 Win. High Speed	30 W.C.F.	32-20 Win. High Speed (SEE NOTE A)	38 Short Colt in 38 Long Colt but not conversely.	44 Remington
25-20 Martin	32 Colt Automatic	32-20 Colt L.M.R	Both can be used in 38 Special	44-40 Win.
25 W.C.F.	32 Auto. Colt Pistol (ACP)	32-20 W.C.F (SEE NOTE G)	38 Martin	44 W.C.F.
6mm Remington	32 (7.65mm) Automatic	32-20 Win.	38 Win. (SEE NOTE A)	45-70 Government
244 Remington	7.65mm Automatic Pistol	3Z-20 Martin	38 Remington (SEE NOTE A)	45-70 Martin
25 Automatic	7.65mm Browning (not interchangeable	38 S&W	38-40 Win.	45-70 Win.
25 Auto. Colt Pistol (ACP)	with 7.65mm Luger)	38 Colt New Police	38 W.C.F. (SEE NOTE A)	45-70-405
25 (6.35mm) Automatic		380 Webley		

NOTE k. High-speed cartridges must not be used in revolvers. They should be used only in rifles made especially for them.

NOTE B: Ammunition with "+P" on the case headstamp is loaded to higher pressure. Use only in firearms designated for this cartridge and so recommended by the gun manufacturer. NOTE C: Not for use in revolvers chambered for 32 S&W or 32 S&W Long.

NOTE D: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE E: 9mm sub machine gun cartridges should not be used in handguns.

NOTE F: 44 Russian and 44 S&W Special can be used in 44 Remington Magnum revolvers but not conversely.

NOTE G: Not to be used in Vin. M-66 and M-73.

DECALS

- · Vinyl die cut decals
- Waterproof
- Oil, acid and alkali resistant
- · Usable on smooth and corrugated surfaces
- Heat resistant up to 350 degrees
- Up to 7 years outdoor durability
- Available at Remington retailers















RIFIER AND ENING

Wallian 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 1967年 19

MODEL:Z0	O C		R LIS	W.C.				1		N A	200	4.4				16.23 L			77.50	7.7	4	200		
CALIBERS	MAG. CAPACITY	LENGTH	MIST — R-H, 1 TURN IN	BDL	COL	CDL SF	TARGET TACTICAL	ALASKAN Ti	SPS BUCKMASTERS	SPS	SPS STAINLESS	SP\$	SPS VARMINT	YLSS THUMBHOLE	KLATKUOM 22.1	YARKUUT SF	Arz	A2 21 II	SENDERO SF II	XCR	XHR	VTR	ICR TACTICAL	XCR I
17 Remington	5	22" 24"	9°	_	· -	_	_	_	_	84200	=	_	_	_	_	_	_	_	_	_	_	84367	_	_
Fireball	5 5	26* 26*	g.	=	_	_	_	_	_	_	_	_	84213 84225 (1)	_	=	84340	_	84352	=	_	_	_	_	_
	5	22" 24"	12"	_		_	_				27131		_	_	_		_	_		_		84369		_
204 Ruger	5	26*	12				_=					_=_	84214	27443		84341	27457	26333					=	_ =
220 Swift	4	26"	14"		_=_							<u>. – </u>				84344		26339						
	5 5	20" 22"	: 9r-51:	<u> </u>	_	_	_	=	= 2	27351	Ξ =	_	_	_	_	_	_	_	_	_		. 84370	84466	-
ZZ3 Remington	5 5	24° 26°	12° 9'	_	27101 ഡ —	_	_	_		_	27133	_	_	_	_	_	_	_	_	_	_ == ;	84384 (DRI . C	_	844
	5	26° 26°	12°	_	_	_	_	_	_	_	_	_	84215 84227 (L)	27445	_	84343	27491	26337	_	_	_	_	_	_
	4	22"	14"	_											_	_			_	_		84373		
22-250 Remington	4	24" 26"	14" 14"		_	_	_	_	_	_	27135	_	84216	27447	_	84342	27489	26335	_	_	_	_	_	-
	4	26*	14"					_=_					84226 (L)											
	4	20°	9 %* 9 %*		_	_	_	_	84176 (C)	27475 (C) 84150 (CL)	_	_	_	_	_	_	_	_	_	_	_		_	-
243 Win	4	22° 24°	3 %. 3 %.	25787	27007	_	_	_	84170	27355	27253	27338	_	_	_	_	_	_	_	_	84400	84368	_	_
	4	24" 26"	9 ¼ " 9 ¼ "	_	27 103 (L) —	_	_	_	_	_	_	_	84217	_	_	_	27495	_	_	_	_	_	_	-
	4	26*	9 1/4"				_=_						84228 (L)											
257 Roberts	4	24" 22°	10" 9 %"			84020 (LT)		_							=-						 84401			
25-06 Remington	4	24°	10"		27009		_=_	84261	=_		27251	_=_							_=_			_=_		
257 Weatherby Mag	3	26"	10"	_	_	84019	_		_	_	_	_	_	_	_	_	-	_	_	_	_	_		_
260 Remington	4	24"	10			84018											_		_					
264 Win Mag	3	26"	9*				_					_			_	_		_	27307	_				
	4	22" 24"	10" 10"	25791	27011	84014	_	84262	84172	27361	27267	27335	_	_	26281	_	-	_	_	27165	84402	_	_	-
270 Win	4	24*	10"	=	27105 (L)		=		O4172	84177 (J			_	_	=	=	=	_	_	-	_	_	_	-
	3	24"	10"		84080 (HP)	84013		84267		27331	27253									27173				
270 WSM	<u>4</u>	24"	10"	_																		_	_	
280 Remington	4 4	22 - 24 -	10° 10°	_	_	_	_	84263	_	_	=	=	_	_	84270	_	_	_	=	_	_	_	=	_
	4	20"	9 1/4"		_	_	_	_		27391 (C)	_	_	_		_		_				_		_	
7mm-08 Remington	4	20° 22°	9 %"	_		_	_			84151 (CL)	_	_	_	_	26285	_	_	_	_	_	84403	_	_	-
		24"	9 1/4"	25002	27015	84012		84260	84171	27357	27265	27341								84441	-			-
7mm Remington	3	24" 26"	9 ¼" 9 ½"	25803 —	27047	84016	_	84265	_	27385	27271	27343	=	_	=	_		_	27311	27169	84405 —	_	_	; -
Mag	3	26° 26°	9 ¼* 9 ¼*	_	27109 (L) 84082 (HP)	_	_	_	84174	84179 (L) —	_	_	_	_	_	_	_	_	_	_	_	_	_	_
7mm Remington Ultra Mag	3	26" 26"	9 ¼* 9 ¼*	_	27051	_	_	_	_	84152	84300	_	_	_		_	_	_	27315	27179	84407			-
uiu a mag		22*	10"	25793											26287				2/313		84404			
30-06 Springfield	4	24" 24"	10° 10"	_	27017 27107 (L)	84015	_	84264	84173	27363 84178 ω	27269	27337	=	_	_	_	_	_	_	27167 84452 (R)	_	_	_	_
	4	24"	10"		84081 (HP)																-			=
300 Win Mag	3 3	24° 26°	10° 10°	_	27049	_	=	84266	84175	27387	27273	27339	_	_	_	_	_	_	27313	27171	84406 —	_	_	844
	4	26*	10*							84180 (L)														
300 WSM	3 4	24" 24"	10° 10°			84017	_	84268		27333	27255	_				_		_	_	27175	_		_	_=
	4	24" 20"	10°	_		_				27359	27136	_	=	_	_	_	_	=	_	=	_	_	 84467	=
308 Win	4	26° 26°	12	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	=	_	_	84371	—	-
	4	26"	11 ½" 12"	_	_	=	84456	_	_	_	_	_	84218	_	_	_	27499	_	_	_	_	84385 (DR)	_	84
300 Remington	3	26"	10"	26410	27053	_				27389	27140		84229 (L)									(2三)		
Ultra Mag	3	26*	10"		27111 (1)				_=_									_=_	27318	27181	84408		_=_	
338 Win Mag	3	26*	10*		_=_															27177				. -
338 Remington Ultra Mag	3	26"	10"			_	_			_	_			_			_			27183		_ <u> </u>		_
35 Whelen	4	24"	16*		27019											_				27191-	_			
375 H&H*	3	24"	12*			_														27191				
375 Remington Jitra Mag*	3	24"	12	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	27193	_	_	-	-
		Lengt	h of Pull	13 1/2"	13 1/2"	13 1/2"	13 ½*	13 1/4"	13 1/2"	13 %"	13 1/2"	13 1/2"	13 ¾"	13 1/2"	13 ¼°	13 1/4*	13 ½°	13 1/1"	13 1/2"	13 %*	13 1/4"	13 1/2"	13 34"	13
Stock Dimensions			at Comb	i*	1 1/1"	1 %*	1 1/1	1 %*	1 1/2"	1 1/2"	1 1/2"	11/2"	1 1/2"	1%	1 1/2"	1 1/1"	1.	1 1/4*	1 1/1"	1%	1 %	1 1/4"	1 W*	1
			at Heel	1%	1 1/2"																		11/2"	1

EXTRA BARRELS


For the complete line of our extra shotgun barrels, visit www.remington.com.



MODEL 11-87™ PREMIER® - Rifled Sights



MODEL 870™ WINGMASTER ~ 26" Vent Rib



MODEL 870™ - 20" CANTILEVER CAMO

BARREPARSFE CPP CATIONS

TENETH & CHOKE	12-ga.	16-ca.	20-ca.*
Field Grade, Vent Rib, Wingmaster*			
30" Rem Chake, Light Contour	26215		
30' Rem Crake	24576		
25" Rem Chake, Light Contour	26217		
28* Rem Chave	24580		24605
26' Rem Cheke, Light Contour	26219		
26" Rem Chake	24582		24608
Deer Barrel, Super Slug Cantilever Scope Mount, New Contour			
23" Fully Rifled	24551		
Deer Barrel, Cantilever Scope Mount, Wingmaster			
20" Fusy Rifled	24557		_
Deer Barrel, Rifle Sights			
20* Remi Cheke	24545 ²	24495-	
20 Fully Rifled	24558		
20" tmp. Cyl.			24578
SP* Deer Barrel, Cantilever Scope Mount			
26° Fully Rifled	26229		
20 Fully Rifled Camo	25203*		
20" Rem Choke	262271		
SP* Deer, Rifle Sights			
20" Rem Choke	24549 ²		_
Express' Bead Sights	24620		
Express: Vent Rib	24589	_	
Express* Beer, Rifle Sights (20*), Imp. Cyl.	24622		
Express* Deer, Fully Rifled, Rifle Sights (20*)	24611 3		246093
SP*, Vent Rib			
30' Rem. Choke	24590		
28" Rem Chcke	26225		
26 Rem Choke	24592		

Model 870 exits barrels with 3 chambers used on Super Magnum, and Magnum receivers will handle both 2 ½: and 3 shalls only. Use only 2 ½° sheks were neese barrels are used on non-Alagnum receivers. "20-gauge 370 Lajaneight barrels will not it 20-gauge standard 370 guns.
1 Canaleirer Rem. Chake Quer barrels supplied with Improved Cylinder and Eugrades Riffer Chake noes. 2 Riffe-sighted Rem. Chake Deer barrels supplied with Riffe and Improved Cylinder Chaire tubes. 3 Express: 20-ga. Fully Riflett Deer barrel has 2 🎋 chamber. Model 870 extra barrers with 2 🎉 chambers with it. both Magnum and 2 1/2 receivers. Use only 2 1/2 shells in these barrels. 4 Rifle-sighted Rem. Choke Deer barrels supplied with Improved Cylinder Chicke tube t Camo Messy Oak: Break-Up: Pattern.

LENGTH & CHOKE	12-ca	20-ca.*
Deer Barrel, Cantilever Scope Mount**		
21° Fully Rifled	29615	
Deer Barrel, Rifle Sights		
21° Futly Rifled	29606	295633
21" Rem Choke ²	29623	
SP Deer Barrel, Cantilever Scope Mount**		
21" Fully Rifled	24645	
21" Fully Rifled Camo*	29537	
21° Rem * Choke¹	24647	
SP * Deer Barrel, Rifle Sights**		
Z1* Rem * Chcke ^z	29627	
21" Fully Riffed	29609	
SP" Magnum, Vent Rib		
30" Rem Choke ⁴	24638	
28' Rem * Choke*	29611	
26" Rem Chake4	24640	
Premier* Vent Rib		
30° Rem Chake, Light Contour	29600	
28" Rem Chake, Light Contour	29602	
28° Rem. Chake	24644	
25" Rem Chake, Light Contour	29604	
	7" SUPER MAGNUM	
SP* Super Magnum Deer Barrel, Rifle Sights		
23" Fully Rifled w/Rifle Sights (3" chamber)	24629	
SP* Super Magnum Deer Barrel, Cantilever Scope Mount		
23" Fully Rifled (3" chamber)	80500	

- The fore-ends on our Light Contour Model 11-87" shotgans are shaped to follow t figo LC barrel, which means that a standard Vent Rio or Deer patiel cannot be fitted to your gun unless you do one of two mings, have your LC fore-and wood of *A by a competent guismit or statistical en a parchase a standard profile fore-and form our Arms Service Division by Indiangla: Arms Service Division, Remarging for Co., P.O. Soc. 700, Madison, NC 27025-0700 or visa duri websee at monviernangion.com.

1 Carolieves Rem. Choke Deer barrels succided with Improved Cylinder and Extended Rifled Choke tubes. 2 Rifle-signed Rem. Choke Deer barrels supp Ruled and Improved Cylinder Chole rubes. 3 2 % chamber. 4 3 % chamber. + Camo Mossy Oak: Break-Up: Pattern.

MODE SEND MICHIMAGINA	TOTAL TWO GRAVETES
LENGTH & CHORE	10-са.
SP` Magnum, Vent Rib	
30 Rect Choke	27594
26° Rem Choke	27598

LENGTH & CHOKE	12-cs.	20-sa. LT-201
Field Grade Deer, Cantilever Scope Mount		
21° Fully Rifled	26595	
Field Grade Deer, Rifle Sights		
21 * Fully Rifled	29570	_
21" Rem Cheke ²	29565	
21° Imp. Cyl.		24438
SP" Deer, Rifle Sights		
21° Rem` Choke ²	29571	
Steel Shot Barrel, Vent Rib ³ (See ammunition note below)	
30" Rem Choke	29505	
25" Rem Choke	29509	
Field Grade, Vent Rib		
30" Rem" Choke	24488	
28° Rem Choke	24464	24484
26° Rem Chake	24466	24486
Skeet, Vent Rib		
26" Rem Choke	24490	

tauns. (Refer to parts list for pre-1977 barrels.) 2 Rule-supted Rem. Choix Deer barrels supplied with Ruled and Irmo. CA. Choix rubes

Please note the following ammunition recommendations for use with the Model 1100° steel shot barrel

When used with Model 1100 Magnum shotguns:

- Use 2 1/2 magnum or 3' magnum stee! shotshells

Use 2 1/2 magnum or 3' magnum lead shorshells

When used ash Model 1100° non-Magnum shotguns: Use 2 ½: magnum or 3' magnum steel shorshells.

as this will cause extra wear and decrease the life of the gun.

FOR MORE INFO. VISIT www.REMINGTON.com

OR CALL 1-800-243-9700

300. ADL. Accelerator, AWR, BDL, Bandit, BriteBore, Bronze Point, BuckHammer, Bullet, Bullet Design, CBEE 22. CDL, Classic, Conquest, Copper-Lokt, Copper Solid, Core-Lokt, Custom Carry, Cyclone, D-Series, Deer Hunter, Desert Recon. Disintegrator, DriLube, Driving Band, Drop-Dead Better, Duplex, Echo, Elite Hunter, Elite Skinner, Flsag, F.R. Remington & Sons, Escape, ETA, EtronX, Excursion, Express, Express-Steel, EZ, F.A.S.T., Fast Action Soft Touch, Fieldmaster, Figure 8, Fireball, Flexitab, FLX, G3, Gamemaster, Genesis, Green Color, Golden, Golden Saber, Grizzly, Gun Club, Hi-Speed, Ideal, Insignia Edition, Kleanbore, Lead-Lokt, LV SF, M24, M24A2, M24A3, MAX Gabbler, M-Series, Managed-Recoil, Marine Magnum, MCS Picatinny, Model Five, Model Seven, Model 105 CTi, Model 11-87, Model 11-87P, Model 32, Model 332, Model 365, Model 40-X, Model 40-XB, Model 40-XBRR. Model 40-XC, Model 40-XR, Model 40-XRBR, Model 40-XS, Model 412, Model 504, Model 504-T, Model 552. Model 572, Model 597, Model 673, Model 700, Model 700P, Model 700P USR, Model 710, Model 750, Model 770, Model 798. Model 830. Model 870, Model 870 MCS. Model 870P, Model 870P MAX, Model 887. Model 1100 Model 7400 Model 7600 Model 7600P Model 7615 Model 7615P Model SP-10 MoistureGuard Nitro 27, Nitro CLP, Nitro Mag, Nitro Turkey, Nitro-Steel, Parker, Peters, Pheasant, Power-Lokt, Power Piston, Predator, Premier, ProBore, Quick Look, R. R-15, R-25, R-P, Rangemaster, Ready, Realwood, Rem, Rem Dri 35, Rem DriLube, RemCloth, RemGrip, Rem-Line, Rem-Lite, Rem-Tech, Remington, Remington Fieldmaster, Remington Law Enforcement, Remington Leadless, Remington Racing, Remington Shooting School and Remington Shooting School logo, Remington Targetmaster, Remington Ultra, Rescue, Rustless, S.A.S.S., Sendero, Shoot Like A Girl ... If You Can!, ShurShot, Slugger, SP, SPS, SP-T, SPS-T, Speedmaster, Sportsman, STS, Subsonic, SuperCell, Super Magnum, Super Slug, SWIFT-LOKT, TAC 8. Tango, Targetmaster, The Deadliest Mushroom in the Woods. Thunderbolt. TorchCam. TriNyte. TVP, Ultra Bonded. Ultra Mag, UMC. Unibody, Viper, VLS. Vortex and Vortex logo. VS. VSF. VS SF. VTR. Weathermaster, Wetproof, Wingmaster, Wingmaster HD, Woodsmaster, XCR Extreme, XHR, XM3, X-Mark Fro. XR-100, Yellow Jacket and Zulu are trademarks of RA Brands, LL.C., Madison, NC 27025. Palusol is a trademark of BASF. Boy Scouts of America is a registered trademark of Boy Scouts of America. Briley is a trademark of Briley Manufacturing, Bushmaster is a trademark of Bushmaster Firearms International, LLC. Bushnell and Sharpshooter are trademarks of Bushnell. TORX is a trademark of Camcar LLC. Delrin, Kevlar, Teflon and Tyvek are trademarks of DuPont. Marlin is a trademark of The Marlin Firearms Company. Match King is a trademark of Sierra Bullet Co.. LLC. Swift, A-Frame and Scirocco are trademarks of Swift Bullet Co. Break-Up, Brush, Duck Blind, Mossy Oak, New Break-Up and Obsession are trademarks of Haas Outdoors, Inc. V-Max is a trademark of Hornady Manufacturing Company. Hogue is a trademark of Hogue, Inc. Advantage, Advantage Max-4, Advantage Timber, AP, APG, HD and Realtree are trademarks of Jordan Outdoor Enterprises, Ltd. SpecOps is a trademark of Knoxx Industries, LLC., HiVE is a trademark of North Pass, Ltd. Kraton is a trademark of Shell. Sako is a trademark of Sako, Ltd., Shilen is a trademark of Shilen, Inc., Speedfeed is a trademark of Armory Accessories, Inc. LimbSaver is a trademark of Steven Sims, Inc. Digital Tiger is a trademark of Tiger Stripe Products. TRUGLO is a trademark of Truglo, Inc. Skyline. E-cel and Fall Flight are trademarks of Skyline Cover, LLC. Weaver is a trademark of Weaver Outdoor Optics. Williams and Fire Sights are trademarks of Williams Gun Sight Co.

Weights, stock dimensions, checkering pattern and wood grain may vary according to the individual firearm. Remington reserves the right to change or modify its products without notice. Pricing may vary by model, specification, color, size and availability. Follow the safety rules printed in firearms instruction books and on ammunition boxes. If you do not have an instruction book for your Remington firearm, write to Remington Arms Company Inc., 870 Remington Drive, PO Box 700, Madison, NC 27025, for a free copy or visit our website at www.remington.com/ manuals. Please specify the model and serial number. The firearms herein have been photographed with their actions closed to properly showcase their features. In actual practice, any firearm not in use must be left with ammunition removed, action open and safety on. Consumer Information, Arms Service, Parts and Repairs and Custom Shop: (800) 243-9700. Visit us on the web at: www.remington.com.