

CAL- 30.06 SPRG.

DAILY TEST DATA SHEET

PROJECT #241095:

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	
				RDS. FIRED	TOTAL RDS.
JW/ SW	9/11/00	HEADSPACE	MIN. + .003		
JW/ SW	9/11/00	PROOF, HEADSPACE	PROOF, INSPECT, HEADSPACE MIN + .004 & PROOF STAMP	1	1
JA/BL/DC	9-11-00	Trigger Pulls			
	9-11-00	Sear/Trigger Engagement T/Sear LFT			
	9-11-00	Indents			
MRT	9-12-00	MAGNAFLUX Bolt Head - NO INDICATIONS			
PKR	10/5/00	Install new bolt Assy, w/ latest Bolt head			
		Headspace	Min. + .001		
		Proof Bolt Head			
		Headspace	Min. + .002		
BL	10-9-00	Cleaned			
BL	10-9-00	Firing Pin	put B-4 Firing Pin Bolt Head in Gun		
BL	10-10-00	Replaced engagement screw w/ 60° cone screw			
B.Lee	10-10-00	Measurement	engagement .021 Trigger Pull 4.33 (start)		
B.Lee	10-11-00	Endurance	End of day Rd Level 250 rds	250	251
B.Lee	10-12-00	Endurance	Rd Level 500 rds	250	501
B-Lee	10-12-00	Cleaned	Headspace min .002 engagement .021		
			Trigger Pull 4.80		
B.Lee	10-12-00	Endurance	End of day Rd Level 700 rds	200	701
B.Lee	10-13-00	Endurance	Rd Level 1000 Rds	300	1001
B-Lee	10-13-00	Cleaned	Headspace min + .003 engagement .021		
			Trigger Pull 4.0		
B-Lee	10-13-00	Inspected	60° Cone screw OK. Re-set engagement .020		
			Trigger Pull 4.0		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

Forms

ET07544

GUN : # B - 1
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 0

AMMO REMINGTON 180gr. PTD-SP CORE-LOKT #R30065		LOT # <u>L22E B26</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 100

ET07545

GUN : # B - 1
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095
ROUNDS BEFORE 100

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L22E B26</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 200

ET07546

GUN : # B - 1
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
.....improved locking lug cam.....
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095
.....
ROUNDS BEFORE 200

AMMO-REMINGTON-180gr. PTD SP-CORE-LOKT-#R30065 — LOT # — L24E A2-S —	
MALFUNCTIONS	MALFUNCTIONS
1	51
2	52
3	53
4	54
5	55
6	56
7	57
8	58
9	59
10	60 ✓
11	61
12	62
13	63
14	64
15	65
16	66
17	67
18	68
19	69
20	70 ✓
21	71
22	72
23	73
24	74
25	75
26	76
27	77
28	78
29	79
30	80 ✓
31	81
32	82
33	83
34	84
35	85
36	86
37	87
38	88
39	89
40	90 ✓
41	91
42	92
43	93
44	94
45	95
46	96
47	97
48	98
49	99
50 ✓	100 ✓

Remington Arms Confidential

ROUNDS AFTER 300

ET07547

Confidential - Subject to Protective Order
Williams v. Remington

GUN : # B - 1
DATE : 10-2-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
..... improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095
ROUNDS BEFORE 300

AMMO REMINGTON 180gr. PTD SP-CORE-LOKT #R30065

LOT# - L05D - A25

MALFUNCTIONS		MALFUNCTIONS	
1	Lubed Bolt	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 400

ET07548

GUN : # B - 1
DATE : 10-12-00
SHOOTER : BOB LEE

M710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # LOD5 A25	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 500

ET07549

Confidential - Subject to Protective Order
Williams v. Remington

GUN : # B - 1
DATE : 10 - 12 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
..... improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 500

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D</u> <u>B25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<i>Cubed Bullets</i>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 600

ET07550

GUN : # B - 1
DATE : 10-12-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # - L05D B25	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 700

ET07551

GUN : # B - 1
DATE : 10 - 13 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking # : TLW 0320
PROJECT # 241095
ROUNDS BEFORE 700

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D B25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 800

ET07552

GUN : # B - 1
DATE : 10-13-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
.....improved locking lug cam.....
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REMINGTON-180gr. PTD SP CORE-LOKT #R30065		LOT.#	L05D 825	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21		71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41		91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 900

ET07553

Confidential - Subject to Protective Order
Williams v. Remington

GUN : # B - 1
DATE : 10-3-00
SHOOTER : BOB LEE

M710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking # TLW 0320
PROJECT # 241095
ROUNDS BEFORE 900

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # L05D B25	
MALFUNCTIONS		MALFUNCTIONS	
1	Lubed Bolt	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 1000

ET07554