

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:36:03 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text

Sample: ~~11~~

16 Distance [11]

Distance 0.4699

X component 0.0019

Y component ~~0.0019~~ A

17 Distance [11]

Distance 0.4438

X component 0.0014

Y component ~~0.0014~~ B

18 Angle [11]

Angle ~~0.0014~~ C

X position 0.7229

Y position 0.2199

23 Distance [11]

Distance 0.0425

X component 0.0030

Y component ~~0.0425~~ D

30 Distance [11]

Distance 0.3117

X component -0.0004

Y component ~~0.3117~~ E

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:37:21 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text

Sample: ~~11~~

16 Distance [11]

Distance 0.4697

X component 0.0019

Y component ~~0.0019~~

17 Distance [11]

Distance 0.4446

X component -0.0002

Y component ~~0.4446~~

18 Angle [11]

Angle ~~0.34228~~

ET07803

X component
Y component

-0.0002
-0.0002

18 Angle

[11]

Angle

X position

0.7221

Y position

no

23 Distance

[11]

Distance

0.3430

X component

-0.0036

Y component

-0.0036

30 Distance

[11]

Distance

0.3115

X component

0.0011

Y component

-0.0011

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:39:12 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

31 Text

Sample: 0.7

16 Distance

[11]

Distance

0.4703

X component

0.0019

Y component

-0.0019

17 Distance

[11]

Distance

0.4445

X component

0.0013

Y component

-0.0013

18 Angle

[11]

Angle

X position

0.7146

Y position

0.2258

23 Distance

[11]

Distance

0.3436

X component

-0.0036

Y component

-0.0036

30 Distance

[11]

Distance

0.3117

X component

0.0018

Y component

-0.0018

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:41:08 2000

Feature Actual Nominal +Tol -Tol Dev/nom Out/tol

31 Text

Sample: 0.7

16 Distance

[11]

Distance

0.4702

X component

0.0019

Y component

-0.0019

ET07804

X component 0.0019
Y component 0.0019
Distance [11]
Distance 0.4139
X component 0.0014
Y component 0.0014

Angle [11]
Angle 0.0014
X position 0.7075
Y position 0.2271

23 Distance [11]
Distance 0.3520
X component 0.0319
Y component 0.0019

30 Distance [11]
Distance 0.3093
X component -0.0019
Y component 0.0019

Program: tlw0010v.MVP Units: Inches Time: Tue May 21 11:43:10 2000 33

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text

Sample: [REDACTED]

16 Distance [11]
Distance 0.4700
X component 0.0019
Y component 0.0019

17 Distance [11]
Distance 0.4404
X component 0.0019
Y component 0.0019

20 Angle [11]
Angle 0.0019
X position 0.7060
Y position 0.2269

23 Distance [11]
Distance 0.3431
X component 0.0019
Y component 0.0019

30 Distance [11]
Distance 0.3094
X component -0.0029
Y component 0.0019

Program: tlw0010v.MVP Units: Inches Time: Tue May 21 11:45:22 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text

Sample: [REDACTED]

16 Distance [11]

ET07805

Distance [11]
Distance 0.4700
X component 0.0019
Y component
Distance [11]
Distance 0.4434
X component 0.0028
Y component

18 Angle [11]
Angle
X position 0.7060
Y position 0.2269

23 Distance [11]
Distance 0.3431
X component -0.0084
Y component -0.3430

30 Distance [11]
Distance 0.3094
X component -0.0029
Y component -0.3093

53

Program: llw0010v.MVP Units: Inches Time: Tue Mar 21 11:45:22 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text
Sample #

16 Distance [11]
Distance 0.4700
X component 0.0019
Y component 0.4702

17 Distance [11]
Distance 0.4449
X component 0.0007
Y component -0.4449

18 Angle [11]
Angle 34.246
X position 0.7217
Y position 0.2242

23 Distance [11]
Distance 0.3439
X component 0.0005
Y component -0.3439

30 Distance [11]
Distance 0.3134
X component 0.0039
Y component -0.3134

Program: llw0010v.MVP Units: Inches Time: Tue Mar 21 11:46:58 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text

ET07806

16 Distance [11]
Distance 0.4703
X component 0.0019
Y component 0.4703

17 Distance [11]
Distance 0.4458
X component 0.0041
Y component 0.4458

18 Angle [11]
Angle 34.347
X position 0.7182
Y position 0.2241

23 Distance [11]
Distance 0.3433
X component 0.0002
Y component 0.3433

30 Distance [11]
Distance 0.3109
X component 0.0008
Y component 0.3109

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:49:31 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

16 Text

Sample

16 Distance [11]
Distance 0.4699
X component 0.0019
Y component 0.4699

17 Distance [11]
Distance 0.4440
X component 0.0013
Y component 0.4440

18 Angle [11]
Angle 34.352
X position 0.7185
Y position 0.2249

23 Distance [11]
Distance 0.3433
X component 0.0020
Y component 0.3433

30 Distance [11]
Distance 0.3109
X component 0.0018
Y component 0.3109

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 11:52:01 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

ET07807

31 Text
Sample: 16
Distance [11]
Distance 0.4693
X component 0.0019
Y component 0.4693

17 Distance [11]
Distance 0.4436
X component 0.0007
Y component 0.4436

18 Angle [11]
Angle 0.7189
X position 0.2225
Y position 0.2225

23 Distance [11]
Distance 0.3432
X component 0.0007
Y component 0.3432

30 Distance [11]
Distance 0.3104
X component -0.0004
Y component 0.3104

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 13:06:03 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text
Sample: 18
Distance [11]
Distance 0.4700
X component 0.0019
Y component 0.4700

17 Distance [11]
Distance 0.4438
X component 0.0019
Y component 0.4438

18 Angle [11]
Angle 0.7259
X position 0.2284
Y position 0.2182

23 Distance [11]
Distance 0.3430
X component 0.0018
Y component 0.3430

30 Distance [11]
Distance 0.3111
X component -0.0020
Y component 0.3111

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 13:09:05 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

ET07808

31 Text

Sample: [REDACTED]

16 Distance [11]

Distance 0.4701

X component 0.0019

Y component -0.0006

17 Distance [11]

Distance 0.4445

X component -0.0006

Y component -0.0006

18 Angle [11]

Angle 240

X position 0.7218

Y position 0.2268

23 Distance [11]

Distance 0.3407

X component 0.0071

Y component -0.0006

30 Distance [11]

Distance 0.3114

X component 0.0025

Y component -0.0006

Program: tlw0010v.MVP Units: Inches Time: Tue Mar 21 13:16:13 2000

Feature	Actual	Nominal	+Tol	-Tol	Dev/nom	Out/tol
---------	--------	---------	------	------	---------	---------

31 Text

Sample: [REDACTED]

16 Distance [11]

Distance 0.4690

X component 0.0019

Y component -0.0006

17 Distance [11]

Distance 0.4447

X component -0.0015

Y component -0.0006

18 Angle [11]

Angle 240

X position 0.7198

Y position 0.2256

23 Distance [11]

Distance 0.3440

X component 0.0010

Y component -0.0006

30 Distance [11]

Distance 0.3104

X component 0.0030

Y component -0.0006

ET07809