



ET18738

Confidential - Subject to Protective Order
Williams v. Remington

REMINGTON M/710 DAT PHASE II

DAILY TEST DATA SHEET

TRACKING #TLW0010
PROJECT #241095

[illegible]

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

Forms

Q

ET18739

Confidential - Subject to Protective Order

Williams v. Remington

Sheet
1.

GUN : # B-15
DATE : 9-14-00
SHOOTER : BOB LEE

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 0

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # L05 R C7513	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL TIP 165 GR 29178 J27BA 1914
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B 410210X005
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 C04YA6513	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 00

ET18740

GUN : # B - 15
DATE : 9 - 15 - 00
SHOOTER : BOB LEE

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # <u>4140782074</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3P L90
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 4RM 572321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB 2 MD 01
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 8GRA70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 200

ET18741

Sheet

1.

GUN : # B-15
DATE : 9-15-00
SHOOTER : B-L 22

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>LOS RC 7513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<u>Stranger</u>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 <u>J27BA1914</u>
12		62	
13		63	
14		64	
15	<u>Fail to Eject</u>	65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 <u>F175C1025</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B <u>4104572041</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38	<u>Fail to Eject</u>	88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 <u>C04YB6514</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
2 FTE

ROUNDS AFTER 300

ET18742

Sheet 2
GUN: # B-15
DATE: 9-15-00
SHOOTER: B L E R

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # <u>215182R018</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A <u>3AL80</u>
12		62	
13		63	
14		64	Fail to Eject
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G <u>410 4572321</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB <u>FMD01</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 <u>86 RA70</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential 1 FTE

ROUNDS AFTER 400

ET18743

Sheet
1.

GUN : # B - 15
DATE : 9-15-00
SHOOTER : Bluel

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>L05 R07513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 <u>J276A0713</u>
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 <u>B30 N09713</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B <u>4102A0005</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 <u>C04 Y06514</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 500

ET18744

Sheet
2

GUN : # B - 15
DATE : 9-5-00
SHOOTER : B. Lee

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q 414 678 2074 LOT #		AMMO	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3PL 80
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 410472 321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 86LA 70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 600

ET18745

Sheet

GUN: # B-15
DATE: 9-16-00
SHOOTER: BOB LEE

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>L05 RC 7513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 <u>5278A0714</u>
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 <u>B30 NC 9714</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B <u>410 210 X 005</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 <u>L15 WB 9613</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 700

ET18746

Sheet
2 GUN : # B-15
DATE : 9-16-00
SHOOTER : B. Lee

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 200

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 4146782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 37280
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G 4104572321	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB FMD d1
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 86RA70	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 800

ET18747

Sheet

1. GUN : # B - 15
DATE : 9-16-00
SHOOTER : B. Lee

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>L65 R B1514</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178 <u>J27BA0714</u>
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830 <u>A0808426</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B <u>410210X005</u>
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699 <u>L17WB9614</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
1 FTE

ROUNDS AFTER 900

ET18748

Sheet
2 GUN : # B - 15
DATE : 9-16-00
SHOOTER : B.L.R.

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # <u>4146782074</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2	<u>straighten mag box</u>	52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A 3PL 80
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G <u>4104572321</u>	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	Fail to Eject
31		81	WIN FAIL SAFE 150 GR S3006XB FMD01
32		82	
33		83	
34		84	
35		85	Fail to Eject
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064 <u>86RA70</u>	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
2 FTE

ROUNDS AFTER 1000

ET18749

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-15 SN. #71001068

TLW #: TLW 0010AD

Date: 09 / 17 / 00

Inspector: Bob Lee

Round Level: 1000

☒ Measure Headspace min +.003

☒ Firing Pin Indent 1st. .0155 2nd. .014 3rd. .0155

Ave. _____

☒ Sear Engagement: .0285

☒ Trigger Pull: 1st. 5.25 2nd. 6.0 3rd. 5.75

Ave. _____

☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

☒ Receiver insert

☒ Rear surface of Bolt Lugs OK

☒ Check for "galling" on rear of Bolt Lugs OK

☒ Bolt Plug

☒ Bolt Plug Insert "ears" on firing pin assembly

☒ Check for loose or missing pins – make note and re-stake if necessary

☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18750

GUN-B-15
DATE-9-18-00
SHOOTER-SL

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1000

AMMO TYPE - REM R30064 180GR			LOT# - C07SC133L		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3	✓	53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	
12	4	✓	62	2	
13	1		63	3	✓
14	2		64	4	✓
15	3	✓	65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1	Oiled bolt	71	3	✓
22	2		72	4	✓
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3		93	1	
44	4		94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

GUN-B-15
DATE-9-18-00
SHOOTER-SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1100

AMMO TYPE - REM R30064 180GR			LOT# - C038C1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4	/	54	2	
5	1		55	3	
6	2		56	4	
7	3	/	57	1	
8	4	/	58	2	
9	1		59	3	
10	2		60	4	
11	3	/	61	1	
12	4	/	62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4	/	66	2	
17	1		67	3	
18	2		68	4	
19	3	/	69	1	
20	4	/	70	2	
21	1		71	3	
22	2		72	4	
23	3	/	73	1	
24	4	/	74	2	
25	1		75	3	
26	2		76	4	
27	3	/	77	1	
28	4	/	78	2	
29	1		79	3	
30	2		80	4	
31	3	/	81	1	
32	4	/	82	2	
33	1		83	3	
34	2		84	4	
35	3	/	85	1	
36	4	/	86	2	
37	1		87	3	
38	2	/	88	4	
39	3	/	89	1	
40	4	/	90	2	
41	1		91	3	
42	2	/	92	4	
43	3	/	93	1	
44	4	/	94	2	
45	1		95	3	
46	2		96	4	
47	3	/	97	1	
48	4	/	98	2	
49	1		99	3	
50	2		100	4	

GUN - B-15
DATE - 9-18-00
SHOOTER - Jell e

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1200

AMMO TYPE - REM R30064 180GR			LOT# - C03PC1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 15
DATE - 9-18-00
SHOOTER - B-LR

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1300

AMMO TYPE - REM R30064 180GR			LOT# - 0015C2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 15
DATE - 9-18-00
SHOOTER - BCL

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR		LOT# - C0150 2026	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

0

ET18755

GUN - 15
DATE - 9-18-00
SHOOTER - B-Ler

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR			LOT# - CD 3SC2026		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 15
DATE - 9-18-00
SHOOTER - B-LER

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR			LOT# - 0015C2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 15
DATE - 9-18-00
SHOOTER - B. LOR / SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1700

AMMO TYPE - REM R30064 180GR		LOT# - C01SC2025	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - B-15
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

AMMO TYPE - REM R30064 180GR			LOT# - 2015C2025		1806
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	✓
2	2		52	4	✓
3	3	✓	53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	
10	2		60	4	✓
11	3	✓	61	1	2015C1325
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	✓
15	3	✓	65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1		71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2	✓	96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	

GUN - B-15
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1900

AMMO TYPE - REM R30064 180GR			LOT# - C01SC1325		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	
6	2		56	4	✓
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3		61	1	C02SC2026
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1	C01SC2025	71	3	
22	2		72	4	✓
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	
26	2		76	4	✓
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	✓
31	3		81	1	
32	4	✓	82	2	
33	1		83	3	
34	2		84	4	✓
35	3		85	1	
36	4	✓	86	2	
37	1		87	3	
38	2		88	4	✓
39	3		89	1	
40	4	✓	90	2	
41	1	C02S1326	91	3	
42	2		92	4	✓
43	3		93	1	
44	4	✓	94	2	
45	1		95	3	
46	2		96	4	✓
47	3		97	1	
48	4	✓	98	2	
49	1		99	3	
50	2		100	4	✓

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-15

TLW #: TLW 0010AD

Date: 9 / 19 / 00

Inspector: Vesse

Round Level: 2000

- ☐ Measure Headspace 4.004
- ☐ Firing Pin Indent 1st. .016 2nd. .015 3rd. .016 Ave.
- ☐ Sear Engagement: .0266
- ☐ Trigger Pull: 1st. 4 2nd. 3.75 3rd. 4 Ave.
- ☐ Measure Feed Lip on Mag. Box at front: & rear:

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert Some wear
- ☒ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs Some wear
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly Some wear
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. Some wear

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18761