

CAL- 30.06 SPRG.

DAILY TEST DATA SHEET

PROJECT #241095

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	
				RDS. FIRED	TOTAL RDS.
JWI SW	9/11/00	HEADSPACE	Min +002		
JWI SW	9/11/00	PROOF, HEADSPACE	Proof Test, Min +003 + Stamp	1	1
JA/AL/JC	9-11-00	Trigger Pulls			
	9-11-00	Sear/Trigger Engagement/Sear LIFT			
	9-11-00	Indents			
MRT	9-12-00	MAGNAFLUX BOAT HEAD - NO INDICATIONS			
B Lee	9-12-00	BASIC JACK Functions Test	200 Rds per Gun 5 Ammo types	200	201
Jesse	9-13-00	BASIC Shoulder Function Test		50	251
SCOTT	9-13-00	CLEANED			
Jesse	9-14-00	Accuracy		60	311
Jesse	9-17-00	Endurance	1000 rds	1000	1311
Bob	9-17-00	Cleaned/Inspected			
Bob	9-18-00	Endurance	Rd Level 1750	740	2051
JA/SW	9-19-00	Endurance	2000 Rd Level 1	260	2311
Jesse	9-19-00	Cleaned/Inspected			

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

Forms

ET18762

Sheet

1.

GUN : # B - 16

DATE : 9-15-00

SHOOTER : J. J. E

710 DAT FUNCTION
ENDURANCE TESTTracking #: TLW 0010AC
PROJECT # 241095ROUNDS BEFORE 8

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT # 105AC 7513

MALFUNCTIONS

MALFUNCTIONS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
5051
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REM SP CORE-LOKT 220 GR 27830

LOT # 230AC 971

REM NOSLER BAL TIP 165 GR 29178

LOT # 787BA0713

FED SP 180 GR 3006B

LOT # 410810K003

REM MC (UMC) 150 GR 23699

LOT # COM YAS713

Strength 3 Mag Box

Remington Arms Confidential

1 Str. Mag. Box

ROUNDS AFTER 100

ET18763

Sheet 2
GUN: # B-16
DATE: 9-15-00
SHOOTER: Jeff R

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	4146782074
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	LOT # 3PL20
13		63	STRAIGHTEN MAG BOX
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	LOT # 410452321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	LOT # M261
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	LOT # 862A70	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 200

ET18764

GUN : # B-16
DATE : 9-18-00
SHOOTER : *Fell*

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>LOS AC 7513</u>	
1	MALFUNCTIONS	51	MALFUNCTIONS
2	<i>Straighten mag box</i>	52	
3		53	
4		54	
5		55	<i>Fail To Eject</i>
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	<i>5278A0714</i>
13		63	<i>Straighten mag box</i>
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22	<i>LOT # B30NC9714</i>	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	<i>710210R008</i>
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42	<i>LOT # 615WB9613</i>	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

*2 Str. Box
1 KTE*

ROUNDS AFTER 300

ET18765

Sheet 2
GUN: # B-16
DATE: 9-18-00
SHOOTER: JWC

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	4146782074
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	LOT # 3 PL 80
13		63	STRAIGHTEN ANG 807
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	LOT # 4104572321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	LOT # MDO1
33		83	
34		84	
35		85	
36		86	83 STEAM LOW
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	9LA70 67	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	STEAM LOW

Remington Arms Confidential

1 Str. Box
2 SL

ROUNDS AFTER 400

ET18766

1. GUN : # B-16
DATE : 9-16-00
SHOOTER : Jec

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>103201514</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL TIP 165 GR 29178
12		62	LOT # <u>3279A0714</u>
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22	LOT # <u>A1045426</u>	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	<u>410210X003</u>
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42	LOT # <u>617409614</u>	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
3 FTE

ROUNDS AFTER 500

ET18767

Sheet 2
GUN: # B-16
DATE: 9-16-00
SHOOTER: Dave

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	4146782074	
MALFUNCTIONS		MALFUNCTIONS		
1	STRAIGHTEN MAG BOX	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62	LOT # 81280	
13		63	STRAIGHTEN MAG BOX	
14		64		83
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22	LOT # 4104572321	72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82	LOT # 8001	
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42	LOT # 862A20	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

2 Str. Box

ROUNDS AFTER 600

ET18768

Sheet
1.

GUN : # B - 16
DATE : 9-16-00
SHOOTER : JESS R

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	AMMO REM PT SP CORE-LOKT 180 GR 27828	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4	FTE	54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	REM NOSLER BAL. TIP 165 GR 29178	
12		62	STRAIGHT MAG 307	
13		63		
14		64		
15		65		
16		66		
17	FTE	67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22	LOT # D30NC5517	72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	FED SP 180 GR 3006B	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42	LOT # L15WB 9613	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

1 Str. Box
a FTE

ROUNDS AFTER 700

ET18769

Sheet 2
GUN: # B-16
DATE: 9-12-00
SHOOTER: Jess

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 700

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	4146782074
MALFUNCTIONS		MALFUNCTIONS	
1	<i>straight - mag box</i>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	<i>38680</i>
13		63	<i>CONFIDENTIAL</i>
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	<i>lot # 4104572321</i>	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	<i>m001</i>
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT.+ 180 GR SHV30064	91	
42	<i>A42A70</i>	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 str. box

ROUNDS AFTER 800

ET18770

Sheet
1.

GUN : # B - 16
DATE : 9 - 17 - 00
SHOOTER : Jell

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	605 NC 7513	
MALFUNCTIONS		MALFUNCTIONS		
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	REM NOSLER BAL TIP 165 GR 29178	
12		62	JL 78 81914	
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22	LOT # 090 NC 5513	72		
23		73		
24		74		
25		75		
26		76	FTE	
27		77		
28		78		
29		79		
30		80		
31		81	FED SP 180 GR 3006B	
32		82	410510 X005	
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42	LOT # 415 W 89618	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

1st. Box
& FTE

ROUNDS AFTER 900

ET18771

Sheet 2
GUN: # B-16
DATE: 9-17-00
SHOOTER: JAL

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT # 416782074	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62	3PL80
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	FED BT SP 150 GR P3006G	71	
22	410452321	72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	WIN FAIL SAFE 150 GR S3006XB
32		82	MOI
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	WIN POWER PT. + 180 GR SHV30064	91	
42	WBA70	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
RSL

ROUNDS AFTER 1000

ET18772

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-16

TLW #: TLW 0010AD

Date: 09 / 12 / 00

Inspector: Bob Lee

Round Level: 1000

- ☒ Measure Headspace Min +.002
- ☒ Firing Pin Indent 1st 015 2nd 018 3rd 017 Ave. 83
- ☒ Sear Engagement: .0249
- ☒ Trigger Pull: 1st 5.0 2nd 5.5 3rd 5.75 Ave. 83
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert
- ☒ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18773

GUN - B-16
DATE - 9-18-00
SHOOTER - SW

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1000

AMMO TYPE - REM R30064 180GR			LOT# - C03SC1726		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	
6	2		56	4	✓
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	
12	4	✓	62	2	
13	1		63	3	✓
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1	Oiled Bolt	71	3	✓
22	2		72	4	✓
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	
26	2		76	4	✓
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	✓
31	3		81	1	
32	4	✓	82	2	
33	1		83	3	
34	2		84	4	✓
35	3		85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3		89	1	
40	4	✓	90	2	
41	1		91	3	
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

GUN - B-16
DATE - 9-18-00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1100

AMMO TYPE - REM R30064 180GR		LOT# - C03SC1326	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 8-16
DATE - 9-18-00
SHOOTER - Jefe

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1200

AMMO TYPE - REM R30064 180GR			LOT# - C03SC1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

ET18776

GUN - 110
DATE - 9-18-00
SHOOTER - B. L. L. E.

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1300

AMMO TYPE - REM R30064 180GR			LOT# - 001 SC 2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 16
DATE - 7-18-00
SHOOTER - B-LRL

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1400

AMMO TYPE - REM R30064 180GR			LOT# - Cal SC 2626		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	Lubed Bolt
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

GUN - 16
DATE - 9-18-00
SHOOTER - Bler

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR		LOT# - 203 SC 20 26	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

ET18779

GUN - 16
DATE - 9-18-03
SHOOTER - B Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR		LOT# - C01SC0005	
MALFUNCTIONS		MALFUNCTIONS	
1	1	51	3
2	2	52	4
3	3	53	1
4	4	54	2
5	1	55	3
6	2	56	4
7	3	57	1
8	4	58	2
9	1	59	3
10	2	60	4
11	3	61	1
12	4	62	2
13	1	63	3
14	2	64	4
15	3	65	1
16	4	66	2
17	1	67	3
18	2	68	4
19	3	69	1
20	4	70	2
21	1	71	3
22	2	72	4
23	3	73	1
24	4	74	2
25	1	75	3
26	2	76	4
27	3	77	1
28	4	78	2
29	1	79	3
30	2	80	4
31	3	81	1
32	4	82	2
33	1	83	3
34	2	84	4
35	3	85	1
36	4	86	2
37	1	87	3
38	2	88	4
39	3	89	1
40	4	90	2
41	1	91	3
42	2	92	4
43	3	93	1
44	4	94	2
45	1	95	3
46	2	96	4
47	3	97	1
48	4	98	2
49	1	99	3
50	2	100	4

GUN - 16
DATE - 9-18-00
SHOOTER - B Lee / SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1700

AMMO TYPE - REM R30064 180GR			LOT# - C015028025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	✓
7	3		57	1	
8	4		58	2	Fail To eject
9	1		59	3	
10	2		60	4	✓
11	3		61	1	Oiled Bolt
12	4		62	2	
13	1		63	3	
14	2		64	4	✓
15	3		65	1	
16	4		66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	✓
23	3		73	1	
24	4		74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3		77	1	
28	4		78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3		81	1	
32	4		82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3		85	1	
36	4	Fail To Eject	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3		89	1	
40	4		90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3		93	1	
44	4		94	2	✓
45	1		95	3	✓
46	2		96	4	✓
47	3		97	1	
48	4		98	2	
49	1	Fail To eject	99	3	✓
50	2		100	4	

3 FTE

GUN - B-16
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1800

AMMO TYPE - REM R30064 180GR			LOT# - C01SC2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	✓
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	C01SC1325
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	✓
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3		69	1	
20	4	✓	70	2	
21	1		71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	
28	4	✓	78	2	
29	1		79	3	✓
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1		91	3	✓
42	2		92	4	✓
43	3	✓	93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

GUN - B-16
DATE - 9/19/00
SHOOTER - SN

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1900

AMMO TYPE - REM R30064 180GR			LOT# - C01SC1325		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3	✓	57	1	
8	4	✓	58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3	✓	61	1	C03SC2026
12	4	✓	62	2	
13	1		63	3	Fail To Eject
14	2		64	4	✓
15	3	✓	65	1	
16	4	✓	66	2	
17	1		67	3	✓
18	2		68	4	✓
19	3	✓	69	1	
20	4	✓	70	2	
21	1	C01SC2025	71	3	✓
22	2		72	4	✓
23	3	✓	73	1	
24	4	✓	74	2	
25	1		75	3	✓
26	2		76	4	✓
27	3	✓	77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	✓
31	3	✓	81	1	
32	4	✓	82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3	✓	85	1	
36	4	✓	86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3	✓	89	1	
40	4	✓	90	2	
41	1	C03SC1326	91	3	✓
42	2		92	4	✓
43	3		93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

1 FTE

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-16

TLW #: TLW 0010AD

Date: 9 / 18 / 00

Inspector: vesi c

Round Level: 2000

- ☐ Measure Headspace + .003
- ☐ Firing Pin Indent 1st .018 2nd .017 3rd .017 Ave.
- ☐ Sear Engagement: .0259
- ☐ Trigger Pull: 1st 4.5 2nd 4.5 3rd 4.5 Ave.
- ☐ Measure Feed Lip on Mag. Box at front: & rear:

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert *Some wear*
- ☒ Rear surface of Bolt Lugs *Some wear*
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert ("ears" on firing pin assembly *Some wear*)
- ☐ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. *Some wear*

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18784