

TRACKING #TLW0010
PROJECT #241095

Forms

Sheet
1.

GUN: # B-17
DATE: 9-13-00
SHOOTER: Jell

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 8

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT # LOS 207513

MALFUNCTIONS

MALFUNCTIONS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REM SP CORE-LOKT 220 GR 27830

REM NOSLER BAL TIP 165 GR 29178

FED SP 180 GR 3006B

REM MC (UMC) 150 GR 23699

Remington Arms Confidential

ROUNDS AFTER 100

ET18786

Confidential - Subject to Protective Order
Williams v. Remington

Sheet
2
GUN : # B -17
DATE : 9-15-00
SHOOTER : Jess e

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	<i>Straighten mag box</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
11		61	<i>83</i>	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80	WIN FAIL SAFE 150 GR S3006XB	
31	<i>CONFIDENTIAL</i>	81		
32				
33				
34				
35				
36				
37				
38				
39				
40				
41	WIN POWER PT.+ 180 GR SHV30064	91	<i>83</i>	
42	<i>Straighten mag box</i>	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

3 Str. Box

ROUNDS AFTER 200

ET18787

GUN : # B - 17

DATE : 9 - 18 - 00

SHOOTER : *jeis*710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC

PROJECT # 241095

ROUNDS BEFORE 260

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #		
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		REM NOSLER BAL. TIP 165 GR 29178
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		FED SP 180 GR 3006B
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42	<i>Strength may box</i>	92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 300

ET18788

Sheet 2
GUN : # B-17
DATE : 9-16-00
SHOOTER JAL

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	<i>STRAIGHTS MAG BOX</i>	51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10			60	
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP. 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

157r. Box

ROUNDS AFTER 400

ET18789

1. GUN : # B - 17
 DATE : 9-16-00
 SHOOTER : Jone

710 DAT FUNCTION
 ENDURANCE TEST

Tracking #: TLW 0010AC
 PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	
1	MALFUNCTIONS	51	MALFUNCTIONS
2	<i>STraight mag box</i>	52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 500

ET18790

Sheet 2
GUN : # B - 17
DATE : 9-16-00
SHOOTER : Test 2

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 500

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	MALFUNCTIONS	
1	<i>Straight Ten Mag Box</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60	WIN BALLISTIC SILVER TIP 168 GR SBST3006A <i>Straight Ten Mag Box</i>	
11				
12				
13				
14				
15				
16				
17				
18				
19		69	83	
20				
21	FED BT SP 150 GR P3006G	70		
22				
23				
24				
25				
26				
27				
28				
29				
30		80	WIN FAIL SAFE 150 GR S3006XB	
31				
32				
33				
34				
35				
36				
37				
38				
39		89		
40				
41	WIN POWER PT.+ 180 GR SHV30064	90		
42				
43				
44				
45				
46				
47				
48				
49				
50		100		

Remington Arms Confidential

ROUNDS AFTER 600

ET18791

Sheet

1. GUN : # B - 17
DATE : 9-16-00
SHOOTER : J. H. C.

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	AMMO REM PT SP CORE-LOKT 180 GR 27828	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		REM NOSLER BAL. TIP 165 GR 29178
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22	STRO. 7570 - No. 304	72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		FED SP 180 GR 3006B
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 200

ET18792

Sheet
2

GUN : # B-17
DATE : 9-17-00
SHOOTER : Jall e

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 700

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #		
MALFUNCTIONS			MALFUNCTIONS	
1	<i>Straight - mag box</i>	51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47	<i>IFTE</i>	97		
48		98		
49		99		
50		100		

Remington Arms Confidential

*1 Str. Box
IFTE*

ROUNDS AFTER 900

ET18793

Sheet #

1.

GUN : # B -17

DATE : 9-17-00

SHOOTER : JWC

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC

PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828

LOT #

MALFUNCTIONS

MALFUNCTIONS

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
5051
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Straighten mag Box

P.T.E.

REM NOSLER BAL. TIP 165 GR 29178

REM SP CORE-LOKT 220 GR 27830

FED SP 180 GR 3006B

REM MC (UMC) 150 GR 23699

Remington Arms Confidential

1 Str. Box
1 FTEROUNDS AFTER 900

ET18794

Sheet 2
GUN : # B - 17
DATE : 9-17-00
SHOOTER : JAG

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	STRAIGHTON MAG BOX	51	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	83
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11	61	WIN FAIL SAFE 150 GR S3006XB		
12	62			
13	63			
14	64			
15	65			
16	66			
17	67			
18	68			
19	69			
20	70			
21	71	WIN POWER PT.+ 180 GR SHV30064		
22	72			
23	73			
24	74			
25	75			
26	76			
27	77			
28	78			
29	79			
30	80			
31	81			
32	82			
33	83			
34	84			
35	85			
36	86			
37	87			
38	88			
39	89			
40	90			
41	91			
42	92			
43	93			
44	94			
45	95			
46	96			
47	97			
48	98			
49	99			
50	100			

Remington Arms Confidential 1 Str. Box

ROUNDS AFTER 1000

ET18795

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-17

TLW #: TLW 0010AD

Date: 09 / 17 / 00

Inspector: Bob Lee

Round Level: 1000

- ☒ Measure Headspace + .003.
- ☒ Firing Pin Indent 1st. 014 2nd. 0145 3rd. 011 Ave. 83
- ☒ Sear Engagement: 0262.
- ☒ Trigger Pull: 1st. 5.0 2nd. 5.0 3rd. 4.75 Ave. 83
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert
- ☐ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18796

GUN - Q-17
DATE - 9-18-00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

AMMO TYPE - REM R30064 180GR			LOT# - C075C1326			1000
MALFUNCTIONS			MALFUNCTIONS			
1	1		51	3	✓	
2	2		52	4	✓	
3	3		53	1		Stem High
4	4	✓	54	2		
5	1		55	3	✓	
6	2		56	4	✓	
7	3	✓	57	1		
8	4	✓	58	2		
9	1		59	3	✓	
10	2		60	4	✓	
11	3		61	1		
12	4	✓	62	2		
13	1		63	3	✓	
14	2		64	4	✓	
15	3	✓	65	1		
16	4	✓	66	2		
17	1		67	3		
18	2		68	4	✓	
19	3	✓	69	1		
20	4	✓	70	2		
21	1	Oiled bolt	71	3	✓	
22	2		72	4	✓	
23	3		73	1		
24	4	✓	74	2		
25	1		75	3	✓	
26	2		76	4	✓	
27	3		77	1		
28	4	✓	78	2		
29	1		79	3	✓	
30	2		80	4	✓	
31	3	✓	81	1		
32	4	✓	82	2		
33	1		83	3	✓	
34	2		84	4	✓	
35	3		85	1		
36	4	✓	86	2		
37	1		87	3		
38	2		88	4		
39	3	✓	89	1		
40	4	✓	90	2		
41	1		91	3	✓	
42	2		92	4	✓	
43	3	✓	93	1		
44	4	✓	94	2		
45	1		95	3		
46	2		96	4	✓	
47	3	✓	97	1		
48	4	✓	98	2		
49	1		99	3	✓	
50	2		100	4	✓	

1 S High

GUN - B-17
DATE - 9-18-00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

AMMO TYPE - REM R30064 180GR			LOT# - C035C1326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4	✓	54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4	✓	58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4	✓	62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4	✓	66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4	✓	70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4	✓	74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4	✓	78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4	✓	82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4	✓	86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4	✓	90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4	✓	94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4	✓	98	2	
49	1		99	3	
50	2		100	4	

0

GUN - B-17
DATE - 9-18-00
SHOOTER - Jesse

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1200

AMMO TYPE - REM R30064 180GR			LOT# - C03501326		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

0

GUN - 17
DATE - 9-18-00
SHOOTER - B.Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1300

AMMO TYPE - REM R30064 180GR			LOT# - 01503025		
MALFUNCTIONS			MALFUNCTIONS		
1	1	51	3		
2	2	52	4		
3	3	53	1		
4	4	54	2		
5	1	55	3		
6	2	56	4		
7	3	57	1		
8	4	58	2		
9	1	59	3		
10	2	60	4		
11	3	61	1		
12	4	62	2		
13	1	63	3		
14	2	64	4		
15	3	65	1		
16	4	66	2		
17	1	67	3		
18	2	68	4		
19	3	69	1		
20	4	70	2		
21	1	71	3		
22	2	72	4		
23	3	73	1		
24	4	74	2		
25	1	75	3		
26	2	76	4		
27	3	77	1		
28	4	78	2		
29	1	79	3		
30	2	80	4		
31	3	81	1		
32	4	82	2		
33	1	83	3		
34	2	84	4		
35	3	85	1		
36	4	86	2		
37	1	87	3		
38	2	88	4		
39	3	89	1		
40	4	90	2		
41	1	91	3		
42	2	92	4		
43	3	93	1		
44	4	94	2		
45	1	95	3		
46	2	96	4		
47	3	97	1		
48	4	98	2		
49	1	99	3		
50	2	100	4		

1 SL

GUN - 17
DATE - 9-18-02
SHOOTER - B. LEE

M710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1400

AMMO TYPE - REM R30064 180GR			LOT# - 061502026		
MALFUNCTIONS			MALFUNCTIONS		
1	1	51	3		
2	2	52	4		
3	3	53	1		
4	4	54	2		
5	1	55	3		
6	2	56	4		
7	3	57	1		
8	4	58	2		
9	1	59	3		
10	2	60	4		
11	3	61	1		
12	4	62	2		
13	1	63	3		
14	2	64	4		
15	3	65	1		
16	4	66	2		
17	1	67	3		
18	2	68	4		
19	3	69	1		
20	4	70	2		
21	1	71	3		
22	2	72	4		
23	3	73	1		
24	4	74	2		
25	1	75	3		
26	2	76	4		
27	3	77	1		
28	4	78	2		
29	1	79	3		
30	2	80	4		
31	3	81	1		
32	4	82	2		
33	1	83	3		
34	2	84	4		
35	3	85	1		
36	4	86	2		
37	1	87	3		
38	2	88	4		
39	3	89	1		
40	4	90	2		
41	1	91	3		
42	2	92	4		
43	3	93	1		
44	4	94	2		
45	1	95	3		
46	2	96	4		
47	3	97	1		
48	4	98	2		
49	1	99	3		
50	2	100	4		

0

ET18801

GUN - 17
DATE - 9-18-00
SHOOTER - B.L.R.

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1500

AMMO TYPE - REM R30064 180GR		LOT# - 003 SC 2026	
MALFUNCTIONS		MALFUNCTIONS	
1 1	51 3		
2 2	52 4		
3 3	53 1		
4 4	54 2		
5 1	55 3		
6 2	56 4		
7 3	57 1		
8 4	58 2		
9 1	59 3		
10 2	60 4		
11 3	61 1		
12 4	62 2		
13 1	63 3		
14 2	64 4		
15 3	65 1		
16 4	66 2		
17 1	67 3		
18 2	68 4		
19 3	69 1		
20 4	70 2		
21 1	71 3		
22 2	72 4		
23 3	73 1		
24 4	74 2		
25 1	75 3		
26 2	76 4		
27 3	77 1		
28 4	78 2		
29 1	79 3		
30 2	80 4		
31 3	81 1		
32 4	82 2		
33 1	83 3		
34 2	84 4		
35 3	85 1		
36 4	86 2		
37 1	87 3		
38 2	88 4		
39 3	89 1		
40 4	90 2		
41 1	91 3		
42 2	92 4		
43 3	93 1		
44 4	94 2		
45 1	95 3		
46 2	96 4		
47 3	97 1		
48 4	98 2		
49 1	99 3		
50 2	100 4		

0

ET18802

GUN - 17
DATE - 9-8-00
SHOOTER - B-Lee

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1600

AMMO TYPE - REM R30064 180GR			LOT# - C01SC2025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	
3	3		53	1	
4	4		54	2	
5	1		55	3	
6	2		56	4	
7	3		57	1	
8	4		58	2	
9	1		59	3	
10	2		60	4	
11	3		61	1	
12	4		62	2	
13	1		63	3	
14	2		64	4	
15	3		65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	
31	3		81	1	
32	4		82	2	
33	1		83	3	
34	2		84	4	
35	3		85	1	
36	4		86	2	
37	1		87	3	
38	2		88	4	
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	
43	3		93	1	
44	4		94	2	
45	1		95	3	
46	2		96	4	
47	3		97	1	
48	4		98	2	
49	1		99	3	
50	2		100	4	

0

ET18803

GUN - 17
DATE - 9-18-00
SHOOTER - B. Lee / SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1700

AMMO TYPE - REM R30064 180GR			LOT# - 001 SC 0025		
MALFUNCTIONS			MALFUNCTIONS		
1	1		51	3	
2	2		52	4	✓
3	3		53	1	
4	4		54	2	
5	1		55	3	✓
6	2		56	4	✓
7	3		57	1	
8	4		58	2	
9	1		59	3	✓
10	2		60	4	✓
11	3		61	1	Oiled Bolt
12	4		62	2	
13	1		63	3	
14	2		64	4	✓
15	3	Fail to Eject	65	1	
16	4		66	2	
17	1		67	3	
18	2		68	4	✓
19	3		69	1	
20	4		70	2	
21	1		71	3	
22	2		72	4	✓
23	3		73	1	
24	4		74	2	
25	1		75	3	
26	2		76	4	✓
27	3		77	1	
28	4		78	2	
29	1		79	3	
30	2		80	4	✓
31	3		81	1	
32	4		82	2	
33	1		83	3	✓
34	2		84	4	✓
35	3		85	1	
36	4		86	2	
37	1		87	3	✓
38	2		88	4	✓
39	3		89	1	
40	4		90	2	
41	1		91	3	
42	2		92	4	✓
43	3		93	1	
44	4	✓	94	2	
45	1		95	3	✓
46	2		96	4	✓
47	3	✓	97	1	
48	4	✓	98	2	
49	1		99	3	✓
50	2		100	4	✓

1 FTE

GUN - B-17
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

1800

AMMO TYPE - REM R30064 180GR				LOT# - C015C2025			
MALFUNCTIONS				MALFUNCTIONS			
1	1		51	3			
2	2		52	4	✓		
3	3		53	1			
4	4	✓	54	2			
5	1		55	3	✓		
6	2		56	4	✓		
7	3	✓	57	1			
8	4	✓	58	2			
9	1		59	3	✓		
10	2		60	4	✓		
11	3	✓	61	1	C015C1325		
12	4	✓	62	2			
13	1		63	3	✓		
14	2		64	4	✓		
15	3	✓	65	1			
16	4	✓	66	2			
17	1		67	3	✓		
18	2		68	4	✓		
19	3	✓	69	1			
20	4	✓	70	2			
21	1		71	3	✓		
22	2		72	4	✓		
23	3	✓	73	1			
24	4	✓	74	2			
25	1		75	3	✓		
26	2		76	4	✓		
27	3	✓	77	1			
28	4	✓	78	2			
29	1		79	3	✓		
30	2		80	4	✓		
31	3	✓	81	1			
32	4	✓	82	2			
33	1		83	3	✓		
34	2		84	4	✓		
35	3	✓	85	1			
36	4	✓	86	2			
37	1		87	3	✓		
38	2		88	4	✓		
39	3	✓	89	1			
40	4	✓	90	2			
41	1	C015C1325	91	3	✓		
42	2		92	4	✓		
43	3	✓	93	1			
44	4	✓	94	2			
45	1		95	3	✓		
46	2		96	4	✓		
47	3	✓	97	1			
48	4	✓	98	2			
49	1		99	3	✓		
50	2		100	4	✓		

GUN - B-17
DATE - 9/19/00
SHOOTER - SW

M/710 FUNCTION
AND ENDURANCE

PROJECT# 241095
TLW 0010AC

AMMO TYPE - REM R30064 180GR				LOT# - C0151325			
MALFUNCTIONS				MALFUNCTIONS			
1	1		51	3	✓		
2	2		52	4	✓		
3	3		53	1			
4	4	✓	54	2			
5	1		55	3	✓		
6	2		56	4	✓		
7	3	✓	57	1			
8	4	✓	58	2			
9	1		59	3	✓		
10	2		60	4	✓		
11	3		61	1	C035C2026		
12	4	✓	62	2			
13	1		63	3			
14	2		64	4	✓		
15	3	✓	65	1			
16	4	✓	66	2			
17	1		67	3	✓		
18	2		68	4	✓		
19	3	✓	69	1			
20	4	✓	70	2			
21	1	C015C2025	71	3	✓		
22	2		72	4	✓		
23	3	✓	73	1			
24	4	✓	74	2			
25	1		75	3	✓		
26	2		76	4	✓		
27	3	✓	77	1	stem Low		
28	4	✓	78	2			
29	1		79	3			
30	2		80	4	✓		
31	3	✓	81	1			
32	4	✓	82	2			
33	1		83	3	✓		
34	2		84	4	✓		
35	3	✓	85	1			
36	4	✓	86	2			
37	1		87	3	✓		
38	2		88	4	✓		
39	3	✓	89	1			
40	4	✓	90	2			
41	1	C035C1326	91	3	✓		
42	2		92	4	✓		
43	3	✓	93	1			
44	4	✓	94	2			
45	1		95	3	✓		
46	2		96	4	✓		
47	3	✓	97	1			
48	4	✓	98	2			
49	1		99	3	✓		
50	2		100	4	✓		

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-17

TLW #: TLW 0010AD

Date: 9 119 100

Inspector: Tall e

Round Level: 2000

- ☐ Measure Headspace + .004.
- ☐ Firing Pin Indent 1st. .015 2nd. .014 3rd. .015 Ave.
- ☐ Sear Engagement: .0262.
- ☐ Trigger Pull: 1st. 4.29 2nd. 4 3rd. 4.5 Ave.
- ☐ Measure Feed Lip on Mag. Box at front: & rear: .

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert some wear
- ☒ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs some
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly some wear
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage. some wear

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18807