

TRACKING #TLW0010
PROJECT #241095

Forms

Confidential - Subject to Protective Order
Williams v. Remington

Sheet
1.

GUN : # B - 18

DATE : 9 - 12 - 00

SHOOTER : J. J. S. C.

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE Q

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT # <u>LOSAC 7513</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34	Mag Box Came Apart	84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 100

ET18809

Sheet
2

GUN : # B-18
DATE : 9-15-00
SHOOTER : Jell

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 100

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22	<i>Straight mag box</i>	72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		WIN FAIL SAFE 150 GR S3006XB
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 200

ET18810

GUN : # B - 16
DATE : 9 - 12 00
SHOOTER : JWC

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	
1	MALFUNCTIONS	51	MALFUNCTIONS
2	<i>straight mag box</i>	52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34		84	
35		85	
36		86	
37	<i>stem low</i>	87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42	<i>straight mag box</i>	92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

*2 str. box
15L*

ROUNDS AFTER 300

ET18811

Sheet
2
GUN : # B - 18
DATE : 9-16-00
SHOOTER : JMC

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 300

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO	
MALFUNCTIONS			MALFUNCTIONS	
1	Straighten mag box	51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	WIN BALLISTIC SILVER TIP 168 GR SBST3006A	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	WIN FAIL SAFE 150 GR S3006XB	
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT.+ 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 400

ET18812

Sheet
1.

GUN : # B-18
DATE : 9-16-00
SHOOTER : Jone

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	AMMO REM PT SP CORE-LOKT 180 GR 27828	
MALFUNCTIONS			MALFUNCTIONS	
1	Straighten mag box	51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61	REM NOSLER BAL. TIP 165 GR 29178	
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	REM SP CORE-LOKT 220 GR 27830	71		
22		72		
23		73		
24	Stem low	74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81	FED SP 180 GR 3006B	
32		82		
33		83		
34	Stem low	84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	REM MC (UMC) 150 GR 23699	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

1 st. box
2 SL

ROUNDS AFTER 500

ET18813

Sheet
2
GUN: # B-18
DATE: 9-16-00
SHOOTER: *faller*

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE *500*

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	MALFUNCTIONS	
1	<i>STraight mag Def</i>	51		
2				
3				
4				
5				
6				
7				
8				
9				
10		60		
11	WIN BALLISTIC SILVER TIP 168 GR SBST3006A			
12	62	<i>CONFIDENTIAL</i>		
13	63			
14	64			
15	65			
16	66			
17	67			
18	68			
19	69			
20	70			
21	FED BT SP 150 GR P3006G			
22	71			
23	72			
24	73			
25	74			
26	75			
27	76			
28	77			
29	78			
30	79			
31	80			
32	WIN FAIL SAFE 150 GR S3006XB			
33	81			
34	82			
35	83			
36	84			
37	85			
38	86			
39	87			
40	88			
41	89			
42	90			
43	WIN POWER PT.+ 180 GR SHV30064			
44	91			
45	92			
46	93			
47	94			
48	95			
49	96			
50	97			
	98			
	99			
	100			

Remington Arms Confidential

2 str. Box

ROUNDS AFTER *600*

ET18814

GUN : # B-18
DATE : 9-16-00
SHOOTER : J. M. R.

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	REM NOSLER BAL. TIP 165 GR 29178
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21	REM SP CORE-LOKT 220 GR 27830	71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	FED SP 180 GR 3006B
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41	REM MC (UMC) 150 GR 23699	91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

1 Str. Box
1 SL

ROUNDS AFTER 700

ET18815

Sheet
2

GUN : # B-18
DATE : 9-12-00
SHOOTER JWC

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 700

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #	AMMO WIN POWER PT. + 180 GR SHV30064	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		WIN BALLISTIC SILVER TIP 168 GR SBST3006A
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21	FED BT SP 150 GR P3006G	71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		WIN FAIL SAFE 150 GR S3006XB
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41	WIN POWER PT. + 180 GR SHV30064	91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

1st. Box

ROUNDS AFTER 700

ET18816

GUN : # B - 18
DATE : 9 - 12 - 00
SHOOTER : J. H. C.

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REM PT SP CORE-LOKT 180 GR 27828		LOT #
1	MALFUNCTIONS	51
2	574.9470 - 100 X	52
3		53
4		54
5		55
6		56
7		57
8		58
9		59
10		60
11		61
12		62
13		63
14		64
15		65
16		66
17		67
18		68
19		69
20		70
21	REM SP CORE-LOKT 220 GR 27830	71
22		72
23		73
24		74
25		75
26		76
27		77
28		78
29		79
30		80
31		81
32		82
33		83
34		84
35		85
36		86
37		87
38		88
39		89
40		90
41	REM MC (UMC) 150 GR 23699	91
42		92
43		93
44		94
45		95
46		96
47		97
48		98
49		99
50		100

Remington Arms Confidential

ROUNDS AFTER 900

ET18817

Sheet 2
GUN : # B - 18
DATE : 9 - 12 00
SHOOTER : Test 2

710 DAT FUNCTION
ENDURANCE TEST

Tracking #: TLW 0010AC
PROJECT # 241095

ROUNDS BEFORE 900

AMMO FED NOSLER BA. TIP 165 GR P3006Q		LOT #
1	MALFUNCTIONS	51
2	STRIKES ANY BOX	52
3		53
4		54
5		55
6		56
7		57
8		58
9		59
10		60
11		61
12		62
13		63
14		64
15		65
16		66
17		67
18		68
19		69
20		70
21	FED BT SP 150 GR P3006G	71
22		72
23		73
24		74
25		75
26		76
27		77
28		78
29		79
30		80
31		81
32		82
33		83
34		84
35		85
36		86
37		87
38		88
39		89
40		90
41	WIN POWER PT. + 180 GR SHV30064	91
42		92
43		93
44		94
45		95
46		96
47		97
48		98
49		99
50		100

Remington Arms Confidential

ROUNDS AFTER 1000

ET18818

Clean & Inspect Checklist

Model: 710

Project: 241095

Rifle: B-18

TLW #: TLW 0010AD

Date: 9 1 18 1 00

Inspector: Jesse

Round Level: 1000

- ☒ Measure Headspace 7.005
- ☒ Firing Pin Indent 1st. .018 2nd. .016 3rd. .016 Ave. 83
- ☒ Sear Engagement: .025
- ☒ Trigger Pull: 1st. 4.5 2nd. 4.5 3rd. 4.5 Ave. 83
- ☐ Measure Feed Lip on Mag. Box at front: _____ & rear: _____

Check the following areas for signs of unusual wear or breakage:

- ☒ Receiver insert
- ☒ Rear surface of Bolt Lugs
- ☒ Check for "galling" on rear of Bolt Lugs
- ☒ Bolt Plug
- ☒ Bolt Plug Insert "ears" on firing pin assembly
- ☒ Check for loose or missing pins – make note and re-stake if necessary
- ☒ Check plastic inserts for cracks or other damage.

Take digital photographs, if appropriate, to record unusual wear, damage or other note-worthy observations. List the digital file name for reference along with any comments below.

ET18819