

```
MTB > Table 'GUN' 'GROUP' 'SAFETY P' 'BOLT P';
SUBC> Means 'FORCE';
SUBC> Minimums 'FORCE';
SUBC> Maximums 'FORCE'.
```

Tabulated Statistics

```
CONTROL: SAFETY P = 1
CONTROL: BOLT P = 1
ROWS: GUN COLUMNS: GROUP
```

	1	2	ALL
16	1.8840	--	1.8840
	1.6900	--	1.6900
	2.0500	--	2.0500
17	2.0850	--	2.0850
	1.9850	--	1.9850
	2.2100	--	2.2100
18	1.8355	--	1.8355
	1.7100	--	1.7100
	1.9450	--	1.9450
19	2.0320	--	2.0320
	1.9350	--	1.9350
	2.1050	--	2.1050
20	1.9345	--	1.9345
	1.8450	--	1.8450
	2.0350	--	2.0350
21	--	3.0115	3.0115
	--	2.8800	2.8800
	--	3.0850	3.0850
22	--	3.1095	3.1095
	--	3.0100	3.0100
	--	3.1850	3.1850
23	--	3.2055	3.2055
	--	3.0900	3.0900
	--	3.3800	3.3800
24	--	3.1440	3.1440
	--	3.1100	3.1100
	--	3.1900	3.1900
25	--	3.1350	3.1350
	--	3.0950	3.0950

83

124787A

ET27657

	--	3.1900	3.1900
ALL	1.9542	3.1211	2.5377
	1.6900	2.8800	1.6900
	2.2100	3.3800	3.3800

CONTROL: SAFETY P = 1
CONTROL: BOLT P = 2
ROWS: GUN COLUMNS: GROUP

	1	2	ALL
16	1.7615	--	1.7615
	1.6850	--	1.6850
	1.9100	--	1.9100
17	2.0780	--	2.0780
	2.0150	--	2.0150
	2.1650	--	2.1650
18	1.8710	--	1.8710
	1.7250	--	1.7250
	2.0150	--	2.0150
19	1.9360	--	1.9360
	1.8400	--	1.8400
	2.0850	--	2.0850
20	1.9365	--	1.9365
	1.8500	--	1.8500
	2.0650	--	2.0650
21	--	2.9200	2.9200
	--	2.7950	2.7950
	--	3.0300	3.0300
22	--	3.0610	3.0610
	--	2.9900	2.9900
	--	3.1100	3.1100
23	--	3.1795	3.1795
	--	3.1050	3.1050
	--	3.2650	3.2650
24	--	3.1910	3.1910
	--	3.0450	3.0450
	--	3.2600	3.2600
25	--	3.1900	3.1900
	--	3.1350	3.1350
	--	3.2950	3.2950
ALL	1.9166	3.1083	2.5124
	1.6850	2.7950	1.6850
	2.1650	3.2950	3.2950

ET27658

CONTROL: SAFETY P = 2
 CONTROL: BOLT P = 1
 ROWS: GUN COLUMNS: GROUP

	1	2	ALL
16	1.9390	--	1.9390
	1.8850	--	1.8850
	1.9950	--	1.9950
17	2.1835	--	2.1835
	2.1400	--	2.1400
	2.2300	--	2.2300
18	2.0495	--	2.0495
	2.0000	--	2.0000
	2.1150	--	2.1150
19	1.8535	--	1.8535
	1.7500	--	1.7500
	1.9700	--	1.9700
20	1.8420	--	1.8420
	1.7600	--	1.7600
	1.9150	--	1.9150
21	--	2.9460	2.9460
	--	2.8750	2.8750
	--	2.9950	2.9950
22	--	3.0800	3.0800
	--	3.0100	3.0100
	--	3.1750	3.1750
23	--	3.1590	3.1590
	--	3.0350	3.0350
	--	3.2000	3.2000
24	--	3.2145	3.2145
	--	3.1350	3.1350
	--	3.2850	3.2850
25	--	3.2725	3.2725
	--	3.2450	3.2450
	--	3.3050	3.3050
ALL	1.9735	3.1344	2.5540
	1.7500	2.8750	1.7500
	2.2300	3.3050	3.3050

CONTROL: SAFETY P = 2
 CONTROL: BOLT P = 2
 ROWS: GUN COLUMNS: GROUP

ET27659

	1	2	ALL
16	5.5015	--	5.5015
	5.4000	--	5.4000
	5.6100	--	5.6100
17	4.7795	--	4.7795
	4.6850	--	4.6850
	4.8900	--	4.8900
18	6.5970	--	6.5970
	6.3300	--	6.3300
	7.0500	--	7.0500
19	4.7515	--	4.7515
	4.6750	--	4.6750
	4.9750	--	4.9750
20	4.8795	--	4.8795
	4.7800	--	4.7800
	4.9800	--	4.9800
21	--	6.8700	6.8700
	--	6.6250	6.6250
	--	7.2250	7.2250
22	--	6.1255	6.1255
	--	6.0100	6.0100
	--	6.2850	6.2850
23	--	6.4390	6.4390
	--	6.2900	6.2900
	--	6.6000	6.6000
24	--	7.6240	7.6240
	--	7.4650	7.4650
	--	7.7950	7.7950
25	--	7.9185	7.9185
	--	7.7950	7.7950
	--	8.3300	8.3300
ALL	5.3018	6.9954	6.1486
	4.6750	6.0100	4.6750
	7.0500	8.3300	8.3300

CELL CONTENTS --

FORCE:MEAN

MINIMUM

MAXIMUM

ET27660