

400 Rd. Extended Function Test

TLW0300AA

11/20/00

Guns B-1 to B-10

less B-8 that is out of test for a marketing evaluation of the trigger location

This is a 400 rd. Extended Function Test performed in the Function & Casualty Range using the std. Remington test jacks.
50 rds. ea. of 8 types of ammo were used from Remington, Federal & Winchester

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-1	71001124	Rem. L30062, 150 GR. MC	M03G B1	0
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0
		Fed. P3006Q, 165 gr.	010614X250	0
		Fed. 3006b, 180 gr.	41047X228	0
		Win. S3006XB, 150 gr.	ME61	0
		Win. SBST3006XA, 168 gr.	04RK31	0
		Win. SHV30064, 180 gr.	35PC52	0
Technician-	Bob Lee			
Comments Noted-	None			

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-2	71001184	Rem. L30062, 150 GR. MC	M03G B1	0
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0
		Fed. P3006Q, 135 gr.	010614X250	0
		Fed. 3006b, 180 gr.	41047X228	0
		Win. S3006XB, 150 gr.	ME61	0
		Win. SBST3006XA, 168 gr.	04RK31	0
		Win. SHV30064, 180 gr.	35PC52	MAGAZINE BOX BOTTOM CAME OFF
Technician-	Bob Lee			
Comments Noted-	Reassemble mag box & continue test			

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-3	71001244	Rem. L30062, 150 GR. MC	M03G B1	0
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0

ET27992

Confidential - Subject to Protective Order

Williams v. Remington

Fed. P3006Q, 165 gr.	010614X250	0
Fed. 3006b, 180 gr.	41047X228	0
Win. S3006XB, 150 gr.	ME61	0
Win. SBST3006XA, 168 gr.	04RK31	0
Win. SHV30064, 180 gr.	35PC52	0

Technician- Bob Lee
Comments Noted- None

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-4	71001288	Rem. L30062, 150 GR. MC	M03G B1	0
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0
		Fed. P3006Q, 165 gr.	010614X250	0
		Fed. 3006b, 180 gr.	41047X228	0
		Win. S3006XB, 150 gr.	ME61	0
		Win. SBST3006XA, 168 gr.	04RK31	0
		Win. SHV30064, 180 gr.	35PC52	0

Technician- Bob Lee
Comments Noted- None

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-5	71001421	Rem. L30062, 150 GR. MC	M03G B1	0
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0
		Fed. P3006Q, 165 gr.	010614X250	0
		Fed. 3006b, 180 gr.	41047X228	0
		Win. S3006XB, 150 gr.	ME61	0
		Win. SBST3006XA, 168 gr.	04RK31	0
		Win. SHV30064, 180 gr.	35PC52	0

Technician- Bob Lee
Comments Noted- None

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-6	71001462	Rem. L30062, 150 GR. MC	M03G B1	0
		Rem. R30064, 180 gr.SP	K28 GB3714	0

ET27993

Confidential - Subject to Protective Order
Williams v. Remington

	Fed. P3006G, 150 gr.	A146782320	0
	Fed. P3006Q, 165 gr.	010614X250	0
	Fed. 3006b, 180 gr.	41047X228	MAGAZINE BOX BOTTOM CAME OFF
	Win. S3006XB, 50 gr.	ME61	0
	Win. SBST3006XA, 168 gr.	04RK31	0
	Win. SHV30064, 180 gr.	35PC52	0
Technician-	Jeff Wade		
Comments Noted-	Oiled bolt @ 21 rds. and @ 313 rds.		
	Reassemble mag box & continue test		

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-7	71001504	Rem. L30062, 150 GR. MC	M03G B1	3 stem low, mag follower binding, replaced mag box
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0
		Fed. P3006Q, 165 gr.	010614X250	0
		Fed. 3006b, 180 gr.	41047X228	0
		Win. S3006XB, 50 gr.	ME61	0
		Win. SBST3006XA, 168 gr.	04RK31	0
		Win. SHV30064, 180 gr.	35PC52	0
Technician-	Jeff Wade			
Comments Noted-	Oiled bolt @ start of test			

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
B-9	71001524	Rem. L30062, 150 GR. MC	M03G B1	2 stem low, mag follower binding, replaced mag box
		Rem. R30064, 180 gr.SP	K28 GB3714	0
		Fed. P3006G, 150 gr.	A146782320	0
		Fed. P3006Q, 165 gr.	010614X250	0
		Fed. 3006b, 180 gr.	41047X228	0
		Win. S3006XB, 150 gr.	ME61	0
		Win. SBST3006XA, 168 gr.	04RK31	0
		Win. SHV30064, 180 gr.	35PC52	0
Technician-	Jeff Wade			
Comments Noted-	None			

GUN #	Serial #	Ammo Types	Lot #	Malfunctions
-------	----------	------------	-------	--------------

ET27994

Confidential - Subject to Protective Order
Williams v. Remington

ET27995

B-10	71001529 Rem. L30062, 150 GR. MG	M03G B1	2 stem low, mag follower binding, replaced mag box
	Rem. R30064, 180 gr.SP	K28 GB3714	0
	Fed. P3006G, 150 gr.	A146782320	0
	Fed. P3006Q, 165 gr.	010614X250	0
	Fed. 3006b, 180 gr.	41047X228	0
	Win. S3006XB, 150 gr.	ME61	0
	Win. SBST3006XA, 168 gr.	04RK31	0
	Win. SHV30064, 180 gr.	35RC52	0
Technician- Jeff Wade			
Comments Noted- Oiled bolt @ start of test and @ 373 rds.			