

GUN# B-2
SERIAL # 71001346
CAL- 30.06 SPRG.

REMINGTON M/710 DAT PHASE II
DAILY TEST DATA SHEET

TRACKING # TLW0010
PROJECT #241095

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	
				RDS. FIRED	TOTAL RDS.
JW/ SW	9/11/00	HEADSPACE	MIN + .002		
JW/ SW	9/11/00	PROOF, HEADSPACE	PROOF, INSPECT, HEADSPACE MIN. +.002 + PROOF STAMP	1	1
JA/BL/VC	9-11-00	Trigger Pull			
	9-11-00	Sear/Trigger Engagement/Sear LIFT			
	9-11-00	Inspection			
MAJ	9-12-00	MAGNETIC BOLT HEAD	NO INDICATIONS		
PKR	10/5/00	Install new bolt Assy.	w/ Latest Bolt head		
		Headspace	Min. +.001		
		Proof Bolt head			
		Headspace	Min +.002		
B-Lee	10-9-00	Firing Pin	B-7 Firing Pin Placed in B2 Gun		
B-Lee	10-10-00	Replaced engagement screw	w/ 60° cone screw		
B-Lee	10-10-00	measurements	engagement .023 Trigger Pull 433 (start)		
H. Carlson	10-11-00	Reamed safety bracket	in an attempt to relieve forces induced by tightening		
		safety bracket screws	Did not work.		
B-Lee	10-11-00	Endurance	End of Day Rd Level 250 rds	250	251
B-Lee	10-11-00	Endurance	Rd Level 500 rds	250	501
B-Lee	10-12-00	Cleaned	Headspace min +.002 engagement .0229		
			Trigger Pull 4.0		
B-Lee	10-12-00	Endurance	End of day Rd level 700	200	701
B-Lee	10-13-00	Endurance	Rd Level 1000 rds	300	1001
B-Lee	10-13-00	Cleaned	Headspace min +.002 engagement .023		
			Trigger Pull 4.0		
MK	10-13-00	Inspected	60° cone screw OK Set engagement .023		
			Trigger Pull 4.0		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

Forms

ET29946

Confidential - Subject to Protective Order

Williams v. Remington

GUN : # B - 2
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 0

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L22E 826</u>	
MALFUNCTIONS			MALFUNCTIONS
1	Lubed Bolt	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 100

ET29947

GUN : # B - 2
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 100

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L22E 826</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 20

ET29948

GUN : # B - 2
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L24E A25</u>	
MALFUNCTIONS			MALFUNCTIONS
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 300

ET29949

GUN : # B - 2
DATE : 10 - 12 - 00
SHOOTER : BOB LEE

M710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 300

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D A25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<u>Lubed Bolt</u>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 400

ET29950

GUN : # B - 2
DATE : 10 - 12 - 00
SHOOTER : BOB LEE

M710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 400

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L0D5 A25</u>	
MALFUNCTIONS			MALFUNCTIONS
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 500

ET29951

GUN : # B - 2
DATE : 10 - 12 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 500

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D B25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<u>Lubed Bullets</u>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9	✓	59	
10		60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 600

ET29952

GUN : # B - 2
DATE : 10 - 12 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D B25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 700

ET29953

Confidential - Subject to Protective Order
Williams v. Remington

GUN : # B - 2
DATE : 10 -13- 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 700

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L050 B-25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 800

ET29954

GUN : # B - 2
DATE : 10 - 13 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT #	L05D B25	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21		71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41		91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 900

ET29955

GUN : # B - 2
DATE : 10 - 3 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 900

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D</u> <u>B25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 1000

ET29956