

GUN# B-3

SERIAL # 71001070

CAL- 30.06 SPRG.

REMINGTON M/710 DAT PHASE II

DAILY TEST DATA SHEET

TRACKING # TLW0010

PROJECT #241095

NAME	DATE	TEST ACTIVITY	COMMENTS	ROUNDS AT START-	
				RDS. FIRED	TOTAL RDS.
JW/ SW	9/11/00	HEADSPACE	MIN. + .002		
JW/ SW	9/11/00	PROOF, HEADSPACE	PROOF, INSPECT, HEADSPACE MIN. + .002 + PROOF STAMP	1	1
JA/AL/JC	9-11-00	Trigger Pulls			
	9-11-00	Sear/Trigger Engagement/ Sear L.F.T			
	9-11-00	Inspects			
MRT	9-12-00	MAGNIFLUX BOLT HEAD - NO INDICATIONS			
BL	10-09-00	Cleaned	Headspace min+.002		
B.L.R	10-10-00	Firing Pin -	Placed firing pin from Gun B#9 in B#3		
B.L.R	10-10-00	Replaced engagement screw w/ 60° cone screw			
B.L.R	10-10-00	measurements	engagement .023 Trigger Pull 4.0 (start)		
B.L.R	10-10-00	Endurance	End of day Rd Level 250 RDS	250	251
B.L.R	10-12-00	Endurance	Rd Level 500 RDS	250	501
B.L.R	10-12-00	Cleaned	Headspace min+.003 engagement .0228		
			Trigger Pull 4.04		
B.L.R	10-12-00	Endurance	End of day Rd Level 700 RDS	200	701
B.L.R	10-13-00	Endurance	Rd Level 1000 RDS	300	1001
B.L.R	10-13-00	Cleaned	Headspace min+.003 engagement .023		
			Trigger Pull 4.04		
M.K	10-13-00	Inspected	60° cone OK Reset engagement .022		
			Trigger Pull 4.0		

THIS SHEET IS TO ACCOMPANY THE FIREARM AT ALL TIMES THROUGHOUT TESTING

Forms

ET29957

Confidential - Subject to Protective Order

Williams v. Remington

GUN : # B - 3
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 0

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L22E B26</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	<u>Lubed Bolt</u>	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 100

ET29958

GUN : # B - 3
DATE : 10-4-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 100

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L22E B26</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 200

ET29959

GUN : # B - 3
DATE : 10 - 11 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
Improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 200

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # L22E B26	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 300

ET29960

GUN : # B - 3
DATE : 10-12-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 300

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L22E B26</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10	✓	60	✓
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20	✓	70	✓
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30	✓	80	✓
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40	✓	90	✓
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50	✓	100	✓

Remington Arms Confidential

ROUNDS AFTER 400

ET29961

GUN : # B - 3
DATE : 10 - 12 - 00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 900

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L0 D5 A25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 500

ET29962

GUN : # B - 3
DATE : 10-2-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 500

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D B25</u>	
MALFUNCTIONS		MALFUNCTIONS	
1	Lubed bolts	51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 600

ET29963

GUN : # B - 3
DATE : 10-12-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 600

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L051</u> <u>825</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 700

ET29964

GUN : # B : 3
DATE : 10-13-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 700

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>205D 825</u>	
MALFUNCTIONS		MALFUNCTIONS	
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 800

ET29965

GUN : # B - 3
DATE : 10-13-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 800

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT #	825	
MALFUNCTIONS			MALFUNCTIONS	
1		51		
2		52		
3		53		
4		54		
5		55		
6		56		
7		57		
8		58		
9		59		
10		60		
11		61		
12		62		
13		63		
14		64		
15		65		
16		66		
17		67		
18		68		
19		69		
20		70		
21		71		
22		72		
23		73		
24		74		
25		75		
26		76		
27		77		
28		78		
29		79		
30		80		
31		81		
32		82		
33		83		
34		84		
35		85		
36		86		
37		87		
38		88		
39		89		
40		90		
41		91		
42		92		
43		93		
44		94		
45		95		
46		96		
47		97		
48		98		
49		99		
50		100		

Remington Arms Confidential

ROUNDS AFTER 900

ET29966

GUN : # B - 3
DATE : 10-13-00
SHOOTER : BOB LEE

M/710 FUNCTION
ENDURANCE TEST
improved locking lug cam
60 deg. cone tip engagement screw

Tracking #: TLW 0320
PROJECT # 241095

ROUNDS BEFORE 900

AMMO REMINGTON 180gr. PTD SP CORE-LOKT #R30065		LOT # <u>L05D B25</u>	
MALFUNCTIONS			MALFUNCTIONS
1		51	
2		52	
3		53	
4		54	
5		55	
6		56	
7		57	
8		58	
9		59	
10		60	
11		61	
12		62	
13		63	
14		64	
15		65	
16		66	
17		67	
18		68	
19		69	
20		70	
21		71	
22		72	
23		73	
24		74	
25		75	
26		76	
27		77	
28		78	
29		79	
30		80	
31		81	
32		82	
33		83	
34		84	
35		85	
36		86	
37		87	
38		88	
39		89	
40		90	
41		91	
42		92	
43		93	
44		94	
45		95	
46		96	
47		97	
48		98	
49		99	
50		100	

Remington Arms Confidential

ROUNDS AFTER 1000

ET29967