

# Test Lab Work Request Form

Rev.3 -20 April, 2000

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                                                           |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------|--|
| <b>Date Submitted: 29 Sept. 2003</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | <b>Tracking # : TLW 1292</b>                                                                                              |  |
| <b>Project # : 241230 - Mayfield Support</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | <b>Engineer: Franz f/Derek Boyles(Mayfield)</b>                                                                           |  |
| <b>Test Objective: Evaluate Safety operation on 10 M/710 rifles in .270 Win. Caliber. The 10 guns are divided into two test groups and represent a different design Safety Detent Spring(ID or wire diameter) and different length(shorter) Safety Pivot Pins.</b>                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                                           |  |
| <b>Test Description:</b> <ul style="list-style-type: none"> <li>• Measure Safety "On" to "Off" forces with the bolt in the rotated open position.</li> <li>• Measure Safety "Off" to "On" forces with the bolt in the rotated open position.</li> <li>• Repeat above two measurements with the bolt in the closed position.</li> <li>• Use the Chatillon 0-10 lb. digital force gauge and record the maximum force applied tangent to the pivot.</li> <li>• Take 10 measurements per gun/measurement.</li> <li>• Also note and record any intermediate stoppage of the Safety between the two positions, "Safe On" or Safe Off" for each of the 10 measurements.</li> </ul> |  |                                                                                                                           |  |
| <b>Resource Usage:</b><br><b>Manpower Requirements -1 tech.</b><br><br><b>Facility Requirements -Metrology</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | <b>Test Results Required:</b><br><b>Formal Report:      Data Only: X</b><br><br><b>Requested Completion Date: 9/30/03</b> |  |
| <b>Required Materials/Parts/Equipment (include quantities): 1- M/710 rifles, Chatillon digital force gauge.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                                                           |  |
| <b>Test Parts Availability Date: now</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |                                                                                                                           |  |
| <b>Start Date:9/29/03</b><br><b>Completion Date:9/30/03</b><br><b>Report Date:9/30/03</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | <b>Test Assigned To:STEVE WADE</b><br><br><b>Assignment Date:9/29/03</b>                                                  |  |

ET31592

| GUN #                                             | SAFETY ON TO OFF  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
|---------------------------------------------------|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 16 E                                              | BOLT OPEN         | 1.835 | 1.690 | 1.915 | 1.870 | 1.990 | 1.915 | 1.915 | 1.850 | 2.050 | 1.810 | 1.884  |
|                                                   | SERIAL # 71136000 |       |       |       |       |       |       |       |       |       |       |        |
| NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |                   |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY OFF TO ON  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 16 E                                              | BOLT OPEN         | 1.940 | 1.965 | 1.995 | 1.910 | 1.925 | 1.915 | 1.980 | 1.960 | 1.885 | 1.915 | 1.939  |
|                                                   | SERIAL # 71136000 |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY ON TO OFF  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 16 E                                              | BOLT CLOSED       | 1.910 | 1.750 | 1.685 | 1.795 | 1.690 | 1.730 | 1.825 | 1.705 | 1.770 | 1.755 | 1.7615 |
|                                                   | SERIAL # 71136000 |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY OFF TO ON  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 16 E                                              | BOLT CLOSED       | 5.515 | 5.400 | 5.570 | 5.510 | 5.410 | 5.450 | 5.475 | 5.520 | 5.610 | 5.555 | 5.5015 |
|                                                   | SERIAL # 71136000 |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY ON TO OFF  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 17 D                                              | BOLT OPEN         | 2.045 | 2.180 | 2.120 | 2.210 | 2.055 | 2.095 | 2.070 | 2.075 | 2.015 | 1.985 | 2.085  |
|                                                   | SERIAL # 71136019 |       |       |       |       |       |       |       |       |       |       |        |
| NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |                   |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY OFF TO ON  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 17 D                                              | BOLT OPEN         | 2.185 | 2.195 | 2.150 | 2.175 | 2.205 | 2.140 | 2.200 | 2.230 | 2.155 | 2.200 | 2.1835 |
|                                                   | SERIAL # 71136019 |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY ON TO OFF  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 17 D                                              | BOLT CLOSED       | 2.050 | 2.020 | 2.135 | 2.070 | 2.025 | 2.165 | 2.060 | 2.015 | 2.115 | 2.125 | 2.078  |
|                                                   | SERIAL # 71136019 |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY OFF TO ON  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 17 D                                              | BOLT CLOSED       | 4.850 | 4.770 | 4.890 | 4.810 | 4.785 | 4.750 | 4.685 | 4.755 | 4.790 | 4.710 | 4.7795 |
|                                                   | SERIAL # 71136019 |       |       |       |       |       |       |       |       |       |       |        |
| GUN #                                             | SAFETY ON TO OFF  | 1     | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 18 A                                              | BOLT OPEN         | 1.945 | 1.905 | 1.835 | 1.835 | 1.710 | 1.780 | 1.820 | 1.800 | 1.790 | 1.935 | 1.8355 |
|                                                   | SERIAL # 71136016 |       |       |       |       |       |       |       |       |       |       |        |
| NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |                   |       |       |       |       |       |       |       |       |       |       |        |

| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
|-------|-------------------|---------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 18 A  | BOLT OPEN         | 2.070                                             | 2.095 | 2.000 | 2.015 | 2.000 | 2.115 | 2.050 | 2.075 | 2.035 | 2.040 | 2.0495 |
|       | SERIAL # 71136016 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 18 A  | BOLT CLOSED       | 1.950                                             | 2.015 | 1.810 | 1.725 | 1.925 | 1.835 | 1.865 | 1.875 | 1.800 | 1.910 | 1.871  |
|       | SERIAL # 71136016 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 18 A  | BOLT CLOSED       | 6.640                                             | 7.050 | 6.590 | 6.320 | 6.425 | 6.595 | 6.565 | 6.495 | 6.625 | 6.655 | 6.597  |
|       | SERIAL # 71136016 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 19 B  | BOLT OPEN         | 2.025                                             | 2.025 | 2.080 | 2.105 | 2.010 | 2.100 | 1.965 | 1.990 | 2.085 | 1.935 | 2.032  |
|       | SERIAL # 71135998 | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 19 B  | BOLT OPEN         | 1.865                                             | 1.835 | 1.905 | 1.825 | 1.970 | 1.815 | 1.750 | 1.840 | 1.880 | 1.850 | 1.8535 |
|       | SERIAL # 71135998 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 19 B  | BOLT CLOSED       | 1.875                                             | 2.030 | 1.840 | 1.965 | 1.855 | 1.900 | 2.085 | 1.990 | 1.885 | 1.935 | 1.936  |
|       | SERIAL # 71135998 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 19 B  | BOLT CLOSED       | 4.675                                             | 4.690 | 4.975 | 4.760 | 4.715 | 4.755 | 4.720 | 4.720 | 4.755 | 4.750 | 4.7515 |
|       | SERIAL # 71135998 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 20 C  | BOLT OPEN         | 1.910                                             | 1.905 | 1.875 | 2.035 | 2.020 | 1.935 | 1.845 | 1.995 | 1.910 | 1.915 | 1.9345 |
|       | SERIAL # 71135997 | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 20 C  | BOLT OPEN         | 1.760                                             | 1.815 | 1.845 | 1.915 | 1.845 | 1.845 | 1.850 | 1.860 | 1.830 | 1.855 | 1.842  |

|              |                         |                                                   |          |          |          |          |          |          |          |          |           |            |
|--------------|-------------------------|---------------------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|
|              | SERIAL # 71135997       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY ON TO OFF</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>20 C</b>  | <b>BOLT CLOSED</b>      | 1.885                                             | 1.980    | 1.995    | 1.915    | 2.065    | 1.985    | 1.890    | 1.935    | 1.850    | 1.865     | 1.9365     |
|              | SERIAL # 71135997       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY OFF TO ON</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>20 C</b>  | <b>BOLT CLOSED</b>      | 4.815                                             | 4.925    | 4.955    | 4.945    | 4.815    | 4.780    | 4.855    | 4.895    | 4.830    | 4.980     | 4.8795     |
|              | SERIAL # 71135997       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY ON TO OFF</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>21</b>    | <b>BOLT OPEN</b>        | 2.995                                             | 3.025    | 3.085    | 3.025    | 2.880    | 2.975    | 3.025    | 3.015    | 3.065    | 3.025     | 3.0115     |
|              | SERIAL # 71135995       | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY OFF TO ON</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>21</b>    | <b>BOLT OPEN</b>        | 2.925                                             | 2.965    | 2.875    | 2.900    | 2.980    | 2.960    | 2.975    | 2.910    | 2.995    | 2.975     | 2.946      |
|              | SERIAL # 71135995       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY ON TO OFF</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>21</b>    | <b>BOLT CLOSED</b>      | 2.835                                             | 2.945    | 2.895    | 2.945    | 2.885    | 2.955    | 3.020    | 3.030    | 2.795    | 2.895     | 2.92       |
|              | SERIAL # 71135995       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY OFF TO ON</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>21</b>    | <b>BOLT CLOSED</b>      | 6.890                                             | 6.690    | 6.695    | 6.930    | 6.900    | 6.990    | 6.625    | 6.815    | 7.225    | 6.940     | 6.87       |
|              | SERIAL # 71135995       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY ON TO OFF</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>22</b>    | <b>BOLT OPEN</b>        | 3.115                                             | 3.135    | 3.170    | 3.180    | 3.030    | 3.075    | 3.010    | 3.030    | 3.185    | 3.165     | 3.1095     |
|              | SERIAL # 71135875       | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY OFF TO ON</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |
| <b>22</b>    | <b>BOLT OPEN</b>        | 3.080                                             | 3.010    | 3.050    | 3.045    | 3.110    | 3.065    | 3.085    | 3.095    | 3.175    | 3.085     | 3.08       |
|              | SERIAL # 71135875       |                                                   |          |          |          |          |          |          |          |          |           |            |
| <b>GUN #</b> | <b>SAFETY ON TO OFF</b> | <b>1</b>                                          | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> | <b>AVG</b> |

|       |                   |                                                   |       |       |       |       |       |       |       |       |       |        |
|-------|-------------------|---------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 22    | BOLT CLOSED       | 3.040                                             | 3.095 | 3.015 | 3.105 | 3.050 | 3.045 | 3.100 | 3.110 | 2.990 | 3.060 | 3.061  |
|       | SERIAL # 71135875 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 22    | BOLT CLOSED       | 6.185                                             | 6.075 | 6.285 | 6.210 | 6.035 | 6.105 | 6.100 | 6.145 | 6.010 | 6.105 | 6.1255 |
|       | SERIAL # 71135875 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 23    | BOLT OPEN         | 3.105                                             | 3.090 | 3.245 | 3.165 | 3.380 | 3.110 | 3.290 | 3.225 | 3.280 | 3.165 | 3.2055 |
|       | SERIAL # 71135881 | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 23    | BOLT OPEN         | 3.035                                             | 3.165 | 3.180 | 3.170 | 3.185 | 3.150 | 3.200 | 3.160 | 3.165 | 3.180 | 3.159  |
|       | SERIAL # 71135881 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 23    | BOLT CLOSED       | 3.260                                             | 3.240 | 3.145 | 3.105 | 3.150 | 3.235 | 3.125 | 3.265 | 3.150 | 3.120 | 3.1795 |
|       | SERIAL # 71135881 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 23    | BOLT CLOSED       | 6.430                                             | 6.455 | 6.500 | 6.545 | 6.435 | 6.600 | 6.380 | 6.445 | 6.290 | 6.310 | 6.439  |
|       | SERIAL # 71135881 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 24    | BOLT OPEN         | 3.140                                             | 3.185 | 3.120 | 3.160 | 3.115 | 3.160 | 3.135 | 3.125 | 3.110 | 3.190 | 3.144  |
|       | SERIAL # 71135999 | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 24    | BOLT OPEN         | 3.285                                             | 3.240 | 3.135 | 3.165 | 3.280 | 3.140 | 3.215 | 3.285 | 3.210 | 3.190 | 3.2145 |
|       | SERIAL # 71135999 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 24    | BOLT CLOSED       | 3.230                                             | 3.125 | 3.215 | 3.255 | 3.240 | 3.260 | 3.045 | 3.185 | 3.205 | 3.150 | 3.191  |
|       | SERIAL # 71135999 |                                                   |       |       |       |       |       |       |       |       |       |        |

PTOJECT # 241230

EVALUATE SAFETY OPERATION M/710

TRACKING # TLW1292

| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
|-------|-------------------|---------------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| 24    | BOLT CLOSED       | 7.635                                             | 7.665 | 7.465 | 7.490 | 7.705 | 7.575 | 7.615 | 7.630 | 7.795 | 7.665 | 7.624  |
|       | SERIAL # 71135999 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 25    | BOLT OPEN         | 3.190                                             | 3.145 | 3.150 | 3.110 | 3.115 | 3.095 | 3.150 | 3.155 | 3.125 | 3.115 | 3.135  |
|       | SERIAL # 71135891 | NOTE : CAN POSITION SAFETY AT INTERMEDIATE POINT. |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 25    | BOLT OPEN         | 3.245                                             | 3.305 | 3.255 | 3.280 | 3.275 | 3.265 | 3.285 | 3.285 | 3.270 | 3.260 | 3.2725 |
|       | SERIAL # 71135891 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY ON TO OFF  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 25    | BOLT CLOSED       | 3.200                                             | 3.140 | 3.180 | 3.245 | 3.225 | 3.145 | 3.165 | 3.295 | 3.135 | 3.170 | 3.19   |
|       | SERIAL # 71135891 |                                                   |       |       |       |       |       |       |       |       |       |        |
| GUN # | SAFETY OFF TO ON  | 1                                                 | 2     | 3     | 4     | 5     | 6     | 7     | 8     | 9     | 10    | AVG    |
| 25    | BOLT CLOSED       | 8.330                                             | 7.840 | 7.830 | 7.895 | 7.870 | 8.050 | 7.800 | 7.795 | 7.860 | 7.915 | 7.9185 |
|       | SERIAL # 71135891 |                                                   |       |       |       |       |       |       |       |       |       |        |

ET31597