

REMINGTON MODEL 710
Trial and Pilot SERIES C
PRELIMINARY MEASUREMENTS

710, 270 TRAIL & PILOT SERIES- A																
PRELIMINARY MEASUREMENTS & CHECKS																
4/4/01 PROOF TEST & MAGNAFLUX COMPLETED AT MAYFIELD.																
TEST LAB TRACKING NUMBER- TLW0407																
GUN ID #	SERIAL NUMBER	HEADSPACE, REM. SPEC GAUGES	11 - 20				SEAR TO TRIGGER ENGAGEMENT				SEAR LIFT				TRIGGER PULL WITH S	
			TLW0407G TLW0407H GUNS A11-A20				TLW0407I out of stock @ 20X, ALL GUNS				TLW0300I out of stock @ 20X, ALL GUNS				TLW0407J IN STOCK, A	
			1	2	3	AVERAGE	1	2	3	AVERAGE	1	2	3	AVERAGE	1	2
A-1	7100	MIN+.00				#DIV/0!	.0246	.0281	.0244	#DIV/0!	.0163	.0158	.0162	#DIV/0!	4	4.25
A-2	7100	MIN+.00				#DIV/0!	.0294	.0301	.0297	#DIV/0!	.0155	.0148	.0159	#DIV/0!	4.25	4.25
A-3	7100	MIN+.00				#DIV/0!	.0277	.0268	.0268	#DIV/0!	.0148	.0152	.0146	#DIV/0!	4.5	4
A-4	7100	MIN+.00				#DIV/0!	.0271	.0277	.0272	#DIV/0!	.0163	.0155	.0169	#DIV/0!	4.25	4.25
A-5	7100	MIN+.00				#DIV/0!	.0253	.0249	.0252	#DIV/0!	.0152	.0146	.0149	#DIV/0!	4.5	4.5
A-6	7100	MIN+.00				#DIV/0!	.0256	.0252	.0268	#DIV/0!	.0169	.0167	.0168	#DIV/0!	5	5.25
A-7	7100	MIN+.00				#DIV/0!	.0277	.0286	.0286	#DIV/0!	.0142	.0146	.0141	#DIV/0!	4.75	4.75
A-8	7100	MIN+.00				#DIV/0!	.0268	.0271	.0269	#DIV/0!	.0153	.0162	.0156	#DIV/0!	4.5	4.25
A-9	7100	MIN+.00				#DIV/0!	.0239	.0241	.0242	#DIV/0!	.0138	.0136	.0135	#DIV/0!	5.25	4.75
A-10	7100	MIN+.00				#DIV/0!	.0252	.0249	.0251	#DIV/0!	.0162	.0159	.0164	#DIV/0!	4	4.5
A-11	7100	MIN+.00	.016	.017	.016	#DIV/0!	.0266	.0258	.026	#DIV/0!	.0155	.0161	.0164	#DIV/0!	3.75	4.25
A-12	7100	MIN+.00	.017	.017	.017	#DIV/0!	.0271	.0268	.0275	#DIV/0!	.0164	.017	.0163	#DIV/0!	4.25	4.75
A-13	7100	MIN+.00	.018	.018	.018	#DIV/0!	.0301	.0299	.0303	#DIV/0!	.017	.0171	.017	#DIV/0!	4	4
A-14	7100	MIN+.00	.016	.016	.016	#DIV/0!	.0269	.027	.0278	#DIV/0!	.0161	.0152	.0157	#DIV/0!	4.25	4.75
A-15	7100	MIN+.00	.017	.016	.016	#DIV/0!	.0252	.0242	.0248	#DIV/0!	.0146	.015	.0141	#DIV/0!	4	4
A-16	7100	MIN+.00	.018	.017	.018	#DIV/0!	.0264	.0262	.026	#DIV/0!	.0172	.0181	.0177	#DIV/0!	4.25	4.5
A-17	7100	MIN+.00	.018	.017	.017	#DIV/0!	.0291	.0287	.0295	#DIV/0!	.0159	.0161	.016	#DIV/0!	4.25	4
A-18	7100	MIN+.00	.017	.017	.016	#DIV/0!	.0263	.0262	.0268	#DIV/0!	.0149	.0151	.0152	#DIV/0!	4	4
A-19	7100	MIN+.00	.018	.018	.018	#DIV/0!	.0306	.0317	.0309	#DIV/0!	.0169	.0166	.0168	#DIV/0!	4.25	4.5
A-20	7100	MIN+.00	.018	.017	.017	#DIV/0!	.0301	.0297	.0299	#DIV/0!	.0158	.0161	.016	#DIV/0!	5	5
A-21	7100	MIN+.00				#DIV/0!	.0302	.0299	.0306	#DIV/0!	.0135	.0134	.013	#DIV/0!	4.5	4.75
A-22	7100	MIN+.00				#DIV/0!	.0286	.028	.0287	#DIV/0!	.0158	.0158	.0161	#DIV/0!	4.25	4.75
A-23	7100	MIN+.00				#DIV/0!	.0301	.0299	.0307	#DIV/0!	.0149	.0144	.0147	#DIV/0!	4	2.75
A-24	7100	MIN+.00				#DIV/0!	.0289	.0277	.0293	#DIV/0!	.0142	.0144	.0141	#DIV/0!	4	5
A-25	7100	MIN+.00				#DIV/0!	.0301	.0306	.0309	#DIV/0!	.0138	.0141	.0137	#DIV/0!	4.5	4
A-26	7100	MIN+.00				#DIV/0!	.0293	.0274	.0272	#DIV/0!	.0175	.0182	.0186	#DIV/0!	4.25	4.5
A-27	7100	MIN+.00				#DIV/0!	.0262	.0269	.0261	#DIV/0!	.0155	.0161	.0157	#DIV/0!	4	4.75
A-28	7100	MIN+.00				#DIV/0!	.0315	.0317	.0301	#DIV/0!	.0183	.0174	.0171	#DIV/0!	4	4
A-29	7100	MIN+.00				#DIV/0!	.0299	.0297	.0299	#DIV/0!	.0185	.0179	.0182	#DIV/0!	5	4.75
A-30	7100	MIN+.00				#DIV/0!	.0286	.0279	.0284	#DIV/0!	.0167	.0166	.0167	#DIV/0!	4	4
			TEST AVERAGE				TEST AVERAGE				TEST AVERAGE				TES	
			#DIV/0!				#DIV/0!				#DIV/0!					
			SAAMI MIN = .017				SPEC = .020 TO .025				SPEC = .006 TO .018				SPEC = 4.0	

ET34966

Confidential - Subject to Protective Order

Williams v. Remington