

GUN #	SERIAL #	HEADSPACE	BELT TYPE	PROOF RD	HEADSPACE	BELT TYPE
		BEFORE PROOF	BEFORE PROOF	7MM	AFTER PROOF	AFTER PROOF
A-1	71154451	MIN + .001	GO WILL CLOSE	OK	MIN + .002	GO WILL CLOSE
A-2	71154457	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-3	71163056	MIN + .003	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-4	71163049	MIN + .004	GO WILL CLOSE	OK	MIN + .005	GO WILL CLOSE
A-5	71163047	MIN + .003	GO WILL CLOSE	OK	MIN + .003	GO WILL CLOSE
A-6	71163040	MIN + .003	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-7	71154453	MIN + .002	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-8	71163135	MIN + .002	GO WON'T CLOSE	OK	MIN + .002	GO WON'T CLOSE
A-9	71163067	MIN + .003	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-10	71163068	MIN + .001	GO WON'T CLOSE	OK	MIN + .002	GO WON'T CLOSE
A-11	71163065	MIN + .003	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-12	71163046	MIN + .003	GO WON'T CLOSE	OK	MIN + .003	GO WILL CLOSE
A-13	71154456	MIN + .002	GO WILL CLOSE	OK	MIN + .002	GO WILL CLOSE
A-14	71163149	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-15	71163138	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-16	71163078	MIN + .004	GO WON'T CLOSE	OK	MIN + .004	GO WON'T CLOSE
A-17	71163070	MIN + .002	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-18	71163063	MIN + .004	GO WON'T CLOSE	OK	MIN + .004	GO WON'T CLOSE
A-19	71163147	MIN + .000	GO WON'T CLOSE	OK	MIN + .000	GO WON'T CLOSE
A-20	71163151	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-21	71163139	MIN + .002	GO WON'T CLOSE	OK	MIN + .002	GO WON'T CLOSE
A-22	71163118	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-23	71163122	MIN + .002	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-24	71163071	MIN + .003	GO WILL CLOSE	OK	MIN + .004	GO WILL CLOSE
A-25	71163155	MIN + .001	GO WON'T CLOSE	OK	MIN + .002	GO WON'T CLOSE
A-26	71163152	MIN + .002	GO WON'T CLOSE	OK	MIN + .002	GO WON'T CLOSE
A-27	71163141	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-28	71163130	MIN + .001	GO WON'T CLOSE	OK	MIN + .001	GO WON'T CLOSE
A-29	71163125	MIN + .002	GO WON'T CLOSE	OK	MIN + .003	GO WON'T CLOSE
A-30	71163120	MIN + .002	GO WON'T CLOSE	OK	MIN + .002	GO WON'T CLOSE

GUN #	SERIAL #	FIRING PIN INDENT # 1	FIRING PIN INDENT # 2	FIRING PIN INDENT # 3	FIRING PIN INDENT AVERAGE
A-1	71154451	0.021	0.020	0.020	0.0203
A-2	71154457	0.017	0.018	0.017	0.0173
A-3	71163056	0.018	0.018	0.018	0.0180
A-4	71163049	0.019	0.018	0.020	0.0190
A-5	71163047	0.017	0.018	0.017	0.0173
A-6	71163040	0.018	0.019	0.019	0.0186
A-7	71154453	0.018	0.018	0.017	0.0176
A-8	71163135	0.019	0.019	0.020	0.0193
A-9	71163067	0.017	0.017	0.017	0.0170
A-10	71163068	0.016	0.019	0.017	0.0173
A-11	71163065	0.019	0.019	0.018	0.0186
A-12	71163046	0.018	0.017	0.019	0.0180
A-13	71154456	0.016	0.018	0.018	0.0173
A-14	71163149	0.017	0.018	0.017	0.0173
A-15	71163138	0.017	0.016	0.017	0.0166
A-16	71163078	0.017	0.017	0.017	0.0170
A-17	71163070	0.019	0.018	0.018	0.0183
A-18	71163063	0.019	0.019	0.019	0.0190
A-19	71163147				
A-20	71163151	0.017	0.018	0.017	0.0173
A-21	71163139	0.018	0.019	0.018	0.0183
A-22	71163118	0.019	0.018	0.018	0.0183
A-23	71163122	0.017	0.016	0.018	0.0170
A-24	71163071	0.018	0.018	0.018	0.0180
A-25	71163155	0.018	0.019	0.018	0.0183
A-26	71163152	0.020	0.020	0.019	0.0196
A-27	71163141	0.019	0.018	0.019	0.0186
A-28	71163130	0.020	0.021	0.020	0.0203
A-29	71163125	0.019	0.019	0.019	0.0190
A-30	71163120	0.017	0.018	0.017	0.0173

GUN #	SERIAL #	GUN WEIGHT
A-1	71154451	8,403 LBS.
A-2	71154457	8,384 LBS.
A-3	71163056	8,427 LBS.
A-4	71163049	8,420 LBS.
A-5	71163047	8,435 LBS.

Subject to Protective Order - Williams v. Remington

ETE00000721

GUN #	SERIAL #	BALANCE POINT FROM HEEL
A-1	71154451	20"
A-2	71154457	20"
A-3	71163056	20 1/16"
A-4	71163049	20 1/16"
A-5	71163047	20"

GUN #	SERIAL #	LOOSENING TORQUE FRONT SCREW	DEPTH OF FRONT SCREW HOLE	NUMBER OF TURNS TO UNSCREW FRONT SCREW	INSPECT THREADS OF FRONT SCREW	TOTAL LENGTH OF FRONT SCREW
A-1	71154451					
A-2	71154457					
A-3	71163056					
A-4	71163049					
A-5	71163047					
A-6	71163040					
A-7	71154453					
A-8	71163135					
A-9	71163067					
A-10	71163068					
A-11	71163065	34 in lbs	0.0142	1 3/4	OK	1.4390
A-12	71163046	36 in lbs	0.0141	2	OK	1.4395
A-13	71154456	16 in lbs	0.0141	1 7/8	OK	1.4805
A-14	71163149	40 in lbs	0.0139	2	OK	1.4395
A-15	71163138	40 in lbs	0.0139	1 3/4	OK	1.4455
A-16	71163078	35 in lbs	0.0140	1 3/4	OK	1.4405
A-17	71163070	34 in lbs	0.0141	2	OK	1.4445
A-18	71163063	37 in lbs	0.0140	1 3/4	OK	1.4445
A-19	71163147	42 in lbs	0.0139	2	OK	1.4490
A-20	71163151	41 in lbs	0.0141	2 1/4	OK	1.4495
A-21	71163139	30 in lbs	0.0142	1 3/4	OK	1.4405
A-22	71163118	37 in lbs	0.0140	2	OK	1.4380
A-23	71163122	39 in lbs	0.0142	1 3/4	OK	1.4415
A-24	71163071	43 in lbs	0.0142	1 3/4	OK	1.4445
A-25	71163155	38 in lbs	0.0140	2	OK	1.4465
A-26	71163152	38 in lbs	0.0140	1 3/4	OK	1.4415
A-27	71163141	45 in lbs	0.0140	2	OK	1.4460
A-28	71163130	34 in lbs	0.0141	1 3/4	OK	1.4395
A-29	71163125	40 in lbs	0.0141	1 1/2	OK	1.4455
A-30	71163120	35 in lbs	0.0140	1 3/4	OK	1.4435

GUN #	SERIAL #	ENGAGEMENT # 1	ENGAGEMENT # 2	ENGAGEMENT # 3	ENGAGEMENT AVERAGE	SEAR LIFT
A-1	71154451					
A-2	71154457					
A-3	71163056					
A-4	71163049					
A-5	71163047					
A-6	71163040					
A-7	71154453					
A-8	71163135					
A-9	71163067					
A-10	71163068					
A-11	71163065	0.0338	0.0336	0.0337	0.03370	0.0156
A-12	71163046	0.0329	0.0329	0.0327	0.03283	0.0159
A-13	71154456	0.0333	0.0331	0.0332	0.03320	0.0158
A-14	71163149	0.0342	0.0345	0.0344	0.03436	0.0210
A-15	71163138	0.0338	0.0338	0.0338	0.03380	0.0137
A-16	71163078	0.0340	0.0343	0.0343	0.03420	0.0140
A-17	71163070	0.0346	0.0344	0.0344	0.03446	0.0165
A-18	71163063	0.0355	0.0353	0.0356	0.03546	0.0185
A-19	71163147	0.0337	0.0334	0.0336	0.03356	0.0128
A-20	71163151	0.0338	0.0337	0.0338	0.03376	0.0119
A-21	71163139	0.0329	0.0329	0.0329	0.03290	0.0131
A-22	71163118	0.0342	0.0342	0.0344	0.03426	0.0112
A-23	71163122	0.0344	0.0342	0.0344	0.03433	0.0137
A-24	71163071	0.0341	0.0341	0.0343	0.03416	0.0156
A-25	71163155	0.0320	0.0319	0.0321	0.03200	0.0194
A-26	71163152	0.0355	0.0355	0.0354	0.03546	0.0163
A-27	71163141	0.0346	0.0342	0.0343	0.03436	0.0159
A-28	71163130	0.0369	0.0369	0.0371	0.03696	0.0145
A-29	71163125	0.0331	0.0331	0.0331	0.03310	0.0148
A-30	71163120	0.0353	0.0351	0.0352	0.03520	0.0119

GUN #	SERIAL #	TRIGGER PULL # 1	TRIGGER PULL # 2	TRIGGER PULL # 3	TRIGGER PULL # 4	TRIGGER PULL # 5	TRIGGER PULL AVERAGE
A-1	71154451						
A-2	71154457						
A-3	71163056						
A-4	71163049						
A-5	71163047						
A-6	71163040						
A-7	71154453						
A-8	71163135						
A-9	71163067						
A-10	71163068						
A-11	71163065	4.801	4.728	4.770	4.742	4.815	4.771
A-12	71163046	5.394	5.292	5.423	5.323	5.434	5.373
A-13	71154456	4.696	4.464	4.536	4.472	4.486	4.531
A-14	71163149	4.910	5.088	4.972	4.919	4.987	4.975
A-15	71163138	4.853	4.954	4.966	4.931	4.971	4.935
A-16	71163078	5.366	5.352	5.363	5.300	5.360	5.348
A-17	71163070	4.536	4.569	4.568	4.573	4.596	4.568
A-18	71163063	5.005	5.174	5.188	4.993	5.012	5.074
A-19	71163147	4.749	4.793	4.777	4.731	4.769	4.764
A-20	71163151	5.421	5.420	5.570	5.435	5.455	5.460
A-21	71163139	4.980	4.866	4.993	4.838	4.945	4.924
A-22	71163118	4.973	4.944	4.985	4.909	4.963	4.955
A-23	71163122	4.896	4.855	4.877	4.898	4.893	4.884
A-24	71163071	5.144	5.132	5.153	5.099	5.187	5.143
A-25	71163155	4.690	4.700	4.745	4.72	4.674	4.706
A-26	71163152	5.112	5.238	5.288	5.154	5.280	5.214
A-27	71163141	4.359	4.301	4.368	4.355	4.355	4.348
A-28	71163130	5.618	5.883	5.720	5.988	5.836	5.809
A-29	71163125	5.070	4.993	5.095	5.179	5.144	5.096
A-30	71163120	5.377	5.382	5.382	5.351	5.346	5.368

GUN #	SERIAL #
A-1	71154451
A-2	71154457
A-3	71163056
A-4	71163049
A-5	71163047
A-6	71163040
A-7	71154453
A-8	71163135
A-9	71163067
A-10	71163068
A-11	71163065
A-12	71163046
A-13	71154456
A-14	71163149
A-15	71163138
A-16	71163078
A-17	71163070
A-18	71163063
A-19	71163147
A-20	71163151
A-21	71163139
A-22	71163118
A-23	71163122
A-24	71163071
A-25	71163155
A-26	71163152
A-27	71163141
A-28	71163130
A-29	71163125
A-30	71163120

Subject to Protective Order - Williams v. Remington

ETE00000726

GUN #	SERIAL #	HEADSPACE BEFORE PROOF	BELT TYPE BEFORE PROOF	PROOF RD	HEADSPACE AFTER PROOF	BELT TYPE AFTER PROOF
A-1	71154451	MIN + .001	GO	OK	MIN + .002	GO
A-2	71154457					
A-3	71163056					
A-4	71163049					
A-5	71163047					
A-6	71163040					
A-7	71154453					
A-8	71163135					
A-9	71163067					
A-10	71163068					
A-11	71163065					
A-12	71163046					
A-13	71154456					
A-14	71163149					
A-15	71163138					
A-16	71163078					
A-17	71163070					
A-18	71163063					
A-19	71163147					
A-20	71163151					
A-21	71163139					
A-22	71163118					
A-23	71163122					
A-24	71163071					
A-25	71163155					
A-26	71163152					
A-27	71163141					
A-28	71163130					
A-29	71163125					
A-30	71163120					