

**MODEL 710 ACCURACY**  
**DATE - 9-27-00**

| GUN      | AMMO             | GROUP#1 | GROUP#2 | GROUP#3 | GROUP#4 | GROUP#5 |
|----------|------------------|---------|---------|---------|---------|---------|
| 71001061 | REM R30064 180GR | 2.104   | 1.824   | 3.152   | 2.962   | 3.211   |
| 71001080 | REM R30064 180GR | 1.343   | 1.49    | 2.721   | 2.862   | 1.852   |

**NOTE: BOTH RIFLES ARE SIGHTED IN AT 100 YARDS**

AVERAGE  
2.6506  
2.0536

CONFIDENTIAL

|                        |                  |                           |                 |                 |                 |                 |                |
|------------------------|------------------|---------------------------|-----------------|-----------------|-----------------|-----------------|----------------|
| <b>PROJECT# 241095</b> |                  | <b>MODEL 710 D.A.T. 2</b> |                 |                 |                 |                 |                |
| <b>TLW 0010AG</b>      |                  |                           |                 |                 |                 |                 |                |
| <b>ACCURACY</b>        |                  |                           |                 |                 |                 |                 |                |
| <b>DATE - 9-14-06</b>  |                  |                           |                 |                 |                 |                 |                |
| <b>SHOOTER - JESSE</b> |                  |                           |                 |                 |                 |                 |                |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-11                   | REM R30062 150GR | 2.48                      | 2.09            | 2.31            | 1.93            | 1.42            | 2.046          |
|                        | REM R30064 180GR | 1.39                      | 1.05            | 1.8             | 2.52            | 1.82            | 1.716          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-12                   | REM R30062 150GR | 1.51                      | 1.7             | 1.6             | 1.5             | 1.77            | 1.616          |
|                        | REM R30064 180GR | 0.88                      | 1.54            | 1.33            | 1.39            | 0.55            | 1.138          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-13                   | REM R30062 150GR | 1.36                      | 2.26            | 1.88            | 1.97            | 1.6             | 1.814          |
|                        | REM R30064 180GR | 1.49                      | 2.07            | 1.65            | 1.27            | 0.69            | 1.434          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-14                   | REM R30062 150GR | 2.9                       | 2.11            | 2.24            | 1.79            | 2.9             | 2.388          |
|                        | REM R30064 180GR | 0.81                      | 2.2             | 1.31            | 1.68            | 1.84            | 1.568          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-15                   | REM R30062 150GR | 1.85                      | 2.84            | 1.6             | 2.26            | 2.64            | 2.238          |
|                        | REM R30064 180GR | 1.92                      | 2.16            | 1.54            | 1.38            | 0.89            | 1.578          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-16                   | REM R30062 150GR | 1.85                      | 2.87            | 2.85            | 1.62            | 1.85            | 2.208          |
|                        | REM R30064 180GR | 1.38                      | 1.12            | 1.27            | 0.68            | 1.18            | 1.126          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-17                   | REM R30062 150GR | 2.08                      | 3.05            | 2.66            | 1.19            | 2.145           | 2.225          |
|                        | REM R30064 180GR | 0.79                      | 1.14            | 0.91            | 1.03            | 1.5             | 1.074          |
| <b>GUN</b>             | <b>AMMO</b>      | <b>GROUP# 1</b>           | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-18                   | REM R30062 150GR | 2.49                      | 3.06            | 2.65            | 2.49            | 2.71            | 2.68           |

|            |                  |                 |                 |                 |                 |                 |                |
|------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
|            | REM R30064 180GR | 1.21            | 1.69            | 1.64            | 1.59            | 1.49            | 1.524          |
| <b>GUN</b> | <b>AMMO</b>      | <b>GROUP# 1</b> | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-19       | REM R30062 150GR | 1.6             | 1               | 2.98            | 2.3             | 1.9             | 1.956          |
|            | REM R30064 180GR | 1.65            | 0.9             | 1.37            | 1.82            | 0.81            | 1.31           |
| <b>GUN</b> | <b>AMMO</b>      | <b>GROUP# 1</b> | <b>GROUP# 2</b> | <b>GROUP# 3</b> | <b>GROUP# 4</b> | <b>GROUP# 5</b> | <b>AVERAGE</b> |
| B-20       | REM R30062 150GR | 2.53            | 2.52            | 2.8             | 2.49            | 1.65            | 2.398          |
|            | REM R30064 180GR | 1.32            | 1.09            | 1.46            | 0.79            | 1.48            | 1.228          |

|                        |         |          |  |
|------------------------|---------|----------|--|
| PROJECT# 241095        |         | D.A.T. 2 |  |
| TLW 0010Z              |         |          |  |
| MAGAZINE CAPACITY TEST |         |          |  |
| DATE -                 |         |          |  |
| GUN                    | SERIAL# | MAG BOX  |  |
| B-1                    |         |          |  |
| B-2                    |         |          |  |
| B-3                    |         |          |  |
| B-4                    |         |          |  |
| B-5                    |         |          |  |
| B-6                    |         |          |  |
| B-7                    |         |          |  |
| B-8                    |         |          |  |
| B-9                    |         |          |  |
| B-10                   |         |          |  |
| COMMENTS               |         |          |  |

| PROJECT# 241095          |                      |            |                 |          |           |          |                    |         |               |
|--------------------------|----------------------|------------|-----------------|----------|-----------|----------|--------------------|---------|---------------|
| TLW 0010AA               |                      |            |                 |          |           |          |                    |         |               |
| BASIC JACK FUNCTION TEST |                      |            |                 |          |           |          |                    |         |               |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-11                     | REM R30065 180GR     | 20         | 1               |          |           |          |                    |         | 1             |
|                          | REM R30067 220GR     | 20         |                 |          |           |          |                    |         | 1             |
|                          | REM UMC L30062 150GR | 20         |                 |          |           |          |                    |         | 2             |
|                          | REM PRT3006B 165GR   | 20         |                 |          |           |          |                    |         | 1             |
|                          | REM R30063 150GR     | 20         |                 |          |           |          |                    |         |               |
|                          | <b>TOTAL</b>         | <b>100</b> | <b>1</b>        | <b>0</b> |           | <b>0</b> | <b>0</b>           |         | <b>5</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-12                     | REM R30065 180GR     | 20         |                 |          |           |          |                    |         |               |
|                          | REM R30067 220GR     | 20         |                 |          |           |          |                    |         | 2             |
|                          | REM UMC L30062 150GR | 20         |                 |          |           |          |                    |         |               |
|                          | REM PRT3006B 165GR   | 20         |                 |          |           |          |                    |         |               |
|                          | REM R30063 150GR     | 20         |                 |          |           |          |                    |         | 1             |
|                          | <b>TOTAL</b>         | <b>100</b> | <b>0</b>        | <b>0</b> |           | <b>0</b> | <b>0</b>           |         | <b>3</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-13                     | REM R30065 180GR     | 10         |                 |          |           |          |                    |         |               |
|                          | REM R30067 220GR     | 10         |                 |          |           |          |                    |         | 1             |
|                          | REM UMC L30062 150GR | 10         |                 |          |           |          |                    |         |               |
|                          | REM PRT3006B 165GR   | 10         |                 |          |           |          |                    |         |               |
|                          | REM R30063 150GR     | 10         |                 |          |           |          |                    |         |               |
|                          | <b>TOTAL</b>         | <b>50</b>  | <b>0</b>        | <b>0</b> |           | <b>0</b> | <b>0</b>           |         | <b>1</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-14                     | REM R30065 180GR     | 10         |                 |          |           |          |                    |         |               |
|                          | REM R30067 220GR     | 10         |                 |          |           |          |                    |         |               |
|                          | REM UMC L30062 150GR | 10         | NO MALFUNCTIONS |          |           |          |                    |         |               |
|                          | REM PRT3006B 165GR   | 10         |                 |          |           |          |                    |         |               |
|                          | REM R30063 150GR     | 10         |                 |          |           |          |                    |         |               |
|                          | <b>TOTAL</b>         | <b>50</b>  | <b>0</b>        | <b>0</b> |           | <b>0</b> | <b>0</b>           |         | <b>0</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |

|            |                      |               |                 |               |                  |                 |                           |                |                      |
|------------|----------------------|---------------|-----------------|---------------|------------------|-----------------|---------------------------|----------------|----------------------|
| B-15       | REM R30065 180GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 10            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>50</b>     | <b>0</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>0</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-16       | REM R30065 180GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 10            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>50</b>     | <b>0</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>0</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-17       | REM R30065 180GR     | 10            |                 |               |                  |                 |                           |                | 1                    |
|            | REM R30067 220GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>50</b>     | <b>0</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>1</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-18       | REM R30065 180GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 10            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>50</b>     | <b>0</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>0</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-19       | REM R30065 180GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 10            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 10            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |

|            | REM PRT3006B 165GR   | 10            |                        |               |                  |                 |                   |                |                |                      |
|------------|----------------------|---------------|------------------------|---------------|------------------|-----------------|-------------------|----------------|----------------|----------------------|
|            | REM R30063 150GR     | 10            |                        |               |                  |                 |                   |                |                |                      |
|            | <b>TOTAL</b>         | <b>50</b>     | <b>0</b>               | <b>0</b>      |                  | <b>0</b>        | <b>0</b>          |                | <b>0</b>       |                      |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>          | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN</b> | <b>MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-20       | REM R30065 180GR     | 10            |                        |               |                  |                 |                   |                |                |                      |
|            | REM R30067 220GR     | 10            |                        |               |                  |                 |                   |                |                |                      |
|            | REM UMC L30062 150GR | 10            | <b>NO MALFUNCTIONS</b> |               |                  |                 |                   |                |                |                      |
|            | REM PRT3006B 165GR   | 10            |                        |               |                  |                 |                   |                |                |                      |
|            | REM R30063 150GR     | 10            |                        |               |                  |                 |                   |                |                |                      |
|            | <b>TOTAL</b>         | <b>50</b>     | <b>0</b>               | <b>0</b>      |                  | <b>0</b>        | <b>0</b>          |                | <b>0</b>       |                      |

| PROJECT# 241095          |                      |            |                 |          |           |           |                    |         |               |
|--------------------------|----------------------|------------|-----------------|----------|-----------|-----------|--------------------|---------|---------------|
| TLW 0010AA               |                      |            |                 |          |           |           |                    |         |               |
| BASIC JACK FUNCTION TEST |                      |            |                 |          |           |           |                    |         |               |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW  | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-11                     | REM R30065 180GR     | 40         |                 |          |           |           |                    |         |               |
|                          | REM R30067 220GR     | 40         |                 |          |           |           |                    |         |               |
|                          | REM UMC L30062 150GR | 40         |                 |          |           | 7         |                    |         |               |
|                          | REM PRT3006B 165GR   | 40         |                 |          |           | 7         |                    |         |               |
|                          | REM R30063 150GR     | 40         |                 |          |           | 1         |                    |         |               |
|                          | <b>TOTAL</b>         | <b>200</b> | <b>0</b>        | <b>0</b> |           | <b>15</b> | <b>0</b>           |         | <b>0</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW  | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-12                     | REM R30065 180GR     | 40         |                 |          |           |           |                    |         |               |
|                          | REM R30067 220GR     | 40         |                 |          |           |           |                    |         |               |
|                          | REM UMC L30062 150GR | 40         |                 |          |           |           |                    |         |               |
|                          | REM PRT3006B 165GR   | 40         |                 |          |           |           |                    |         |               |
|                          | REM R30063 150GR     | 40         |                 |          |           | 3         |                    |         |               |
|                          | <b>TOTAL</b>         | <b>200</b> | <b>0</b>        | <b>0</b> |           | <b>3</b>  | <b>0</b>           |         | <b>0</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW  | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-13                     | REM R30065 180GR     | 40         |                 | 1        |           |           |                    |         |               |
|                          | REM R30067 220GR     | 40         |                 | 1        |           |           |                    |         |               |
|                          | REM UMC L30062 150GR | 40         |                 |          |           |           |                    |         |               |
|                          | REM PRT3006B 165GR   | 40         |                 |          |           |           |                    |         |               |
|                          | REM R30063 150GR     | 40         |                 |          |           | 4         |                    |         |               |
|                          | <b>TOTAL</b>         | <b>200</b> | <b>0</b>        | <b>2</b> |           | <b>4</b>  | <b>0</b>           |         | <b>0</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW  | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |
| B-14                     | REM R30065 180GR     | 40         |                 |          |           |           |                    |         |               |
|                          | REM R30067 220GR     | 40         |                 |          |           |           |                    |         |               |
|                          | REM UMC L30062 150GR | 40         | NO MALFUNCTIONS |          |           |           |                    |         |               |
|                          | REM PRT3006B 165GR   | 40         |                 |          |           |           |                    |         |               |
|                          | REM R30063 150GR     | 40         |                 |          |           |           |                    |         |               |
|                          | <b>TOTAL</b>         | <b>200</b> | <b>0</b>        | <b>0</b> |           | <b>0</b>  | <b>0</b>           |         | <b>0</b>      |
| GUN                      | AMMO                 | ROUNDS     | F.T.E.          | B.O.R.   | STEM HIGH | STEM LOW  | STRAIGHTEN MAG BOX | MISFIRE | BOLT CAME OUT |

|            |                      |               |                 |               |                  |                 |                           |                |                      |
|------------|----------------------|---------------|-----------------|---------------|------------------|-----------------|---------------------------|----------------|----------------------|
| B-15       | REM R30065 180GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 40            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>200</b>    | <b>0</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>0</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-16       | REM R30065 180GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 40            | 1               |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>200</b>    | <b>1</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>0</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-17       | REM R30065 180GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 40            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | <b>TOTAL</b>         | <b>200</b>    | <b>0</b>        | <b>0</b>      |                  | <b>0</b>        | <b>0</b>                  |                | <b>0</b>             |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-18       | REM R30065 180GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM PRT3006B 165GR   | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30063 150GR     | 40            |                 |               |                  | 1               |                           |                |                      |
|            | <b>TOTAL</b>         | <b>200</b>    | <b>0</b>        | <b>0</b>      |                  | <b>1</b>        | <b>0</b>                  |                | <b>0</b>             |
|            |                      |               |                 |               |                  |                 |                           |                |                      |
|            |                      |               |                 |               |                  |                 |                           |                |                      |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b>   | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-19       | REM R30065 180GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM R30067 220GR     | 40            |                 |               |                  |                 |                           |                |                      |
|            | REM UMC L30062 150GR | 40            | NO MALFUNCTIONS |               |                  |                 |                           |                |                      |

|            | REM PRT3006B 165GR   | 40            |               |               |                  |                 |                   |                |                |                      |
|------------|----------------------|---------------|---------------|---------------|------------------|-----------------|-------------------|----------------|----------------|----------------------|
|            | REM R30063 150GR     | 40            |               |               |                  |                 |                   |                |                |                      |
|            | <b>TOTAL</b>         | <b>200</b>    | <b>0</b>      | <b>0</b>      |                  | <b>0</b>        | <b>0</b>          |                | <b>0</b>       |                      |
| <b>GUN</b> | <b>AMMO</b>          | <b>ROUNDS</b> | <b>F.T.E.</b> | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW</b> | <b>STRAIGHTEN</b> | <b>MAG BOX</b> | <b>MISFIRE</b> | <b>BOLT CAME OUT</b> |
| B-20       | REM R30065 180GR     | 40            |               |               |                  |                 |                   |                |                |                      |
|            | REM R30067 220GR     | 40            |               |               |                  |                 |                   |                |                |                      |
|            | REM UMC L30062 150GR | 40            |               |               |                  |                 |                   |                |                |                      |
|            | REM PRT3006B 165GR   | 40            |               |               |                  |                 |                   |                |                |                      |
|            | REM R30063 150GR     | 40            |               |               |                  | 1               |                   |                |                |                      |
|            | <b>TOTAL</b>         | <b>200</b>    | <b>0</b>      | <b>0</b>      |                  | <b>1</b>        | <b>0</b>          |                | <b>0</b>       |                      |

| PROJECT# 241095                    |                     |             |          |          |           |          |            |         |                       |
|------------------------------------|---------------------|-------------|----------|----------|-----------|----------|------------|---------|-----------------------|
| TLW 0010AC                         |                     |             |          |          |           |          |            |         |                       |
| FUNCTION AND ENDURANCE 1000 ROUNDS |                     |             |          |          |           |          |            |         |                       |
| GUN                                | AMMO                | ROUNDS      | F.T.E.   | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN | MAG BOX | MISFIRE BOLT CAME OUT |
| B-11                               | REM 27828 180GR     | 100         |          |          |           |          |            |         | 2                     |
|                                    | REM 27830 220GR     | 100         | 1        |          |           |          |            |         |                       |
|                                    | REM UMC 23699 150GR | 100         |          |          |           |          | 1          |         |                       |
|                                    | REM 29178 165GR     | 100         |          |          |           |          |            |         | 1                     |
|                                    | FED 3006B 180GR     | 100         | 1        |          |           |          |            |         |                       |
|                                    | FED P3006Q 165GR    | 100         |          |          |           |          | 1          |         | 1                     |
|                                    | FED P3006G 150GR    | 100         |          |          |           |          |            |         |                       |
|                                    | WIN SHV30064 180GR  | 100         |          |          |           |          |            |         | 1                     |
|                                    | WIN SBST3006A 168GR | 100         |          |          |           |          |            |         |                       |
|                                    | WIN S3006XB 150GR   | 100         |          | 1        |           |          |            |         | 1                     |
|                                    | <b>TOTAL</b>        | <b>1000</b> | <b>2</b> | <b>1</b> |           |          | <b>2</b>   |         | <b>6</b>              |
| GUN                                | AMMO                | ROUNDS      | F.T.E.   | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN | MAG BOX | MISFIRE BOLT CAME OUT |
| B-12                               | REM 27828 180GR     | 100         | 1        |          |           |          |            | 2       |                       |
|                                    | REM 27830 220GR     | 100         |          |          |           |          |            |         |                       |
|                                    | REM UMC 23699 150GR | 100         | 2        |          |           |          |            |         |                       |
|                                    | REM 29178 165GR     | 100         | 1        |          |           |          |            |         |                       |
|                                    | FED 3006B 180GR     | 100         |          |          |           |          |            |         |                       |
|                                    | FED P3006Q 165GR    | 100         | 2        |          |           |          |            | 1       |                       |
|                                    | FED P3006G 150GR    | 100         |          |          |           |          |            |         |                       |
|                                    | WIN SHV30064 180GR  | 100         |          |          |           |          |            |         |                       |
|                                    | WIN SBST3006A 168GR | 100         |          |          |           | 1        |            |         |                       |
|                                    | WIN S3006XB 150GR   | 100         |          |          |           |          |            |         |                       |
|                                    | <b>TOTAL</b>        | <b>1000</b> | <b>6</b> |          |           | <b>1</b> | <b>3</b>   |         |                       |
|                                    |                     |             |          |          |           |          |            |         |                       |
|                                    |                     |             |          |          |           |          |            |         |                       |
|                                    |                     |             |          |          |           |          |            |         |                       |
|                                    |                     |             |          |          |           |          |            |         |                       |
| GUN                                | AMMO                | ROUNDS      | F.T.E.   | B.O.R.   | STEM HIGH | STEM LOW | STRAIGHTEN | MAG BOX | MISFIRE BOLT CAME OUT |
| B-13                               | REM 27828 180GR     | 100         |          |          |           |          |            | 2       |                       |



|                                                     |        |        |           |          |                    |                       |
|-----------------------------------------------------|--------|--------|-----------|----------|--------------------|-----------------------|
|                                                     |        |        |           | 1        |                    | 1                     |
|                                                     |        |        |           | 1        |                    | 1                     |
|                                                     |        |        |           |          |                    | 2                     |
|                                                     | 2      |        |           |          |                    |                       |
|                                                     | 2      |        |           | 1        |                    | 3                     |
| OS                                                  | F.T.E. | B.O.R. | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE BOLT CAME OUT |
|                                                     |        |        |           | 2        |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     | 1      |        |           | 1        |                    |                       |
|                                                     | 1      | 1      |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     | 2      | 1      |           |          | 3                  |                       |
| OFF AFTER 1000 RD ENDURANCE WHILE TAKING HEAD SPACE |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
|                                                     |        |        |           |          |                    |                       |
| OS                                                  | F.T.E. | B.O.R. | STEM HIGH | STEM LOW | STRAIGHTEN MAG BOX | MISFIRE BOLT CAME OUT |

**ETE00002849**

[illegible]

**ETE00002850**

|    |        |        |           |                             |                       |
|----|--------|--------|-----------|-----------------------------|-----------------------|
| 2  | 0      |        |           | 11                          |                       |
| DS | F.T.E. | B.O.R. | STEM HIGH | STEM LOW STRAIGHTEN MAG BOX | MISFIRE BOLT CAME OUT |
|    |        |        | 4         | 1                           |                       |
|    |        |        | 4         | 1                           |                       |
|    |        |        | 1         |                             |                       |
|    |        |        | 1         |                             |                       |
| 0  | 0      |        |           | 11                          |                       |
|    |        |        |           |                             |                       |
|    |        |        |           |                             |                       |
|    |        |        |           |                             |                       |
| DS | F.T.E. | B.O.R. | STEM HIGH | STEM LOW STRAIGHTEN MAG BOX | MISFIRE BOLT CAME OUT |
|    |        |        |           | 3                           |                       |
| 1  |        |        |           |                             |                       |
| 1  |        |        |           |                             |                       |
| 3  |        |        |           | 1                           |                       |

**ETE00002851**

|                     |                     |               |               |               |                  |                                                          |
|---------------------|---------------------|---------------|---------------|---------------|------------------|----------------------------------------------------------|
| WIN SHV30064 180GR  | 100                 |               |               |               | 2                |                                                          |
| WIN SBST3006A 168GR | 100                 |               |               |               |                  |                                                          |
| WIN S3006XB 150GR   | 100                 |               |               |               | 1                |                                                          |
| <b>TOTAL</b>        | <b>1000</b>         | <b>20</b>     | <b>0</b>      |               | <b>11</b>        |                                                          |
| <b>GUN</b>          | <b>AMMO</b>         | <b>ROUNDS</b> | <b>F.T.E.</b> | <b>B.O.R.</b> | <b>STEM HIGH</b> | <b>STEM LOW STRAIGHTEN MAG BOX MISFIRE BOLT CAME OUT</b> |
| B-20                | REM 27828 180GR     | 100           |               |               |                  | 3                                                        |
|                     | REM 27830 220GR     | 100           |               |               |                  |                                                          |
|                     | REM UMC 23699 150GR | 100           |               |               |                  |                                                          |
|                     | REM 29178 165GR     | 100           |               |               |                  | 1                                                        |
|                     | FED 3006B 180GR     | 100           | 1             |               |                  | 1                                                        |
|                     | FED P3006Q 165GR    | 100           |               |               |                  | 4                                                        |
|                     | FED P3006G 150GR    | 100           |               |               |                  | 1                                                        |
|                     | WIN SHV30064 180GR  | 100           |               |               |                  |                                                          |
|                     | WIN SBST3006A 168GR | 100           |               |               |                  | 2                                                        |
|                     | WIN S3006XB 150GR   | 100           |               |               | 1                |                                                          |
| <b>TOTAL</b>        | <b>1000</b>         | <b>1</b>      | <b>0</b>      |               |                  | <b>12</b>                                                |

PROJECT# 241095  
TLW 0010AF  
POINT OF IMPACT  
DATE - 9-13-00

| GUN  | AMMO                                 | ZERO'ED                                                                                                |
|------|--------------------------------------|--------------------------------------------------------------------------------------------------------|
| B-11 | REM R30062 150GR<br>REM R30067 220GR | SIGHT SET AT 2 CLICKS FROM THE REAR. NO WINDAGE NEEDED<br>NO ADJUSTMENT NEEDED                         |
| B-12 | REM R30062 150GR<br>REM R30067 220GR | SIGHT SET ALL THE WAY TO THE REAR. COULD NOT ZERO<br>SIGHT SET ALL THE WAY TO THE REAR. COULD NOT ZERO |
| B-13 | REM R30062 150GR<br>REM R30067 220GR | SIGHT SET ALL THE WAY TO THE REAR. GUN ZERO'ED<br>NO ADJUSTMENT NEEDED                                 |
| B-14 | REM R30062 150GR<br>REM R30067 220GR | SIGHT SET ALL THE WAY TO THE REAR. WINDAGE 1/16" RIGHT<br>NO ADJUSTMENT NEEDED                         |

|                 |         |                                                       |  |  |  |
|-----------------|---------|-------------------------------------------------------|--|--|--|
| PROJECT# 241095 |         | D.A.T. 2                                              |  |  |  |
| TLW 0010Y       |         |                                                       |  |  |  |
| TWIST RATE      |         |                                                       |  |  |  |
| DATE -          |         |                                                       |  |  |  |
| GUN             | SERIAL# | 10 15/16" TWIST AND TRAVEL OF CLEANING ROD THRU BORE. |  |  |  |
| B-1             |         |                                                       |  |  |  |
| B-2             |         |                                                       |  |  |  |
| B-3             |         |                                                       |  |  |  |
| B-4             |         |                                                       |  |  |  |
| B-5             |         |                                                       |  |  |  |
| B-6             |         |                                                       |  |  |  |
| B-7             |         |                                                       |  |  |  |
| B-8             |         |                                                       |  |  |  |
| B-9             |         |                                                       |  |  |  |
| B-10            |         |                                                       |  |  |  |

|                 |         |          |          |
|-----------------|---------|----------|----------|
| PROJECT# 241095 |         |          | D.A.T. 2 |
| TLW 0010X       |         |          |          |
| GROVE DIAMETER  |         |          |          |
| DATE -          |         |          |          |
| GUN             | SERIAL# | DIAMETER |          |
| B-1             |         |          |          |
| B-2             |         |          |          |
| B-3             |         |          |          |
| B-4             |         |          |          |
| B-5             |         |          |          |
| B-6             |         |          |          |
| B-7             |         |          |          |
| B-8             |         |          |          |
| B-9             |         |          |          |
| B-10            |         |          |          |

|                 |         |          |          |
|-----------------|---------|----------|----------|
| PROJECT# 241095 |         |          | D.A.T. 2 |
| TLW 0010W       |         |          |          |
| BORE DIAMETER   |         |          |          |
| DATE -          |         |          |          |
| GUN             | SERIAL# | DIAMETER |          |
| B-1             |         |          |          |
| B-2             |         |          |          |
| B-3             |         |          |          |
| B-4             |         |          |          |
| B-5             |         |          |          |
| B-6             |         |          |          |
| B-7             |         |          |          |
| B-8             |         |          |          |
| B-9             |         |          |          |
| B-10            |         |          |          |

|                 |                                                                           |
|-----------------|---------------------------------------------------------------------------|
| PROJECT# 241895 | D.A.T. 2                                                                  |
| TLW 0010V       |                                                                           |
| CHAMBER CAST    |                                                                           |
| DATE -          |                                                                           |
| GUN SERIAL#     | A= 4708/ 4728 B= 4425/ 4440 C=34DEG 30" ANGLE D= 3404/ 3424 E= 3095/ 3105 |
| B-1             |                                                                           |
| B-2             |                                                                           |
| B-3             |                                                                           |
| B-4             |                                                                           |
| B-5             |                                                                           |
| B-6             |                                                                           |
| B-7             |                                                                           |
| B-8             |                                                                           |
| B-9             |                                                                           |
| B-10            |                                                                           |

Subject to Protective Order - Williams v. Remington

ETE00002857

|                     |         |          |   |         |
|---------------------|---------|----------|---|---------|
| PROJECT# 241095     |         | D.A.T. 2 |   |         |
| TLW 0010F           |         |          |   |         |
| TRIGGER PULL FORCES |         |          |   |         |
| DATE -              |         |          |   |         |
| GUN#                | SERIAL# | 1        | 2 | 3       |
| B-1                 |         |          |   | AVERAGE |
| B-2                 |         |          |   | #DIV/0! |
| B-3                 |         |          |   | #DIV/0! |
| B-4                 |         |          |   | #DIV/0! |
| B-5                 |         |          |   | #DIV/0! |
| B-6                 |         |          |   | #DIV/0! |
| B-7                 |         |          |   | #DIV/0! |
| B-8                 |         |          |   | #DIV/0! |
| B-9                 |         |          |   | #DIV/0! |
| B-10                |         |          |   | #DIV/0! |
| B-11                |         |          |   | #DIV/0! |
| B-12                |         |          |   | #DIV/0! |
| B-13                |         |          |   | #DIV/0! |
| B-14                |         |          |   | #DIV/0! |
| B-15                |         |          |   | #DIV/0! |
| B-16                |         |          |   | #DIV/0! |
| B-17                |         |          |   | #DIV/0! |
| B-18                |         |          |   | #DIV/0! |
| B-19                |         |          |   | #DIV/0! |
| B-20                |         |          |   | #DIV/0! |
| B-21                |         |          |   | #DIV/0! |
| B-22                |         |          |   | #DIV/0! |
| B-23                |         |          |   | #DIV/0! |
| B-24                |         |          |   | #DIV/0! |
| B-25                |         |          |   | #DIV/0! |
| B-26                |         |          |   | #DIV/0! |
| B-27                |         |          |   | #DIV/0! |
| B-28                |         |          |   | #DIV/0! |
| B-29                |         |          |   | #DIV/0! |
| B-30                |         |          |   | #DIV/0! |
|                     |         |          |   | X       |

| PROJECT# 241095   |         | D.A.T. 2 |         |
|-------------------|---------|----------|---------|
| TLW 0010D         |         |          |         |
| FIRING PIN INDENT |         |          |         |
| DATE -            |         |          |         |
| GUN#              | SERIAL# | 1        | AVERAGE |
| B-1               |         |          | #DIV/0! |
| B-2               |         |          | #DIV/0! |
| B-3               |         |          | #DIV/0! |
| B-4               |         |          | #DIV/0! |
| B-5               |         |          | #DIV/0! |
| B-6               |         |          | #DIV/0! |
| B-7               |         |          | #DIV/0! |
| B-8               |         |          | #DIV/0! |
| B-9               |         |          | #DIV/0! |
| B-10              |         |          | #DIV/0! |
| B-11              |         |          | #DIV/0! |
| B-12              |         |          | #DIV/0! |
| B-13              |         |          | #DIV/0! |
| B-14              |         |          | #DIV/0! |
| B-15              |         |          | #DIV/0! |
| B-16              |         |          | #DIV/0! |
| B-17              |         |          | #DIV/0! |
| B-18              |         |          | #DIV/0! |
| B-19              |         |          | #DIV/0! |
| B-20              |         |          | #DIV/0! |
| B-21              |         |          | #DIV/0! |
| B-22              |         |          | #DIV/0! |
| B-23              |         |          | #DIV/0! |
| B-24              |         |          | #DIV/0! |
| B-25              |         |          | #DIV/0! |
| B-26              |         |          | #DIV/0! |
| B-27              |         |          | #DIV/0! |
| B-28              |         |          | #DIV/0! |
| B-29              |         |          | #DIV/0! |
| B-30              |         |          | #DIV/0! |



|                                |         |          |      |
|--------------------------------|---------|----------|------|
| PROJECT# 241095<br>TLW 0010U   |         | D.A.T. 2 |      |
| PERFORM 50LB TRIGGER PULL TEST |         |          |      |
| DATE -                         |         |          |      |
| GUN#                           | SERIAL# | PASS     | FAIL |
| B-1                            |         |          |      |
| B-2                            |         |          |      |
| B-3                            |         |          |      |
| B-4                            |         |          |      |
| B-5                            |         |          |      |
| B-6                            |         |          |      |
| B-7                            |         |          |      |
| B-8                            |         |          |      |
| B-9                            |         |          |      |
| B-10                           |         |          |      |

|                       |         |          |      |
|-----------------------|---------|----------|------|
| PROJECT# 241095       |         | D.A.T. 2 |      |
| TLW 0010T             |         |          |      |
| MEASURE DROP AND CAST |         |          |      |
| DATE -                |         |          |      |
| GUN#                  | SERIAL# | DROP     | CAST |
| B-1                   |         |          |      |
| B-2                   |         |          |      |
| B-3                   |         |          |      |
| B-4                   |         |          |      |
| B-5                   |         |          |      |
| B-6                   |         |          |      |
| B-7                   |         |          |      |
| B-8                   |         |          |      |
| B-9                   |         |          |      |
| B-10                  |         |          |      |

|                         |         |               |
|-------------------------|---------|---------------|
| PROJECT# 241095         |         | D.A.T. 2      |
| TLW 0010S               |         |               |
| DETERMINE BALANCE POINT |         |               |
| DATE -                  |         |               |
| GUN#                    | SERIAL# | BALANCE POINT |
| B-1                     |         |               |
| B-2                     |         |               |
| B-3                     |         |               |
| B-4                     |         |               |
| B-5                     |         |               |
| B-6                     |         |               |
| B-7                     |         |               |
| B-8                     |         |               |
| B-9                     |         |               |
| B-10                    |         |               |

|                 |         |                |
|-----------------|---------|----------------|
| PROJECT# 241095 |         | D.A.T. 2       |
| TLW 0010R       |         |                |
| LENGTH OF PULL  |         |                |
| DATE -          |         |                |
| GUN#            | SERIAL# | LENGTH OF PULL |
| B-1             |         |                |
| B-2             |         |                |
| B-3             |         |                |
| B-4             |         |                |
| B-5             |         |                |
| B-6             |         |                |
| B-7             |         |                |
| B-8             |         |                |
| B-9             |         |                |
| B-10            |         |                |

|                 |         |               |
|-----------------|---------|---------------|
| PROJECT# 241095 |         | D.A.T. 2      |
| TLW 0010Q       |         |               |
| BARREL LENGTH   |         |               |
| DATE -          |         |               |
| GUN#            | SERIAL# | BARREL LENGTH |
| B-1             |         |               |
| B-2             |         |               |
| B-3             |         |               |
| B-4             |         |               |
| B-5             |         |               |
| B-6             |         |               |
| B-7             |         |               |
| B-8             |         |               |
| B-9             |         |               |
| B-10            |         |               |

|                 |         |                |
|-----------------|---------|----------------|
| PROJECT# 241095 |         | D.A.T. 2       |
| TLW 0010P       |         |                |
| OVERALL LENGTH  |         |                |
| DATE -          |         |                |
| GUN#            | SERIAL# | OVERALL LENGTH |
| B-1             |         |                |
| B-2             |         |                |
| B-3             |         |                |
| B-4             |         |                |
| B-5             |         |                |
| B-6             |         |                |
| B-7             |         |                |
| B-8             |         |                |
| B-9             |         |                |
| B-10            |         |                |

|                      |         |          |
|----------------------|---------|----------|
| PROJECT# 241095      |         | D.A.T. 2 |
| TLW 00100            |         |          |
| BOLT ASSEMBLY WEIGHT |         |          |
| DATE -               |         |          |
| GUN#                 | SERIAL# | WEIGHT   |
| B-1                  |         |          |
| B-2                  |         |          |
| B-3                  |         |          |
| B-4                  |         |          |
| B-5                  |         |          |
| B-6                  |         |          |
| B-7                  |         |          |
| B-8                  |         |          |
| B-9                  |         |          |
| B-10                 |         |          |

|                        |         |          |
|------------------------|---------|----------|
| PROJECT# 241095        |         | D.A.T. 2 |
| TLW 0010N              |         |          |
| BARREL ASSEMBLY WEIGHT |         |          |
| DATE -                 |         |          |
| GUN#                   | SERIAL# | WEIGHT   |
| B-1                    |         |          |
| B-2                    |         |          |
| B-3                    |         |          |
| B-4                    |         |          |
| B-5                    |         |          |
| B-6                    |         |          |
| B-7                    |         |          |
| B-8                    |         |          |
| B-9                    |         |          |
| B-10                   |         |          |

|                       |         |          |
|-----------------------|---------|----------|
| PROJECT# 241095       |         | D.A.T. 2 |
| TLW 0010M             |         |          |
| STOCK ASSEMBLY WEIGHT |         |          |
| DATE -                |         |          |
| GUN#                  | SERIAL# | WEIGHT   |
| B-1                   |         |          |
| B-2                   |         |          |
| B-3                   |         |          |
| B-4                   |         |          |
| B-5                   |         |          |
| B-6                   |         |          |
| B-7                   |         |          |
| B-8                   |         |          |
| B-9                   |         |          |
| B-10                  |         |          |

|                 |         |          |
|-----------------|---------|----------|
| PROJECT# 241095 |         | D.A.T. 2 |
| TLW 0010L       |         |          |
| OVERALL WEIGHT  |         |          |
| DATE -          |         |          |
| GUN#            | SERIAL# | WEIGHT   |
| B-1             |         |          |
| B-2             |         |          |
| B-3             |         |          |
| B-4             |         |          |
| B-5             |         |          |
| B-6             |         |          |
| B-7             |         |          |
| B-8             |         |          |
| B-9             |         |          |
| B-10            |         |          |

|                        |         |          |   |         |
|------------------------|---------|----------|---|---------|
| PROJECT# 241095        |         | D.A.T. 2 |   |         |
| TLW 0010H              |         |          |   |         |
| MAGAZINE SPRING FORCES |         |          |   |         |
| DATE -                 |         |          |   |         |
| GUN#                   | SERIAL# | 1        | 2 | 3       |
| B-1                    |         |          |   | AVERAGE |
| B-2                    |         |          |   | #DIV/0! |
| B-3                    |         |          |   | #DIV/0! |
| B-4                    |         |          |   | #DIV/0! |
| B-5                    |         |          |   | #DIV/0! |
| B-6                    |         |          |   | #DIV/0! |
| B-7                    |         |          |   | #DIV/0! |
| B-8                    |         |          |   | #DIV/0! |
| B-9                    |         |          |   | #DIV/0! |
| B-10                   |         |          |   | #DIV/0! |

|                              |         |                    |   |   |         |
|------------------------------|---------|--------------------|---|---|---------|
| PROJECT# 241095              |         | D.A.T. 2           |   |   |         |
| TLW 0010H                    |         |                    |   |   |         |
| BOLT LIFT AND CLOSING FORCES |         |                    |   |   |         |
| DATE -                       |         |                    |   |   |         |
|                              |         | BOLT LIFT FORCE    |   |   |         |
| GUN#                         | SERIAL# | 1                  | 2 | 3 | AVERAGE |
| B-1                          |         |                    |   |   | #DIV/0! |
| B-2                          |         |                    |   |   | #DIV/0! |
| B-3                          |         |                    |   |   | #DIV/0! |
| B-4                          |         |                    |   |   | #DIV/0! |
| B-5                          |         |                    |   |   | #DIV/0! |
| B-6                          |         |                    |   |   | #DIV/0! |
| B-7                          |         |                    |   |   | #DIV/0! |
| B-8                          |         |                    |   |   | #DIV/0! |
| B-9                          |         |                    |   |   | #DIV/0! |
| B-10                         |         |                    |   |   | #DIV/0! |
|                              |         |                    |   |   |         |
|                              |         |                    |   |   |         |
|                              |         |                    |   |   |         |
|                              |         | BOLT CLOSING FORCE |   |   |         |
| GUN#                         | SERIAL# | 1                  | 2 | 3 | AVERAGE |
| B-1                          |         |                    |   |   | #DIV/0! |
| B-2                          |         |                    |   |   | #DIV/0! |
| B-3                          |         |                    |   |   | #DIV/0! |
| B-4                          |         |                    |   |   | #DIV/0! |
| B-5                          |         |                    |   |   | #DIV/0! |
| B-6                          |         |                    |   |   | #DIV/0! |
| B-7                          |         |                    |   |   | #DIV/0! |
| B-8                          |         |                    |   |   | #DIV/0! |
| B-9                          |         |                    |   |   | #DIV/0! |
| B-10                         |         |                    |   |   | #DIV/0! |

|                        |         |                |   |                 |         |
|------------------------|---------|----------------|---|-----------------|---------|
| PROJECT# 241895        |         | D.A.T. 2       |   |                 |         |
| TLW 0010G              |         |                |   |                 |         |
| SAFE ON AND OFF FORCES |         |                |   |                 |         |
| DATE -                 |         |                |   |                 |         |
|                        |         | SAFE ON FORCES |   | SAFE OFF FORCES |         |
| GUN                    | SERIAL# | 1              | 2 | 3               | AVERAGE |
| B-1                    |         |                |   |                 | #DIV/0! |
| B-2                    |         |                |   |                 | #DIV/0! |
| B-3                    |         |                |   |                 | #DIV/0! |
| B-4                    |         |                |   |                 | #DIV/0! |
| B-5                    |         |                |   |                 | #DIV/0! |
| B-6                    |         |                |   |                 | #DIV/0! |
| B-7                    |         |                |   |                 | #DIV/0! |
| B-8                    |         |                |   |                 | #DIV/0! |
| B-9                    |         |                |   |                 | #DIV/0! |
| B-10                   |         |                |   |                 | #DIV/0! |

|                                                   |                    |               |                 |                      |
|---------------------------------------------------|--------------------|---------------|-----------------|----------------------|
| <b>MODEL 710 BASIC JACK FUNCTION TEST PHASE 2</b> |                    |               |                 |                      |
| <b>PROJECT# 241095</b>                            |                    |               |                 |                      |
| <b>TLW 0010AA</b>                                 |                    |               |                 |                      |
| <b>GUN</b>                                        | <b>AMMO</b>        | <b>ROUNDS</b> | <b>STEM LOW</b> |                      |
| B-11                                              | REM R30065 180GR   | 40            |                 |                      |
|                                                   | REM R30067 220GR   | 40            |                 |                      |
|                                                   | UMC L30062 150GR   | 40            | 7               |                      |
|                                                   | REM PRT3006B 165GR | 40            | 7               |                      |
|                                                   | REM R30063 150GR   | 40            | 1               |                      |
|                                                   | <b>TOTAL</b>       | <b>200</b>    | <b>15</b>       |                      |
| <b>GUN</b>                                        | <b>AMMO</b>        | <b>ROUNDS</b> | <b>STEM LOW</b> |                      |
| B-12                                              | REM R30065 180GR   | 40            |                 |                      |
|                                                   | REM R30067 220GR   | 40            |                 |                      |
|                                                   | UMC L30062 150GR   | 40            |                 |                      |
|                                                   | REM PRT3006B 165GR | 40            |                 |                      |
|                                                   | REM R30063 150GR   | 40            | 3               |                      |
|                                                   | <b>TOTAL</b>       | <b>200</b>    | <b>3</b>        |                      |
| <b>GUN</b>                                        | <b>AMMO</b>        | <b>ROUNDS</b> | <b>STEM LOW</b> | <b>BOLT OVERRIDE</b> |
| B-13                                              | REM R30065 180GR   | 40            |                 | 1                    |
|                                                   | REM R30067 220GR   | 40            |                 | 1                    |
|                                                   | UMC L30062 150GR   | 40            |                 |                      |
|                                                   | REM PRT3006B 165GR | 40            |                 |                      |
|                                                   | REM R30063 150GR   | 40            | 4               |                      |
|                                                   | <b>TOTAL</b>       | <b>200</b>    | <b>4</b>        | <b>2</b>             |
| <b>GUN</b>                                        | <b>AMMO</b>        | <b>ROUNDS</b> |                 |                      |
| B-14                                              | REM R30065 180GR   | 40            |                 |                      |
|                                                   | REM R30067 220GR   | 40            |                 |                      |
|                                                   | UMC L30062 150GR   | 40            |                 |                      |
|                                                   | REM PRT3006B 165GR | 40            |                 |                      |
|                                                   | REM R30063 150GR   | 40            |                 |                      |
|                                                   | <b>TOTAL</b>       | <b>200</b>    |                 |                      |
| <b>GUN</b>                                        | <b>AMMO</b>        | <b>ROUNDS</b> |                 |                      |

|            |                    |               |                 |
|------------|--------------------|---------------|-----------------|
| B-15       | REM R30065 180GR   | 40            |                 |
|            | REM R30067 220GR   | 40            |                 |
|            | UMC L30062 150GR   | 40            |                 |
|            | REM PRT3006B 165GR | 40            |                 |
|            | REM R30063 150GR   | 40            |                 |
|            | <b>TOTAL</b>       | <b>200</b>    |                 |
| <b>GUN</b> | <b>AMMO</b>        | <b>ROUNDS</b> | <b>F.T.E.</b>   |
| B-16       | REM R30065 180GR   | 40            |                 |
|            | REM R30067 220GR   | 40            |                 |
|            | UMC L30062 150GR   | 40            |                 |
|            | REM PRT3006B 165GR | 40            |                 |
|            | REM R30063 150GR   | 40            | 1               |
|            | <b>TOTAL</b>       | <b>200</b>    | <b>1</b>        |
| <b>GUN</b> | <b>AMMO</b>        | <b>ROUNDS</b> |                 |
| B-17       | REM R30065 180GR   | 40            |                 |
|            | REM R30067 220GR   | 40            |                 |
|            | UMC L30062 150GR   | 40            |                 |
|            | REM PRT3006B 165GR | 40            |                 |
|            | REM R30063 150GR   | 40            |                 |
|            | <b>TOTAL</b>       | <b>200</b>    |                 |
| <b>GUN</b> | <b>AMMO</b>        | <b>ROUNDS</b> | <b>STEM LOW</b> |
| B-18       | REM R30065 180GR   | 40            |                 |
|            | REM R30067 220GR   | 40            |                 |
|            | UMC L30062 150GR   | 40            |                 |
|            | REM PRT3006B 165GR | 40            |                 |
|            | REM R30063 150GR   | 40            | 1               |
|            | <b>TOTAL</b>       | <b>200</b>    | <b>1</b>        |
| <b>GUN</b> | <b>AMMO</b>        | <b>ROUNDS</b> |                 |
| B-19       | REM R30065 180GR   | 40            |                 |
|            | REM R30067 220GR   | 40            |                 |

|                                                                        |                    |               |                 |
|------------------------------------------------------------------------|--------------------|---------------|-----------------|
|                                                                        | UMC L30062 150GR   | 40            |                 |
|                                                                        | REM PRT3006B 165GR | 40            |                 |
|                                                                        | REM R30063 150GR   | 40            |                 |
|                                                                        | <b>TOTAL</b>       | <b>200</b>    |                 |
| <b>GUN</b>                                                             | <b>AMMO</b>        | <b>ROUNDS</b> | <b>STEM LOW</b> |
| B-20                                                                   | REM R30065 180GR   | 40            |                 |
|                                                                        | REM R30067 220GR   | 40            |                 |
|                                                                        | UMC L30062 150GR   | 40            |                 |
|                                                                        | REM PRT3006B 165GR | 40            |                 |
|                                                                        | REM R30063 150GR   | 40            | 1               |
|                                                                        | <b>TOTAL</b>       | <b>200</b>    | <b>1</b>        |
| <b>NOTE: BOLT VERY STIFF CLOSING THE BOLT WHEN CHAMBERING A ROUND.</b> |                    |               |                 |

|                                       |        |                         |        |             |
|---------------------------------------|--------|-------------------------|--------|-------------|
| PROJECT# 241095                       |        | D.A.T. 2                |        |             |
| TLW 0010E                             |        |                         |        |             |
| SEAR/TRIGGER ENGAGEMENT AND SEAR LIFT |        |                         |        |             |
| DATE - 9/11/2000                      |        |                         |        |             |
|                                       |        | SEAR/TRIGGER ENGAGEMENT |        |             |
| GUN#                                  | 1      | 2                       | 3      | AVERAGE     |
| B-1                                   | 0.0206 | 0.0214                  | 0.0211 | 0.021033333 |
| B-2                                   | 0.0256 | 0.0247                  | 0.0258 | 0.025366667 |
| B-3                                   | 0.0253 | 0.0255                  | 0.0239 | 0.0249      |
| B-4                                   | 0.0236 | 0.0241                  | 0.0252 | 0.0243      |
| B-5                                   | 0.0219 | 0.0223                  | 0.0225 | 0.022233333 |
| B-6                                   | 0.0239 | 0.0241                  | 0.0249 | 0.0243      |
| B-7                                   | 0.0278 | 0.0269                  | 0.0278 | 0.0275      |
| B-8                                   | 0.0245 | 0.0249                  | 0.0247 | 0.0247      |
| B-9                                   | 0.0212 | 0.0214                  | 0.0233 | 0.021966667 |
| B-10                                  | 0.0254 | 0.0249                  | 0.0248 | 0.025033333 |
| B-11                                  | 0.0227 | 0.0238                  | 0.0231 | 0.0232      |
| B-12                                  | 0.0201 | 0.0199                  | 0.0197 | 0.0199      |
| B-13                                  | 0.0249 | 0.0247                  | 0.0249 | 0.024833333 |
| B-14                                  | 0.0227 | 0.0234                  | 0.0219 | 0.022666667 |
| B-15                                  | 0.0249 | 0.0248                  | 0.0247 | 0.0248      |
| B-16                                  | 0.0252 | 0.0248                  | 0.0249 | 0.024966667 |
| B-17                                  | 0.0249 | 0.0247                  | 0.0248 | 0.0248      |
| B-18                                  | 0.0248 | 0.0247                  | 0.0253 | 0.024933333 |
| B-19                                  | 0.0212 | 0.0222                  | 0.0231 | 0.022166667 |
| B-20                                  | 0.0249 | 0.0237                  | 0.0239 | 0.024166667 |
| B-21                                  | 0.0238 | 0.0241                  | 0.0239 | 0.023933333 |
| B-22                                  | 0.0247 | 0.0248                  | 0.0246 | 0.0247      |
| B-23                                  | 0.0247 | 0.0248                  | 0.0241 | 0.024533333 |
| B-24                                  | 0.0256 | 0.0239                  | 0.0238 | 0.024433333 |
| B-25                                  | 0.0268 | 0.0262                  | 0.0268 | 0.0266      |
| B-26                                  | 0.0241 | 0.0241                  | 0.0239 | 0.024033333 |
| B-27                                  | 0.0246 | 0.0252                  | 0.0248 | 0.024866667 |
| B-28                                  | 0.0251 | 0.0248                  | 0.0246 | 0.024833333 |
| B-29                                  | 0.0258 | 0.0261                  | 0.0256 | 0.025833333 |
| B-30                                  | 0.0242 | 0.0247                  | 0.0239 | 0.024266667 |
| SEAR LIFT                             |        |                         |        |             |
| GUN#                                  | 1      | 2                       | 3      | AVERAGE     |

|      |        |        |        |             |
|------|--------|--------|--------|-------------|
| B-1  | 0.0169 | 0.0171 | 0.0168 | 0.016933333 |
| B-2  | 0.0167 | 0.0169 | 0.0167 | 0.016766667 |
| B-3  | 0.0169 | 0.0168 | 0.0159 | 0.016533333 |
| B-4  | 0.0159 | 0.0162 | 0.0141 | 0.0154      |
| B-5  | 0.0178 | 0.0169 | 0.0156 | 0.016766667 |
| B-6  | 0.0186 | 0.0188 | 0.0187 | 0.0187      |
| B-7  | 0.0172 | 0.0179 | 0.0182 | 0.017766667 |
| B-8  | 0.0154 | 0.0153 | 0.0159 | 0.015533333 |
| B-9  | 0.016  | 0.0163 | 0.0161 | 0.016133333 |
| B-10 | 0.0149 | 0.0147 | 0.0134 | 0.014333333 |
| B-11 | 0.0155 | 0.0151 | 0.0143 | 0.014966667 |
| B-12 | 0.0152 | 0.0154 | 0.0152 | 0.015266667 |
| B-13 | 0.0181 | 0.0187 | 0.0166 | 0.017133333 |
| B-14 | 0.0172 | 0.0184 | 0.0166 | 0.016733333 |
| B-15 | 0.0179 | 0.0167 | 0.0172 | 0.017266667 |
| B-16 | 0.0151 | 0.0154 | 0.0162 | 0.015666667 |
| B-17 | 0.0167 | 0.0168 | 0.0171 | 0.016866667 |
| B-18 | 0.016  | 0.0163 | 0.0152 | 0.015833333 |
| B-19 | 0.0171 | 0.0169 | 0.0164 | 0.0168      |
| B-20 | 0.0174 | 0.0172 | 0.0162 | 0.016933333 |
| B-21 | 0.0161 | 0.0168 | 0.0166 | 0.0165      |
| B-22 | 0.0112 | 0.0116 | 0.0114 | 0.0114      |
| B-23 | 0.0121 | 0.0127 | 0.0117 | 0.012166667 |
| B-24 | 0.0179 | 0.0183 | 0.0178 | 0.018       |
| B-25 | 0.0175 | 0.0176 | 0.0174 | 0.0175      |
| B-26 | 0.0171 | 0.0172 | 0.0174 | 0.017233333 |
| B-27 | 0.014  | 0.0141 | 0.0142 | 0.0141      |
| B-28 | 0.0179 | 0.0177 | 0.0164 | 0.017333333 |
| B-29 | 0.0128 | 0.0125 | 0.0128 | 0.0127      |
| B-30 | 0.0132 | 0.0141 | 0.0137 | 0.013666667 |

|                                                    |                                           |                          |
|----------------------------------------------------|-------------------------------------------|--------------------------|
| PROJECT# 241095                                    |                                           | D.A.T.(2)                |
| SAAMI DROP TEST. TLW 0010AQ                        |                                           |                          |
| SAAMI JAR-OFF TEST. TLW 0010AR                     |                                           |                          |
| SAAMI ROTATION TEST. TLW 0010AS                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
| <b>JAR-OFF TEST</b>                                |                                           | <b>POSITION</b>          |
| 12 IN / SAFE OFF                                   | BARREL HORIZONTAL, BOTTOM OF STOCK DOWN   |                          |
| 12 IN / SAFE OFF                                   | BARREL HORIZONTAL, BOTTOM OF STOCK UP     |                          |
| 12 IN / SAFE OFF                                   | BARREL HORIZONTAL, LEFT SIDE OF STOCK UP  |                          |
| 12 IN / SAFE OFF                                   | BARREL HORIZONTAL, RIGHT SIDE OF STOCK UP |                          |
| 12 IN / SAFE OFF                                   | BARREL VERTICAL, MUZZEL UP                |                          |
| 12 IN / SAFE OFF                                   | BARREL VERTICAL, MUZZEL DOWN              |                          |
|                                                    |                                           |                          |
| <b>DROP TEST</b>                                   |                                           | <b>POSITION</b>          |
| 48 IN / SAFE ON                                    | BARREL HORIZONTAL, BOTTOM OF STOCK DOWN   |                          |
| 48 IN / SAFE ON                                    | BARREL HORIZONTAL, BOTTOM OF STOCK UP     |                          |
| 48 IN / SAFE ON                                    | BARREL HORIZONTAL, LEFT SIDE OF STOCK UP  |                          |
| 48 IN / SAFE ON                                    | BARREL HORIZONTAL, RIGHT SIDE OF STOCK UP |                          |
| 48 IN / SAFE ON                                    | BARREL VERTICAL, MUZZEL UP                |                          |
| 48 IN / SAFE ON                                    | BARREL VERTICAL, MUZZEL DOWN              |                          |
|                                                    |                                           |                          |
| <b>ROTATION TEST</b>                               |                                           | <b>POSITION, SAFE ON</b> |
| FIREARM VERTICAL DROP SO LEFT SIDE OF STOCK IS UP  |                                           |                          |
| FIREARM VERTICAL DROP SO RIGHT SIDE OF STOCK IS UP |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
|                                                    |                                           |                          |
| <b>EXT JAR-OFF</b>                                 |                                           | <b>POSITION</b>          |

|                    |                                           |
|--------------------|-------------------------------------------|
| 6 IN / SAFE OFF    | BARREL HORIZONTAL, BOTTOM OF STOCK DOWN   |
| 6 IN / SAFE OFF    | BARREL HORIZONTAL, BOTTOM OF STOCK UP     |
| 6 IN / SAFE OFF    | BARREL HORIZONTAL, LEFT SIDE OF STOCK UP  |
| 6 IN / SAFE OFF    | BARREL HORIZONTAL, RIGHT SIDE OF STOCK UP |
| 6 IN / SAFE OFF    | BARREL VERTICAL, MUZZEL UP                |
| 6 IN / SAFE OFF    | BARREL VERTICAL, MUZZEL DOWN              |
|                    |                                           |
|                    |                                           |
| <b>EXT JAR-OFF</b> | <b>POSITION</b>                           |
| 18 IN / SAFE OFF   | BARREL HORIZONTAL, BOTTOM OF STOCK DOWN   |
| 18 IN / SAFE OFF   | BARREL HORIZONTAL, BOTTOM OF STOCK UP     |
| 18 IN / SAFE OFF   | BARREL HORIZONTAL, LEFT SIDE OF STOCK UP  |
| 18 IN / SAFE OFF   | BARREL HORIZONTAL, RIGHT SIDE OF STOCK UP |
| 18 IN / SAFE OFF   | BARREL VERTICAL, MUZZEL UP                |
| 18 IN / SAFE OFF   | BARREL VERTICAL, MUZZEL DOWN              |
|                    |                                           |
|                    |                                           |
| <b>EXT JAR-OFF</b> | <b>POSITION</b>                           |
| 24 IN / SAFE OFF   | BARREL HORIZONTAL, BOTTOM OF STOCK DOWN   |
| 24 IN / SAFE OFF   | BARREL HORIZONTAL, BOTTOM OF STOCK UP     |
| 24 IN / SAFE OFF   | BARREL HORIZONTAL, LEFT SIDE OF STOCK UP  |
| 24 IN / SAFE OFF   | BARREL HORIZONTAL, RIGHT SIDE OF STOCK UP |
| 24 IN / SAFE OFF   | BARREL VERTICAL, MUZZEL UP                |
| 24 IN / SAFE OFF   | BARREL VERTICAL, MUZZEL DOWN              |
|                    |                                           |
|                    |                                           |
| <b>EXT JAR-OFF</b> | <b>POSITION</b>                           |
| 48 IN / SAFE OFF   | BARREL HORIZONTAL, BOTTOM OF STOCK DOWN   |
| 48 IN / SAFE OFF   | BARREL HORIZONTAL, BOTTOM OF STOCK UP     |
| 48 IN / SAFE OFF   | BARREL HORIZONTAL, LEFT SIDE OF STOCK UP  |
| 48 IN / SAFE OFF   | BARREL HORIZONTAL, RIGHT SIDE OF STOCK UP |
| 48 IN / SAFE OFF   | BARREL VERTICAL, MUZZEL UP                |
| 48 IN / SAFE OFF   | BARREL VERTICAL, MUZZEL DOWN              |

[illegible]

PROJECT# 241095

TLW 0304

ACCURACY AT 1000, 2000, AND 5000 ROUND LEVEL.

| GUN  | AMMO             | RD LEVEL | GROUP#1 | GROUP#2 | GROUP#3 | AVERAGE   |
|------|------------------|----------|---------|---------|---------|-----------|
| B-18 | REM R30064 180GR | 1000     | 1.765   | 2.256   | 1.412   | 1.811     |
| B-16 | REM R30064 180GR | 2000     | 2.341   | 2.116   | 3.289   | 2.5826667 |
| B-13 | REM R30064 180GR | 5000     | 4.345   | 5.046   | 3.706   | 4.3656667 |

**100 YARD ACCURACY  
MODEL 710 WITH PROMOTIONAL SCOPE BUSHNELL**

| GUN      | AMMO         | GROUP#1 | GROUP#2 | GROUP#3 | GROUP#4 | GROUP#5 | AVERAGE |
|----------|--------------|---------|---------|---------|---------|---------|---------|
| 71001079 | R30062 150GR | 1.59    | 0.911   | 1.565   | 1.87    | 1.811   | 1.5494  |
|          | R30064 180GR | 1.528   | 1.492   | 1.581   | 1.284   | 1.315   | 1.44    |

| GUN      | AMMO         | GROUP#1 | GROUP#2 | GROUP#3 | GROUP#4 | GROUP#5 | AVERAGE |
|----------|--------------|---------|---------|---------|---------|---------|---------|
| 71001080 | R30062 150GR | 1.567   | 1.921   | 1.591   | 1.997   | 2.251   | 1.8654  |
|          | R30064 180GR | 1.901   | 2.451   | 2.271   | 2.391   | 2.253   | 2.2534  |