

M/710 ESTIMATE - REV. 3 HIGH SPOT ONLY

PART DESCRIPTION	Engineer Purchasing Vendor	Proposed Process	Capital Dollars	Operations Dollars	Material \$	Labor \$
Barrel Assembly	Santillo	Assemble & Machine	\$ 125,000	\$ 7,500	\$ -	\$ 2.44
Barrel	Parkhurst/ LeMay	Machined	\$ 488,500	\$ 16,100	\$ 2.44	\$ 5.57
Front Sight Assembly	Santillo	Assemble	\$ -	\$ -	\$ -	\$ 0.15
Take Down Screws (2)	Santillo	A/U M/700	\$ -	\$ -	\$ 0.04	\$ 0.00
Ramp	Santillo	A/U M/700	\$ -	\$ -	\$ 0.02	\$ 0.25
Sight	Santillo	A/U M/700	\$ -	\$ -	\$ 0.04	\$ -
Rear Sight Assembly	Santillo	A/U M/700	\$ -	\$ -	\$ -	\$ 0.17
Take Down Screws (2)	Santillo	A/U M/700	\$ -	\$ -	\$ 0.04	\$ 0.00
Base	Santillo	A/U M/700	\$ -	\$ -	\$ 0.16	\$ 0.17
Slide	Santillo	A/U M/700	\$ -	\$ -	\$ 0.07	\$ 0.38
Aperture	Santillo	A/U M/700	\$ -	\$ -	\$ 0.00	\$ 0.08
Elevation Screw	Santillo	A/U M/700	\$ -	\$ -	\$ 0.02	\$ -
Windage Screw	Santillo	A/U M/700	\$ -	\$ -	\$ 0.02	\$ 0.00
Rib	Santillo	A/U M/700	\$ -	\$ -	\$ 0.02	\$ 0.04
Rib Spacer	Santillo	A/U M/700	\$ -	\$ -	\$ 0.00	\$ 0.04
Bolt Assembly	Zarnoch	Finish			\$ -	\$ 1.31
Bolt Body	Swanson	Machined	\$ 85,000	\$ 500	\$ 0.45	\$ 0.13
Bolt Handle	Santillo	Screw Mach.	\$ -	\$ 500	\$ 1.47	\$ -
Bolt Head	Swanson	Machined	\$ 198,000	\$ 500	\$ 1.60	\$ 1.70
Bolt Head Retaining Pin	Santillo	Purchase	\$ -	\$ -	\$ 0.15	\$ -
Bolt Plug	Swanson	Synthetic	\$ 28,500	\$ 1,000	\$ 0.03	\$ 0.19
Extractor	Santillo	A/U M/700	\$ -	\$ -	\$ 0.72	\$ 0.00
Snap Ring	Santillo	Purchase	\$ -	\$ -	\$ 0.58	\$ -
Firing Pin Head	Santillo	Machined		\$ 950	\$ -	\$ 0.12

~AUTOFIELD

~AUTODATE

Firing Pin Head Blank	Ogrodnik	MIM	\$ 39,000	\$ 0.71	\$ -	
Firing Pin	Santillo	Screw Mach.	\$ 1,850	\$ 1.30	\$ 0.06	
Firing Pin Spring	Santillo	Compression Spg.		\$ 0.14	\$ -	
R Initial Plug	Swanson	Synthetic	\$ 6,000	\$ 0.01	\$ 0.01	
PART DESCRIPTION	Engineer Purchasing Vendor	Research Proposed Process	Capital Dollars	Operations Dollars	Material \$	Labor \$
Fire Control Assembly	Santillo	Assemble		\$ -	\$ 1.25	
Sear Safety Cam	Santillo	AU M/700		\$ 0.26	\$ 0.15	
Safety Assembly	Santillo	AU M/700		\$ 0.26	\$ 0.09	
Safety Spring	Santillo	Purchase		\$ 1.25	\$ -	
Safety Pivot Pin	Santillo	AU M/700		\$ 0.05	\$ 0.00	
Sear Spring	Santillo	AU M/700		\$ 0.02	\$ -	
Trigger	Santillo	AU M/700		\$ 0.01	\$ 0.44	
Trigger Screw Front	Santillo	AU M/700		\$ 0.10	\$ 0.00	
Trigger Connector	Santillo	AU M/700		\$ 0.94	\$ 0.12	
Trigger Engagement Screw	Santillo	AU M/700		\$ 0.02	\$ 0.00	
Trigger Pin	Santillo	AU M/700		\$ 0.09	\$ 0.00	
Trigger Spring	Santillo	AU M/700		\$ 0.03	\$ -	
Trigger Stop Screw	Santillo	AU M/700		\$ 0.06	\$ 0.00	
Trigger Housing Assembly	Santillo	AU M/700		\$ -	\$ 1.64	

Firing Pin Head Blank	Ogrodnik	MIM	\$	39,000		\$	0.71	\$	-	
Firing Pin	Santillo	Screw Mach.			\$	1,850	\$	1.30	\$	0.06
Firing Pin Spring	Santillo	Compression Spg.					\$	0.14	\$	-
R Initial Plug	Swanson	Synthetic	\$	6,000			\$	0.01	\$	0.01
PART DESCRIPTION	Engineer	Research	Capital	Operations	Material	Labor				
	Purchasing	Proposed	Dollars	Dollars	\$	\$				
	Vendor	Process								
Fire Control Assembly	Santillo	Assemble			\$ -	\$ 1.25				
Sear Safety Cam	Santillo	AU M/700			\$ 0.26	\$ 0.15				
Safety Assembly	Santillo	AU M/700			\$ 0.26	\$ 0.09				
Safety Spring	Santillo	Purchase			\$ 1.25	\$ -				
Safety Pivot Pin	Santillo	AU M/700			\$ 0.05	\$ 0.00				
Sear Spring	Santillo	AU M/700			\$ 0.02	\$ -				
Trigger	Santillo	AU M/700			\$ 0.01	\$ 0.44				
Trigger Screw Front	Santillo	AU M/700			\$ 0.10	\$ 0.00				
Trigger Connector	Santillo	AU M/700			\$ 0.94	\$ 0.12				
Trigger Engagement Screw	Santillo	AU M/700			\$ 0.02	\$ 0.00				
Trigger Pin	Santillo	AU M/700			\$ 0.09	\$ 0.00				
Trigger Spring	Santillo	AU M/700			\$ 0.03	\$ -				
Trigger Stop Screw	Santillo	AU M/700			\$ 0.06	\$ 0.00				
Trigger Housing Assembly	Santillo	AU M/700			\$ -	\$ 1.64				
Trigger Housing Blank	Swanson	Synthetic	\$	15,000	\$	1,000	\$	0.12	\$	0.12
Receiver	Zarnoch	Machine	\$	108,180	\$	2,050	\$	1.68	\$	1.00

~AUTOFILE

~AUTODATE

ETI00003978

Magazine Assembly	Santillo	A/U M/7600	\$ -	\$ -	\$ 3.31	\$ 0.57
Stock Assembly W/ Butt Plate	Swanson	Synthetic	\$ 125,000	\$ -	\$ -	\$ -
Stock Assembly W/ Recoil Pad	Swanson	Synthetic	\$ 160,000	\$ -	\$ -	\$ -
Tang	Swanson	Synthetic	\$ 25,000	\$ 1,000	\$ 0.50	\$ 0.12
PART DESCRIPTION	Engineer Purchasing Vendor	Research Proposed Process	Machine Purchase	Rem. Fixed Tooling	Material \$	Labor \$
Build to label/Foam block/Box labels					\$ 0.01	\$ -
Foam Block					\$ 0.07	\$ -
Box and Envelope Labels					\$ 0.07	\$ -
Assy/Proof/Gallery/Inspect/Pack	Joy				\$ 2.17	\$ 5.37

~AUTOFIL

~AUTODAT

Proof Function Ammo (4.6* .25)	Joy		\$	1.15	\$	-
Pack	Joy		\$	1,250	\$	2.24
Manual	Santillo				\$	0.92

~AUTOFIELD

~AUTODATE

Over Head		Estimated
\$		Piece
		Price
\$	3.88	\$ 6.32
\$	19.77	\$ 27.79
\$	0.35	\$ 0.50
\$	0.00	\$ 0.09
\$	0.89	\$ 1.16
\$	-	\$ 0.04
\$	0.36	\$ 0.53
\$	0.00	\$ 0.09
\$	0.56	\$ 0.89
\$	1.02	\$ 1.47
\$	0.27	\$ 0.35
\$	-	\$ 0.02
\$	0.00	\$ 0.02
\$	0.11	\$ 0.17
\$	0.21	\$ 0.25
\$	4.54	\$ 5.85
\$	0.53	\$ 1.11
\$	-	\$ 1.47
\$	4.85	\$ 8.15
\$	-	\$ 0.15
\$	0.53	\$ 0.75
\$	0.01	\$ 0.73
\$	-	\$ 0.58
\$	0.23	\$ 0.35

~AUTOFIL

~AUTODATE

[illegible]

~AUTODATE

~AUTOFILE

\$	-	\$	
\$	0.16	\$	1.52
\$	-	\$	0.14
\$	0.03	\$	0.05
Over Head \$	Estimated Piece Price		
\$	2.38	\$	3.63
\$	0.57	\$	0.98
\$	0.30	\$	0.65
\$	-	\$	1.25
\$	0.00	\$	0.06
\$	-	\$	0.02
\$	1.35	\$	1.80
\$	0.00	\$	0.10
\$	0.30	\$	1.35
\$	0.00	\$	0.03
\$	0.00	\$	0.10
\$	-	\$	0.03
\$	0.00	\$	0.06
\$	3.11	\$	4.75
\$	0.35	\$	0.60
\$	3.51	\$	6.20

[illegible]

~AUTODATE

~AUTOFILE

[illegible]

CONFIDENTIAL

\$	-	\$	1.15
\$	-	\$	2.24
\$	-	\$	0.92
\$	65.67	\$	114.73

~AUTODATE

~AUTOFIELD

M/700 ADL Synthetic .30-06 cal. 05 Costing

Description	Part #	Material	Labor	Overhead	Total
Overall Gun	927478	\$ 32.90	\$ 23.08	\$ 66.78	\$ 122.76
Receiver	99304	\$ 2.35	\$ 4.37	\$ 14.36	\$ 21.08
Barrel	26291	\$ 2.05	\$ 2.34	\$ 8.43	\$ 12.82
Bolt Assy	94097	\$ 6.71	\$ 3.19	\$ 8.92	\$ 18.82
Stock	106153	\$ 6.12	\$ 0.51	\$ 1.06	\$ 7.69
Firecontrol	26345	\$ 2.15	\$ 2.80	\$ 6.69	\$ 11.64
Misc		\$ 13.52	\$ 9.87	\$ 27.32	\$ 50.71

M/710 Synthetic .30-06 Flat-

Description	Material
Overall Gun	\$ 25.38
Receiver	\$ 4.87
Barrel	\$ 2.44
Bolt Assy	\$ 11.13
Stock/Fore end	\$ 6.16
Firecontrol	\$ 9.09
Misc	\$ (8.31)

Comparison: M/700 ADL minus M/710

Description	Material	Labor	Overhead	Total
Overall Gun	\$ 7.52	\$ (0.61)	\$ 1.11	\$ 8.03
Receiver	\$ (2.52)	\$ 2.79	\$ 8.88	\$ 9.15
Barrel	\$ (0.39)	\$ (3.27)	\$ (11.38)	\$ (15.04)
Bolt Assy	\$ (4.42)	\$ 1.05	\$ 1.76	\$ (1.61)
Stock	\$ (0.04)	\$ 0.51	\$ 1.06	\$ 1.53
Firecontrol	\$ (6.94)	\$ 1.21	\$ 3.29	\$ (2.45)
Misc.	\$ 21.83	\$ (2.90)	\$ (2.50)	\$ 16.45

~AUTOFIELD

Labor	Overhead	Total
\$ 23.69	\$ 65.67	\$ 114.73
\$ 1.58	\$ 5.48	\$ 11.93
\$ 5.61	\$ 19.81	\$ 27.86
\$ 2.14	\$ 7.16	\$ 20.43
\$ -	\$ -	\$ 6.16
\$ 1.59	\$ 3.40	\$ 14.09
\$ 12.77	\$ 29.82	\$ 34.26

Subject to Protective Order - Williams v. Remington

~AUTOFIIE

ETE00003986

[illegible][illegible][illegible][illegible]

[illegible]

~AUTOFILE

ETE00003988

CONFIDENTIAL

Over Head	Oper.
\$	Cost
	\$ 0.50
\$ 0.35	\$ 0.48
\$ 0.35	\$ 0.98

~AUTOFIL

CONFIDENTIAL

\$	0.71	\$ 1.95

~AUTOFIL

[illegible][illegible][illegible][illegible]

[illegible]

~AUTOFILE

ETE00003992

CONFIDENTIAL


Over Head	Oper.
\$	Cost
	\$ 0.12
\$ 0.35	\$ 0.48
\$ 0.35	\$ 0.60

~AUTOFIL

CONFIDENTIAL

\$	0.71	\$ 1.19

~AUTOFIL



OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
1	Issue From Crib				9132					
10	Demagnetize Metal Components				8772	\$ 15.56	190.19%	0.000404		\$ 0
20	Assemble - Stage 1				8772	\$ 15.56	190.19%	0.018634		\$ 0
30	Assemble - Stage 2				8772	\$ 15.56	190.19%	0.031275		\$ 0
40	Adjust on Comparator				8772	\$ 15.56	190.19%	0.018929		\$ 0
50	Assemble - Stage 3				8772	\$ 15.56	190.19%	0.02412		\$ 0
60	Function Check Complete				8772	\$ 15.56	190.19%	0.009917		\$ 0
70	Stamp Identification Deliver to Crib			\$ 500.00	8772	\$ 15.56	190.19%	0.001908		\$ 0
Totals			\$ -	\$ 500.00				0.105187	\$ -	\$ 1.

Over Head	Oper.
\$	Cost
\$ 0.01	\$ 0.02
\$ 0.55	\$ 0.84
\$ 0.93	\$ 1.41
\$ 0.56	\$ 0.85
\$ 0.71	\$ 1.09
\$ 0.29	\$ 0.45
\$ 0.06	\$ 0.09
\$ 3.11	\$ 4.75


~AUTOFIL

OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
	Blank Material - Screw Machine Gaging (vendor and Remington)		\$ 1,000.00	\$ 500.00	Vendor				\$ 1.47	
	Totals		\$ 1,000.00	\$ 500.00				0.000000	\$ 1.47	\$ -

~AUTOFILE

Over Head	Oper.
\$	Cost
	\$ 1.47
\$ -	\$ 1.47

~AUTOFIL



OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$
	Blank Material								\$ 1.60
15	Mill Lugs Machine	Conn. 100	\$ 70,000.00		8560	\$ 15.40	285%		\$ -
	Fixtures		\$ 4,000.00				Time included in Mazak Run Time		
	Tools		\$ 4,000.00	\$ 500.00					
	Gaging		\$ 1,000.00						
25	Mazak				8560	\$ 15.40	285%	0.041000	\$ -
	Fixtures	New Tombstones/Collets	\$ 60,000.00						
	Gaging		\$4,000						
30	Chamfer Lugs Machine	Rem Spec.	\$ 45,000.00		8560	\$ 15.40	285%	0.018860	\$ -
	Fixtures		\$ 5,000.00						
56	Ream Extractor Rivit Hole				8560	\$ 15.40	285%	0.006880	\$ -
	Fixtures		\$ 1,000.00						
57	Coin Anti-Rotation Dimple Fixtures		\$ 1,000.00		8560	\$ 15.40	285%	0.006380	\$ -
60	Ream Ejt./Ejt. Retaining Hole Fixtures		\$ 1,000.00		8560	\$ 15.40	285%	0.007100	\$ -
65	Ream & C' Sink Extractor Rivot Hole. Ream Ejt. Cross				8560	\$ 15.40	285%	0.015110	\$ -

~AUTOFIL

	Pin Hole Fixtures	\$ 1,000.00			
70	Debur Extractor Rivet Dimple & Ejector Hole Fixtures	8560 \$ 15.40	285%	0.015110 \$ -	
		\$ 1,000.00			
	Totals	\$ 198,000.00 \$ 500.00		0.110440 \$ 1.60	

Labor	Over Head	Oper.
\$	\$	Cost
	\$	1.60
\$ -	\$ -	\$ -
\$ 0.63	\$ 1.80	\$ 2.43
\$ 0.29	\$ 0.83	\$ 1.12
\$ 0.11	\$ 0.30	\$ 0.41
\$ 0.10	\$ 0.28	\$ 0.38
\$ 0.11	\$ 0.31	\$ 0.42
\$ 0.23	\$ 0.66	\$ 0.90

~AUTOFIL

CONFIDENTIAL

\$	0.23	\$	0.66	\$	0.90
\$	1.70	\$	4.85	\$	8.15

~AUTOFIL

[illegible][illegible][illegible][illegible]

Totals	\$ 170,000.00	\$ 1,000.00						0.008330	\$	0.90
--------	---------------	-------------	--	--	--	--	--	----------	----	------

~AUTOFILE

ETE00004004

CONFIDENTIAL

Over Head	Oper.
\$	Cost
	\$ 0.45
\$ 0.53	\$ 0.66
\$ 0.53	\$ 1.11

~AUTOFIL

CONFIDENTIAL

\$	1.05	\$ 2.22

~AUTOFIL

OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
	Material (Blank 94523)								\$ 3.35	
16	Cutoff, Heat, Manual upset Tooling		\$ 13,000.00	\$ 1,000.00	8173	\$ 15.89	397.98%	0.034889		\$ 0.5
18	Machine straighten				8173	\$ 15.89	397.98%	0.007991		\$ 0.1
			\$ 13,000.00	\$ 1,000.00					\$ 3.35	\$ 0.6

~AUTOFILE

Over Head	Oper.
\$	Cost
	\$3.35
\$ 2.21	\$ 2.76
\$ 0.51	\$ 0.63
\$ 2.71	\$6.74

~AUTOFIL

[illegible][illegible][illegible][illegible]

Totals	\$ 57,000.00	\$ 2,000.00			0.012000	\$ 0.00
--------	--------------	-------------	--	--	----------	---------

~AUTOFILE

ETE00004010

Over Head	Oper.
\$	Cost
\$	0.03
\$ 0.53	\$ 0.72
\$ 0.53	\$ 0.75


Subject to Protective Order

ETE00004011

CONFIDENTIAL

\$	1.06	\$ 1.49

~AUTOFIL



OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
10	Injection Mold Butt Plate				Vendor					
20	Synthetic Stock (Mold/Assy)				Vendor					
	Tooling		\$ 120,000.00							
	Fixtures		\$ 5,000.00							
	Stock Assy. with Butt Plate		\$ 125,000.00							
10	Injection Mold Recoil Pad									
	Tooling (Recoil Pad/Backer)		\$ 35,000.00		Vendor					
20	Synthetic Stock (Mold/Assy)				Vendor					
	Tooling		\$ 120,000.00							
	Fixtures		\$ 5,000.00							
	Stock Assy. with Recoil Pad		\$ 160,000.00							
	Totals		\$ 570,000.00	\$ -				0.000000	\$ -	\$ -

Subject to Protective Order - Williams v. Remington

Over Head	Oper.
\$	Cost
	\$ 0.17
	\$ 6.55
	\$ 6.72
	\$ 3.15
	\$ 7.15
	\$ 10.30
\$ -	\$ 34.04

~AUTOFIL

OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead
10	mill ejection port, firecontrol slot machine gages fixture	vmc haas quad indexer	65000.00 2280.00 28000.00	\$ 850.00	xxxx	\$ 15.80	350%
20	mill mag port machine cbore drill, tap cam screw gages fixture	vmc	2900.00		xxxx	\$ 15.80	350%
50	Metasilicate wash				xxxx	\$ 15.80	350%
60	Finish File				xxxx	\$ 15.80	350%
70	Roll mark Remington & model	Schmidt	5000.00	\$ 600.00	xxxx	\$ 15.80	350%
80	Stamp serial number	Schmidt	5000.00	\$ 600.00	xxxx	\$ 15.80	350%
90							

~AUTOFIELD

[illegible]

~AUTOFILE

Std. Run Hours	Material \$	Labor \$	Over Head \$	Oper. Cost
0.021000	\$ -	\$ 0.33	\$ 1.16	\$ 1.49
0.029000	\$ -	\$ 0.46	\$ 1.60	\$ 2.06
0.000010	\$ -	\$ 0.00	\$ 0.00	\$ 0.00
0.006300	\$ -	\$ 0.10	\$ 0.35	\$ 0.45
0.003600	\$ -	\$ 0.06	\$ 0.20	\$ 0.26
0.003600	\$ -	\$ 0.06	\$ 0.20	\$ 0.26

~AUTOFIL

		\$ -	\$ 1.00	\$ 3.51	\$ 4.52

~AUTOFILE

OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead
10	press body on head machine fixture gage	Mead press	\$ 12,000.00 \$ 2,200.00 \$ 1,300.00	\$ 600.00	xxxx	\$ 15.80	350%
20	drill and pin machine fixtures gages	drill press mead press	\$ 8,500.00 \$ 12,000.00 \$ 3,900.00 \$ 1,500.00	600.00	xxxx	\$ 15.80	350%
30	Mill Cam Cut & cocking notch cbore drill,tap bolt handle hole Machine Fixtures Gaging	vmc haas quad indexer	\$ 65,000.00 \$ 2,900.00 \$ 28,000.00	\$ 950.00	xxxx	\$ 15.80	350%
40	attach handle fixture		\$ 2,700.00	\$ 200.00	xxxx	\$ 15.80	350%
50	blast				xxxx	\$ 15.00	350%
60	Color racks		\$ 3,000.00	\$ 200.00	xxxx	\$ 15.78	278%

~AUTOFIL


Totals	\$	143,000.00	\$	2,550.00				
---------------	----	------------	----	----------	--	--	--	--

~AUTOFILE

Std. Run Hours	Material \$	Labor \$	Over Head \$	Oper. Cost
0.012600		\$ 0.19 \$	0.66 \$	0.85
0.015000		\$ 0.24 \$	0.83 \$	1.07
0.032158	\$ -	\$ 0.51 \$	1.78 \$	2.29
0.01479		\$ 0.23 \$	0.82 \$	1.05
0.005300		\$ 0.08 \$	0.28 \$	0.36
0.004000		\$ 0.06 \$	0.18 \$	0.24


~AUTOFIELD

0083248	\$	-	\$	1.31	\$	4.54	\$	5.85
---------	----	---	----	------	----	------	----	------



OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
	Material (Blank 97651)								\$ 2.44	
1	Issue from crib				9290					
5	Cut to length (need 26')			\$ 600.00	8173	\$ 15.89	397.98%	0.012437		\$ 0.2
16	Heat, Manual upset and trim			\$ 1,000.00	8173	\$ 15.89	397.98%	0.012437		\$ 0.2
18	Machine straighten				8173	\$ 15.89	397.98%	0.007991		\$ 0.1
20	Load furnace baskets				8105	\$ 15.38	333.86%	0.001680		\$ 0.0
22	Load furnace heat and quench				8105	\$ 15.38	333.86%	0.000001		\$ 0.0
23	Unload furnace and wash				8105	\$ 15.38	333.86%	0.001470		\$ 0.0
24	Load draw furnace and draw barrels				8105	\$ 15.38	333.86%	0.006667		\$ 0.1
25	Unload draw furnace				8105	\$ 15.38	333.86%	0.000850		\$ 0.0
29	Unload furnace baskets				8105	\$ 15.38	333.86%	0.000520		\$ 0.0
30	Tumblast				8105	\$ 15.38	333.86%	0.001600		\$ 0.0
31	Inspect for hardness				8105	\$ 15.38	333.86%	0.004900		\$ 0.0
	Crib							0.000001		

~AUTOFIL



PROCESS		MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
OP #	DESCRIPTION									
1	Issue from crib (105550)				9132			0.000001		
5	Drill bore - upset barrels		\$ 3,500.00		8158	\$ 15.76	359.44%	0.021468		\$ 0.3
15	Form Turn NFT form		\$ 6,000.00	\$ 2,000.00	8158	\$ 15.76	359.44%	0.034860		\$ 0.5
20	Bore ream to remove drill rings		\$ 3,000.00		8158	\$ 15.76	359.44%	0.010416		\$ 0.1
30	GFM form and finish		\$ 10,000.00	\$ 500.00	8158	\$ 15.76	359.44%	0.025976		\$ 0.4
56	Load furnace baskets				8105	\$ 15.38	333.86%	0.001680		\$ 0.0
57	De-grease				8105	\$ 15.38	333.86%	0.001720		\$ 0.0
58	Load work on furnace base				8105	\$ 15.38	333.86%	0.002510		\$ 0.0
59	Stress relieve				8105	\$ 15.38	333.86%	0.000001		\$ 0.0
60	Cool work				8105	\$ 15.38	333.86%	0.000001		\$ 0.0
61	Unload work from furnace base				8105	\$ 15.38	333.86%	0.007590		\$ 0.1
63	Unload furnace baskets				8105	\$ 15.38	333.86%	0.001890		\$ 0.0

~AUTOFIELD

Subject to Protective Order - Williams v. Remington

E7E00004024

65	Cut-off muzzle end and crown				8158	\$ 15.76	359.44%	0.025000	\$ 0.3	
85	Turn and face breech chamber, and polish chamber	CNC Chuckering Tooling Gaging	\$ 450,000.00	\$ 10,000.00	8158	\$ 15.76	359.44%	0.091660	\$ 1.4	
			\$ 12,000.00							
OP #	PROCESS DESCRIPTION	MACHINE DESCRIPTION	Capital \$	Ops. \$	Depart. Number	Depart. Labor \$	Total % Overhead	Std. Run Hours	Material \$	Labor \$
120	Magnaflux				8158	\$ 15.76	359.44%	0.015500	\$ 0.2	
125	Straighten and inspect				8157	\$ 15.43	325.91%	0.012000	\$ 0.1	
130	Rough and finish centerless polish				8157	\$ 15.43	325.91%	0.014400	\$ 0.2	
135	Hand spin Barrel				8157	\$ 15.43	325.91%	0.007000	\$ 0.1	
145	Akaline clean				8157	\$ 15.43	325.91%	0.000001	\$ 0.0	
150	Induction Harden Barrel Locking Lugs		\$ 4,000.00		8157	\$ 15.43	325.91%	0.006000	\$ 0.0	
150	Rotoblast				8157	\$ 15.43	325.91%	0.009557	\$ 0.1	

~AUTOFILE

160	Rollmark		\$ 2,000.00	8157	\$ 15.43	325.91%	0.005744	\$ 0.0
165	Angularity Straighten			8157	\$ 15.43	325.91%	0.005744	\$ 0.0
170	Color			8157	\$ 15.43	325.91%	0.004337	\$ 0.0
Totals			\$ 488,500.00	\$ 16,100.00			0.355610	\$ 2.44 \$ 5.5

Over Head	Oper.
\$	Cost
	\$2.44
\$ 0.79	\$ 0.98
\$ 0.79	\$ 0.98
\$ 0.51	\$ 0.63
\$ 0.09	\$ 0.11
\$ 0.00	\$ 0.00
\$ 0.08	\$ 0.10
\$ 0.34	\$ 0.44
\$ 0.04	\$ 0.06
\$ 0.03	\$ 0.03
\$ 0.08	\$ 0.11
\$ 0.25	\$ 0.33

~AUTOFIL

Over Head \$	Oper. Cost
\$ 1.22	\$ 1.55
\$ 1.97	\$ 2.52
\$ 0.59	\$ 0.75
\$ 1.47	\$ 1.88
\$ 0.09	\$ 0.11
\$ 0.09	\$ 0.11
\$ 0.13	\$ 0.17
\$ 0.00	\$ 0.00
\$ 0.00	\$ 0.00
\$ 0.39	\$ 0.51
\$ 0.10	\$ 0.13

~AUTOFIL

CONFIDENTIAL

\$	0.29	\$	0.38
\$	0.29	\$	0.38
\$	0.22	\$	0.29
\$	19.77	\$	27.79

~AUTOFIIE


```

FUNC: ICST          ITEM COST DATA          09/08/98
DATA:                INQ
ITEM: 26291          COST TYPE: 05 NEXT YEAR FORECAST  OPER:
700 BARREL 30/06 22"  COST YIELD LOSS IND: N
                        CDS DATE: 090498
COST ROLLUP: Y      UM: EA      REV LEVEL: 10      RE COST DATE:
090498
COST CTL CD: M      M/B: 1      COST OVR CD: N      TEXT ID: _____
SHRINKAGE: 0        MATERIAL OH CODES: _____

```


*****VALUE ADDED COSTS*****		VALUE MATERIAL		0.00
0.00	M01	0.00	M02 ADDED LABOR	1.977343
0.00	M03	0.00	M04 COSTS OVERHEAD	7.108154
2.705007	O05	1.085562	O06 TOTAL	9.085497
1.856724	O07	0.959012	O08	
0.00	M09	0.00	M10 COMP. MATERIAL	2.046636
1.977343	L11	0.501849	O12 COSTS LABOR	0.362492
*****TOTAL COSTS*****		OVERHEAD		1.326064
2.046636	M01	0.00	M02 TOTAL	3.735192
0.00	M03	0.00	M04	
3.316434	O05	1.237152	O06 TOTAL MATERIAL	2.046636
2.197104	O07	1.134821	O08 COSTS LABOR	2.339835
0.00	M09	0.00	M10 OVERHEAD	8.434218
2.339835	L11	0.548707	O12 TOTAL	12.820689

ETE00004032

0.00	M03	0.00	M04 COSTS OVERHEAD	8.64044
2.195494	O05	1.538787	O06 TOTAL	11.696905
2.87002	O07	1.482383	O08	
0.00	M09	0.00	M10 COMP MATERIAL	6.713761
3.056465	L11	0.553756	O12 COSTS LABOR	0.13608
*****TOTAL COSTS*****				OVERHEAD 0.261116
0.00	M01	0.00	M02 TOTAL	7.130957
6.713761	M03	0.00	M04	
2.218428	O05	1.590348	O06 TOTAL MATERIAL	6.713761
2.997799	O07	1.548382	O08 COSTS LABOR	3.192545
0.00	M09	0.00	M10 OVERHEAD	8.921556
3.192545	L11	0.566599	O12 TOTAL	18.827862

FUNC: ICST		ITEM COST DATA		09/08/98
DATA:		INQ		
ITEM: 106153		COST TYPE: 05 NEXT YEAR FORECAST		OPER:
700 SYN STK LA ADL		COST YIELD LOSS IND: N		
		CDS DATE: 090498		
COST ROLLUP: Y		UM: EA	REV LEVEL: 01	RECAST DATE:
090498				
COST CTL CD: M		M/B: 1	COST OVR CD: N	TEXT ID: _____
SHRINKAGE: 0		MATERIAL OH CODES: _____		
		</		

FUNC: ICST		ITEM COST DATA		09/08/98
DATA:		INQ		
ITEM: 26345		COST TYPE: 05 NEXT YEAR FORECAST		OPER:
700 TRIG ASSB		COST YIELD LOSS IND: N		
		CDS DATE: 090498		
COST ROLLUP: Y		UM: EA	REV LEVEL: 02	RECAST DATE:
090498				
COST CTL CD: M		M/B: 1	COST OVR CD: N	TEXT ID: _____
SHRINKAGE: 0		MATERIAL OH CODES: _____		

SHRINKAGE: 0 MATERIAL OH CODES: _____
EXCEP CODES: 23

```
*****VALUE ADDED COSTS***** VALUE MATERIAL 0.00
0.00 M01 0.00 M02 ADDED LABOR 1.248409
0.00 M03 0.00 M04 COSTS OVERHEAD 2.37535
0.019975 O05 0.540061 O06 TOTAL 3.623759
1.172257 O07 0.605479 O08
0.00 M09 0.00 M10 COMP MATERIAL 2.155935
1.248409 L11 0.037578 O12 COSTS LABOR 1.546905
*****TOTAL COSTS***** OVERHEAD 4.317292
0.004186 M01 0.00 M02 TOTAL 8.020132
1.864717 M03 0.028061 M04
0.924139 O05 1.316439 O06 TOTAL MATERIAL 2.155935
2.722089 O07 1.416104 O08 COSTS LABOR 2.795314
0.253 M09 0.005971 M10 OVERHEAD 6.692642
2.795314 L11 0.313871 O12 TOTAL 11.643891
```