Summary	Total Test + Proof Failure	s 4877								
	Total Rejected Overall Reject Rate									
	Shot	19	185	432	104		79		18	2845
	Proof Rejected	1: 0	0	0	0	0	0	0	0	0
	Percen	t: 0.0	0.0	0.0	0.0		0.0		0.0	0.0
	Shot	57	135	510	142				31	2845
	Test Rejected	10	9	33	4	0	0	0	11	5
	Percen	17.5	6.7	6.5	2.8				35.5	0.2
1998	Shot		5 5							
	Target Rejected	t 0	0	0	0	0	0	0	0	0
	Percen		0.0							
CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
CODE	MALFONC HON INDEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
	*									
AB /	Action binds									
ASFB /	Action spring follower binds									·
		1	100000000000000000000000000000000000000	40000000	400000000000000000000000000000000000000	4 8	1 00000000	1		

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
	~									
AB	Action binds									
ASFB	Action spring follower binds									
BABS	Bulge at body shoulder							Žilian.		
BAC	Burr at chamber									
вв	Bolt binds/catches			******						ł.
BCOE	Bolt catches on ejector							,		
вс	Blows cases					*******				
BLOP	Bar lock or disconnector out of position								,	1
BSCO	Barrel support came out									
CBS-F	Shells catch on bbl support-feeding							2005		
CBS-L	Shells catch on bbl support-loading									
cc	Carrier catches on shells,mag,receiver	2								*******
CD	Case dented									
СН	Closes hard									
CHAB	Carrier hits action bar									
CLM	Can't laod magazine									1
СО	Cut-off									
CR	Cuts rim									
cs	Cases swell									

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
CTOG	Chamber torn or gouged									
СТР	Creepy trigger pull									
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back			21	4				3	
DCS	Double click in safety switch	8 so.								
DCT	Double click in Ingger									
DCU	Doesn't close∋up									
DE	Doesn't eject	1		Soc.						
DEL	Doesn't eject live round									
DFU	Doesn't feed up		- 5	100000	:800m.					
DLO	Doesn't lock open (after last shell)									
DLU	Doesn't lock-up						880			
DS	Dead safe									
DSM	Drops shell-magazine		2							1
DTL	Doesn't trip latch				· ·					
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell					7700			5	
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically							·		
FB	Follower binds								777	
FC	Fails to connect									1997
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire			1						
FFM	Fails to feed from magazine								2	1
FFP	Flat firing pin									
FOS	Fires on safe									
FSR	Fires when safe is released									

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure amma									
HUE	Hard under extractor	1	1						1	
ILOP	Int. latch out of position	55.								
ILRM	int latch ret. Missing			1						
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position			Soc.						
JL	Jumps latch	2								
JO	Jars off				Sin.					
LB	Light blow					****				
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong	**		2						
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position				3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3					
MLH	Magazine loads hard			1						
ОН	Opens hard									
PH	Pulls hard					166				
PSI	Proof stamp illegible									
PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work			4					777	
RIC	Rings in chamber									100
SBC	Stems bottom chambers	4	1							
SBCL	Shell binds carrier latch									
SBE	Stems bbl extension									
SCB	Stock cracked or broken									1
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber									

н
I I E
Ħ
0
000
0
<u>υ</u>
ω
5823
32

Maria.										
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
SL //	shaves lead									
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber	56.								
SSC	shell stems carrier									
STC	Stems top chamber			3						
SWE	Safety switch works too easily									
SWH	Safety switch works too fland									
sww	Safety ewitxh won't work			******						
TD	Tips down									
TU	Tips up						SS			
TWP	Trigger won't pull	**								
TWR	Trigger won't retract		***************************************		<u> </u>					
UNCN-T	Uncoded				· ·					
хн	Extracts hard									<u></u>
XHB	Extractor hits bbl				10000					Ĺ
				1	ı		30000000			
Н	High									
LO	Low									
LEFT	Left									
RIGHT	Right								100	
DG	Doesn't Group									
FSST	Front sight tipped									
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised									
FSTL	Front sight loose									
RSTL	Rear sight loose									
MGPT-G	Missing parts at target									


-	i	
•	į	
	,)	
Ē	5	
Ü	ח מ	
Š	Š	
	ì	


CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
	III (El Olto Holt III DEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
UNCN-G	Uncoded nonconformity at target									
Al⊦P	Assembly incompleye at proof									
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof	ico.								
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof	i i i i i i i i i i i i i i i i i i i								
BS-P	Barrel split at proof			Sec.						
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof				500000					
FCB-P	Fore-end cracked at proof					******				
FESO-P	Fore-end shot off at proof						86			
FF-P	Fails to fire at proof	*				. is				
GCSO-P	Gas cylinder shot off at proof		110000000000000000000000000000000000000							
GRSO-P	Guide ring shot off at proof				· · · · · · · · · · · · · · · · · · ·					
MCSO-P	Magazine cap shot off at proof									
MSI-P	Magnaflux stamp illegible on bbl				100000					
MSM-P	Magnaflux stamp missing on bbl					998				
PP-P	Pierced primer at proof									
SCB-P	Stock cracked or broken at proof									
UNCM-P	Uncoded proof malfunctions									


ŀ	4
ŀ	⊣
į	T.F.O.O.
ľ	\supset
ĺ	5
ľ	7
ĺ	Л
ĺ	α
Ì	S
l	22
j	_

Month: Auto Pump Total Total	<u> </u>								_	
total Total Total 189 745 182 4798 837 3779 0<						Month:				
189	******								Auto	Pump
0 0	*****		86					total	Total	Total
0.0 0.0 0.00 0.000 0.000 0.000 189 743 225 4877 875 3777 0 0 0 2 0 0 0 74 67 7 0.0 0 0 0 0 0 1.52 7.66 0.19 0 0 0 0 0 3 0 3 0 0		189		745		182		4798	837	3779
189 743 225 4877 875 3777 0 0 0 2 0 0 0 74 67 7 0.0 0 0 0 0 1.52 7.66 0.19 0 0 0 0 0 3 0 3 0 0	o	0	O O	o	0	0	0	0	0	0
0 0 0 2 0 0 0 74 67 7 6.0 6.0 6.3 6.0 11.52 7.66 0.19 143 148 5 0 0 0 0 0 0 0 3 0 3 0 0		0.0		0.0		0.0		0.000	0.000	0.000
0.0 0.3 0.0 1.52 7.66 0.19 143 148 5 0 0 0 0 0 3 0 3	*	189		743	I 🎆	225		4877	875	3777
0 0 0 0 0 0 3 0 3 0 0 0	0 👑	0 /	o	∞ ⊗2	O	0	0	74	67	7
0 0 0 0 0 0 0 3 0 3 0 0	265	0.0		03		0.0		1.52	7.66	0.19
19007 200000000 9000000000 000000 1900		***************************************				143		148	5	0
2.1 2:03 0.00 #DIV/0!	0	0	0	0	Ø	See 3	0	3	0	0
						2.1		2.03	0.00	#DIV/0!
870 870 20Ga 870 light 870 SM \$P10 870 D/U total Auto Pump	870	970 20Ca	870 light	970 SM	9D40	870	Блі	total	Auto	Pump
16Ga 670 20Ga weight 670 SW SP-10 Police C/O Total Total Total	16Ga	070 ZUGa		07 U SIVI				887 - 3		

870 16Ga	870 20Ga	870 light weight	870 SM	SP10	870 Police	D/U	(88)	Auto Total	Pump Total
				7					
			2				2 🐰	0	2
						l .	0	0	0
							0	.0	0
							0		0
							0	0	0
							0	0	D .
							0	0	0
							1	0	1
							0	0	0
							0	0	0
							0	0	0
							2	2	0
							0	0	0
							0	0	0
							0	0	0
							1	0	1
							0	0	0
							0	0	0
							0	0	0









											Š							ĝe.		
												-								
Pump Total	0	0	0	0	0	٥	0		0	0	0	o o	္	0	O	0	0	0	0	0
٦ ٦									, si					٠						
Auto Total	0	0	0	0	0	0	0	0	0	0	0	0	G	0	0	0	0	0	0	0
۲ ¥								.di												
al						_	3		_ Sec		_		200	-	-	_				
total	0	0	0	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0
ū								*****												
U/O					á						111988 Sali	.								
o. ice							á		2000											
870 Police				ă.																
10				-88				800												
SP10						1000 1000 1000 1000 1000 1000 1000 100														
ΣM				*****	100000 1000000															
870 SM																				
ght In		20000					3350													
870 light weight	.3) }}		\$ \$ \$ \$ \$ \$													
)Ga			1000																	
870 20Ga																				
	- 200																			
870 16Ga			568668) N	ESSON.																
99 335.		- 8																		

Gallery Top Faults for Pump Shotguns - Current month through:







hrough:

















			_
AB	Action binds		╛
DSM	Drops shell-magazine		
FFM	Fails to feed from magazine		
SCB	Stock cracked or broken		
ASFB	Action spring follower binds		1
BABS	Bulge at body shoulder		1
BAC	Burr at chamber		1
BB	Bolt binds/catches		1
BCOE	Bolt catches on ejector		1
BC	Blows cases		1
BLOP	Bar lock or disconnector out of	position	
BSCO	Barrel support came out	p	٦,
CBS-F	Shells catch on bbl support-fee	dina	-6
CBS-L	Shells catch on bbl support-load		┨
CC	Carrier catches on shells,mag,r		┨
CD	Case dented	ANN	
CH	Closes hard		-
CHAB		, 200000	4
	Carrier hits action bar	200 2000000	4
CLM	Can't laod magazine	2000000	4.
<u>co</u>	Cut-off		
CR	Cuts rim	- 33333	4
CS	Cases swell	<u> 2000</u>	
CTOG	Chamber torn or gouged		₫.
CTP	Creepy trigger pull	***************************************	
CWSB	Cams wrong side of action bar	****	4
DBB	Doesn't blow back		
DCS	Double click in safety switch		<u>.</u>
DCT	Double click in trigger	7000	
DCU	Doesn't close-up		
DE	Doesn't eject		T
DEL	Doesn't eject live round		<u> </u>
DFU	Doesn't feed up		:
DLO	Doesn't lock open (after last sh	eff)	1
DLU	Doesn't lock-up		7
DS	Dead safe		1
DTL	Doesn't trip latch		1
DX	Doesn't extract		1
DXL	Doesn't extract live round		1
EDS	Extractor drops shell		┪
ESB	Ejector sticks back	bo.	┨
ESS	Extractor stems shell	<u> </u>	┪
FA	Fires automatically	•	┨
FB	Follower binds		4
	Follower billius		4
FC FCB	Fails to connect		4
	Fore-end cracked or broken		\dashv
FD	Follows-down Fails to fire		4
FF	Halls to fire		4
FFP	Flat firing pin		4
FOS 🔏	Fires on sate		╝
			_
	Fires when safe is released Gas cyl shot off]

GRSO	Guide ring shot off	
HPA	High pressure ammo	
HUE	Hard under extractor	
ILOP	Int. latch out of position	
ILRM	Int. latch ret. Missing	
ILSB	Int. latch stud broken	
ILSP	Int. latch spring out of position	
JL	Jumps latch	
JO	Jars off	
LB	Light blow	
MCSO	Magazine cap shot off	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
MLH	Magazine loads hard	
OH	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	des.
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
SBC	Stems bottom chambers	
SBCL	Shell binds carrier latch	See.
SBE	Stems bbl extension	
SCX	Shell catches	
SHI	Short indent	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SRC	THE CONTRACTOR OF THE CONTRACT	
SRIC	Stems right side of chamber	
	Specific rings in chamber shell stems carrier	
SSC		
STC	Stems top chamber	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
sww	Safety ewitxh work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
XHB	Extractor hits bbl	
	I.PL	
H	High	
LO	Low	
LEFT	Left	
RIGHT	Right	
DG 🛞	Doesn't Group	
200	XXXX. XXXXXX	

FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
FF-P	Fails to fire at proof
GCSO-P	Gas cylinder shot off at proof
GRSO-P	Guide ring shot off at proof
MCSO-P	Magazine cap shot off at proof
MSI-P	Magnaflux stamp illegible on bbt
MSM-P	Magnaflux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
UNCM-P	Uncoded proof malfunctions



BBB	In the second	
DBB	Doesn't blow back	
EDS	Extractor drops shell	
RDW	(Action) release doesn't work	
HUE	Hard under extractor	
SBC	Stems bottom chambers	
STC	Stems top chamber	
FFM	Fails to feed from magazine	
MCW	Magazine capacity wrong	
CC	Carrier catches on shells,mag,receiver	
FF	Fails to fire	
ILRM	Int. latch ret. Missing	
MLH	Magazine loads hard	
AB	Action binds	
ASFB	Action spring follower binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BB	Bolt binds/catches	
BCOE	Bolt catches on ejector	
BC	Blows cases	3
BLOP	Bar lock or disconnector out of position	
BSCO	Barrel support came out	- 3
CBS-F	Shells catch on bbl support-feeding	333
CBS-L		
	Shells catch on bbl support-loading	
CD	Case dented	
CH	Closes hard	
CHAB	Carrier hits action bar	<u> </u>
CLM	Can't laod magazine	
CO	Cut-off	*****
CR	Cuts rim	
cs	Cases swell	
CTOG	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	4000
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DE	Doesn't eject	
DEL	Doesn't eject live round	
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DS	Dead safe	
DSM	Drops shell-magazide	
DTL	Doesn't trip latch	
DX	Doesn't extract	
DXL	Doesn't extract live round	\dashv
ESB	Ejector sticks back	
ESS	Extractor stems shell	
	Fires automatically	\dashv
		-
FB FC	Follower binds	-
r∪ ∰	Fails to connect	1




FCB	Fore-end cracked or broken									
FD	Follows-down									
FFP	Flat firing pin									
FOS	Fires on safe									
FSR	Fires when safe is released									
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off	1								
HPA	High pressure ammo	1								
ILOP	Int. latch out of position									
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position	-00								
JL	Jumps latch									
JO	Jars off									
LB	Light blow	1								
MCSO	Magazine cap shot off]								
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible	1886 - I								
PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RIC	Rings in chamber									
SBCL	Shell binds carrier latch	8000.								
SBE	Stems bbl extension									
SCB	Stock cracked or broken	11999								
SCX	Shell catches	1								
SHI	Short indent									
SIC	Stems in chamber									
SL	shaves lead									
SLC	Stems left side of chamber	ľ								
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber									
SSC	shell stems carrier	1								
SWE	Safety switch works too easily									
SWH	Safety switch works too hard	1								
SWW	Safety ewitch work	1								
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract	1								
UNCN-T	Uncoded									
XH	Extracts hard	1								
XHB	Extractor hits bbl									
HI	High	1								
LO	Low	ł								
LEFT	Left									
RIGHT	-\$									
DG	Right Doesn't Group									
FSST	Front sight tipped	1								
JOJ	ar roncagni uppea	J								
500										

0 0 0

Ö


RSTT	Rear sight tipped		
RSBR	Rear sight base raised		
FSTR	Front sight raised		
FSTL	Front sight loose		
RSTL	Rear sight loose		
MGPT-G	Missing parts at target		
UNCN-G	Uncoded nonconformity at target		
AI-P	Assembly incompleye at proof		
BC-P	Blows cases at proof		
BEB-P	Barrel extension broken at proof		
BLP-P	Blanked primer at proof		
BP-P	Blown primer at proof		
BS-P	Barrel split at proof		
DLOS-P	Doesn't lock over shells at proof		
ESB-P	Ejector sticks back at proof		
FCB-P	Fore-end cracked at proof		
FESO-P	Fore-end shot off at proof	- 60	
FF-P	Fails to fire at proof		
GCSO-P	Gas cylinder shot off at proof	.000	8
GRSO-P	Guide ring shot off at proof		
MCSO-P	Magazine cap shot off at proof		ê
MSI-P	Magnaflux stamp illegible on bb	.	
MSM-P	Magnaflux stamp missing on ball		
PP-P	Pierced primer at proof		
SCB-P	Stock cracked or broken at proof	· · · · ·	
UNCM-P	Uncoded proof malfunctions		ban.
			46000



DIGUE	In: Li
RIGHT	Right
AB	Action binds
ASFB	Action spring follower binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BB	Bolt binds/catches
BCOE	Bolt catches on ejector
BC	Blows cases
BLOP	Bar lock or disconnector out of position
BSCO	Barrel support came out
CBS-F	Shells catch on bbl support-feeding
CBS-L	Shells catch on bbl support-loading
CC	Carrier catches on shells,mag,receiver
CD	Case dented
CH	Closes hard
CHAB	Carrier hits action bar
CLM	Can't laod magazine
CO	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Chamber torn or gouged
CTP	
CWSB	Creepy trigger pull
	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
DCU	Doesn't close-up
DE	Doesn't eject
DEL	Doesn't eject live round
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
DLU	Doesn't lock-up
DS	Dead safe
DSM	Drops shell-magazine
DTL	Doesn't trip latch
DX	Doesn't extract
DXL	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
FCB	Fore-end cracked or broken
FD.	Follows-down
FF	Fails to fire
FFM	Fails to free from magazine
FFP	Flat firing pin
FOS .	
	Fires on safe
FSR S	Fires when sate is released
GCSO 🛞	Gas cyl shot off

GRSO	Guide ring shot off	
HPA	High pressure ammo	
HUE	Hard under extractor	
ILOP	Int. latch out of position	
ILRM	Int. latch ret. Missing	
ILSB	Int. latch stud broken	
ILSP	Int. latch spring out of position	
JL	Jumps latch	
JO	Jars off	
LB	Light blow	
MCSO	Magazine cap shot off	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	ľ
MLH	Magazine loads hard	
OH	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	So.
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
SBC	Stems bottom chambers	
	***************************************	State.
SBCL	Shell binds carrier latch	
SBE	Stems bbl extension	
SCB SCX	Stock cracked or broken Shell catches	
	2000	86
SHI	Short indent	
<u>S</u>	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSC	shell stems carrier	
STC	Stems top chamber	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
XHB	Extractor hits bot	
HI	High	
LO	Low	
LEFT 🦼	Left	
DG	Doesn't Group	
FSST 🛞	Front sight tipped	
300	XXX. 1 1 1 XXXXX	•

RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
FF-P	Fails to fire at proof
GCSO-P	Gas cylinder shot off at proof
GRSO-P	Guide ring shot off at proof
MCSO-P	Magazine cap shot off at proof
MSI-P	Magnaflux stamp illegible on bbt
MSM-P	Magnaflux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
UNCM-P	Uncoded proof malfunctions



Summary	Total Test + Proof Failures Total Rejected Overall Reject Rate	: o									
	Shot: Proof Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Shot: Test R ejected Perpent	0	Ø	0	0	0	0	0	0	0	0
	Target Rejected Percent	: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						11000				SS	
AB ASFB	Action binds				1000000		3		*****		
BABS	Action spring follower binds					111000000					
BAC	Bulge at body shoulder Burr at chamber						1,465			;	
BB	Bolt binds/catches							10000000			
BCOE	Bolt catches on ejector										
BC	Blows cases										
BLOP	Bar lock or disconnector out of position									*****	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
	1		1	1	1	1	1	1		1	

CC CD

СН

Case dented

Closes hard

н
H
펀
0
Ō
0
Сī
ω
N
G
ÚП

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
СНАВ	Carrier hits action bar										
CLM	Can't land magazine										
со	Cut-off		***								
CR	Cuts rim										
cs	Cases swell	***************************************									
стов	Chamber torn or gouged										
CTP	Creepy trigger pull										
CWSB	Cams wrong side of action bar										
DBB	Doesn't blow back										
DCS	Double click in safety switch		,						*		
DCT	Double click in trigger					100 m				886	
DCU	Doesn't close-up								***********		
DE	Doesn't eject										
DEL	Doesn't eject live round						9160 <u>6</u> 5			7	
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)										
DLU	Doesn't lock-up								77454		
DS	Dead safe										
DSM	Drops shell-magazine										.000000
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
FA	Fires automatically	Maria.									
FB	Follower binds		to.								
FC	Fails to connect		***								
FCB	Fore-end cracked or broken			.200							
FD	Follows-down										
FF	Fails to fire					utities.					
FFM	Fails to feed from magazine						,				
FFP	Flat firing pin										
FOS	Fires on safe										
FSR	Fires when safe is released		,						**		
GCSO	Gas cyl shot off					100					
GRSO	Guide ring shot off								******		
HPA	High pressure ammo					***************************************					
HUE	Hard under extractor						210000				
ILOP	Int. latch out of position							*****		, i	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken								1700		
ILSP	Int. latch spring out of position										
JL	Jumps latch										2000000
JO	Jars off										
LB	Light blow										
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
MLH	Magazine loads hard	2000.									
ОН	Opens hard		So.								
PH	Pulls hard		***								
PSI	Proof stamp illegible			.2000							
PSM	Proof stamp missing										
RBOC	Rings and bulges on case	·									
RDW	(Action) release doesn't work						,				
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch		,						*		
SBE	Stems bbl extension					100					
SCB	Stock cracked or broken				79000000				******		
scx	Shell catches										
SHI	Short indent						augigg				
SIC	Stems in chamber							*****		Ä	
SL	shaves lead										
SLC	Stems left side of chamber								1700		
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										,000000
SRIC	Specific rings in chamber										
ssc	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily										
swн	Safety switch works too hard										
sww	Safety ewitxh won't work										


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
TD	Tips down:	28ee.									
TU	Tips:up										
TWP	Trigger won't pull		***								
TWR	Trigger won't retract	********		.288							
UNCN-T	Uncoded										
XH	Extracts hard					urii kana					
XHB	Extractor hits bbl						·				
		*		/			****				
ні	High)			
LO	Low								**		
LEFT	Left					1769 800				886	
RIGHT	Right								****		
DG	Doesn't Group										
FSST	Front sight tipped						*******			Ž.	
RSTT	Rear sight tipped									****	
RSBR	Rear sight base raised										
FSTR	Front sight raised								, in the second		
FSTL	Front sight loose										
RSTL	Rear sight loose										******
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof										


	Ξ	7		
)	á	
	Ç)		
3	ċ	Ì,		
	<u> </u>	ŀ		
	1			
	200	Ξ	i S	
	Ź			
	2	ľ		
	_	,		
	•	-		
	_	`		
		J		
	Ë	į		
	Ξ	5		
(٢	1		
	\subseteq	(
	_	,		


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
BLP-P	Blanked primer at proof	Zito.									
BP-P	Blown primer at proof										
BS-P	Barrel split at proof		·								
DLOS-P	Doesn't lock over shells at proof			.200							
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof	,				otion.					
FESO-P	Fore-end shot off at proof	ź									
FF-P	Fails to fire at proof										
GCSO-P	Gas cylinder shot off at proof							.8000			
GRSO-P	Guide ring shot off at proof		,								
MCSO-P	Magazine cap shot off at proof					Me.				880	
MSI-P	Magnaflux stamp illegible on bbl										
MSM-P	Magnaflux stamp missing on bbl					***************************************					
PP-P	Pierced primer at proof						77.00E				
SCB-P	Stock cracked or broken at proof										
UNCM-P	Uncoded proof malfunctions										





Subject to Protective Order - Williams v. Remington











Case dented

Closes hard

СН


FΒ


Follower binds

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	- Sec.								
FF	Fails to:fire									
FFM	Fails to feed from magazine		**							
FFP	Flat firing pin	×		356.						
FOS	Fires on safe				88 ₀₀ .					
FSR	Fires when safe is released	194								
GCSO	Gas cyl shot off	ن								
GRSO	Guide ring shot off									
HPA	High pressure ammo						*			
HUE	Hard under extractor		77978				<u> </u>	860.		
ILOP	Int. latch out of position							Ž		
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position					ĺ			<i>Y</i>	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension	***************************************			88s.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		77999					999.		
SLC	Stems left side of chamber								State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ	*****			
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

										_
XHB	Extractor hits bibl									
										_
HI	High									
LO	Low									
LEFT	Left		***							
RIGHT	Right	Š		300						
DG	Doesn't Group									
FSST	Front sight tipped	174								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised		**							
FSTL	Front sight loose		2000				*	90.		
RSTL	Rear sight loose									
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target									
						*****				- .885
AI-P	Assembly incompleye at proof									
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof									
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									_
BS-P	Barrel split at proof									_
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof									






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

_		.4999999999	^~~~												
	Summa	ary			of Failures	1312									
				Total	l Rejected:	13									
				Overall R	eject Rate:	0.99									
_			Proof		Shot: Rejected: Percent: Shot: Rejected: Percent:	4		172	T					856	
			Proof	<i></i>	Rejected:	0	O	0	0	0	0	0	0	0	0
		***************************************			Percent:	0.0	*** *********************************	0.0						0.0	
					Shot	42		145					13	856	
			Test		Rejected Percent:	2	Ø	. T.	0	0	0	0	3	1	0
					Percent:	2 4.8	0	7 4.8					23.1	0.1	
					്ടനസ			#88888.	1999	die.					
			Target		Rejected:	0	0	O	0	0	0	0	0	0	0
					Percent:	į.	0	0	O						
_					гегсепс.										


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					/////		/////	× ×	7 i		
AB	Action binds				***************************************					**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							1999			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

	2000000001 2000000000										_
CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	500									
CR	Cuts.rim										
cs	Cases swell		· · · · · · · · · · · · · · · · · · ·								
стос	Chamber torn or gouged			88							
CTP	Creepy trigger pull				St.						
CWSB	Cams wrong side of action bar	1%									
DBB	Doesn't blow back			4				1			
DCS	Double click in safety switch										
DCT	Double click in trigger		**								
DCU	Doesn't close-up		2005				*	80.			
DE	Doesn't eject										
DEL	Doesn't eject live round										
DFU	Doesn't feed up									<i>******</i>	
DLO	Doesn't lock open (after last shell)					*****			<i>*</i>		
DLU	Doesn't lock-up								Á		۱.,
DS	Dead safe										
DSM	Drops shell-magazine										
DTL	Doesn't trip latch								*****		
DX	Doesn't extract										***
DXL	Doesn't extract live round										
EDS	Extractor drops shell							2			
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	200								
FF	Fails to fire									
FFM	Falls to feed from magazine									
FFP	Flat firing pin			333.						
FOS	Fires on safe				885.					
FSR	Fires when safe is released									
GCSO	Gas cyl shot off	į								
GRSO	Guide ring shot off									
HPA	High pressure ammo									
HUE	Hard under extractor	1	20000					550.		
ILOP	Int. latch out of position							Ž ////	55-5-	
ILRM	Int. latch ret. Missing			1						
ILSB	Int. latch stud broken									<i>###</i>
ILSP	Int. latch spring out of position					Í	******		8	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

	·····										
PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	-366		2							
RIC	Rings in chamber										
SBC	Stems bottom chambers	1 ***									
SBCL	Shell binds carrier latch		***	300.							
SBE	Stems bbl extension	***************************************			885.						
SCB	Stock cracked or broken	7%				,				1	
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber		7				***	*			
SL	shaves lead		779733					**	880.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,					
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								****		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										
UNCN-T	Uncoded										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summai	ny	Total	Test + F	Proof Failures	1165	1								
				tal Rejected:	27	•								
			Overal	l Reject Rate:	2.32	i								
				\$hot: [Rejected:	<i>III</i>	53	90			79			764	
		Proof		Rejected:	0	O	0	0	0	0	0	0	0	0
	***************************************			Shot: Rejected: Percent: Shot: Rejected:		0.0	0.0			0.0			0.0	
				Shøt		53	195						764	
		Test	AŠ.	Rejected	0	1.9	22 11 3	0	0	0	0	0	2	0
				Percent:	0	-99999999	20000000 119						0.3	
				Shot:		5		******	die.					
		Target		Rejected:	0	0	0	0	0	0	0	0	0	0
				Percent:	į	99999 - 3999	3337	0	0					
					4407	9 1999 (1999)	340	100000000	9000 B000 a	10000000				

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					/////		/////	× ×	7 i		
AB	Action binds				***************************************					**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							1999			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

Carrier hits action bar										
Can't laod magazine										
Cut-off	-365 a.s.									
Güts rim										
Cases swell		**								
Chamber torn or gouged			300.							
Creepy trigger pull				885.						
Cams wrong side of action bar										
Doesn't blow back	į.		15							
Double click in safety switch										
Double click in trigger						***				
Doesn't close-up		20000					*	90.		
Doesn't eject								<i>"</i>		
Doesn't eject live round										
Doesn't feed up										///////
Doesn't lock open (after last shell)					Í	*****		333333	8	
Doesn't lock-up										
Dead safe								20000000		
Drops shell-magazine										
Doesn't trip latch									*****	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell										
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds										
	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't tok-up Doesn't tok-up Doesn't tok-up Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Cart laod magazine Cut-off Güts.rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't triplatch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Carl't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't eject Doesn't eject live round Doesn't eject live round Doesn't lock open (after last shell) Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Carl't laod magsizine Cut-off Cuts-rim Cases swell Chamber form or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't strip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts nim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject Doesn't feed up Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't stract Doesn't stract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Cart laod magszine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock-up Doesn't rip latch Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Cart laod magazine Cut-off Cuts-rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Doesn't eject Doesn't eject Doesn't eject Doesn't leject Up Doesn't ject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock open (after last shell) Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract dive round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically


FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down	20						
FF 📉	Fails to fire		1					
FFM	Fails to feed from magazine						1	
FFP	Flat firing pin		300					
FOS	Fires on safe							
FSR	Fires when safe is released			700				
gcso	Gas cyl shot off							
GRSO	Guide ring shot off							
HPA	High pressure ammo							
HUE	Hard under extractor					86.		
ILOP	Int. latch out of position			***************************************			330	
ILRM	Int. latch ret. Missing							
ILSB	Int. latch stud broken							
ILSP	Int. latch spring out of position			·			?	
JL	Jumps latch							
JO	Jars off							
LB	Light blow					1998		
MCSO	Magazine cap shot off							
MCW	Magazine capacity wrong		2					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
MLH	Magazine loads hard		1					
ОН	Opens hard							
PH	Pulls hard							
PSI	Proof stamp illegible							

Н
H
[TEO(
0
J
0
5 8
œ
Ñ
Ø
ū

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	560									
RIC	Rings in chamber										
SBC	Stems bottom chambers		1								
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension	***************************************			88s.						
SCB	Stock cracked or broken	- 1%									
scx	Shell catches	ني .									
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		10000					*	što.		
SLC	Stems left side of chamber									vorte.	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					ĺ	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber			3							
SWE	Safety switch works too easily								*******		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

											-	
XHB.	Extractor hits bibl											
											_	
HI	High	No.										
LO	Low											
LEFT	Left											
RIGHT	Right			556								
DG	Doesn't Group											
FSST	Front sight tipped	* **										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised	Á										
FSTR	Front sight raised						*					
FSTL	Front sight loose		*****					isto.				
RSTL	Rear sight loose							<i>*</i>				
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target									<i>******</i>		
					:	******					_ 2000	
AI-P	Assembly incompleye at proof								Á]	
BC-P	Blows cases at proof											,
BEB-P	Barrel extension broken at proof											
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof]	
DLOS-P	Doesn't lock over shells at proof											
ESB-P	Ejector sticks back at proof											***************************************
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


	>>>>>>> ->>>>>>> ->>>>>>>>											
Summary		+ Proof Failures	1262									
		Total Rejected:	20									
	Ove	rall Reject Rate:	1.58									
		er verere vererere .	.‱9	56	170	22				18	572	
***************************************	Proof	Rejected:	0	0	0	0	0	0	0	0	0	0
	Proof	Shot: Rejected: Percent	0.0	0.0	0.0	0.0				0.0	0.0	
		Shot:	9	6	170	60				18	572	
	Test	Rejected	2	3000	4	4	0	0	0	8	0	0
		Rejected Perc <mark>e</mark> nt:	2 22.2	16.7	2.4	6.7				44.4	0.0	
		Shot:				1000000	Sec.					
	Target	Shat: Rejected:	0	o	O	0	0	0	0	0	0	0
		Percent:			0	0	0					
	-		1187	199 - 2000	F .	#88888 X	SS (SS)	1988				


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					**************************************				**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver	1									
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 ₀₀ .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į		2	4				2		
DCS	Double click in safety switch			*							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	550.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										7
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell								3		
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

											 _
PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	564		2							
RIC	Rings in chamber										
SBC	Stems bottom chambers	1 💮	<u> </u>								
SBCL	Shell binds carrier latch			500.							╛
SBE	Stems bbl extension	***************************************			885.						
SCB	Stock cracked or broken	7.90				,					╛
scx	Shell catches	į.									
SHI	Short indent]
SIC	Stems in chamber										
SL	shaves lead		7700					** **	500.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber						*****			<i>*</i>	
ssc	shell stems carrier									Á	
STC	Stems top chamber										
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										 ┛,
TD	Tips down										╛
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

					 				_	
XHB.	Extractor hits bits									
									_	
HI	High	550								
LO	Low									
LEFT	Left									
RIGHT	Right	Š		886						
DG	Doesn't Group									
FSST	Front sight tipped	190								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	į.								
FSTR	Front sight raised									
FSTL	Front sight loose		7790)				Sto.			
RSTL	Rear sight loose				******					
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target									
						******			885	
AI-P	Assembly incompleye at proof									j E
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof						2668			:
BLP-P	Blanked primer at proof									į
BP-P	Blown primer at proof									
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof								3.6	
ESB-P	Ejector sticks back at proof									77500
FCB-P	Fore-end cracked at proof]	
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof									






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	200000000	WWW.WW.												
Summa	ary			roof Failures	1138									
			Ŧo	tal Rejected:	17	•								
S 2000			Overall	Reject Rate:	1.49	İ								
				Shot:	6	76		82					653	
	***************************************	Proof		Rejected:	0	0	0	0	0	0	0	0	0	0
				Percent:	0.0	0.0		0.0					0.0	
		*		Sh ợ t:	6	76		82					653	
		Test	799°	Rejected:	6 100:0	7	0	0	0	0	0	0	2	0
			•	Shot: Rejected: Percent: Shot: Rejected: Percent:	100.0	7 9.2	0	0.0					0.3	
				્રસ્ત્રાનવા.		3333337	A0000000	19999999						
		Target		Rejected:	0	0	0	0	0	0	0	0	0	0
		3		Percent:	į.) (000000000000000000000000000000000000	0000000 000000	3000000		Sou.				


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					<i></i>		<i>*************************************</i>	× ××	<i>X</i> 2000.		
АВ	Action binds				******					**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder) None	
BAC	Burr at chamber									2	
вв	Bolt binds/catches							1300			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									1	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver	1									
CD	Case dented										
СН	Closes hard								·		

CHAB	Carrier hits action bar										
CLM	Can't laod magazine									1	
co	Cut-off	20									
CR	Cuts rim										
cs	Cases swell		**								
стос	Chamber torn or gouged			300							
CTP	Creepy trigger pull				33 ₇₇ .						
CWSB	Cams wrong side of action bar	,				700					
DBB	Doesn't blow back										
DCS	Double click in safety switch										
DCT	Double click in trigger					88 8888					
DCU	Doesn't close-up		10000					<u> </u>	što.		
DE	Doesn't eject	1				*****				****	
DEL	Doesn't eject live round				***************************************						
DFU	Doesn't feed up		5								
DLO	Doesn't lock open (after last shell)					ĺ	*****				
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine		2								
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	- 100								
RIC	Rings in chamber									
SBC	Stems bottom chambers	2								
SBCL	Shell binds carrier latch			300.						
SBE	Stems bbl extension	**********			88a.					
SCB	Stock cracked or broken									
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber						<u> </u>			
SL	shaves lead		18190		<i>"</i>			Sto.		
SLC	Stems left side of chamber								,	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					Í				
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							*****		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

										-	
XHB.	Extractor hits bibl										
										_	
HI	High										
LO	Low										
LEFT	Left										
RIGHT	Right			3836							
DG	Doesn't Group										
FSST	Front sight tipped	7.54									
RSTT	Rear sight tipped	,									
RSBR	Rear sight base raised	á									
FSTR	Front sight raised										
FSTL	Front sight loose		77443				850.				
RSTL	Rear sight loose				3,000]	
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								<i>*****</i>		
					·	******				_ 2005	
AI-P	Assembly incompleye at proof							á			
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof						2445				
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof									399	
ESB-P	Ejector sticks back at proof]	
FCB-P	Fore-end cracked at proof]	
FESO-P	Fore-end shot off at proof]	
FF-P	Fails to fire at proof]	







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary		Proof Failures Stal Rejected: Reject Rate:	0									
	Proof	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
	Test	Shøt: Rejected Percent:	0	o O	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	Ö	0	0	0	0	0	0
CODE	MALFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds					***************************************				***************************************		
ASFB	Action spring follower bind	s										
BABS	Bulge at body shoulder											
BAC	Burr at chamber										Á	
вв	Bolt binds/catches								1,495%			
BCOE	Bolt catches on ejector											
BC	Blows cases											
BLOP	Bar lock or disconnector or	ut of position										
BSCO	Barrel support came out	•										·
CBS-F	Shells catch on bbl suppor	t-feeding										
CBS-L	Shells catch on bbl suppor											
———			 	+	+	-	-	 	t		†	

CC

CD

СН

Carrier catches on shells,mag,receiver


Case dented

Closes hard

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SS-									
FF	Fails to fire										
FFM	Fails to feed from magazine		**								
FFP	Flat firing pin			800.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off			*							
HPA	High pressure ammo						***				
HUE	Hard under extractor		20000					*	550.		
ILOP	Int. latch out of position								Ž ////////////////////////////////////		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers		**								
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken										
scx	Shell catches	į.									
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		*****					*	99.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										<i>******</i>
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										






Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


Summar	y Total Test + Proof Failur Total Rejecte Overall Reject Ra	ed: 0									
st <mark>isserr 9</mark>	Sh	Ý		Ι	I	<u> </u>	I	I	1	I	<u> </u>
	Proof Reject Perce	ed: 0	0	0	0	0	0	0	0	0	0
	Sh Test Reject Perça	ed 0	Ø	9	0	0	0	0	0	0	0
	Sh Target Reject Perce	ed: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					11000				33.c.	
ASFB	Action spring follower binds				********	1	:::::::::::::::::::::::::::::::::::::::		2		30.
BABS	Bulge at body shoulder										
BAC	Burr at chamber						11998			i j	
BB	Bolt binds/catches							10000000			
BCOE	Bolt catches on ejector										
BC	Blows cases										
BLOP	Bar lock or disconnector out of position	1								7,000	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	- 550								
CR	Guts.rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull				88a.					
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back									
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		1999		<i>"</i>			Sto.		
DE	Doesn't eject								,	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					Í				
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									


FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	200								
FF	Fails to fire									
FFM	Falls to feed from magazine									
FFP	Flat firing pin			333.						
FOS	Fires on safe				885.					
FSR	Fires when safe is released									
GCSO	Gas cyl shot off	į.								
GRSO	Guide ring shot off			<u> </u>						
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		77999				<u> </u>	99.		
ILOP	Int. latch out of position									
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>*************************************</i>
ILSP	Int. latch spring out of position					ĺ			ş	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							***************************************		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

						 				_
PSM	Proof stamp missing]
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work									
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch	Š		800.						
SBE	Stems bbl extension				Ster.					
SCB	Stock cracked or broken	7%								_
scx	Shell catches	,								
SHI	Short indent			*						
SIC	Stems in chamber					***				
SL	shaves lead		2000				860.			
SLC	Stems left side of chamber						Ž			
SMOC	Stretch marks on case									
SRC	Stems right side of chamber								<i>.</i>	
SRIC	Specific rings in chamber					*****		<i>*</i>		
SSC	shell stems carrier									╛,
STC	Stems top chamber									
SWE	Safety switch works too easily						2000			
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									╛
TU	Tips up]
TWP	Trigger won't pull]
TWR	Trigger won't retract									
UNCN-T	Uncoded]
хн	Extracts hard									





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-F

CBS-L

CC

CD

СН

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Case dented

Closes hard

Carrier catches on shells,mag,receiver

Summary	Total Test + Proof Failures Total Rejected Overall Reject Rate	l: 0									
	Shot: Proof Rejected Percent	1: 0	. 0	0	0	0	0	0	0	0	0
	Shat: Test R ejected Perc e nt) 0 !	O .	0	0	0	0	0	0	0	0
	Shot. Target Rejected Percent	t: 0	0	0	0	<u></u>	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 [™] Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					****					
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
ВВ	Bolt binds/catches							13669			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	564 r.								
CR	Cuts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull	***************************************			885.					
CWSB	Cams wrong side of action bar	7%								
DBB	Doesn't blow back									
DCS	Double click in safety switch	å								
DCT	Double click in trigger									
DCU	Doesn't close-up		10000					550.		
DE	Doesn't eject								State.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>*****</i>
DLO	Doesn't lock open (after last shell)					Í	******		š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									*****
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SSE									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			800.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off			*							
HPA	High pressure ammo						***				
HUE	Hard under extractor		10000					*	550.		
ILOP	Int. latch out of position								Ž ////////////////////////////////////		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC 📉	Rings in chamber									
SBC	Stems bottom chambers		**							
SBCL	Shell binds carrier latch			300.						
SBE	Stems bbl extension				885.					
SCB	Stock cracked or broken									
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber									
SL	shaves lead		10000					99.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					,	*****		8	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

					 				_	
XHB.	Extractor hits bibl									
									_	
HI	High	200								
LO	Low									
LEFT	Left									
RIGHT	Right			336						
DG	Doesn't Group									
FSST	Front sight tipped	194								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised									
FSTL	Front sight loose		2000				900.			
RSTL	Rear sight loose				2,0000					
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target									
					:	******				
AI-P	Assembly incompleye at proof]	į
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof									
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof]	3
DLOS-P	Doesn't lock over shells at proof									â
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof						_			





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	.,488.			X 2000		
AB	Action binds				*******					**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									ĺ	
вв	Bolt binds/catches							11999			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

0


CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR	Cuts rim								
cs	Cases swell								
CTOG	Chamber torn or gouged			300.					
CTP	Creepy trigger pull				885.				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		***99					Sto.	
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)					,	*****		
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SSE									
FF	Fails to fire										
FFM	Fails to feed from magazine		**								
FFP	Flat firing pin			800.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off			*							
HPA	High pressure ammo						***				
HUE	Hard under extractor		20000					*	550.		
ILOP	Int. latch out of position								Ž ////////////////////////////////////		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				88s.						
SCB	Stock cracked or broken	178				,					
scx	Shell catches										
SHI	Short indent	Ä									
SIC	Stems in chamber		**			SS					
SL	shaves lead		10000					*	550.		
SLC	Stems left side of chamber					,,,,,,			Ž (1888).	ess.	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber						*****			7	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

XHB	Extractor hits bits											
											_	
HI	High	200										
LO	Low											
LEFT	Left											
RIGHT	Right			88								
DG	Doesn't Group											
FSST	Front sight tipped	191										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose		7399				*	500.				
RSTL	Rear sight loose											
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target									<i>*******</i>		
					 ·	******					000	
AI-P	Assembly incompleye at proof								Á			e S
вс-Р	Blows cases at proof											
BEB-P	Barrel extension broken at proof											
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof										300	
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CC

CD

СН

Carrier catches on shells,mag,receiver


Case dented


Closes hard

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
CCM CO	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell		***							
стос	Chamber torn or gouged			388						
CTP	Creepy trigger pull				880.					
CWSB	Cams wrong side of action bar	18								
DBB	Doesn't blow back	į								
DCS	Double click in safety switch									
DCT	Double click in trigger		**							
DCU	Doesn't close-up		7700				*	86.		
DE	Doesn't eject								***	
DEL	Doesn't eject live round				***************************************					
DFU	Doesn't feed up									<i>.</i>
DLO	Doesn't lock open (after last shell)					******			<i>*</i>	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine									
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									


FC	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down	200							
FF	Fails to fire								
FFM	Falls to feed from magazine								
FFP	Flat firing pin			333.					
FOS	Fires on safe				885.				
FSR	Fires when safe is released								
GCSO	Gas cyl shot off	į.							
GRSO	Guide ring shot off			<u> </u>					
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8			
HUE	Hard under extractor		77999				<u> </u>	99.	
ILOP	Int. latch out of position								
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								<i>*************************************</i>
ILSP	Int. latch spring out of position					ĺ			
JL	Jumps latch								
JO	Jars off								
LB	Light blow							***************************************	
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

XHB.	Extractor hits bis													
			•	•	•	•	•	•		•	•	_		
HI	High	88.												
LO	Low													
LEFT	Left		·											
RIGHT	Right													
DG	Doesn't Group				86									
FSST	Front sight tipped	194				1000								
RSTT	Rear sight tipped											1		
RSBR	Rear sight base raised											_		
FSTR	Front sight raised													
FSTL	Front sight loose		1998						\$50. 500.					
RSTL	Rear sight loose					******				990				
MGPT-G	Missing parts at target				777									
UNCN-G	Uncoded nonconformity at target													
					1		*****			,	<i></i>	T 28000		
AI-P	Assembly incompleye at proof												;	
BC-P	Blows cases at proof											4		
BEB-P	Barrel extension broken at proof								2000000					
BLP-P	Blanked primer at proof											1		
BP-P	Blown primer at proof													
BS-P	Barrel split at proof											***		
DLOS-P	Doesn't lock over shells at proof											1		
ESB-P	Ejector sticks back at proof											_		
FCB-P	Fore-end cracked at proof											1		
FESO-P	Fore-end shot off at proof											_		
FF-P	Fails to fire at proof													






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejected Overall Reject Rate	i: 0									
	Shot Proof Rejected Percen	1: 0	0	0	0	0	0	0	0	0	0
	Shat Test Rejecter Percen) 0 (Ø	0	0	0	0	0	0	0	0
	Shot Target Rejected Percen	t: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	A attack between					megr Soul				88a	
AB ASFB	Action binds Action spring follower binds				1000000				1 1998		200
BABS	Bulge at body shoulder					***************************************					
BAC	Burr at chamber						- **X				
BB	Bolt binds/catches							12000		i i	
BCOE	Bolt catches on ejector										
ВС	Blows cases										
BLOP	Bar lock or disconnector out of position									- ::	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding						·				
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										

CD CH

Case dented Closes hard

CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR	Cuts rim								
cs	Cases swell								
CTOG	Chamber torn or gouged			300.					
CTP	Creepy trigger pull				885.				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		***99					Sto.	
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)					,	*****		
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								


FC	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down	200							
FF	Fails to fire								
FFM	Falls to feed from magazine								
FFP	Flat firing pin			333.					
FOS	Fires on safe				885.				
FSR	Fires when safe is released								
GCSO	Gas cyl shot off	į.							
GRSO	Guide ring shot off			<u> </u>					
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8			
HUE	Hard under extractor		77999				<u> </u>	99.	
ILOP	Int. latch out of position								
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								<i>*************************************</i>
ILSP	Int. latch spring out of position					ĺ			
JL	Jumps latch								
JO	Jars off								
LB	Light blow							***************************************	
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	365									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension	************			885.						
SCB	Stock cracked or broken	- 176									
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber							¥			
SL	shaves lead		77999						99.		
SLC	Stems left side of chamber									****	
ѕмос	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					ĺ	*****			<u> </u>	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										*******
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

XHB	Extractor hits bibl]		
			•	•		•	•			1		
HI	High	1										
LO	LOW											
LEFT	Left											
RIGHT	Right											
DG	Doesn't Group											
FSST	Front sight tipped	***										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised		**			***						
FSTL	Front sight loose		1000				*	550.				
RSTL	Rear sight loose											
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											

AI-P	Assembly incompleye at proof								<i></i>]	į	
BC-P	Blows cases at proof										;	
BEB-P	Barrel extension broken at proof											
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof									 		
BS-P	Barrel split at proof]		
DLOS-P	Doesn't lock over shells at proof											ě
ESB-P	Ejector sticks back at proof]		
FCB-P	Fore-end cracked at proof									_		
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof]		






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

СС

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard


Carrier catches on shells,mag,receiver


Summary			0									
		al Rejected: Reject Rate:	0									
········· 333	Overan:	Shot:							<u> </u>			
ž.	Proof	Rejected:	0	0	0	0	0	0	0	0	0	0
		Percent		<u> </u>	1		1	T	Т			T
	Test	Shat Rejected:	0	0	0	0	0	0	0	0	0	0
	, сог	Percent:										
	T4	Shat: Rejected:	0	0	0	····	0	0	0	0	0	0
	Target	Percent:						8866.	U	U	U	U
CODE	MALFUNCTION IN	NDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
										<i>"</i>		
AB	Action binds											
ASFB	Action spring follower binds											
BABS	Bulge at body shoulder						:					
BAC	Burr at chamber											
вв	Bolt binds/catches											
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector out	t of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-	feeding										

CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR	Cuts rim								
cs	Cases swell								
CTOG	Chamber torn or gouged			300.					
CTP	Creepy trigger pull				885.				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		***99					ito.	
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)					,	*****		
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

FC	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down	200							
FF	Fails to fire								
FFM	Fails to feed from magazine		**						
FFP	Flat firing pin			500.					
FOS	Fires on safe				85c.				
FSR	Fires when safe is released	7.8							
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off								
HPA	High pressure ammo								
HUE	Hard under extractor		11.40					880. 880.	
ILOP	Int. latch out of position					710000°			
ILRM	Int. latch ret. Missing							****	
ILSB	Int. latch stud broken								
ILSP	Int. latch spring out of position					·			
JL	Jumps latch								
JO	Jars off								
LB	Light blow							20080	
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	260								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			500.						
SBE	Stems bbl extension				Ste.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		10000					550.		
SLC	Stems left side of chamber							<u> </u>	State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									<i>/////////////////////////////////////</i>
SRIC	Specific rings in chamber					ĺ	*****		,	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									*****
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

вв

вс

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

Bolt binds/catches

Blows cases

Case dented

Closes hard

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Summar	ry Total	Test + Proof Failures Total Rejected: Overall Reject Rate:	0 0									
3	Proof	Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
	Test	Shat: Rejected: Percent:	0	O	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUI	NCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1108 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
							***				oo.	
AB	Action binds					***************************************				******		
ASFB	Action spring follo	wer binds				ĺ						1
BABS	Bulge at body sho	oulder										
BAC	Burr at chamber										ź	


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Guts rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 ₀₀ .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			*							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	550.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										


FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	**.								
FF	Fails to fire									
FFM	Fails to feed from magazine		***							
FFP	Flat firing pin	×	*	3335						
FOS	Fires on safe				88 ₀₀ .					
FSR	Fires when safe is released	1%								
GCSO	Gas cyl shot off	į								
GRSO	Guide ring shot off									
HPA	High pressure ammo		**			80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		77999				*	999-		
ILOP	Int. latch out of position								900	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position								8	
JL	Jumps latch									ļ
JO	Jars off									
LB	Light blow							20000000		ľ
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									ļ
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

۲	•
Ŀ	1
ŀ	1
C)
Ć)
C)
Ü	П
0	0
4	
۲	1
ù	J

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	500								
RIC	Rings in chamber									
SBC	Stems bottom chambers		***							
SBCL	Shell binds carrier latch			5556						
SBE	Stems bbl extension				Sec					
SCB	Stock cracked or broken	194				,				
scx	Shell catches	ي .								
SHI	Short indent			*						
SIC	Stems in chamber						***			
SL	shaves lead		20000					*	500.	
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					,				
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

							 			 _	
XHB.	Extractor hits bits										
										_	
HI	High	500									
LO	LOW										
LEFT	Left		***								
RIGHT	Right			333							
DG	Doesn't Group				≫						
FSST	Front sight tipped	176									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised		**								
FSTL	Front sight loose		10000					880.			
RSTL	Rear sight loose					7,000					
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
										_ 288	
AI-P	Assembly incompleye at proof								Á		
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2000			
BLP-P	Blanked primer at proof								*****		
BP-P	Blown primer at proof										
BS-P	Barrel split at proof]	
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										***
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof]	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CC

CD

СН

Carrier catches on shells,mag,receiver

Case dented


Closes hard

FC:	Fails to connect									
FCB	Fore-end cracked or broken									
FCB FD	Follows-down	200								
FF	Fails to fire									
FFM	Fails to feed from magazine		**							
FFP	Flat firing pin			800.						
FOS	Fires on safe				886.					
FSR	Fires when safe is released	178				,				
GCSO	Gas cyl shot off	į								
GRSO	Guide ring shot off									
HPA	High pressure ammo									
HUE	Hard under extractor		10000				*	500.		
ILOP	Int. latch out of position							Ž //	55-5-	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position					ĺ				
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
он	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC 🤲	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			300.						
SBE	Stems bbl extension				85c.					
SCB	Stock cracked or broken									
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber							<u> </u>		
SL	shaves lead		77999						99.	
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ	*****			
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									

								 		_	
XHB	Extractor hits bis										
				•		•				•	
HI	High	500									
LO	LOW										
LEFT	Left										
RIGHT	Right			3866.							
DG	Doesn't Group				800.						
FSST	Front sight tipped	150									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised		**								
FSTL	Front sight loose		2000					850.			
RSTL	Rear sight loose							" // // // // // // // // // // // // //			
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
							******			665	
AI-P	Assembly incompleye at proof								Á		
вс-Р	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2445			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summar	y Total Test + Proof Failur Total Rejecte Overall Reject Ra	ed: 0									
st <mark>isserr 9</mark>	Sh	Ý		Γ	I		I	I	1	I	<u> </u>
	Proof Reject Perce	ed: 0	0	0	0	0	0	0	0	0	0
	Sh Test Reject Perça	ed 0	Ø	9	0	0	0	0	0	0	0
	Sh Target Reject Perce	ed: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					11000					
ASFB	Action spring follower binds				********	1	:		2		30.
BABS	Bulge at body shoulder										
BAC	Burr at chamber						11998			i j	
BB	Bolt binds/catches							10000000			
BCOE	Bolt catches on ejector										
BC	Blows cases										
BLOP	Bar lock or disconnector out of position	1								7,000	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR	Cuts rim								
cs	Cases swell								
CTOG	Chamber torn or gouged			300.					
CTP	Creepy trigger pull				885.				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		***99					ito.	
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)					,	*****		
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>2000</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				88s.						
SCB	Stock cracked or broken	178				,					
scx	Shell catches										
SHI	Short indent	Ä									
SIC	Stems in chamber		**			SS					
SL	shaves lead		10000					*	550.		
SLC	Stems left side of chamber					,,,,,				ess.	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber						*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

XHB	Extractor hits bibl]		
				1	1		I			J		
HI	High]		
LO	Low									1		
LEFT	Left									1		
RIGHT	Right		350.									
DG	Doesn't Group											
FSST	Front sight tipped											
RSTT	Rear sight tipped]		
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose	,		P			8 8	Sto.				
RSTL	Rear sight loose											
MGPT-G	Missing parts at target			***************************************								
UNCN-G	Uncoded nonconformity at target											
						•				1 2000		
AI-P	Assembly incompleye at proof								Ž.			
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof	<u> </u>						2000				
BLP-P	Blanked primer at proof	<u> </u>										
BP-P	Blown primer at proof	<u> </u>										
BS-P	Barrel split at proof	<u> </u>									1	
DLOS-P	Doesn't lock over shells at proof										×,	
ESB-P	Ejector sticks back at proof	<u> </u>										
FCB-P	Fore-end cracked at proof	<u> </u>										
FESO-P	Fore-end shot off at proof	<u> </u>										
FF-P	Fails to fire at proof											






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								* **			
AB	Action binds									**************************************	
ASFB	Action spring follower binds					1			Ä		<i>2</i> 222
BABS	Bulge at body shoulder										
BAC	Burr at chamber									á	
вв	Bolt binds/catches							170091			
BCOE	Bolt catches on ejector								*****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


0

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SSE									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			800.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off			*							
HPA	High pressure ammo						***				
HUE	Hard under extractor		20000					*	550.		
ILOP	Int. latch out of position								Ž ////////////////////////////////////		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension	***************************************			88s.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		77999					999.		
SLC	Stems left side of chamber								State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ	*****			
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

									•	
XHB	Extractor hits btsl								İ	
									_	
HI	High									
LO	Low									
LEFT	Left		***							
RIGHT	Right									
DG	Doesn't Group			88						
FSST	Front sight tipped	***							İ	
RSTT	Rear sight tipped	,								
RSBR	Rear sight base raised	Ä								
FSTR	Front sight raised		**		80 80 80 80 80 80 80 80 80 80 80 80 80 8					
FSTL	Front sight loose		1000				Sec.		İ	
RSTL	Rear sight loose				******		× 2000	55-5-		
MGPT-G	Missing parts at target								İ	
UNCN-G	Uncoded nonconformity at target								İ	
AI-P	Assembly incompleye at proof									
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof						2000			
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof								***	
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof								ĺ	
FCB-P	Fore-end cracked at proof									**
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof								İ	






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

CC

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard

Carrier catches on shells,mag,receiver


1000000											
Summary	/ Total Test + Proof Failure Fotal Rejected Overall Reject Rat	d: 0									
	Sho Proof Rejecte Percei	d: 0	0	0	0	0	0	0	0	0	0
	Test Rejecte Perger	N.	Ø	0	0	0	0	0	0	0	0
	Target Rejecte Percei	d: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
	Astisa bisala				******	**************************************	- ///// ·		Z	Sterner.	
AB ASFB	Action binds				1700000	10000000000000000000000000000000000000			***************************************		3o.
BABS	Action spring follower binds Bulge at body shoulder										
BAC	Burr at chamber						1,3464			3	
BB	Bolt binds/catches							1,500			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									, .	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										


FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>******</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			333.							
SBE	Stems bbl extension	***************************************			88s.						
SCB	Stock cracked or broken	178				,					
scx	Shell catches	į									
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		10000					*	550.		
SLC	Stems left side of chamber					2,000			<u> </u>	55-5-	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										//////
SRIC	Specific rings in chamber						******			8	
ssc	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

							_		_	-	
XHB	Extractor hits bibl										
							 			-	
HI	High	- 550									
LO	Low										
LEFT	Left										
RIGHT	Right			.000.							
DG	Doesn't Group	***************************************			Sec						
FSST	Front sight tipped	7.90									
RSTT	Rear sight tipped	,									
RSBR	Rear sight base raised	Ä									
FSTR	Front sight raised										
FSTL	Front sight loose		10000				Sto.				
RSTL	Rear sight loose							State.			
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										

AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										*
BEB-P	Barrel extension broken at proof						33435				
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof									***	
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof]	







Subject to Protective Order - Williams v. Remington











Summary		of Failures I Rejected: eject Rate:	0									
	Proof	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
	Test	Rejected Percent:	0	Ø	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	Ø	0	0 0	0	0	0	0
CODE	MALFUNCTION INC	DEX	1187 Super Mag	11 <u>8</u> 7 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
									<u> </u>		ere.	
AB	Action binds					***************************************	000000000000000000000000000000000000000			111111111111111111111111111111111111111		
ASFB	Action spring follower binds											
BABS	Bulge at body shoulder						:				7	
BAC	Burr at chamber										Ź	
вв	Bolt binds/catches								17699			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector out of	of position									,,,	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-fe	eding										
CBS-L	Shells catch on bbl support-lo											

CC

CD

СН


Carrier catches on shells,mag,receiver


Case dented

Closes hard


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	56c.								
CR	Cuts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull	***************************************			885.					
CWSB	Cams wrong side of action bar	7%								
DBB	Doesn't blow back									
DCS	Double click in safety switch	å								
DCT	Double click in trigger									
DCU	Doesn't close-up		10000					550.		
DE	Doesn't eject								State.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>*****</i>
DLO	Doesn't lock open (after last shell)					Í	******		<i>y</i>	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									*****
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	**.								
FF	Fails to fire									
FFM	Fails to feed from magazine		***							
FFP	Flat firing pin	×	*	3335						
FOS	Fires on safe				88 ₀₀ .					
FSR	Fires when safe is released	1%								
GCSO	Gas cyl shot off	į								
GRSO	Guide ring shot off									
HPA	High pressure ammo		**			80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		77999				*	999-		
ILOP	Int. latch out of position								900	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position								8	
JL	Jumps latch									ļ
JO	Jars off									
LB	Light blow							20000000		ľ
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									ļ
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures										
	Tötal Rejected. Overall Reject Rate										
***	v. zazana namazanan manaz		<u> </u>	<u> </u>				1		I	
	Shot: Proof Rejected		. 0	0	0	0	0	0	0	0	0
	Percent	8888891 1993	**************************************								
	Shat	· · · · · · · · · · · · · · · · · · ·	0	0							
	Test Rejected Percent		, u	· ·	0	0	0	О	o	0	o
	Shot:	- " "	Time .		****** ******	Le					
	Target Rejected		0	0	0	0	0	0	0	0	0
	Percent		100	<u> </u>				1		1	
CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870	870
		Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	16Ga
										ee.	
AB	Action binds	1			***************************************				111111111111111111111111111111111111111		
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder					:				<i>*</i>	
BAC	Burr at chamber									á	
вв	Bolt binds/catches							19999			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										

CC CD

СН

Case dented

Closes hard


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000				55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

۲	4	
t	4	
ŀ	년)	
C	2	
C	2	
	5	
ι	Л	
O	0	
ı	_	
n	0	
ĭ		

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	200									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			30							
FOS	Fires on safe				×						
FSR	Fires when safe is released					-60.					
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off										
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8					
HUE	Hard under extractor		10000					<u> </u>	što.		
ILOP	Int. latch out of position									****	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					Í	*****				
JL	Jumps latch										
JO	Jars off										
LB	Light blow								********		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

	·······									
PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	36								
RIC	Rings in chamber									
SBC	Stems bottom chambers		**							
SBCL	Shell binds carrier latch			30.						
SBE	Stems bbl extension	********			33 ₇₄ .					
SCB	Stock cracked or broken									
scx	Shell catches									
SHI	Short indent			<u> </u>						
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		10000					999.		
SLC	Stems left side of chamber								State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									<i>###</i>
SRIC	Specific rings in chamber					ĺ	******		ř	
ssc	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures

	Total Rejected Overall Reject Rate										
	Shot: Proof Rejected Percent	. 0	0	0	0	0	0	0	0	0	0
	Shøt. Test R ejected Pergent	0	Ø	0	0	0	0	0	0	0	0
	Shot Target Rejected Percent	1: 0	0	0	Ó	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
										300	
AB	Action binds	+			***************************************		.000000		*******		
ASFB	Action spring follower binds					1					
BABS	Bulge at body shoulder						2000 E			<u> </u>	
BAC	Burr at chamber	+						10000000			**************************************
BB	Bolt binds/catches										
BCOE	Bolt catches on ejector Blows cases								1.00		
BC BLOP	Bar lock or disconnector out of position									770000	
BSCO	Barrel support came out	+									200000
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver	1									
CD	Case dented	1									
CH	Closes hard										
1	,				1						ı


0

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000				55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect:										
FCB	Fore-end cracked or broken										
FD	Follows-down	200									
FF	Fails to:fire										
FFM	Fails to feed from magazine		***								
FFP	Flat firing pin	×		356.							
FOS	Fires on safe				88 ₀₀ .						
FSR	Fires when safe is released	190									
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off										
HPA	High pressure ammo						***				
HUE	Hard under extractor		10000					**	880.		
ILOP	Int. latch out of position					2,0000			*		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					2					
JL	Jumps latch									À	
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										
	·										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	26.									
RIC 📉	Rings in chamber										
SBC	Stems bottom chambers		**								
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken										
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		10000					*	99.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summa		Proof Failures Total Rejected:	0 0									
· · · · · · · · · · · · · · · · · · ·	Proof	all Reject Rate: Shot: Rejected: Percent	O	0	0	0	0	0	0	0	0	0
	Test	- 90000 A00000 - 0000	Ø	Ø	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTIO	N INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1108 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
										<i>"</i>	la s	
AB	Action binds						80: 80:::::::::::::::::::::::::::::::					
ASFB	Action spring follower bir	nds										
BABS	Bulge at body shoulder											
BAC	Burr at chamber										į į	
вв	Bolt binds/catches								- regge			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector	out of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl supp	ort-feeding										
CBS-L	Shells catch on bbl supp	ort-loading										
cc	Carrier catches on shells	s,mag,receiver										
CD	Case dented											
СН	Closes hard											


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Guts rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 ₀₀ .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			*							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	550.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect	_									
FCB	Fore-end cracked or broken										
FD	Follows-down	- 1844 .									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			333.							
FOS	Fires on safe				885.						
FSR	Fires when safe is released										
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off	Ä									
HPA	High pressure ammo										
HUE	Hard under extractor		10000					*	550.		
ILOP	Int. latch out of position								Ž ////	tods.	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					Í	*****			<i>y</i>	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			300.						
SBE	Stems bbl extension				85c.					
SCB	Stock cracked or broken									
scx	Shell catches									
SHI	Short indent			<u> </u>						
SIC	Stems in chamber						<u> </u>			
SL	shaves lead		1999					Sto.		
SLC	Stems left side of chamber								500.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ				
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

								•	
XHB	Extractor hits btsl							İ	
								_	
HI	High								
LO	Low								
LEFT	Left								
RIGHT	Right	Š							
DG	Doesn't Group	***************************************		88					
FSST	Front sight tipped							İ	
RSTT	Rear sight tipped	,							
RSBR	Rear sight base raised	á							
FSTR	Front sight raised		**						
FSTL	Front sight loose		10000			999.		İ	
RSTL	Rear sight loose					Ž (1888).	55-5-		
MGPT-G	Missing parts at target							İ	
UNCN-G	Uncoded nonconformity at target							İ	
AI-P	Assembly incompleye at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof							İ	
FCB-P	Fore-end cracked at proof								**
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof							İ	






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

ILE00058518

CC

CD

СН

Carrier catches on shells,mag,receiver

Case dented

Closes hard


Summary	Total Test + Proof Fa		0									
	Total Reje		0									
	Overall Reject											
			0	0	0	0	0		0			
•	- 10000000000000000007 F	jected: ercent:	V	*****	U	U	U	0	U	0	0	0
		Shot:	800 - 17000 8		Ī		Ι	1				
	Test Re	jected. ¯	0	0	0	0	0	0	0	0	0	0
		ercent:										
		Shot:				******	.o					
	raiget	jected: ercent:	o	0	0	0	0	<i>0</i>	0	o	0	0
	T		1187		¥ F :			******* 1**** ***				
CODE	MALFUNCTION INDEX		Super	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
			Mag	1200		·			2000	- 100u	1200	1004
AB	Action binds						Book.				8800.	
						70000000				100000		
ASFB	Action spring follower binds	+					***************************************			- 200		
BABS	Bulge at body shoulder										2	
BAC	Burr at chamber									*******	į	
ВВ	Bolt binds/catches								••			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector out of posit	tion										
BSCO	Barrel support came out		·									
CBS-F	Shells catch on bbl support-feeding	İ										
CBS-L	Shells catch on bbl support-loading											
					-		 					-

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000			<u> </u>	55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///		
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>2000</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

								 		_	
XHB	Extractor hits bis										
				•		•				•	
HI	High	500									
LO	LOW										
LEFT	Left										
RIGHT	Right			3866.							
DG	Doesn't Group				800.						
FSST	Front sight tipped	150									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised		**								
FSTL	Front sight loose		2000					850.			
RSTL	Rear sight loose							" // // // // // // // // // // // // //			
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
							******			665	
AI-P	Assembly incompleye at proof								Á		
вс-Р	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2445			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

СС

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard


Carrier catches on shells,mag,receiver


Summary	Total Test + P	J.	0									
		tal Rejected: Reject Rate:	0									
	Proof	Shot: Rejected: Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shøt: Rejected Percent:	0	Ø	Ö	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	Ø.	0	0	0	0	0	0
CODE	MALFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds						**************************************				***** *******************************	
ASFB	Action spring follower binds	<u> </u>				7755555				***************************************		illen.
BABS	Bulge at body shoulder						37000					
BAC	Burr at chamber										á	
BB	Bolt binds/catches								1000			
BCOE	Bolt catches on ejector											
вс	Blows cases	<u> </u>										
BLOP	Bar lock or disconnector or	ut of position									,	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support	t-feeding										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	- 550								
CR	Guts.rim									
cs	Cases swell		***							
CTOG	Chamber torn or gouged			350.						
CTP	Creepy trigger pull				88 ₀₀ .					
CWSB	Cams wrong side of action bar	18								
DBB	Doesn't blow back									
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		7990				** ***	550.		
DE	Doesn't eject					,,,,,		× 2000		
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>.</i>
DLO	Doesn't lock open (after last shell)					7			No.	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SS-									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			800.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off			*							
HPA	High pressure ammo						***				
HUE	Hard under extractor		20000					*	550.		
ILOP	Int. latch out of position								Ž ////////////////////////////////////		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	26.									
RIC	Rings in chamber										
SBC	Stems bottom chambers		**								
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken										
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		10000					*	99.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary			0									
		al Rejected: Reject Rate:	О									
300	Overann	50000000		<u> </u>	1			1	T .	Τ	ı	
	Proof	Shot: Rejected:		. 0	0	0	0	0	0	0	0	0
		Percent:										
		Sh ợ t:			I							
	Test	Rejected: Percent:	0	0	0	0 ‱	0	0	o	0	o	o
	***	Shot:	1996.			383335. P833335.	I	1	1			ī
	Target	Rejected:	<u> </u>	0	0	0	0	0	0	0	0	0
		Percent:	Á									
CODE	MALFUNCTION IN	DEV	1187	1187	1187	1100	1100	1100	1100	1100	870	870
CODE	WALFONCTION IN	DEX	Super Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	16Ga
							.,655		× ×	ÿ		
АВ	Action binds									***************************************	**************************************	
ASFB	Action spring follower binds											
BABS	Bulge at body shoulder											
BAC	Burr at chamber										į	
ВВ	Bolt binds/catches								11000			
BCOE	Bolt catches on ejector									*****		
вс	Blows cases											
BLOP	Bar lock or disconnector out	of position									,,	
BSCO	Barrel support came out		·									
CBS-F	Shells catch on bbl support-fo	eeding										
CBS-L	Shells catch on bbl support-le	oading										

СС

CD

СН

Carrier catches on shells,mag,receiver

Case dented


Closes hard

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	500									
CR	Cuts.rim										
cs	Cases swell		***								
стос	Chamber torn or gouged			300.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 1%									
DBB	Doesn't blow back										
DCS	Double click in safety switch										
DCT	Double click in trigger										
DCU	Doesn't close-up		77999					<u> </u>	Sec.		
DE	Doesn't eject					*****				500.	
DEL	Doesn't eject live round								*******		
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)					Í	*****				
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine										
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down	200							
FF	Fails to fire								
FFM	Falls to feed from magazine								
FFP	Flat firing pin			333.					
FOS	Fires on safe				885.				
FSR	Fires when safe is released								
GCSO	Gas cyl shot off	į.							
GRSO	Guide ring shot off			<u> </u>					
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8			
HUE	Hard under extractor		77999				<u> </u>	99.	
ILOP	Int. latch out of position								
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								<i>*************************************</i>
ILSP	Int. latch spring out of position					ĺ			
JL	Jumps latch								
JO	Jars off								
LB	Light blow							***************************************	
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension	***************************************			88s.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		77999					999.		
SLC	Stems left side of chamber								State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ	*****			
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Total Test + Proof Failures

0

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	500								
CR	Guts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			800.						
CTP	Creepy trigger pull	***************************************			Stor.					
CWSB	Cams wrong side of action bar	194				,				
DBB	Doesn't blow back	ي .								
DCS	Double click in safety switch			*						
DCT	Double click in trigger						***			
DCU	Doesn't close-up		10000					*	550.	
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,				
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine								2001	
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									


FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	200								
FF	Fails to fire									
FFM	Falls to feed from magazine									
FFP	Flat firing pin			333.						
FOS	Fires on safe				885.					
FSR	Fires when safe is released									
GCSO	Gas cyl shot off	į.								
GRSO	Guide ring shot off			<u> </u>						
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		77999				<u> </u>	99.		
ILOP	Int. latch out of position									
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>*************************************</i>
ILSP	Int. latch spring out of position					ĺ			ş	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							***************************************		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

	888888897 19888888888					 				
PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work									
RIC	Rings in chamber									
SBC	Stems bottom chambers		***							
SBCL	Shell binds carrier latch			355						
SBE	Stems bbl extension				1000.					
SCB	Stock cracked or broken	131								
scx	Shell catches									
SHI	Short indent	a di								
SIC	Stems in chamber					***				
SL	shaves lead		2000				*	55o.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case							*********		
SRC	Stems right side of chamber									<i>******</i>
SRIC	Specific rings in chamber					*****			8	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

		•										•
XHB	Extractor hits bbb											
												_
HI	High	- Sec.										
LO	Low											
LEFT	Left		***									
RIGHT	Right	Š		388								
DG	Doesn't Group				886.							
FSST	Front sight tipped	191										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose		2005					*	800.			
RSTL	Rear sight loose					3,466			<i>"</i>			
MGPT-G	Missing parts at target				***************************************							
UNCN-G	Uncoded nonconformity at target										<i>.</i>	

AI-P	Assembly incompleye at proof									Á		
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof								*****			
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof											305
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CD

СН

Case dented

Closes hard

Summary	Total Test + Proof Failures Total Rejected Overall Reject Rate	: o									
	Shot: Proof Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Shot: Test R ejected Perpent	0	Ø	0	0	0	0	0	0	0	0
	Target Rejected Percent	: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						11000				SS	
AB ASFB	Action binds				1000000		3000000		1 1000		
BABS	Action spring follower binds					111000000					
BAC	Bulge at body shoulder Burr at chamber						1,465			;	
BB	Bolt binds/catches							10000000			
BCOE	Bolt catches on ejector										
BC	Blows cases										
BLOP	Bar lock or disconnector out of position									*****	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
	1		1	1	1	1	1	1		1	


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000			Ÿ //	55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										


FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	200								
FF	Fails to fire									
FFM	Falls to feed from magazine									
FFP	Flat firing pin			333.						
FOS	Fires on safe				885.					
FSR	Fires when safe is released									
GCSO	Gas cyl shot off	į.								
GRSO	Guide ring shot off			<u> </u>						
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		77999				<u> </u>	99.		
ILOP	Int. latch out of position									
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>*************************************</i>
ILSP	Int. latch spring out of position					ĺ			ş	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							***************************************		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	26.									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				85c.						
SCB	Stock cracked or broken										
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber							<u> </u>			
SL	shaves lead		77999						99.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber									******	
SRIC	Specific rings in chamber					ĺ	*****				
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										

										_
XHB.	Extractor hits bibl]
										_
HI	High									
LO	LOW									
LEFT	Left									
RIGHT	Right	Š		300.						
DG	Doesn't Group				886.					
FSST	Front sight tipped	- 7%								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised									
FSTL	Front sight loose		1000					999.		
RSTL	Rear sight loose					7,000			555.	
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target									

AI-P	Assembly incompleye at proof]
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof									
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									 _
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof									







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summa	ry Total Test + Proof Fail Total Rejec Overall Reject I	cted: 0									
	Pro of Reje	Shot: 0 icted: 0 rcent:	. 0	0	0	0	0	0	0	0	0
	Test Reje Pel	Shot: 0 cded: 0 cent:	O O	0	0	0	0	0	0	0	0
	Target Reje	Shipt: ected: 0 rcent:	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					*****				***** *******************************	
ASFB	Action spring follower binds								Ä		
BABS	Bulge at body shoulder										
BAC	Burr at chamber									á	
вв	Bolt binds/catches							139691			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of positi	on								,	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiv	er									
CD	Case dented										
СН	Closes hard										

000001 1000000000 0001 100000000										
arrier hits action bar										
an't laod magazine										
Cut-off	365									
üts rim										
ases swell										
hamber tom ör gøuged			300.							
reepy trigger pull	***********			885.						
ams wrong side of action bar	- 19									
oesn't blow back										
ouble click in safety switch										
ouble click in trigger		~				***				
oesn't close-up		10000					*	550.		
oesn't eject								<i>"</i>	***	
oesn't eject live round										
oesn't feed up										//////
oesn't lock open (after last shell)					,	*****		.0000000	<i>*</i>	
oesn't lock-up										
ead safe								20000000		7
rops shell-magazine								2000	00000000	
oesn't trip latch									*****	
oesn't extract										
oesn't extract live round										
xtractor drops shell										
jector sticks back										
xtractor stems shell										
ires automatically										
ollower binds										
	an't laod magazine ut-off uts-rim uses swell namber torn or gouged reepy trigger pull ams wrong side of action bar pesn't blow back puble click in safety switch puble click in trigger pesn't close-up pesn't eject pesn't eject live round pesn't lock open (after last shell) pesn't lock-up pedad safe rops shell-magazine pesn't trip latch pesn't extract live round pesn't extract live round pesn't extract live round pesn't extract shell pesn't extract live round pesn't extract shell	an't laod magazine ut-off its rim uses swell namber torn or gouged reepy trigger pull ams wrong side of action bar pesn't blow back puble click in safety switch puble click in trigger pesn't close-up pesn't eject pesn't eject live round pesn't feed up pesn't lock open (after last shell) pesn't lock-up pead safe pops shell-magazine pesn't extract pesn't extract live round	an't laod magazine ut-off its rim uses swell namber tom or gouged reepy trigger pull ams wrong side of action bar pesn't blow back puble click in safety switch puble click in trigger pesn't close-up pesn't eject pesn't eject live round pesn't lock open (after last shell) pesn't lock-up pead safe rops shell-magazine pesn't extract pesn't extract live round	an't laod magazine ut-off uts-rim uses swell namber tom or gouged reepy trigger pull resm't blow back puble click in safety switch puble click in trigger resm't close-up resm't eject live round resm't eject live round resm't lock open (after last shell) resm't lock-up read safe reps shell-magazine resm't extract resm't extract resm't extract live round retamon of the shell retamon of the shell retamon or gouged retamon or go	an't laod magazine att-off atts.rim asses swell amber tom of gouged eepy trigger pull ams wrong side of action bar besn't blow back buble click in safety switch buble click in trigger besn't close-up besn't eject besn't eject live round besn't feed up besn't feed up besn't lock open (after last shell) besn't lock-up add safe bops shell-magazine besn't trip latch besn't extract besn't extract besn't extract live round diractor drops shell ector sticks back diractor stems shell fees automatically	an't laod magazine at-off ats-rim asses swell anamber tom or gouged are eyp trigger pull ams wrong side of action bar asses it blow back abuble click in safety switch abuble click in trigger assn't close-up assn't eject assn't eject live round assn't feed up assn't lock open (after last shell) assn't lock-up and safe approximate the assessment of the property of the assessment of the ass	an't laod magazine ut-off ut-off uts nim usess swell namber torn or gouged eepy trigger pull ams wrong side of action bar pesn't blow back puble click in safety switch puble click in trigger pesn't close-up pesn't eject pesn't eject pesn't eject live round pesn't lock open (after last shell) pesn't lock-up pead safe pops shell-magazine pesn't trip latch pesn't extract live round dractor drops shell ector sticks back dractor stems shell res automatically	an't laod magazine ut-off its rim isses swell namber torn or: gouged reepy trigger pull ams wrong side of action bar pesn't blow back public click in safety switch public click in trigger pesn't close-up pesn't eject pesn't eject live round pesn't eject live round pesn't lock open (after last shell) pesn't lock-up pad safe pops shell-magazine pesn't trip latch pesn't extract live round diractor drops shell ector sticks back diractor stems shell res automatically	an't laod magazine at-off attrim asses swell asses swell amber forn or gouged eepy trigger pull ams wrong side of action bar been't blow back buble click in safety switch buble click in trigger been't close-up been't eject been't eject live round been't lock-up and safe bosshi lock-up besn't lock-up besn't lock-up besn't magazine been't write latch been	an't laod magazine it-off its-irm isses swell isses s

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>2000</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	550								
RIC	Rings in chamber									
SBC	Stems bottom chambers		***							
SBCL	Shell binds carrier latch			3500.						
SBE	Stems bbl extension				Xx.					
SCB	Stock cracked or broken	191								
scx	Shell catches	,								
SHI	Short indent									
SIC	Stems in chamber		**							
SL	shaves lead		7700				*	800.		
SLC	Stems left side of chamber							×		
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									<i>******</i>
SRIC	Specific rings in chamber					*****			ř	
ssc	shell stems carrier								À	
STC	Stems top chamber									
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failures										
	Total Rejected:	o									
	Overall Reject Rate:		ı	T	ı	T	1	1	ī		
	Shot: Proof Rejected:	0	0	0	0	0	0	0	0	0	0
	Percent.			Ť	ŭ	·	v	Ť	Ť	Ū	· ·
	Sh a t:			L							
	Test Rejected Percent:		0	0	<i>0</i>	0	0	o	o	0	o
	Shot:	1998	- 333333 333333		888888. 1888888	Ι.	I	1			
	Target Rejected:		0	0	Ø	0	0	0	0	0	0
	Percent:										
CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870	870
	MALI GIGOTION INSEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	16Ga
									×	io.	
AB	Action binds					00000000000000000000000000000000000000			***************************************		
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
ВВ	Bolt binds/catches										
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										

CD CH

Case dented Closes hard

XHB Extractor hits bibl HI High LO Gow LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Rear sight tipped RSTR Front sight loped RSTR Front sight loose RSTR Front sight loose RSTR Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target ALP Assembly incompleye at proof BC-P Blows cases at proof BE-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof												_	
HI High LO tow LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target ALP Assembly incompleye at proof BC-P Blows cases at proof BC-P Blows cases at proof BC-P Blows cases at proof BC-P Blanked primer at proof BC-P Blanked primer at proof BC-P Blows primer at proof BC-P Blows cases at proof BC-P Blows cases at proof BC-P Blows primer at proof BC-P BLOWs primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof BC-P Blows primer at proof	XHB.	Extractor hits bis											
LO LOW. LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight base raised FSTR Front sight taised FSTR Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BE-P Barrel extension broken at proof BP-P Blanked primer at proof BP-P Blanked primer at proof BS-P Barrel spilt at proof BS-P Barrel spilt at proof BS-P Barrel spilt at proof BS-P Barrel spilt at proof BS-P Barrel spilt at proof BR-P Barrel spilt at proof												-	
LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTL Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Describ took over shells at proof	HI	High											
RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTR Front sight loose RSTL Rear sight loose RSTL Rear sight loose Unconded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target BE-P Blows cases at proof BE-P Blows cases at proof BLP-P Blown primer at proof BLP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Doesn't look over shalls at proof	LO	Low											
DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Doesn't Group rishells at proof	LEFT	Left										1	
FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Blows cases at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Describtork over shells at proof	RIGHT	Right			300.								
RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DI OS-P Despit lock over shells at proof	DG					≫							
RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BC-P Dossy't lock over shells at proof	FSST	Front sight tipped	194			455555555							
FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Despit lock over shells at proof	RSTT	Rear sight tipped											
FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BC-P Doesn't lock over shells at proof	RSBR	Rear sight base raised											
RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Doesn't lock over shells at proof	FSTR	Front sight raised		~ 200									
MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Doesn't lock over shells at proof	FSTL	Front sight loose		10000					Printer control	550.			
MISSING parts at target UNCN-G Uncoded nonconformity at target AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DI OS-P Doesn't lock over shells at proof	RSTL	Rear sight loose					7.000						
AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DI OS-P Doesn't lock over shells at proof	MGPT-G	Missing parts at target											
AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DI OS-P Doesn't lock over shells at proof	UNCN-G	Uncoded nonconformity at target						200000000					
BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DLOS-P Doesn't lock over shells at proof								*****				• 288a.	
BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DLOS-P Doesn't lock over shells at proof	AI-P	Assembly incompleye at proof											
BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DLOS-P Doesn't lock over shells at proof	BC-P	Blows cases at proof											<i>#</i> ###.
BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DLOS-P Doesn't lock over shells at proof	BEB-P	Barrel extension broken at proof								marke.			
BS-P Barrel split at proof DLOS-P Doesn't lock over shells at proof	BLP-P	Blanked primer at proof									*****		
IDLOS-P Doesn't lock over shells at proof	BP-P	Blown primer at proof											
IDLOS-P Doesn't lock over shells at proof	BS-P	Barrel split at proof											
SEGOT SOCIAL CONTROL OF STORY	DLOS-P	Doesn't lock over shells at proof										,	
ESB-P Ejector sticks back at proof	ESB-P	Ejector sticks back at proof											
FCB-P Fore-end cracked at proof	FCB-P	Fore-end cracked at proof											7.50
FESO-P Fore-end shot off at proof	FESO-P	Fore-end shot off at proof											
FF-P Fails to fire at proof	FF-P	Fails to fire at proof											

















Subject to Protective Order - Williams v. Remington


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						.,465			<i>2</i> 2000.		
AB	Action binds				***************************************				* *************************************	**************************************	
ASFB	Action spring follower binds					1					
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							1740			
BCOE	Bolt catches on ejector								*****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

0

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Cuts.rim										
cs	Cases swell		**								
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 ₀₀ .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			*							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	550.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										7
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

											_
Fails to connect											
Fore-end cracked or broken											
Follows-down	- 550										
Fails to fire											
Fails to feed from magazine											
Flat firing pin		***	300.								
Fires on safe				885.							
Fires when safe is released											
Gas cyl shot off											
Guide ring shot off											
High pressure ammo		· · · · · · · · · · · · · · · · · · ·				· · · · · · · · · · · · · · · · · · ·					
Hard under extractor		*****						ito.			
Int. latch out of position					1						
Int. latch ret. Missing											
Int. latch stud broken					***************************************						
Int. latch spring out of position						**************************************					
Jumps latch											١,
Jars off											
Light blow								1100000			
Magazine cap shot off									******		
Magazine capacity wrong											
Misfires (ammo)											
Magazine follower out of position											
Magazine loads hard											
Opens hard											
Pulls hard											
Proof stamp illegible											
	Fore-end cracked or broken Follows-down Fails to fire Fails to free from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to fire Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken Follows-down Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to free Fails to freed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken Follows-down Fails to fire Fails to freed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down: Fails to free Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken Follows-down Fails to fire Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or bioken: Follows-down: Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch stud broken Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to fire Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or bioken Follows-down Falls to free Fall	Fore-end cracked or bioken Follows-down Falls to free Falls to free from magazine Falls to free from magazine Falls fring pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position Magazine follower out of position






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

CC

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard

Carrier catches on shells,mag,receiver

· · · · · · · · · · · · · · · · · · ·												
Summary	To	roof Failures tal Rejected: Reject Rate:	0 0									
	Proof	Shot: Rejected: Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat: Rejected Percent:	0	ā	Ö	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION I	NDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1108 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					****	1000				Mari	
ASFB	Action spring follower binds					***************************************				***************************************		
BABS	Bulge at body shoulder	!										
BAC	Burr at chamber										á	
ВВ	Bolt binds/catches								11200			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector ou	t of position									,,	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-	-feeding										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									1
co	Cut-off	***								
CR	Cuts.rim									
cs	Cases swell		***							
стос	Chamber torn or gouged	Š		800.						
СТР	Creepy trigger pull				88s.					
CWSB	Cams wrong side of action bar]
DBB	Doesn't blow back	ن _ى]
DCS	Double click in safety switch			<u> </u>						1
DCT	Double click in trigger									
DCU	Doesn't close-up		***99					80.		
DE	Doesn't eject								900	1
DEL	Doesn't eject live round									1
DFU	Doesn't feed up									1
DLO	Doesn't lock open (after last shell)					ĺ			,	
DLU	Doesn't lock-up									۱.,
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									 ļ ¨
DXL	Doesn't extract live round									1
EDS	Extractor drops shell									-
ESB	Ejector sticks back									1
ESS	Extractor stems shell]
FA	Fires automatically									-
FB	Follower binds									


										_
FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	564								
FF	Fails to fire									
FFM	Fails to feed from magazine		<u> </u>							
FFP	Flat firing pin			300.						
FOS	Fires on safe	***************************************			885.					
FSR	Fires when safe is released									
GCSO	Gas cyl shot off	ļ.								
GRSO	Guide ring shot off									
HPA	High pressure ammo									
HUE	Hard under extractor		2008				*	999-		
ILOP	Int. latch out of position							<u> </u>		
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken								§	
ILSP	Int. latch spring out of position					*****				
JL	Jumps latch								Á	
JO	Jars off									
LB	Light blow							***************************************		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									 <u> </u>
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	200							
RIC	Rings in chamber								
SBC	Stems bottom chambers								
SBCL	Shell binds carrier latch	Š		350.					
SBE	Stems bbl extension								
SCB	Stock cracked or broken	174							
scx	Shell catches	.:							
SHI	Short indent	- A							
SIC	Stems in chamber					***			
SL	shaves lead		1000				*	550.	
SLC	Stems left side of chamber				2,0000			×	
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								
SRIC	Specific rings in chamber				Í				
SSC	shell stems carrier								
STC	Stems top chamber								
SWE	Safety switch works too easily								
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
XH	Extracts hard								

										-	
XHB.	Extractor hits bibl										
										_	
HI	High	200									
LO	LOW										
LEFT	Left										
RIGHT	Right			886							
DG	Doesn't Group										
FSST	Front sight tipped	**									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised				S 335		*				
FSTL	Front sight loose		-0000				**	Sto.			
RSTL	Rear sight loose							Ž			
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								<i>.</i>		

AI-P	Assembly incompleye at proof										:
BC-P	Blows cases at proof										.2333
BEB-P	Barrel extension broken at proof							20000000			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington